FOR OFFICIAL USE.

THE REGISTRAR-GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES, FOR THE YEAR 1929.

(New Annual Series, No. 9)

TABLES. PART I. MEDICAL.

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1930.

Price 7*s*. 6*d*. Net.

70-141-1-29.

TABLE OF CONTENTS.

PART I.—Medical.

		Page
Table 1.	Deaths, Death-rates and Infant Mortality, England and Wales, 1838–1929	1
Table 2.	Deaths and Death-rates in Quarters, England and Wales, 1838–1929	3
Table 3.	Standardized Death-rates, Death-rates for Twelve Age-groups, and Infant Mortality, England and Wales, 1838–1929	4
Table 4.	Deaths according to Causes, England and Wales, 1919–1929	7
Table 5.	Death-rates according to Causes, England and Wales, 1919–1929	23
Table 5*a*.	Standardized Death-rates for certain Causes, England and Wales, 1919–1929	35
Table 6.	Death-rates (all Ages Standardized or at Age-group 0-15) from the principal Epidemic Diseases, Tuberculosis, Cancer and Diabetes, England and Wales, 1851–1929	39
Table 7.	Mortality from the principal Epidemic Diseases and from certain other causes, Administrative Counties and County Boroughs, 1928 and 1929	40
Table 8.	Deaths of Infants by Cause in each Year 1919 to 1929, England and Wales	45
Table 9.	Infant Mortality by Cause in each Year 1919 to 1929, England and Wales	46
Table 10.	Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1929	47
Table 11.	Infant Mortality by Age, Cause and Legitimacy and by Class of Administrative Area, 1929	52
Table 12.	Infant Mortality by Age and Cause in Different Parts of England and Wales and in Different Classes of Administrative Area, 1929..	58
Table 13.	Deaths of Infants by Legitimacy and Age in Administrative Areas, 1929	61
Table 14.	Population, Births, Deaths, Total and Infant Mortality and Natural Increase in Administrative Areas, 1929	66
Table 14*a*.	Stillbirths and Stillbirth-rates in Administrative Areas, 1929	117
Table 15.	Deaths at each Year of Age, England and Wales, 1929	120

Page.

Table 16. Deaths at Ages in Sections of the Country and Classes of Area, Greater London, Metropolitan Boroughs, County Boroughs and Administrative Counties, 1929 121

Table 17. Deaths by Cause, Sex and Age, 1929.. .. 138

Table 17*a*. Deaths by Cause and by Ages under Five Years, England and Wales, 1929 224

Table 18. Deaths by Cause and by Month of Occurrence, England and Wales, October, 1928—September, 1929 228

Table 19. Deaths of Non-Civilians by Cause and by Age, England and Wales, 1929 241

Table 20. Deaths by Condensed List of Causes and by Sex and Age, 1929.. 242

Table 21. Deaths by Cause in certain Administrative Areas, 1929 382

Table 22. Violent Deaths by Sex, Age and Form of Violence, England and Wales, 1929 432

Table 23. Infectious Diseases, Cases Notified per 1,000 Population, England and Wales, in each year 1919–1929 .. 443

Table 24. Infectious Diseases, Seasonal Incidence, England and Wales, 1929 446

Table 25. Tuberculosis, Notifications in each year 1920–1929 .. 447

Table 26. Infectious Diseases, Cases notified in the larger Administrative Areas, 1929 448

Table 27. Infectious Diseases, Cases notified, England and Wales, in each year 1919-1929 455

Table 28. Infectious Diseases, Cases notified in all Administrative Areas in England and Wales, 1929 458

Table 29. Air Temperature, Rainfall and Sunshine, England and Wales, 1929 501

Table 30. Quarterly Meteorological Elements, Greenwich, 1929 502

Table 31. Meteorological Elements, Greenwich, 1880–1929 .. 503

General Register Office,
Somerset House,
London, W.C.2.

(55) Wt. 253/2411 1375 8/30 Harrow G. 4/16

TABLE 1.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838–1929.

Period.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838–1929	†44,452,872	22,778,773	21,674,099	17·9	19·0	16·8	17·3	18·6	16·0	1,161	135	—	—
1841–1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851–1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861–1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871–1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881–1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891–1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901–1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911–1920	† 5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	13·5	15·0	12·2	1,230	100	96	194
1841–1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846–1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851–1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856–1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861–1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866–1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871–1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876–1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881–1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886–1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891–1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896–1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901–1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906–1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911–1915	† 2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	13·7	15·1	12·4	1,218	110	105	210
1916–1920	† 2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	13·4	15·1	11·9	1,269	90	85	179
1921–1925	2,336,270	1,189,865	1,146,405	12·2	13·0	11·4	10·9	12·1	9·9	1,223	76	73	140
1881	491,935	253,605	238,330	18·9	20·0	17·8	18·2	19·6	17·0	1,154	130	—	—
1882	516,654	265,767	250,887	19·6	20·7	18·5	18·8	20·2	17·6	1,145	141	—	—
1883	522,997	269,262	253,735	19·6	20·8	18·5	19·0	20·4	17·7	1,153	137	—	—
1884	530,828	273,522	257,306	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	522,750	268,305	254,445	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	537,276	275,874	261,402	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	530,758	272,137	258,621	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915–20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 1.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838–1929—*continued.*

Year.	Deaths			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17·1	18·1	16·1	16·9	18·3	15·7	1,163	148	—	—
1897	541,487	280,211	261,276	17·4	18·6	16·2	17·3	18·8	15·9	1,187	156	—	—
1898	552,141	283,981	268,160	17·5	18·6	16·5	17·4	18·9	16·1	1,172	160	—	—
1899	581,799	299,472	282,327	18·2	19·4	17·2	18·2	19·8	16·8	1,176	163	—	—
1900	587,830	303,823	284,007	18·2	19·5	17·1	18·2	19·9	16·7	1,189	154	—	—
1901	551,585	285,618	265,967	16·9	18·1	15·8	16·9	18·5	15·5	1,192	151	—	—
1902	535,538	277,216	258,322	16·3	17·4	15·2	16·2	17·7	14·8	1,195	133	—	—
1903	514,628	266,290	248,338	15·5	16·5	14·4	15·4	16·8	14·1	1,196	132	—	—
1904	549,784	283,206	266,578	16·3	17·4	15·3	16·2	17·6	14·9	1,185	145	—	—
1905	520,031	267,601	252,430	15·3	16·3	14·4	15·2	16·5	13·9	1,188	128	—	—
1906	531,281	274,233	257,048	15·5	16·5	14·5	15·3	16·8	14·0	1,195	132	127	261
1907	524,221	269,259	254,962	15·1	16·0	14·2	14·9	16·2	13·6	1,190	118	113	220
1908	520,456	268,714	251,742	14·8	15·8	13·9	14·5	16·0	13·3	1,204	120	116	233
1909	518,003	265,203	252,800	14·6	15·5	13·8	14·3	15·6	13·1	1,192	109	104	211
1910	483,247	249,016	234,231	13·5	14·4	12·7	13·2	14·5	12·0	1,205	105	102	195
1911	527,810	272,512	255,298	14·6	15·6	13·7	14·2	15·6	13·0	1,202	130	125	245
1912	486,939	250,232	236,707	13·4	14·2	12·6	12·9	14·2	11·8	1,203	95	91	181
1913	504,975	261,687	243,288	13·8	14·8	12·9	13·3	14·7	12·1	1,227	108	104	213
1914	516,742	267,359	249,383	14·0	14·9	13·1	13·5	14·9	12·2	1,216	105	100	207
1915†	562,253	292,381	269,872	15·7	17·7	14·0	14·6	16·3	13·0	1,254	110	105	203
1916†	508,217	265,030	243,187	14·3	16·7	12·5	13·1	14·9	11·5	1,296	91	87	183
1917†	498,922	262,215	236,707	14·2	17·1	12·1	13·0	15·1	11·2	1,348	96	90	201
1918†	611,861	314,704	297,157	17·3	20·1	15·2	16·6	19·0	14·5	1,310	97	91	186
1919†	504,203	258,089	246,114	14·0	15·7	12·6	13·0	14·6	11·6	1,259	89	84	173
1920†	466,130	240,302	225,828	12·4	13·5	11·5	11·9	13·2	10·7	1,234	80	76	156
1921	458,629	234,291	224,338	12·1	13·0	11·3	11·3	12·5	10·2	1,223	83	79	158
1922	486,780	247,221	239,559	12·8	13·6	12·0	11·6	12·9	10·6	1,215	77	74	139
1923	444,785	226,858	217,927	11·6	12·4	10·9	10·3	11·4	9·3	1,229	69	67	132
1924	473,235	240,620	232,615	12·2	12·9	11·5	10·7	11·8	9·7	1,222	75	73	133
1925	472,841	240,875	231,966	12·2	12·9	11·4	10·7	11·9	9·7	1,227	75	72	136
1926	453,804	231,549	222,255	11·6	12·4	10·9	10·1	11·2	9·1	1,235	70	68	130
1927	484,609	246,606	238,003	12·3	13·1	11·6	10·6	11·8	9·6	1,236	70	67	120
1928	460,389	235,542	224,847	11·7	12·5	10·9	9·9	11·1	8·9	1,248	65	63	115
1929	532,492	269,903	262,589	13·4	14·2	12·7	11·5	12·7	10·4	1,226	74	72	126

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915–20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

Table 2.—England and Wales.—Numbers of Deaths and Annual Death-Rates in each Quarter in Groups of Years, 1838–1929, and in each Year 1920–1929.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths: Males.				Deaths: Females.			
1838–1929*	6,422,894	5,570,765	5,184,094	5,667,034	6,199,970	5,183,006	4,831,963	5,459,160
1841–50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851–60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861–70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871–80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881–90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891–1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901–10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911–20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1920*	70,073	62,017	48,712	59,500	67,543	57,254	44,960	56,071
1921	65,716	55,782	51,405	61,388	63,557	52,687	47,691	60,403
1922	82,552	61,439	47,323	55,907	82,941	58,863	43,604	54,151
1923	63,362	58,237	47,239	58,020	61,349	55,807	44,011	56,760
1924	79,690	58,954	46,692	55,284	80,584	55,234	43,446	53,351
1925	69,409	58,545	49,285	63,636	68,890	54,673	45,769	62,634
1926	65,742	58,414	46,917	60,476	64,869	55,395	43,788	58,203
1927	83,802	55,711	47,904	59,189	84,958	51,884	44,334	56,827
1928	69,050	59,160	48,120	59,212	67,249	55,582	45,595	56,421
1929	99,944	61,439	50,201	58,319	104,365	57,289	46,548	54,387
	Deaths: Persons.				Death-Rates per 1,000 persons living.			
1838–1929*	12,622,864	10,753,771	10,016,057	11,126,194	20·6	17·3	16·0	17·7
1841–50	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851–60	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861–70	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871–80	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881–90	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891–1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901–10	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911–20*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	15·0
1920*	137,616	119,271	93,672	115,571	14·7	12·8	10·0	12·3
1921	129,273	108,469	99,096	121,791	13·8	11·5	10·4	12·8
1922	165,493	120,302	90,927	110,058	17·6	12·6	9·5	11·4
1923	124,711	114,044	91,250	114,780	13·2	11·9	9·4	11·9
1924	160,274	114,188	90,138	108,635	16·6	11·8	9·2	11·1
1925	138,299	113,218	95,054	126,270	14·4	11·7	9·7	12·9
1926	130,611	113,809	90,705	118,679	13·6	11·7	9·2	12·1
1927	168,760	107,595	92,238	116,016	17·4	11·0	9·3	11·7
1928	136,299	114,742	93,715	115,633	13·9	11·7	9·4	11·7
1929	204,309	118,728	96,749	112,706	20·9	12·0	9·7	11·3

* *See* Note † to Table 1.

TABLE 3.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1929*—MALES.

Period.	Deaths of Males per 1,000 living at subjoined Ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Live Births.
	All Ages. (Standardized).†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1929‡	18·6	57·3	5·5	3·1	4·4	6·0	7·3	10·6	16·6	31·0	65·9	143·6	295·6	148
1841–50	22·5	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3	167
1851–60	22·1	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2	168
1861–70	22·6	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0	168
1871–80	21·8	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4	163
1881–90	20·0	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8	155
1891–1900	19·5	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8	168
1901–10	16·6	50·0	3·5	2·1	3·1	4·2	5·6	9·2	16·2	31·8	64·8	137·7	279·2	140
1911–20‡	15·0	37·8	3·6	2·2	3·4	4·9	6·5	8·6	14·5	29·0	63·5	139·3	274·5	112
1841–45	21·6	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1	162
1846–50	23·4	73·7	9·5	5·4	7·4	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851–55	22·7	73·9	8·8	5·2	7·0	9·2	10·0	12·9	18·6	31·6	66·7	150·9	310·9	172
1856–60	21·6	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·5	30·4	64·3	142·7	305·3	166
1861–65	22·6	74·1	8·5	4·7	6·4	8·6	9·8	13·2	18·9	32·8	66·4	145·9	316·6	166
1866–70	22·6	72·9	7·9	4·3	6·0	8·3	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–75	22·4	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–80	21·3	67·1	6·3	3·4	4·8	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–85	20·1	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–90	20·0	61·9	4·9	2·8	4·1	5·5	7·4	12·1	19·4	35·2	72·1	147·9	313·7	159
1891–95	20·0	62·9	4·5	2·6	4·0	5·2	7·1	11·9	19·5	35·8	72·5	149·2	290·8	165
1896–1900	19·1	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·4	34·1	68·3	143·1	282·8	170
1901–05	17·4	54·7	3·7	2·1	3·2	4·4	5·9	9·7	17·0	32·4	65·3	137·6	274·6	151
1906–10	15·8	45·4	3·3	2·0	3·0	4·0	5·3	8·6	15·5	31·2	64·4	137·7	283·0	129
1911–15‡	15·1	40·9	3·4	2·0	3·0	4·0	5·1	8·2	14·9	30·2	64·1	139·2	281·6	121
1916–20‡	15·1	34·4	3·8	2·4	3·9	6·6	8·6	9·1	14·0	27·9	63·0	139·4	267·8	101
1921–25	12·1	27·3	2·5	1·7	2·6	3·5	4·1	6·5	11·6	24·8	58·6	136·2	271·6	86
1888	19·2	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7	150
1889	19·2	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6	157
1890	21·0	62·9	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5	165
1891	21·7	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1	164
1892	20·2	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4	162
1893	20·4	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8	173
1894	17·7	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6	150
1895	19·9	66·0	4·1	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1	176
1896	18·3	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9	161
1897	18·8	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·1	170
1898	18·9	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6	175
1899	19·8	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1	177
1900	19·9	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3	169
1901	18·5	59·0	4·0	2·3	3·5	4·7	6·2	10·6	18·0	33·5	67·8	139·8	276·5	166
1902	17·7	54·1	3·9	2·2	3·3	4·6	6·2	10·4	17·8	33·3	66·7	138·5	270·0	147
1903	16·8	52·5	3·5	2·0	3·0	4·2	5·8	9·4	16·6	31·6	63·3	132·8	260·3	145
1904	17·6	57·4	3·6	2·1	3·1	4·3	5·7	9·4	16·5	32·3	65·5	139·7	287·6	159
1905	16·5	50·3	3·4	2·1	3·1	4·2	5·6	9·0	16·1	31·5	63·3	137·2	278·2	141
1906	16·8	51·2	3·5	2·0	3·2	4·1	5·5	9·1	16·1	32·4	64·3	137·3	298·5	145
1907	16·2	46·8	3·4	2·0	3·0	4·0	5·5	9·0	16·1	32·3	65·2	138·8	291·7	130
1908	16·0	46·9	3·3	2·0	2·9	4·0	5·3	8·6	15·4	31·4	64·3	138·4	277·2	133
1909	15·6	42·8	3·4	2·0	3·0	3·9	5·2	8·5	15·6	31·1	66·4	142·5	289·9	120
1910	14·5	39·7	3·0	1·9	2·7	3·7	4·7	7·9	14·5	29·4	61·8	131·6	259·7	116
1911	15·6	46·7	3·5	2·1	3·1	3·8	5·0	8·1	14·9	29·6	62·4	136·7	268·0	142
1912	14·2	35·9	3·1	1·8	2·9	3·6	4·8	7·9	14·7	29·6	62·7	135·6	266·7	106
1913	14·7	40·3	3·2	1·9	2·8	3·6	4·8	7·9	14·7	29·9	62·9	136·6	269·3	120
1914	14·9	39·4	3·4	2·1	3·1	3·9	5·1	8·3	14·9	30·0	63·4	133·2	281·2	116
1915‡	16·3	42·0	3·9	2·3	3·3	5·8	6·5	8·9	15·4	31·9	69·0	153·6	322·7	123
1916‡	14·9	32·5	3·3	2·2	3·4	6·9	7·2	8·6	14·4	29·6	66·8	148·1	309·2	102
1917‡	15·1	31·8	3·3	2·2	3·6	7·9	8·5	9·1	14·1	29·2	66·2	147·2	286·5	108
1918‡	19·0	38·9	5·5	3·5	6·2	13·8	19·6	12·6	16·4	29·3	64·4	132·1	234·4	108
1919‡	14·6	32·8	3·5	2·3	3·6	5·5	8·1	8·6	13·3	27·2	62·6	145·5	277·6	100
1920‡	13·2	36·2	3·3	1·9	2·9	3·9	4·7	7·0	12·1	24·5	55·6	125·1	235·2	90
1921	12·5	32·3	2·8	1·8	2·8	3·6	4·2	6·5	11·4	24·4	55·8	128·7	262·8	93
1922	12·9	30·2	2·6	1·7	2·7	3·7	4·4	6·9	12·0	26·0	61·2	143·9	271·3	87
1923	11·4	24·3	2·3	1·6	2·6	3·4	4·0	6·3	11·2	24·1	56·0	130·2	262·0	78
1924	11·8	25·1	2·4	1·6	2·5	3·4	3·9	6·5	11·5	24·9	60·0	137·5	271·4	85
1925	11·9	25·3	2·5	1·7	2·6	3·3	3·9	6·3	11·6	24·5	59·6	140·2	290·0	84
1926	11·2	23·3	2·5	1·5	2.5	3·1	3·7	6·1	11·1	23·3	56·8	132·7	282·0	79
1927	11·8	23·7	2·4	1·6	2·5	3·3	3·8	6·6	11·9	24·5	61·1	141·7	309·0	79
1928	11·1	21·9	2·4	1·7	2·6	3·1	3·7	6·0	11·2	23·3	57·8	130·1	287·7	74
1929	12·7	26·3	2·6	1·7	2·7	3·4	3·9	6·8	12·9	25·9	65·7	154·2	335·7	83

* The age rates for intercensal years are based upon estimated populations.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among males at the various dates, but also for differences in age constitution between the two sexes; *see* the Annual Report for 1911 (pages xxvii-xxxi) and the Annual Report for 1913 (p. xx).

‡ Including civilian mortality only in 1915-20.

TABLE 3 (*contd.*).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1929.*—FEMALES.

Period.	Deaths of Females per 1,000 living at subjoined Ages.													Deaths of Female Infants under 1 year of age per 1,000 Female Live Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1929	16·0	48·7	5·3	3·2	4·5	5·4	6·6	8·9	13·0	24·9	55·2	125·2	266·9	121
1841–50	20·7	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851–60	20·3	62·7	8·4	5·1	7·4	8·5	9·9	12·1	15·2	27·0	58·7	134·5	288·9	139
1861–70	20·2	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1	139
1871–80	19·0	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4	134
1881–90	17·3	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8	128
1891–1900	16·7	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4	138
1901–10	13·9	41·9	3·6	2·2	2·9	3·5	4·7	7·5	12·5	24·8	53·9	119·8	250·3	114
1911–20	12·2	31·4	3·6	2·3	3·2	3·9	4·8	6·4	10·9	21·5	49·6	116·3	243·6	89
1841–45	19·8	58·6	8·6	5·2	7·7	8·6	9·9	12·1	15·1	27·2	59·1	131·8	288·6	133
1846–50	21·6	63·6	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851–55	20·7	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856–60	19·9	62·3	8·4	4·8	7·1	8·2	9·6	11·8	14·8	26·5	58·1	131·9	285·8	137
1861–65	20·3	64·2	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·8	287·9	136
1866–70	20·0	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·3	142
1871–75	19·5	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·3	135·3	293·9	138
1876–80	18·4	56·8	5·9	3·5	5·0	6·2	8·0	11·3	15·3	28·6	60·8	135·5	299·0	130
1881–85	17·5	51·9	5·7	3·3	4·7	5·9	7·9	10·9	15·2	28·1	59·1	129·0	265·5	125
1886–90	17·2	52·0	4·9	2·9	4·2	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–95	17·2	52·8	4·6	2·7	4·0	4·8	6·6	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900	16·2	52·7	4·2	2·4	3·4	4·1	5·6	9·1	14·3	27·4	58·5	127·0	258·7	141
1901–05	14·6	45·8	3·8	2·2	3·0	3·7	5·0	8·0	13·1	25·4	54·8	119·9	249·4	124
1906–10	13·2	38·0	3·4	2·1	2·8	3·3	4·5	7·1	12·0	24·3	53·1	119·6	250·9	105
1911–15	12·4	34·0	3·4	2·1	2·8	3·2	4·1	6·5	11·4	22·7	51·7	117·5	245·4	97
1916–20	11·9	28·4	3·8	2·6	3·7	4·5	5·5	6·4	10·4	20·4	47·7	115·1	241·9	79
1921–25	9·9	22·1	2·4	1·7	2·6	3·1	3·6	5·0	8·8	18·6	46·0	114·0	246·9	66
1888	16·4	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1	122
1889	16·6	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3	129
1890	17·8	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6	136
1891	18·5	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7	133
1892	17·5	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4	132
1893	17·6	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0	143
1894	15·2	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6	124
1895	17·3	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2	144
1896	15·7	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4	134
1897	15·9	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6	141
1898	16·1	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6	145
1899	16·8	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2	148
1900	16·7	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9	139
1901	15·5	49·5	4·1	2·4	3·2	3·8	5·3	8·7	13·8	26·5	56·5	122·6	247·1	136
1902	14·8	45·0	4·2	2·3	3·1	3·9	5·3	8·4	13·4	25·9	55·7	122·1	252·3	118
1903	14·1	43·7	3·6	2·1	2·9	3·5	4·9	7·9	12·8	24·4	52·9	114·7	233·9	118
1904	14·9	48·5	3·6	2·2	3·0	3·5	4·9	7·7	12·8	25·6	55·1	123·2	256·1	131
1905	13·9	42·1	3·5	2·2	2·9	3·6	4·8	7·5	12·5	24·8	53·8	117·2	256·7	115
1906	14·0	43·1	3·7	2·3	2·9	3·5	4·7	7·5	12·4	24·8	52·5	119·6	258·7	120
1907	13·6	39·1	3·5	2·1	2·9	3·4	4·6	7·4	12·4	25·3	55·1	122·6	259·4	104
1908	13·3	39·0	3·4	2·0	2·7	3·4	4·4	6·9	12·1	24·2	52·7	119·4	248·8	107
1909	13·1	35·7	3·5	2·1	2·8	3·3	4·4	6·9	12·1	24·8	55·5	124·2	256·2	97
1910	12·0	33·1	3·1	2·0	2·6	3·1	4·1	6·5	11·1	22·4	49·8	112·3	232·8	94
1911	13·0	39·5	3·4	2·1	2·7	3·3	4·2	6·6	11·4	22·8	50·5	115·1	229·4	117
1912	11·8	29·9	3·1	2·0	2·7	3·2	4·0	6·4	11·2	22·4	51·2	115·5	239·3	84
1913	12·1	33·3	3·2	2·0	2·6	3·2	4·0	6·4	11·3	22·3	50·2	111·8	236·2	96
1914	12·2	32·9	3·4	2·2	2·7	3·2	4·1	6·5	11·5	22·4	51·0	114·2	244·2	93
1915	13·0	34·4	3·8	2·3	3·0	3·4	4·2	6·5	11·7	23·6	55·7	130·2	275·9	96
1916	11·5	26·5	3·2	2·2	3·0	3·4	4·1	6·1	10·7	21·6	51·8	123·4	268·4	80
1917	11·2	26·3	3·2	2·2	3·2	3·4	3·9	5·8	10·1	20·7	48·8	119·3	252·2	85
1918	14·5	34·1	5·9	4·0	6·0	7·9	9·8	8·5	12·3	21·4	47·8	107·8	221·3	86
1919	11·6	26·4	3·6	2·3	3·4	4·3	5·4	6·1	10·1	20·5	48·3	120·8	257·0	78
1920	10·7	28·9	3·2	2·0	2·7	3·3	4·2	5·4	9·0	18·2	42·3	105·2	213·6	69
1921	10·2	25·8	2·7	1·8	2·7	3·2	3·7	5·2	8·8	18·2	43·6	108·9	232·3	72
1922	10·6	24·5	2·5	1·8	2·6	3·2	3·9	5·3	9·3	19·7	48·6	120·9	251·0	66
1923	9·3	19·6	2·2	1·6	2·5	3·0	3·4	4·8	8·5	18·2	44·1	108·5	231·9	60
1924	9·7	20·2	2·2	1·7	2·5	3·1	3·5	5·0	8·6	18·9	47·3	116·0	249·5	65
1925	9·7	20·7	2·4	1·7	2·5	3·1	3·4	4·8	8·6	18·1	46·2	115·8	269·1	66
1926	9·1	18·8	2·3	1·5	2·4	2·9	3·3	4·6	8·2	17·4	43·9	108·0	254·2	61
1927	9·6	18·9	2·2	1·5	2·4	3·0	3·4	4·9	8·7	18·3	47·4	118·5	285·8	60
1928	8·9	17·4	2·2	1·5	2·4	3·0	3·3	4·6	8·1	17·1	44·3	106·0	262·5	56
1929	10·4	21·6	2·3	1·7	2·5	3·1	3·5	4·9	9·0	19·3	52·0	131·4	327·2	65

* See Note * on first page of Table.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among females at the various dates, but also for differences in age constitution between the two sexes.

TABLE 3 (*contd*).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1929.*—PERSONS.

Period	Deaths of Persons per 1,000 living at subjoined Ages.													Deaths of Infants under 1 year of age per 1,000 Live Births.
	All Ages (Standard-ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.	
1838–1929‡	17·3	53·0	5·4	3·1	4·5	5·7	6·9	9·7	14·7	27·7	60·0	133·0	277·4	135
1841–50	21·6	66·0	9·0	5·3	7·5	9·3	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851–60	21·2	67·6	8·5	5·0	7·0	8·7	9·8	12·3	16·5	28·9	61·7	139·9	296·5	154
1861–70	21·3	68·6	8·0	4·5	6·4	8·2	9·8	12·7	17·4	30·4	62·8	140·4	296·6	154
1871–80	20·3	63·4	6·5	3·7	5·4	7·1	9·0	12·7	17·8	31·6	65·0	142·2	308·3	149
1881–90	18·6	56·8	5·3	3·0	4·4	5·6	7·6	11·5	17·1	31·4	65·0	137·6	284·0	142
1891–1900	18·1	57·7	4·3	2·5	3·7	4·7	6·4	10·5	16·8	31·5	65·0	137·2	270·8	153
1901–10	15·2	46·0	3·6	2·1	3·0	3·8	5·1	8·3	14·3	28·1	58·8	127·2	260·8	128
1911–20‡	13·5	34·6	3·6	2·3	3·3	4·3	5·5	7·4	12·6	25·0	55·8	125·5	254·2	100
1841–45	20·6	63·6	8·7	5·0	7·2	8·8	9·7	12·2	16·1	28·7	62·0	137·2	295·3	148
1846–50	22·4	68·7	9·4	5·6	7·7	9·8	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851–55	21·7	68·9	8·6	5·2	7·4	9·1	10·2	12·7	17·2	29·6	62·9	143·2	299·6	156
1856–60	20·7	66·9	8·3	4·7	6·7	8·3	9·4	12·0	16·1	28·4	61·0	136·7	293·4	152
1861–65	21·4	69·1	8·4	4·7	6·6	8·4	9·8	12·6	17·2	30·3	62·5	139·1	299·0	151
1866–70	21·2	68·1	7·6	4·3	6·2	8·0	9·9	12·9	17·6	30·6	63·2	141·7	294·3	157
1871–75	20·9	64·9	6·9	4·0	5·8	7·7	9·6	13·1	18·0	31·6	65·3	141·7	305·2	153
1876–80	19·8	61·9	6·1	3·5	4·9	6·5	8·3	12·3	17·5	31·6	64·7	142·9	311·5	145
1881–85	18·7	56·6	5·8	3·2	4·6	6·0	8·0	11·8	17·2	31·0	63·5	136·2	277·9	139
1886–90	18·5	56·9	4·9	2·8	4·1	5·3	7·2	11·1	17·1	31·8	66·4	139·0	290·1	145
1891–95	18·5	57·8	4·6	2·7	4·0	5·0	6·8	11·0	17·3	32·5	67·3	140·7	273·9	151
1896–1900	17·6	57·6	4·1	2·4	3·5	4·5	6·0	10·1	16·2	30·5	62·9	133·8	267·7	156
1901–05	16·0	50·2	3·7	2·2	3·1	4·0	5·4	8·9	14·9	28·7	59·4	127·3	258·6	138
1906–10	14·4	41·7	3·4	2·0	2·9	3·6	4·8	7·8	13·7	27·5	58·1	127·0	262·4	117
1911–15‡	13·7	37·5	3·4	2·1	2·2	3·6	4·6	7·3	13·1	26·2	57·3	126·2	257·9	110
1916–20‡	13·4	31·4	3·8	2·5	3·8	5·2	6·5	7·5	12·1	24·0	54·5	124·8	250·7	90
1921–25	10·9	24·7	2·5	1·7	2·6	3·3	3·8	5·7	10·1	21·5	51·6	122·7	255·0	76
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1	136
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6	144
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4	151
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5	149
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9	148
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·5	32·2	66·5	134·6	258·5	159
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5	137
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3	161
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3	148
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	60·2	129·9	259·8	156
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1	160
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9	163
1900	18·2	56·7	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2	154
1901	16·9	54·2	4·1	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·5	129·8	258·0	151
1902	16·2	49·6	4·1	2·3	3·2	4·2	5·7	9·3	15·5	29·4	60·6	129·0	258·8	133
1903	15·4	48·1	3·5	2·1	3·0	3·8	5·4	8·6	14·6	27·7	57·5	122·2	243·6	132
1904	16·2	53·0	3·6	2·1	3·1	3·9	5·3	8·5	14·6	28·7	59·7	130·1	267·6	145
1905	15·2	46·2	3·5	2·1	3·0	3·9	5·2	8·3	14·2	28·0	58·0	125·5	264·5	128
1906	15·3	47·2	3·6	2·1	3·0	3·8	5·1	8·2	14·2	28·2	57·7	126·9	273·1	132
1907	14·9	42·9	3·5	2·1	2·9	3·7	5·0	8·2	14·2	28·6	59·6	129·3	271·0	118
1908	14·5	43·0	3·4	2·0	2·8	3·7	4·9	7·8	13·7	27·6	57·8	127·2	259·0	120
1909	14·3	39·2	3·4	2·1	2·9	3·6	4·8	7·7	13·8	27·8	60·4	131·7	268·3	109
1910	13·2	36·4	3·0	1·9	2·7	3·4	4·4	7·2	12·7	25·7	55·2	120·1	242·4	105
1911	14·2	43·1	3·4	2·1	2·9	3·5	4·6	7·3	13·1	26·0	55·8	123·7	243·0	130
1912	12·9	32·9	3·1	1·9	2·8	3·4	4·4	7·1	12·9	25·8	56·4	123·6	248·9	95
1913	13·3	36·8	3·2	2·0	2·7	3·4	4·3	7·1	12·9	25·9	55·8	121·7	247·7	108
1914	13·5	36·2	3·4	2·1	2·9	3·5	4·6	7·3	13·2	26·0	56·5	121·8	256·8	105
1915‡	14·6	38·2	3·8	2·3	3·2	4·3	5·1	7·6	13·5	27·5	61·7	139·5	291·8	110
1916‡	13·1	29·5	3·3	2·2	3·2	4·3	5·1	7·2	12·5	25·4	58·5	133·3	282·2	91
1917‡	13·0	29·1	3·3	2·2	3·4	4·5	5·3	7·2	12·0	24·7	56·5	130·5	263·9	96
1918‡	16·6	36·5	5·7	3·7	6·1	9·3	12·4	10·1	14·2	25·1	55·1	117·5	225·8	97
1919‡	13·0	29·6	3·5	2·3	3·5	4·7	6·4	7·2	11·6	23·7	54·6	130·6	264·0	89
1920‡	11·9	32·6	3·3	2·0	2·8	3·6	4·4	6·1	10·4	21·2	48·2	113·1	220·8	80
1921	11·3	29·1	2·8	1·8	2·8	3·4	3·9	5·8	10·0	21·1	49·0	116·7	242·3	83
1922	11·6	27·4	2·6	1·8	2·6	3·5	4·1	6·1	10·6	22·7	54·2	129·9	257·7	77
1923	10·3	22·0	2·3	1·6	2·5	3·2	3·7	5·5	9·8	21·0	49·4	117·0	241·8	69
1924	10·7	22·6	2·3	1·7	2·5	3·3	3·7	5·7	10·0	21·7	53·0	124·5	256·8	75
1925	10·7	23·0	2·5	1·7	2·6	3·2	3·6	5·5	10·0	21·1	52·2	125·4	276·0	75
1926	10·1	21·1	2·4	1·5	2·4	3·0	3·5	5·3	9·5	20·2	49·7	117·7	263·4	70
1927	10·6	21·3	2·3	1·5	2·5	3·1	3·6	5·6	10·2	21·3	53·6	127·7	293·6	70
1928	9·9	19·7	2·3	1·6	2·5	3·1	3·5	5·2	9·6	20·0	50·4	115·6	270·9	65
1929	11·5	24·0	2·5	1·7	2·6	3·2	3·7	5·7	10·8	22·4	58·2	140·5	330·1	74

* See note * on first page of Table.

† The death-rates in this column are standardized to the sex and age constitution of the population enumerated in 1901.

‡ Including civilian mortality only in 1915–20.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES.

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929
	ALL CAUSES	M.	258089	240302	234291	247221	226858	240620	240875	231549	246606	235542	269903
		F.	246114	225828	224338	239559	217927	232615	231966	222255	238003	224847	262589
1–42	**I.—Epidemic, Endemic and Infectious Diseases** ..	M.	57283	41319	36875	44970	35656	40670	39148	33960	40176	33122	45223
		F.	52064	36828	33622	41606	31381	37117	34754	29511	36531	28232	41829
1	Enteric fever	M.	317	291	312	245	227	244	188	192	188	215	187
		F.	260	246	301	220	223	252	200	175	179	223	195
	(*a*) Typhoid fever ..	M.	?	?	304	230	211	232	174	171	166	161	163
		F.	?	?	291	214	208	229	173	155	147	177	164
	(*b*) Paratyphoid fever ..	M.	?	?	8	15	16	12	14	21	22	54	24
		F.	?	?	10	6	15	23	27	20	32	46	31
2	Typhus	M.	1	—	—	3	1	1	—	—	—	1	—
		F.	—	—	—	1	—	4	—	1	—	—	—
3	Relapsing fever (Spirillum obermeieri)	M.	1	1	—	1	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
4	Mediterranean fever ..	M.	1	1	1	1	—	2	—	—	—	—	—
		F.	1	—	1	—	1	—	—	1	—	—	—
5	Malaria	M.	264	240	139	113	76	91	62	58	33	31	46
		F.	4	10	4	10	5	6	4	7	6	5	3
6	Small-pox	M.	18	12	5	21	5	5	3	9	23	38	19
		F.	10	18	—	6	2	8	6	9	24	15	20
7	Measles	M.	1816	3760	1188	2988	2881	2564	2853	1834	1914	2284	1736
		F.	1718	3430	1053	2706	2435	2270	2484	1649	1708	2018	1652
8	Scarlet fever..	M.	566	695	631	654	503	417	478	355	284	263	358
		F.	655	735	674	728	490	471	510	322	295	317	359
9	Whooping cough	M.	1145	1969	2046	2864	1909	1864	2770	1877	1660	1343	2787
		F.	1460	2432	2530	3506	2253	2119	3288	2241	2021	1633	3545
10	Diphtheria	M.	2350	2699	2298	2048	1317	1212	1348	1421	1339	1580	1632
		F.	2538	2949	2474	2027	1405	1289	1426	1573	1393	1611	1814
11	Influenza	M.	23198	5635	4511	10353	4305	9142	6308	4540	10804	4084	13867
		F.	21603	5030	4484	11145	4156	9844	6413	4396	11459	3670	15217
	(*a*) 1. With pneumonic complications ..	M	?	?	2096	5198	2021	4498	2831	2157	5308	2035	7394
		F.	?	?	1757	5107	1561	4047	2341	1631	4699	1432	6835
	(*a*) 2. With other pulmonary complications	M.	?	?	776	2261	755	1911	1302	775	2390	707	3296
		F.	?	?	916	2584	907	2555	1571	926	3054	764	4312
	(*b*) 1. With non-pulmonary complications ..	M.	?	?	964	1578	952	1586	1271	1013	1752	998	1981
		F.	?	?	1008	1817	963	1758	1417	1130	2056	1070	2443
	(*b*) 2. Without stated complication	M.	?	?	675	1316	577	1147	904	595	1354	344	1196
		F.	?	?	803	1637	725	1484	1084	709	1650	404	1627
12	Miliary fever	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
13	Mumps	M.	17	16	11	8	12	7	18	25	11	11	13
		F.	19	11	19	6	7	7	10	15	13	14	12
14	Asiatic cholera	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
15	Cholera nostras	M.	2	5	6	1	—	1	2	—	—	1	—
		F.	—	3	4	—	—	—	—	—	—	—	—
16	Dysentery	M.	272	155	127	100	91	69	73	74	53	84	68
		F.	163	99	134	116	58	61	62	68	42	71	30
	(*a*) Amœbic	M.	?	?	10	8	8	8	9	11	12	12	10
		F.	?	?	1	2	5	—	2	3	1	1	4
	(*b*) Bacillary	M.	?	?	9	9	7	4	6	6	4	17	13
		F.	?	?	8	12	5	9	7	5	2	20	7
	(*c*) Other or unspecified ..	M.	?	?	108	83	76	57	58	57	37	55	45
		F.	?	?	125	102	48	52	53	60	39	50	19

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
17	Plague	M.	5	2	—	—	—	—	—	1	—	—	—
		F.	—	1	—	—	—	—	—	—	—	—	—
	(*a*) Bubonic	M.	4	1	—	—	—	—	—	1	—	—	—
		F.	—	1	—	—	—	—	—	—	—	—	—
	(*b*) Pneumonic	M.	—	1	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
	(*c*) Septicæmic	M.	1	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
	(*d*) Not otherwise defined	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
18	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—
19	Spirochætosis ictero-hæmorrhagica	M.	?	?	—	1	—	1	5	2	1	4	3
		F.	?	?	—	1	1	—	1	—	1	—	—
20	Leprosy	M.	3	3	1	—	2	2	2	—	2	1	2
		F.	—	—	—	—	—	—	—	1	1	—	1
21	Erysipelas	M.	362	416	367	379	306	353	449	428	414	480	540
		F.	298	422	362	324	316	323	401	380	406	416	491
22	Acute poliomyelitis ..	M.	99	78	90	60	60	88	85	127	107	99	83
		F.	84	56	79	76	59	69	71	108	75	68	57
	(1) Poliomyelitis	M.	?	?	69	45	36	62	65	91	67	68	48
		F.	?	?	60	64	43	60	51	85	45	44	37
	(2) Polioencephalitis ..	M.	?	?	21	15	24	26	20	36	40	31	35
		F.	?	?	19	12	16	9	20	23	30	24	20
23	Encephalitis lethargica ..	M.	138	239	351	160	276	732	666	650	592	512	517
		F.	156	241	378	179	255	675	706	675	563	560	520
24	Meningococcal meningitis ..	M.	433	300	232	202	144	174	202	211	259	246	352
		F.	261	233	184	158	140	127	152	154	171	192	236
25	Other epidemic diseases ..	M.	55	66	53	35	47	42	83	65	53	45	53
		F.	38	43	34	25	28	35	58	56	28	35	41
	(1) German measles ..	M.	16	12	9	7	7	5	24	21	15	7	19
		F.	13	13	6	8	10	7	18	14	5	5	12
	(2) Varicella	M.	30	41	32	24	36	34	50	27	27	33	26
		F.	25	30	25	16	16	25	33	29	22	29	27
	(3) Other diseases included under 25	M.	9	13	12	4	4	3	9	17	11	5	8
		F.	—	—	3	1	2	3	7	13	1	1	2
26	Glanders	M.	—	—	1	—	—	—	—	1	1	—	—
		F.	—	—	1	—	—	—	—	—	—	—	—
27	Anthrax	M.	16	12	10	9	13	9	10	6	3	9	7
		F.	3	2	1	—	—	1	1	2	—	3	—
28	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
29	Tetanus	M.	121	116	114	111	127	110	120	111	136	107	113
		F.	34	33	51	31	47	25	39	40	30	27	50
30	Mycoses	M.	65	69	59	71	77	73	59	59	54	66	53
		F.	29	51	40	39	51	43	43	36	26	31	42
	(1) Actinomycosis ..	M.	21	25	21	28	33	31	21	27	30	44	27
		F.	8	11	10	14	15	16	15	16	13	19	18
	(2) Other mycoses ..	M.	44	44	38	43	44	42	38	32	24	22	26
		F.	21	40	30	25	36	27	28	20	13	12	24

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
31–37	Tuberculosis (all forms) ..	M.	24550	22918	22899	23316	22085	22350	22234	20669	20916	20157	21286
		F.	21762	19627	19779	19461	18703	18753	18153	16856	17257	16466	16704
31	Respiratory system ..	M.	19248	17872	18121	18656	17571	17970	17995	16773	17184	16608	17786
		F.	16736	14919	15384	15263	14526	14720	14387	13335	13882	13191	13639
32	Nervous system ..	M.	1887	1885	1781	1780	1677	1606	1608	1468	1534	1333	1344
		F.	1809	1700	1584	1563	1579	1489	1427	1366	1334	1218	1220
33	Intestines and peritoneum	M.	1154	1031	1064	931	951	917	847	763	653	635	608
		F.	1256	1161	1083	955	1001	936	851	771	698	701	619
34	Vertebral column ..	M.	370	396	349	377	332	317	305	298	283	277	262
		F.	293	280	318	307	271	295	233	236	216	213	217
35	Joints	M.	223	208	160	185	156	185	154	149	143	136	115
		F.	153	138	135	129	118	109	98	91	84	89	85
36	Other organs	M.	348	336	303	295	305	287	279	246	247	285	265
		F.	368	283	313	280	259	292	255	206	236	269	211
	(*a*) Skin and subcutaneous tissue ..	M.	?	?	36	33	25	36	20	30	16	19	12
		F.	?	?	52	40	48	67	38	34	57	60	43
	(*b*) Bones (vertebral column excepted)	M.	?	?	70	47	58	45	46	51	47	49	41
		F.	?	?	52	49	40	42	47	35	33	29	30
	(*c*) Lymphatic system (abdominal glands excepted) ..	M.	?	?	60	61	47	46	49	39	46	49	36
		F.	?	?	72	68	60	53	44	45	41	41	23
	(*d*) Genito-urinary system ..	M.	?	?	126	141	158	138	156	124	132	164	169
		F.	?	?	113	109	102	114	118	85	98	127	110
	(*e*) Others in 36 ..	M.	?	?	11	13	17	22	8	2	6	4	7
		F.	?	?	24	14	9	16	8	7	7	12	5
37	Disseminated tuberculosis ..	M.	1320	1190	1121	1092	1093	1068	1046	972	872	883	906
		F.	1147	1146	962	964	949	912	902	851	807	785	713
	(*a*) Acute	M.	333	312	234	284	393	416	344	341	313	339	330
		F.	345	366	230	277	404	388	355	341	334	344	294
	(*b*) Chronic or unstated	M.	987	878	887	808	700	652	702	631	559	544	576
		F.	802	780	732	687	545	524	547	510	473	441	419
38	Syphilis	M.	1102	1154	1038	848	857	781	726	784	865	993	892
		F.	755	869	761	624	532	515	459	470	541	539	497
39	Soft chancre	M.	—	1	—	1	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
40	Gonococcal infection ..	M.	55	41	31	25	21	31	30	31	52	55	56
		F.	34	38	40	17	21	17	13	20	22	21	13
	(1) Gonococcal infection (ophthalmia excepted)	M.	19	19	13	9	15	18	23	21	28	42	40
		F.	20	14	18	8	11	11	5	13	14	9	4
	(2) Gonorrhœal or purulent ophthalmia ..	M.	36	22	18	16	6	13	7	10	24	13	16
		F.	14	24	22	9	10	6	8	7	8	12	9
41	Purulent infection, septicæmia	M.	311	421	353	350	311	304	371	429	412	405	544
		F.	177	244	232	198	188	203	253	254	267	287	324
42	Other infectious diseases ..	M.	—	4	1	2	3	1	3	1	—	8	9
		F.	1	5	2	2	5	—	1	2	3	10	6
	(1) Vaccinia . ..	M.	—	4	1	2	3	1	2	—	—	8	8
		F.	1	5	2	2	5	—	1	1	1	10	6
	(2) Other diseases included under 42	M.	—	—	—	—	—	—	1	1	—	—	1
		F.	—	—	—	—	—	—	—	1	2	—	—

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919-1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I.*)

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
43-69	**II.—General Diseases not included in I. 1-42*†**	M.	**24743**	**26060**	**27216**	**28230**	**28664**	**29799**	**30681**	**31482**	**32191**	**33129**	**33619**
		F.	**30870**	**31911**	**33850**	**34546**	**35270**	**36075**	**37513**	**38476**	**39163**	**40508**	**41450**
43-49	Cancer, Malignant disease..	M.	18723	19659	20649	21266	22065	23099	24002	24437	25048	26013	26284
		F.	23421	24028	25373	25637	26603	27290	27937	28783	29030	30240	30612
43	Buccal cavity	M.	2387	2449	2482	2415	2548	2507	2649	2570	2713	2790	2569
		F.	378	369	358	361	414	423	428	433	430	422	446
44	Pharynx, œsophagus, stomach, liver and annexa	M.	7259	7477	7926	8179	8335	8552	9003	9065	9143	9317	9691
		F.	6289	6576	6818	7007	7070	7153	7428	7740	7499	7856	7996
45	Peritoneum, intestines and rectum	M.	4178	4439	4683	4790	5010	5437	5544	5888	5968	6156	6284
		F.	4617	4780	5059	4964	5338	5528	5601	6032	6025	6324	6411
46	Female genital organs ..	F.	5000	5005	5436	5354	5572	5626	5705	5791	5872	6008	6022
47	Breast	M.	28	35	33	42	34	38	39	43	41	51	46
		F.	4309	4488	4684	4826	4996	5153	5372	5296	5678	5878	5944
48	Skin	M.	714	702	719	727	756	824	787	817	821	883	876
		F.	416	385	401	439	427	460	432	427	475	502	494
49	Other or unspecified organs	M.	4157	4557	4806	5113	5382	5741	5980	6054	6362	6816	6818
		F.	2412	2425	2617	2686	2786	2947	2971	3064	3051	3250	3299
50	Tumours not returned as malignant (brain and female genital organs excepted)	M.	313	324	357	361	397	401	383	462	436	436	431
		F.	247	287	302	296	325	335	356	362	397	386	351
51	Rheumatic fever	M.	686	975	868	821	770	757	833	818	694	638	638
		F.	825	1149	947	956	857	906	1052	954	868	862	779
52	Chronic rheumatism, osteo-arthritis, gout*	M.	804	727	749	899	829	895	845	857	1056	1176	1228
		F.	1409	1379	1526	1590	1595	1580	1718	1742	1879	2142	2456
	(1) Chronic rheumatism* ..	M.	189	165	185	199	179	190	154	140	97	94	90
		F.	248	241	273	251	233	221	207	174	117	120	122
	(2) Rheumatoid and osteo-arthritis*	M.	417	386	406	509	502	546	523	564	735	805	885
		F.	1130	1113	1219	1302	1331	1329	1478	1529	1721	1969	2285
	(3) Gout	M.	198	176	158	191	148	159	168	153	224	277	253
		F.	31	25	34	37	31	30	33	39	41	53	49
53	Scurvy	M.	12	16	30	13	11	19	16	7	17	18	11
		F.	8	15	23	13	11	14	5	3	9	3	8
54	Pellagra	M.	—	—	—	2	4	2	—	—	1	1	—
		F.	—	2	4	12	9	7	9	6	7	4	1
55	Beri-beri	M.	8	4	3	2	1	1	3	1	1	—	1
		F.	—	—	—	—	—	—	—	—	—	—	—
56	Rickets	M.	279	313	278	240	280	301	281	248	232	290	252
		F.	198	199	214	179	193	187	197	172	146	203	164
57	Diabetes	M.	1897	1762	1901	2106	1927	1896	1814	1973	2045	2198	2306
		F.	1960	1987	2191	2439	2439	2358	2543	2533	2905	2982	3322
58	Anæmia, chlorosis	M.	986	1097	1124	1243	1110	1161	1207	1266	1217	855	936
		F.	1385	1400	1656	1692	1556	1642	1693	1856	1700	1284	1307
	(*a*) Pernicious anæmia ..	M.	?	986	997	1109	998	1036	1078	1122	1100	739	807
		F.	?	1231	1460	1485	1366	1486	1507	1658	1555	1115	1148
	(*b*) Other anæmias and chlorosis	M.	?	111	127	134	112	125	129	144	117	116	129
		F.	?	169	196	207	190	156	186	198	145	169	159
59	Diseases of the pituitary gland‡	M.	?	?	4	5	9	8	9	11	17	14	14
		F.	?	?	1	17	6	5	8	13	17	22	25

* Previous to 1921 deaths from Chronic arthritis were included under the heading Diseases of the joints (156), and from 1921 to 1926 inclusive under the heading Chronic Rheumatism (52 : 1). They are now included under Rheumatoid and osteo arthritis (52 : 2).

† Previous to 1924 deaths from Tetany (61 : 1) were chiefly included under the heading Other diseases of the nervous system (84 : 5).

‡ Previous to 1921 deaths from Diseases of the pituitary gland were included under the heading Other general diseases (69).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
60	Diseases of the thyroid gland†	M.	120	88	118	126	134	116	134	163	165	182	179
		F.	717	665	822	877	834	883	1012	1080	1169	1,275	1256
	(*a*) Exophthalmic goitre ..	M.	56	46	54	63	56	46	64	84	91	119	128
		F.	473	464	533	591	569	574	680	743	852	933	936
	(*b*) 2. Cretinism	M.	31	21	27	23	26	20	25	25	35	23	22
		F.	23	25	34	36	27	31	44	33	28	23	22
	(*b*) 1. Myxœdema ..	M.			15	18	19	20	21	19	18	24	15
		F.	33	21	130	147	138	169	174	185	191	195	210
	(*b*) 3. Other diseases of the thyroid gland†	M.	221	176	22	22	33	30	24	35	21	16	14
		F.			125	103	100	109	114	119	98	124	88
61	Diseases of the parathyroid glands*†	M.	?	?	—	2	1	21	22	19	23	18	17
		F.	?	?	—	—	1	20	24	23	19	17	14
	(1) Tetany*	M.	?	?	?	?	?	21	21	19	23	18	16
		F.	?	?	?	?	?	20	24	23	19	17	13
	(2) Other diseases of the parathyroid glands†	M.	?	?	—	2	1	—	1	—	—	—	1
		F.	?	?	—	—	1	—	—	—	—	—	1
62	Diseases of the thymus ..	M.	68	85	106	106	106	95	102	110	90	108	116
		F.	42	58	69	70	52	61	67	56	63	65	86
63	Diseases of the adrenals ..	M.	66	93	88	90	101	97	104	96	76	99	101
		F.	108	133	127	131	126	122	149	164	156	144	149
64	Diseases of the spleen ..	M.	18	17	23	20	17	11	10	20	18	20	11
		F.	22	20	12	13	15	16	18	17	16	22	16
65	Leukæmia, lymphadenoma	M.	389	448	488	521	494	544	541	605	631	601	670
		F.	300	320	311	334	383	387	423	426	464	457	497
	(*a*) Leukæmia	M.	198	237	248	269	270	276	296	325	341	342	357
		F.	191	195	198	206	236	235	273	278	301	275	335
	(*b*) Lymphadenoma (Hodgkin's disease) ..	M.	191	211	240	252	224	268	245	280	290	259	313
		F.	109	125	113	128	147	152	150	148	163	182	162
66	Alcoholism (acute or chronic)	M.	88	166	127	117	104	94	95	76	84	74	85
		F.	27	50	55	47	47	33	55	39	24	34	49
67	Chronic poisoning by mineral substances	M.	?	?	57	50	55	49	31	49	48	56	42
		F.	?	?	2	6	6	2	4	6	1	7	1
	(1) Occupational lead poisoning	M.	48	56	56	43	51	47	28	44	44	53	40
		F.	—	5	2	5	4	2	3	3	—	6	1
	(2) Other chronic poisoning by mineral substances.	M.			1	7	4	2	3	5	4	3	2
		F.	10	4	—	1	2	—	1	3	1	1	—
68	Chronic poisoning by organic substances	M.	9	4	3	8	1	9	3	3	5	5	10
		F.			2	6	5	4	3	3	2	5	3
69	Other general diseases‡ ..	M.	228	226	243	232	248	223	246	261	287	327	287
		F.	192	210	213	231	207	223	240	238	291	354	354
	(1) Purpura	M.	120	111	123	137	110	114	129	125	123	141	136
		F.	120	139	128	143	135	128	140	137	137	153	159
	(2) Hæmophilia	M.	54	70	63	66	81	70	73	71	68	88	67
		F.	31	21	37	33	29	36	36	40	22	39	33
	(3) Other diseases included under 69‡	M.	54	45	57	29	57	39	44	65	96	98	84
		F.	41	50	48	55	43	59	64	61	132	162	162

* Previous to 1924 deaths from Tetany (61 : 1) were chiefly included under Other diseases of the Nervous system (84 : 5).
† Previous to 1921 deaths from Other diseases of the parathyroid glands (61 : 2) were included under Diseases of the thyroid gland (60).
‡ Previous to 1921 deaths from Diseases of the pituitary gland (59) were included under this heading.

Table 4.—England and Wales.—Deaths from Various Causes at All Ages, 1919–1929.—Males and Females—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
70–86	**III.—Diseases of the Nervous System and Sense Organs†**	M.	**24887**	**24136**	**23685**	**24131**	**23195**	**23212**	**23116**	**22669**	**21250**	**20105**	**21266**
		F.	**25229**	**24642**	**24472**	**24969**	**24444**	**24066**	**23814**	**23900**	**22648**	**21698**	**22474**
70	Encephalitis ..	M.	196	226	178	179	176	149	196	212	154	151	170
		F.	173	155	130	132	130	120	119	141	109	130	136
	(1) Cerebral abscess ..	M.	?	116	115	127	113	111	126	140	103	92	110
		F.	?	70	74	69	74	63	70	88	49	74	64
	(2) Other diseases included under 70	M	?	110	63	52	63	38	70	72	51	59	60
		F.	?	85	56	63	56	57	49	53	60	56	72
71	Meningitis	M.	1421	1304	1306	1211	1097	1069	1016	863	813	669	735
		F.	1155	1098	1129	1001	971	856	798	761	650	541	596
72	Tabes dorsalis (locomotor ataxy)	M.	581	522	576	665	597	627	602	630	642	651	744
		F.	82	87	116	136	131	118	129	117	138	126	138
73	Other diseases of the spinal cord *	M.	1468	1350	716	774	823	862	792	767	768	836	764
		F.	1155	1131	582	603	614	613	601	622	651	619	634
74	Cerebral hæmorrhage, apoplexy, etc...	M.	11574	11316	11339	11884	11641	11864	12007	11939	11018	10194	11101
		F.	14833	14325	14324	15063	14905	14921	15024	15269	14220	13560	14114
	(a) 1. Cerebral hæmorrhage, so returned ..	M.	8472	8490	8600	9105	9012	9274	9435	9369	8648	8051	8712
		F.	10745	10626	10686	11416	11430	11450	11642	11780	10977	10548	10917
	(a) 2. Apoplexy, lesion unstated	M.	1980	1669	1550	1434	1271	1181	1065	952	790	709	671
		F.	2434	2033	1832	1780	1610	1438	1260	1207	1048	852	812
	(b) 1. Cerebral embolism	M.	1122	1157	294	342	303	327	321	277	302	202	214
		F.	1654	1666	491	486	440	465	497	480	358	330	299
	(b) 2. Cerebral thrombosis	M.			895	1003	1055	1082	1186	1341	1278	1232	1504
		F.			1315	1381	1425	1568	1625	1852	1837	1830	2086
75	Paralysis of unstated origin	M.	1119	1009	1045	1082	981	984	982	875	709	640	687
		F.	1339	1283	1231	1280	1282	1218	1116	1063	945	853	886
	(a) Hemiplegia	M.	957	852	880	931	860	854	859	777	629	553	610
		F.	1161	1096	1060	1136	1143	1068	1004	959	848	778	793
	(b) Other forms of paralysis	M.	162	157	165	151	121	130	123	98	80	87	77
		F.	178	187	171	144	139	150	112	104	97	75	93
76	General paralysis of the insane	M.	1336	1270	1254	1398	1402	1257	1254	1161	1229	1150	988
		F.	272	234	283	300	305	287	285	277	284	263	264
77	Other forms of insanity ..	M.	433	316	292	348	284	286	358	438	461	491	530
		F.	537	540	548	560	528	516	557	638	720	770	766
78	Epilepsy	M.	1459	1152	1114	1150	1096	1136	1097	1099	1152	1133	1128
		F.	1315	1048	1097	1123	1041	1065	1026	944	994	1121	1068
79, 80	Convulsions (non-puerperal)	M.	3045	3509	3058	2497	2226	2032	2002	1745	1333	1141	1177
		F.	2252	2594	2140	1819	1613	1494	1393	1245	952	768	848
81	Chorea	M.	25	46	25	21	15	30	24	22	23	18	22
		F.	66	93	68	64	55	83	80	72	70	66	79
82	Hysteria and neuritis ..	M.	87	98	107	118	93	98	100	87	74	90	69
		F.	129	131	164	173	155	148	133	133	144	139	131
83	Cerebral softening	M.	498	386	396	376	379	410	193	251	204	157	178
		F.	568	443	483	506	423	439	208	324	266	211	206
84	Other diseases of the nervous system*†	M.	1008	928	1567	1710	1689	1758	1799	1827	1902	2003	2081
		F.	922	914	1605	1680	1755	1690	1801	1777	1914	1902	1969
	(1) Idiocy, imbecility ..	M.	158	106	124	121	126	131	154	128	152	174	215
		F.	115	106	119	152	155	160	162	153	161	168	195

* Previous to 1921 deaths from Disseminated sclerosis (84 : 3) and Paralysis agitans (84 : 4) were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany (61 : 1) previous to 1924.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
	Other diseases of the nervous system—*cont.*												
	(2) Cerebral tumour ..	M.	466	478	521	516	541	553	518	575	582	642	626
		F.	434	475	509	512	524	498	517	559	576	588	613
	(3) Disseminated sclerosis*	M.	?	?	283	368	326	366	359	393	368	378	376
		F.	?	?	349	348	370	351	374	416	420	421	448
	(4) Paralysis agitans* ..	M.	?	?	339	381	389	432	533	521	577	620	699
		F.	?	?	314	340	399	381	492	450	520	524	547
	(5) Other diseases included under 84†	M.	384	344	300	324	307	276	235	210	223	189	165
		F.	373	333	314	328	307	300	256	199	237	201	166
85	Diseases of the eye and annexa	M.	30	28	27	32	39	34	22	35	38	41	52
		F.	27	26	28	23	31	37	33	45	45	38	49
86	Diseases of the ear and of the mastoid sinus ..	M.	607	676	685	686	657	616	672	718	730	740	840
		F.	404	540	544	506	505	461	511	472	546	591	590
	(1) Diseases of the mastoid sinus	M.	176	186	188	191	200	188	205	235	258	242	265
		F.	101	154	152	173	136	141	154	151	182	215	214
	(2) Diseases of the ear ..	M.	431	490	497	495	457	428	467	483	472	498	575
		F.	303	386	392	333	369	320	357	321	364	376	376
87–96	**IV.—Diseases of the Circulatory System‡ ..**	**M.**	**33071**	**32541**	**33389**	**37196**	**36078**	**38803**	**41144**	**41869**	**47771**	**51543**	**57790**
		F.	**33980**	**33104**	**34789**	**39206**	**37850**	**40625**	**42846**	**43335**	**50007**	**53852**	**62225**
87–90	Heart diseases‡‖	M.	25978	25111	24956	27565	26223	28009	29691	30023	33365	35777	45018
		F.	28946	27804	28754	32272	30663	32641	34368	34442	38744	41251	51449
87	Pericarditis‡	M.	157	204	194	215	205	192	188	159	169	153	180
		F.	148	156	157	166	118	157	144	119	117	129	111
88	Acute endocarditis and myocarditis§	M.	977	1215	1152	1031	956	964	968	948	960	884	918
		F.	775	1097	943	959	931	980	1029	1105	1041	956	1037
	(1) Infective endocarditis..	M.	444	573	724	651	553	510	508	484	528	456	477
		F.	262	422	479	509	479	507	473	527	510	488	528
	(2) Other acute endocarditis§	M.	331	380	314	252	274	263	261	228	200	192	180
		F.	364	428	345	310	286	290	322	303	289	248	259
	(3) Acute myocarditis§ ..	M.	202	262	114	128	129	191	199	236	232	236	261
		F.	149	247	119	140	166	183	234	275	242	220	250
89	Angina pectoris‖	M.	722	687	743	986	1058	1226	1285	1280	1982	2586	3376
		F.	333	342	343	460	505	537	551	600	820	1108	1431
90	Other diseases of the heart§	M.	24122	23005	22867	25333	24004	25627	27250	27636	30254	32154	40544
		F.	27690	26209	27311	30687	29109	30967	32644	32618	36766	39058	48870
	(1) Aortic valve disease ..	M.			1917	2064	1965	1972	2054	2076	2181	2252	2390
		F.			850	920	971	888	1025	956	1005	1074	1075
	(2) Mitral valve disease ..	M.			3219	3514	3321	3244	3270	3145	3635	3855	4212
		F.	11616	11586	5372	5879	5528	5623	5558	5291	6233	6640	7145
	(3) Aortic and mitral valve disease	M.	13352	12891	489	480	451	450	444	458	543	633	723
		F.			364	381	403	372	425	335	486	662	612
	(4) Other or unspecified valve disease§ ..	M.			5681	5762	5356	5573	5529	5345	5294	5250	5551
		F.			6742	7400	6643	7041	6626	6476	6804	6625	7089

* Previous to 1921 deaths from Disseminated sclerosis and Paralysis agitans were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany (61 : 1) previous to 1924.

‡ Previous to 1921 certain deaths from Diseases of the mediastinum (107 (*b*)) were included under this heading.

‖ From mid 1927 deaths from Atheroma and sclerosis of coronary arteries, which had hitherto been included under Arterio-sclerosis (91*b* (2)), have been included under Angina pectoris (89).

§ Previous to 1921 deaths of persons aged 45–60 from Endocarditis (unqualified) were included under the heading Other acute endocarditis (88 : 2), and from Myocarditis (unqualified) aged 45–60, under the heading Acute myocarditis (88 : 3). From 1921 these deaths are included under the headings Other or unspecified valve disease (90 : 4) and Other or unspecified myocardial disease (90 : 7), respectively.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
	Other diseases of the heart —*cont.*												
	(5) Fatty heart	M.	1032	1052	1092	1251	1230	1205	1202	1237	1218	1225	1343
		F.	1326	1221	1325	1541	1540	1513	1562	1381	1618	1671	1837
	(6) Cardiac dilatation, cause unspecified	M.			487	486	418	379	389	316	342	258	195
		F.			525	568	446	353	411	378	347	245	175
	(7) Other or unspecified myocardial disease*	M.	11346	10204	4366	5718	6098	7520	9177	10353	12479	14743	22029
		F.	12857	11897	5258	6919	7347	8817	10784	11995	14536	17120	25539
	(9) Heart disease (undefined)	M.			5389	5787	4833	4853	4648	4080	3786	3236	3327
		F.			6584	6734	5756	5710	5418	4841	4505	3762	4006
	(8) Disordered action of the heart	M.	128	163	227	271	332	431	537	626	776	702	774
		F.	155	200	291	345	475	650	835	965	1232	1259	1392
91	Diseases of the arteries** ..	M.	6763	7091	8087	9265	9510	10399	10998	11341	13918	15227	12317
		F.	4641	4823	5572	6462	6711	7464	7947	8284	10615	11971	10114
	(*a*) Aneurysm	M.	711	782	787	825	774	824	829	777	885	946	947
		F.	180	183	205	217	218	204	236	245	270	280	305
	(*b*) Arterio-sclerosis ‖ ..	M.	5975	6222	7202	8340	8622	9499	10074	10464	12907	14176	11265
		F.	4380	4582	5281	6163	6397	7183	7617	7959	10241	11577	9722
	1. With record of cerebral vascular lesion ..	M.	?	?	2139	2532	2685	2775	3107	3082	4579	5475	5448
		F.	?	?	1857	2198	2292	2555	2698	2751	4279	5214	5099
	2. Without record of cerebral vascular lesion‖	M.	?	?	5063	5808	5937	6724	6967	7382	8328	8701	5817
		F.	?	?	3424	3965	4105	4628	4919	5208	5962	6363	4623
	(*c*) Other diseases of the arteries**	M.	77	87	98	100	114	76	95	100	126	105	105
		F.	81	58	86	82	96	77	94	80	104	114	87
92	Embolism and thrombosis (not cerebral)	M.	143	138	137	166	149	176	185	231	177	183	146
		F.	138	169	179	168	173	181	192	211	208	180	184
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	94	118	112	129	134	123	159	154	150	211	183
		F.	183	221	225	251	254	242	252	285	314	337	341
94	Diseases of the lymphatic system (lymphangitis, etc.)	M.	48	45	62	47	44	47	55	44	50	37	44
		F.	38	46	41	43	33	45	43	34	47	36	55
95	Hæmorrhage without stated cause**	M.	45	38	35	24	18	28	20	13	15	14	15
		F.	34	41	18	10	16	26	19	10	9	12	12
96	Other diseases of the circulatory system**	M.	?	?	?	?	?	21	36	63	96	94	67
		F.	?	?	?	?	?	26	25	69	70	65	70
97–107	**V.—Diseases of the Respiratory System†‡§** ..	M.	**48094**	**44317**	**39975**	**46881**	**38551**	**43739**	**41548**	**36660**	**40699**	**32947**	**44732**
		F.	**42823**	**36817**	**34124**	**41163**	**33160**	**38874**	**36281**	**31169**	**35242**	**26544**	**38619**
97	Diseases of the nasal fossæ and annexa†‡	M.	26	42	69	79	79	93	85	102	100	141	128
		F.	28	24	60	50	63	51	65	64	102	86	99
	(1) Diseases of the nose† ..	M.	26	42	28	27	24	31	23	28	24	38	22
		F.	28	24	22	15	20	19	15	15	20	29	25
	(2) Diseases of the accessory nasal sinuses‡ ..	M.	?	?	41	52	55	62	62	74	76	103	106
		F.	?	?	38	35	43	32	50	49	82	57	74

* Previous to 1921 deaths of persons aged 45–60 from Myocarditis (unqualified) were included under the heading Acute myocarditis (88 : 3.)

** Previous to 1921 deaths from Hyperpiesis were included under the heading Hæmorrhage without stated cause (95) and for the years 1921–23 under Other diseases of the arteries (91*c*). They are now included under Other diseases of the circulatory system (96).

† Including deaths from Adenoids (109 : 1 pt.) previous to 1921.

‡ Previous to 1921 deaths from Diseases of the accessory nasal sinuses were included under the heading Diseases of the bones (155).

§ Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Cellulitis, acute abscess (153).

‖ From mid 1927 deaths from Atheroma and sclerosis of coronary arteries, which had hitherto been included under Arterio-sclerosis (91 *b* (2)), have been included under Angina pectoris (89).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
98	Diseases of the larynx ..	M.	446	500	367	332	243	260	247	204	200	185	188
		F.	384	427	286	228	183	153	177	157	148	171	138
	(1) Laryngismus stridulus	M.	77	93	88	74	64	63	66	40	45	41	29
		F.	50	86	49	52	43	23	33	33	29	29	18
	(2) Laryngitis	M.	357	393	267	255	174	189	173	161	150	136	159
		F.	329	336	228	171	137	125	141	122	119	141	116
	(3) Other diseases of the larynx	M.	12	14	12	3	5	8	8	3	5	8	—
		F.	5	5	9	5	3	5	3	2	—	1	4
99	Bronchitis*	M.	22462	19312	16791	20079	16106	18346	17323	15291	16211	11942	16223
		F.	23081	18688	16893	20833	16601	19440	17929	14896	16810	11489	17155
	(*a*) Acute	M.	?	?	3960	4832	3640	4429	4103	3567	3815	2329	3570
		F.	?	?	4765	5922	4605	5654	5253	4253	4911	2783	4713
	(*b*) Chronic	M.	?	?	5562	6657	5888	6500	6348	6038	6145	4614	5954
		F.	?	?	4428	5543	4735	5314	5091	4481	4824	3467	4618
	(*c* and *d*) Not stated whether acute or chronic	M.	?	?	7269	8590	6578	7417	6872	5686	6251	4999	6699
		F.	?	?	7700	9368	7261	8472	7585	6162	7075	5239	7824
100, 101	Pneumonia (all forms)* ..	M.	21981	21608	19955	23322	19283	22099	21090	18430	21336	18212	25081
		F.	16968	15541	14753	17608	14130	16871	15900	13909	15906	12802	18765
100	Broncho-pneumonia* ..	M.	10186	10312	9349	12096	8941	11498	10535	9457	11063	8413	12961
		F.	8797	8435	8096	10488	7676	10072	9249	8178	9297	7072	11419
101	Pneumonia (lobar or not otherwise defined)	M.	11795	11296	10606	11226	10342	10601	10555	8973	10273	9799	12120
		F.	8171	7106	6657	7120	6454	6799	6651	5731	6609	5730	7346
	(*a*) Lobar	M.	4864	5360	5106	5769	5807	5859	6378	5549	6633	6983	8421
		F.	3132	3105	3049	3412	3382	3580	3718	3366	4006	3871	4869
	(*b*) Not otherwise defined	M.	6931	5936	5500	5457	4535	4742	4177	3424	3640	2816	3699
		F.	5039	4001	3608	3708	3072	3219	2933	2365	2603	1859	2477
102	Pleurisy	M.	768	785	786	769	797	738	710	699	647	686	806
		F.	524	548	506	519	503	509	433	412	467	440	494
	(1) Empyema	M.	305	309	320	335	308	314	305	259	267	273	354
		F.	126	146	143	173	140	148	138	113	135	119	159
	(2) Other pleurisy ..	M.	463	476	466	434	489	424	405	440	380	413	452
		F.	398	402	363	346	363	361	295	299	332	321	335
103	Congestion and hæmorrhagic infarct of lung	M.	597	542	569	576	531	535	533	525	493	434	511
		F.	640	632	716	724	674	720	771	773	687	608	734
104	Gangrene of the lung ..	M.	36	38	35	30	48	31	20	32	16	16	20
		F.	25	19	24	22	14	15	13	11	7	8	9
105	Asthma	M.	1244	1028	964	1219	1016	1171	1137	969	1324	997	1429
		F.	939	757	707	998	834	918	846	802	989	827	1128
106	Pulmonary emphysema ..	M.	200	158	125	177	160	192	138	141	85	51	54
		F.	75	64	45	66	42	70	54	46	28	14	10
107	Other diseases of the respiratory system†	M.	334	304	314	298	288	274	265	267	287	283	292
		F.	159	117	134	115	116	127	93	99	98	99	87
	(*a*) Chronic interstitial pneumonia	M.	189	178	177	184	175	189	191	199	221	220	222
		F.	75	46	54	55	53	63	46	64	61	74	60
	(*b*) Diseases of the mediastinum†	M.	?	?	7	3	2	4	7	3	5	6	5
		F.	?	?	3	2	5	3	2	5	2	1	4
	(*c*) Other diseases included under 107	M.	145	126	130	111	111	81	67	65	61	57	65
		F.	84	71	77	58	58	61	45	30	35	24	23

* Previous to 1921 deaths from Capillary bronchitis were included under the heading Bronchitis (99). They are now included under Broncho-pneumonia (100).

† Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87). or Cellulitis, acute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
108–127	**VI.—Diseases of the Digestive System***	M.	**14180**	**15803**	**19198**	**13601**	**14380**	**13916**	**14930**	**15050**	**14178**	**14442**	**15200**
		F.	**12865**	**13373**	**16156**	**11878**	**12431**	**11822**	**12581**	**12599**	**11849**	**12213**	**12486**
108	Diseases of the buccal cavity and annexa	M.	181	230	231	236	260	254	289	292	337	399	359
		F.	164	185	221	218	210	230	196	222	265	316	282
	(1) Diseases of the teeth and gums	M.	123	159	150	156	173	157	211	197	252	297	262
		F.	117	135	147	149	149	150	129	142	180	227	194
	(2) Ludwig's angina ..	M.	43	55	56	55	64	55	53	63	57	52	61
		F.	33	28	43	40	35	44	39	44	38	37	51
	(3) Other diseases included under 108	M.	15	16	25	25	23	42	25	32	28	50	36
		F.	14	22	31	29	26	36	28	36	47	52	37
109	Diseases of the pharynx and tonsils*	M.	341	337	336	287	241	251	351	326	406	464	552
		F.	321	281	298	272	245	232	278	329	428	545	616
	(1) Tonsilitis, etc., adenoid vegetations* ..	M.	284	258	244	220	198	204	279	263	339	373	436
		F.	258	239	231	227	199	178	239	270	368	451	511
	(2) Other diseases included under 109	M.	57	79	92	67	43	47	72	63	67	91	116
		F.	63	42	67	45	46	54	39	59	60	94	105
110	Diseases of the œsophagus	M.	27	27	35	34	38	27	30	29	33	18	27
		F.	17	26	21	24	23	19	13	14	14	21	19
111	Ulcer of the stomach or duodenum..	M.	1481	1693	1587	1720	2106	2131	2454	2661	2973	2830	3053
		F.	912	963	839	863	906	887	998	980	997	997	1028
	(*a*) Ulcer of the stomach ..	M.	1002	1141	1020	1134	1353	1370	1561	1735	1914	1824	1974
		F.	800	834	729	739	752	729	812	805	854	815	867
	(*b*) Ulcer of the duodenum	M.	479	552	567	586	753	761	893	926	1059	1006	1079
		F.	112	129	110	124	154	158	186	175	143	182	161
112	Other diseases of the stomach	M.	1431	1653	1490	1250	1137	1095	980	982	791	741	661
		F.	1575	1551	1451	1307	1130	1105	1062	946	847	846	746
	(1) Inflammation of the stomach	M.	1194	1406	1275	1046	935	910	812	802	627	625	551
		F.	1313	1350	1269	1118	988	970	906	822	739	761	655
	(2) Other diseases included under 112.	M.	237	247	215	204	202	185	168	180	164	116	110
		F.	262	201	182	189	142	135	156	124	108	85	91
113, 114	Diarrhœa and enteritis ..	M.	5430	6088	9512	3992	4515	4075	4550	4592	3313	3527	3841
		F.	4573	4918	7574	3293	3867	3385	3778	3823	2884	2937	3228
	(1) Ulceration of the intestines	M.	96	86	114	108	116	104	122	122	126	119	127
		F.	129	151	139	118	155	174	166	172	169	181	193
	(2) Colitis	M.	5334	6002	246	195	194	181	168	214	179	163	184
		F.	4444	4767	296	229	271	217	218	259	213	187	198
	(3) Other diseases included under 113, 114 ..	M.			9152	3689	4205	3790	4260	4256	3008	3245	3530
		F.			7139	2946	3441	2994	3394	3392	2502	2569	2837
115	Ankylostomiasis	M.	1	1	—	—	—	—	—	1	—	—	1
		F.	—	—	—	—	—	—	—	—	—	—	—
116	Diseases due to other intestinal parasites	M.	7	5	5	8	6	11	6	9	9	12	14
		F.	9	8	11	10	8	10	7	11	18	13	9
	(*a*) Cestodes (hydatids of the liver excepted) ..	M.	?	?	3	4	1	7	3	5	1	6	6
		F.	?	?	1	6	5	4	4	6	6	4	4
	(*b*) Trematodes	M.	?	?	—	1	—	—	—	—	—	1	—
		F.	?	?	—	1	—	—	—	—	—	—	—
	(*c*) Nematodes (other than ankylostoma) ..	M.	?	?	2	1	3	3	1	3	6	5	6
		F.	?	?	6	1	1	5	1	5	8	4	2

* Previous to 1921 deaths from Adenoids were included under the heading Diseases of the nose (97: 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921 *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
	Diseases due to other intestinal parasites—*cont.*												
	(*d*) Coccidia	M.	?	?	—	—	—	—	—	—	—	—	—
		F.	?	?	—	—	—	—	—	—	—	—	—
	(*e*) Other parasites ..	M.	?	?	—	—	—	—	—	—	—	—	—
		F.	?	?	—	—	—	—	—	—	—	—	—
	(*f*) Undefined parasites ..	M.	?	?	—	2	2	1	2	1	2	—	2
		F.	?	?	4	2	2	1	2	—	4	5	3
117	Appendicitis and typhlitis ..	M.	1278	1389	1474	1524	1608	1545	1624	1535	1524	1623	1657
		F.	1151	1142	1237	1211	1218	1211	1238	1175	1236	1245	1169
118	Hernia, intestinal obstruction	M.	2010	2092	2100	2127	2106	2167	2148	2147	2281	2267	2506
		F.	2101	2084	2087	2102	2172	2098	2134	2156	2231	2126	2262
	(*a*) Hernia	M.	777	795	752	830	822	867	830	842	957	993	1090
		F.	863	875	900	885	916	947	931	923	1008	974	1039
	(*b*) Intestinal obstruction ..	M.	1233	1297	1348	1297	1284	1300	1318	1305	1324	1274	1416
		F.	1238	1209	1187	1217	1256	1151	1203	1233	1223	1152	1223
119	Other diseases of the intestines	M.	221	227	225	230	234	221	241	233	266	268	300
		F.	207	214	234	218	238	233	255	246	244	272	284
	(1) Intestinal stasis ..	M.	?	?	?	?	?	74	70	79	76	67	69
		F.	?	?	?	?	?	97	112	109	101	93	96
	(2) Other diseases included under 119	M.	?	?	?	?	?	147	171	154	190	201	231
		F.	?	?	?	?	?	136	143	137	143	179	188
120	Acute yellow atrophy of the liver	M.	26	25	32	19	22	20	15	20	19	22	12
		F.	36	51	38	55	51	80	58	63	62	54	62
121	Hydatid tumour of the liver	M.	13	8	11	6	13	5	12	14	17	11	7
		F.	7	11	13	6	10	12	9	13	13	12	10
122	Cirrhosis of the liver ..	M.	969	1180	1288	1271	1169	1126	1201	1214	1214	1206	1174
		F.	538	583	639	635	605	630	646	651	646	684	604
	(*a*) Returned as alcoholic ..	M.	69	95	100	103	98	90	87	82	162	210	175
		F.	28	33	54	47	54	57	49	50	101	110	83
	(*b*) Not returned as alcoholic	M.	900	1085	1188	1168	1071	1036	1114	1132	1052	996	999
		F.	510	550	585	588	551	573	597	601	545	574	521
123	Biliary calculi	M.	218	212	259	281	261	298	323	288	325	335	321
		F.	542	569	670	706	769	737	763	802	835	903	889
124	Other diseases of the liver ..	M.	333	348	341	369	390	409	432	454	369	427	390
		F.	385	438	501	571	576	579	689	737	667	756	785
125	Diseases of the pancreas ..	M.	59	103	105	101	122	136	147	144	186	192	196
		F.	72	86	92	109	138	143	187	167	216	226	262
126	Peritonitis of unstated origin	M.	154	185	167	146	152	145	127	109	115	100	129
		F.	255	263	230	278	265	231	270	264	246	260	231
127	Other diseases of the digestive system	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
128–142	**VII.—Non-venereal Diseases of the Genito-urinary System .. ..**	M.	**10355**	**10217**	**10438**	**10500**	**10511**	**10875**	**10792**	**10977**	**11997**	**12629**	**13363**
		F.	**7134**	**7384**	**7477**	**7760**	**7780**	**7637**	**7915**	**8106**	**8713**	**9412**	**9753**
128	Acute nephritis (including unspecified under 10 years of age)	M.	852	836	787	763	711	725	756	721	696	600	563
		F.	753	757	677	647	633	674	651	683	610	583	602
129	Chronic nephritis (including unspecified over 10 years of age)	M.	5844	5771	5686	5870	5755	5931	5763	5848	6455	6925	7311
		F.	4858	4920	5034	5400	5401	5233	5445	5500	6091	6753	7036
130	Chyluria	M.	—	1	—	1	—	—	3	—	1	1	2
		F.	—	—	—	—	—	—	—	—	1	1	—

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
131	Other diseases of the kidneys and annexa	M.	254	273	288	303	284	367	341	370	335	342	339
		F.	222	260	279	288	297	354	352	394	436	452	451
132	Calculi of the urinary passages	M.	183	178	183	198	213	200	204	188	201	241	308
		F.	66	91	113	95	99	88	102	94	122	133	149
133	Diseases of the bladder ..	M.	928	873	908	803	791	722	654	722	682	599	541
		F.	201	207	229	226	255	224	256	278	304	355	368
	(1) Cystitis	M.	?	?	809	731	732	684	621	685	638	575	514
		F.	?	?	212	216	235	204	247	256	292	345	356
	(2) Other diseases of the bladder	M.	?	?	99	72	59	38	33	37	44	24	27
		F.	?	?	17	10	20	20	9	22	12	10	12
134	Diseases of the urethra, urinary abscess, etc. ..	M.	387	372	386	383	411	386	341	366	390	435	461
		F.	8	3	4	8	10	10	5	8	11	10	14
	(*a*) Stricture of the urethra	M.	?	?	308	309	336	315	296	327	364	407	433
		F.	?	?	—	—	—	—	—	—	2	—	1
	(*b*) Other diseases of the urethra, etc.	M.	?	?	78	74	75	71	45	39	26	28	28
		F.	?	?	4	8	10	10	5	8	9	10	13
135	Diseases of the prostate ..	M.	1841	1835	2124	2121	2288	2479	2665	2705	3172	3407	3760
136	Non-venereal diseases of the male genital organs ..	M.	61	77	71	55	54	64	58	[illegible]	64	75	76
137	Cysts and other tumours of the ovary not returned as malignant	F.	273	309	297	284	272	279	282	309	274	290	312
138	Salpingitis and pelvic abscess in females* ..	F.	?	?	255	250	247	228	260	235	236	205	233
	(1) Salpingitis*	F.	?	?	214	195	195	183	229	194	210	185	204
	(2) Pelvic abscess in females*	F.	?	?	41	55	52	45	31	41	26	20	29
139	Tumours of the uterus not returned as malignant ..	F.	313	348	365	357	358	368	387	416	420	424	379
140	Non-puerperal uterine hæmorrhage	F.	26	37	40	39	33	29	21	25	24	13	14
141	Other diseases of the female genital organs*	F.	388	422	167	149	154	135	140	146	171	183	182
	(1) Other diseases of the uterus*	F.	163	207	132	116	121	103	105	113	133	132	154
	(2) Diseases of the other female genital organs not included in other headings*	F.	225	215	35	33	33	32	35	33	38	51	28
142	Non-puerperal diseases of the breast	M.	5	1	5	3	4	1	7	2	1	4	2
		F.	26	30	17	17	21	15	14	18	13	10	13
143–150	**VIII.—The Puerperal State**	F.	**3028**	**4144**	**3322**	**2971**	**2892**	**2847**	**2900**	**2860**	**2690**	**2920**	**2787**
143	Accidents of pregnancy ..	F.	287	329	334	310	352	326	318	328	322	269	286
	(*a*) Abortion	F.	121	111	107	92	100	112	89	86	82	77	67
	(*b*) Ectopic gestation ..	F.	73	79	83	86	97	73	87	94	98	86	86
	(*c*) Other accidents ..	F.	93	139	144	132	155	141	142	148	142	106	133
144	Puerperal hæmorrhage ..	F.	380	521	469	390	429	390	373	339	327	331	313
145	Other accidents of childbirth	F.	332	418	382	304	304	321	331	339	282	331	299
146	Puerperal sepsis	F.	1157	1730	1171	1079	985	1018	1110	1109	1026	1184	1157

* Previous to 1921 deaths from Salpingitis were included under the heading Diseases of the other female genital organs (141 : 2), and those from Pelvic abscess in females under Other diseases of the uterus (141 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
147	Puerperal phlegmasia alba dolens, embolism, sudden death	F.	230	347	326	296	277	244	240	202	175	219	180
	(1) Puerperal phlegmasia alba dolens not returned as septic ..	F.	51	54	64	54	61	58	35	25	32	31	17
	(2) Puerperal embolism and sudden death ..	F.	179	293	262	242	216	186	205	177	143	188	163
148	Puerperal albuminuria and convulsions	F.	595	749	604	556	518	524	499	524	537	557	524
149	Childbirth not assignable to other headings (puerperal insanity)	F.	37	40	29	30	23	20	23	13	14	21	22
150	Puerperal diseases of the breast	F.	10	10	7	6	4	4	6	6	7	8	6
151–154	**IX.—Diseases of the Skin and Cellular Tissue*** ..	M.	**1846**	**1853**	**1753**	**1651**	**1581**	**1645**	**1736**	**1678**	**1544**	**1689**	**1669**
		F.	**1538**	**1590**	**1456**	**1453**	**1410**	**1411**	**1534**	**1439**	**1399**	**1337**	**1398**
151	Gangrene	M.	787	690	724	677	555	687	645	641	556	528	549
		F.	663	657	574	620	586	575	602	546	559	423	506
	(1) Senile gangrene ..	M.	694	613	654	616	520	633	598	593	521	480	504
		F.	587	586	508	541	534	517	552	512	523	385	469
	(2) Other gangrene ..	M.	93	77	70	61	35	54	47	48	35	48	45
		F.	76	71	66	79	52	58	50	34	36	38	37
152	Carbuncle, boil	M.	207	204	216	205	234	203	244	258	256	307	303
		F.	110	90	104	101	109	97	122	133	138	152	166
153	Cellulitis, acute abscess* ..	M.	427	485	382	396	367	362	411	386	334	423	454
		F.	299	353	324	274	297	273	327	315	275	311	313
	(1) Cellulitis*	M.	282	333	252	277	263	265	313	310	250	339	355
		F.	178	231	213	183	199	198	238	242	205	238	252
	(2) Acute abscess* ..	M.	145	152	130	119	104	97	98	76	84	84	99
		F.	121	122	111	91	98	75	89	73	70	73	61
154	Other diseases of the skin and its annexa	M.	425	474	431	373	425	393	436	393	398	431	363
		F.	466	490	454	458	418	466	483	445	427	451	413
	(1) Ulcer, bedsore.. ..	M.	114	124	108	100	126	81	96	70	69	88	75
		F.	235	225	212	219	156	201	198	192	165	170	138
	(2) Eczema	M.	119	121	88	82	93	70	67	53	71	70	59
		F.	59	63	63	48	45	33	44	33	36	30	32
	(3) Pemphigus	M.	73	72	88	71	72	96	132	106	111	105	82
		F.	54	55	52	58	77	87	91	75	67	77	94
	(4) Other diseases included under 154	M.	119	157	147	120	134	146	141	164	147	168	147
		F.	118	147	127	133	140	145	150	145	159	174	149
155–158	**X.—Diseases of the Bones and Organs of Locomotion†‡**	M.	**506**	**479**	**481**	**493**	**518**	**539**	**527**	**509**	**558**	**596**	**592**
		F.	**353**	**362**	**291**	**323**	**285**	**333**	**337**	**325**	**340**	**336**	**386**
155	Diseases of the bones† ..	M.	386	379	373	392	399	412	405	402	433	4[illegible]7	454
		F.	242	240	224	240	214	244	244	257	261	239	290
	(1) Acute infective osteomyelitis and periostitis..	M.	?	?	277	313	301	319	291	271	315	362	318
		F.	?	?	126	148	123	151	146	146	164	144	191
	(2) Other diseases of the bones	M.	?	?	96	79	98	93	114	131	118	115	136
		F.	?	?	98	92	91	93	98	111	97	95	99

* Previous to 1921 certain deaths from Diseases of the mediastinum (107 (*b*)) were included under these headings.
† Including deaths from Diseases of the accessory nasal sinuses (97 : 2) previous to 1921.
‡ Including deaths from Chronic arthritis (52 : 2 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919-1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
156	Diseases of the joints* ..	M.	98	87	86	81	89	101	82	72	100	96	109
		F.	89	101	52	63	54	77	57	43	62	64	78
157	Amputation	M.	—	—	—	1	—	—	2	1	—	—	—
		F.	1	1	—	—	—	—	—	—	—	—	—
158	Other diseases of the organs of locomotion	M.	22	13	22	19	30	26	38	34	25	23	29
		F.	21	20	15	20	17	12	36	25	17	33	18
159	**XI.—Congenital Malformations.. .. ..**	**M.**	**1732**	**2317**	**2149**	**2050**	**2033**	**1976**	**2053**	**2030**	**1986**	**2078**	**2101**
		F.	**1350**	**1913**	**1681**	**1687**	**1565**	**1507**	**1628**	**1598**	**1618**	**1652**	**1763**
	(1) Congenital hydrocephalus	M.	159	175	191	152	195	148	164	159	160	135	144
		F.	97	139	110	133	116	116	114	119	113	92	112
	(2) Congenital malformation of heart.. ..	M.	733	952	822	829	803	806	801	773	791	780	823
		F.	545	715	620	616	580	544	618	621	599	630	659
	(3) Other congenital malformations	M.	840	1190	1136	1069	1035	1022	1088	1098	1035	1163	1134
		F.	708	1059	951	938	869	847	896	858	906	930	992
160–163	**XII.—Diseases of Early Infancy .. ..**	**M.**	**14030**	**16769**	**15150**	**13205**	**12047**	**12129**	**11293**	**10955**	**10446**	**10114**	**10292**
		F.	**10551**	**12325**	**11292**	**9619**	**8939**	**9106**	**8538**	**8057**	**7653**	**7391**	**7569**
160	Congenital debility, sclerema and icterus	M.	4192	5057	4062	3224	2933	2810	2741	2391	1910	1833	1779
		F.	2923	3375	2802	2204	1951	1855	1812	1671	1260	1113	1114
	(1) Congenital debility and sclerema	M.	3853	4630	3681	2879	2570	2498	2506	2166	1653	1578	1522
		F.	2719	3121	2569	2025	1761	1684	1650	1524	1115	977	982
	(2) Icterus neonatorum ..	M.	339	427	381	345	363	312	235	225	257	255	257
		F.	204	254	233	179	190	171	162	147	145	136	132
161	Premature birth, injury at birth	M.	8897	10451	9982	8952	8190	8356	7688	7579	7630	7381	7646
		F.	6886	8013	7608	6654	6245	6401	5904	5620	5716	5546	5700
	(1) Premature birth ..	M.	8409	9714	9265	8285	7564	7712	7025	6932	6898	6630	6784
		F.	6600	7586	7146	6286	5815	6026	5509	5214	5234	5041	5208
	(2) Injury at birth ..	M.	488	737	717	667	626	644	663	647	732	751	862
		F.	286	427	462	368	430	375	395	406	482	505	492
162	Other diseases peculiar to early infancy	M.	797	1077	958	898	810	820	743	838	763	768	762
		F.	592	802	753	644	624	702	706	611	554	614	637
	(2) Atelectasis	M.	668	879	783	730	671	641	581	641	613	594	581
		F.	459	622	586	483	457	530	518	440	405	455	440
	(1) Diseases of the umbilicus	M.			69	72	62	69	72	80	39	41	52
		F.	129	198	74	55	57	59	67	41	36	38	46
	(3) Other diseases included under 162	M.	133	180	106	96	77	110	90	117	111	133	129
		F.			93	106	110	113	121	130	113	121	151
163	Lack of care	M.	144	184	148	131	114	143	121	147	143	132	105
		F.	150	135	129	117	119	148	116	155	123	118	118
164	**XIII.—Old Age .. ..**	**M.**	**12994**	**10917**	**11268**	**11806**	**10549**	**10434**	**10202**	**10036**	**9150**	**7976**	**8495**
		F.	**18018**	**15471**	**16138**	**16659**	**14795**	**15301**	**15112**	**14528**	**13603**	**11774**	**12685**
	(1) Senile dementia ..	M.	562	535	572	655	645	653	760	710	782	852	877
		F.	673	733	839	897	796	858	957	1061	1037	1141	1271
	(2) Other forms of senile decay..	M.	12432	10382	10696	11151	9904	9781	9442	9326	8368	7124	7618
		F.	17345	14738	15299	15762	13999	14443	14155	13467	12566	10633	11414

* Including deaths from Chronic arthritis (52 : 2pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES. DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
165–203	**XIV.—External Causes** ..	M.	**13033**	**12464**	**11626**	**11473**	**12113**	**11953**	**12782**	**12846**	**14018**	**14678**	**15077**
		F.	**5292**	**5117**	**4874**	**4922**	**4994**	**5230**	**5532**	**5774**	**6104**	**6635**	**6818**
165–174	Suicide	M.	2340	2427	2763	2817	2887	2635	2852	3099	3458	3409	3480
		F.	1008	998	996	1059	1062	1085	1232	1350	1449	1473	1504
165, 166	By solid or liquid poisons and corrosive substances	M.	121	185	203	237	240	214	254	323	399	380	354
		F.	135	129	172	196	177	197	212	283	338	285	314
167	By poisonous gas	M.	116	160	233	330	449	373	465	588	658	667	824
		F.	97	110	132	173	239	212	297	355	340	421	461
168	By hanging or strangulation	M.	649	567	676	666	619	579	608	676	671	697	690
		F.	185	155	166	150	130	148	172	151	157	166	136
169	By drowning	M.	425	490	585	522	537	504	508	558	580	609	546
		F.	349	397	323	331	315	320	327	349	363	350	329
170	By firearms	M.	206	238	248	249	231	190	197	210	225	226	221
		F.	12	15	10	7	16	9	14	8	18	11	11
171	By cutting or piercing instruments	M.	618	583	598	581	568	532	549	531	634	567	581
		F.	124	108	112	114	101	99	95	96	125	111	118
172	By jumping from high places	M.	63	57	69	75	72	69	83	70	93	83	87
		F.	53	42	38	51	54	43	57	54	53	59	65
173	By crushing	M.	133	138	146	148	163	170	182	130	185	173	170
		F.	33	22	23	19	18	35	35	33	27	36	20
174	By other means	M.	9	9	5	9	8	4	6	13	13	7	7
		F.	20	20	20	18	12	22	23	21	28	34	50
175–196, 201–203	Violent deaths excluding suicide and homicide ..	M.	10545	9895	8746	8571	9096	9199	9812	9620	10461	11169	11500
		F.	4135	3973	3748	3746	3822	4040	4156	4275	4546	5054	5207
175	Food poisoning	M.	29	32	29	21	21	20	23	12	10	21	10
		F.	26	26	31	20	17	14	14	8	12	15	8
176	Poisoning by venomous animals	M.	3	4	5	4	5	4	18	11	6	18	5
		F.	3	7	10	3	12	8	16	12	9	15	18
177	Other acute accidental poisonings..	M.	67	69	84	78	67	66	93	58	67	75	59
		F.	56	47	52	43	44	40	68	53	53	64	47
178	Conflagration	M.	29	43	22	20	20	29	27	21	28	32	45
		F.	20	45	28	21	12	14	23	25	32	25	33
179	Accidental burns (conflagration excepted) ..	M.	830	747	696	738	752	660	724	580	678	642	685
		F.	1265	1038	892	984	856	905	863	779	775	824	946
180	Accidental mechanical suffocation	M.	384	428	415	346	321	322	300	327	309	302	284
		F.	286	336	305	255	225	251	262	228	252	242	221
181	Accidental absorption of irrespirable or poisonous gas	M.	91	100	94	114	92	88	103	121	107	100	134
		F.	40	36	56	62	60	45	60	92	88	84	111
182	Accidental drowning ..	M.	1537	1520	1564	1244	1385	1250	1302	1257	1261	1304	1253
		F.	341	358	333	271	310	305	315	254	307	313	267
	Accidental injury :—												
183	By firearms	M.	107	90	80	82	76	71	78	75	79	74	65
		F.	9	12	7	4	6	8	7	9	5	7	10
184	By cutting or piercing instruments	M.	20	16	15	14	13	14	6	8	12	19	16
		F.	6	6	4	3	1	—	1	1	—	12	7
185	By fall	M.	1695	1694	1503	1444	1361	1439	1577	1545	1599	1734	1773
		F.	1168	1206	1105	1271	1302	1327	1385	1499	1596	1788	1752
186	In mining and quarrying	M.	1144	964	671	928	1106	1116	1015	668	1054	958	1011
		F.	1	1	—	1	1	—	—	—	—	—	—

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1919–1929.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
	Accidental injury—*cont.*												
187	By machinery	M.	305	317	183	185	202	222	213	168	231	218	189
		F.	21	22	6	7	11	7	5	7	9	4	9
188	By other forms of crushing (vehicles, railways, etc.)	M.	3014	3126	2785	2835	3009	3459	3797	4224	4526	5100	5430
		F.	716	700	711	650	742	977	965	1168	1273	1521	1625
189	Injury by animals (poisoning excepted)	M.	97	61	74	57	57	59	56	63	56	48	48
		F.	4	8	10	6	6	7	6	4	5	3	7
190	Wounds of war	M.	695	229	101	72	75	61	63	73	68	76	72
		F.	—	—	—	—	—	—	—	—	1	—	—
191	Execution of civilians by belligerent armies ..	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
192	Hunger or thirst	M.	7	14	11	8	9	10	7	13	16	14	20
		F.	4	2	8	6	3	5	6	6	10	9	7
193	Excessive cold	M.	54	29	29	38	23	31	40	43	50	40	68
		F.	19	10	4	21	11	9	16	11	12	9	27
194	Excessive heat	M.	63	13	132	54	217	18	76	60	7	52	50
		F.	35	13	115	29	107	12	45	32	8	22	19
195	Lightning	M.	5	11	3	4	8	12	17	10	5	4	14
		F.	—	—	—	1	—	3	—	1	—	—	—
196	Electricity (lightning excepted)	M.	32	26	19	21	25	37	41	42	47	47	50
		F.	—	—	—	1	—	1	1	2	1	4	1
197–199	Homicide	M.	148	142	117	85	130	119	118	127	99	100	97
		F.	149	146	130	117	110	105	144	149	109	108	107
197	By firearms	M.	21	6	11	5	12	7	10	9	10	7	9
		F.	16	12	14	11	13	3	10	25	11	10	16
198	By cutting or piercing instruments	M.	33	23	14	11	15	12	21	14	11	13	18
		F.	36	34	31	31	25	27	39	25	24	25	22
199	By other means	M.	94	113	92	69	103	100	87	104	78	80	70
		F.	97	100	85	75	72	75	95	99	74	73	69
* 201	Fracture (cause not specified)	M.	45	34	32	39	26	27	25	25	26	36	21
		F.	23	17	11	10	5	4	6	8	7	4	7
202	Other and unstated forms of accidental violence, execution	M.	274	310	186	210	216	165	207	199	211	239	192
		F.	82	75	56	66	87	87	88	72	87	84	83
203	Violent deaths of unknown causation	M.	18	18	13	15	10	19	4	17	8	16	6
		F.	10	8	4	11	4	11	4	4	4	5	2
204, 205	**XV.—Ill-defined Diseases** ..	M.	**1335**	**1110**	**1088**	**1034**	**982**	**930**	**923**	**828**	**642**	**494**	**484**
		F.	**1019**	**847**	**794**	**797**	**731**	**664**	**681**	**578**	**443**	**343**	**347**
204	Sudden death	M.	158	122	191	200	200	162	162	171	154	138	133
		F.	99	87	114	118	125	96	98	74	88	74	82
205	Cause of death unstated or ill-defined	M.	1177	988	897	834	782	768	761	657	488	356	351
		F.	920	760	680	679	606	568	583	504	355	269	265
	(1) Heart failure (1–70 years)	M.	721	621	540	557	504	489	514	467	359	246	250
		F.	569	462	374	389	373	352	353	344	234	169	171
	(2) Other ill-defined causes	M.	332	304	314	236	234	233	197	136	99	85	70
		F.	301	259	273	261	210	177	183	119	104	84	79
	(3) Cause not specified .	M.	124	63	43	41	44	46	50	54	30	25	31
		F.	50	39	33	29	23	39	47	41	17	16	15

* 200 Infanticide. Deaths from this cause are included under headings 197–199—Homicide.

Table 5.—England and Wales.—Crude Annual Death-Rates from Certain Causes at All Ages to a Million Living, 1919–1929.—Males, Females, and Persons.

List of Causes as in use for 1921, but restricted in this table to headings showing a mortality of 5 or more per million in 1921. Other headings showing a mortality of 5 or more per million in any subsequent year are dealt with in footnotes. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 4. The figures for "Other Diseases" in any particular class (e.g., 84, "Other Diseases of the Nervous System") relate to that heading of the International List, and do not include the diseases omitted from the table under the above rule.

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927	1928.	1929.
	ALL CAUSES	M.	15,715	13,548	12,962	13,565	12,368	12,939	12,949	12,384	13,115	12,465	14,229
		F.	12,583	11,452	11,324	12,018	10,863	11,484	11,434	10,911	11,618	10,922	12,724
		P.	13,986	12,442	12,105	12,757	11,582	12,180	12,158	11,616	12,334	11,661	13,444
1–42	I. Epidemic, Endemic and Infectious Diseases.	M.	3,350	2,318	2,040	2,467	1,944	2,187	2,105	1,816	2,137	1,753	2,384
		F.	2,662	1,867	1,697	2,087	1,564	1,832	1,713	1,449	1,783	1,371	2,027
		P.	2,970	2,080	1,861	2,269	1,746	2,002	1,900	1,625	1,952	1,554	2,198
1	Enteric fever	M.	18	16	17	13	12	13	10	10	10	11	10
		F.	13	12	15	11	11	12	10	9	9	11	9
		P.	16	14	16	12	12	13	10	9	9	11	10
	(*a*) Typhoid fever	M.	?	?	17	13	12	12	9	9	9	9	9
		F.	?	?	15	11	10	11	9	8	7	9	8
		P.	?	?	16	12	11	12	9	8	8	9	8
5	Malaria	M.	11	13	8	6	4	5	3	3	2	2	2
		F.	0	1	0	1	0	0	0	0	0	0	0
		P.	5	6	4	3	2	2	2	2	1	1	1
7	Measles	M.	114	213	66	164	157	138	153	98	102	121	92
		F.	88	174	53	136	121	112	122	81	83	98	80
		P.	100	192	59	149	138	124	137	89	92	109	86
8	Scarlet fever	M.	35	39	35	36	27	22	26	19	15	14	19
		F.	33	37	34	37	24	23	25	16	14	15	17
		P.	34	38	34	36	26	23	25	17	15	15	18
9	Whooping cough	M.	72	112	113	157	104	100	149	100	88	71	147
		F.	74	123	128	176	112	105	162	110	99	79	172
		P.	74	118	121	167	108	103	156	105	94	75	160
10	Diphtheria	M.	147	153	127	112	72	65	72	76	71	84	86
		F.	129	149	125	102	70	64	70	77	68	78	88
		P.	137	151	126	107	71	64	71	77	70	81	87
11	Influenza	M.	1,276	311	250	568	234	492	339	243	575	216	731
		F.	1,104	255	226	559	207	486	316	216	559	178	737
		P.	1,181	282	237	563	220	489	327	229	567	196	734
	(*a*) 1. With pneumonic complications.	M.	?	?	116	285	110	242	152	115	282	108	390
		F.	?	?	89	256	78	200	115	80	229	70	331
		P.	?	?	101	270	93	220	133	97	255	88	359
	(*a*) 2. With other pulmonary complications.	M.	?	?	43	124	41	103	70	41	127	37	174
		F.	?	?	46	130	45	126	77	45	149	37	209
		P.	?	?	45	127	43	115	74	44	139	37	192
	(*b*) 1. With non-pulmonary complications.	M.	?	?	53	87	52	85	68	54	93	53	104
		F.	?	?	51	91	48	87	70	55	100	52	118
		P.	?	?	52	89	50	86	69	55	97	52	112
	(*b*) 2. Without stated complication.	M.	?	?	37	72	31	62	49	32	72	18	63
		F.	?	?	41	82	36	73	53	35	81	20	79
		P.	?	?	39	77	34	68	51	33	76	19	71
16	Dysentery	M.	14	8	7	5	5	4	4	4	3	4	4
		F.	8	5	7	6	3	3	3	3	2	3	1
		P.	11	7	7	6	4	3	3	4	2	4	2
	(*c*) Unspecified, or other than Amœbic or Bacillary.	M.	?	?	6	5	4	3	3	3	2	3	2
		F.	?	?	6	5	2	3	3	3	2	2	1
		P.	?	?	6	5	3	3	3	3	2	3	2
21	Erysipelas	M.	22	24	20	21	17	19	24	23	22	25	28
		F.	15	21	18	16	16	16	20	19	20	20	24
		P.	18	22	19	18	16	17	22	21	21	23	26
22	(*See* Footnote †.)												
23	Encephalitis lethargica ..	M.	8	13	19	9	15	39	36	35	31	27	27
		F.	8	12	19	9	13	33	35	33	27	27	25
		P.	8	13	19	9	14	36	35	34	29	27	26
24	Meningococcal meningitis ..	M.	23	17	13	11	8	9	11	11	14	13	19
		F.	13	12	9	8	7	6	7	8	8	9	11
		P.	17	14	11	9	7	8	9	9	11	11	15
29	Tetanus	M.	7	7	6	6	7	6	6	6	7	6	6
		F.	2	2	3	2	2	1	2	2	1	1	2
		P.	4	4	4	4	5	3	4	4	4	3	4

* Based on civilian deaths and civilian population.

† 22. Acute poliomyelitis. Mortality (1926)—Males 7, Females 5, Persons 6. (1927)—Males 6, Females 4, Persons 5. (1928)—Males 5, Females 3, Persons 4. (1929)—Males 4, Females 3, Persons 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
31–37	Tuberculosis (all forms) ..	M.	1,495	1,287	1,267	1,279	1,204	1,202	1,195	1,105	1,112	1,067	1,122
		F.	1,112	997	998	976	932	926	895	827	842	800	809
		P.	1,284	1,133	1,126	1,121	1,062	1,058	1,038	961	972	928	959
31	Respiratory system ..	M.	1,173	1,003	1,003	1,024	958	966	967	897	914	879	938
		F.	856	757	777	766	724	727	709	655	678	641	661
		P.	998	873	884	889	836	841	833	771	791	755	793
32	Nervous system ..	M.	116	107	99	98	91	86	86	79	82	71	71
		F.	92	86	80	78	79	74	70	67	65	59	59
		P.	103	96	89	88	85	80	78	73	73	65	65
33	Intestines and peritoneum	M.	70	58	59	51	52	49	46	41	35	34	32
		F.	64	59	55	48	50	46	42	38	34	34	30
		P.	67	59	57	49	51	48	44	39	34	34	31
34	Vertebral column	M.	22	22	19	21	18	17	16	16	15	15	14
		F.	15	14	16	15	14	15	11	12	11	10	11
		P.	18	18	18	18	16	16	14	14	13	12	12
35	Joints	M.	14	12	9	10	9	10	8	8	8	7	6
		F.	8	7	7	6	6	5	5	4	4	4	4
		P.	10	9	8	8	7	8	6	6	6	6	5
36	Other organs	M.	21	19	17	16	17	15	15	13	13	15	14
		F.	19	15	16	14	13	14	13	10	12	13	10
		P.	20	16	16	15	15	15	14	12	12	14	12
	(*d*) Genito-urinary system	M.	?	?	7	8	9	7	8	7	7	9	9
		F.	?	?	6	5	5	6	6	4	5	6	5
		P.	?	?	6	7	7	6	7	5	6	7	7
37	Disseminated tuberculosis ..	M.	79	66	62	59	59	57	56	52	46	47	48
		F.	58	59	49	49	46	45	44	42	39	38	35
		P.	68	62	55	54	52	51	50	47	43	42	41
	(*a*) Acute	M.	19	17	13	16	21	22	18	18	17	18	17
		F.	18	19	12	14	20	19	17	17	16	17	14
		P.	18	18	12	15	21	21	18	17	16	17	16
	(*b*) Chronic or unstated ..	M.	60	49	49	43	38	35	38	34	30	29	30
		F.	40	40	37	35	26	26	27	25	23	21	20
		P.	50	44	43	39	31	30	32	29	26	25	25
38	Syphilis	M.	68	65	57	47	47	42	39	42	46	53	47
		F.	38	44	38	31	27	25	23	23	26	26	24
		P.	52	54	47	39	36	33	30	32	36	39	35
41	Purulent infection, septicæmia	M.	18	23	20	19	17	16	20	23	22	21	29
		F.	9	12	12	10	9	10	12	12	13	14	16
		P.	13	18	15	14	13	13	16	17	17	18	22
43–69	II. General Diseases not included in I. 1–42.†	M.	1,535	1,472	1,506	1,549	1,563	1,602	1,649	1,684	1,712	1,753	1,772
		F.	1,578	1,618	1,709	1,733	1,758	1,781	1,849	1,889	1,912	1,968	2,008
		P.	1,559	1,549	1,612	1,645	1,665	1,696	1,754	1,791	1,816	1,865	1,895
43–49	Cancer, malignant disease..	M.	1,164	1,110	1,142	1,167	1,203	1,242	1,290	1,307	1,332	1,377	1,386
		F.	1,198	1,219	1,281	1,286	1,326	1,347	1,377	1,413	1,417	1,469	1,483
		P.	1,182	1,166	1,215	1,229	1,267	1,297	1,336	1,362	1,376	1,425	1,437
43	Buccal cavity	M.	149	138	137	133	139	135	142	137	144	148	135
		F.	19	19	18	18	21	21	21	21	21	20	22
		P.	77	75	75	73	77	75	79	77	80	81	76
44	Pharynx, œsophagus, stomach, liver and annexa	M.	451	422	439	449	454	460	484	485	486	493	511
		F.	322	333	344	352	352	353	366	380	366	382	387
		P.	380	375	389	398	401	404	422	430	424	435	447
45	Peritoneum, intestines and rectum.	M.	261	251	259	263	273	292	298	315	317	326	331
		F.	236	242	255	249	266	273	276	296	294	307	311
		P.	247	246	257	256	269	282	287	305	305	316	321
46	Female genital organs ..	F.	256	254	274	269	278	278	281	284	287	292	292
47	Breast	M.	2	2	2	2	2	2	2	2	2	3	2
		F.	221	228	236	242	249	254	265	260	277	286	288
		P.	122	121	125	128	131	134	139	137	146	150	151
48	Skin..	M.	45	40	40	40	41	44	42	44	44	47	46
		F.	21	20	20	22	21	23	21	21	23	24	24
		P.	32	29	30	31	31	33	31	32	33	35	35

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
	Cancer, malignant disease—*cont.*												
49	Other or unspecified organs	M.	256	257	266	280	294	309	321	324	338	361	359
		F.	123	123	132	134	139	145	146	150	149	158	160
		P.	183	186	196	203	213	224	230	233	240	255	255
50	Tumours not returned as malignant (brain and female genital organs excepted).	M.	19	18	20	20	22	22	21	25	23	23	23
		F.	13	15	15	15	16	17	18	18	19	19	17
		P.	16	16	17	17	19	19	19	21	21	21	20
51	Rheumatic fever	M.	42	55	48	45	42	41	45	44	37	34	34
		F.	42	58	48	48	43	45	52	47	42	42	38
		P.	42	57	48	47	42	43	48	45	40	38	36
52	Chronic rheumatism, osteo-arthritis, gout.†	M.	50	41	41	49	45	48	45	46	56	62	65
		F.	73	69	77	80	80	78	85	86	92	104	119
		P.	62	56	60	65	64	64	66	67	75	84	93
	1. Chronic rheumatism.†	M.	12	9	10	11	10	10	8	7	5	5	5
		F.	13	12	14	13	12	11	10	9	6	6	6
		P.	12	11	12	12	11	11	9	8	5	5	5
	2. Rheumatoid and osteo-arthritis.†	M.	26	22	22	28	27	29	28	30	39	43	47
		F.	58	56	62	65	66	66	73	75	84	96	111
		P.	44	40	43	47	48	48	51	54	63	70	80
	3. Gout	M.	12	10	9	10	8	9	9	8	12	15	13
		F.	2	1	2	2	2	1	2	2	2	3	2
		P.	6	5	5	6	5	5	5	5	7	8	8
56	Rickets	M.	18	18	15	13	15	16	15	13	12	15	13
		F.	10	10	11	9	10	9	10	8	7	10	8
		P.	13	14	13	11	12	13	12	11	10	12	11
57	Diabetes	M.	118	100	105	116	105	102	98	106	109	116	122
		F.	100	101	111	122	122	116	125	124	142	145	161
		P.	108	100	108	119	114	109	112	115	126	131	142
58	Anæmia, chlorosis	M.	61	62	62	68	60	62	65	68	65	45	49
		F.	71	71	84	84	77	81	83	91	83	62	63
		P.	66	66	73	77	70	72	75	80	74	54	57
	(*a*) Pernicious anæmia ..	M.	?	56	55	61	54	56	58	60	58	39	43
		F.	?	62	74	74	68	73	74	81	76	54	56
		P.	?	59	65	68	62	65	66	71	68	47	49
	(*b*) Other anæmias and chlorosis.	M.	?	6	7	7	6	7	7	8	6	6	7
		F.	?	9	10	10	9	8	9	10	7	8	8
		P.	?	7	9	9	8	7	8	9	7	7	7
60	Diseases of the thyroid gland†	M.	?	?	7	6	7	6	7	9	9	10	9
		F.	?	?	41	44	41	44	50	53	57	62	61
		P.	?	?	25	26	25	26	29	32	34	37	36
	(*a*) Exophthalmic goitre ..	M.	4	3	3	3	3	2	3	4	5	6	7
		F.	24	24	27	30	28	28	34	36	42	45	45
		P.	15	14	15	17	16	16	19	21	24	27	27
	(*b*) 1. Myxœdema ..	M.	?	?	1	1	1	1	1	1	1	1	1
		F.	?	?	7	7	7	8	9	9	9	9	10
		P.	?	?	4	4	4	5	5	5	5	6	6
	(*b*) 2. and 3. Cretinism and other diseases of the thyroid gland.†	M.	?	?	3	2	3	3	3	3	3	2	2
		F.	?	?	8	7	6	7	8	7	6	7	5
		P.	?	?	6	5	5	5	5	5	5	5	4
62	Diseases of the thymus ..	M.	4	5	6	6	6	5	5	6	5	6	6
		F.	2	3	3	4	3	3	3	3	3	3	4
		P.	3	4	5	5	4	4	4	4	4	4	5
63	Diseases of the adrenals ..	M.	4	5	5	5	6	5	6	5	4	5	5
		F.	6	7	6	7	6	6	7	8	8	7	7
		P.	5	6	6	6	6	6	7	7	6	6	6
65	Leukæmia, lymphadenoma ..	M.	23	25	27	29	27	29	29	32	34	32	35
		F.	16	16	16	16	19	19	21	21	23	22	24
		P.	19	20	21	22	23	24	25	26	28	27	29
	(*a*) Leukæmia	M.	12	13	14	15	15	15	16	17	18	18	19
		F.	10	10	10	10	12	12	13	14	15	13	16
		P.	11	11	12	12	13	13	15	15	16	16	17
	(*b*) Lymphadenoma (Hodgkin's disease).	M.	11	12	13	14	12	14	13	15	15	14	17
		F.	6	6	6	6	7	8	7	7	8	9	8
		P.	8	9	9	10	10	11	10	11	12	11	12
66	Alcoholism (acute or chronic)	M.	5	9	7	6	6	5	5	4	4	4	4
		F.	1	3	3	2	2	2	3	2	1	2	2
		P.	3	6	5	4	4	3	4	3	3	3	3

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
69	Other general diseases† ..	M.	13	13	13	13	14	12	13	14	15	17	15
		F.	10	11	11	12	10	11	12	12	14	17	17
		P.	12	12	12	12	12	11	12	13	15	17	16
	1. Purpura	M.	7	6	7	8	6	6	7	7	7	7	7
		F.	6	7	6	7	7	6	7	7	7	7	8
		P.	7	7	7	7	6	6	7	7	7	7	7
	3. (See Footnote ‡.)												
70–86	III. Diseases of the Nervous System and Sense Organs.†	M.	1,541	1,360	1,310	1,324	1,265	1,248	1,243	1,212	1,130	1,064	1,121
		F.	1,290	1,250	1,235	1,253	1,218	1,188	1,174	1,173	1,106	1,054	1,089
		P.	1,402	1,302	1,271	1,287	1,241	1,217	1,207	1,192	1,117	1,059	1,104
70	Encephalitis	M.	11	13	10	10	10	8	11	11	8	8	9
		F.	9	8	7	7	6	6	6	7	5	6	7
		P.	10	10	8	8	8	7	8	9	7	7	8
	1. Cerebral abscess	M.	?	7	6	7	6	6	7	7	5	5	6
		F.	?	4	4	3	4	3	3	4	2	4	3
		P.	?	5	5	5	5	4	5	6	4	4	4
71	Meningitis	M.	87	74	72	66	60	57	55	46	43	35	39
		F.	59	56	57	50	48	42	39	37	32	26	29
		P.	72	64	64	58	54	50	47	42	37	31	34
72	Tabes dorsalis (locomotor ataxy).	M.	36	29	32	36	33	34	32	34	34	34	39
		F.	4	4	6	7	7	6	6	6	7	6	7
		P.	19	16	18	21	19	19	19	19	20	20	22
73	Other diseases of the spinal cord.†	M.	91	76	40	42	45	46	43	41	41	44	40
		F.	59	57	29	30	31	30	30	31	32	30	31
		P.	73	66	34	36	37	38	36	36	36	37	35
74	Cerebral hæmorrhage, apoplexy, etc.	M.	726	641	627	653	635	638	645	639	586	539	585
		F.	758	728	723	755	743	737	741	750	694	659	684
		P.	743	686	677	706	691	689	695	696	642	602	637
	(*a*) 1. Cerebral hæmorrhage so returned.	M.	532	481	476	500	491	499	507	501	460	426	459
		F.	550	539	539	573	570	565	574	576	536	512	529
		P.	541	511	509	538	532	533	542	540	499	471	496
	(*a*) 2. Apoplexy, lesion unstated.	M.	124	94	86	79	69	64	57	51	42	38	35
		F.	124	104	92	89	80	71	62	59	51	41	39
		P.	124	99	89	84	75	67	60	55	47	40	37
	(*b*) 1. Cerebral embolism	M.			16	19	17	18	17	15	16	11	11
		F.			25	24	22	23	24	24	17	16	14
		P.	70	66	21	22	19	20	21	19	17	13	13
	(*b*) 2. Cerebral thrombosis	M.	84	85	50	55	58	58	64	72	68	65	79
		F.	78	76	66	69	71	77	80	91	90	89	101
		P.			58	62	65	68	72	82	79	78	91
75	Paralysis of unstated origin ..	M.	70	57	58	59	54	53	53	47	38	34	36
		F.	68	66	62	64	64	60	55	52	46	41	43
		P.	70	61	60	62	59	57	54	50	42	38	40
	(*a*) Hemiplegia	M.	60	48	49	51	47	46	46	42	33	29	32
		F.	59	56	54	57	57	53	49	47	41	38	38
		P.	60	52	51	54	52	49	48	44	38	34	35
	(*b*) Other forms of paralysis	M.	10	9	9	8	7	7	7	5	4	5	4
		F.	9	10	9	7	7	7	6	5	5	4	5
		P.	10	9	9	8	7	7	6	5	5	4	4
76	General paralysis of the insane.	M.	74	66	69	77	76	68	67	62	65	61	52
		F.	14	12	14	15	15	14	14	14	14	13	13
		P.	41	38	41	44	44	40	40	37	39	36	32
77	Other forms of insanity ..	M.	25	18	16	19	15	15	19	23	25	26	28
		F.	27	27	28	28	26	25	27	31	35	37	37
		P.	27	23	22	24	21	21	24	28	30	32	33
78	Epilepsy	M.	90	65	62	63	60	61	59	59	61	60	59
		F.	67	53	55	56	52	53	51	46	49	54	52
		P.	78	59	58	60	56	57	55	52	55	57	55
79 & 80	Convulsions (non-puerperal)..	M.	192	199	169	137	121	109	108	93	71	60	62
		F.	115	131	108	91	80	74	69	61	46	37	41
		P.	150	163	137	113	100	91	87	77	58	48	51
82	Hysteria and neuritis ..	M.	5	6	6	6	5	5	5	5	4	5	4
		F.	7	6	8	9	8	7	7	7	7	7	6
		P.	6	6	7	8	6	6	6	6	6	6	5

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.
‡ 69 (3) Other diseases included under 69.† Mortality (1927)—Males 5, Females 6, Persons 6; (1928)—Males 5, Females 8, Persons 7. (1929)—Males 4, Females 8, Persons 6,

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
83	Cerebral softening	M.	31	22	22	21	21	22	10	13	11	8	9
		F.	29	22	24	25	21	22	10	16	13	10	10
		P.	30	22	23	23	21	22	10	15	12	9	10
84	Other diseases of the nervous system.†	M.	?	?	87	94	92	95	97	98	101	106	110
		F.	?	?	81	84	87	83	89	87	93	92	95
		P.	?	?	84	89	90	89	93	92	97	99	102
	1. Idiocy, imbecility	M.	10	6	7	7	7	7	8	7	8	9	11
		F.	6	5	6	8	8	8	8	8	8	8	9
		P.	8	6	6	7	7	7	8	7	8	9	10
	2. Cerebral tumour	M.	28	27	29	28	29	30	28	31	31	34	33
		F.	22	24	26	26	26	25	25	27	28	29	30
		P.	25	25	27	27	28	27	27	29	29	31	31
	3. Disseminated sclerosis† ..	M.	?	?	16	20	18	20	19	21	20	20	20
		F.	?	?	18	17	18	17	18	20	21	20	22
		P.	?	?	17	19	18	18	19	21	20	20	21
	4. Paralysis agitans† ..	M.	?	?	19	21	21	23	29	28	31	33	37
		F.	?	?	16	17	20	19	24	22	25	25	27
		P.	?	?	17	19	21	21	26	25	28	29	31
	5. Other diseases included under 84.†	M.	24	19	17	18	17	15	13	11	12	10	9
		F.	19	17	16	16	15	15	13	10	12	10	8
		P.	21	18	16	17	16	15	13	10	12	10	8
86	Diseases of the ear and of the mastoid sinus.	M.	35	37	38	37	36	33	36	38	39	39	44
		F.	20	28	27	26	25	23	25	23	27	29	29
		P.	27	32	32	32	31	28	30	30	32	34	36
	1. Diseases of the mastoid sinus.	M.	10	10	10	10	11	10	11	13	14	13	14
		F.	5	8	8	9	7	7	8	7	9	10	10
		P.	7	9	9	10	9	8	9	10	11	12	12
	2. Diseases of the ear ..	M.	25	27	27	27	25	23	25	26	25	26	30
		F.	15	20	20	17	18	16	18	16	18	18	18
		P.	20	23	23	22	22	19	21	21	21	22	24
87–96	IV. Diseases of the Circulatory System.†	M.	2,054	1,839	1,847	2,041	1,966	2,087	2,212	2,239	2,540	2,728	3,047
		F.	1,737	1,678	1,756	1,967	1,888	2,006	2,112	2,127	2,441	2,616	3,015
		P.	1,879	1,754	1,800	2,002	1,926	2,044	2,160	2,181	2,489	2,669	3,030
87–90	Heart diseases†	M.	1,610	1,417	1,381	1,514	1,429	1,506	1,596	1,606	1,774	1,893	2,373
		F.	1,481	1,411	1,451	1,618	1,528	1,611	1,694	1,691	1,891	2,004	2,493
		P.	1,538	1,416	1,418	1,568	1,480	1,561	1,647	1,650	1,835	1,951	2,436
87	Pericarditis†	M.	10	11	11	12	11	10	10	9	9	8	9
		F.	8	8	8	8	6	8	7	6	6	6	5
		P.	8	10	9	10	8	9	9	7	7	7	7
88	Acute endocarditis and myocarditis.†	M.	53	67	64	57	52	52	52	51	51	47	48
		F.	40	56	48	49	46	48	51	54	51	46	50
		P.	46	62	55	52	50	50	51	53	51	47	49
	1. Infective endocarditis ..	M.	22	31	40	36	30	27	27	26	28	24	25
		F.	13	21	24	26	24	25	23	26	25	24	26
		P.	17	26	32	30	27	26	25	26	26	24	25
	2. Other acute endocarditis†	M.	19	21	17	14	15	14	14	12	11	10	9
		F.	19	22	17	16	14	14	16	15	14	12	13
		P.	19	22	17	15	15	14	15	14	12	11	11
	3. Acute myocarditis† ..	M.	12	15	6	7	7	10	11	13	12	12	14
		F.	8	13	6	7	8	9	12	14	12	11	12
		P.	10	14	6	7	8	10	11	13	12	12	13
89	Angina pectoris †	M.	45	39	41	54	58	66	69	68	105	137	178
		F.	17	17	17	23	25	27	27	29	40	54	69
		P.	30	27	29	38	41	45	47	48	71	94	121
90	Other diseases of the heart† ..	M.	1,502	1,300	1,265	1,391	1,308	1,378	1,465	1,478	1,609	1,702	2,137
		F.	1,416	1,330	1,379	1,538	1,451	1,529	1,609	1,601	1,795	1,897	2,368
		P	1,454	1,317	1,324	1,468	1,381	1,457	1,540	1,542	1,706	1,804	2,258

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925	1926.	1927.	1928.	1929.
	Other diseases of the heart—*cont.*												
	1. Aortic valve disease ..	M.			106	113	107	106	110	111	116	119	126
		F.			43	46	48	44	51	47	49	52	52
		P.			73	78	76	74	79	78	81	84	87
	2. Mitral valve disease ..	M.			178	193	181	174	176	168	193	204	222
		F.			271	295	276	278	274	260	304	323	346
		P.	720	654	227	246	230	228	227	216	251	266	287
	3. Aortic and mitral valve disease.	M.	683	654									
		F.	699	654	27	26	25	24	24	24	29	33	38
		P.			18	19	20	18	21	16	24	32	30
					23	23	22	21	22	20	26	33	34
	4. Other or unspecified valve disease.†	M.			314	316	292	300	297	286	282	278	293
		F.			340	371	331	348	327	318	332	322	343
		P.			328	345	312	325	313	303	308	301	319
	5. Fatty heart	M.	64	59	60	69	67	65	65	66	65	65	71
		F.	68	62	67	77	77	75	77	68	79	81	89
		P.	66	61	64	73	72	70	71	67	72	73	80
	6. Cardiac dilatation, cause unspecified.	M.			27	27	23	20	21	17	18	14	10
		F.			27	28	22	17	20	19	17	12	8
		P.			27	28	22	19	21	18	18	13	9
	7. Other or unspecified myocardial disease.†	M.	710	578	242	314	332	404	493	554	664	780	1,161
		F.	657	604	265	347	366	435	532	589	710	832	1,237
		P.	681	592	254	331	350	420	513	572	688	807	1,201
	9. Heart disease (undefined)	M.			298	318	263	261	250	218	201	171	175
		F.			332	338	287	282	267	238	220	183	194
		P.			316	328	276	272	259	228	211	177	185
	8. Disordered action of the heart.	M.	8	9	13	15	18	23	29	33	41	37	41
		F.	8	10	15	17	24	32	41	47	60	61	67
		P.	8	10	14	16	21	28	35	41	51	50	55
91	Diseases of the arteries† ..	M.	423	401	447	508	518	559	591	607	740	806	649
		F.	238	245	281	324	335	368	392	407	518	582	490
		P.	320	318	361	412	422	460	487	502	624	689	566
	(*a*) Aneurysm	M.	43	44	44	45	42	44	45	42	47	50	50
		F.	9	9	10	11	11	10	12	12	13	14	15
		P.	24	25	26	27	26	26	27	26	29	31	32
	(*b*) Arterio-sclerosis† ..	M.	375	352	398	458	470	511	542	560	686	750	594
		F.	225	233	267	309	319	355	375	391	500	562	471
		P.	292	289	329	380	391	429	455	472	589	652	530
	1. With record of cerebral vascular lesion.	M.	?	?	118	139	146	149	167	165	244	290	287
		F.	?	?	94	110	114	126	133	135	209	253	247
		P.	?	?	105	124	130	137	149	149	225	271	266
	2. Without record of cerebral vascular lesion.†	M.	?	?	280	319	324	362	375	395	443	460	307
		F.	?	?	173	199	205	228	242	256	291	309	224
		P.	?	?	224	256	261	292	306	322	364	382	264
	(*c*) Other diseases of the arteries.†	M.	5	5	5	5	6	4	5	5	7	6	6
		F.	4	3	4	4	5	4	5	4	5	6	4
		P.	4	4	5	5	5	4	5	5	6	6	5
92	Embolism and thrombosis (not cerebral).	M.	9	8	8	9	8	9	10	12	9	10	8
		F.	7	9	9	8	9	9	9	10	10	9	9
		P.	8	8	8	9	8	9	10	11	10	9	8
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	6	7	6	7	7	7	9	8	8	11	10
		F.	9	11	11	13	13	12	12	14	15	16	17
		P.	8	9	9	10	10	9	11	11	12	14	13
97–107	V. Diseases of the Respiratory System.†	M.	2,941	2,504	2,212	2,572	2,102	2,352	2,234	1,961	2,164	1,744	2,358
		F.	2,190	1,867	1,722	2,064	1,653	1,919	1,788	1,530	1,720	1,289	1,871
		P.	2,526	2,168	1,956	2,308	1,868	2,126	2,001	1,736	1,933	1,507	2,104
97	(See Footnote ‡)												
98	Diseases of the larynx ..	M.	28	28	20	18	13	14	13	11	11	10	10
		F.	20	21	14	11	9	8	9	8	7	8	7
		P.	23	26	17	15	11	11	11	9	9	9	8
	2. Laryngitis	M.	22	22	15	14	9	10	9	9	8	7	8
		F.	17	17	12	9	7	6	7	6	6	7	6
		P.	19	20	13	11	8	8	8	7	7	7	7
99	Bronchitis†	M.	1,409	1,094	929	1,101	878	987	931	818	862	632	855
		F.	1,180	948	853	1,045	828	960	884	731	821	558	831
		P.	1,282	1,017	889	1,073	852	973	906	773	840	593	843
	(*a*) Acute	M.	?	?	219	265	198	238	221	191	203	123	188
		F.	?	?	241	297	230	279	259	209	240	135	228
		P.	?	?	230	282	215	260	241	200	222	129	209

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

‡ 97. Diseases of the nasal fossæ and annexa.† Mortality (1927)—Males 5, Females 5, Persons 5; (1928)—Males 7, Females 4, Persons 6; (1929)—Males 7, Females 5; Persons 6.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920*.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
	Bronchitis—*cont.*												
	(*b*) Chronic	M.	?	?	308	365	321	350	341	323	327	244	314
		F.	?	?	224	278	236	262	251	220	235	168	224
		P.	?	?	264	320	277	304	294	269	279	205	267
	(*c* and *d*) Not stated whether acute or chronic.	M.	?	?	402	471	359	399	369	304	332	265	353
		F.	?	?	389	470	362	418	374	303	345	254	379
		P.	?	?	395	471	360	409	372	303	339	259	367
100, 101	Pneumonia (all forms)† ..	M.	1,307	1,218	1,104	1,280	1,051	1,188	1,134	986	1,135	964	1,322
		F.	867	788	745	883	705	833	784	683	776	622	909
		P.	1,064	991	916	1,073	870	1,003	951	828	948	786	1,107
100	Broncho-pneumonia† ..	M.	623	583	517	664	487	618	566	506	588	445	683
		F.	449	427	409	526	383	497	456	401	454	344	553
		P.	527	501	460	592	433	555	509	451	518	392	616
101	Pneumonia (lobar or not otherwise defined).	M.	684	635	587	616	564	570	567	480	546	519	639
		F.	418	361	336	357	322	336	328	281	323	278	356
		P.	537	490	456	481	437	448	442	376	430	393	491
	(*a*) Lobar	M.	283	301	282	317	317	315	343	297	353	370	444
		F.	160	158	154	171	169	177	183	165	196	188	236
		P.	215	225	215	241	239	243	260	228	271	275	336
	(*b*) Not otherwise defined..	M.	401	334	304	299	247	255	225	183	194	149	195
		F.	258	203	182	186	153	159	145	116	127	90	120
		P.	322	265	240	240	198	205	183	148	159	118	156
102	Pleurisy	M.	45	44	43	42	44	40	38	37	34	36	42
		F.	26	27	25	26	25	25	21	20	23	21	24
		P.	35	36	34	33	34	32	29	28	28	29	33
	1. Empyema	M.	17	17	18	18	17	17	16	14	14	14	19
		F.	6	7	7	9	7	7	7	6	7	6	8
		P.	11	12	12	13	12	12	11	10	10	10	13
	2. Other pleurisy	M.	28	27	26	24	27	23	22	24	20	22	24
		F.	20	20	18	17	18	18	15	15	16	16	16
		P.	24	24	22	20	22	20	18	19	18	19	20
103	Congestion and hæmorrhagic infarct of lung.	M.	37	31	31	32	29	29	29	28	26	23	27
		F.	33	31	36	36	34	36	38	38	34	30	36
		P.	35	31	34	34	31	32	34	33	30	26	31
105	Asthma	M.	78	58	53	67	55	63	61	52	70	53	75
		F.	48	38	36	50	42	45	42	39	48	40	55
		P.	61	48	44	58	48	54	51	45	59	46	65
106	Pulmonary emphysema ..	M.	13	9	7	10	9	10	7	8	5	3	3
		F.	4	3	2	3	2	3	3	2	1	1	0
		P.	8	6	4	6	5	7	5	5	3	2	2
107	Other diseases of the respiratory system.†	M.	?	?	17	16	16	15	14	14	15	15	15
		F.	?	?	7	6	6	6	5	5	5	5	4
		P.	?	?	12	11	11	10	9	9	10	10	10
	(*a*) Chronic interstitial pneumonia.	M.	12	10	10	10	10	10	10	11	12	12	12
		F.	4	2	3	3	3	3	2	3	3	4	3
		P.	7	6	6	6	6	6	6	7	7	7	7
	(*b* and *c*) Other diseases included under 107, including disease of the mediastinum.†	M.	?	?	8	6	6	5	4	4	4	3	4
		F.	?	?	4	3	3	3	2	2	2	1	1
		P.	?	?	6	5	5	4	3	3	3	2	2
108–127	VI. Diseases of the Digestive System.†	M.	874	892	1,062	746	784	748	803	805	754	764	801
		F.	658	678	815	596	620	584	620	619	578	593	605
		P.	755	779	933	668	698	662	707	708	662	675	699
108	Diseases of the buccal cavity and annexa.	M.	11	13	13	13	14	14	16	16	18	21	19
		F.	9	9	11	11	10	11	10	11	13	15	14
		P.	10	11	12	12	12	12	12	13	15	18	16
	1. Diseases of the teeth and gums.	M.	8	9	8	9	9	8	11	11	13	16	14
		F.	6	7	7	7	7	7	6	7	9	11	9
		P.	7	8	8	8	8	8	9	9	11	13	12
109	Diseases of the pharynx and tonsils.†	M.	20	18	19	16	13	13	19	17	22	25	29
		F.	16	14	15	14	12	11	14	16	21	26	30
		P.	18	16	17	15	13	12	16	17	21	26	29
	1. Tonsilitis, etc., adenoid vegetations.†	M.	17	14	13	12	11	11	15	14	18	20	23
		F.	13	12	12	11	10	9	12	13	18	22	25
		P.	15	13	13	12	10	10	13	14	18	21	24

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
111	Ulcer of the stomach or duodenum.	M.	90	95	88	94	115	115	132	142	158	150	161
		F.	47	49	42	43	45	44	49	48	49	48	50
		P.	66	70	64	68	79	78	89	93	101	97	103
	(*a*) Ulcer of the stomach ..	M.	61	64	56	62	74	74	84	93	102	97	104
		F.	41	42	37	37	37	36	40	40	42	40	42
		P.	50	52	46	49	55	54	61	65	70	67	72
	(*b*) Ulcer of the duodenum	M.	29	31	31	32	41	41	48	50	56	53	57
		F.	6	7	6	6	8	8	9	9	7	9	8
		P.	16	18	18	19	24	24	28	28	31	30	31
112	Other diseases of the stomach	M.	90	94	82	68	62	59	53	53	42	39	35
		F.	80	78	73	65	56	55	52	46	41	41	36
		P.	85	86	78	67	59	57	53	49	42	40	36
	1. Inflammation of the stomach.	M.	75	80	71	57	51	49	44	43	33	33	29
		F.	67	68	64	56	49	48	45	40	36	37	32
		P.	71	74	67	57	50	48	44	42	35	35	30
	2. Other diseases included under 112.	M.	15	14	12	11	11	10	9	10	9	6	6
		F.	13	10	9	9	7	7	8	6	5	4	4
		P.	14	12	10	10	9	8	8	8	7	5	5
113, 114	Diarrhœa and enteritis ..	M.	341	345	526	219	246	219	245	246	176	187	202
		F.	234	249	382	165	194	167	186	188	141	143	156
		P.	281	294	451	191	218	192	214	215	158	164	178
	1. Ulceration of the intestines.	M.	6	5	6	6	6	6	7	7	7	6	7
		F.	7	8	7	6	8	9	8	8	8	9	9
		P.	6	6	7	6	7	7	7	8	8	8	8
	2. Colitis	M.			14	11	11	10	9	11	10	9	10
		F.			15	11	14	11	11	13	10	9	10
		P.	335	340	14	11	12	10	10	12	10	9	10
	3. Other diseases included under 113, 114.	M.	227	241	506	202	229	204	229	228	160	172	186
		F.	275	288	360	148	172	148	167	167	122	125	137
		P.			430	174	199	175	197	196	140	147	161
117	Appendicitis and typhlitis ..	M.	74	78	82	84	88	83	87	82	81	86	87
		F.	59	58	62	61	61	60	61	58	60	60	57
		P.	66	67	72	72	74	71	74	69	70	73	71
118	Hernia, intestinal obstruction	M.	123	118	116	117	115	117	115	115	121	120	132
		F.	107	105	105	105	109	104	105	106	109	103	110
		P.	115	112	111	111	111	110	110	110	115	111	120
	(*a*) Hernia	M.	48	45	42	46	45	47	45	45	51	53	57
		F.	44	44	45	44	46	47	46	45	49	47	50
		P.	46	45	44	45	45	47	45	45	50	50	54
	(*b*) Intestinal obstruction..	M.	75	73	75	71	70	70	71	70	70	67	75
		F.	63	61	60	61	63	57	59	61	60	56	59
		P.	69	67	67	66	66	63	65	65	65	61	67
119	Other diseases of the intestines	M.	13	13	12	13	13	12	13	12	14	14	16
		F.	11	11	12	11	12	12	13	12	12	13	14
		P.	12	12	12	12	12	12	13	12	13	14	15
	1. Intestinal stasis ..	M.	?	?	?	?	?	4	4	4	4	4	4
		F.	?	?	?	?	?	5	6	5	5	5	5
		P.	?	?	?	?	?	4	5	5	5	4	4
	2. Other diseases included under 119.	M.	?	?	?	?	?	8	9	8	10	11	12
		F.	?	?	?	?	?	7	7	7	7	9	9
		P.	?	?	?	?	?	7	8	7	8	10	11
122	Cirrhosis of the liver	M.	60	66	71	70	63	61	65	65	65	64	62
		F.	27	30	33	31	30	31	32	32	32	33	29
		P.	43	47	51	50	46	45	47	48	47	48	45
	(*a*) Returned as alcoholic..	M.	4	5	6	6	5	5	5	4	9	11	9
		F.	1	2	3	2	3	3	2	2	5	5	4
		P.	3	3	4	4	4	4	3	3	7	8	7
	(*b*) Not returned as alcoholic.	M.	56	61	66	64	58	56	60	61	56	53	53
		F.	26	28	30	29	27	28	29	30	27	28	25
		P.	40	44	47	46	42	41	44	44	41	40	38
123	Biliary calculi	M.	13	12	14	15	14	16	17	15	17	18	17
		F.	28	29	34	35	38	36	38	39	41	44	43
		P.	21	21	25	26	27	27	28	28	30	31	31

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
124	Other diseases of the liver ..	M.	20	19	19	20	21	22	23	24	20	23	21
		F.	20	22	25	29	29	29	34	36	33	37	38
		P.	20	21	22	25	25	25	29	30	26	30	30
125	Diseases of the pancreas ..	M.	4	6	6	6	7	7	8	8	10	10	10
		F.	4	4	5	5	7	7	9	8	11	11	13
		P.	4	5	5	6	7	7	9	8	10	11	12
126	Peritonitis of unstated origin	M.	9	10	9	8	8	8	7	6	6	5	7
		F.	13	13	12	14	13	11	13	13	12	13	11
		P.	11	12	10	11	11	10	10	10	9	9	9
128–142	VII. Non-venereal Diseases of the Genito-urinary System	M.	639	577	577	576	573	585	580	587	638	668	704
		F.	365	375	377	389	388	377	390	398	425	457	473
		P.	487	470	473	479	476	476	481	488	527	558	584
128	Acute nephritis (including unspecified under 10 years of age).	M.	50	47	44	42	39	39	41	39	37	32	30
		F.	38	38	34	32	32	33	32	34	30	28	29
		P.	44	42	39	37	35	36	36	36	33	30	29
129	Chronic nephritis (including unspecified over 10 years of age).	M.	360	326	315	322	314	319	310	313	343	366	385
		F.	249	250	254	271	269	258	268	270	297	328	341
		P.	298	286	283	295	290	287	288	290	319	346	362
131	Other diseases of the kidneys and annexa.	M.	15	15	16	17	15	20	18	20	18	18	18
		F.	11	13	14	14	15	17	17	19	21	22	22
		P.	13	14	15	16	15	19	18	20	20	20	20
132	Calculi of the urinary passages.	M.	11	10	10	11	12	11	11	10	11	13	16
		F.	3	5	6	5	5	4	5	5	6	6	7
		P.	7	7	8	8	8	7	8	7	8	9	12
133	Diseases of the bladder ..	M.	58	49	50	44	43	39	35	39	36	32	29
		F.	10	11	12	11	13	11	13	14	15	17	18
		P.	32	29	30	27	27	24	23	26	25	24	23
	1. Cystitis	M.	?	?	45	40	40	37	33	37	34	30	27
		F.	?	?	11	11	12	10	12	13	14	17	17
		P.	?	?	27	25	25	23	22	24	24	23	22
134	Diseases of the urethra, urinary abscess, etc.	M.	24	21	21	21	22	21	18	20	21	23	24
		F.	0	0	0	0	0	0	0	0	1	0	1
		P.	11	10	10	10	11	10	9	10	10	11	12
	(*a*) Stricture of the urethra	M.	?	?	17	17	18	17	16	17	19	22	23
		F.	?	?	—	—	—	—	—	—	0	—	0
		P.	?	?	8	8	9	8	8	8	9	10	11
135	Diseases of the prostate ..	M.	116	104	118	116	125	133	143	145	169	180	198
137	Cysts and other tumours of the ovary not returned as malignant	F.	14	16	15	14	14	14	14	15	13	14	15
138	Salpingitis and pelvic abscess in females.†	F.	?	?	13	13	12	11	13	12	12	10	11
	1. Salpingitis†	F.	?	?	11	10	10	9	11	10	10	9	10
139	Tumours of the uterus not returned as malignant	F.	16	18	18	18	18	18	19	20	21	21	18
141	Other diseases of the female genital organs.†	F.	20	22	8	7	8	7	7	7	8	9	9
	1. Other diseases of the uterus.†	F.	9	11	7	6	6	5	5	6	6	6	7
143–150	VIII. The Puerperal State ..	F.	154	210	168	149	144	141	143	140	131	142	135
143	Accidents of pregnancy ..	F.	14	18	17	16	18	16	16	16	16	13	14
	(*a*) Abortion	F.	6	6	5	5	5	6	4	4	4	4	3
	(*b* and *c*) Other accidents including ectopic gestation.	F.	8	12	11	11	13	11	11	12	12	9	11
144	Puerperal hæmorrhage ..	F.	19	26	24	20	21	19	18	17	16	16	15
145	Other accidents of childbirth	F.	17	21	19	15	15	16	16	17	14	16	14

* Based on civilian deaths and civilian population
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
146	Puerperal sepsis	F.	59	88	59	54	49	50	55	54	50	58	56
147	Puerperal phlegmasia alba dolens, embolism, sudden death.	F.	12	18	16	15	14	12	12	10	9	11	9
	2. Puerperal embolism and sudden death.	F.	9	15	13	12	11	9	10	9	7	9	8
148	Puerperal albuminuria and convulsions.	F.	30	38	30	28	26	26	25	26	26	27	25
151–154	IX. Diseases of the Skin and Cellular Tissue.†	M.	113	105	97	90	86	88	93	90	82	89	88
		F.	78	81	73	73	70	70	76	71	68	65	68
		P.	94	92	85	81	78	79	84	80	75	77	77
151	Gangrene	M.	50	39	40	37	30	37	35	34	30	28	29
		F.	34	34	29	31	29	28	30	27	27	21	25
		P.	41	36	34	34	30	32	32	30	28	24	27
	1. Senile gangrene.. ..	M.	44	35	36	34	28	34	32	32	28	25	27
		F.	30	30	26	27	27	26	27	25	26	19	23
		P.	36	32	31	30	27	30	30	28	27	22	25
152	Carbuncle, boil	M.	12	12	12	11	13	11	13	14	14	16	16
		F.	6	5	5	5	5	5	6	7	7	7	8
		P.	9	8	8	8	9	8	9	10	10	12	12
153	Cellulitis, acute abscess† ..	M.	25	28	21	22	20	19	22	21	18	22	24
		F.	15	18	16	14	15	13	16	15	13	15	15
		P.	19	22	19	18	17	16	19	18	16	19	19
	1. Cellulitis†	M.	16	19	14	15	14	14	17	17	13	18	19
		F.	9	12	11	9	10	10	12	12	10	12	12
		P.	12	15	12	12	12	12	14	14	12	15	15
	2. Acute abscess†	M.	9	9	7	7	6	5	5	4	4	4	5
		F.	6	6	6	5	5	4	4	4	3	4	3
		P.	7	7	6	6	5	4	5	4	4	4	4
154	Other diseases of the skin and its annexa.	M.	25	27	24	20	23	21	23	21	21	23	19
		F.	24	24	23	23	21	23	24	22	21	22	20
		P.	26	25	23	21	22	22	24	21	21	22	20
	1. Ulcer, bedsore	M.	7	7	6	5	7	4	5	4	4	5	4
		F.	12	11	11	11	8	10	10	9	8	8	7
		P.	10	9	8	8	7	7	8	7	6	7	5
	2–4. Other diseases under 154, including eczema and pemphigus.	M.	18	20	18	15	16	17	18	17	17	18	15
		F.	12	13	12	12	13	13	14	12	13	14	13
		P.	16	16	15	13	15	15	16	15	15	16	14
155–158	X. Diseases of the Bones and Organs of Locomotion.†	M.	30	27	27	27	28	29	28	27	30	32	31
		F.	18	18	15	16	14	16	17	16	17	16	19
		P.	23	22	20	21	21	22	22	21	23	24	25
155	Diseases of the bones† ..	M.	23	21	21	21	21	22	22	21	23	25	24
		F.	12	12	11	12	11	12	12	13	13	12	14
		P.	17	16	16	16	16	17	17	17	18	18	19
	1. Acute infective osteomyelitis and periostitis.	M.	?	?	15	17	16	17	16	14	17	19	17
		F.	?	?	6	7	6	7	7	7	8	7	9
		P.	?	?	11	12	11	12	11	11	12	13	13
	2. Other diseases of the bones.	M.	?	?	5	4	5	5	6	7	6	6	7
		F.	?	?	5	5	5	5	5	5	5	5	5
		P.	?	?	5	4	5	5	5	6	5	5	6
159	XI. Congenital malformations.	M.	109	131	119	112	111	106	110	109	106	110	111
		F.	69	97	85	85	78	74	80	78	79	80	85
		P.	87	113	101	98	94	90	95	93	92	94	98
	1. Congenital hydrocephalus.	M.	10	10	11	8	11	8	9	9	9	7	8
		F.	5	7	6	7	6	6	6	6	6	4	5
		P.	7	8	8	7	8	7	7	7	7	6	6
	2. Congenital malformation of heart.	M.	46	54	45	45	44	43	43	41	42	41	43
		F.	28	36	31	31	29	27	30	30	29	31	32
		P.	36	45	38	38	36	35	36	36	35	36	37
	3. Other congenital malformations.	M.	53	67	63	59	56	55	58	59	55	62	60
		F.	36	54	48	47	43	42	44	42	44	45	48
		P.	44	60	55	53	50	48	51	50	49	53	54

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
160–163	**XII. Diseases of Early Infancy**	M.	884	951	838	725	657	652	607	586	556	535	543
		F.	540	625	570	482	445	450	421	396	374	359	367
		P.	694	779	698	599	545	547	510	487	461	443	451
160	Congenital debility, sclerema and icterus.	M.	264	287	225	177	160	151	147	128	102	97	94
		F.	148	171	141	111	97	92	89	82	62	54	54
		P.	201	226	181	143	127	120	117	104	81	75	73
	1. Congenital debility and sclerema.	M.	243	263	204	158	140	134	135	116	88	84	80
		F.	138	158	130	102	88	83	81	75	54	47	48
		P.	186	208	165	129	113	108	107	94	70	65	63
	2. Icterus neonatorum ..	M.	21	24	21	19	20	17	13	12	14	13	14
		F.	10	13	12	9	9	8	8	7	7	7	6
		P.	15	18	16	14	14	12	10	10	10	10	10
161	Premature birth, injury at birth.	M.	561	593	552	492	446	449	413	405	406	391	403
		F.	352	407	384	333	311	316	291	276	279	269	276
		P.	446	494	464	409	375	380	349	338	340	327	337
	1. Premature birth ..	M.	530	551	513	455	412	415	378	371	367	351	358
		F.	337	385	361	315	290	297	272	256	255	245	252
		P.	424	463	433	382	348	354	322	311	309	296	303
	2. Injury at birth ..	M.	31	42	40	37	34	35	36	35	39	40	45
		F.	15	22	23	18	21	19	19	20	24	25	24
		P.	22	31	31	27	27	26	27	27	31	32	34
162	Other diseases peculiar to early infancy.	M.	50	61	53	49	45	44	40	45	41	41	40
		F.	30	42	38	32	31	35	35	30	27	30	31
		P.	39	50	45	41	37	39	37	37	34	35	35
	2. Atelectasis	M.	42	50	43	40	37	34	31	34	33	31	31
		F.	23	32	30	24	23	26	26	22	20	22	21
		P.	32	40	36	32	29	30	28	28	26	27	26
	1. and 3. Other diseases under 162, including diseases of umbilicus.	M.	8	11	10	9	8	10	9	11	8	9	10
		F.	7	10	9	8	8	8	9	8	7	8	10
		P.	7	10	9	9	8	9	9	9	8	8	10
163	Lack of care	M.	9	10	8	7	6	8	7	8	8	7	6
		F.	8	7	7	6	6	7	6	8	6	6	6
		P.	8	9	7	6	6	7	6	8	7	6	6
164	**XIII. Old Age**	M.	819	619	623	648	575	561	548	537	487	422	448
		F.	921	785	815	836	738	755	745	713	664	572	615
		P.	875	706	723	746	660	662	651	629	579	500	535
	1. Senile dementia ..	M.	35	30	32	36	35	35	41	38	42	45	46
		F.	34	37	42	45	40	42	47	52	51	55	62
		P.	35	34	37	41	38	39	44	45	46	50	54
	2. Other forms of senile decay.	M.	783	589	592	612	540	526	508	499	445	377	402
		F.	887	748	772	791	698	713	698	661	613	517	553
		P.	840	673	686	705	622	623	607	583	533	450	481
165–203	**XIV. External Causes** ..	M.	744	691	643	631	660	643	687	687	745	777	795
		F.	271	260	246	248	249	258	273	283	298	322	330
		P.	483	463	436	428	445	442	471	477	512	540	553
165–174	Suicide	M.	136	134	153	156	157	142	153	166	184	180	183
		F.	51	51	50	54	53	54	61	66	71	72	73
		P.	88	90	99	100	103	96	105	114	125	124	126
165, 166	By solid or liquid poisons and corrosive substances.	M.	7	10	11	13	13	12	14	17	21	20	19
		F.	7	7	9	10	9	10	10	14	16	14	15
		P.	7	8	10	11	11	11	12	16	19	17	17
167	By poisonous gas.. ..	M.	7	9	13	18	24	20	25	31	35	35	43
		F.	5	6	7	9	12	10	15	17	17	20	22
		P.	6	7	10	13	18	15	20	24	25	28	32
168	By hanging or strangulation.	M.	39	32	37	37	34	31	33	36	36	37	36
		F.	9	8	8	8	6	7	8	7	8	8	7
		P.	22	19	22	21	20	19	20	21	21	22	21
169	By drowning	M.	25	27	32	29	29	27	27	30	31	32	29
		F.	17	20	16	17	16	16	16	17	18	17	16
		P.	21	24	24	22	22	21	21	23	24	24	22

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
	Suicide—*contd.*												
170	By firearms	M.	11	12	14	14	13	10	11	11	12	12	12
		F.	1	1	1	0	1	0	1	0	1	1	1
		P.	5	6	7	7	6	5	5	6	6	6	6
171	By cutting or piercing instruments.	M.	35	32	33	32	31	29	30	28	34	30	31
		F.	6	5	6	6	5	5	5	5	6	5	6
		P.	19	18	19	18	17	16	17	16	19	17	18
172–174	By other means	M.	12	12	12	13	13	13	15	11	15	14	14
		F.	6	4	4	4	4	5	6	5	5	6	7
		P.	8	8	8	8	9	9	10	8	10	10	10
175–196, 201–203	Violent deaths, excluding suicide and homicide.	M.	599	549	484	470	496	495	528	514	556	591	606
		F.	212	201	189	188	191	199	205	210	222	246	252
		P.	385	365	330	323	336	341	359	356	382	411	422
175–177	Accidental poisoning ..	M.	6	6	7	6	5	5	7	4	4	6	4
		F.	4	3	5	3	4	3	5	4	4	5	4
		P.	5	5	6	4	4	4	6	4	4	5	4
179	Accidental burns (conflagration excepted).	M.	52	42	39	40	41	35	39	31	36	34	36
		F.	64	53	45	49	43	45	43	38	38	40	46
		P.	59	48	42	45	42	40	41	35	37	37	41
180	Accidental mechanical suffocation.	M.	24	24	23	19	18	17	16	17	16	16	15
		F.	15	17	15	13	11	12	13	11	12	12	11
		P.	19	20	19	16	14	15	14	14	14	14	13
181	(*See* Footnote †)												
182	Accidental drowning ..	M.	89	83	87	68	76	67	70	67	67	69	66
		F.	17	18	17	14	15	15	16	12	15	15	13
		P.	49	49	50	40	44	40	42	39	40	41	38
185	Accidental injury by fall ..	M.	102	95	83	79	74	77	85	83	85	92	93
		F.	60	61	56	64	65	66	68	74	78	87	85
		P.	79	77	69	71	69	71	76	78	81	89	89
186	Accidental injury in mining and quarrying.	M.	72	55	37	51	60	60	55	36	56	51	53
		F.	0	0	—	0	0	—	—	—	—	—	—
		P.	32	26	18	24	29	29	26	17	27	24	26
187	Accidental injury by machinery.	M.	19	18	10	10	11	12	11	9	12	12	10
		F.	1	1	0	0	1	0	0	0	0	0	0
		P.	9	9	5	5	6	6	6	4	6	6	5
188	Accidental injury by other forms of crushing (vehicles, railways, &c.).	M.	175	174	154	156	164	186	204	226	241	270	286
		F.	36	36	36	33	37	48	48	57	62	74	79
		P.	99	101	92	91	98	114	122	138	148	168	178
190	Wounds of war	M.	12	9	6	4	4	3	3	4	4	4	4
		F.	—	—	—	—	—	—	—	—	0	—	—
		P.	6	4	3	2	2	2	2	2	2	2	2
194	Excessive heat	M.	4	1	7	3	12	1	4	3	0	3	3
		F.	2	1	6	1	5	1	2	2	0	1	1
		P.	3	1	7	2	8	1	3	2	0	2	2
197–199	Homicide	M.	9	7	6	5	7	6	6	7	5	5	5
		F.	8	8	7	6	5	5	7	7	5	5	5
		P.	8	8	7	5	6	6	7	7	5	5	5
202	Other and unstated forms of accidental violence, execution.	M.	16	17	10	12	12	9	11	11	11	13	10
		F.	4	4	3	3	4	4	4	4	4	4	4
		P.	9	10	6	7	8	6	8	7	8	8	7
204–205	**XV. Ill-defined Diseases** ..	M.	83	63	60	57	54	50	50	44	34	26	26
		F.	52	43	40	40	36	33	34	28	22	17	17
		P.	66	52	50	48	44	41	41	36	28	21	21
204	Sudden death	M.	10	7	11	11	11	9	9	9	8	7	7
		F.	5	4	6	6	6	5	5	4	4	4	4
		P.	7	6	8	8	8	7	7	6	6	5	5
205	Cause of death unstated or ill-defined.	M.	73	56	50	46	43	41	41	35	26	19	19
		F.	47	38	34	34	30	28	29	25	17	13	13
		P.	59	47	42	40	36	34	35	30	21	16	16
	1. Heart failure (1-70 yrs.)	M.	45	35	30	31	27	26	28	25	19	13	13
		F.	29	23	19	20	19	17	17	17	11	8	8
		P.	36	29	24	25	23	22	22	21	15	11	11
	2. Other ill-defined causes	M.	21	17	17	13	13	13	11	7	5	4	4
		F.	15	13	14	13	10	9	9	6	5	4	4
		P.	18	15	15	13	12	11	10	7	5	4	4

* Based on civilian deaths and civilian population.

† 181. Accidental absorption of irrespirable or poisonous gas. Mortality (1922)—Males 6, Females 3, Persons 5; (1926)—Males 6, Females 5, Persons 5; (1927)—Males 6, Females 4, Persons 5; (1928)—Males 5, Females 4, Persons 5; (1929)—Males 7, Females 5, Persons 6.

TABLE 5A.—ENGLAND AND WALES.—STANDARDIZED† ANNUAL DEATH RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES AND FEMALES.

List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
	ALL CAUSES	M.	14,321	13,201	12,523	12,852	11,436	11,842	11,878	11,236	11,810	11,104	12,714
		F.	11,622	10,681	10,241	10,577	9,303	9,693	9,683	9,099	9,552	8,900	10,372
1	Enteric fever	M.	17	16	17	13	12	13	10	10	10	11	9
		F.	13	12	15	11	11	13	10	8	8	10	9
7	Measles	M.	127	257	80	195	181	157	182	121	131	159	125
		F.	121	238	72	181	157	143	162	111	119	143	121
8	Scarlet fever	M.	36	44	40	41	31	25	30	22	18	17	23
		F.	42	46	41	45	30	29	32	20	19	20	23
9	Whooping cough	M.	81	136	139	188	120	114	177	124	114	95	202
		F.	105	172	175	236	146	133	216	152	142	117	261
10	Diphtheria	M.	150	172	144	129	82	75	85	91	87	104	109
		F.	162	187	156	128	88	81	91	101	91	106	121
11	Influenza	M.	1,289	301	232	526	209	440	297	212	504	185	623
		F.	1,060	236	195	481	169	393	253	171	438	139	550
21	Erysipelas	M.	19	22	19	19	15	17	21	20	19	22	24
		F.	14	20	17	14	14	14	17	15	16	16	19
22	Acute poliomyelitis	M.	6	5	6	4	4	5	5	8	7	6	5
		F.	5	3	5	5	4	4	4	7	5	4	4
23	Encephalitis lethargica ..	M.	?	?	19	8	14	38	34	33	30	25	25
		F.	?	?	19	9	12	33	34	32	26	26	23
24	Meningococcal meningitis ..	M.	27	19	15	13	9	10	12	13	17	16	23
		F.	16	15	11	10	9	8	9	10	11	12	16
31–37	Tuberculosis (all forms) ..	M.	1,347	1,248	1,233	1,241	1,164	1,156	1,143	1,058	1,061	1,015	1,057
		F.	1,123	1,010	1,011	985	942	934	904	839	854	812	820
31	Respiratory system ..	M.	1,019	940	944	963	900	904	895	829	838	803	846
		F.	829	737	757	745	707	708	691	638	660	625	641
32	Nervous system	M.	123	121	113	112	103	97	100	93	99	87	89
		F.	116	108	100	98	98	91	90	87	87	80	82
33	Intestines and peritoneum	M	73	65	66	56	56	54	50	45	40	39	37
		F.	74	67	63	54	56	52	48	43	39	39	35
38	Syphilis	M.	71	74	64	50	48	42	39	43	45	50	45
		F.	50	56	48	37	30	28	25	26	29	28	26
43–49	Cancer, malignant disease ..	M.	899	921	947	958	972	999	1,023	1,011	1,018	1,032	1,031
		F.	935	939	970	965	979	985	991	995	984	1,000	999
50	Tumours not returned as malignant.‡	M.	16	16	17	17	18	18	17	20	19	18	18
		F.	10	11	12	12	13	12	13	13	14	14	12
51	Rheumatic fever	M.	38	54	48	45	43	41	45	44	37	35	35
		F.	43	59	48	49	45	47	54	49	45	45	41
52 (2)	Rheumatoid and osteo-arthritis.*	M.	21	19	19	24	23	24	23	24	31	32	35
		F.	44	42	45	48	47	46	51	51	56	62	72
57	Diabetes	M.	96	87	92	101	90	86	81	86	88	91	95
		F.	83	82	89	97	94	88	94	91	101	101	111
58 (*a*)	Pernicious anæmia	M.	?	?	46	50	44	45	46	47	45	30	32
		F.	?	?	60	59	54	57	57	61	56	39	39
63	Diseases of the adrenals ..	M.	3	5	4	4	5	5	5	4	4	4	4
		F.	5	6	5	5	5	5	6	6	6	6	6
65 (*a*)	Leukæmia	M.	11	13	13	14	14	14	15	17	17	18	17
		F.	9	9	9	9	11	11	12	12	14	12	15
65 (*b*)	Lymphadenoma (Hodgkin's disease).	M.	10	11	13	13	11	14	12	14	14	13	15
		F.	5	6	5	6	6	7	6	6	7	8	6
71	Meningitis	M.	91	82	81	74	66	63	61	52	50	42	46
		F.	73	68	69	61	57	49	47	45	40	34	37
72	Tabes dorsalis (locomotor ataxy).	M.	27	24	26	29	26	26	25	26	26	25	29
		F.	3	4	5	5	5	4	5	4	5	4	5

* *See* note to this heading in Table 4.
† *See* note *re* Standardized death rates at foot of Table 3.
‡ Excluding brain and female genital organs.

TABLE 5A.—ENGLAND AND WALES.—STANDARDIZED† ANNUAL DEATH RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES AND FEMALES—*cont.*

List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
74	Cerebral hæmorrhage, apoplexy, etc.	M.	579	550	539	555	531	530	528	509	459	412	446
		F.	572	538	525	542	524	515	509	502	457	424	438
76	General paralysis of the insane	M.	65	61	59	65	64	55	56	51	54	49	42
		F.	12	10	12	13	12	12	11	11	11	10	10
77	Other forms of insanity ..	M.	21	15	14	16	13	13	16	19	19	20	21
		F.	22	22	22	22	21	20	21	24	27	28	27
78	Epilepsy	M.	78	62	60	60	57	58	56	56	57	55	55
		F.	61	49	51	51	47	48	45	42	43	47	45
79, 80	Convulsions (non-puerperal) ..	M.	218	244	208	164	140	124	128	115	92	81	85
		F.	163	184	148	122	104	94	91	84	67	55	63
84 (2)	Cerebral tumour	M.	24	25	26	26	27	27	25	28	28	30	29
		F.	20	22	23	23	23	22	22	24	25	25	25
84 (3)	Disseminated sclerosis* ..	M.	?	?	13	17	15	16	16	17	16	16	16
		F.	?	?	14	14	15	14	14	16	16	15	16
84 (4)	Paralysis agitans*	M.	?	?	16	18	18	19	23	22	24	25	28
		F.	?	?	11	12	14	13	17	15	17	16	17
86	Diseases of the ear and mastoid sinus.	M.	37	41	40	40	38	35	38	41	42	43	49
		F.	23	31	31	29	28	26	29	27	31	33	34
87–90	Heart diseases*	M.	1,304	1,235	1,203	1,301	1,210	1,267	1,322	1,298	1,412	1,474	1,835
		F.	1,160	1,099	1,107	1,218	1,129	1,181	1,220	1,188	1,303	1,349	1,658
88 (1)	Infective endocarditis ..	M.	25	32	40	35	29	27	26	25	26	23	23
		F.	13	21	24	24	23	24	22	25	24	23	24
88 (2)	Other acute endocarditis* ..	M.	18	21	18	14	15	14	14	12	11	10	10
		F.	17	21	18	16	14	14	16	15	14	12	13
88 (3)	Acute myocarditis*	M.	10	12	6	6	7	9	10	11	11	12	13
		F.	6	11	5	6	7	8	10	11	10	10	11
89	Angina pectoris*	M.	35	32	34	44	46	53	55	52	79	101	131
		F.	13	13	13	17	18	19	19	20	27	35	45
90 (1)	Aortic valve disease	M.			90	95	88	87	89	87	90	91	96
		F.			32	34	35	32	36	33	34	35	35
90 (2)	Mitral valve disease	M.	582	570	156	169	155	148	147	139	157	165	177
		F.	543	519	212	229	211	211	206	193	222	232	249
90 (3)	Aortic and mitral valve disease.	M.			24	23	21	21	20	20	23	27	30
		F.			15	15	16	14	16	12	18	24	22
90 (4)	Other or unspecified valve disease.*	M.			273	271	246	251	245	231	224	217	227
		F.			263	283	248	260	240	229	236	224	238
90 (5)	Fatty heart	M.	50	49	50	56	54	52	51	51	50	48	53
		F	52	47	50	57	56	53	54	47	54	54	58
90 (7)	Other or unspecified myocardial disease.*	M.	?	?	209	269	281	341	409	446	526	601	894
		F.	?	?	189	245	254	300	361	388	460	525	781
90 (8)	Disordered action of the heart	M.	6	8	11	13	15	19	24	27	33	28	31
		F.	6	8	11	13	17	23	29	33	41	40	45
90 (9)	Heart disease (undefined) ..	M.	?	?	257	271	222	218	206	176	160	132	134
		F.	?	?	248	250	208	203	189	164	148	120	127
91 (*a*)	Aneurysm	M.	34	36	35	36	34	35	34	32	36	37	37
		F.	7	7	8	8	8	7	9	9	9	9	10
91 (*b*)	Arterio-sclerosis*	M.	305	308	349	396	399	432	451	454	545	581	458
		F.	164	168	188	216	219	241	252	255	321	352	295
91(*b*)1	With record of cerebral vascular lesion.	M.	?	?	101	118	122	123	136	131	190	221	217
		F.	?	?	67	78	79	87	91	89	136	161	156
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	5	6	5	6	6	5	7	7	6	8	7
		F.	7	9	9	10	9	9	9	10	11	11	11
97–107	Diseases of the respiratory system.*	M.	2,732	2,499	2,176	2,510	1,973	2,217	2,108	1,851	2,060	1,649	2,258
		F.	2,089	1,822	1,609	1,896	1,451	1,682	1,572	1,349	1,513	1,151	1,670
97 (2)	Diseases of the accessory nasal sinuses.*	M.	?	?	2	3	3	3	3	4	4	5	5
		F.	?	?	2	2	2	1	2	2	4	3	4

* *See* note to this heading in Table 4.
† *See* note *re* Standardized death rates at foot of Table 3.

TABLE 5A.—ENGLAND AND WALES.—STANDARDIZED† ANNUAL DEATH RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929.—MALES AND FEMALES—*cont.*

List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
98	Diseases of the larynx ..	M.	30	32	23	20	14	15	15	13	13	12	12
		F.	25	28	18	14	11	9	11	10	9	11	9
99	Bronchitis*	M.	1,231	1,057	876	1,023	790	884	832	719	749	548	735
		F.	1,010	830	703	837	641	733	674	546	600	412	601
99 (*a*)	Acute	M.	?	?	223	264	190	227	212	183	193	120	178
		F.	?	?	215	254	190	227	212	170	188	113	182
99 (*b*)	Chronic	M.	?	?	265	313	270	293	281	261	260	190	243
		F.	?	?	162	200	166	184	173	149	156	109	145
100	Broncho-pneumonia* ..	M.	659	661	584	738	516	656	615	559	671	510	795
		F.	540	523	483	612	420	545	506	457	528	404	653
101 (*a*)	Lobar pneumonia	M.	261	280	260	291	285	285	307	264	313	325	390
		F.	152	147	140	154	150	158	161	146	169	162	202
101 (*b*)	Pneumonia (not otherwise defined).	M.	387	323	292	286	229	236	208	173	183	139	185
		F.	259	201	174	179	141	145	134	107	120	86	113
102 (1)	Empyema	M.	18	17	18	18	16	17	16	14	14	14	18
		F.	7	8	8	9	7	8	8	6	7	7	8
102 (2)	Other pleurisy	M.	23	23	22	21	23	19	18	20	17	18	19
		F.	17	17	15	14	14	14	11	12	12	12	13
103	Congestion and hæmorrhagic infarct of lung.	M.	33	30	30	30	27	26	26	25	23	20	23
		F.	27	27	29	29	25	26	27	27	23	21	24
105	Asthma	M.	61	49	45	56	45	52	49	41	55	41	58
		F.	38	31	28	38	31	34	31	29	35	29	38
107 (*a*)	Chronic interstitial pneumonia.	M.	9	8	8	8	8	8	8	8	9	9	9
		F.	3	2	2	2	2	2	2	2	2	3	2
108–127	Diseases of the digestive system.*	M.	840	925	1,125	735	760	715	778	783	718	734	780
		F.	677	703	867	566	586	542	586	587	528	544	565
111 (*a*)	Ulcer of the stomach ..	M.	49	56	48	53	62	62	70	76	83	77	82
		F.	35	36	31	30	30	29	31	30	31	29	30
111 (*b*)	Ulcer of the duodenum ..	M.	23	27	27	28	35	35	40	41	47	43	46
		F.	5	6	5	5	6	6	7	7	5	6	6
112	Other diseases of the stomach	M.	87	100	86	69	61	57	52	51	41	38	34
		F.	81	84	74	61	51	48	46	41	36	35	30
112 (1)	Inflammation of the stomach	M.	74	86	75	59	51	48	44	43	33	32	29
		F.	69	72	66	53	46	43	40	36	32	32	27
117	Appendicitis and typhlitis ..	M.	71	77	81	82	86	82	85	80	78	82	84
		F.	59	58	62	59	59	59	60	56	51	57	53
118 (*a*)	Hernia..	M.	41	41	38	41	39	40	39	38	43	44	48
		F.	34	34	35	33	34	34	33	32	34	32	34
118 (*b*)	Intestinal obstruction ..	M.	69	73	73	70	67	65	67	66	67	64	71
		F.	56	55	53	53	54	48	50	51	49	47	50
122	Cirrhosis of the liver ..	M.	46	54	58	56	51	47	49	49	48	47	45
		F.	22	23	25	25	23	23	23	23	22	23	20
123	Biliary calculi	M.	11	10	12	13	12	13	14	12	13	13	13
		F.	21	22	25	26	28	26	27	27	28	29	29
124	Other diseases of the liver ..	M.	17	18	17	18	18	19	20	20	16	18	16
		F.	16	18	20	22	22	22	25	26	23	25	26
125	Diseases of the pancreas ..	M.	3	5	5	5	5	6	6	6	8	8	8
		F.	3	4	4	5	5	5	7	6	8	8	9
126	Peritonitis of unstated origin	M.	8	10	9	8	8	7	7	6	6	5	7
		F.	13	13	12	14	14	12	15	14	13	14	13
128	Acute nephritis (including unspecified under 10 years of age).	M.	47	45	42	40	37	37	38	36	35	31	28
		F.	38	38	33	31	30	31	30	32	28	27	28
129	Chronic nephritis (including unspecified over 10 years of age).	M.	288	278	267	272	262	265	254	250	271	284	297
		F.	198	198	197	208	205	195	200	195	213	230	237

* *See* Note to this heading in Table 4.

† *See* note *re* Standardized death rates at foot of Table 3.

TABLE 5A.—ENGLAND AND WALES.—STANDARDIZED† ANNUAL DEATH RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1919–1929. MALES AND FEMALES—*cont.*

List No.	Causes of Death.		1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
132	Calculi of the urinary passages	M.	9	9	9	9	10	9	9	8	9	10	13
		F.	3	4	5	4	4	3	4	3	4	5	5
133 (1)	Cystitis	M.	?	?	40	35	35	32	28	30	27	24	21
		F.	?	?	8	8	9	7	9	9	10	11	11
134 (*a*)	Stricture of the urethra ..	M.	?	?	14	14	15	13	12	13	15	16	17
135	Diseases of the prostate ..	M.	95	92	104	102	107	114	121	117	135	140	154
139	Tumours of the uterus not returned as malignant.	F.	13	14	15	14	14	14	15	16	16	16	14
151	Gangrene	M.	42	36	37	34	27	33	31	29	25	23	24
		F.	26	25	21	23	20	20	20	18	18	13	16
151 (1)	Senile gangrene	M.	37	32	33	31	25	30	28	27	23	20	22
		F.	22	21	18	19	18	17	18	16	16	11	14
152	Carbuncle, boil	M.	11	10	10	10	11	10	11	12	12	14	13
		F.	5	4	5	4	5	4	5	6	6	7	7
153 (1)	Cellulitis*	M.	15	17	13	14	13	13	15	15	12	16	16
		F.	8	11	10	8	9	9	10	11	9	10	10
154 (1)	Ulcer, bedsore	M.	6	6	5	5	6	4	4	3	3	4	3
		F.	9	9	8	8	5	7	7	6	6	5	4
155 (1)	Acute infective osteomyelitis and periostitis.	M.	?	?	16	18	18	19	17	16	19	22	19
		F.	?	?	7	8	7	9	9	9	10	9	12
164	Old age	M.	717	586	588	608	530	515	499	472	418	349	373
		F.	662	550	557	568	492	500	488	453	415	348	377
165–203	External causes	M.	714	665	609	594	619	601	642	639	690	719	735
		F.	265	251	232	228	226	233	244	252	264	283	290
165–174	Suicide	M.	116	118	130	132	134	120	128	136	151	147	148
		F.	45	44	43	45	45	45	50	55	57	57	58
175–196, 201–203	Violent deaths excluding suicide and homicide.	M.	590	539	472	457	478	475	508	495	534	567	582
		F.	212	198	182	177	175	183	186	190	201	220	222
179	Accidental burns (conflagration excepted).	M.	55	48	44	46	45	38	43	35	42	40	43
		F.	73	59	49	53	46	47	45	41	42	44	49
185	Accidental injury by fall ..	M.	88	86	76	72	66	69	74	72	73	78	79
		F.	47	46	41	47	47	47	48	50	53	57	56
204–205	Ill-defined diseases	M.	69	56	54	49	46	43	42	37	28	22	21
		F.	49	40	37	35	32	28	29	24	18	14	14
204	Sudden death..	M.	8	6	9	9	9	7	7	7	6	6	5
		F.	4	4	5	5	5	4	4	3	3	2	3
205 (1)	Heart failure (1–70 years) ..	M.	34	29	25	25	22	21	22	20	14	10	10
		F.	24	19	15	15	14	13	13	13	8	6	6

* *See* Note to this heading in Table 4

† *See* note *re* Standardized death rates at foot of Table 3.

TABLE 6.—ENGLAND AND WALES.—ANNUAL DEATH-RATES FROM THE PRINCIPAL EPIDEMIC OR GENERAL DISEASES, 1851–1929.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages (Standardized).								At Ages under 15 Years.					
	Enteric Fever.	Small-pox.	Influenza.	Encephalitis Lethargica.	Tuberculosis (All forms).	Tuberculosis of Respiratory System.	Cancer.	Diabetes.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Acute Poliomyelitis.	Meningococcal Meningitis.
1851–60					3,478	2,772	326		1,151			1,418		
1861–70		149			3,263	2,590	396		1,221	2,617	1,148	1,475		
1871–80	321	228			2,882	2,231	484		1,038	1,908	765	1,415		
1881–90	199	45			2,444	1,810	610		1,227	903	823	1,259		
1891–1900	175	14	363		2,021	1,418	767		1,217	439	894	1,115		
1901–10	91	13	208		1,646	1,143	867	93	973	311	584	876		
1911–20	34	0	566		1,375	1,007	928	98	891	141	447	596	13	45
1851–55					3,638	2,890	320		1,114			1,439		
1856–60		180			3,328	2,663	341		1,185	2,201	1,379	1,398		
1861–65		205			3,316	2,625	381		1,265	2,646	1,422	1,437		
1866–70		97			3,217	2,558	416		1,180	2,589	891	1,511		
1871–75	371	392			2,956	2,327	460		1,023	2,018	807	1,378		
1876–80	275	76			2,818	2,141	515		1,051	1,806	726	1,450		
1881–85	218	78			2,558	1,922	567		1,138	1,160	848	1,269		
1886–90	181	13			2,342	1,704	650		1,313	656	799	1,250		
1891–95	175	20	418		2,138	1,504	725		1,174	498	896	1,151		
1896–1900	176	7	311		1,912	1,337	805		1,260	380	893	1,079		
1901–05	113	25	189		1,739	1,208	849	88	1,016	366	668	940		
1906–10	70	0	224		1,556	1,082	882	97	930	257	503	813		
1911–15	47	0	164		1,389	1,005	932	107	1,110	185	444	681	14	41
1916–20	22	0	965		1,359	1,009	924	91	665	96	449	509	12	48
1921–25	13	0	319	22	1,065	816	976	91	449	92	310	484	11	25
1888	173	37			2,243	1,634	638		972	614	810	1,227		
1889	177	1			2,279	1,637	674		1,457	646	825	1,216		
1890	180	0	160		2,403	1,748	693		1,240	665	785	1,358		
1891	169	2	582		2,325	1,659	708		1,237	465	719	1,335		
1892	138	15	540		2,156	1,517	704		1,317	519	821	1,307		
1893	230	49	329		2,158	1,509	723		1,075	629	1,074	991		
1894	160	27	222		1,987	1,419	723		1,136	461	978	1,198		
1895	176	7	426		2,072	1,426	764		1,106	418	889	927		
1896	167	17	122		1,899	1,327	770		1,685	495	981	1,274		
1897	157	1	196		1,933	1,356	791		1,214	414	805	1,097		
1898	182	8	331		1,915	1,325	804		1,256	320	788	973		
1899	198	6	390		1,908	1,339	829		948	334	953	965		
1900	174	3	504		1,904	1,337	830		1,199	340	936	1,090		
1901	155	11	173		1,807	1,263	841	91	850	380	888	965		
1902	126	75	222		1,739	1,229	836	83	1,211	427	768	924		
1903	101	23	187		1,741	1,196	856	84	854	364	592	893		
1904	93	15	166		1,780	1,228	854	91	1,141	330	564	1,109		
1905	90	3	199		1,634	1,130	856	91	1,025	333	532	809		
1906	92	1	178		1,647	1,138	880	94	871	301	587	768		
1907	68	0	256		1,606	1,125	866	93	1,157	275	541	944		
1908	75	0	275		1,585	1,099	874	98	729	236	521	899		
1909	60	1	241		1,524	1,063	895	99	1,145	273	484	654		
1910	53	1	172		1,422	988	893	103	750	200	384	798		
1911	67	1	113		1,456	1,035	909	99	1,173	158	433	705	16	31
1912	44	0	137		1,361	995	925	103	1,150	168	376	756	13	25
1913	41	0	161		1,340	958	948	108	951	175	392	492	15	25
1914	46	0	148		1,345	988	943	111	816	233	510	722	13	29
1915	37	0	257		1,440	1,053	933	113	1,458	189	510	730	13	97
1916	29	0	210		1,423	1,046	935	109	478	112	468	546	13	59
1917	26	0	174		1,479	1,085	930	90	941	62	393	411	11	62
1918	25	0	3,024		1,539	1,165	913	84	892	82	430	918	14	41
1919	15	1	1,169		1,229	918	915	89	334	104	447	248	12	40
1920	14	1	267		1,123	833	928	85	675	119	510	417	9	37
1921	16	0	213	19	1,117	845	957	90	212	106	432	435	12	30
1922	12	1	503	9	1,107	848	959	99	542	109	373	607	10	27
1923	12	0	189	13	1,049	798	973	92	508	83	250	399	9	21
1924	13	0	416	36	1,039	801	988	87	464	74	231	384	11	22
1925	10	0	274	34	1,017	788	1,002	88	520	86	262	594	11	27
1926	9	0	191	32	942	730	999	89	340	57	283	408	16	28
1927	9	1	470	28	952	744	996	95	359	49	257	367	12	33
1928	11	1	161	26	909	709	1,011	97	430	49	303	300	12	33
1929	9	1	587	24	932	738	1,010	104	346	57	328	649	10	45

Note.—The rates throughout the table are based on total deaths and population (including non-civilians). Those for 1915–1920 may therefore differ from those published elsewhere based on civilian deaths and populations.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES, 1928 AND 1929.

(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.*																Mortality per 1,000 Live Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping Cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		The Puerperal State. Puerperal Sepsis.		The Puerperal State. Others.	
	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.
England and Wales ..	1	1	11	10	928	959	755	793	109	86	75	160	15	18	81	87	65	74	7·22	8·26	1·79	1·80	2·63	2·53
Administrative Counties (including London).	*1*	*1*	*12*	*10*	*842*	*862*	*680*	*710*	*110*	*49*	*62*	*150*	*14*	*17*	*76*	*81*	*60*	*68*	*5·68*	*6·46*	*1·70*	*1·77*	*2·71*	*2·51*
Bedfordshire	—	—	5	—	839	763	707	609	52	—	80	47	28	23	99	51	47	51	2·55	3·80	0·64	1·58	2·23	3·80
Berkshire	—	—	5	—	662	680	541	522	51	33	42	116	14	14	47	79	42	64	2·14	3·49	1·84	0·95	1·84	1·90
Buckinghamshire ..	—	—	12	4	550	660	385	547	51	23	51	85	16	23	86	89	51	61	4·12	4·10	1·03	1·79	3·86	2·05
Cambridgeshire ..	—	—	—	8	780	788	668	668	—	15	38	8	15	8	158	150	59	46	4·72	1·13	2·62	2·27	1·57	1·13
Cheshire	—	1	8	6	749	695	572	535	74	30	62	109	21	33	50	96	58	65	5·02	4·80	1·61	2·14	3·61	2·65
Cornwall	—	—	19	6	1,032	901	796	693	76	19	79	110	13	6	31	25	57	63	3·41	3·15	1·71	2·03	3·84	3·38
Cumberland	—	—	9	10	845	877	646	661	—	43	104	139	5	—	52	29	63	74	4·76	7·83	1·59	1·08	3·70	2·70
Derbyshire	—	—	6	10	724	708	514	545	112	32	42	90	11	14	70	72	63	68	4·68	5·96	1·89	1·73	2·43	2·02
Devonshire	2	—	5	9	930	815	742	689	107	2	43	63	11	11	59	59	51	54	2·91	3·32	0·97	1·49	3·07	3·49
Dorsetshire	—	—	9	4	712	691	567	564	47	—	51	51	9	21	55	212	48	48	2·89	4·01	1·84	1·87	3·42	2·67
Durham	3	1	9	9	1,059	1,065	791	812	81	232	138	192	13	13	91	79	81	95	7·78	11·75	1·75	2·27	2·84	2·95
Ely, Isle of	13	—	—	—	926	767	810	614	77	38	154	128	13	13	167	128	59	83	4·64	9·80	0·66	0·70	3·31	0·70
Essex	—	—	30	11	749	765	625	645	94	20	49	135	14	19	98	110	51	53	5·57	5·98	1·58	1·48	2·48	1·70
Gloucestershire ..	—	—	15	3	762	843	609	689	65	9	68	53	12	9	41	124	54	57	2·58	2·56	2·19	1·38	2·39	1·77
Herefordshire.. ..	—	—	—	—	750	768	616	633	45	27	54	136	9	27	116	136	47	69	4·71	2·25	3·14	—	1·57	3·94
Hertfordshire.. ..	—	—	19	5	653	734	516	591	37	10	26	90	16	29	45	52	45	48	2·47	4·27	1·41	1·78	1·41	2·49
Huntingdonshire ..	—	—	71	—	817	652	692	635	18	18	18	88	18	18	89	71	41	62	3·14	2·11	1·05	4·23	4·19	6·34
Kent	1	5	12	16	865	821	725	688	65	50	29	128	19	15	147	129	46	61	4·37	6·84	1·42	1·46	1·76	2·02
Lancashire	3	2	13	9	747	762	589	608	51	45	53	155	15	19	60	66	69	85	5·76	5·83	2·12	1·60	3·94	3·29
Leicestershire.. ..	—	—	3	10	881	996	696	809	51	30	17	122	10	17	82	115	55	57	4·14	3·39	2·36	1·80	2·36	2·99
Lincolnshire, Holland	—	—	34	45	709	671	506	548	34	56	101	56	23	11	124	168	46	63	3·28	5·19	2·73	0·58	1·64	2·89
,, Kesteven	—	—	19	—	649	666	538	545	56	9	46	74	9	—	28	46	61	60	3·14	3·81	2·09	—	2·09	2·72
,, Lindsey	—	—	19	19	733	815	594	652	4	62	42	93	12	23	42	35	49	66	2·17	2·45	1·95	1·78	2·39	1·11
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
London	0	1	11	10	1,037	1,090	894	957	305	47	91	258	18	17	89	79	67	71	10·32	10·96	1·59	1·88	2·00	1·73
Middlesex	—	2	11	5	756	833	642	725	152	4	49	144	13	14	79	97	52	56	4·02	6·30	1·85	1·16	1·94	2·10
Norfolk	6	—	12	6	732	759	546	610	22	3	53	99	19	9	84	65	56	60	3·41	3·02	1·14	1·61	1·70	2·82
Northamptonshire ..	—	—	14	23	800	827	651	734	23	60	9	55	9	23	79	60	49	55	2·83	3·54	1·26	2·58	4·41	2·26
Northumberland ..	—	—	15	46	943	998	680	735	29	107	93	288	22	12	32	41	67	81	5·21	9·44	0·80	1·60	2·40	3·20
Nottinghamshire ..	2	—	5	2	752	799	587	610	57	28	50	107	7	33	52	75	64	76	5·04	5·45	1·64	2·39	2·52	2·13
Oxfordshire	7	—	7	8	620	834	489	710	29	23	7	117	7	16	36	55	38	52	1·77	3·44	1·77	0·98	0·88	1·96
Peterborough, Soke of	—	—	—	—	571	625	512	527	39	—	39	20	—	59	118	137	49	57	1·25	—	2·50	1·22	2·50	2·44
Rutlandshire	—	—	—	—	501	718	445	552	56	—	—	55	—	—	56	55	46	84	—	—	3·83	—	3·83	3·83
Shropshire	—	—	8	8	685	740	517	604	53	29	57	82	25	—	62	74	58	66	3·40	3·64	1·21	0·49	2·67	2·91
Somersetshire.. ..	—	—	15	10	753	714	639	593	89	10	42	94	12	12	52	74	45	48	6·39	2·28	2·35	1·41	2·02	2.28
Southampton.. ..	—	—	14	7	709	772	562	620	40	21	63	104	2	14	84	83	46	56	3·71	4·33	1·02	2·23	1·92	1·44
Staffordshire	1	—	11	4	733	834	594	693	67	96	31	220	8	11	84	69	63	79	7·06	6·93	1·53	1·30	2·11	3·20
Suffolk, East	—	—	14	5	733	819	624	614	48	—	19	81	14	5	57	100	48	48	2·43	1·51	1·21	1·82	2·73	3·33
„ West.. ..	—	—	—	18	784	838	600	746	28	—	28	101	—	18	9	83	52	51	3·25	0·64	0·65	1·28	1·95	2·56
Surrey..	—	1	10	11	670	686	546	568	86	19	44	85	13	20	59	75	47	50	3·69	3·30	2·01	1·69	2·94	1·45
Sussex, East	—	—	4	4	765	731	579	595	71	4	71	30	11	11	52	33	48	50	2·34	2·61	2·34	0·29	2·05	2·61
„ West	10	—	10	19	670	629	570	535	81	5	14	38	5	—	81	33	41	49	3·39	2·76	1·02	1·38	2·71	2·07
Warwickshire.. ..	11	—	8	11	710	874	555	703	25	45	39	160	17	11	69	48	55	60	4·10	3·78	2·13	2·58	2·46	1·72
Westmorland	—	—	—	16	637	475	525	364	—	32	64	95	32	16	—	32	49	54	2·99	6·27	—	1·04	2·99	3·13
Wight, Isle of.. ..	—	—	12	—	618	941	559	767	152	12	82	35	—	—	—	—	54	45	7·71	7·94	1·71	3·53	5·14	3·53
Wiltshire	—	—	10	—	611	593	478	500	80	30	70	60	17	13	50	73	46	55	2·68	2·61	0·82	2·39	3·09	3·48
Worcestershire ..	3	—	6	10	814	810	675	645	61	75	81	94	6	6	58	52	64	71	4·89	5·86	0·98	2·62	2·94	2·42
Yorkshire, East Riding	—	—	17	11	729	737	568	579	23	51	75	45	—	6	46	79	51	58	4·54	6·71	1·05	1·77	3·49	3·89
„ North „	—	—	16	9	838	748	637	553	54	110	38	132	19	16	16	35	62	76	3·71	5·34	1·06	1·29	4·59	2·39
„ West „	5	1	17	22	832	871	608	661	46	103	41	177	18	45	58	77	62	89	5·53	6·96	2·11	2·27	3·34	2·97
Anglesey	—	—	—	19	1,091	1,286	896	1,052	39	39	—	117	19	—	234	39	70	88	9·02	7·76	2·58	3·88	5·15	—
Brecknockshire ..	—	—	17	17	933	1,029	700	793	50	17	33	169	17	—	17	101	75	74	2·88	3·11	1·92	3·11	—	2·07
Caernarvonshire ..	—	—	8	8	1,630	1,294	1,404	1,156	48	16	32	218	8	8	97	73	68	83	6·70	2·92	0·56	1·17	3·35	4·08
Cardiganshire.. ..	—	—	18	18	1,338	1,605	1,106	1,338	—	—	18	125	54	—	36	36	59	59	5·51	5·63	2·75	—	5·51	5·63
Carmarthenshire ..	—	—	22	17	983	1,103	750	960	11	6	50	121	6	6	100	121	73	81	6·24	6·91	2·30	1·73	4·27	3·80
Denbighshire	—	—	13	—	770	741	651	621	75	13	144	56	19	38	25	94	83	71	8·31	4·01	3·40	0·40	4·54	5·21
Flintshire	—	9	9	9	875	894	704	733	199	36	63	188	9	9	54	45	61	71	4·07	7·38	3·05	3·69	4·07	3·16
Glamorganshire ..	2	1	2	2	1,012	927	800	754	115	99	96	163	12	12	150	119	75	80	5·44	6·28	1·97	2·02	4·22	3·90
Merionethshire ..	—	—	—	—	1,073	1,117	959	1,003	—	—	23	205	—	—	137	23	92	67	6·61	5·98	1·32	2·99	—	5·98
Monmouthshire ..	—	3	14	17	916	801	736	645	119	108	113	209	3	8	55	75	72	68	5·29	5·61	2·27	3·27	3·33	4·21
Montgomeryshire ..	—	—	—	—	1,060	1,197	922	957	78	40	177	120	—	—	59	80	56	61	1·23	—	1·23	—	1·23	5·16
Pembrokeshire ..	—	—	11	11	944	999	751	850	23	—	68	69	23	—	23	172	48	69	4·10	4·24	1·37	2·82	6·14	2·82
Radnorshire	—	—	46	—	776	974	684	603	—	46	—	46	—	—	91	—	80	46	2·95	2·87	—	5·73	5·90	5·73

* Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1928 AND 1929—*continued.*

(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.																Mortality per 1,000 Live Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping Cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two years.		The Puerperal State. Puerperal Sepsis.		The Puerperal State. Others.	
	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.
County Boroughs	*1*	*1*	*9*	*9*	*1,104*	*1,158*	*909*	*964*	*109*	*160*	*102*	*182*	*16*	*20*	*91*	*100*	*74*	*86*	*10·08*	*11·58*	*1·97*	*1·84*	*2·48*	*2·57*
Barnsley	—	—	—	28	872	1,088	675	781	56	84	42	404	—	56	84	28	84	121	5·70	4·61	3·17	1·32	2·53	4·61
Barrow-in-Furness ..	—	—	—	15	895	833	743	678	45	108	15	77	15	46	30	15	63	82	1·76	7·02	0·88	2·63	3·53	1·75
Bath	—	—	71	14	768	809	569	722	71	29	—	72	14	—	—	14	47	48	3·53	2·47	—	1·24	5·88	6·18
Birkenhead	—	—	6	25	1,229	1,288	950	1,047	114	216	127	152	6	25	38	19	80	86	9·92	11·49	3·08	0·68	2·05	1·35
Birmingham	1	—	3	4	994	1,098	863	948	42	203	171	127	5	8	72	87	64	78	9·33	13·72	1·74	1·59	1·80	2·06
Blackburn	—	—	—	—	815	1,006	647	886	8	—	48	64	—	16	104	152	80	81	6·94	7·72	0·58	2·57	4·05	4·50
Blackpool	—	—	—	10	774	812	672	661	81	—	20	30	10	—	61	70	72	57	5·40	3·72	3·60	0·93	2·70	2·79
Bolton	—	6	6	6	789	815	673	683	88	61	50	474	6	22	94	44	64	103	6·49	7·28	1·15	3·06	1·91	4·98
Bootle	—	—	—	25	1,382	1,343	1,076	1,144	135	336	428	62	24	75	110	100	107	83	12·03	13·86	—	0·60	1·72	1·20
Bournemouth.. ..	—	—	10	10	1,160	976	994	873	31	—	21	10	10	31	31	134	55	47	2·71	2·91	2·71	2·91	1·81	0·97
Bradford	14	—	—	3	995	1,027	815	851	17	135	121	66	38	52	66	169	71	78	7·69	4·60	2·94	2·53	2·94	2·76
Brighton	—	7	7	—	945	967	775	763	218	20	136	34	7	—	95	136	50	54	5·42	8·07	0·99	1·51	0·99	0·50
Bristol	—	—	15	10	1,014	1,210	876	1,043	254	3	64	95	8	20	44	164	59	60	4·71	4·43	0·47	1·97	1·73	2·46
Burnley	—	—	10	20	1,013	938	824	739	79	30	20	429	10	80	79	70	79	105	6·66	14·26	—	2·14	1·33	2·85
Burton-upon-Trent ..	—	—	—	20	797	899	633	776	184	—	—	20	—	41	143	143	63	47	6·64	1·21	1·11	1·21	1·11	8·47
Bury	—	—	—	—	861	845	738	669	53	35	—	158	—	18	105	88	90	79	2·69	5·15	1·34	6·44	8·06	—
Canterbury	—	—	44	—	1,235	875	1,146	788	44	—	—	88	—	44	265	44	32	49	—	10·26	2·70	2·56	2·70	—
Carlisle	—	—	—	—	1,122	712	997	623	53	267	53	410	18	—	89	178	75	74	5·53	4·95	0·92	2·97	—	1·98
Chester	—	—	24	—	955	1,104	735	883	49	—	24	319	—	25	24	147	59	78	4·31	2·83	2·87	1·41	4·31	4·24
Coventry	6	—	6	6	1,058	1,104	916	993	39	204	26	241	13	6	273	234	66	73	5·55	4·11	0·85	1·64	3·84	2·47
Croydon	—	—	—	4	951	904	766	765	157	4	55	108	18	18	148	103	53	64	7·41	9·71	0·89	1·77	2·96	1·77
Darlington	14	—	14	14	1,230	1,100	880	905	28	56	14	153	14	—	154	111	59	81	2·63	4·98	2·63	3·32	3·51	3·32
Derby	—	7	7	7	929	868	734	726	209	43	50	142	7	14	122	121	66	71	7·44	4·95	3·31	2·06	2·89	2·06
Dewsbury	—	—	—	—	753	943	621	641	38	75	—	226	—	—	19	57	67	95	8·22	11·25	3·52	1·25	2·35	5·00
Doncaster	—	—	—	33	757	852	606	668	17	100	151	117	—	—	84	50	47	66	6·54	4·97	0·93	3·98	3·73	0·99
Dudley	—	—	—	—	935	1,054	816	935	17	374	34	187	—	—	102	85	65	109	7·32	13·73	1·63	1·72	1·63	0·86
Eastbourne	—	—	—	—	991	649	735	512	68	—	17	51	—	—	34	171	43	53	—	3·11	—	—	1·38	—
East Ham	—	—	7	7	928	874	805	840	96	14	131	136	14	20	378	285	49	57	5·41	8·30	0·90	2·31	2·25	3·23
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter..	—	—	16	—	812	930	634	734	65	—	65	131	—	—	32	82	69	53	12·55	9·21	2·09	1·02	2·09	2·05
Gateshead	24	—	—	8	1,552	1,721	1,080	1,281	57	302	333	98	16	—	32	65	86	107	13·10	17·96	2·18	2·40	3·64	2·40
Gloucester	—	—	—	38	689	1,288	594	1,115	172	—	19	96	—	19	57	135	69	47	3·48	5·49	1·16	1·10	4·65	1·10
Great Yarmouth ..	—	—	17	—	1,145	981	992	826	—	—	34	86	—	—	34	52	65	59	4·56	2·31	1·14	3·47	3·42	1·16
Grimsby	—	—	11	22	1,185	1,269	853	1,061	66	142	166	87	—	—	33	77	78	88	9·99	11·95	1·18	—	2·94	2·39
Halifax	—	10	21	10	718	852	533	698	—	31	—	144	21	31	164	92	67	76	3·94	6·85	3·94	2·28	6·31	4·57
Hastings	—	—	—	16	942	910	799	687	48	16	64	32	—	—	32	64	53	35	—	3·94	2·66	1·31	1·33	1·31
Huddersfield	—	—	18	9	929	973	752	743	44	62	35	80	44	35	62	53	67	81	5·18	4·14	1·94	1·38	5·18	2·07
Ipswich	—	—	—	—	1,036	956	780	793	128	—	47	82	23	—	47	128	48	53	2·10	1·38	4·90	2·08	3·50	0·69
Kingston-upon-Hull ..	—	—	10	7	1,220	1,267	1,011	1,047	57	203	71	253	37	7	71	123	79	104	9·50	20·53	2·13	2·30	2·13	2·13
Leeds	—	—	2	6	1,139	1,306	956	1,072	44	213	80	230	36	61	44	52	79	97	13·04	10·90	2·35	1·48	2·22	2·96
Leicester	—	—	—	—	1,252	1,350	1,077	1,105	8	82	28	232	16	8	77	53	71	80	13·79	8·81	2·01	1·07	1·00	2·14
Lincoln	—	15	—	—	1,114	953	885	691	31	184	—	—	15	31	107	61	58	73	6·12	7·03	1·02	1·00	2·04	3·01
Liverpool	—	—	3	9	1,394	1,487	1,188	1,240	201	497	311	231	21	46	114	154	94	97	17·73	19·85	1·62	1·38	2·14	1·91
Manchester	—	1	5	8	1,320	1,444	1,127	1,247	168	86	123	297	17	12	124	75	91	97	19·07	18·38	2·09	1·84	2·48	2·83
Middlesbrough ..	8	—	23	—	1,488	1,746	1,185	1,370	243	346	243	181	8	23	30	23	89	100	18·02	19·58	1·24	1·61	2·17	2·89
Newcastle-on-Tyne ..	4	—	18	14	1,321	1,355	1,044	1,094	199	261	185	102	11	18	28	46	83	85	13·08	11·90	1·47	2·34	2·58	3·71
Northampton.. ..	—	11	—	11	1,106	809	946	724	74	117	—	43	—	—	85	117	55	52	1·53	4·80	3·06	1·60	—	1·60
Norwich	—	—	24	—	754	945	650	801	—	—	—	184	16	—	8	40	41	75	1·48	5·03	1·48	1·01	1·48	2·01
Nottingham	—	—	4	—	1,107	1,263	953	1,068	19	142	64	120	26	7	161	214	87	97	16·56	15·61	2·76	0·88	2·97	2·42
Oldham	—	—	—	14	992	1,193	803	1,011	63	161	35	526	14	35	244	105	89	118	8·32	7·95	5·38	2·65	4·40	3·18
Oxford..	—	—	16	14	691	850	543	765	82	14	—	99	—	—	—	14	38	64	5·98	5·90	2·39	0·98	2·39	1·97
Plymouth	—	—	5	10	992	1,000	792	844	411	20	26	116	10	25	165	126	72	61	4·89	4·40	2·59	2·05	3·45	2·93
Portsmouth	—	—	8	8	960	938	756	793	37	4	50	79	12	29	220	103	55	67	4·95	15·25	3·15	1·59	2·25	1·82
Preston	—	—	8	8	952	864	724	690	8	151	118	230	24	16	71	32	91	105	5·74	12·20	1·57	2·03	4·70	4·07
Reading	—	—	21	21	1,144	1,229	825	1,074	82	72	62	72	—	—	196	52	55	51	4·03	6·22	2·01	1·38	4·70	2·07
Rochdale	11	22	22	11	772	880	595	737	22	11	33	209	33	—	88	143	75	77	11·22	5·41	3·21	4·63	1·60	4·63
Rotherham	14	—	—	—	1,021	819	822	664	43	14	14	113	43	—	99	14	69	87	14·14	7·34	1·49	3·67	2·98	3·67
St. Helens	—	—	9	9	950	1,053	760	833	136	449	190	119	45	55	90	101	99	114	9·15	8·41	1·66	3·10	2·91	2·66
Salford	—	—	25	8	1,408	1,379	1,205	1,201	174	140	161	450	4	17	41	161	105	124	18·25	33·87	2·64	1·77	1·44	2·28
Sheffield	—	—	19	10	925	958	745	790	237	27	23	102	47	42	64	66	73	87	8·06	6·52	4·03	3·13	2·25	3·13
Smethwick	—	—	—	23	825	1,081	716	952	24	294	121	200	—	—	24	23	63	80	6·37	9·23	1·42	1·98	2·83	3·30
Southampton.. ..	—	—	41	17	1,195	1,387	1,036	1,143	12	6	65	168	12	23	112	145	50	64	4·90	6·41	1·63	2·24	2·94	2·24
Southend-on-Sea ..	—	—	45	9	989	855	791	759	90	17	54	26	9	9	63	26	45	65	3·32	7·19	1·99	1·44	1·33	3·59
Southport	—	—	—	12	631	675	492	575	25	37	114	12	—	12	13	37	75	74	5·46	4·46	1·09	1·12	1·09	3·35
South Shields.. ..	33	—	—	—	2,135	1,915	1,634	1,413	99	192	164	201	—	8	57	25	92	122	10·53	13·59	1·62	3.40	4·86	1·70
Stockport	—	—	16	—	839	947	697	829	118	8	110	149	16	8	39	47	77	91	5·48	4·12	2·19	1·77	2·74	4·71
Stoke-on-Trent ..	4	4	4	4	1,151	1,222	937	1,043	21	201	64	93	29	4	21	39	87	105	13·40	10·79	2·35	1·14	2·72	2·46
Sunderland	—	—	28	16	1,499	1,543	1,151	1,033	124	821	168	239	—	5	11	49	88	109	14·50	21·16	1·66	2·68	1·66	1·95
Tynemouth	—	—	15	46	1,408	1,290	969	1,032	76	288	91	30	30	30	257	213	88	93	16·22	9·67	2·43	0·81	5·68	2·42

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1928 AND 1929—*continued.*

(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at all Ages.																Mortality per 1,000 Live Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping Cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		The Puerperal State. Puerperal Sepsis.		The Puerperal State. Others.	
	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929.	1928.	1929	1928.	1929.
Wakefield ..	—	—	18	—	883	1,112	706	847	35	194	35	141	35	18	35	53	60	98	8·98	15·37	—	3·07	2·99	4·10
Wallasey	—	—	30	—	828	918	697	731	40	89	61	59	10	—	81	20	40	50	2·83	2·14	1·42	2·86	1·42	2·14
Walsall	—	—	30	—	1,287	1,209	1,008	1,049	150	270	—	440	—	—	419	150	92	100	12·31	14·65	2·46	1·01	1·48	4·04
Warrington	—	—	13	—	1,379	1,360	1,154	1,209	364	—	38	793	13	13	63	76	64	100	5·14	6·46	1·28	1·29	3·21	2·59
West Bromwich ..	—	—	37	12	859	878	760	693	—	544	50	396	12	12	12	37	75	106	14·83	15·46	1·19	2·38	1·19	1·78
West Ham	—	10	3	7	1,121	1,125	942	979	225	72	85	371	16	20	111	127	64	74	7·61	9·89	1·01	1·39	1·18	1·21
West Hartlepool ..	—	—	14	115	1,390	1,283	888	923	14	375	43	577	—	14	143	187	72	114	4·64	11·68	2·65	1·37	1·33	2·06
Wigan..	—	—	23	11	1,294	1,005	1,079	776	—	457	57	205	—	23	11	46	93	129	8·49	9·04	1·21	2·58	4·85	7·75
Wolverhampton ..	—	—	—	7	792	916	575	782	105	52	15	112	—	—	52	45	61	60	10·21	7·12	0·76	1·58	0·38	1·98
Worcester	—	—	38	—	1,007	841	836	631	684	—	76	—	—	19	57	76	57	59	5·10	8·92	—	5·10	—	—
York	—	—	—	—	995	1,102	866	868	70	12	47	141	12	12	47	12	59	79	6·33	10·67	1·27	4·00	3·16	0·67
Cardiff..	—	—	9	18	1,213	1,339	1,010	1,138	93	504	123	107	9	9	71	134	77	84	11·24	11·20	2·44	0·76	3·42	2·80
Merthyr Tydfil ..	—	—	—	13	1,057	1,080	918	900	38	193	126	103	38	13	252	527	93	107	9·80	7·53	1·63	—	8·16	5·02
Newport (Mon.) ..	—	—	21	—	1,310	1,292	1,124	1,156	93	177	165	229	—	10	—	83	69	70	7·03	4·10	1·17	0·59	2·93	4·10
Swansea	—	—	6	6	1,218	1,254	1,027	1,014	25	12	31	258	6	6	99	104	61	78	5·01	4·59	3·68	1·06	3·68	5·65

TABLE 8.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES UNDER ONE YEAR OF AGE, 1919–1929.

Cause of Death.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
All Causes	61,715	76,552	70,250	60,121	52,582	54,813	53,316	48,757	45,610	42,960	47,868
I—Common Infectious Diseases (6–10, 25 : 2)	1,902	4,027	3,084	4,097	3,216	2,876	3,998	2,882	2,537	2,498	3,415
II—Tuberculous Diseases (31–37) ..	1,111	1,405	1,311	1,091	1,036	990	896	862	718	710	660
III—Diarrhœa and Enteritis (113) ..	6,039	7,641	11,705	4,347	5,169	4,616	5,307	5,394	3,740	4,099	4,597
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	25,952	31,088	28,021	24,504	22,547	22,637	21,439	20,470	19,440	18,915	19,256
V—Miscellaneous Diseases—(Remainder)	26,711	32,391	26,129	26,082	20,614	23,694	21,676	19,149	19,175	16,738	19,940
Measles (7)	650	1,532	526	1,220	1,134	990	1,099	789	791	914	657
Whooping cough (9)	1,054	2,152	2,287	2,620	1,907	1,720	2,708	1,920	1,584	1,397	2,554
Diphtheria (10)	143	249	199	193	119	104	121	124	105	135	143
Influenza (11)	1,622	530	439	973	291	814	412	312	808	222	777
Tuberculosis of nervous system (32)	484	639	595	526	496	464	435	444	399	357	325
Tuberculosis of intestines and peritoneum (33)	323	367	386	274	229	224	192	173	114	128	128
Other tuberculous diseases (31, 34–37)	304	399	330	291	311	302	269	245	205	225	207
Syphilis (38)	1,217	1,443	1,214	874	797	666	585	586	505	471	413
Meningitis (71)	574	678	591	562	511	461	434	388	310	298	291
Convulsions (80)	4,361	5,347	4,322	3,538	3,171	2,916	2,824	2,524	1,911	1,624	1,702
Bronchitis (99)	5,791	7,208	4,538	4,821	3,446	4,045	3,655	2,939	2,762	2,309	2,725
Pneumonia (100, 101) ..	7,282	9,422	8,001	9,275	6,732	9,156	8,101	6,980	7,659	6,385	8,477
Other respiratory diseases (97, 98, 102–107)*	323	443	332	314	273	275	235	208	158	199	188
Inflammation of the stomach (112 : 1)	897	1,216	1,033	701	610	544	508	444	335	302	253
Diarrhœa and enteritis (113)	6,039	7,641	11,705	4,347	5,169	4,616	5,307	5,394	3,740	4,099	4,597
Hernia, intestinal obstruction (118)	404	617	536	514	468	405	442	412	384	408	432
Congenital malformations (159)	2,701	3,855	3,377	3,292	3,156	3,063	3,253	3,181	3,120	3,249	3,350
Congenital debility and sclerema (160 : 1)	6,572	7,751	6,250	4,904	4,331	4,182	4,156	3,690	2,768	2,555	2,504
Icterus (160 : 2)	543	681	614	524	553	483	397	372	402	391	389
Premature birth (161 : 1) ..	15,009	17,300	16,411	14,571	13,379	13,738	12,534	12,146	12,132	11,671	11,992
Injury at birth (161 : 2) ..	774	1,164	1,179	1,035	1,056	1,019	1,057	1,049	1,211	1,253	1,354
Disease of umbilicus (162 : 1)†	221	348	143	127	119	128	139	121	75	79	98
Atelectasis (162 : 2)	1,127	1,501	1,369	1,213	1,128	1,171	1,099	1,081	1,018	1,049	1,021
Suffocation—in bed or not stated how (180 pt.) ..	525	593	502	443	415	430	403	396	392	390	364
Other causes	2,775	3,476	3,371	2,969	2,781	2,897	2,951	2,839	2,722	2,850	2,927

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.
† Including other hæmorrhages of the newborn previous to 1921.

TABLE 9.—ENGLAND AND WALES.—INFANT MORTALITY (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FROM VARIOUS CAUSES 1919–1929.

Cause of Death.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
All Causes	89·13	79·93	82·76	77·07	69·36	75·09	75·03	70·20	69·72	65·06	74·37
I—Common Infectious Diseases (6–10, 25 : 2)	2·75	4·20	3·63	5·25	4·24	3·94	5·63	4·15	3·88	3·78	5·31
II—Tuberculous Diseases (31–37)	1·61	1·47	1·54	1·39	1·36	1·36	1·26	1·24	1·10	1·08	1·03
III—Diarrhoea and Enteritis (113)	8·72	7·98	13·79	5·57	6·82	6·32	7·47	7·77	5·72	6·21	7·14
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	37·48	32·45	33·00	31·41	29·74	31·01	30·17	29·47	29·72	28·65	29·92
V—Miscellaneous Diseases (Remainder) ..	38·57	33·83	30·80	33·45	27·20	32·46	30·50	27·57	29·31	25·35	30·98
Measles (7)	0·94	1·60	0·62	1·56	1·50	1·36	1·55	1·14	1·21	1·38	1·02
Whooping cough (9)	1·52	2·25	2·69	3·36	2·52	2·36	3·81	2·76	2·42	2·12	3·97
Diphtheria (10)	0·21	0·26	0·23	0·25	0·16	0·14	0·17	0·18	0·16	0·20	0·22
Influenza (11)	2·34	0·55	0·52	1·25	0·38	1·12	0·58	0·45	1·24	0·34	1·21
Tuberculosis of nervous system (32) ..	0·70	0·67	0·70	0·67	0·65	0·64	0·61	0·64	0·61	0·54	0·50
Tuberculosis of intestines and peritoneum (33)	0·47	0·38	0·45	0·35	0·30	0·31	0·27	0·25	0·17	0·19	0·20
Other tuberculous diseases (31, 34–37) ..	0·44	0·42	0·39	0·37	0·41	0·41	0·38	0·35	0·31	0·34	0·32
Syphilis (38)	1·76	1·51	1·43	1·12	1·05	0·91	0·82	0·84	0·77	0·71	0·64
Meningitis (71)	0·83	0·71	0·70	0·72	0·67	0·63	0·61	0·56	0·47	0·45	0·45
Convulsions (80)	6·30	5·58	5·09	4·54	4·18	3·99	3·97	3·63	2·92	2·46	2·64
Bronchitis (99)	8·36	7·53	5·35	6·18	4·55	5·54	5·14	4·23	4·22	3·50	4·23
Pneumonia (100, 101)	10·52	9·84	9·43	11·89	8·88	12·54	11·40	10·05	11·71	9·67	13·17
Other respiratory diseases (97, 98, 102–107) *	0·47	0·46	0·39	0·40	0·36	0·38	0·33	0·30	0·24	0·30	0·29
Inflammation of the stomach (112 : 1) ..	1·30	1·27	1·22	0·90	0·80	0·75	0·71	0·64	0·51	0·46	0·39
Diarrhœa and enteritis (113)	8·72	7·98	13·79	5·57	6·82	6·32	7·47	7·77	5·72	6·21	7·14
Hernia, intestinal obstruction (118) ..	0·58	0·64	0·63	0·66	0·62	0·55	0·62	0·59	0·59	0·62	0·67
Congenital malformations (159)	3·90	4·02	3·98	4·22	4·16	4·20	4·58	4·58	4·77	4·92	5·20
Congenital debility and sclerema (160 : 1)	9·49	8·09	7·36	6·29	5·71	5·73	5·85	5·31	4·23	3·87	3·89
Icterus (160 : 2)	0·78	0·71	0·72	0·67	0·73	0·66	0·56	0·54	0·61	0·59	0·60
Premature birth (161 : 1)	21·68	18·06	19·33	18·68	17·65	18·82	17·64	17·49	18·55	17·68	18·63
Injury at birth (161 : 2)	1·12	1·22	1·39	1·33	1·39	1·40	1·49	1·51	1·85	1·90	2·10
Disease of umbilicus (162 : 1)†	0·32	0·36	0·17	0·16	0·16	0·18	0·20	0·17	0·11	0·12	0·15
Atelectasis (162 : 2)	1·63	1·57	1·61	1·55	1·49	1·60	1·55	1·56	1·56	1·59	1·59
Suffocation—in bed or not stated how (180 pt.)	0·76	0·62	0·59	0·57	0·55	0·59	0·57	0·57	0·60	0·59	0·57
Other causes	3·99	3·63	3·98	3·81	3·67	3·98	4·15	4·09	4·16	4·32	4·55

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.
† Including other hæmorrhages of the newborn previous to 1921.

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1929.

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Live Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Causes	M	37·02	13·46	12·04	10·87	9·93	83·32	35·71	12·87	11·60	10·65	9·84	80·67	64·77	25·87	21·28	15·60	11·89	139·40
	F	28·48	9·58	9·31	8·92	8·74	65·03	27·31	9·07	8·98	8·70	8·69	62·76	52·69	20·07	16·07	13·59	9·72	112·13
	P	32·84	11·56	10·70	9·92	9·35	74·37	31·60	11·01	10·32	9·69	9·28	71·91	58·79	23·00	18·70	14·60	10·82	125·91
I. Common Infectious Diseases (6–10, 25 : 2) ..	M	0·10	0·64	0·91	1·48	1·80	4·93	0·11	0·64	0·89	1·47	1·81	4·91	0·07	0·54	1·28	1·76	1·62	5·27
	F	0·12	0·78	1·06	1·60	2·14	5·70	0·11	0·76	1·06	1·58	2·13	5·65	0·28	1·17	1·10	2·00	2·28	6·83
	P	0·11	0·71	0·98	1·54	1·96	5·31	0·11	0·70	0·97	1·52	1·96	5·27	0·17	0·85	1·19	1·88	1·94	6·04
II. Tuberculous Diseases (31–37)	M	0·02	0·10	0·29	0·32	0·39	1·13	0·02	0·10	0·28	0·31	0·39	1·10	–	0·20	0·41	0·54	0·54	1·69
	F	0·01	0·05	0·24	0·29	0·34	0·92	0·01	0·04	0·25	0·29	0·34	0·93	–	0·14	0·21	0·14	0·28	0·76
	P	0·01	0·07	0·27	0·30	0·37	1·03	0·01	0·07	0·27	0·30	0·36	1·02	–	0·17	0·31	0·34	0·41	1·23
III. Diarrhœa and Enteritis (113)	M	0·83	2·29	2·61	1·62	0·94	8·29	0·79	2·13	2·48	1·54	0·89	7·83	1·69	5·61	5·34	3·38	2·09	18·10
	F	0·51	1·33	1·99	1·34	0·78	5·95	0·48	1·23	1·84	1·25	0·76	5·57	1·03	3·24	5·24	3·10	1·10	13·72
	P	0·67	1·82	2·31	1·48	0·86	7·14	0·64	1·69	2·17	1·40	0·83	6·72	1·36	4·44	5·29	3·24	1·60	15·93
IV. Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2) ..	M	27·27	4·25	1·20	0·44	0·19	33·36	26·51	3·99	1·13	0·42	0·18	32·23	43·36	9·79	2·77	0·88	0·41	57·21
	F	21·65	3·12	0·99	0·34	0·22	26·32	20·97	2·89	0·93	0·32	0·21	25·32	35·72	7·86	2·28	0·83	0·41	47·10
	P	24·52	3·70	1·10	0·39	0·21	29·92	23·80	3·45	1·03	0·37	0·20	28·85	39·58	8·84	2·52	0·85	0·41	52·21
V. Miscellaneous Diseases (Remainder)	M	8·79	6·18	7·03	7·00	6·61	35·62	8·28	6·02	6·82	6·91	6·58	34·60	19·65	9·73	11·48	9·05	7·23	57·14
	F	6·19	4·30	5·02	5·35	5·27	26·14	5·74	4·14	4·91	5·25	5·25	25·29	15·65	7·65	7·24	7·52	5·65	43·72
	P	7·52	5·26	6·05	6·20	5·95	30·98	7·03	5·10	5·89	6·10	5·93	30·05	17·67	8·70	9·38	8·29	6·45	50·50

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1929—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Live Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Measles (7)	M	0·01	0·03	0·09	0·30	0·65	1·08	0·01	0·03	0·08	0·31	0·65	1·07	–	0·07	0·20	0·27	0·61	1·15
	F	0·01	0·04	0·05	0·29	0·57	0·96	0·01	0·04	0·05	0·28	0·57	0·94	0·07	0·07	0·07	0·55	0·55	1·31
	P	0·01	0·03	0·07	0·30	0·61	1·02	0·01	0·03	0·07	0·29	0·61	1·01	0·03	0·07	0·14	0·41	0·58	1·23
Whooping cough (9)	M	0·08	0·58	0·79	1·07	0·98	3·49	0·08	0·59	0·77	1·06	0·99	3·50	0·07	0·41	1·01	1·22	0·74	3·44
	F	0·09	0·71	0·97	1·25	1·44	4·46	0·09	0·70	0·97	1·24	1·44	4·44	0·14	0·97	1·03	1·45	1·45	5·03
	P	0·08	0·65	0·88	1·16	1·20	3·97	0·08	0·64	0·87	1·15	1·21	3·96	0·10	0·68	1·02	1·33	1·09	4·23
Diphtheria (10)	M	0·01	0·02	0·02	0·07	0·12	0·24	0·01	0·02	0·03	0·07	0·11	0·23	–	–	–	0·14	0·27	0·41
	F	0·00	0·03	0·03	0·04	0·11	0·21	0·00	0·02	0·03	0·04	0·10	0·20	–	0·14	–	–	0·28	0·41
	P	0·01	0·02	0·03	0·05	0·11	0·22	0·01	0·02	0·03	0·05	0·11	0·21	–	0·07	–	0·07	0·27	0·41
Influenza (11)	M	0·12	0·21	0·32	0·39	0·37	1·41	0·13	0·20	0·32	0·39	0·37	1·41	0·07	0·34	0·34	0·47	0·41	1·62
	F	0·06	0·12	0·20	0·28	0·34	0·99	0·06	0·12	0·19	0·27	0·34	0·98	0·14	–	0·34	0·41	0·21	1·10
	P	0·09	0·16	0·26	0·34	0·35	1·21	0·09	0·16	0·25	0·33	0·36	1·20	0·10	0·17	0·34	0·44	0·31	1·36
Tuberculosis of nervous system (32)	M	0·01	0·03	0·13	0·15	0·20	0·53	0·01	0·03	0·13	0·15	0·19	0·51	–	0·14	0·14	0·27	0·34	0·88
	F	–	–	0·12	0·16	0·20	0·48	–	–	0·12	0·16	0·20	0·49	–	–	0·14	0·07	0·21	0·41
	P	0·01	0·02	0·13	0·16	0·20	0·50	0·01	0·01	0·13	0·15	0·20	0·50	–	0·07	0·14	0·17	0·27	0·65
Tuberculosis of intestines and peritoneum (33)	M	0·00	0·04	0·07	0·05	0·06	0·23	0·00	0·04	0·07	0·05	0·06	0·22	–	0·07	0·14	0·07	0·14	0·41
	F	–	0·03	0·04	0·05	0·04	0·17	–	0·03	0·05	0·05	0·04	0·17	–	0·07	–	0·07	–	0·14
	P	0·00	0·04	0·06	0·05	0·05	0·20	0·00	0·04	0·06	0·05	0·05	0·20	–	0·07	0·07	0·07	0·07	0·27
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Other tuberculous diseases (31, 34–37)	M	0·01	0·03	0·09	0·12	0·13	0·37	0·01	0·03	0·08	0·11	0·14	0·37	–	–	0·14	0·20	0·07	0·41
	F	0·01	0·02	0·08	0·08	0·10	0·27	0·01	0·01	0·08	0·08	0·10	0·27	–	0·07	0·07	–	0·07	0·21
	P	0·01	0·02	0·08	0·10	0·11	0·32	0·01	0·02	0·08	0·10	0·12	0·32	–	0·03	0·10	0·10	0·10	0·31
Syphilis (38)	M	0·27	0·27	0·14	0·05	0·02	0·75	0·22	0·22	0·11	0·04	0·02	0·62	1·28	1·35	0·74	0·14	–	3·51
	F	0·17	0·20	0·10	0·04	0·02	0·53	0·14	0·16	0·08	0·04	0·02	0·44	0·69	1·10	0·55	0·07	0·07	2·48
	P	0·22	0·24	0·12	0·04	0·02	0·64	0·18	0·19	0·09	0·04	0·02	0·53	0·99	1·23	0·65	0·10	0·03	3·00
Meningitis (71)	M	0·04	0·08	0·16	0·11	0·14	0·53	0·04	0·07	0·16	0·11	0·14	0·53	–	0·14	0·07	0·14	0·20	0·54
	F	0·02	0·05	0·11	0·11	0·09	0·37	0·02	0·05	0·11	0·11	0·08	0·38	–	0·07	–	0·14	0·14	0·34
	P	0·03	0·07	0·13	0·11	0·11	0·45	0·03	0·06	0·14	0·11	0·11	0·45	–	0·10	0·03	0·14	0·17	0·44
Convulsions (80)	M	1·70	0·56	0·39	0·24	0·18	3·07	1·69	0·55	0·37	0·23	0·18	3·02	1·89	0·81	0·74	0·47	0·14	4·05
	F	1·05	0·42	0·30	0·26	0·17	2·20	1·04	0·40	0·28	0·25	0·15	2·13	1·17	0·76	0·83	0·41	0·55	3·72
	P	1·38	0·49	0·35	0·25	0·18	2·64	1·37	0·48	0·33	0·24	0·17	2·58	1·54	0·78	0·78	0·44	0·34	3·89
Bronchitis (99)	M	0·61	1·25	1·24	0·86	0·74	4·70	0·61	1·23	1·19	0·84	0·75	4·62	0·61	1·69	2·30	1·28	0·54	6·42
	F	0·44	0·96	0·93	0·80	0·61	3·75	0·43	0·94	0·94	0·78	0·61	3·70	0·55	1·31	0·90	1·17	0·76	4·69
	P	0·53	1·11	1·09	0·83	0·68	4·23	0·52	1·09	1·07	0·81	0·68	4·17	0·58	1·50	1·60	1·23	0·65	5·56
Pneumonia (100, 101) ..	M	0·97	2·42	3·43	4·19	4·12	15·13	0·95	2·39	3·34	4·14	4·09	14·90	1·55	3·04	5·40	5·34	4·73	20·06
	F	0·81	1·62	2·43	2·96	3·31	11·13	0·79	1·57	2·41	2·91	3·32	11·01	1·10	2·55	2·69	4·00	3·24	13·59
	P	0·89	2·03	2·94	3·59	3·72	13·17	0·87	1·99	2·88	3·54	3·71	12·99	1·33	2·80	4·06	4·67	3·99	16·86
Other respiratory diseases (97, 98, 102–107)	M	0·08	0·06	0·07	0·05	0·06	0·32	0·08	0·06	0·07	0·05	0·06	0·33	0·07	–	0·07	0·07	0·07	0·27
	F	0·07	0·06	0·05	0·04	0·04	0·26	0·06	0·05	0·05	0·04	0·04	0·24	0·21	0·14	0·21	0·07	–	0·62
	P	0·07	0·06	0·06	0·04	0·05	0·29	0·07	0·06	0·06	0·04	0·05	0·28	0·14	0·07	0·14	0·07	0·03	0·44
Inflammation of the stomach (112 : 1)	M	0·10	0·18	0·10	0·06	0·03	0·48	0·11	0·17	0·10	0·06	0·04	0·47	0·07	0·47	0·07	–	–	0·61
	F	0·03	0·10	0·08	0·04	0·05	0·30	0·04	0·10	0·08	0·04	0·04	0·30	–	0·07	0·14	0·14	0·14	0·48
	P	0·07	0·14	0·09	0·05	0·04	0·39	0·07	0·14	0·09	0·05	0·04	0·39	0·03	0·27	0·10	0·07	0·07	0·55
Diarrhœa and enteritis (113)	M	0·83	2·29	2·61	1·62	0·94	8·29	0·79	2·13	2·48	1·54	0·89	7·83	1·69	5·61	5·34	3·38	2·09	18·10
	F	0·51	1·33	1·99	1·34	0·78	5·95	0·48	1·23	1·84	1·25	0·76	5·57	1·03	3·24	5·24	3·10	1·10	13·72
	P	0·67	1·82	2·31	1·48	0·86	7·14	0·64	1·69	2·17	1·40	0·83	6·72	1·36	4·44	5·29	3·24	1·60	15·93
Hernia, intestinal obstruction (118)	M	0·10	0·11	0·26	0·29	0·13	0·89	0·10	0·11	0·26	0·29	0·14	0·90	0·20	0·07	0·20	0·20	–	0·68
	F	0·07	0·03	0·14	0·13	0·06	0·44	0·07	0·04	0·14	0·13	0·06	0·45	0·07	–	0·14	0·07	0·07	0·34
	P	0·09	0·07	0·20	0·21	0·10	0·67	0·09	0·07	0·21	0·21	0·10	0·68	0·14	0·03	0·17	0·14	0·03	0·51

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1929—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Live Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Congenital malformations (159)	M	3·42	1·37	0·43	0·22	0·10	5·53	3·40	1·35	0·42	0·22	0·11	5·49	3·98	1·82	0·47	0·20	–	6·48
	F	3·14	0·96	0·43	0·19	0·14	4·86	3·11	0·93	0·42	0·19	0·13	4·78	3·86	1·52	0·55	0·28	0·28	6·48
	P	3·29	1·17	0·43	0·21	0·12	5·20	3·26	1·14	0·42	0·20	0·12	5·14	3·92	1·67	0·51	0·24	0·14	6·48
Congenital debility and sclerema (160 : 1)	M	2·66	1·14	0·55	0·18	0·09	4·63	2·54	1·03	0·49	0·17	0·08	4·30	5·34	3·51	1·89	0·41	0·41	11·55
	F	1·77	0·77	0·40	0·12	0·06	3·12	1·72	0·67	0·37	0·10	0·06	2·92	2·83	2·83	1·10	0·41	0·07	7·24
	P	2·23	0·96	0·48	0·15	0·08	3·89	2·14	0·85	0·43	0·14	0·07	3·63	4·09	3·17	1·50	0·41	0·24	9·42
Icterus (160 : 2)	M	0·67	0·08	0·02	0·02	–	0·78	0·67	0·07	0·02	0.01	–	0·77	0·74	0·14	–	0·07	–	0·95
	F	0·35	0·05	0·01	0·00	0·00	0·42	0·34	0·05	0·01	0·00	0·00	0·40	0·69	0·07	–	–	–	0·76
	P	0·51	0·06	0·02	0·01	0·00	0·60	0·50	0·06	0·02	0·01	0·00	0·59	0·72	0·10	–	0·03	–	0·85
Premature birth (161 : 1) ..	M	18·80	1·61	0·20	0·03	0·00	20·64	18·22	1·48	0·19	0·02	0·00	19·92	31·07	4·26	0·41	0·20	–	35·93
	F	15·01	1·33	0·15	0·03	0·02	16·53	14·45	1·23	0·12	0·02	0·02	15·84	26·62	3·38	0·62	0·14	0·07	30·83
	P	16·94	1·47	0·17	0·03	0·01	18·63	16·38	1·36	0·16	0·02	0·01	17·93	28·87	3·82	0·51	0·17	0·03	33·40
Injury at birth (161 : 2) ..	M	2·55	0·07	0·01	–	–	2·62	2·51	0·07	0·01	–	–	2·59	3·24	0·07	–	–	–	3·31
	F	1·53	0·02	0·00	0·00	0·00	1·56	1·50	0·02	0·00	0·00	0·00	1·54	2·07	–	–	–	–	2·07
	P	2·05	0·05	0·01	0·00	0·00	2·10	2·02	0·05	0·01	0·00	0·00	2·08	2·66	0·03	–	–	–	2·70
Disease of umbilicus (162 : 1)	M	0·15	0·01	–	–	–	0·16	0·14	0·01	–	–	–	0·15	0·27	–	–	–	–	0·27
	F	0·12	0·03	–	–	–	0·15	0·12	0·03	–	–	–	0·15	0·07	–	–	–	–	0·07
	P	0·13	0·02	–	–	–	0·15	0·13	0·02	–	–	–	0·15	0·17	–	–	–	–	0·17
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Atelectasis (162 : 2)	M	1·71	0·05	–	–	–	1·77	1·69	0·05	–	–	–	1·74	2·23	0·07	–	–	–	2·30
	F	1·37	0·03	–	–	–	1·40	1·35	0·02	–	–	–	1·38	1·72	0·07	–	–	–	1·79
	P	1·55	0·04	–	–	–	1·59	1·53	0·04	–	–	–	1·56	1·98	0·07	–	–	–	2·05
Suffocation—in bed or not stated how (180 pt.) ..	M	0·29	0·16	0·11	0·02	0·01	0·59	0·26	0·16	0·11	0·02	0·01	0·55	0·95	0·27	0·14	0·07	–	1·42
	F	0·23	0·14	0·10	0·04	0·02	0·54	0·21	0·13	0·10	0·03	0·02	0·49	0·69	0·48	0·14	0·21	–	1·52
	P	0·26	0·15	0·11	0·03	0·01	0·57	0·24	0·14	0·10	0·03	0·01	0·52	0·82	0·38	0·14	0·14	–	1·47
Other causes	M	1·82	0·82	0·81	0·78	0·85	5·08	1·46	0·78	0·78	0·77	0·84	4·63	9·46	1·55	1·49	1·01	1·15	14·66
	F	1·61	0·55	0·59	0·68	0·57	3·99	1·25	0·52	0·55	0·67	0·58	3·57	8·96	1·17	1·31	0·83	0·48	12·76
	P	1·72	0·69	0·70	0·73	0·71	4·55	1·36	0·65	0·67	0·72	0·71	4·11	9·21	1·36	1·40	0·92	0·82	13·72

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1929.

Cause of Death.	Proportion of Deaths to 1,000 Live Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Causes—																		
London	25·87	11·43	12·34	11·49	10·14	71·27	24·52	10·50	11·78	11·07	10·14	68·01	51·32	28·92	22·97	19·28	10·21	132·69
County Boroughs	34·52	13·27	13·33	12·45	12·05	85·63	33·32	12·52	12·82	12·08	11·91	82·64	59·95	29·19	24·19	20·28	15·08	148·69
Other Urban Districts ..	32·87	10·70	9·21	8·55	8·16	69·49	31·80	10·30	8·93	8·45	8·13	67·61	57·38	19·93	15·64	10·79	9·03	112·78
Rural Districts	33·61	10·11	7·75	6·97	6·23	64·67	32·07	9·89	7·53	6·89	6·20	62·57	63·01	14·33	12·02	8·47	6·93	104·76
All Urban Districts ..	32·64	11·93	11·45	10·67	10·14	76·83	31·48	11·30	11·03	10·40	10·06	74·27	57·59	25·46	20·60	16·35	11·92	131·92
I—Common Infectious Diseases (6–10, 25 : 2)—																		
London	0·07	0·67	1·60	2·30	2·65	7·29	0·06	0·66	1·53	2·27	2·72	7·24	0·28	0·85	2·84	2·84	1·42	8·22
County Boroughs	0·08	0·68	0·99	1·87	2·49	6·12	0·08	0·63	0·98	1·84	2·47	6·01	0·10	1·67	1·27	2·55	2·84	8·42
Other Urban Districts ..	0·16	0·74	0·94	1·35	1·69	4·87	0·15	0·74	0·93	1·34	1·68	4·85	0·22	0·55	1·21	1·54	1·76	5·29
Rural Districts	0·12	0·73	0·71	0·87	1·14	3·57	0·11	0·77	0·74	0·87	1·15	3·64	0·15	–	0·15	0·77	1·08	2·16
All Urban Districts ..	0·11	0·70	1·05	1·71	2·17	5·75	0·11	0·68	1·03	1·69	2·17	5·68	0·18	1·10	1·49	2·19	2·19	7·14
II—Tuberculous Diseases (31–37)—																		
London	0·01	–	0·26	0·33	0·17	0·77	0·02	–	0·27	0·30	0·18	0·77	–	–	–	0.85	–	0·85
County Boroughs	0·02	0·11	0·35	0·35	0·46	1·29	0·02	0·11	0·36	0·35	0·45	1·29	–	0·10	0·10	0·39	0·69	1·27
Other Urban Districts ..	0·01	0·08	0·24	0·25	0·37	0·96	0·01	0·07	0·22	0·25	0·37	0·93	–	0·33	0·66	0·22	0·44	1·65
Rural Districts	–	0·05	0·18	0·29	0·30	0·82	–	0·04	0·18	0·30	0·31	0·82	–	0.15	0·31	0·15	0·15	0·77
All Urban Districts ..	0·02	0·08	0·29	0·31	0·38	1·08	0·02	0·08	0·29	0·30	0·38	1·06	–	0·18	0·31	0·39	0·48	1·36
III—Diarrhœa and Enteritis (113)																		
London	0·39	2·21	3·45	2·54	1·34	9·93	0·36	1·92	3·17	2·37	1·32	9·15	0·85	7·66	8·79	5·67	1·70	24·67
County Boroughs	0·86	2·48	3·33	2·00	1·15	9·82	0·84	2·28	3·13	1·86	1·08	9·19	1·27	6·56	7·54	5·00	2·64	23·02
Other Urban Districts ..	0·63	1·45	1·57	1·05	0·61	5·31	0·60	1·38	1·49	1·02	0·59	5·08	1·21	3·08	3·41	1·76	1·10	10·57
Rural Districts	0·58	1·07	1·16	0·74	0·52	4·07	0·51	1·07	1·09	0·71	0·52	3·89	2·00	1·23	2·46	1·23	0·62	7·55
All Urban Districts ..	0·70	2·01	2·60	1·67	0·95	7·92	0·67	1·85	2·44	1·57	0·90	7·44	1·18	5·35	6·09	3·81	1·88	18·32
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)—																		
London	19·12	3·64	1·10	0·36	0·20	24·41	18·55	3·28	1·04	0·30	0·18	23·35	29·77	10·49	2·27	1·42	0·57	44·51
County Boroughs	25·60	4·15	1·28	0·44	0·24	31·71	24·88	3·88	1·19	0·41	0·24	30·60	40·85	9·80	3·23	1·08	0·29	55·25
Other Urban Districts ..	24·61	3·41	1·00	0·35	0·23	29·62	23·99	3·20	0·95	0·36	0·22	28·70	38·99	8·37	2·31	0·33	0·66	50·66
Rural Districts	25·39	3·42	0·94	0·41	0·12	30·27	24·43	3·23	0·89	0·38	0·11	29·04	43·75	7·09	1·85	0·92	0·15	53·77
All Urban Districts ..	24·30	3·77	1·14	0·39	0·23	29·83	23·64	3·51	1·06	0·37	0·22	28·81	38·39	9·34	2·72	0·83	0·48	51·76
V—Miscellaneous Diseases (Remainder)—																		
London	6·28	4·91	5·94	5·96	5·78	28·86	5·53	4·64	5·77	5·83	5·74	27·51	20·41	9·92	9·07	8·51	6·52	54·44
County Boroughs	7·96	5·85	7·38	7·78	7·72	36·70	7·50	5·61	7·16	7·62	7·67	35·56	17·73	11·07	12·05	11·26	8·62	60·73
Other Urban Districts ..	7·46	5·02	5·47	5·54	5·26	28·74	7·04	4·91	5·35	5·48	5·27	28·05	16·96	7·60	8·04	6·94	5·07	44·60
Rural Districts	7·52	4·84	4·76	4·67	4·16	25·95	7·02	4·79	4·63	4·63	4·12	25·19	17·10	5·85	7·24	5·39	4·93	40·52
All Urban Districts ..	7·52	5·37	6·37	6·58	6·41	32·26	7·04	5·18	6·20	6·47	6·39	31·28	17·84	9·51	9·99	9·12	6·88	53·34
Measles (7)—																		
London	0·01	0·01	0·01	0·11	0·46	0·61	0·02	0·02	0·02	0·12	0·48	0·65	–	–	–	–	–	–
County Boroughs	0·01	0·04	0·12	0·56	1·10	1·85	0·01	0·04	0·13	0·55	1·10	1·83	0·10	0·20	0·10	0·78	1·08	2·25
Other Urban Districts ..	0·00	0·04	0·05	0·19	0·40	0·69	0·00	0·04	0·04	0·19	0·39	0·66	–	–	0·22	0·33	0·66	1·21
Rural Districts	0·01	0·02	0·04	0·11	0·19	0·37	0·01	0·02	0·03	0·10	0·20	0·37	–	–	0·15	0·15	–	0·31
All Urban Districts ..	0·01	0·04	0·08	0·34	0·72	1·19	0·01	0·03	0·08	0·34	0·72	1·17	0·04	0·09	0·13	0·48	0·75	1·49
Whooping cough (9)—																		
London	0·04	0·58	1·51	2·00	2·01	6·15	0·05	0·57	1·44	1·95	2·06	6·07	–	0·85	2·84	2·84	1·13	7·66
County Boroughs	0·04	0·60	0·82	1·22	1·20	3·89	0·05	0·58	0·80	1·20	1·19	3·82	–	1·18	1·08	1·67	1·37	5·29
Other Urban Districts ..	0·13	0·69	0·86	1·09	1·15	3·93	0·12	0·70	0·86	1·10	1·17	3·94	0·22	0·55	0·99	0·99	0·88	3·63
Rural Districts	0·09	0·68	0·66	0·71	0·86	3·00	0·09	0·72	0·69	0·72	0·86	3·07	0·15	–	–	0·46	0·92	1·54
All Urban Districts ..	0·08	0·64	0·93	1·27	1·29	4·21	0·08	0·63	0·91	1·26	1·30	4·18	0·09	0·88	1·31	1·58	1·14	5·00
Diphtheria (10)—																		
London	–	0·06	0·07	0·13	0·17	0·43	–	0·06	0·08	0·14	0·17	0·44	–	–	–	–	0·28	0·28
County Boroughs	0·01	0·03	0·03	0·06	0·12	0·25	0·01	0·02	0·03	0·06	0·11	0·23	–	0·20	–	0·10	0·39	0·69
Other Urban Districts ..	0·00	0·00	0·01	0·04	0·11	0·17	0·00	0·00	0·01	0·04	0·11	0·17	–	–	–	–	0·22	0·22
Rural Districts	0·01	0·02	0·02	0·03	0·07	0·14	0·01	0·02	0·02	0·02	0·06	0·13	–	–	–	0·15	0.15	0·31
All Urban Districts ..	0·01	0·02	0·03	0·06	0·13	0·24	0·01	0·02	0·03	0·06	0·12	0·23	–	0·09	–	0·04	0·31	0·44
Influenza (11)—																		
London	0·03	0·07	0·27	0·19	0·40	0·96	0·02	0·08	0·27	0·20	0·42	0·98	0·28	–	0·28	–	–	0·57
County Boroughs	0·08	0·14	0·27	0·40	0·38	1·27	0·08	0·13	0·26	0·39	0·38	1·25	–	0·20	0·39	0·69	0·39	1·67
Other Urban Districts ..	0·11	0·13	0·28	0·28	0·33	1·13	0·11	0·12	0·27	0·27	0·34	1·12	0·11	0·33	0·33	0·44	0·22	1·43
Rural Districts	0·12	0·31	0·20	0·40	0·33	1·36	0·12	0·33	0·19	0·40	0·32	1·37	0·15	–	0·31	0·31	0·46	1·23
All Urban Districts ..	0·09	0·13	0·27	0·32	0·36	1·17	0·09	0·12	0·27	0·31	0·36	1·16	0·09	0·22	0·35	0·48	0·26	1·40

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1929—*continued.*

Cause of Death.	Proportion of Deaths to 1,000 Live Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Tuberculosis of nervous system (32)—																		
London	–	–	0·13	0·11	0·06	0·30	–	–	0·14	0·11	0·06	0·30	–	–	–	0·28	–	0·28
County Boroughs	0·01	0·01	0·16	0·21	0·27	0·66	0·01	0·01	0·17	0·21	0·26	0·66	–	–	–	0·20	0·49	0·69
Other Urban Districts ..	0·00	0·03	0·14	0·12	0·18	0·48	0·00	0·02	0·13	0·12	0·18	0·47	–	0·22	0·33	0·11	0·22	0·88
Rural Districts	–	0·01	0·05	0·15	0·18	0·38	–	0·01	0·05	0·15	0·18	0·38	–	–	0·15	0·15	0·15	0·46
All Urban Districts ..	0·01	0·02	0·15	0·16	0·20	0·54	0·01	0·01	0·15	0·16	0·20	0·53	–	0·09	0·13	0·22	0·31	0·75
Tuberculosis of intestines and peritoneum (33)—																		
London	–	–	0·01	0·06	–	0·07	–	–	0·02	0·05	–	0·06	–	–	–	0·28	–	0·28
County Boroughs	–	0·05	0·08	0·04	0·07	0·23	–	0·05	0·08	0·04	0·06	0·23	–	0·10	–	–	0·10	0·20
Other Urban Districts ..	0·00	0·04	0·05	0·06	0·06	0·21	0·00	0·03	0·05	0·05	0·06	0·20	–	0·11	0·11	0·11	0·11	0·44
Rural Districts	–	0·03	0·06	0·07	0·04	0·20	–	0·03	0·06	0·07	0·04	0·20	–	–	0·15	–	–	0·15
All Urban Districts ..	0·00	0·04	0·06	0·05	0·05	0·20	0·00	0·04	0·06	0·04	0·05	0·19	–	0·09	0·04	0·09	0·09	0·31
Other tuberculous diseases (31, 34–37)—																		
London	0·01	–	0·11	0·16	0·11	0·40	0·02	–	0·12	0·15	0·12	0·41	–	–	–	0·28	–	0·28
County Boroughs	0·01	0·05	0·11	0·11	0·12	0·40	0·01	0·05	0·11	0·11	0·12	0·40	–	–	0·10	0·20	0·10	0·39
Other Urban Districts ..	0·00	0·01	0·05	0·08	0·13	0·27	0·00	0·01	0·04	0·08	0·13	0·26	–	–	0·22	–	0·11	0·33
Rural Districts	–	0·01	0·07	0·08	0·08	0·24	–	–	0·07	0·08	0·09	0·24	–	0·15	–	–	–	0·15
All Urban Districts ..	0·01	0·03	0·08	0·10	0·12	0·34	0·01	0·03	0·08	0·10	0·12	0·34	–	–	0·13	0·09	0·09	0·31
Syphilis (38)—																		
London	0·14	0·23	0·11	0·03	0·01	0·53	0·11	0·18	0·11	0·03	0·02	0·44	0·85	1·13	0·28	–	–	2·27
County Boroughs	0·31	0·30	0·18	0·06	0·01	0·87	0·25	0·24	0·13	0·06	0·01	0·69	1·57	1·67	1·27	0·10	–	4·60
Other Urban Districts ..	0·22	0·21	0·09	0·04	0·02	0·57	0·19	0·17	0·07	0·03	0·02	0·48	0·77	1·21	0·44	0·22	–	2·64
Rural Districts	0·12	0·18	0·07	0·03	0·04	0·43	0·10	0·15	0·06	0·03	0·03	0·38	0·46	0·62	0·15	–	0·15	1·39
All Urban Districts ..	0·25	0·25	0·13	0·05	0·02	0·70	0·21	0·20	0·10	0·04	0·02	0·57	1·14	1·40	0·79	0·13	–	3·46
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Meningitis (71)—																		
London	–	0·16	0·19	0·11	0·09	0·54	–	0·15	0·20	0·12	0·08	0·54	–	0·28	–	–	0·28	0·57
County Boroughs	0·05	0·04	0·14	0·08	0·11	0·42	0·06	0·04	0·14	0·07	0·11	0·42	–	0·10	–	0·20	–	0·29
Other Urban Districts ..	0·02	0·05	0·13	0·13	0·13	0·46	0·02	0·05	0·13	0·12	0·12	0·45	–	–	0·11	0·22	0·33	0·66
Rural Districts	0·02	0·08	0·10	0·13	0·12	0·45	0·02	0·08	0·10	0·14	0·11	0·46	–	0·15	–	–	0·15	0·31
All Urban Districts ..	0·03	0·06	0·14	0·10	0·11	0·45	0·03	0·06	0·15	0·10	0·11	0·45	–	0·09	0·04	0·18	0·18	0·48
Convulsions (80)—																		
London	0·56	0·16	0·17	0·13	0·09	1·10	0·57	0·15	0·18	0·09	0·08	1·07	0·28	0·28	–	0·85	0·28	1·70
County Boroughs	1·49	0·51	0·34	0·27	0·23	2·84	1·49	0·49	0·32	0·25	0·22	2·77	1·57	0·98	0·69	0·69	0·29	4·21
Other Urban Districts ..	1·44	0·48	0·36	0·24	0·13	2·65	1·45	0·47	0·33	0·25	0·12	2·62	1·10	0·66	1·10	0·11	0·22	3·19
Rural Districts	1·53	0·65	0·44	0·31	0·21	3·14	1·46	0·64	0·41	0·31	0·19	3·01	2·77	0·92	0·92	0·31	0·62	5·55
All Urban Districts ..	1·34	0·45	0·32	0·24	0·17	2·52	1·35	0·44	0·30	0·23	0·16	2·48	1·18	0·75	0·75	0·48	0·26	3·42
Bronchitis (99)—																		
London	0·41	0·90	0·78	0·51	0·26	2·87	0·41	0·86	0·78	0·42	0·27	2·73	0·57	1·70	0·85	2·27	–	5·39
County Boroughs	0·51	1·13	1·26	1·01	0·95	4·86	0·50	1·11	1·22	0·98	0·93	4·74	0·88	1·57	2·15	1·47	1·27	7·35
Other Urban Districts ..	0·59	1·21	1·07	0·84	0·63	4·33	0·60	1·20	1·06	0·83	0·65	4·34	0·22	1·43	1·21	1·10	0·11	4·07
Rural Districts	0·50	1·00	1·00	0·69	0·53	3·72	0·49	0·98	0·96	0·70	0·52	3·66	0·62	1·39	1·69	0·46	0·77	4·93
All Urban Districts ..	0·53	1·13	1·11	0·87	0·72	4·36	0·53	1·12	1·09	0·84	0·72	4·30	0·57	1·53	1·58	1·45	0·61	5·74
Pneumonia (100, 101)—																		
London	1·01	2·21	3·18	3·82	3·92	14·15	1·02	2·13	3·00	3·80	3·91	13·87	0·85	3·69	6·52	4·25	4·25	19·56
County Boroughs	1·05	2·47	3·84	4·78	5·01	17·14	1·02	2·39	3·78	4·68	4·96	16·84	1·57	4·21	5·00	6·76	5·98	23·51
Other Urban Districts ..	0·78	1·77	2·56	3·10	3·25	11·46	0·74	1·77	2·52	3·08	3·25	11·33	1·54	1·87	3·41	3·74	3·30	13·88
Rural Districts	0·75	1·58	1·88	2·22	2·19	8·62	0·74	1·59	1·86	2·19	2·21	8·59	0·92	1·39	2·16	2·93	1·69	9·09
All Urban Districts ..	0·93	2·14	3·21	3·94	4·11	14·33	0·90	2·09	3·14	3·88	4·09	14·11	1·45	3·20	4·60	5·17	4·65	19·07
Other respiratory diseases (97, 98, 102–107)—																		
London	0·03	0·04	0·03	0·07	0·06	0·23	0·03	0·05	0·03	0·08	0·06	0·24	–	–	–	–	–	–
County Boroughs	0·08	0·05	0·06	0·04	0·06	0·30	0·07	0·05	0·06	0·04	0·06	0·28	0·29	0·10	0·20	0·20	–	0·78
Other Urban Districts ..	0·09	0·06	0·07	0·04	0·05	0·30	0·09	0·06	0·07	0·04	0·04	0·30	0·11	0·11	0·11	–	0·11	0·44
Rural Districts	0·07	0·07	0·07	0·04	0·05	0·29	0·07	0·07	0·06	0·04	0·05	0·30	–	–	0·15	–	–	0·15
All Urban Districts ..	0·08	0·06	0·06	0·04	0·05	0·29	0·07	0·06	0·06	0·04	0·06	0·28	0·18	0·09	0·13	0·09	0·04	0·53
Inflammation of the stomach (112 : 1)—																		
London	0·01	0·03	0·06	–	–	0·10	0·02	0·02	0·06	–	–	0·09	–	0·28	–	–	–	0·28
County Boroughs	0·08	0·16	0·12	0·07	0·06	0·48	0·08	0·15	0·12	0·06	0·06	0·48	0·10	0·20	–	0·20	–	0·49
Other Urban Districts ..	0·07	0·14	0·06	0·06	0·04	0·37	0·08	0·13	0·06	0·06	0·03	0·36	–	0·33	0·11	–	0·22	0·66
Rural Districts	0·07	0·18	0·12	0·04	0·03	0·44	0·07	0·18	0·11	0·04	0·03	0·44	–	0·31	0·31	–	–	0·62
All Urban Districts ..	0·07	0·13	0·08	0·05	0·04	0·38	0·07	0·12	0·09	0·05	0·04	0·37	0·04	0·26	0·04	0·09	0·09	0·53

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1929—*continued.*

Cause of Death.	Proportion of Deaths to 1,000 Live Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Diarrhœa and enteritis (113)—																		
London	0·39	2·21	3·45	2·54	1·34	9·93	0·36	1·92	3·17	2·37	1·32	9·15	0·85	7·66	8·79	5·67	1·70	24·67
County Boroughs	0·86	2·48	3·33	2·00	1·15	9·82	0·84	2·28	3·13	1·86	1·08	9·19	1·27	6·56	7·54	5·00	2·64	23·02
Other Urban Districts ..	0·63	1·45	1·57	1·05	0·61	5·31	0·60	1·38	1·49	1·02	0·59	5·08	1·21	3·08	3·41	1·76	1·10	10·57
Rural Districts	0·58	1·07	1·16	0·74	0·52	4·07	0·51	1·07	1·09	0·71	0·52	3·89	2·00	1·23	2·46	1·23	0·62	7·55
All Urban Districts ..	0·70	2·01	2·60	1·67	0·95	7·92	0·67	1·85	2·44	1·57	0·90	7·44	1·18	5·35	6·09	3·81	1·88	18·32
Hernia, intestinal obstruction (118)—																		
London	0·07	0·06	0·17	0·23	0·06	0·58	0·06	0·06	0·18	0·24	0·06	0·60	0·28	–	–	–	–	0·28
County Boroughs	0·09	0·06	0·24	0·23	0·12	0·74	0·08	0·06	0·25	0·24	0·12	0·75	0·20	0·10	0·10	–	0·10	0·49
Other Urban Districts ..	0·09	0·10	0·18	0·20	0·08	0·65	0·09	0·11	0·19	0·19	0·09	0·66	–	–	–	0.33	–	0·33
Rural Districts	0·10	0·06	0·19	0·18	0·11	0·64	0·10	0·06	0·17	0·19	0·11	0·63	0·15	–	0·62	0·15	–	0·92
All Urban Districts ..	0·09	0·08	0·21	0·21	0·10	0·68	0·08	0·08	0·21	0·22	0·10	0·69	0·13	0·04	0·04	0·13	0·04	0·39
Congenital malformations (159)																		
London	2·84	1·18	0·40	0·10	0·04	4·57	2·82	1·05	0·38	0·09	0·05	4·39	3·12	3·69	0·85	0·28	–	7·94
County Boroughs	3·22	1·20	0·42	0·19	0·14	5·16	3·17	1·17	0·41	0·19	0·15	5·08	4·31	1·86	0·49	0·20	–	6·86
Other Urban Districts ..	3·47	1·19	0·43	0·21	0·15	5·44	3·46	1·19	0·43	0·22	0·14	5·43	3·74	1·21	0·44	–	0·44	5·84
Rural Districts	3·34	1·07	0·46	0·29	0·07	5·22	3·30	1·07	0·46	0·27	0·07	5·18	4·01	0·92	0·46	0·62	–	6·01
All Urban Districts ..	3·27	1·19	0·42	0·18	0·13	5·20	3·24	1·16	0·41	0·19	0·13	5·13	3·90	1·88	0·53	0·13	0·18	6·62
Congenital debility and sclerema (160 : 1)—																		
London	0·97	0·80	0·53	0·23	0·13	2·65	0·95	0·77	0·51	0·18	0·11	2·51	1·42	1·42	0·85	1·13	0·57	5·39
County Boroughs	2·07	1·12	0·66	0·19	0·09	4·12	2·00	0·99	0·58	0·17	0·08	3·82	3·53	3·72	2·25	0·49	0·29	10·29
Other Urban Districts ..	2·42	0·82	0·38	0·12	0·06	3·81	2·34	0·72	0·34	0·12	0·06	3·58	4·19	3·19	1·43	0·22	0·11	9·14
Rural Districts	2·87	0·99	0·30	0·09	0·05	4·29	2·69	0·87	0·27	0·09	0·04	3·96	6·32	3·24	0·77	0·15	0·15	10·63
All Urban Districts ..	2·07	0·95	0·52	0·17	0·08	3·79	2·00	0·85	0·47	0·15	0·08	3·54	3·46	3·16	1·71	0·48	0·26	9·07
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Icterus (160 : 2)—																		
London	0·37	0·03	–	0·01	0·01	0·43	0·38	0·02	–	0·02	0·02	0·42	0·28	0·28	–	–	–	0·57
County Boroughs	0·52	0·09	0·01	0·01	–	0·63	0·52	0·09	0·01	0·00	–	0·63	0·49	0·10	–	0·10	–	0·69
Other Urban Districts ..	0·51	0·04	0·03	0·01	–	0·59	0·49	0·04	0·03	0·01	–	0·57	0·99	–	–	–	–	0·99
Rural Districts	0·59	0·07	0·02	0·01	–	0·68	0·57	0·06	0·02	0·01	–	0·66	0·92	0·15	–	–	–	1·08
All Urban Districts ..	0·49	0·06	0·02	0·01	0·00	0·58	0·49	0·06	0·02	0·01	0·00	0·57	0·66	0·09	–	0·04	–	0·79
Premature birth (161 : 1)—																		
London	13·07	1·54	0·17	0·01	0·01	14·81	12·48	1·37	0·15	0·02	0·02	14·03	24·10	4·82	0·57	–	–	29·49
County Boroughs	18·24	1·73	0·19	0·06	0·01	20·22	17·65	1·62	0·18	0·05	0·01	19·50	30·56	4·02	0·49	0·29	–	35·36
Other Urban Districts ..	16·73	1·31	0·17	0·01	0·02	18·24	16·23	1·19	0·15	0·01	0·01	17·59	28·41	3·96	0·44	0·11	0·11	33·04
Rural Districts	17·15	1·27	0·16	0·02	–	18·59	16·50	1·19	0·14	0·01	–	17·83	29·43	2·77	0·62	0·15	–	32·97
All Urban Districts ..	16·89	1·52	0·18	0·03	0·01	18·64	16·34	1·40	0·16	0·03	0·01	17·95	28·71	4·12	0·48	0·18	0·04	33·53
Injury at birth (161 : 2)—																		
London	2·14	0·04	0·01	–	–	2·20	2·04	0·05	0·02	–	–	2·10	3·97	–	–	–	–	3·97
County Boroughs	2·14	0·04	–	0·00	–	2·19	2·10	0·04	–	0·00	–	2·15	3·04	–	–	–	–	3·04
Other Urban Districts ..	1·85	0·06	–	–	0·00	1·91	1·85	0·05	–	–	0·00	1·91	1·76	0·11	–	–	–	1·87
Rural Districts	2·17	0·04	0·02	–	–	2·23	2·15	0·04	0·02	–	–	2·21	2·62	–	–	–	–	2·62
All Urban Districts ..	2·02	0·05	0·00	0·00	0·00	2·07	1·99	0·05	0·00	0·00	0·00	2·04	2·67	0·04	–	–	–	2·72
Disease of umbilicus (162 : 1)—																		
London	0·10	0·04	–	–	–	0·14	0·09	0·05	–	–	–	0·14	0·28	–	–	–	–	0·28
County Boroughs	0·13	0·01	–	–	–	0·15	0·13	0·01	–	–	–	0·14	0·20	–	–	–	–	0·20
Other Urban Districts ..	0·11	0·02	–	–	–	0·13	0·12	0·02	–	–	–	0·13	–	–	–	–	–	–
Rural Districts	0·18	0·02	–	–	–	0·21	0·18	0·02	–	–	–	0·20	0·31	–	–	–	–	0·31
All Urban Districts ..	0·12	0·02	–	–	–	0·14	0·12	0·02	–	–	–	0·14	0·13	–	–	–	–	0·13
Atelectasis (162 : 2)—																		
London	1·87	0·09	–	–	–	1·95	1·92	0·08	–	–	–	2·00	0·85	0·28	–	–	–	1·13
County Boroughs	1·56	0·02	–	–	–	1·58	1·55	0·01	–	–	–	1·56	1·96	0·10	–	–	–	2·06
Other Urban Districts ..	1·48	0·06	–	–	–	1·54	1·47	0·06	–	–	–	1·53	1·65	–	–	–	–	1·65
Rural Districts	1·45	0·03	–	–	–	1·48	1·36	0·03	–	–	–	1·40	3·08	–	–	–	–	3·08
All Urban Districts ..	1·57	0·04	–	–	–	1·61	1·57	0·04	–	–	–	1·61	1·67	0·09	–	–	–	1·75
Suffocation—in bed or not stated how (180 pt.)—																		
London	0·17	0·14	0·09	0·04	0·01	0·46	0·15	0·14	0·09	0·03	0·02	0·42	0·57	0·28	–	0·28	–	1·13
County Boroughs	0·27	0·17	0·12	0·03	0·01	0·60	0·25	0·16	0·12	0·03	0·01	0·57	0·78	0·39	0·10	0·10	–	1·37
Other Urban Districts ..	0·32	0·14	0·12	0·03	0·01	0·62	0·28	0·12	0·12	0·03	0·01	0·56	1·32	0·44	0·22	0·11	–	2·09
Rural Districts	0·20	0·15	0·08	0·02	0·02	0·47	0·19	0·14	0·07	0·02	0·02	0·44	0·31	0·31	0·15	0·15	–	0·92
All Urban Districts ..	0·28	0·15	0·11	0·03	0·01	0·59	0·25	0·14	0·11	0·03	0·01	0·54	0·96	0·39	0·13	0·13	–	1·62
Other causes—																		
London	1·61	0·84	0·87	0·88	0·90	5·11	1·02	0·77	0·86	0·89	0·86	4·39	12·76	2·27	1·13	0·85	1·70	18·71
County Boroughs	1·68	0·77	0·84	0·85	0·85	4·98	1·40	0·72	0·78	0·84	0·86	4·60	7·54	1·67	2·25	0·88	0·59	12·93
Other Urban Districts ..	1·79	0·66	0·57	0·62	0·61	4·24	1·43	0·64	0·55	0·60	0·61	3·84	10·02	1·10	0·99	0·88	0·55	13·55
Rural Districts	1·70	0·51	0·60	0·63	0·56	4·00	1·33	0·50	0·59	0·61	0·53	3·56	8·78	0·77	0·77	1·08	1·08	12·48
All Urban Districts ..	1·72	0·73	0·73	0·75	0·75	4·69	1·36	0·69	0·69	0·75	0·75	4·25	9·34	1·53	1·58	0·88	0·75	14·07

Table 12.—Infant Mortality in Different Parts of England and Wales, 1929

(For list of Counties in the several Geographical Divisions, *see* Footnote to Table 14, page 62).

Area.	Proportion of Deaths to 1,000 Live Births.																	
	All Causes.						I.—Common Infectious Diseases (6–10, 25 : 2).						II.—Tuberculous Diseases (31–37).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Areas :																		
North	37·53	13·89	13·43	12·72	12·63	90·21	0·13	0·78	1·16	1·94	2·72	6·73	0·01	0·09	0·28	0·34	0·45	1·17
Midlands	31·37	10·15	8·99	8·38	7·75	66·64	0·10	0·60	0·76	1·12	1·37	3·95	0·01	0·09	0·28	0·30	0·38	1·05
South	27·08	10·22	9·42	8·38	7·28	62·38	0·10	0·70	1·01	1·46	1·69	4·96	0·02	0·03	0·27	0·28	0·28	0·88
Wales	37·81	11·62	10·02	8·92	8·32	76·69	0·11	0·90	1·10	1·79	2·04	5·94	–	0·11	0·11	0·27	0·20	0·70
England and Wales	32·84	11·56	10·70	9·92	9·35	74·37	0·11	0·71	0·98	1·54	1·96	5·31	0·01	0·07	0·27	0·30	0·37	1·03
London	25·87	11·43	12·34	11·49	10·14	71·27	0·07	0·67	1·60	2·30	2·65	7·29	0·01	–	0·26	0·33	0·17	0·77
County Boroughs :																		
North	37·41	14·53	15·09	14·39	14·30	95·72	0·10	0·79	1·18	2·23	3·06	7·36	0·02	0·10	0·32	0·39	0·48	1·31
Midlands	31·39	12·55	11·87	11·07	10·23	77·10	0·07	0·56	0·84	1·55	1·82	4·84	0·01	0·11	0·39	0·34	0·46	1·32
South	27·50	9·57	9·12	6·89	5·95	59·02	0·04	0·49	0·45	0·72	0·85	2·55	0·09	0·18	0·45	0·13	0·36	1·21
Wales	37·37	11·28	11·80	11·08	11·18	82·71	–	0·62	1·04	2·38	4·04	8·07	–	0·10	0·10	0·52	0·31	1·04
England and Wales	34·52	13·27	13·33	12·45	12·05	85·63	0·08	0·68	0·99	1·87	2·49	6·12	0·02	0·11	0·35	0·35	0·46	1·29
Other Urban Districts :																		
North	37·67	13·39	11·80	11·22	11·19	85·27	0·22	0·80	1·22	1·75	2·48	6·47	–	0·12	0·28	0·29	0·48	1·17
Midlands	30·76	9·08	8·04	7·57	7·22	62·67	0·13	0·70	0·76	1·08	1·31	3·97	0·02	0·07	0·27	0·28	0·35	0·99
South	27·78	9·52	7·45	6·13	4·89	55·78	0·12	0·64	0·67	1·10	1·10	3·63	0·02	0·02	0·21	0·17	0·38	0·81
Wales	35·87	10·84	9·06	8·59	8·64	73·00	0·14	0·84	1·26	1·68	1·82	5·74	–	0·09	0·05	0·19	0·09	0·42
England and Wales	32·87	10·70	9·21	8·55	8·16	69·49	0·16	0·74	0·94	1·35	1·69	4·87	0·01	0·08	0·24	0·25	0·37	0·96
Rural Districts :																		
North	37·69	12·52	10·52	9·49	9·24	79·46	0·06	0·71	0·93	1·22	1·90	4·83	–	–	0·16	0·23	0·26	0·64
Midlands	32·30	8·68	6·71	6·14	5·36	59·19	0·11	0·48	0·64	0·64	0·88	2·74	–	0·07	0·15	0·27	0·31	0·80
South	28·55	8·91	5·72	5·50	4·98	53·66	0·16	1·00	0·55	0·61	0·93	3·25	–	–	0·26	0·42	0·32	1·00
Wales	41·18	13·09	10·28	7·91	5·77	78·23	0·15	1·18	0·89	1·55	0·96	4·73	–	0·15	0·22	0·22	0·30	0·89
England and Wales	33·61	10·11	7·75	6·97	6·23	64·67	0·12	0·73	0·71	0·87	1·14	3·57	–	0·05	0·18	0·29	0·30	0·82

Area.	III.—Diarrhœa and Enteritis (113).						IV.—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2).						V.—Miscellaneous Diseases (Remainder).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Areas :																		
North	0·99	2·32	2·89	1·77	1·10	9·06	27·74	4·15	1·24	0·41	0·25	33·78	8·67	6·56	7·86	8·27	8·11	39·47
Midlands	0·50	1·47	1·91	1·26	0·65	5·79	23·93	3·55	1·02	0·38	0·19	29·07	6·83	4·45	5·02	5·32	5·16	26·78
South	0·44	1·70	2·20	1·60	0·91	6·85	20·07	3·42	1·02	0·36	0·19	25·06	6·44	4·36	4·92	4·69	4·21	24·62
Wales	0·78	1·41	1·70	0·72	0·52	5·14	27·83	3·21	1·01	0·52	0·11	32·67	9·08	5·99	6·10	5·63	5·45	32·25
England and Wales	0·67	1·82	2·31	1·48	0·86	7·14	24·52	3·70	1·10	0·39	0·21	29·92	7·52	5·26	6·05	6·20	5·95	30·98
London	0·39	2·21	3·45	2·54	1·34	9·93	19·12	3·64	1·10	0·36	0·20	24·41	6·28	4·91	5·94	5·96	5·78	28·86
County Boroughs :																		
North	1·13	2·68	3·80	2·32	1·41	11·34	27·38	4·35	1·35	0·47	0·29	33·84	8·79	6·61	8·44	8·97	9·06	41·88
Midlands	0·56	2·28	2·99	1·82	0·85	8·51	24·14	4·35	1·18	0·45	0·18	30·30	6·60	5·25	6·46	6·91	6·91	32·14
South	0·45	2·41	2·10	1·30	0·85	7·11	19·76	2·95	1·30	0·27	0·27	24·55	7·15	3·53	4·83	4·47	3·62	23·61
Wales	0·52	1·55	2·80	0·93	0·72	6·52	27·43	2·90	1·14	0·41	–	31·88	9·42	6·11	6·73	6·83	6·11	35·20
England and Wales	0·86	2·48	3·33	2·00	1·15	9·82	25·60	4·15	1·28	0·44	0·24	31·71	7·96	5·85	7·38	7·78	7·72	36·70
Other Urban Districts :																		
North	0·84	1·85	1·69	0·96	0·63	5·97	28·13	3·90	1·17	0·41	0·23	33·84	8·48	6·72	7·44	7·81	7·37	37·82
Midlands	0·48	1·29	1·54	1·22	0·65	5·18	23·23	3·07	0·92	0·32	0·28	27·83	6·89	3·95	4·55	4·69	4·63	24·70
South	0·48	1·27	1·46	0·98	0·53	4·70	20·65	3·51	0·98	0·31	0·19	25·63	6·52	4·08	4·13	3·58	2·70	21·00
Wales	0·84	1·21	1·49	0·79	0·56	4·90	26·62	2·99	0·84	0·42	0·14	31·01	8·27	5·70	5·42	5·51	6·03	30·92
England and Wales	0·63	1·45	1·57	1·05	0·61	5·31	24·61	3·41	1·00	0·35	0·23	29·62	7·46	5·02	5·47	5·54	5·26	28·74
Rural Districts :																		
North	0·77	1·93	1·96	1·35	0·90	6·92	28·26	3·86	0·97	0·19	0·16	33·44	8·59	6·02	6·50	6·50	6·02	33·63
Midlands	0·44	0·69	1·08	0·58	0·38	3·18	24·73	3·24	0·99	0·40	0·07	29·43	7·02	4·20	3·86	4·24	3·71	23·03
South	0·51	0·64	0·45	0·51	0·48	2·60	21·67	3·15	0·71	0·48	0·13	26·14	6·20	4·11	3·76	3·47	3·12	20·67
Wales	0·89	1·63	1·26	0·44	0·30	4·51	30·02	3·77	1·18	0·74	0·15	35·86	10·13	6·36	6·73	4·95	4·07	32·24
England and Wales	0·58	1·07	1·16	0·74	0·52	4·07	25·39	3·42	0·94	0·41	0·12	30·27	7·52	4·84	4·76	4·67	4·16	25·95

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1929—*continued.*

Area.	Proportion of Deaths to 1,000 Live Births.																	
	Measles (7).						Whooping cough (9).						Syphilis (38).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
ll Areas:																		
North	0·01	0·05	0·14	0·51	1·10	1·81	0·09	0·70	0·97	1·34	1·41	4·51	0·31	0·28	0·15	0·07	0·02	0·84
Midlands	0·01	0·03	0·04	0·20	0·33	0·61	0·08	0·55	0·68	0·86	0·94	3·11	0·17	0·21	0·11	0·04	0·01	0·54
South	0·01	0·02	0·02	0·07	0·24	0·36	0·08	0·65	0·95	1·28	1·33	4·29	0·16	0·23	0·10	0·02	0·04	0·55
Wales	–	0·04	0·04	0·49	0·90	1·48	0·09	0·81	1·03	1·21	1·01	4·15	0·22	0·16	0·07	0·02	–	0·47
England and Wales	0·01	0·03	0·07	0·30	0·61	1·02	0·08	0·65	0·88	1·16	1·20	3·97	0·22	0·24	0·12	0·04	0·02	0·64
ondon	0·01	0·01	0·01	0·11	0·46	0·61	0·04	0·58	1·51	2·00	2·01	6·15	0·14	0·23	0·11	0·03	0·01	0·53
ounty Boroughs:																		
North	0·01	0·06	0·18	0·67	1·38	2·30	0·06	0·69	0·92	1·46	1·41	4·53	0·37	0·33	0·17	0·08	0·02	0·97
Midlands	0·03	0·04	0·06	0·48	0·74	1·34	0·03	0·49	0·74	1·01	0·99	3·26	0·22	0·29	0·20	0·04	0·01	0·77
South	–	–	–	0·04	0·09	0·13	0·04	0·49	0·45	0·67	0·72	2·37	0·22	0·22	0·18	0·04	–	0·67
Wales	–	–	0·21	1·04	2·59	3·83	–	0·62	0·83	1·14	1·24	3·83	0·41	0·21	0·21	–	–	0·83
England and Wales	0·01	0·04	0·12	0·56	1·10	1·85	0·04	0·60	0·82	1·22	1·20	3·89	0·31	0·30	0·18	0·06	0·01	0·87
ther Urban Districts:																		
North	0·01	0·01	0·10	0·38	0·83	1·34	0·16	0·77	1·09	1·30	1·46	4·78	0·31	0·26	0·16	0·07	0·04	0·84
Midlands	–	0·04	0·01	0·05	0·12	0·21	0·12	0·67	0·72	0·96	1·08	3·54	0·18	0·14	0·07	0·04	–	0·42
South	–	0·05	0·07	0·05	0·12	0·29	0·12	0·60	0·60	0·98	0·88	3·17	0·17	0·26	0·05	–	0·02	0·50
Wales	–	0·09	–	0·47	0·70	1·26	0·09	0·70	1·21	1·21	1·03	4·25	0·19	0·23	–	–	–	0·42
England and Wales	0·00	0·04	0·05	0·19	0·40	0·69	0·13	0·69	0·86	1·09	1·15	3·93	0·22	0·21	0·09	0·04	0·02	0·57
ural Districts:																		
North	–	0·10	0·06	0·19	0·55	0·90	0·06	0·61	0·87	0·97	1·29	3·80	0·10	0·16	0·06	0·03	–	0·35
Midlands	0·02	–	0·05	0·09	0·13	0·29	0·07	0·46	0·55	0·53	0·64	2·25	0·09	0·22	0·05	0·04	0·02	0·42
South	–	–	–	0·03	0·03	0·06	0·13	0·96	0·55	0·51	0·84	2·99	0·16	0·19	0·10	–	0·13	0·58
Wales	–	–	–	0·15	–	0·15	0·15	1·11	0·89	1·26	0·81	4·21	0·15	–	0·07	0·07	–	0·30
England and Wales	0·01	0·02	0·04	0·11	0·19	0·37	0·09	0·68	0·66	0·71	0·86	3·00	0·12	0·18	0·07	0·03	0·04	0·43
	Meningitis (71).						Convulsions (80).						Bronchitis (99).					
l Areas:																		
North ..	0·05	0·05	0·16	0·14	0·11	0·50	1·95	0·70	0·51	0·36	0·26	3·78	0·70	1·46	1·58	1·29	1·11	6·14
Midlands	0·03	0·05	0·10	0·07	0·11	0·36	1·00	0·36	0·24	0·19	0·13	1·91	0·45	0·85	0·83	0·62	0·54	3·29
South	0·01	0·12	0·14	0·10	0·10	0·47	0·70	0·27	0·17	0·15	0·11	1·40	0·38	0·80	0·71	0·49	0·27	2·65
Wales	0·02	0·02	0·13	0·16	0·20	0·54	2·89	0·87	0·72	0·40	0·22	5·11	0·54	1·70	1·30	0·81	0·72	5·07
England and Wales	0·03	0·07	0·13	0·11	0·11	0·45	1·38	0·49	0·35	0·25	0·18	2·64	0·53	1·11	1·09	0·83	0·68	4·23
ndon	–	0·16	0·19	0·11	0·09	0·54	0·56	0·16	0·17	0·13	0·09	1·10	0·41	0·90	0·78	0·51	0·26	2·87
unty Boroughs:																		
North	0·07	0·03	0·16	0·08	0·09	0·43	1·81	0·62	0·41	0·35	0·28	3·47	0·65	1·35	1·53	1·24	1·13	5·89
Midlands	0·04	0·06	0·14	0·06	0·11	0·41	0·98	0·38	0·25	0·14	0·17	1·92	0·41	0·84	0·97	0·76	0·81	3·78
South	0·04	0·04	0·04	0·09	0·13	0·36	0·94	0·36	0·18	0·22	0·09	1·79	0·31	0·58	0·58	0·45	0·31	2·24
Wales	–	0·10	0·10	0·10	0·21	0·52	2·59	0·52	0·41	0·21	0·31	4·04	0·10	1·76	1·66	1·24	1·14	5·90
England and Wales	0·05	0·04	0·14	0·08	0·11	0·42	1·49	0·51	0·34	0·27	0·23	2·84	0·51	1·13	1·26	1·01	0·95	4·86
ner Urban Districts:																		
North	0·04	0·06	0·17	0·19	0·16	0·63	2·07	0·70	0·60	0·35	0·22	3·93	0·76	1·73	1·66	1·43	1·01	6·58
Midlands	0·01	0·05	0·09	0·07	0·13	0·35	0·95	0·28	0·18	0·18	0·09	1·67	0·51	0·84	0·76	0·57	0·43	3·12
South	0·02	0·05	0·17	0·07	0·10	0·41	0·74	0·38	0·17	0·14	0·10	1·53	0·38	0·76	0·72	0·50	0·31	2·67
Wales	–	–	0·09	0·28	0·09	0·47	2·76	0·75	0·70	0·37	0·05	4·62	0·75	1·91	1·07	0·65	0·79	5·18
England and Wales	0·02	0·05	0·13	0·13	0·13	0·46	1·44	0·48	0·36	0·24	0·13	2·65	0·59	1·21	1·07	0·84	0·63	4·33
ral Districts:																		
North	–	0·06	0·13	0·29	0·06	0·55	2·25	1·03	0·71	0·39	0·26	4·63	0·80	1·29	1·58	1·22	1·26	6·15
Midlands	0·04	0·05	0·07	0·07	0·09	0·33	1·10	0·46	0·31	0·27	0·15	2·28	0·40	0·88	0·77	0·51	0·37	2·92
South	–	0·19	0·06	0·13	0·10	0·48	0·77	0·32	0·16	0·16	0·19	1·61	0·35	0·80	0·64	0·45	0·19	2·44
Wales	0·07	–	0·22	–	0·37	0·67	3·33	1·33	0·96	0·59	0·44	6·65	0·52	1·33	1·40	0·74	0·30	4·29
England and Wales	0·02	0·08	0·10	0·13	0·12	0·45	1·53	0·65	0·44	0·31	0·21	3·14	0·50	1·00	1·00	0·69	0·53	3.72

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1929—*continued.*

Area.	Proportion of Deaths to 1,000 Live Births.																	
	Pneumonia (100, 101).						Congenital malformations (159).						Congenital debility and sclerema (160 : 1).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Areas :																		
North	0·99	2·52	3·90	4·85	5·23	17·49	3·46	1·24	0·43	0·19	0·12	5·45	2·77	1·13	0·62	0·18	0·10	4·80
Midlands	0·77	1·85	2·39	3·09	3·12	11·21	3·24	1·18	0·44	0·19	0·14	5·19	2·05	0·93	0·42	0·14	0·05	3·58
South	0·91	1·73	2·49	2·65	2·60	10·38	3·04	1·14	0·42	0·21	0·11	4·91	1·43	0·82	0·44	0·14	0·07	2·90
Wales	0·92	1·52	2·42	3·16	3·27	11·30	3·54	0·85	0·36	0·36	0·04	5·16	3·34	0·74	0·25	0·13	0·07	4·53
England and Wales	0·89	2·03	2·94	3·59	3·72	13·17	3·29	1·17	0·43	0·21	0·12	5·20	2·23	0·96	0·48	0·15	0·08	3·89
London	1·01	2·21	3·18	3·82	3·92	14·15	2·84	1·18	0·40	0·10	0·04	4·57	0·97	0·80	0·53	0·23	0·13	2·65
County Boroughs :																		
North	1·22	2·70	4·48	5·48	6·11	19·99	3·22	1·17	0·38	0·19	0·13	5·09	2·41	1·29	0·78	0·22	0·14	4·85
Midlands	0·84	2·55	3·29	4·35	4·28	15·31	3·32	1·40	0·43	0·15	0·17	5·47	1·67	1·02	0·55	0·20	0·01	3·44
South	0·85	1·30	2·37	2·55	2·15	9·21	2·82	0·94	0·63	0·27	0·18	4·83	1·30	0·76	0·54	–	0·09	2·68
Wales	0·83	1·76	3·21	4·24	3·00	13·04	3·31	0·72	0·31	0·21	–	4·55	2·38	0·41	0·31	0·10	–	3·21
England and Wales	1·05	2·47	3·84	4·78	5·01	17·14	3·22	1·20	0·42	0·19	0·14	5·16	2·07	1·12	0·66	0·19	0·09	4·12
Other Urban Districts :																		
North	0·76	2·46	3·45	4·41	4·52	15·60	4·04	1·40	0·48	0·23	0·12	6·26	3·07	0·87	0·50	0·15	0·06	4·65
Midlands	0·74	1·51	2·24	2·68	2·89	10·05	3·25	1·06	0·41	0·18	0·19	5·08	1·96	0·81	0·37	0·11	0·09	3·34
South	0·86	1·46	1·96	1·84	1·55	7·66	3·10	1·29	0·41	0·17	0·17	5·13	1·81	0·76	0·31	0·14	0·02	3·06
Wales	0·84	1·21	2·15	3·08	3·97	11·26	3·27	0·79	0·37	0·33	0·09	4·86	3·32	0·84	0·19	0·09	0·05	4·48
England and Wales	0·78	1·77	2·56	3·10	3·25	11·46	3·47	1·19	0·43	0·21	0·15	5·44	2·42	0·82	0·38	0·12	0·06	3·81
Rural Districts :																		
North	0·58	1·93	2·64	3·38	3·31	11·84	3·12	1·19	0·55	0·10	0·10	5·05	3·48	1·06	0·26	0·06	0·06	4·92
Midlands	0·73	1·46	1·43	2·10	1·96	7·68	3·13	1·06	0·51	0·26	0·04	4·99	2·69	0·99	0·31	0·11	0·04	4·13
South	0·80	1·32	1·74	1·16	1·38	6·40	3·57	0·96	0·32	0·45	0·13	5·43	2·06	1·00	0·32	0·03	–	3·41
Wales	1·11	1·85	2·29	2·51	2·37	10·13	4·14	1·04	0·37	0·52	–	6·06	4·07	0·81	0·30	0·22	0·15	5·55
England and Wales	0·75	1·58	1·88	2·22	2·19	8·62	3·34	1·07	0·46	0·29	0·07	5·22	2·87	0·99	0·30	0·09	0·05	4·29

Area.	Premature birth (161 : 1).						Injury at birth (161 : 2).						Suffocation—in bed or not stated how (180 pt.).					
All Areas :																		
North	19·31	1·65	0·16	0·04	0·03	21·19	2·09	0·05	0·00	0·00	–	2·15	0·26	0·18	0·07	0·01	0·02	0·53
Midlands	16·78	1·36	0·15	0·04	–	18·33	1·99	0·03	0·01	–	0·00	2·04	0·28	0·16	0·14	0·05	0·01	0·64
South	13·59	1·34	0·16	0·01	0·01	15·10	2·09	0·05	0·01	–	–	2·15	0·25	0·12	0·11	0·04	0·02	0·54
Wales	18·41	1·55	0·40	0·02	–	20·38	2·00	0·02	–	–	–	2·02	0·22	0·11	0·11	–	–	0·45
England and Wales	16·94	1·47	0·17	0·03	0·01	18·63	2·05	0·05	0·01	0·00	0·00	2·10	0·26	0·15	0·11	0·03	0·01	0·57
London	13·07	1·54	0·17	0·01	0·01	14·81	2·14	0·04	0·01	–	–	2·20	0·17	0·14	0·09	0·04	0·01	0·46
County Boroughs :																		
North	19·44	1·77	0·19	0·05	0·02	21·46	2·15	0·05	–	0·01	–	2·21	0·29	0·17	0·08	0·02	0·01	0·57
Midlands	17·53	1·82	0·17	0·08	–	19·60	2·02	0·01	–	–	–	2·03	0·24	0·18	0·15	0·06	0·03	0·66
South	13·59	1·25	0·13	–	–	14·98	2·68	0·09	–	–	–	2·77	0·18	0·09	0·18	0·04	–	0·49
Wales	18·94	1·66	0·52	0·10	–	21·22	1·76	–	–	–	–	1·76	0·41	0·31	0·10	–	–	0·83
England and Wales	18·24	1·73	0·19	0·06	0·01	20·22	2·14	0·04	–	0·00	–	2·19	0·27	0·17	0·12	0·03	0·01	0·60
Other Urban Districts:																		
North	19·14	1·54	0·13	0·01	0·06	20·89	1·94	0·06	–	–	–	2·00	0·23	0·20	0·07	0·01	0·03	0·55
Midlands	16·09	1·15	0·13	0·02	–	17·30	1·93	0·05	–	–	0·01	1·99	0·34	0·14	0·14	0·05	–	0·67
South	13·77	1·24	0·24	–	–	15·25	1·65	0·07	–	–	–	1·72	0·45	0·07	0·17	0·05	–	0·74
Wales	17·75	1·31	0·28	–	–	19·34	1·63	0·05	–	–	–	1·68	0·28	0·05	0·09	–	–	0·42
England and Wales	16·73	1·31	0·17	0·01	0·02	18·24	1·85	0·06	–	–	0·00	1·91	0·32	0·14	0·12	0·03	0·01	0·62
Rural Districts :																		
North	19·18	1·45	0·13	0·03	–	20·79	2·16	0·06	0·03	–	–	2·25	0·16	0·13	–	–	0·03	0·32
Midlands	17·02	1·12	0·15	0·02	–	18·30	2·05	0·04	0·04	–	–	2·12	0·26	0·16	0·13	0·04	–	0·58
South	14·50	1·09	0·06	–	–	15·66	2·15	0·03	–	–	–	2·19	0·23	0·16	0·03	0·03	0·06	0·51
Wales	19·08	1·85	0·52	–	–	21·44	2·74	–	–	–	–	2·74	–	0·07	0·15	–	–	0·22
England and Wales	17·15	1·27	0·16	0·02	–	18·59	2·17	0·04	0·02	–	–	2·23	0·20	0·15	0·08	0·02	0·02	0·47

TABLE 13.—INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1929.

All Infants.										Area.	Illegitimate Infants.									
Deaths.								Deaths per 1,000 Live Births.			Deaths per 1,000 Live Births.		Deaths.							
1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
SUMMARY*.																				
84	7647	6805	7441	6889	6383	6019	47868	33	74	All Areas. England and Wales	59	126	649	519	555	674	548	428	317	3690
26	3010	2822	3083	2980	2823	2802	20016	38	90	North	63	148	207	201	219	264	235	188	161	1475
38	2395	2109	2149	1903	1775	1642	14111	31	67	Midlands	60	115	218	162	159	181	138	109	72	1039
04	1632	1344	1691	1559	1387	1204	10321	27	62	South†	52	114	176	121	134	193	151	110	61	946
46	610	530	518	447	398	371	3420	38	77	Wales	62	114	48	35	43	36	24	21	23	230
25	648	540	801	865	805	711	4995	26	71	London Administrative County.	51	133	82	48	51	102	81	68	36	468
50	2774	2566	2995	3009	2810	2719	19323	35	86	County Boroughs. England and Wales	60	149	213	179	220	298	247	207	154	1518
0	1626	1565	1775	1843	1758	1747	11694	37	96	North	64	169	122	106	132	183	159	134	111	947
3	797	713	897	848	791	731	5510	31	77	Midlands	58	131	64	50	57	75	56	48	36	386
6	222	187	214	204	154	133	1320	28	59	South	42	104	16	15	23	30	27	16	6	133
1	129	101	109	114	107	108	799	37	83	Wales	76	146	11	8	8	10	5	9	1	52
0	2583	2307	2327	2004	1859	1776	15116	33	69	Other Urban Districts. England and Wales	57	113	215	147	159	181	142	98	82	1024
3	932	891	919	810	770	768	5853	38	85	North	63	123	56	59	60	54	45	41	29	344
8	940	844	777	688	648	618	5363	31	63	Midlands	57	111	84	51	58	71	54	34	25	377
3	417	344	399	312	257	205	2337	28	56	South	54	103	54	24	30	43	28	17	11	207
6	294	228	232	194	184	185	1563	36	73	Wales	50	106	21	13	11	13	15	6	17	96
	1642	1392	1318	1011	909	813	8434	34	65	Rural Districts. England and Wales	63	105	139	145	125	93	78	55	45	680
	452	366	389	327	295	287	2469	38	79	North	60	120	29	36	27	27	31	13	21	184
	658	552	475	367	336	293	3238	32	59	Midlands	65	102	70	61	44	35	28	27	11	276
	345	273	277	178	171	155	1669	29	54	South	59	92	24	34	30	18	15	9	8	138
	187	201	177	139	107	78	1058	41	78	Wales	71	108	16	14	24	13	4	6	5	82

* The Counties in the four sections North, Midlands, South and Wales, are shewn in footnote || to Table 14.

† Including London.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1929.

All Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Area.	Illegitimate Infants. Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
GREATER LONDON AND METROPOLITAN BOROUGHS.																				
1125	1161	1019	1328	1344	1218	1063	8258	26	66	Greater London* ..	51	127	134	69	79	157	122	93	47	701
625	648	540	801	865	805	711	4995	26	71	London :— Administrative Co.	51	133	82	48	51	102	81	68	36	468
2	—	1	—	1	1	—	5	38	63	London, City of ..	500	500	2	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	The Inner & Middle Temples.	—	—	—	—	—	—	—	—	—	—
21	23	21	21	23	29	26	164	25	63	Battersea	55	99	5	—	—	—	1	3	—	9
21	16	25	27	22	31	18	160	28	71	Bermondsey ..	83	139	—	1	2	—	—	2	—	5
9	14	7	22	28	23	30	133	15	64	Bethnal Green ..	59	157	2	1	—	2	—	2	1	8
23	44	28	50	46	40	37	268	24	68	Camberwell ..	59	143	3	3	1	6	1	2	1	17
8	5	4	13	7	6	9	52	23	71	Chelsea	28	125	1	—	1	5	1	—	1	9
14	27	19	23	18	22	18	141	32	76	Deptford	54	161	1	1	1	4	1	1	—	9
9	15	14	20	13	20	13	104	28	77	Finsbury	30	60	1	1	—	—	1	1	—	4
18	19	15	30	42	29	19	172	22	73	Fulham	29	154	2	1	1	6	6	2	3	21
20	15	11	12	22	19	17	116	28	71	Greenwich	136	182	4	1	1	—	1	1	—	8
17	34	27	33	36	28	19	194	23	57	Hackney	62	147	3	2	3	4	2	5	—	19
20	20	21	17	18	16	21	133	28	62	Hammersmith ..	42	104	4	1	1	3	2	2	2	15
12	6	4	5	8	9	8	52	23	54	Hampstead.. ..	75	125	4	2	—	2	—	2	—	10
7	1	3	4	6	4	4	29	28	74	Holborn	—	47	—	—	—	—	1	1	—	2
50	48	43	69	66	73	56	405	25	72	Islington	49	130	5	2	7	9	3	4	7	37
24	31	13	33	55	39	24	219	27	86	Kensington.. ..	44	162	2	5	3	6	12	8	1	37
33	53	39	46	47	49	46	313	27	68	Lambeth	44	114	7	1	5	8	10	1	2	34
29	19	23	22	17	17	17	144	22	44	Lewisham	67	133	3	2	2	2	2	2	1	14
27	13	17	37	56	39	26	215	27	101	Paddington ..	42	130	7	2	1	10	6	4	1	31
34	29	30	35	35	35	33	231	30	75	Poplar	63	156	1	2	1	1	2	3	—	10
13	16	8	22	18	11	7	95	30	77	St. Marylebone ..	50	137	3	1	4	6	9	1	1	22
36	32	24	42	50	38	40	262	29	82	St. Pancras.. ..	32	123	3	2	3	9	10	3	1	31
21	14	21	23	35	22	32	168	28	84	Shoreditch	14	42	—	—	1	—	—	—	2	3
38	26	17	51	49	41	43	265	25	82	Southwark	59	147	3	2	3	4	2	4	2	20
35	38	27	62	71	75	73	381	24	90	Stepney	61	228	2	2	3	6	6	4	3	26
7	4	9	5	2	5	6	38	25	47	Stoke Newington ..	—	107	—	—	—	1	—	1	1	3
38	42	44	40	37	49	37	287	27	62	Wandsworth ..	52	135	3	6	3	4	5	6	4	31
14	20	10	13	21	15	12	105	32	77	Westminster ..	97	137	7	6	4	4	—	1	2	24
25	24	15	24	16	20	20	144	28	62	Woolwich	70	99	4	1	—	—	—	2	—	7

* Greater London consists of the City of London, the Metropolitan Boroughs and the Outer Ring. For the detailed constitution *see* Census of England and Wales, 1921, Preliminary Report, pp. 58, 59.(Cmd. 1485.)

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1929.

All Infants.										Area.	Illegitimate Infants.								
Deaths.								Deaths per 1,000 Live Births.			Deaths per 1,000 Live Births.		Deaths.						
Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 Year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
										COUNTY BOROUGHS.									
										ENGLAND.									
14	35	22	21	26	35	30	183	47	121	Barnsley	38	132	—	2	—	1	1	3	—	7
15	14	18	22	12	5	8	94	41	82	Barrow-in-Furness	53	79	1	—	1	1	—	—	—	3
30	30	25	41	46	41	41	254	29	48	Bath	39	118	2	—	—	2	—	1	1	6
226	181	143	186	209	192	194	1331	29	86	Birkenhead.. ..	104	200	4	6	2	2	1	4	4	23
								32	78	Birmingham ..	54	125	16	3	14	13	14	9	8	77
20	14	17	14	22	25	14	126	33	81	Blackburn	47	156	2	1	—	1	3	1	2	10
14	15	11	8	4	4	5	61	37	57	Blackpool	33	76	1	1	1	2	—	—	2	7
30	42	27	35	48	37	50	269	38	103	Bolton	96	170	2	3	4	3	—	1	3	16
14	20	23	18	29	16	18	138	34	83	Bootle	100	300	2	2	1	3	2	—	5	15
7	15	9	6	5	2	4	48	30	47	Bournemouth ..	95	108	2	2	3	—	1	—	—	8
54	48	47	51	43	47	51	341	34	78	Bradford	41	132	5	2	2	6	7	4	3	29
20	14	17	12	27	9	9	108	26	54	Brighton	46	118	3	2	2	4	6	1	—	18
55	69	63	61	38	44	34	364	31	60	Bristol	81	121	7	7	2	2	2	2	2	24
21	20	17	21	20	28	20	147	41	105	Burnley	41	68	1	2	—	1	1	—	—	5
2	13	9	7	4	2	2	39	29	47	Burton-upon-Trent	59	59	—	1	1	—	—	—	—	2
6	15	16	7	5	7	5	61	48	79	Bury	132	342	3	1	1	1	2	3	2	13
3	1	6	1	1	3	4	19	26	49	Canterbury.. ..	45	45	—	—	1	—	—	—	—	1
9	13	9	8	9	11	16	75	31	74	Carlisle	32	65	1	—	1	—	1	1	—	4
6	7	8	16	6	9	3	55	30	78	Chester	—	71	—	—	—	1	—	1	1	3
27	32	20	25	23	20	31	178	32	73	Coventry	63	88	1	4	—	2	—	—	—	7
27	33	27	42	39	34	16	218	26	64	Croydon	25	138	—	1	3	8	5	5	—	22
8	21	15	11	15	13	15	98	37	81	Darlington	66	115	2	1	1	1	1	1	—	7
5	29	27	39	25	23	14	172	29	71	Derby	40	121	2	1	1	2	4	2	—	12
7	10	16	14	9	10	10	76	41	95	Dewsbury	18	73	—	—	1	1	—	1	1	4
5	7	13	9	12	8	12	66	25	66	Doncaster	41	163	1	—	1	1	1	1	3	8
7	13	10	20	29	24	24	127	26	109	Dudley	—	31	—	—	—	—	—	1	—	1
8	3	2	7	6	4	4	34	20	53	Eastbourne.. ..	70	116	1	1	1	—	1	1	—	5
0	15	26	17	18	14	14	124	28	57	East Ham	42	83	1	—	1	1	—	1	—	4
5	13	7	9	8	6	4	52	26	53	Exeter	46	92	2	1	—	1	2	—	—	6
6	45	47	27	42	39	33	269	51	107	Gateshead	84	229	2	1	4	4	4	2	2	19
4	7	7	11	7	4	3	43	20	47	Gloucester	31	63	—	—	1	1	—	—	—	2
6	10	10	8	7	7	3	51	30	59	Gt. Yarmouth ..	39	78	1	—	1	1	—	—	1	4
2	24	20	28	25	20	19	148	33	88	Grimsby	85	154	2	6	2	3	3	—	2	18
0	24	12	20	12	12	10	100	35	76	Halifax	60	194	—	3	1	3	1	5	—	13
5	3	6	2	5	3	3	27	18	35	Hastings	78	78	1	1	2	—	—	—	—	4
6	24	12	18	16	19	12	117	36	81	Huddersfield ..	16	194	1	—	—	4	4	3	—	12
0	21	12	12	10	6	5	76	30	53	Ipswich	43	72	1	1	1	2	—	—	—	5
9	76	58	99	125	92	104	633	35	104	Kingston-upon-Hull	56	194	5	3	9	12	8	14	8	59
5	112	107	112	106	108	82	722	42	97	Leeds	87	214	12	12	12	19	16	12	6	89
5	38	44	49	56	40	35	298	31	80	Leicester	39	107	—	5	4	6	3	6	1	25
2	11	8	15	6	11	10	73	31	73	Lincoln	38	192	2	—	—	3	—	3	2	10
9	185	210	293	314	329	315	1826	30	97	Liverpool	46	182	15	16	8	34	26	26	28	153
3	164	167	191	235	187	170	1272	37	97	Manchester.. ..	74	189	15	10	25	22	29	15	12	128
2	27	43	50	55	56	49	312	33	100	Middlesbrough ..	44	101	2	1	4	3	1	4	1	16
3	78	70	60	52	58	59	437	41	85	Newcastle-on-Tyne	66	137	3	5	6	5	1	4	5	29
2	14	10	9	4	4	11	65	30	52	Northampton ..	33	83	2	—	—	1	—	—	2	5
2	17	20	30	24	15	20	149	30	75	Norwich	30	71	1	—	2	2	2	—	—	7
3	58	71	82	63	65	54	440	39	97	Nottingham ..	57	171	5	3	10	11	8	9	8	54
2	28	27	46	37	34	34	222	38	118	Oldham	66	189	3	2	3	7	4	2	2	23
2	16	8	10	9	5	9	65	31	64	Oxford	63	146	1	—	2	1	—	1	2	7
3	46	26	26	26	29	18	209	32	61	Plymouth	49	104	2	5	2	1	4	3	2	19
2	37	41	58	45	36	33	293	28	67	Portsmouth ..	28	99	2	1	4	7	6	4	1	25
2	36	29	31	32	28	26	206	45	105	Preston	71	131	2	3	2	1	2	1	2	13
2	16	13	13	10	6	7	74	26	51	Reading	26	79	1	—	1	2	2	—	—	6
2	23	17	9	8	8	15	100	46	77	Rochdale	80	102	1	4	2	2	—	—	—	9
2	22	19	24	13	13	11	119	43	87	Rotherham.. ..	48	48	1	—	1	—	—	—	—	2
2	30	35	34	41	37	45	257	44	114	St. Helens	34	103	—	—	2	2	1	—	1	6
3	56	62	86	77	81	80	490	42	124	Salford	78	235	4	1	7	8	9	4	3	36
3	122	106	104	88	83	107	694	39	87	Sheffield	78	169	9	10	5	8	9	4	7	52
2	15	20	17	17	19	16	121	34	80	Smethwick	63	156	—	2	—	1	1	1	—	5
2	31	33	33	25	19	27	199	30	64	Southampton ..	33	86	—	1	4	5	—	1	2	13
2	15	8	11	13	15	8	90	31	65	Southend-on-Sea ..	122	178	8	2	1	2	1	2	—	16
2	10	13	19	4	6	5	66	36	74	Southport	74	148	1	1	2	3	1	—	—	8
3	35	40	35	46	46	42	287	50	122	South Shields ..	67	146	3	—	3	2	2	3	—	13
2	35	24	21	19	22	13	154	47	91	Stockport	77	154	1	1	4	2	3	1	—	12
2	71	59	81	81	107	92	553	36	105	Stoke-on-Trent ..	76	182	5	9	4	6	7	6	6	43

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1929.

All Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Area.	Illegitimate Infants. Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Deaths. Under 1 day.	1–7 days.	1–4 weeks	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
										COUNTY BOROUGHS—*continued.*										
41	47	49	70	80	76	85	448	33	109	Sunderland.. ..	67	188	3	4	4	4	6	7	3	31
9	18	19	19	19	15	16	115	37	93	Tynemouth.. ..	113	132	2	2	2	1	—	—	—	7
14	11	17	14	14	8	18	96	43	98	Wakefield	82	122	2	—	2	1	—	—	1	6
9	15	12	10	11	7	6	70	26	50	Wallasey	71	71	2	2	1	—	—	—	—	5
28	23	27	32	35	25	28	198	39	100	Walsall	58	203	—	1	3	4	4	1	1	14
22	23	22	19	19	26	24	155	43	100	Warrington.. ..	51	169	2	—	1	3	1	1	2	10
18	25	20	34	27	27	28	179	37	106	West Bromwich ..	120	160	2	1	3	2	—	—	—	8
43	48	43	71	92	75	55	427	23	74	West Ham	52	133	5	2	2	6	5	2	1	23
8	20	30	18	35	21	34	166	40	114	West Hartlepool ..	49	131	—	1	2	2	2	1	—	8
29	27	20	23	21	39	40	199	49	129	Wigan	93	259	1	1	3	2	3	2	2	14
18	27	19	35	16	20	18	153	25	60	Wolverhampton ..	48	95	2	1	1	2	1	1	—	8
4	5	9	7	10	7	4	46	23	59	Worcester	50	125	—	1	1	1	1	1	—	5
13	22	14	27	16	12	14	118	33	79	York	90	225	5	2	1	4	6	2	—	20
										WALES.										
57	50	38	40	58	39	48	330	37	84	Cardiff	75	121	6	2	5	1	4	2	1	21
21	17	21	17	16	16	20	128	49	107	Merthyr Tydfil ..	29	118	1	—	—	—	—	3	—	4
21	22	18	18	14	10	16	119	36	70	Newport, Mon. ..	55	109	1	1	1	3	—	—	—	6
32	40	24	34	26	42	24	222	34	78	Swansea	105	221	3	5	2	6	1	4	—	21

ADMINISTRATIVE COUNTIES.

NOTE :—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.

										ENGLAND.											
17	16	13	25	7	12	8	98	24	51	Bedford ..	U.D.	38	128	1	1	1	4	1	—	2	10
12	20	7	8	5	7	5	64	32	52		R.D.	152	152	2	5	—	—	—	—	—	7
10	8	13	6	6	8	6	57	29	54	Berks ..	U.D.	129	171	4	2	3	1	—	—	2	12
19	33	26	24	14	11	18	145	37	69		R.D.	83	92	1	6	3	1	—	—	—	11
23	17	23	12	11	8	11	105	40	67	Bucks ..	U.D.	76	106	2	1	2	—	—	1	1	7
22	35	21	15	18	12	10	133	34	57		R.D.	76	124	1	4	3	2	1	1	1	13
8	7	10	4	—	1	4	34	35	48	Cambs ..	U.D.	38	38	1	1	—	—	—	—	—	2
17	11	3	5	3	6	2	47	30	45		R.D.	25	50	—	—	1	—	—	1	—	2
64	79	89	73	48	46	62	461	34	68	Cheshire ..	U.D.	67	123	5	7	5	4	3	2	5	31
24	33	25	34	24	17	18	175	27	58		R.D.	30	75	1	—	3	2	—	2	2	10
25	23	20	22	21	14	6	131	36	69	Cornwall ..	U.D.	102	176	5	4	2	4	3	1	—	19
31	44	16	22	14	10	13	150	36	59		R.D.	68	98	2	5	2	2	—	—	2	13
18	32	23	22	27	16	20	158	33	72	Cumberland	U.D.	54	92	—	4	3	2	3	—	—	12
20	27	15	20	12	11	12	117	41	78		R.D.	57	98	2	4	1	3	1	1	—	12
50	68	70	45	40	47	37	357	35	67	Derby ..	U.D.	47	99	4	4	3	3	3	4	2	23
50	64	47	60	47	44	34	346	32	68		R.D.	53	106	4	4	2	2	6	2	—	20
30	36	16	24	18	12	9	145	30	52	Devon ..	U.D.	54	87	3	4	1	2	2	1	—	13
33	34	30	34	24	14	11	180	30	55		R.D.	67	134	2	1	8	4	4	1	2	22
19	29	16	15	7	7	4	97	33	51	Dorset ..	U.D.	99	139	5	2	3	2	1	1	—	14
15	18	13	17	7	6	6	82	25	45		R.D.	47	47	1	2	1	—	—	—	—	4
124	151	132	153	151	144	123	978	38	92	Durham ..	U.D.	58	125	8	9	7	8	7	9	4	52
140	140	105	116	116	91	114	822	46	98		R.D.	63	152	5	6	10	7	14	3	6	51
10	11	11	12	7	5	7	63	41	81	Ely, I. of ..	U.D.	119	190	1	1	3	2	—	—	1	8
11	8	10	8	9	4	6	56	45	87		R.D.	70	116	1	1	1	2	—	—	—	5
118	118	124	114	87	86	90	737	26	53	Essex ..	U.D.	41	110	10	2	3	8	7	9	1	40
42	49	39	42	33	16	12	233	29	53		R.D.	39	88	5	—	2	3	3	3	—	16
15	26	12	16	12	11	3	95	35	62	Gloucester ..	U.D.	15	44	—	—	1	—	1	—	1	3
29	44	40	28	21	18	15	195	32	55		R.D.	93	130	6	5	4	3	2	—	1	21
8	12	15	4	5	4	7	55	54	86	Hereford ..	U.D.	106	170	2	1	2	—	1	—	2	8
6	18	14	12	5	7	5	67	34	59		R.D.	63	152	1	3	1	3	—	1	3	12
35	37	31	30	24	15	22	194	26	49	Hertford ..	U.D.	30	73	3	2	—	3	3	1	—	12
17	11	21	8	5	7	6	75	30	46		R.D.	53	67	3	—	1	—	—	—	1	5
3	12	4	7	7	—	1	34	41	73	Huntingdon	U.D.	115	154	—	2	1	—	1	—	—	4
3	9	3	6	1	2	1	25	31	52		R.D.	100	100	1	1	—	—	—	—	—	2
110	123	104	45	121	109	76	788	27	62	Kent ..	U.D.	39	98	13	1	9	16	11	3	5	58
40	57	45	44	34	39	32	291	28	57		R.D.	66	123	4	5	5	4	3	4	1	26
258	304	283	324	254	247	248	1918	39	88	Lancs ..	U.D.	76	141	24	15	24	14	15	14	11	117
36	52	43	40	28	24	20	243	35	65		R.D.	62	116	6	2	1	3	4	—	1	17
24	23	13	13	20	13	8	114	30	57	Leicester ..	U.D.	42	63	—	1	1	—	—	—	1	3
31	32	25	21	21	21	21	172	29	57		R.D.	73	113	3	4	2	1	2	2	—	14
8	7	9	5	5	4	7	45	31	57	Lincs, Holland	U.D.	102	102	1	—	4	—	—	—	—	5
12	10	7	7	8	10	11	65	31	68		R.D.	71	86	1	2	2	—	1	—	—	6
8	4	6	5	5	6	4	38	27	57	Lincs, Kesteven	U.D.	91	159	2	1	1	1	1	—	1	7
13	12	15	7	10	11	4	72	34	61		R.D.	41	55	1	1	1	—	1	—	—	4
19	26	28	24	18	17	13	145	35	69	Lincs, Lindsey	U.D.	83	158	4	4	3	6	2	2	—	21
19	29	28	25	17	13	20	151	32	63		R.D.	55	116	3	2	4	5	1	2	2	19
205	216	189	193	171	141	136	1,251	28	57	Middlesex ..	U.D.	55	111	26	10	13	22	14	7	7	99
12	14	9	9	8	7	2	61	29	50		R.D.	38	58	2	—	—	1	—	—	—	3
8	6	10	9	8	6	9	56	29	67	Norfolk ..	U.D.	94	141	2	1	3	1	1	1	—	9
42	38	55	37	25	22	23	242	33	59		R.D.	76	114	9	5	6	1	4	4	1	30

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1929.

All Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Area.		Illegitimate Infants. Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
ADMINISTRATIVE COUNTIES—*continued.*																					
22	21	10	8	8	6	5	80	38	57	Northants ..	U.D.	117	167	4	1	2	1	1	—	1	10
14	19	19	16	12	4	7	91	30	53		R.D.	63	88	3	1	1	1	—	1	—	7
68	65	78	63	57	82	60	473	39	88	North'berland	U.D.	73	143	7	5	7	5	4	6	3	37
14	16	19	9	11	9	6	84	33	56		R.D.	55	101	2	2	2	1	2	2	—	11
59	64	45	52	65	36	39	360	37	79	Notts ..	U.D.	51	128	5	2	3	7	8	—	—	25
39	37	34	29	24	23	28	214	37	72		R.D.	98	128	5	3	5	—	1	3	—	17
6	4	5	3	5	4	3	30	27	55	Oxford ..	U.D.	161	226	4	—	1	2	—	—	—	7
10	18	10	12	5	6	14	75	26	50		R.D.	27	68	—	2	—	1	1	—	1	5
14	9	6	2	4	2	2	39	45	61	Peterborough,	U.D.	34	69	—	1	—	—	1	—	—	2
1	2	1	2	1	—	1	8	22	45	Soke of	R.D.	143	143	1	—	—	—	—	—	—	1
—	—	—	—	—	2	1	3	—	67	Rutland ..	U.D.	—	—	—	—	—	—	—	—	—	—
3	4	3	2	1	3	3	19	46	88		R.D.	—	154	—	—	—	1	—	1	—	2
16	27	22	22	15	17	12	131	35	70	Salop ..	U.D.	78	129	3	3	3	2	2	1	1	15
29	41	19	16	12	13	9	139	40	62		R.D.	66	78	4	6	1	1	1	—	—	13
25	25	14	18	9	10	7	108	29	48	Somerset ..	U.D.	88	118	5	3	1	2	1	—	—	12
29	25	37	26	18	17	14	166	26	48		R.D.	33	72	—	3	2	1	1	2	2	11
38	38	32	37	22	25	19	211	31	60	Southants. ..	U.D.	21	107	—	1	2	4	3	4	1	15
36	42	39	33	24	20	19	213	28	52		R.D.	47	75	4	3	3	2	4	—	—	16
91	110	114	95	115	150	131	806	33	85	Staffs ..	U.D.	46	106	5	4	4	5	5	4	3	30
54	34	30	39	25	35	20	237	32	64		R.D.	66	102	6	2	3	3	—	3	—	17
12	10	14	12	7	6	7	68	27	51	Suffolk, East	U.D.	35	88	1	—	1	—	—	3	—	5
15	21	23	11	9	4	9	92	30	47		R.D.	86	114	4	2	3	1	1	—	1	12
7	6	3	5	1	1	2	25	28	44	Suffolk, West	U.D.	45	91	—	1	—	—	1	—	—	2
10	16	12	5	5	4	3	55	38	55		R.D.	33	67	1	—	1	1	—	1	—	4
95	81	81	91	67	45	55	515	26	51	Surrey ..	U.D.	55	87	13	5	7	5	7	3	—	40
20	24	21	13	12	10	10	110	27	46		R.D.	78	94	4	5	1	1	—	—	1	12
20	21	20	11	10	1	4	87	37	52	Sussex, East	U.D.	54	97	3	1	1	3	—	—	1	9
13	22	13	16	9	9	4	86	27	49		R.D.	11	33	1	—	—	—	1	1	—	3
7	12	7	13	7	12	6	64	19	46	Sussex, West	U.D.	32	127	2	—	—	2	—	4	—	8
11	11	12	14	10	12	7	77	22	51		R.D.	81	122	2	1	3	—	2	1	—	9
28	34	24	14	16	13	17	146	33	56	Warwick ..	U.D.	78	78	1	4	3	—	—	—	—	8
24	35	45	31	28	28	15	206	32	64		R.D.	41	91	1	4	—	2	2	2	—	11
1	2	6	1	4	8	2	24	23	62	Westmorland	U.D.	—	56	—	—	—	1	—	—	—	1
—	4	6	5	4	4	5	28	18	49		R.D.	22	44	—	—	1	1	—	—	—	2
3	9	9	2	7	3	4	37	28	49	Wight, I. of	U.D.	—	—	—	—	—	—	—	—	—	—
2	1	3	3	1	2	2	14	16	37		R.D.	—	53	—	—	—	1	—	—	—	1
21	12	12	15	17	11	9	97	23	49	Wilts ..	U.D.	36	84	1	1	1	2	—	—	2	7
21	34	18	31	11	21	19	155	28	59		R.D.	71	89	3	3	2	2	—	—	—	10
34	49	33	46	25	35	32	254	35	77	Worcester ..	U.D.	43	103	2	3	—	4	1	1	1	12
20	27	12	14	9	9	7	98	36	60		R.D.	67	89	2	4	—	1	1	—	—	8
11	10	8	9	10	9	3	60	26	54	Yorks, E.R.	U.D.	52	104	2	2	—	3	—	1	—	8
16	25	16	19	6	16	7	105	33	61		R.D.	28	75	2	1	—	3	1	—	1	8
10	47	35	46	48	33	38	277	35	86	Yorks, N.R.	U.D.	45	97	1	5	1	3	3	1	1	15
7	36	28	11	17	13	13	135	36	61		R.D.	54	87	1	5	2	2	3	—	—	13
9	242	237	228	211	185	212	1504	39	88	Yorks, W.R.	U.D.	52	108	9	12	13	14	10	8	5	71
6	119	109	135	109	110	92	760	37	90		R.D.	86	156	10	16	7	5	6	5	11	60
										WALES.											
3	2	5	—	5	2	3	20	37	74	Anglesey ..	U.D.	120	120	2	—	1	—	—	—	—	3
5	8	9	8	9	2	7	48	44	96		R.D.	78	118	1	1	2	2	—	—	—	6
—	3	3	2	2	6	2	18	22	65	Brecon ..	U.D.	143	214	—	1	1	—	—	1	—	3
8	12	12	11	4	4	2	53	46	77		R.D.	150	150	3	1	2	—	—	—	—	6
3	12	10	12	12	12	9	70	29	82	Caernarvon..	U.D.	20	143	—	—	1	1	1	2	2	7
9	10	13	15	10	8	8	73	37	84		R.D.	56	111	1	1	1	1	—	2	—	6
—	3	—	2	2	—	—	7	16	37	Cardigan ..	U.D.	59	59	—	1	—	—	—	—	—	1
3	5	8	6	9	3	1	35	31	67		R.D.	22	22	—	1	—	—	—	—	—	1
1	19	14	10	12	8	8	82	38	70	Carmarthen	U.D.	—	48	—	—	—	1	1	—	—	2
3	28	23	22	27	9	9	151	49	87		R.D.	86	97	—	4	4	—	1	—	—	9
5	11	6	8	6	4	4	45	29	57	Denbigh ..	U.D.	20	40	—	1	—	—	1	—	—	2
5	20	30	21	16	12	10	132	43	78		R.D.	21	53	—	—	2	2	—	—	1	5
1	7	10	8	—	5	5	39	27	50	Flint ..	U.D.	29	88	1	—	—	2	—	—	—	3
1	21	18	19	12	9	7	95	43	85		R.D.	78	176	1	1	2	2	1	1	1	9
1	153	117	129	90	99	102	832	40	81	Glamorgan ..	U.D.	58	113	10	6	7	4	7	1	10	45
1	56	53	36	28	42	17	281	44	78		R.D.	89	144	6	3	4	3	2	1	2	21
1	3	—	5	6	1	4	22	20	73	Merioneth ..	U.D.	—	80	—	—	—	—	2	—	—	2
1	—	5	3	6	3	4	23	19	63		R.D.	65	97	—	—	2	1	—	—	—	3
1	69	53	53	55	44	44	381	33	69	Monmouth ..	U.D.	57	119	7	3	1	4	3	2	3	23
1	7	14	11	6	5	6	54	30	63		R.D.	81	162	—	—	3	1	—	1	1	6
1	5	2	—	—	—	1	9	31	35	Montgomery	U.D.	71	143	1	—	—	—	—	—	1	2
1	6	10	2	5	2	3	38	50	73		R.D.	103	103	3	—	1	—	—	—	—	4
1	7	8	3	4	3	3	37	38	59	Pembroke ..	U.D.	28	83	—	1	—	1	—	—	1	3
1	10	5	18	6	8	4	60	31	76		R.D.	48	71	1	—	1	—	—	1	—	3
1	—	—	—	—	—	—	1	14	14	Radnor ..	U.D.	—	—	—	—	—	—	—	—	—	—
1	4	1	5	1	—	—	15	33	54		R.D.	59	88	—	2	—	1	—	—	—	3

TABLE 14.—Population, Births, Deaths, Infant Mortality, Natural Increase, 1929.—Counties, County Boroughs, Municipal Boroughs and Urban Districts, Rural Districts.

NOTE.—The estimates of population shown in the following table have been based primarily on the 1921 Census returns (*See* Section "Population" in Text). In the case of districts marked with an *, changes in boundaries have occurred during the year, and the populations have been adjusted in order to make them comparable with the records of births and deaths. Particulars of the changes of boundary will be found in Table AA., Part II. The births and deaths exclude stillbirths. Deaths are transferred to the area of residence of the deceased person; births occurring away from home have been transferred to the area of residence of the parents. Deaths of non-civilians have been excluded from local areas throughout this table, the districts in which this exclusion appreciably affects the rates being referred to in footnotes.

Area.	Estimated Population (Middle 1929).	Births. Legitimate. M.	Births. Legitimate. F.	Births. Illegitimate. M.	Births. Illegitimate. F.	Births. Total.	Births. Crude Rate per 1,000 Total Population.	Deaths. M.	Deaths. F.	Deaths. Total.	Deaths. Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
‖ALL AREAS:														
England & Wales.	39,607,000	313,836	300,530	14,806	14,501	643,673	16·3	269,903	262,589	532,492§	13·4	47,868	74	2·9
North ..	13,140,120	108,343	103,603	5,016	4,923	221,885	16·9	95,952	91,660	187,612	14·3†	20,016	90	2·6
Midlands..	12,872,450	103,700	99,000	4,528	4,510	211,738	16·4	83,287	80,975	164,262	12·8†	14,111	67	3·6
South‡ ..	10,917,330	80,076	77,067	4,278	4,034	165,455	15·2	72,599	74,000	146,599	13·6†	10,321	62	1·6
Wales ..	2,677,100	21,717	20,860	984	1,034	44,595	16·7	17,584	15,954	33,538	12·5†	3,420	77	4·2
London ..	4,430,000	33,897	32,665	1,809	1,718	70,089	15·8	31,836	31,053	62,889	14·2†	4,995	71	1·6
COUNTY BORO'S:														
England & Wales.	13,281,820*	109,918	105,531	5,166	5,043	225,658	17·0	96,893	93,557	190,450	14·4†	19,323	86	2·6
North ..	7,006,410*	59,632	56,924	2,844	2,772	122,172	17·4	54,094	51,315	105,409	15·1†	11,694	96	2·3
Midlands..	4,226,990*	34,897	33,609	1,510	1,446	71,462	16·9	29,289	28,347	57,636	13·6†	5,510	77	3·3
South ..	1,487,500	10,656	10,428	644	636	22,364	15·0	9,735	10,440	20,175	13·9†	1,320	59	1·1
Wales ..	560,920	4,733	4,570	168	189	9,660	17·2	3,775	3,455	7,230	12·9†	799	83	4·3
OTHER URBAN DISTRICTS:														
England & Wales.	13,836,750*	106,431	102,007	4,553	4,527	217,518	15·7	88,581	88,602	177,183	12·9†	15,116	69	2·8
North ..	4,337,570*	33,581	32,269	1,390	1,402	68,642	15·8	30,221	29,920	60,141	13·9†	5,853	85	1·9
Midlands..	5,307,810*	42,022	40,166	1,685	1,697	85,570	16·1	32,329	31,848	64,177	12·1†	5,363	63	4·0
South ..	2,908,710*	20,426	19,468	1,041	961	41,896	14·4	17,760	19,524	37,284	13·0†	2,337	56	1·4
Wales ..	1,282,660	10,402	10,104	437	467	21,410	16·7	8,271	7,310	15,581	12·2†	1,563	73	4·5
RURAL DISTS.:														
England & Wales.	8,058,430*	63,590	60,327	3,278	3,213	130,408	16·2	52,112	49,377	101,489	12·7†	8,434	65	3·5
North ..	1,796,140*	15,130	14,410	782	749	31,071	17·3	11,637	10,425	22,062	12·3†	2,469	79	5·0
Midlands..	3,337,650*	26,781	25,225	1,333	1,367	54,706	16·4	21,669	20,780	42,449	12·8†	3,238	59	3·6
South ..	2,091,120*	15,097	14,506	784	719	31,106	14·9	13,268	12,983	26,251	12·7†	1,669	54	2·2
Wales ..	833,520*	6,582	6,186	379	378	13,525	16·2	5,538	5,189	10,727	12·9†	1.058	78	3·3

† Death-rates based upon estimated civilian populations as follows:—All Areas—North, 13,129,190; Midlands, 12,846,530; South, 10,792,460; Wales, 2,674,820. London, 4,417,900. County Boroughs—England and Wales, 13,239,810*; North, 7,002,780*; Midlands, 4,225,370*; South, 1,451,180; Wales, 560,480. Other Urban Districts—England and Wales, 13,773,830*; North, 4,335,940*; Midlands, 5,297,630*; South, 2,858,680*; Wales, 1,281,580; Rural Districts—England and Wales, 8,011,460*; North, 1,790,470*; Midlands, 3,323,530*; South, 2,064,700*; Wales, 832,760.

* Populations adjusted to allow for changes in boundary during the year. The mid-year populations after the changes are as follows:—County Boroughs—England and Wales, 13,285,360 (Total), 13,243,300 (Civilian); North, 7,006,630 (Total), 7,003,000 (Civilian); Midlands, 4,230,310 (Total), 4,228,640 (Civilian). Other Urban Districts—England and Wales, 13,862,500 (Total), 13,799,550 (Civilian); North, 4,337,900 (Total), 4,336,270 (Civilian); Midlands, 5,326,890 (Total), 5,316,680 (Civilian); South, 2,915,050 (Total), 2,865,020 (Civilian). Rural Districts—England and Wales, 8,029,140 (Total), 7,982,250 (Civilian); North, 1,795,590 (Total), 1,789,920 (Civilian); Midlands, 3,315,250 (Total), 3,301,210 (Civilian); South, 2,084,780 (Total), 2,058,360 (Civilian).

‡ Including London.

§ Including 481 deaths of non-civilians.

‖ The counties in the four areas: North, Midlands, South and Wales, are as follows:—

North.	Midlands.		South.	Wales.
Cheshire.	Middlesex.	Gloucestershire.	London.	Monmouthshire.
Lancashire.	Hertfordshire.	Herefordshire.	Surrey.	Glamorganshire.
Yorks, West Riding.	Buckinghamshire.	Shropshire.	Kent.	Carmarthenshire.
,, East Riding.	Oxfordshire.	Staffordshire.	Sussex, East.	Pembrokeshire.
,, North Riding.	Northamptonshire.	Worcestershire.	,, West.	Cardiganshire.
Durham.	Soke of Peterborough.	Warwickshire.	Southampton.	Brecknockshire.
Northumberland.	Huntingdonshire.	Leicestershire.	Isle of Wight.	Radnorshire.
Cumberland.	Bedfordshire.	Rutlandshire.	Berkshire.	Montgomeryshire.
Westmorland.	Cambridgeshire.	Lincolnshire.	Wiltshire.	Flintshire.
	Isle of Ely.	Parts of Holland.	Dorsetshire.	Denbighshire.
	Essex.	,, Kesteven.	Devonshire.	Merionethshire.
	Suffolk, East.	,, Lindsey.	Cornwall.	Caernarvonshire.
	,, West.	Nottinghamshire.	Somersetshire.	Anglesey.
	Norfolk.	Derbyshire.		

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND (excluding Monmouth.)														
BEDFORDSHIRE: ADMINISTRATIVE COUNTY.	215,380	1,579	1,459	72	52	3,162	14·7	1,342	1,459	2,801	13·1†	162	51	1·6
URBAN DISTRICTS	138,810	956	892	44	34	1,926	13·9	818	940	1,758	12·7†	98	51	1·2
Ampthill ..	2,217	14	5	—	—	19	8·6	21	27	48	21·7	2	105	−13·1
Bedford M.B...	41,470	265	236	18	12	531	12·8	233	280	513	12·4	23	43	0·4
Biggleswade ..	6,076	37	53	—	—	90	14·8	28	39	67	11·0	2	22	3·8
Dunstable M.B.	8,849	45	50	3	2	100	11·3	81	74	155	17·5	9	90	−6·2
Kempston ..	5,268	45	32	3	—	80	15·2	35	40	75	14·8†	5	63	0·4
Leighton Buzzard.	6,474	47	50	1	2	100	15·4	43	54	97	15·0	8	80	0·4
Luton M.B ..	65,200	487	440	16	16	959	14·7	357	407	764	11·7	45	47	3·0
Sandy ..	3,256	16	26	3	2	47	14·4	20	19	39	12·0	4	85	2·4
RURAL DISTRICTS	76,570	623	567	28	18	1,236	16·1	524	519	1,043	13·9†	64	52	2·2
Ampthill ..	19,250	159	145	6	6	316	16·4	153	140	293	15·2	17	54	1·2
Bedford	20,540	148	157	9	6	320	15·6	128	145	273	13·3	18	56	2·3
Biggleswade ..	20,360	154	147	9	5	315	15·5	128	140	268	14·3†	12	38	1·2
Eaton Bray ..	3,779	36	28	—	—	64	16·9	24	19	43	11·4	3	47	5·5
Eaton Socon ..	3,247	25	27	1	1	54	16·6	26	18	44	13·6	2	37	3·0
Luton	9,394	101	63	3	—	167	17·8	65	57	122	13·0	12	72	4·8
BERKSHIRE:														
COUNTY BORO':														
Reading	97,050	666	704	40	36	1,446	14·9	674	704	1,378	14·2†	74	51	0·7
ADMINISTRATIVE COUNTY.	216,530	1,523	1,442	98	92	3,155	14·6	1,419	1,492	2,911	13·6†	202	64	1·0
URBAN DISTRICTS	72,450	511	474	37	33	1,055	14·6	469	543	1,012	14·2†	57	54	0·4
Abingdon M.B.	7,431	54	48	3	2	107	14·4	48	54	102	13·7	4	37	0.7
Maidenhead M.B.	17,530	112	108	14	8	242	13·8	102	118	220	12·5	14	58	1·3
Newbury M.B.	13,760	84	87	8	7	186	13·5	104	113	217	15·8	14	75	−2·3
New Windsor M.B.	19,700	177	160	8	12	357	18·1	117	152	269	14·3†	16	45	3·8
Wallingford M.B.	2,831	16	14	1	1	32	11·3	18	22	40	14·1	3	94	−2·8
Wantage ..	3,950	15	16	—	—	31	7·8	16	26	42	10·6	3	97	−2·8
Wokingham M.B.	7,248	53	41	3	3	100	13·8	64	58	122	16·8	3	30	−3·0
RURAL DISTRICTS	144,080	1,012	968	61	59	2,100	14·6	950	949	1,899	13·3†	145	69	1·3
Abingdon ..	12,220	97	93	2	7	199	16·3	79	76	155	12·7	16	80	3·6
Bradfield.. ..	14,540	103	84	5	9	201	13·8	112	92	204	14·0	16	80	−0·2
Cookham ..	15,120	90	114	9	9	222	14·7	102	123	225	14·9	11	50	−0·2
Easthampstead	19,040	121	119	10	10	260	13·7	134	120	254	13·9†	18	69	−0·2
Faringdon (part of)‡	10,100	73	68	4	2	147	14·6	63	77	140	13·9	12	82	0·7
Hungerford ..	9,048	63	70	6	5	144	15·9	73	52	125	13·8	11	76	2·1
Newbury.. ..	11,810	77	73	8	1	159	13·5	74	96	170	14·4	14	88	−0·9
Wallingford ..	9,632	83	55	3	2	143	14·8	55	44	99	10·5†	6	42	4·3
Wantage.. ..	12,490	91	89	5	5	190	15·2	76	87	163	13·1	14	74	2·1
Windsor	10,160	73	67	3	2	145	14·3	52	59	111	10·9	7	48	3·4
Wokingham ..	19,920	141	136	6	7	290	14·6	130	123	253	12·7	20	69	1·9

† Death-rates based upon estimated civilian populations as follows:—Bedfordshire—Administrative County, 213,610; Urban Districts, 138,600; Kempston U.D., 5,058; Rural Districts, 75,010; Biggleswade R.D., 18,800; Berkshire—Reading C.B., 96,850; Administrative County, 214,620; Urban Districts, 71,520; New Windsor M.B., 18,770. Rural Districts, 143,100; Easthampstead R.D., 18,240; Wallingford R.D., 9,452.

‡ The remainder of Faringdon Rural District is in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKINGHAMSHIRE ADMINISTRATIVE COUNTY.	261,170	1,878	1,852	87	84	3,901	14·9	1,653	1,597	3,250	12·6†	238	61	2·3
URBAN DISTRICTS.	108,800	749	761	29	37	1,576	14·5	662	649	1,311	12·0	105	67	2·5
Aylesbury M.B.	12,890	98	85	4	3	190	14·7	81	91	172	13·3	17	89	1·4
Beaconsfield ..	4,438	32	30	1	1	64	14·4	25	23	48	10·8	4	63	3·6
Bletchley ..	6,193	33	40	4	3	80	12·9	41	39	80	12·9	6	75	—
Buckingham M.B.	2,999	15	15	3	—	33	11·0	28	21	49	16·3	2	61	—5·3
Chepping Wycombe M.B.	26,450	197	207	9	9	422	16·0	151	145	296	11·2	22	52	4·8
Chesham	9,013	66	59	1	3	129	14·3	61	50	111	12·3	15	116	2·0
Eton	3,325	14	14	—	—	28	8·4	17	5	22	6·6	2	71	1·8
Linslade	2,318	10	16	2	—	28	12·1	13	18	31	13·4	1	36	—1·3
Marlow	5,183	32	46	1	1	80	15·4	25	41	66	12·7	6	75	2·7
Newport Pagnell.	3,911	27	30	—	3	60	15·3	21	17	38	9·7	1	17	5·6
Slough	18,500	139	145	4	14	302	16·3	126	118	244	13·2	19	63	3·1
Wolverton ..	13,580	86	74	—	—	160	11·8	73	81	154	11·3	10	63	0·5
RURAL DISTRICTS.	152,370	1,129	1,091	58	47	2,325	15·3	991	948	1,939	13·0†	133	57	2·3
Amersham ..	27,270	188	199	8	4	399	14·6	165	155	320	11·7	22	55	2·9
Aylesbury ..	22,290	158	135	10	9	312	14·0	145	98	243	13·0†	22	71	1·0
Buckingham ..	7,486	53	46	3	1	103	13·8	47	49	96	12·8	4	39	1·0
Eton	37,070	316	316	11	13	656	17·7	237	245	482	13·0	44	67	4·7
Hambleden ..	1,948	15	8	1	—	24	12·3	10	9	19	9·8	1	42	2·5
Long Crendon..	3,846	34	28	—	3	65	16·9	32	26	58	15·1	3	46	1·8
Newport Pagnell.	14,160	87	79	6	5	177	12·5	94	100	194	13·7	8	45	—1·2
Wing	5,442	41	42	4	4	91	16·7	52	41	93	17·1	6	66	—0·4
Winslow	6,168	34	30	1	1	66	10·7	38	48	86	13·9	3	45	—3·2
Wycombe ..	26,690	203	208	14	7	432	16·2	171	177	348	13·0	20	46	3·2
CAMBRIDGESHIRE: ADMINISTRATIVE COUNTY	133,540	852	819	40	52	1,763	13·2	878	919	1,797	13·5†	81	46	—0·3
URBAN DISTRICT: Cambridge M.B.	60,730	334	329	20	32	715	11·8	361	390	751	12·4	34	48	—0·6
RURAL DISTRICTS.	72,810	518	490	20	20	1,048	14·4	517	529	1,046	14·4†	47	45	—
Caxton and Arrington.	7,569	44	50	2	—	96	12·7	64	51	115	15·2	2	21	—2·5
Chesterton ..	25,760	199	163	8	7	377	14·6	193	179	372	14·4	17	45	0·2
Linton	9,823	65	75	3	3	146	14·9	67	79	146	15·2†	9	62	—0·3
Melbourn ..	8,088	49	47	5	1	102	12·6	50	46	96	11·9	3	29	0·7
Newmarket ..	19,040	149	147	2	8	306	16·1	124	156	280	14·7	16	52	1·4
Swavesey ..	2,530	12	8	—	1	21	8·3	19	18	37	14·6	—	—	—6·3
CHESHIRE:														
COUNTY BORO'S	427,450	3,308	3,149	151	154	6,762	15·8	2,922	2,871	5,793	13·6	533	79	2·2
Birkenhead ..	157,600	1,456	1,387	54	61	2,958	18·8	1,162	1,023	2,185	13·9	254	86	4·9
Chester	40,750	333	332	19	23	707	17·3	306	320	626	15·4	55	78	1·9
Stockport ..	127,800	800	819	37	41	1,697	13·3	870	900	1,770	13·8	154	91	—0·5
Wallasey	101,300	719	611	41	29	1,400	13·8	584	628	1,212	12·0	70	50	1·8

† Death-rates based upon estimated civilian populations as follows:—Buckinghamshire—Administrative County, 257,600; Rural Districts, 148,800; Aylesbury R.D., 18,720; Cambridgeshire—Administrative County, 133,310; Rural Districts, 72,580; Linton R.D. 9,593.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—*cont.*														
ADMINISTRATIVE COUNTY.	668,960	4,845	4,564	191	194	9,794	14·6	4,274	4,200	8,474	12·7†	636	65	1·9
URBAN DISTRICTS	460,800	3,354	3,168	123	129	6,774	14·7	3,041	3,039	6,080	13·2	461	68	1·5
Alderley Edge	3,100	13	13	—	1	27	8·7	16	22	38	12·3	2	74	−3·6
Alsager	2,858	12	11	2	—	25	8·7	26	27	53	18·5	2	80	−9·8
Altrincham ..	21,620	165	160	10	5	340	15·7	144	139	283	13·1	10	29	2·6
Ashton-upon-Mersey.	8,375	47	50	1	4	102	12·2	43	39	82	9·8	5	49	2·4
Bebington and Bromborough	24,900	230	217	6	7	460	18·5	108	130	238	9·6	25	54	8·9
Bollington ..	5,297	32	29	1	—	62	11·7	33	35	68	12·8	4	65	−1·1
Bowdon	3,047	12	15	1	—	28	9·2	18	29	47	15·4	1	36	−6·2
Bredbury and Romiley.	10,310	60	65	—	3	128	12·4	70	58	128	12·4	13	102	—
Buglawton ..	1,779	17	19	1	—	37	20·8	11	14	25	14·1	5	135	6·7
Cheadle and Gatley.	16,180	123	93	3	2	221	13·7	87	93	180	11·1	13	59	2·6
Compstall ..	895	7	7	—	—	14	15·6	5	3	8	8·9	—	—	6·7
Congleton M.B.	12,120	93	88	3	4	188	15·5	97	87	184	15·2	15	80	0·3
Crewe M.B. ..	47,900	318	326	18	14	676	14·1	293	292	585	12·2	60	89	1·9
Dukinfield M.B.	19,470	138	136	11	6	291	14·9	164	153	317	16·3	16	55	−1·4
Ellesmere Port and Whitby.	17,360	221	190	7	8	426	24·5	96	78	174	10·0	28	66	14·5
Hale	10,120	51	39	4	—	94	9·3	58	62	120	11·9	9	96	−2·6
Handforth ..	1,091	11	7	1	1	20	18·3	2	9	11	10·1	1	50	8·2
Hazel Grove and Bramhall.	12,350	72	69	2	4	147	11·9	77	63	140	11·3	9	61	0·6
Hollingworth ..	2,377	11	20	1	1	33	13·9	20	25	45	18·9	3	91	−5·0
Hoole	5,764	36	50	1	—	87	15·1	30	26	56	9·7	6	69	5·4
Hoylake and West Kirby	17,610	85	74	—	5	164	9·3	84	120	204	11·6	8	49	−2·3
Hyde M.B. ..	32,550	193	157	7	9	366	11·2	255	242	497	15·3	34	93	−4·1
Knutsford ..	5,148	45	28	—	2	75	14·6	33	39	72	14·0	3	40	0·6
Lymm	5,746	39	29	3	3	74	12·9	25	41	66	11·5	7	95	1·4
Macclesfield M.B.	34,460	223	233	11	11	478	13·9	279	273	552	16·0	37	77	−2·1
Marple	7,051	47	47	2	2	98	13·9	47	54	101	14·3	3	31	−0·4
Middlewich ..	5,677	48	49	1	1	99	17·4	41	22	63	11·1	3	30	6·3
Mottram-in-Longdendale.	2,796	16	11	—	—	27	9·7	15	25	40	14·3	1	37	−4·6
Nantwich ..	7,037	63	42	2	1	108	15·3	54	50	104	14·8	4	37	0·5
Neston and Parkgate	5,742	59	50	—	—	109	19·0	23	35	58	10·1	3	28	8·9
Northwich ..	18,830	156	168	1	6	331	17·6	141	109	250	13·3	31	94	4·3
Runcorn	18,570	179	183	3	3	368	19·8	141	109	250	13·5	29	79	6·3
Sale	16,880	137	122	6	8	273	16·2	93	130	223	13·2	16	59	3·0
Sandbach ..	6,186	53	40	2	1	96	15·5	45	34	79	12·8	8	83	2·7
Stalybridge M.B.	24,810	162	166	7	11	346	13·9	195	208	403	16·2	28	81	−2·3
Tarporley ..	2,454	19	16	2	—	37	15·1	18	20	38	15·5	3	81	−0·4
Wilmslow ..	9,445	59	56	1	3	119	12·6	61	63	124	13·1	3	25	−0·5
Winsford.. ..	11,230	90	80	2	2	174	15·5	81	71	152	13·5	11	63	2·0
Yeardsley-cum-Whaley	1,665	12	13	—	1	26	15·6	12	10	22	13·2	2	77	2·4

† Death-rate based upon estimated civilian population of 668,700.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—*cont.*														
RURAL DISTRICTS	208,160	1,491	1,396	68	65	3,020	14·5	1,233	1,161	2,394	11·5†	175	58	3·0
Bucklow.. ..	25,010	160	158	7	3	328	13·1	146	139	285	11·4	14	43	1·7
Chester	15,640	102	103	4	3	212	13·6	76	84	160	10·4†	16	75	3·2
Congleton ..	13,200	87	104	5	5	201	15·2	96	82	178	13·5	14	70	1·7
Disley	3,156	17	12	—	—	29	9·2	22	14	36	11·4	2	69	—2·2
Macclesfield ..	19,460	125	107	4	5	241	12·4	138	114	252	12·9	13	54	—0·5
Malpas	4,468	41	23	1	2	67	15·0	23	22	45	10·1	—	—	4·9
Nantwich ..	26,560	190	196	10	13	409	15·4	155	143	298	11·2	30	73	4·2
Northwich ..	26,380	226	201	8	9	444	16·8	160	165	325	12·3	27	61	4·5
Runcorn.. ..	30,940	235	186	13	10	444	14·4	184	152	336	10·9	23	52	3·5
Tarvin	13,470	118	100	6	8	232	17·2	88	87	175	13·0	13	56	4·2
Tintwistle ..	2,076	13	15	1	—	29	14·0	18	20	38	18·3	2	69	—4·3
Wirral	27,800	177	191	9	7	384	13·8	127	139	266	9·6	21	55	4·2
CORNWALL:														
ADMINISTRATIVE COUNTY.	317,710	2,111	2,087	135	106	4,439	14·0	2,078	2,425	4,503	14·2†	281	63	—0·2
URBAN DISTRICTS	141,810	933	871	58	50	1,912	13·5	926	1,166	2,092	14·8†	131	69	—1·3
Bodmin M.B. ..	5,182	29	29	—	8	66	12·7	24	48	72	14·5†	3	45	—1·8
Callington ..	1,830	8	14	2	—	24	13·1	18	22	40	21·9	4	167	—8·8
Camborne ..	14,540	100	77	14	5	196	13·5	96	139	235	16·2	19	97	—2·7
Falmouth M.B.	13,220	96	70	4	4	174	13·2	89	102	191	14·4	9	52	—1·2
Fowey M.B. ..	2,065	15	12	1	—	28	13·6	16	13	29	14·0	1	36	—0·4
Hayle	929	9	10	—	2	21	22·6	9	10	19	20·5	3	143	2·1
Helston M.B. ..	2,582	17	15	2	—	34	13·2	18	24	42	16·3	4	118	—3·1
Launceston M.B.	3,997	20	24	—	—	44	11·0	26	27	53	13·3	2	45	—2·3
Liskeard M.B.	4,185	27	20	2	2	51	12·2	25	43	68	16·2	1	20	—4·0
Looe	2,857	16	15	—	—	31	10·9	19	16	35	12·3	1	32	—1·4
Lostwithiel M.B.	1,299	7	7	—	1	15	11·5	12	18	30	23·1	2	133	—11·6
Ludgvan.. ..	1,858	16	11	1	1	29	15·6	8	17	25	13·5	3	103	2·1
Madron	3,413	16	12	—	—	28	8·2	16	31	47	13·8	1	36	—5·6
Newquay ..	5,804	25	31	2	4	62	10·7	26	43	69	11·9	1	16	—1·2
Padstow	1,660	12	22	—	—	34	20·5	12	11	23	13·9	1	29	6·6
Paul	5,421	47	42	1	—	90	16·6	43	36	79	14·6	6	67	2·0
Penryn M.B. ..	3,137	26	27	2	1	56	17·9	19	19	38	12·1	8	143	5·8
Penzance M.B.	11,410	52	54	7	2	115	10·1	90	90	180	15·8	6	52	—5·7
Phillack	3,208	16	21	3	2	42	13·1	22	30	52	16·2	4	95	—3·1
Redruth	9,032	65	71	4	5	145	16·1	81	88	169	18·7	14	97	—2·6
St. Austell ..	8,215	68	52	1	3	124	15·1	46	65	111	13·5	9	73	1·6
St. Ives M.B. ..	6,625	55	42	1	1	99	14·9	42	45	87	13·1	8	81	1·8
St. Just	4,970	35	40	—	2	77	15·5	39	38	77	15·5	5	65	—
Saltash M.B. ..	3,510	32	18	3	2	55	15·7	27	28	55	15·7	2	36	—
Stratton and Bude.	3,630	17	21	—	2	40	11·0	15	29	44	12·1	1	25	—1·1
Torpoint.. ..	4,175	29	18	—	—	47	11·3	19	23	42	10·1	2	43	1·2
Truro M.B. ..	10,630	63	83	8	3	157	14·8	51	87	138	13·0	9	57	1·8
Wadebridge ..	2,426	15	13	—	—	28	11·5	18	24	42	17·3	2	71	—5·8
RURAL DISTRICTS	175,900	1,178	1,216	77	56	2,527	14·4	1,152	1,259	2,411	13·7	150	59	0·7
Bodmin	10,300	81	74	3	2	160	15·5	66	69	135	13·1	11	69	2·4
Calstock	4,574	30	30	4	—	64	14·0	34	36	70	15·3	4	63	—1·3
Camelford ..	7,821	44	55	1	2	102	13·0	50	55	105	13·4	7	69	—0·4

† Death-rates based upon estimated civilian populations as follows:—Cheshire—Rural Districts, 207,900; Chester R.D., 15,380; Cornwall—Administrative County, 317,500; Urban Districts, 141,600; Bodmin M.B., 4,972.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CORNWALL—*cont.*														
RURAL DISTRICTS —*cont.*														
East Kerrier ..	9,273	56	65	5	3	129	13·9	52	61	113	12·2	5	39	1·7
Helston	16,690	120	107	5	6	238	14·3	98	132	230	13·8	15	63	0·5
Holsworthy (part of)‡	358	3	2	—	—	5	14·0	2	2	4	11·2	—	—	2·8
Launceston ..	7,058	44	36	3	2	85	12·0	34	35	69	9·8	4	47	2·2
Liskeard ..	14,750	110	106	5	2	223	15·1	102	103	205	13·9	11	49	1·2
Redruth	17,400	120	116	10	7	253	14·5	113	131	244	14·0	25	99	0·5
St. Austell ..	27,020	189	217	8	11	425	15·7	180	197	377	14·0	23	54	1·7
St. Columb Major.	12,240	85	85	4	7	181	14·8	81	76	157	12·8	13	72	2·0
St. Germans ..	11,490	76	87	6	1	170	14·8	100	87	187	16·3	14	82	—1·5
Scilly, Isles of..	1,739	11	5	—	—	16	9·2	10	11	21	12·1	—	—	—2·9
Stratton	5,107	36	42	2	1	81	15·9	32	33	65	12·7	5	62	3·2
Truro	19,540	106	128	16	9	259	13·3	132	147	279	14·3	6	23	—1·0
West Penwith	10,540	67	61	5	3	136	12·9	66	84	150	14·2	7	51	—1·3
CUMBERLAND:														
COUNTY BORO':														
Carlisle	56,380	460	489	35	27	1,011	17·9	405	372	777	13·8†	75	74	4·1
ADMINISTRATIVE COUNTY	208,720	1,711	1,740	123	129	3,703	17·7	1,448	1,431	2,879	13·8	275	74	3·9
URBAN DISTRICTS	116,100	1,040	1,039	63	67	2,209	19·0	845	798	1,643	14·2	158	72	4·8
Arlecdon and Frizington.	4,709	37	52	3	4	96	20·4	37	32	69	14·7	7	73	5·7
Aspatria	3,488	31	22	1	1	55	15·8	28	24	52	14·9	2	36	0·9
Cleator Moor ..	7,256	59	58	1	1	119	16·4	53	52	105	14·5	8	67	1·9
Cockermouth ..	4,661	41	35	3	5	84	18·0	48	42	90	19·3	4	48	—1·3
Egremont ..	6,206	47	54	3	3	107	17·2	49	37	86	13·9	13	121	3·3
Harrington ..	4,290	45	44	1	4	94	21·9	21	31	52	12·1	10	106	9·8
Holme Cultram	4,954	27	39	4	5	75	15·1	30	32	62	12·5	4	53	2·6
Keswick	4,092	30	37	1	—	68	16·6	33	20	53	13·0	1	15	3·6
Maryport ..	10,740	90	91	4	5	190	17·7	75	60	135	12·6	16	84	5·1
Millom	7,396	67	70	3	4	144	19·5	77	66	143	19·3	12	83	0·2
Penrith	8,095	64	67	5	7	143	17·7	63	72	135	16·7	10	70	1·0
Whitehaven M.B.	20,980	261	220	17	13	511	24·4	147	142	289	13·8	39	76	10·6
Wigton	3,563	38	34	3	—	75	21·0	27	24	51	14·3	2	27	6·7
WorkingtonM.B.	25,670	203	216	14	15	448	17·5	157	164	321	12·5	30	67	5·0
RURAL DISTRICTS	92,620	671	701	60	62	1,494	16·1	603	633	1,236	13·3	117	78	2·8
Alston with Garrigill.	2,683	22	12	1	—	35	13·0	18	24	42	15·7	4	114	—2·7
Bootle	5,686	39	32	3	2	76	13·4	30	34	64	11·3	7	92	2·1
Brampton ..	7,712	48	57	5	8	118	15·3	66	64	130	16·9	9	76	—1·6
Carlisle	11,680	76	87	8	12	183	15·7	85	96	181	15·5	13	71	0·2
Cockermouth ..	21,830	148	161	18	11	338	15·5	114	131	245	11·2	25	74	4·3
Longtown ..	5,979	47	47	3	2	99	16·6	54	45	99	16·6	11	111	—
Penrith	11,750	98	103	10	6	217	18·5	93	76	169	14·4	15	69	4·1
Whitehaven ..	14,460	94	108	6	11	219	15·1	90	81	171	11·8	25	114	3·3
Wigton	10,840	99	94	6	10	209	19·3	53	82	135	12·5	8	38	6·8

† Death-rate based upon estimated civilian population of 56,160.
‡ The remainder of Holsworthy Rural District is in Devonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE:														
COUNTY BORO':														
Derby	140,700	1,170	1,156	55	44	2,425	17·2	981	920	1,901	13·5†	172	71	3·7
ADMINISTRATIVE COUNTY.	624,300	5,135	4,839	202	218	10,394	16·6	3,821	3,403	7,224	11·6	703	68	5·0
URBAN DISTRICTS	322,400	2,619	2,476	112	120	5,327	16·5	1,977	1,743	3,720	11·5	357	67	5·0
Alfreton	21,630	167	185	10	8	370	17·1	123	117	240	11·1	23	62	6·0
Alvaston and Boulton.	2,313	17	26	1	—	44	19·0	14	13	27	11·7	1	23	7·3
Ashbourne ..	4,504	22	29	1	4	56	12·4	18	24	42	9·3	5	89	3·1
Bakewell ..	3,159	28	20	1	2	51	16·1	24	27	51	16·1	3	59	—
Baslow and Bubnell.	845	3	3	—	—	6	7·1	2	3	5	5·9	—	—	1·2
Belper	13,050	121	111	1	6	239	18·3	86	70	156	12·0	16	67	6·3
Bolsover ..	12,750	130	107	9	5	251	19·7	52	47	99	7·8	14	56	11·9
Bonsall	1,195	9	12	—	—	21	17·6	8	10	18	15·1	—	—	2·5
Brampton and Walton.	2,255	15	17	—	—	32	14·2	20	16	36	16·0	1	31	−1·8
Buxton M.B. ..	17,030	123	94	4	6	227	13·3	101	98	199	11·7	13	57	1·6
ChesterfieldM.B.	65,270	581	581	25	26	1,213	18·6	421	348	769	11·8	82	68	6·8
Clay Cross ..	8,727	88	82	4	4	178	20·4	62	39	101	11·6	14	79	8·8
Dronfield ..	4,503	35	44	3	2	84	18·7	38	30	68	15·1	7	83	3·6
Glossop M.B...	19,720	123	100	1	4	228	11·6	131	157	288	14·6	16	70	−3·0
Heage	4,403	43	41	1	—	85	19·3	24	17	41	9·3	5	59	10·0
Heanor	23,050	183	168	10	13	374	16·2	134	101	235	10·2	22	59	6·0
Ilkeston M.B.	33,260	284	274	16	11	585	17·6	214	201	415	12·5	46	79	5·1
Long Eaton ..	22,240	170	146	6	5	327	14·7	122	89	211	9·5	18	55	5·2
New Mills ..	8,967	53	66	1	3	123	13·7	45	47	92	10·3	5	41	3·4
North Darley	4,196	29	25	3	3	60	14·3	21	23	44	10·5	4	67	3·8
Ripley	13,940	123	104	4	6	237	17·0	74	74	148	10·6	17	72	6·4
South Darley	674	4	1	—	—	5	7·4	4	1	5	7·4	—	—	—
Swadlincote District.	21,090	180	144	6	6	336	15·9	132	91	223	10·6	34	101	5·3
The Matlocks	9,714	58	74	4	4	140	14·4	84	71	155	16·0	11	79	−1·6
Wirksworth ..	3,915	30	22	1	2	55	14·0	23	29	52	13·3	—	—	0·7
RURAL DISTRICTS	301,900	2,516	2,363	90	98	5,067	16·8	1,844	1,660	3,504	11·6	346	68	5·2
Ashbourne ..	10,500	97	76	4	7	184	17·5	67	58	125	11·9	8	43	5·6
Bakewell ..	18,800*	114	128	4	4	250	13·3	130	145	275	14·6	18	72	−1·3
Belper	25,320	211	169	5	5	390	15·4	160	129	289	11·4	25	64	4·0
Blackwell ..	44,670	399	429	9	16	853	19·1	259	238	497	11·1	82	96	8·0
Chapel-en-le-Frith.	16,900	125	124	3	3	255	15·1	119	110	229	13·6	12	47	1·5
Chesterfield ..	84,710	798	747	34	35	1,614	19·1	530	432	962	11·4	105	65	7·7
Clowne	18,670	153	133	8	8	302	16·2	92	80	172	9·2	19	63	7·0
Glossop Dale ..	3,846	19	19	—	1	39	10·1	32	33	65	16·9	4	103	−6·8
Hartshorn and Seals.	9,005	66	67	2	4	139	15·4	55	50	105	11·7	10	72	3·7
Hayfield	4,424	29	23	2	—	54	12·2	28	22	50	11·3	7	130	0·9
Norton	5,661*	30	24	—	2	56	9·9	26	39	65	11·5	3	54	−1·6
Repton	18,270	150	134	7	5	296	16·2	89	104	193	10·6	15	51	5·6
Shardlow ..	36,830	284	252	10	6	552	15·0	226	201	427	11·6	37	67	3·4
Sudbury	2,520	21	24	2	1	48	19·0	18	14	32	12·7	1	21	6·3

† Death-rate based upon estimated civilian population of 140,500.

* Mid-year population after the change in boundary on the 1st April, 1929. The population involved in the change was too small to necessitate adjustment for calculation of rates.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE—*cont.*														
RURAL DISTRICTS —*cont.*														
Civil Parishes of Codnor Park & Shipley. Administered by R.D. Council of Basford (Notts).	1,774	20	14	—	1	35	19·7	13	5	18	10·1	—	—	9·6
DEVONSHIRE:														
COUNTY BORO'S	275,380	2,090	2,048	109	138	4,385	15·9	1,773	1,791	3,564	13·7†	261	60	2·2
Exeter	61,880	447	465	24	41	977	15·8	420	443	863	14·1†	52	53	1·7
Plymouth ..	213,500	1,643	1,583	85	97	3,408	16·0	1,353	1,348	2,701	13·6†	209	61	2·4
ADMINISTRATIVE COUNTY.	446,180	2,925	2,784	157	156	6,022	13·5	2,973	3,286	6,259	14·1†	325	54	—0 6
URBAN DISTRICTS	219,590	1,335	1,289	78	71	2,773	12·6	1,462	1,798	3,260	14·9†	145	52	—2·3
Ashburton ..	2,485	13	21	2	1	37	14·9	16	24	40	16·1	2	54	—1·2
Axminster ..	2,307	16	15	—	1	32	13·9	12	20	32	13·9	2	63	—
Bampton ..	1,461	10	6	—	1	17	11·6	6	14	20	13·7	1	59	—2·1
Barnstaple M.B.	14,280	100	103	7	5	215	15·1	84	100	184	12·9	9	42	2·2
Bideford M.B.	9,057	60	66	3	5	134	14·8	52	56	108	11·9	5	37	2·9
Brixham ..	8,138	53	52	4	2	111	13·6	66	67	133	16·3	12	108	—2·7
Buckfastleigh	2,404	13	8	2	—	23	9·6	21	21	42	17·5	2	87	—7·9
Budleigh Salterton.	2,883	15	7	—	1	23	8·0	17	26	43	14·9	2	87	—6·9
Crediton	3,496	18	22	1	—	41	11·7	26	45	71	20·3	3	73	—8·6
Dartmouth M.B.	7,090	42	35	1	3	81	11·4	36	51	87	13·6†	6	74	—2·2
Dawlish	4,484	16	21	2	3	42	9·4	33	55	88	19·6	3	71	—10·2
Exmouth ..	14,400	67	84	5	4	160	11·1	111	116	227	15·8	4	25	—4·7
Great Torrington M.B.	2,998	20	17	1	—	38	12·7	19	28	47	15·7	3	79	—3·0
Holsworthy ..	1,413	11	9	—	1	21	14·9	8	13	21	14·9	1	48	—
Honiton M.B ..	3,086	15	20	1	—	36	11·7	16	20	36	11·7	2	56	—
Ilfracombe ..	8,906	63	55	2	5	125	14·0	49	81	130	14·6	7	56	—0·6
Ivybridge ..	1,703	12	7	1	—	20	11·7	14	11	25	14·7	—	—	—3·0
Kingsbridge ..	2,879	20	15	1	—	36	12·5	17	25	42	14·6	4	111	—2·1
Lynton	1,669	14	8	1	1	24	14·4	11	13	24	14·4	—	—	—
Newton Abbot	14,870	96	103	3	2	204	13·7	90	128	218	14·7	12	59	—1·0
Northam ..	5,867	41	34	1	2	78	13·3	33	36	69	11·8	3	38	1·5
Okehampton M.B.	3,407	19	21	2	—	42	12·3	16	18	34	10·0	1	24	2·3
Ottery St. Mary	3,598	16	23	1	—	40	11·1	36	32	68	18·9	3	75	—7·8
Paignton ..	16,930	95	89	6	7	197	11·6	113	134	247	14·6	12	61	—3·0
Salcombe ..	2,237	14	7	1	—	22	9·8	18	11	29	13·0	1	45	—3·2
Seaton ..	2,051	10	5	—	1	16	7·8	18	15	33	16·1	—	—	—8·3
Sidmouth ..	5,599	26	18	—	1	45	8·0	24	61	85	15·2	—	—	—7·2
South Molton M.B.	2,640	21	16	1	1	39	14·8	24	18	42	15·9	3	77	—1·1

† Death-rates based upon estimated civilian populations as follows:—Devonshire—County Boroughs, 260,290; Exeter C.B., 61,290; Plymouth C.B., 199,000; Administrative County, 444,400; Urban Districts, 218,900; Dartmouth M.B., 6,400.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929.)	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—*cont.*														
URBAN DISTRICTS —*cont.*														
Tavistock ..	4,408	25	30	3	1	59	13·4	28	38	66	15·0	1	17	−1·6
Teignmouth ..	9,937	64	46	3	2	115	11·6	59	90	149	15·0	4	35	−3·4
Tiverton M.B.	9,342	58	57	1	2	118	12·6	82	65	147	15·7	10	85	−3·1
Torquay M.B...	39,480	249	245	17	18	529	13·4	280	333	613	15·5	27	51	−2·1
Totnes M.B. ..	4,085	23	24	5	1	53	13·0	27	33	60	14·7	—	—	−1·7
RURAL DISTRICTS :	226,590	1,590	1,495	79	85	3,249	14·3	1,511	1,488	2,999	13·3†	180	55	1·0
Axminster ..	10,410	98	72	3	4	177	17·0	78	81	159	15·3	6	34	1·7
Barnstaple ..	18,540	123	121	5	7	256	13·8	112	110	222	12·0	16	63	1·8
Bideford	5,737	46	36	—	2	84	14·6	43	56	99	17·3	7	83	−2·7
Broadwood Widger	2,148	20	12	1	—	33	15·4	11	17	28	13·0	3	91	2·4
Crediton	10,100	80	83	7	2	172	17·0	69	66	135	13·4	5	29	3·6
Culmstock ..	3,201	25	22	—	1	48	15·0	18	20	38	11·9	—	—	3·1
Holsworthy (part of)‡	6,794	53	53	2	2	110	16·2	39	45	84	12·4	6	55	3·8
Honiton	9,394	56	53	4	1	114	12·1	73	57	130	13·8	3	26	−1·7
Kingsbridge ..	11,360	91	68	4	5	168	14·8	71	86	157	13·8	12	71	1·0
Newton Abbot	21,200	166	142	4	9	321	15·1	149	170	319	15·0	23	72	0·1
Okehampton ..	13,390	85	90	3	3	181	13·5	95	94	189	14·3†	10	55	−0·8
Plympton St. Mary	26,750	163	167	5	12	347	13·0	159	150	309	12·0†	23	66	1·0
St. Thomas ..	27,280	174	157	14	8	353	12·9	204	173	377	13·8	16	45	−0·9
South Molton..	9,873	71	94	3	5	173	17·5	52	75	127	12·9	7	40	4·6
Tavistock ..	15,560	96	104	10	10	220	14·1	105	90	195	12·5	13	59	1·6
Tiverton	14,330	103	95	4	8	210	14·7	96	78	174	12·1	10	48	2·6
Torrington ..	8,273	55	56	6	1	118	14·3	45	52	97	11·7	6	51	2·6
Totnes	12,250	85	70	4	5	164	13·4	92	68	160	13·1	14	85	0·3
DORSETSHIRE : ADMINISTRATIVE COUNTY.	240,340	1,764	1,790	95	91	3,740	15·6	1,505	1,537	3,042	12·9†	179	48	2·7
URBAN DISTRICTS	129,080*	900	915	50	51	1,916	14·8	818	845	1,663	13·2†	97	51	1·6
BlandfordForum M.B.	3,024	12	20	—	2	34	11·2	32	28	60	19·8	4	118	−8·6
Bridport M.B.	5,753	43	43	3	2	91	15·8	38	35	73	12·7	3	33	3·1
Dorchester M.B.	9,729	71	79	6	5	161	16·5	56	58	114	11·9†	8	50	4·6
Lyme RegisM.B.	2,394	6	12	—	1	19	7·9	17	20	37	15·5	2	105	−7·6
Poole M.B. ..	53,870	437	412	29	27	905	16·8	357	352	709	13·2	42	46	3·6
Portland ..	12,610	73	89	—	1	163	12·9	54	51	105	10·7†	10	61	2·2
Shaftesbury M.B.	2,496	15	13	—	—	28	11·2	21	20	41	16·4	2	71	−5·2
Sherborne ..	6,526*	36	37	1	3	77	11·8	33	39	72	11·0	4	52	0·8
Swanage	5,899	30	30	2	2	64	10·8	28	36	64	10·8	3	47	—
Wareham M.B.	2,046	19	17	1	—	37	18·1	21	16	37	18·1	4	108	—
Weymouth and Melcombe Regis M.B.	21,030	139	136	7	7	289	13·7	141	163	304	14·5	12	42	−0·8
Wimborne Minster	3,703	19	27	1	1	48	13·0	20	27	47	12·7	3	63	0·3
RURAL DISTRICTS :	111,260*	864	875	45	40	1,824	16·4	687	692	1,379	12·5†	82	45	3·9
Beaminster ..	8,294	56	54	5	4	119	14·3	50	59	109	13·1	2	17	1·2
Blandford ..	7,923	46	57	3	4	110	13·9	54	55	109	13·8	9	82	0·1

† Death-rates based upon estimated civilian populations as follows :—Devonshire—Rural Districts, 225,500. Okehampton R.D. 13,260; Plympton St. Mary R.D., 25,790. Dorsetshire—Administrative County, 236,000; Urban Districts, 126,090*; Dorchester M.B., 9,559; Portland U.D., 9,790; Rural Districts, 109,910.*

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows —Dorsetshire—Urban Districts, 129,090 (Total), 126,100 (Civilian); Sherborne U.D., 6,536; Rural Districts, 111,250 (Total), 109,900 (Civilian).

‡ The remainder of Holsworthy Rural District is in Cornwall.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DORSETSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Bridport	7,008	37	47	1	4	89	12·7	46	47	93	13·3	2	22	−0·6
Cerne	4,288	29	31	—	4	64	14·9	31	35	66	15·4	4	63	−0·5
Dorchester ..	8,640	62	68	6	3	139	16·1	66	63	129	14·9	13	94	1·2
Poole	11,610	150	134	7	3	294	25·3	77	56	133	11·5	13	44	13·8
Shaftesbury ..	9,491	63	66	1	2	132	13·9	63	72	135	14·2	5	38	−0·3
Sherborne ..	5,233*	49	44	4	—	97	18·5	28	29	57	10·9	3	31	7·6
Sturminster ..	7,923	53	54	1	1	109	13·8	62	58	120	15·1	7	64	−1·3
Wareham and Purbeck.	14,410	117	113	2	5	237	16·4	71	59	130	10·0†	9	38	6·4
Weymouth ..	10,310	84	78	8	3	173	16·8	46	53	99	9·6	6	35	7·2
Wimborne and Cranborne.	16,130	118	129	7	7	261	16·2	93	106	199	12·3	9	34	3·9
DURHAM:														
COUNTY BORO'S	567,360	5,738	5,434	222	237	11,631	20·5	4,605	4,176	8,781	15·5	1,268	109	5·0
Darlington ..	71,790	581	563	25	36	1,205	16·8	493	450	943	13·1	98	81	3·7
Gateshead ..	122,600	1,290	1,132	45	38	2,505	20·4	950	851	1,801	14·7	269	107	5·7
South Shields..	119,600	1,137	1,129	45	44	2,355	19·7	936	884	1,820	15·2	287	122	4·5
Sunderland ..	184,000	2,028	1,918	72	93	4,111	22·3	1,627	1,501	3,128	17·0	448	109	5·3
West Hartlepool	69,370	702	692	35	26	1,455	21·0	599	490	1,089	15·7	166	114	5·3
ADMINISTRATIVE COUNTY.	940,900	9,305	8,924	368	384	18,981	20·2	6,545	5,641	12,186	13·0	1,800	95	7·2
URBAN DISTRICTS	524,900	5,201	4,965	205	211	10,582	20·2	3,746	3,275	7,021	13·4	978	92	6·8
Annfield Plain	15,660	144	143	13	4	304	19·4	111	92	203	13·0	29	95	6·4
Barnard Castle	4,707	31	28	2	5	66	14·0	21	35	56	11·9	—	—	2·1
Benfieldside ..	8,835	87	83	5	4	179	20·3	62	60	122	13·8	13	73	16·5
Billingham ..	11,820	205	184	7	3	399	33·8	90	78	168	14·2	36	90	9·6
Bishop Auckland	12,830	110	79	5	11	205	16·0	81	87	168	13·1	14	68	2·9
Blaydon	32,730	324	276	8	9	617	18·9	203	160	363	11·1	45	73	7·8
Brandon and Byshottles.	17,680	150	161	3	7	321	18·2	114	105	219	12·4	33	103	5·8
Chester-le-Street	16,500	148	127	4	5	284	17·2	102	102	204	12·4	29	102	4·8
Consett	12,710	125	115	3	6	249	19·6	100	59	159	12·5	25	100	7·1
Crook	12,390	95	88	5	6	194	15·7	79	60	139	11·2	13	67	4·5
Durham M.B.	16,740	141	139	8	13	301	18·0	120	117	237	14·2	23	76	3·8
Felling	28,000	293	268	16	9	586	20·9	191	165	356	12·7	48	82	8·2
Hartlepool M.B.	20,690	243	228	8	11	490	23·7	170	158	328	15·9	60	122	7·8
Hebburn ..	24,460	262	273	5	8	548	22·4	167	155	322	13·2	48	88	9·2
Hetton	18,040	212	187	11	6	416	23·1	139	131	270	15·0	49	118	18·1
Houghton le-Spring.	10,790	129	121	4	7	261	24·2	90	58	148	13·7	29	111	0·5
Jarrow M.B. ..	33,030	359	311	20	9	699	21·2	297	250	547	16·6	77	110	4·6
Leadgate.. ..	6,345	68	65	1	2	136	21·4	40	38	78	12·3	13	96	9·1
Ryton	14,870	124	123	7	3	257	17·3	89	70	159	10·7	13	51	6·6
Seaham Harbour	18,900	234	239	8	3	484	25·6	125	132	257	13·6	48	99	12·0
Shildon	13,530	105	122	5	5	237	17·5	92	89	181	13·4	13	55	4·1
Spennymoor ..	17,290	176	172	8	7	363	21·0	137	122	259	15·0	37	102	6·0
Stanhope ..	1,941	11	10	—	1	22	11·3	14	11	25	12·9	—	—	−1·6
Stanley	25,760	226	211	4	11	452	17·5	153	136	289	11·2	43	95	6·3
Stockton-on-Tees, M.B.	67,090	689	634	20	33	1,376	20·5	550	474	1,024	15·3	150	109	5·2

* Population adjusted to allow for change in boundary during the year. The mid-year population after the change is as follows:—Dorsetshire—Sherborne R.D., 5,223.

† Death-rate based upon estimated civilian population of 13,060.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DURHAM—*cont.*														
URBAN DISTRICTS —*cont.*														
Tanfield	9,681	79	86	3	1	169	17·5	62	51	113	11·7	16	95	5·8
Tow Law ..	3,784	26	32	2	1	61	16·1	19	24	43	11·4	2	33	4·7
Washington ..	16,880	172	184	11	9	376	22·3	133	95	228	13·5	27	72	8·8
Whickham .	21,310	160	204	7	8	379	17·8	145	113	258	12·1	37	98	5·7
Willington ..	9,907	73	72	2	4	151	15·2	50	48	98	9·9	8	53	5·3
RURAL DISTRICTS	416,000	4,104	3,959	163	173	8,399	20·2	2,799	2,366	5,165	12·4	822	98	7·8
Auckland ..	56,760	479	497	22	30	1,028	18·1	418	331	749	13·2	103	100	4·9
Barnard Castle	11,070	81	95	8	3	187	16·9	78	74	152	13·7	14	75	3·2
Chester-le-Street	53,870	558	552	31	23	1,164	21·6	393	288	681	12·6	118	101	9·0
Darlington ..	11,160	102	76	6	8	192	17·2	76	77	153	13·7	14	73	3·5
Durham	32,630	322	301	6	13	642	19·7	216	182	398	12·2	58	90	7·5
Easington ..	87,340	1,098	1,025	33	27	2,183	25·0	605	494	1,099	12·6	225	103	12·4
Hartlepool ..	4,312	22	24	—	2	48	11·1	22	20	42	9·7	3	63	1·4
Houghton-le-Spring.	28,840	302	277	15	15	609	21·1	191	168	359	12·4	64	105	8·7
Lanchester ..	35,130	295	298	12	14	619	17·6	211	197	408	11·6	71	115	6·0
Sedgefield ..	36,150	331	319	10	15	675	18·7	220	188	408	11·3	59	87	7·4
South Shields	20,730	175	167	6	7	355	17·1	132	107	239	11·5	24	68	5·6
Stockton ..	6,363	56	51	3	2	112	17·6	43	35	78	12·3	9	80	5·3
Sunderland ..	22,370	227	222	5	12	466	20·8	146	150	296	13·2	55	118	7·6
Weardale ..	9,275	56	55	6	2	119	12·8	48	55	103	11·1	5	42	1·7
LY, ISLE OF:														
ADMINISTRATIVE COUNTY.	78,180	711	632	31	54	1,428	18·3	512	472	984	12·6	119	83	5·7
URBAN DISTRICTS	43,560	401	338	14	28	781	17·9	310	280	590	13·5	63	81	4·4
Chatteris ..	5,160	39	35	—	4	78	15·1	29	30	59	11·4	1	13	3·7
Ely	7,824	56	62	2	4	124	15·8	48	42	90	11·5	5	40	4·3
March	10,640	120	98	3	4	225	21·1	71	57	128	12·0	24	107	9·1
Whittlesey ..	7,986	71	62	2	8	143	17·9	60	61	121	15·2	13	91	2·7
Wisbech M.B.	11,950	115	81	7	8	211	17·7	102	90	192	16·1	20	95	1·6
RURAL DISTRICTS	34,620	310	294	17	26	647	18·7	202	192	394	11·4	56	87	7·3
Ely	13,510	127	115	7	8	257	19·0	91	84	175	13·0	22	86	6·0
North Witchford	5,172	53	45	2	2	102	19·7	36	25	61	11·8	12	118	7·9
Thorney	2,558	17	20	—	2	39	15·2	13	14	27	10·6	6	154	4·6
Wisbech	13,380	113	114	8	14	249	18·6	62	69	131	9·8	16	64	8·8
ESSEX:														
COUNTY BORO'S..	569,800	4,553	4,462	140	171	9,326	16·4	3,584	3,446	7,030	12·3	641	69	4·1
East Ham ..	147,600	1,078	1,043	19	29	2,169	14·7	815	823	1,638	11·1	124	57	3·6
Southend-on-Sea	114,600	655	646	47	43	1,391	12·1	695	771	1,466	12·8	90	65	—0·7
West Ham ..	307,600	2,820	2,773	74	99	5,766	18·7	2,074	1,852	3,926	12·8	427	74	5·9
ADMINISTRATIVE COUNTY.	1,115,570	9,084	8,591	278	265	18,218	16·3	6,296	6,153	12,449	11·2†	970	53	5·1
URBAN DISTRICTS	832,370*	6,865	6,580	188	174	13,807	16·6	4,494	4,444	8,938	10·8†	737	53	5·8
Barking Town	42,160	391	382	7	7	787	18·7	221	214	435	10·3	42	53	8·4
Benfleet‡.. ..	2,980*	16	21	—	—	37	12·4	24	16	40	13·4	3	81	—1·0
Braintree ..	8,568	54	74	2	2	132	15·4	62	50	112	13·1	12	91	2·3

† Death-rates based upon estimated civilian populations as follows:—Essex—Administrative County, 1,110,400; Urban Districts, 827,750.*

* Population adjusted to allow for changes in boundary during the year. The mid-year populations after the change are as follows:—Essex—Urban Districts, 847,960 (Total), 843,340 (Civilian); Benfleet U.D., 11,900.

‡ Created 1st October, 1929. The figures relate to the period 1st October to 31st December, 1929

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ESSEX—*cont.*														
URBAN DISTRICTS —*cont.*														
Brentwood ..	7,578	49	40	1	3	93	12·3	32	45	77	10·2	4	43	2·1
Brightlingsea ..	4,356	26	19	1	—	46	10·6	31	37	68	15·6	4	87	−5·0
Buckhurst Hill	5,501	41	21	1	1	64	11·6	31	37	68	12·4	2	31	−0·8
Burnham-on-Crouch.	3,622	25	21	—	1	47	13·0	26	16	42	11·6	3	64	1·4
Canvey Island	6,386	22	22	2	—	46	7·2	19	19	38	6·0	6	130	1·2
ChelmsfordM.B.	23,930	191	182	10	5	388	16·2	148	127	275	11·5	27	70	4·7
Chingford ..	16,090	161	162	3	1	327	20·3	71	69	140	8·7	9	28	11·6
Clacton	15,510	96	69	8	5	178	11·5	84	92	176	11·3	5	28	0·2
Colchester M.B.	48,350	324	338	19	11	692	14·3	268	275	543	12·1†	18	26	2·2
Dagenham ..	76,970	1,157	1,120	21	16	2,314	30·1	342	301	643	8·4	157	68	21·7
Epping	5,327	42	35	2	1	80	15·0	34	31	65	12·2	4	50	2·8
Frinton-on-Sea	2,279	10	5	—	—	15	6·6	13	12	25	11·0	1	67	−4·4
Grays Thurrock	18,480	157	142	1	7	307	16·6	100	85	185	10·0	20	65	6·6
Halstead ..	5,887	31	34	—	1	66	11·2	42	51	93	15·8	4	61	−4·6
Harwich M.B.	12,160	101	103	6	7	217	17·8	65	65	130	10·9†	8	37	6·9
Hornchurch ..	17,640	148	147	3	2	300	17·0	84	90	174	10·0†	12	40	7·0
Ilford M.B. ..	116,200	872	843	18	22	1,755	15·1	541	556	1,097	9·4	87	50	5·7
Leyton M.B. ..	128,300	869	821	23	18	1,731	13·5	754	756	1,510	11·8	100	58	1·7
Loughton ..	7,137	57	55	2	4	118	16·5	30	32	62	8·7	6	51	7·8
Maldon M.B. ..	6,612	49	40	1	6	96	14·5	42	51	93	14·1	3	31	0·4
Purfleet ‡ ..	6,851*	73	40	2	3	118	17·2	28	26	54	7·9	4	34	9·3
Rayleigh § ..	1,460*	12	9	—	—	21	14·4	14	11	25	17·1	3	143	−2·7
Romford ..	28,710	281	263	11	9	564	19·6	176	152	328	11·4	30	53	8·2
Saffron Walden M.B.	5,656	38	31	2	3	74	13·1	41	40	81	14·3	1	14	−1·2
Shoeburyness..	6,413	59	49	3	3	114	17·8	37	26	63	11·1†	2	18	6·7
Tilbury	17,090	178	191	6	13	388	22·7	92	68	160	9·4	19	49	13·3
Waltham Holy Cross.	6,911	52	30	2	2	86	12·4	49	43	92	13·3	8	93	−0·9
Walthamstow M.B.	124,800	954	944	22	14	1,934	15·5	731	717	1,448	11·6	103	53	3·9
Walton on the Naze.	3,113	16	18	1	—	35	11·2	12	22	34	10·9	1	29	0·3
Wanstead ..	17,950	102	85	2	1	190	10·6	82	113	195	10·9	7	37	−0·3
West Mersea	2,237	11	13	—	—	24	10·7	9	18	27	12·1	1	42	−1·4
Witham	4,348	32	29	3	—	64	14·7	25	20	45	10·3	5	78	4·4
Wivenhoe ..	2,318	11	16	—	1	28	12·1	10	18	28	12·1	1	36	—
Woodford ..	22,490	157	166	3	5	331	14·7	124	143	267	11·9	15	45	2·8
RURAL DISTRICTS	283,200*	2,219	2,011	90	91	4,411	15·6	1,802	1,709	3,511	12·4†	233	53	3·2
Belchamp ..	4,090	18	25	1	3	47	11·5	37	26	63	15·4	4	85	−3·9
Billericay ..	36,230	269	271	12	10	562	15·5	198	193	391	10·9†	38	68	4·6
Braintree ..	20,760	168	133	7	1	309	14·9	134	134	268	12·9	16	52	2·0
Bumpstead ..	2,320	18	13	1	—	32	13·8	20	14	34	14·7	3	94	−0·9
Chelmsford ..	28,600	229	226	10	9	474	16·6	176	169	345	12·1	22	46	4·5
Dunmow ..	15,510	116	112	7	9	244	15·7	111	111	222	14·3	17	70	1·4
Epping	17,020	127	113	5	5	250	14·7	96	105	201	12·0†	12	48	2·7
Halstead ..	9,980	80	47	—	1	128	12·8	56	83	139	13·9	3	23	−1·1
Lexden and Winstree.	18,580	162	133	2	5	302	16·3	124	151	275	14·8	13	43	1·5
Maldon	16,750	115	105	4	5	229	13·7	129	98	227	13·6	12	52	0·1
Ongar	10,460	107	77	4	8	196	18·7	68	63	131	12·5	10	51	6·2
Orsett	20,290*	161	165	7	2	335	16·5	112	112	224	11·0	21	63	5·5
Rochford.. ..	28,130*	245	221	10	9	485	17·2	172	153	325	11·6	16	33	5·6
Romford ..	14,220	110	93	6	4	213	15·0	71	48	119	8·4	10	47	6·6
Saffron Walden	9,650	63	64	7	3	137	14·2	84	70	154	16·0	8	58	−1·8
Stansted ..	6,890	43	53	4	3	103	14·9	55	54	109	15·8	7	68	−0·9
Tendring ..	23,720	188	160	3	14	365	15·4	159	125	284	12·0	21	58	3·4

† Death-rates based upon estimated civilian populations as follows:—Essex—Colchester M.B., 44,890; Harwich M.B. 11,890; Hornchurch U.D., 17,480; Shoeburyness U.D., 5,683; Rural Districts, 282,650*; Billericay R.D., 35,950 Epping R.D., 16,750.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Essex—Purfleet U.D., 9,141; Rayleigh U.D., 5,840; Rural Districts, 267,610 (Total), 267,060 (Civilian); Orsett R.D., 18,000; Rochford R.D., 14,830.

‡ Created 1st April, 1929. The figures relate to the period 1st April to 31st December, 1929.

§ Created 1st October, 1929. The figures relate to the period 1st October to 31st December, 1929.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLOUCESTERSHIRE:														
COUNTY BORO's:	443,310	3,467	3,308	113	117	7,005	15·8	2,863	2,980	5,843	13·2†	407	58	2·6
Bristol	391,300	3,026	2,871	97	101	6,095	15·6	2,466	2,606	5,072	13·0†	364	60	2·6
Gloucester ..	52,010	441	437	16	16	910	17·5	397	374	771	14·8	43	47	2·7
ADMINISTRATIVE COUNTY.	339,320	2,462	2,386	94	135	5,077	15·0	2,245	2,345	4,590	13·6†	290	57	1·4
URBAN DISTRICTS	113,900	723	733	28	40	1,524	13·4	768	887	1,655	14·5	95	62	−1·1
Awre	1,183	6	8	—	—	14	11·8	8	3	11	9·3	—	—	2·5
Charlton Kings	4,675	39	33	—	2	74	15·8	31	35	66	14·1	8	108	1·7
Cheltenham M.B.	50,300	316	293	16	24	649	12·9	337	465	802	15·9	34	52	−3·0
Cirencester ..	7,333	34	56	2	3	95	13·0	46	46	92	12·5	6	63	0·5
Coleford	2,762	18	22	2	1	43	15·6	17	17	34	12·3	6	140	3·3
Kingswood ..	13,910	86	103	3	2	194	13·9	79	80	159	11·4	7	36	2·5
Mangotsfield ..	11,340	81	70	2	3	156	13·8	75	72	147	13·0	14	90	0·8
Nailsworth ..	3,342	21	25	1	—	47	14·1	26	17	43	12·9	1	21	1·2
Newnham ..	1,171	7	10	—	—	17	14·5	4	13	17	14·5	2	118	—
Stow-on-the-Wold	1,191	7	9	—	—	16	13·4	10	9	19	16·0	1	63	−2·6
Stroud	8,055	50	41	1	1	93	11·5	71	74	145	18·0	8	86	−6·5
Tetbury	2,233	14	19	1	—	34	15·2	20	9	29	13·0	4	118	2·2
Tewkesbury M.B.	4,584	31	33	—	2	66	14·4	26	33	59	12·9	3	45	1·5
Westbury-on-Severn	1,821	13	11	—	2	26	14·3	18	14	32	17·6	1	38	−3·3
RURAL DISTRICTS.	225,420	1,739	1,653	66	95	3,553	15·8	1,477	1,458	2,935	13·1†	195	55	2·7
Campden ..	5,373	57	40	2	1	100	18·6	47	32	79	14·7	5	50	3·9
Cheltenham ..	5,801	30	34	3	—	67	11·5	38	43	81	14·0	3	45	−2·5
Chipping Sodbury	23,800	197	191	8	9	405	17·0	156	163	319	13·4	24	59	3·6
Cirencester ..	12,120	86	100	2	3	191	15·8	75	81	156	12·9	9	47	2·9
Dursley	12,860	89	82	4	3	178	13·8	72	99	171	13·3	6	34	0·5
East Dean and United Parishes	20,650	184	182	7	17	390	18·9	158	127	285	13·8	27	69	5·1
Faringdon (part of)‡	1,048	6	7	—	1	14	13·4	7	4	11	10·5	—	—	2·9
Gloucester ..	14,350	99	98	4	5	206	14·4	75	93	168	11·7	12	58	2·7
Lydney	11,270	85	79	6	7	177	15·7	49	59	108	10·7†	7	40	5·0
Marston Sicca..	1,700	15	11	—	—	26	15·3	12	12	24	14·1	—	—	1·2
Newent	6,481	47	48	2	4	101	15·6	56	46	102	15·7	2	20	−0·1
Northleach ..	7,210	63	57	2	3	125	17·3	69	51	120	16·6	10	80	0·7
Pebworth ..	3,320	22	24	1	1	48	14·5	23	18	41	12·3	1	21	2·2
Stow-on-the-Wold (pt. of)‡	5,936	41	31	1	2	75	12·6	36	29	65	11·0	4	53	1·6
Stroud	28,080	192	191	6	10	399	14·2	160	200	360	12·8	10	25	1·4
Tetbury (pt. of)‡	2,920	27	17	1	—	45	15·4	17	22	39	13·4	4	89	2·0
Tewkesbury (part of)‡	4,540	31	24	2	2	59	13·0	20	30	50	11·0	2	34	2·0
Thornbury ..	19,020	140	158	5	5	308	16·2	135	106	241	12·7	15	49	3·5
Warmley.. ..	9,098	76	63	2	4	145	15·9	65	55	120	13·2	13	90	2·7
West Dean ..	15,150	145	117	4	10	276	18·2	100	79	179	11·8	26	94	6·4
Wheatenhurst	6,209	57	42	3	3	105	16·9	43	46	89	14·3	8	76	2·6
Winchcomb (part of)‡	8,484	50	57	1	5	113	13·3	64	63	127	15·0	7	62	−1·7

† Death-rates based upon estimated civilian populations as follows :—Gloucestershire—County Boroughs, 443,010 ; Bristol C.B., 391,000 ; Administrative County, 338,100 ; Rural Districts, 224,200 ; Lydney R.D., 10,050.

‡ The remainder of Faringdon Rural District is in Berkshire. The remaining parts of Stow-on-the-Wold, Tewkesbury and Winchcomb Rural Districts are in Worcestershire. The remainder of Tetbury Rural District is in Wiltshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HEREFORDSHIRE: ADMINISTRATIVE COUNTY	110,670	846	805	59	67	1,777	16·1	793	769	1,562	14·1	122	69	2·0
URBAN DISTRICTS	40,120	305	291	18	29	643	16·0	290	289	579	14·4	55	86	1·6
Bromyard ..	1,559	12	13	1	1	27	17·3	10	12	22	14·1	1	37	3·2
Hereford M.B.	23,630	178	168	13	14	373	15·8	159	161	320	13·5	41	110	2·3
Kington	1,668	9	7	—	2	18	10·8	17	12	29	17·4	2	111	−6·6
Ledbury	3,187	26	27	1	2	56	17·6	28	33	61	19·1	4	71	−1·5
LeominsterM.B.	5,518	50	41	2	5	98	17·8	42	35	77	14·0	5	51	3·8
Ross	4,558	30	35	1	5	71	15·6	34	36	70	15·4	2	28	0·2
RURAL DISTRICTS.	70,550	541	514	41	38	1,134	16·1	503	480	983	13·9	67	59	2·2
Bredwardine ..	1,943	15	15	2	1	33	17·0	18	14	32	16·5	—	—	0·5
Bromyard ..	7,405	54	57	9	6	126	17·0	47	61	108	14·6	5	40	2·4
Dore	5,932	60	56	3	5	124	20·9	47	33	80	13·5	5	40	7·4
Hereford ..	13,060	94	96	5	7	202	15·5	91	90	181	13·9	21	104	1·6
Kington	4,701	35	34	2	4	75	16·0	35	37	72	15·3	4	53	0·7
Ledbury	8,888	62	67	8	5	142	16·0	53	49	102	11·5	8	56	4·5
Leominster ..	7,503	54	49	3	1	107	14·3	63	65	128	17·1	7	65	−2·8
Ross	9,827	81	56	4	3	144	14·7	77	56	133	13·5	10	69	1·2
Weobley	6,080	43	53	4	2	102	16·8	39	46	85	14·0	2	20	2·8
Whitchurch ..	1,800	14	5	1	2	22	12·2	5	13	18	10·0	1	45	2·2
Wigmore.. ..	3,411	29	26	—	2	57	16·7	28	16	44	12·9	4	70	3·8
HERTFORDSHIRE: ADMINISTRATIVE COUNTY	384,100	2,700	2,680	111	129	5,620	14·6	2,272	2,299	4,571	11·9	269	48	2·7
URBAN DISTRICTS	268,700	1,888	1,942	80	85	3,995	14·9	1,568	1,636	3,204	11·9	194	49	3·0
Baldock	3,017	21	21	1	3	46	15·2	26	15	41	13·6	—	—	1·6
Barnet	14,220	117	105	5	3	230	16·2	81	80	161	11·3	5	22	4·9
Bishop's Stortford	9,730	51	50	3	3	107	11·0	57	64	121	12·4	6	56	−1·4
Bushey	10,260	64	88	4	2	158	15·4	57	56	113	11·0	8	51	4·4
Cheshunt ..	14,540	124	113	1	3	241	16·6	94	84	178	12·2	20	83	4·4
Chorleywood ..	3,192	24	18	1	—	43	13·5	9	13	22	6·9	5	116	6·6
East Barnet Valley.	16,060	110	121	8	6	245	15·3	101	71	172	10·7	12	49	4·6
GreatBerkhampstead.	7,747	66	69	1	3	139	17·9	49	59	108	13·9	4	29	4·0
Harpenden ..	8,001	34	36	1	4	75	9·4	44	38	82	10·2	4	53	−0·8
Hemel Hempstead M.B.	15,070	93	90	6	5	194	12·9	90	104	194	12·9	10	52	—
Hertford M.B.	11,770	84	76	3	4	167	14·2	69	77	146	12·4	9	54	1·8
Hitchin	13,710	96	119	3	4	222	16·2	82	98	180	13·1	10	45	3·1
Hoddesdon ..	5,630	41	36	3	2	82	14·6	41	44	85	15·1	6	73	−0·5
Letchworth ..	13,200	81	100	6	5	192	14·5	49	71	120	9·1	12	63	5·4
Rickmansworth	9,686	63	77	3	1	144	14·9	56	60	116	12·0	3	21	2·9
Royston	3,828	23	24	1	2	50	13·1	17	26	43	11·2	2	40	1·9
St. Albans M.B.	27,610	163	165	5	11	344	12·5	182	171	353	12·8	12	35	−0·3
Sawbridgeworth	2,579	14	13	2	—	29	11·2	16	15	31	12·0	2	69	−0·8
Stevenage ..	5,657	45	60	—	—	105	18·6	41	38	79	14·0	4	38	4·6
Tring	4,220	33	23	—	—	56	13·3	38	37	75	17·8	1	18	−4·5
Ware	6,229	48	46	2	1	97	15·6	47	43	90	14·4	3	31	1·2
Watford M.B.	54,670	397	397	18	22	834	15·3	298	346	644	11·8	49	59	3·5
Welwyn Garden City.	8,074	96	95	3	1	195	24·2	24	26	50	6·2	7	36	18·0

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HERTFORDSHIRE: —*cont.*														
RURAL DISTRICTS:	115,400	812	738	31	44	1,625	14·1	704	663	1,367	11·8	75	46	2·3
Ashwell	3,529	22	16	1	2	41	11·6	30	19	49	13·9	3	73	−2·3
Barnet	5,497	46	54	3	5	108	19·6	36	29	65	11·8	5	46	7·8
Berkhampstead	5,088	22	36	1	2	61	12·0	40	39	79	15·5	3	49	−3·5
Buntingford ..	4,785	20	24	3	2	49	10·2	33	51	84	17·6	5	102	−7·4
Hadham ..	5,417	43	31	2	2	78	14·4	47	34	81	15·0	6	77	−0·6
Hatfield	10,310	91	72	—	4	167	16·2	51	58	109	10·6	7	42	5·6
Hemel Hempstead.	7,965	72	69	2	3	146	18·3	47	52	99	12·4	7	48	5·9
Hertford ..	7,523	36	42	6	4	88	11·7	43	34	77	10·2	2	23	1·5
Hitchin	14,320	114	102	4	8	228	15·9	95	100	195	13·6	7	31	2·3
St. Albans ..	18,290	110	107	7	3	227	12·4	75	76	151	8·3	10	44	4·1
Ware	11,710	81	81	1	5	168	14·3	93	73	166	14·2	12	71	0·1
Watford	17,470	119	79	1	3	202	11·6	95	83	178	10·2	7	35	1·4
Welwyn	3,496	36	25	—	1	62	17·7	19	15	34	9·7	1	16	8·0
HUNTINGDONSHIRE:														
ADMINISTRATIVE COUNTY.	56,730	474	426	26	20	946	16·7	417	400	817	14·4	59	62	2·3
URBAN DISTRICTS	25,660	236	205	13	13	467	18·2	159	188	347	13·5	34	73	4·7
Godmanchester M.B.	2,091	21	14	—	1	36	17·2	16	15	31	14·8	4	111	2·4
Huntingdon M.B.	4,007	31	31	3	1	66	16·5	26	31	57	14·2	4	61	2·3
Old Fletton ..	7,167	79	75	4	7	165	23·0	36	38	74	10·3	9	55	12·7
Ramsey	5,244	51	39	3	1	94	17·9	37	38	75	14·3	9	96	3·6
St. Ives M.B.	2,763	30	16	2	1	49	17·7	18	20	38	13·8	4	82	3·9
St. Neots ..	4,388	24	30	1	2	57	13·0	26	46	72	16·4	4	70	−3·4
RURAL DISTRICTS	31,070	238	221	13	7	479	15·4	258	212	470	15·1	25	52	0·3
Huntingdon ..	6,449	51	48	3	1	103	16·0	47	45	92	14·3	3	29	1·7
Norman Cross	5,913	64	62	—	1	127	21·5	45	32	77	13·0	7	55	8·5
Oundle (part of)‡	985	6	8	—	1	15	15·2	11	9	20	20·3	2	133	−5·1
St. Ives ..	9,771	67	56	8	2	133	13·6	88	60	148	15·1	11	83	−1·5
St. Neots ..	6,705	44	39	2	1	86	12·8	58	59	117	17·4	2	23	−4·6
Thrapston (part of)‡	799	4	6	—	1	11	13·8	7	5	12	15·0	—	—	−1·2
C.P. of Sibson cum Stibbington, administered by R.D. C. of Barnack (Soke of Peterborough).	448	2	2	—	—	4	8·9	2	2	4	8·9	—	—	—
KENT:														
COUNTY BORO:														
Canterbury ..	23,980	177	191	7	15	390	16·3	178	200	378	16·5†	19	49	−0·2
ADMINISTRATIVE COUNTY.	1,167,900	8,724	8,297	415	388	17,824	15·3	7,273	7,292	14,565	12·7†	1,079	61	2·6

† Death-rates based upon estimated civilian populations as follows:—Kent—Canterbury C.B., 22,850; Administrative County, 1,145,300.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—*cont.*														
URBAN DISTRICTS	829,400*	6,225	5,897	308	284	12,714	15·3	5,148	5,274	10,422	12·9†	788	62	2·4
Ashford	13,670	129	110	6	6	251	18·4	95	104	199	14·6	21	84	3·8
Beckenham ..	38,200	250	233	9	4	496	13·0	204	224	428	11·2	24	48	1·8
Bexley	28,120	230	202	11	8	451	16·0	172	165	337	12·0	42	93	4·0
Broadstairs and St. Peter's.	12,720	53	57	3	5	118	9·3	75	96	171	13·4	13	110	−4·1
Bromley M.B...	41,840	306	288	17	12	623	14·9	232	258	490	11·7	29	47	3·2
Chatham M.B.	43,520	403	337	23	22	785	18·0	309	284	593	14·3†	75	96	3·7
Cheriton	8,580	91	76	4	5	176	20·5	26	28	54	9·0†	8	45	11·5
Chislehurst ..	9,472	53	45	3	2	103	10·9	46	49	95	10·0	5	49	0·9
Crayford	13,910	124	132	6	2	264	19·0	68	75	143	10·3	16	61	8·7
Dartford ..	27,660	203	199	10	13	425	15·4	171	140	311	11·2	28	66	4·2
Deal M.B. ..	12,370	96	83	2	4	185	15·0	77	93	170	13·7	7	38	1·3
Dover M.B. ..	41,920	334	280	20	16	650	15·5	248	251	499	12·6†	38	58	2·9
Erith	33,420	255	274	8	10	547	16·4	261	158	419	12·5	45	82	3·9
Faversham M.B.	10,360	78	70	4	5	157	15·2	76	79	155	15·0	12	76	0·2
Folkestone M.B.	35,620	229	210	16	16	471	13·2	226	258	484	13·6	24	51	−0·4
Gillingham M.B.	64,250*	492	484	16	15	1007	15·7	371	318	689	12·5†	57	57	3·2
Gravesend M.B.	34,340	300	323	16	8	647	18·8	222	219	441	13·1†	27	42	5·7
Herne Bay ..	12,030	46	60	6	4	116	9·6	63	90	153	12·7	7	60	−3·1
Hythe M.B. ..	8,233	57	52	6	5	120	14·6	34	51	85	10·4†	5	42	4·2
Lydd M.B. ..	2,959	19	22	1	4	46	15·5	17	16	33	13·8†	2	43	1·7
Maidstone M.B.	40,730	310	303	16	18	647	15·9	252	247	499	12·3†	32	49	3·6
Margate M.B...	29,580	204	175	15	14	408	13·8	168	217	385	13·0	19	47	0·8
Milton Regis ..	8,057	75	60	3	2	140	17·4	56	65	121	15·0	13	93	2·4
New Romney M.B.	1,688	18	13	1	—	32	19.0	13	18	31	18·4	3	94	0·6
Northfleet ..	17,000	151	172	4	5	332	19·5	127	105	232	13·6	24	72	5·9
Penge	27,260	230	212	5	10	457	16·8	182	213	395	14·5	32	70	2·3
Queenborough M.B.	3,189	18	29	1	—	48	15·1	15	15	30	9·4	2	42	5·7
Ramsgate M.B.	31,440	279	231	20	16	546	17·4	197	234	431	13·7	41	75	3·7
Rochester M.B.	31,900	244	230	5	9	488	15·3	204	207	411	13·1†	32	66	2·2
Royal Tunbridge Wells M.B.	35,040	221	196	17	11	445	12·7	222	330	552	15·8	18	40	−3·1
Sandgate ..	3,035	17	16	3	2	38	12·5	12	15	27	11·1†	3	79	1·4
Sandwich M.B.	3,476	25	29	1	2	57	16·4	23	20	43	12·4	1	18	4·0
Sevenoaks ..	10,180	53	45	4	2	104	10·2	61	64	125	12·3	6	58	−2·1
Sheerness ..	17,090	90	130	7	4	231	13·5	115	88	203	12·0†	13	56	1·5
Sidcup	10,400	62	64	3	2	131	12·6	50	68	118	11·3	4	31	1·3
Sittingbourne..	9,066	83	66	4	3	156	17·2	81	79	160	17·6	14	90	−0·4
Southborough..	7,139	56	47	—	2	105	14·7	53	44	97	13·6	5	48	1·1
Swanscombe ..	9,461	60	63	2	1	126	13·3	64	58	122	12·9	8	63	0·4
Tenterden M.B.	3,390	15	23	2	1	41	12·1	29	20	49	14·5	2	49	−2·4
Tonbridge ..	16,520	117	134	3	8	262	15·9	103	96	199	12·0	13	50	3·9
Walmer	5,176	37	30	1	1	69	13·3	28	31	59	13·1†	3	43	0·2
Whitstable ..	10,870	75	55	2	4	136	12·5	70	66	136	12·5	9	66	—
Wrotham ..	4,519	37	37	2	1	77	17·0	30	18	48	10·6	6	78	6·4
RURAL DISTRICTS:	338,500*	2,499	2,400	107	104	5,110	15·1	2,125	2,018	4,143	12·4†	291	57	2·7
Blean	10,270	73	66	1	3	143	13·9	67	57	124	12·1	4	28	1·8
Bridge	12,000	84	76	2	7	169	14·1	73	71	144	12·0	6	36	2·1
Bromley	32,320	264	249	3	11	527	16·3	194	199	393	12·2†	26	49	4·1
Cranbrook ..	13,230	85	95	7	7	194	14·7	103	85	188	14·2	10	52	0·5
Dartford ..	32,890	219	191	8	6	424	12·9	186	155	341	10·4	29	68	2·5

† Death-rates based upon estimated civilian populations as follows:—Kent—Urban Districts, 809,980*; Chatham M.B., 41,520; Cheriton U.D., 6,030; Dover M.B., 39,600; Gillingham M.B., 55,050*; Gravesend M.B., 33,780; Hythe M.B., 8,163; Lydd M.B., 2,399; Maidstone M.B., 40,550; Rochester M.B., 31,400; Sandgate U.D., 2,435; Sheerness U.D., 16,890; Walmer U.D., 4,496; Rural Districts, 335,320*; Bromley R.D., 32,090.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Kent—Urban Districts, 831,020 (Total), 811,600 (Civilian); Gillingham M.B., 65,870 (Total), 56,670 (Civilian); Rural Districts, 336,880 (Total), 333,700 (Civilian).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—*cont.*														
RURAL DISTRICTS —*cont*														
Dover	8,786	52	50	4	2	108	12·3	52	49	101	11·6†	10	93	0·7
East Ashford ..	15,780	113	116	2	6	237	15·0	78	88	166	10·5	7	30	4·5
Eastry	15,640	161	156	8	4	329	21·0	125	87	212	13·6	23	70	7·4
Elham	8,729	58	62	—	4	124	14·2	46	66	112	13·1†	6	48	1·1
Faversham ..	14,070	127	93	5	13	238	16·9	77	97	174	12·4	17	71	4·5
Hollingbourne	14,040	108	100	7	1	216	15·4	100	84	184	13·1	7	32	2·3
Hoo	4,749	42	52	1	1	96	20·2	26	25	51	10·7	6	63	9·5
Isle of Thanet..	14,440	92	89	8	1	190	13·2	75	94	169	12·6†	15	79	0·6
Maidstone ..	17,370	140	119	2	8	269	15·5	130	121	251	14·5	17	63	1·0
Malling	26,000	198	216	16	3	433	16·7	181	179	360	13·8	25	58	2·9
Milton	11,570*	87	88	1	—	176	15·2	84	86	170	14·7	11	63	0·5
Romney Marsh	3,305	22	23	—	1	46	13·9	14	16	30	9·1	3	65	4·8
Sevenoaks ..	26,390	193	165	6	10	374	14·2	161	145	306	11·6	22	59	2·6
Sheppey	6,236	40	49	2	1	92	14·8	16	23	39	6·9†	3	33	7·9
Strood	17,730	122	101	8	4	235	13·3	104	84	188	11·3†	17	72	2·0
Tenterden ..	6,081	37	44	1	1	83	13·6	47	39	86	[illegible]	2	24	—0·5
Tonbridge ..	18,820	124	142	12	8	286	15·2	130	126	256	13·6	16	56	1·6
West Ashford..	8,054	58	58	3	2	121	15·0	56	42	98	12·2	9	74	2·8
LANCASHIRE:														
COUNTY BORO's.	3,276,780	28,059	26,804	1,338	1,318	57,519	17·6	25,719	24,646	50,365	15·4†	5,689	99	2·2
Barrow-in-Furness	64,850	559	543	22	16	1,140	17·6	463	374	837	12·9	94	82	4·7
Blackburn ..	125,300	770	720	39	25	1,554	12·4	877	994	1,871	14·9	126	81	—2·5
Blackpool ..	99,800	504	478	48	44	1,074	10·8	730	746	1,476	14·8	61	57	—4·0
Bolton	181,500	1,267	1,250	48	46	2,611	14·4	1,348	1,447	2,795	15·4	269	103	—1·0
Bootle	80,400	825	785	24	26	1,660	20·6	569	521	1,090	13·6	138	83	7·0
Burnley	100,200	688	642	34	39	1,403	14·0	776	731	1,507	15·0	147	105	—1·0
Bury	57,090	372	366	16	22	776	13·6	466	461	927	16·3†	61	79	—2·7
Liverpool ..	869,500	9,285	8,761	437	405	18,888	21·7	6,937	6,282	13,219	15·2	1,826	97	6·5
Manchester ..	746,500	6,315	6,065	330	348	13,058	17·5	6,094	5,745	11,839	15·9	1,272	97	1·6
Oldham	142,500	908	857	63	59	1,887	13·2	1,300	1,356	2,656	18·6	222	118	—5·4
Preston	126,100	942	926	49	50	1,967	15·6	863	914	1,777	14·1	206	105	1·5
Rochdale ..	90,900	629	578	44	44	1,295	14·2	734	787	1,521	16·7	100	77	—2·5
St. Helens ..	109,200	1,097	1,104	35	23	2,259	20·7	875	724	1,599	14·6	257	114	6·1
Salford	235,600	1,970	1,833	60	93	3,956	16·8	1,878	1,745	3,623	15·4	490	124	1·4
Southport ..	80,040	438	404	32	22	896	11·2	533	613	1,146	14·3	66	74	—3·1
Warrington ..	79,700	737	751	31	28	1,547	19·4	602	564	1,166	14·7†	155	100	4·7
Wigan	87,600	753	741	26	28	1,548	17·7	674	642	1,316	15·0	199	129	2·7
ADMINISTRATIVE COUNTY.	1,812,800	12,555	12,029	490	484	25,558	14·1	12,557	12,815	25,372	14·0†	2,161	85	0·1
URBAN DISTRICTS	1,549,370*	10,729	10,259	417	411	21,816	14·1	10,891	11,290	22,181	14·3†	1,918	88	—0·2
Abram	6,957	51	55	—	1	107	15·4	41	41	82	11·8	11	103	3·6
AccringtonM.B.	43,890*	284	249	7	12	552	12·6	324	345	669	15.2	35	63	—2·6
Adlington ..	4,358	32	30	2	1	65	14·9	23	24	47	10·8	6	92	4·1
Ashton-in-Makerfield.	22,660	171	166	6	1	344	15·2	152	117	269	11·9	27	78	3·3
Ashton-under-Lyne M.B.	51,750	387	309	13	16	725	14·0	440	423	863	16·7	78	108	—2·7
Aspull	7,551	69	66	2	2	139	18·4	44	52	96	12·7	18	129	5·7
Atherton ..	20,230	152	138	7	4	301	14·9	133	133	266	13·1	30	100	1·8

† Death-rates based upon estimated civilian populations as follows :—Dover R.D., 8,686; Elham R.D., 8,519; Isle of Thanet R.D., 13,460; Sheppey R.D., 5,656; Strood, R.D., 16,650. Lancashire—County Boroughs, 3,276,220; Bury C.B., 56,830 ; Warrington C.B., 79,400; Administrative County 1,811,700; Urban Districts, 1,548,470.*

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows :—Lancashire—Urban Districts, 1,549,700 (Total), 1,548,800 (Civilian); Accrington M.B., 44,220.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—*cont.*														
URBAN DISTRICTS —*cont.*														
Audenshaw ..	8,580	51	62	2	2	117	13·6	61	48	109	12·7	5	43	0·9
Bacup M.B. ..	20,650	139	157	5	5	306	14·8	195	184	379	18·4	24	78	−3·6
Barrowford ..	5,476	32	25	—	1	58	10·6	34	34	68	12·4	4	69	−1·8
Billinge and Winstanley	5,209	31	19	—	—	50	9·6	43	30	73	14·0	7	140	−4·4
Blackrod ..	3,804	30	26	1	—	57	15·0	26	22	48	12·6	6	105	2·4
Brierfield ..	8,150	41	43	—	2	86	10·6	48	57	105	12·9	5	58	−2·3
Carnforth ..	3,132	29	30	1	—	60	19·2	27	21	48	15·3	4	67	3·9
Chadderton ..	28,390	174	160	4	5	343	12·1	209	239	448	15·8	40	117	−3·7
Chorley M.B.	31,640	218	204	12	11	445	14·1	214	206	420	13·3	32	72	0·8
Church	6,547	31	45	1	2	79	12·1	48	58	106	16·2	5	63	−4·1
Clayton-le-Moors	8,524	50	53	1	—	104	12·2	52	75	127	14·9	18	173	−2·7
Clitheroe M.B.	12,150	63	77	2	3	145	11·9	73	96	169	13·9	6	41	−2·0
Colne M.B. ..	24,850	152	139	10	7	308	12·4	184	173	357	14·4	37	120	−2·0
Crompton ..	15,150	105	107	3	3	218	14·4	111	127	238	15·7	28	128	−1·3
Croston	2,010	12	7	1	—	20	10·0	14	9	23	11·4	3	150	−1·4
Dalton-in-Furness	10,520	98	88	7	3	196	18·6	71	73	144	13·7	13	66	4·9
Darwen M.B. ..	37,780	246	231	4	8	489	12·9	241	314	555	14·7	42	86	−1·8
Denton	17,750	103	105	3	6	217	12·2	157	143	300	16·9	21	97	−4·7
Droylsden ..	13,730	116	102	3	1	222	16·2	112	119	231	16·8	16	72	−0·6
Eccles M.B. ..	45,040	337	316	20	9	682	15·1	321	276	597	13·3	47	69	1·8
Failsworth ..	16,860	114	86	5	4	209	12·4	109	104	213	12·6	20	96	−0·2
Farnworth ..	29,390	193	190	7	9	399	13·6	206	226	432	14·7	39	98	−1·1
Fleetwood ..	21,990	206	216	8	13	443	20·1	163	126	289	13·1	44	99	7·0
Formby	7,599	42	52	2	3	99	13·0	42	47	89	11·7	7	71	1·3
Fulwood	7,161	36	29	1	2	68	9·5	38	51	89	13·3†	5	74	−3·8
Golborne.. ..	7,444	68	63	2	2	135	18·1	47	36	83	11·1	10	74	7·0
Grange	2,412	8	5	1	1	15	6·2	19	17	36	14·9	1	67	−8·7
Great Crosby ..	17,010	92	100	5	2	199	11·7	98	94	192	11·3	8	40	0·4
Great Harwood	13,820	93	78	2	4	177	12·8	82	111	193	14·0	16	90	−1·4
HaslingdenM.B.	17,120	80	90	8	3	181	10·6	113	163	276	16·1	21	116	−5·5
Haydock ..	10,620	112	98	2	4	216	20·3	62	69	131	12·3	24	111	8·0
Heywood M.B.	26,250	185	172	14	13	384	14·6	208	220	428	16·3	39	102	−1·7
Hindley	23,650	165	155	5	4	329	13·9	170	178	348	14·7	37	112	−0·8
Horwich	16,540	108	102	2	4	216	13·1	117	94	211	12·8	24	111	0·3
Huyton with Roby.	5,174	27	34	1	2	64	12·4	28	45	73	14·1	9	141	−1·7
Ince in Makerfield.	23,540	214	215	14	8	451	19·2	218	158	376	16·0	62	137	3·2
Irlam	12,190	105	86	—	4	195	16·0	73	68	141	11·6	15	77	4·4
Kearsley ..	10,130	69	63	2	2	136	13·4	56	79	135	13·3	11	81	0·1
Kirkham ..	4,166	29	28	1	3	61	14·6	33	28	61	14·6	4	66	—
Lancaster M.B.	41,530	311	283	10	21	625	15·0	311	298	609	14·7†	66	106	0·3
Lathom and Burscough.	8,037	67	46	2	—	115	14·3	57	48	105	13·2†	8	70	1·1
Lees	5,001	31	34	1	—	66	13·2	40	39	79	15·8	8	121	−2·6
Leigh M.B. ..	46,850	299	330	7	7	643	13·7	368	362	730	15·6	85	132	−1·9
Leyland	10,370	85	79	3	2	169	16·3	81	72	153	14·8	10	59	1·5
Litherland ..	16,560	162	151	9	11	333	20·1	109	97	206	12·4	37	111	7·7
Littleborough..	11,640	83	81	8	6	178	15·3	89	100	189	16·2	17	96	−0·9
Little Crosby ..	1,185	4	13	—	—	17	14·3	9	7	16	13·5	1	59	0·8
Little Hulton..	8,151	59	52	2	3	116	14·2	61	60	121	14·8	11	95	−0·6
Little Lever ..	5,239	27	32	2	1	62	11·8	40	37	77	14·7	5	81	−2 9

† Death-rates based upon estimated civilian populations as follows:—Fulwood U.D., 6,711; Lancaster M.B., 41,360; Lathom and Burscough U.D., 7,947.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—*cont.*														
URBAN DISTRICTS —*cont.*														
Longridge ..	4,189	40	38	—	—	78	18·6	28	27	55	13·1	6	77	5·5
Lytham St. Anne's M.B.	26,110	94	103	8	9	214	8·2	154	222	376	14·4	13	61	−6·2
Middleton M.B.	29,470	205	197	5	9	416	14·1	241	263	504	17·1	40	96	−3·0
Milnrow	8,682	49	52	8	1	110	12·7	65	66	131	15·1	4	36	−2·4
Morecambe and Heysham M.B.	22,800	111	81	12	8	212	9·3	182	210	392	17·2	9	42	−7·9
Mossley M.B. ..	12,210	79	72	2	4	157	12·9	115	109	224	18·3	12	76	−5·4
Nelson M.B. ..	39,760	228	192	7	9	436	11·0	271	291	562	14·1	26	60	−3·1
Newton-in-Makerfield.	19,990	184	170	6	5	365	18·3	131	123	254	12·7	29	79	5·6
Norden	4,396	25	30	2	1	58	13·2	32	35	67	15·2	6	103	−2·0
Ormskirk ..	7,321	54	45	3	2	104	14·2	51	59	110	15·0	7	67	−0·8
Orrell	7,241	43	55	1	2	101	13·9	50	57	107	14·8	19	188	−0·9
Oswaldtwistle	14,840	86	90	2	4	182	12·3	102	118	220	14·8	25	137	−2·5
Padiham ..	11,890	66	86	2	4	158	13·3	89	90	179	15·1	13	82	−1·8
Poulton le Fylde	3,131	23	24	4	1	52	16·6	28	27	55	17·6	5	96	−1·0
Preesall	2,028	12	7	—	2	21	10·4	14	10	24	11·8	2	95	−1·4
Prescot	9,911	79	77	1	3	160	16·1	77	65	142	14·3	10	63	1·8
Prestwich ..	21,590	127	110	9	—	246	11·4	111	117	228	10·6	17	69	0·8
Radcliffe ..	25,450	153	151	8	5	317	12·5	185	171	356	14·0	26	82	−1·5
Rainford ..	3,727	25	24	1	—	50	13·4	29	20	49	13·1	3	60	0·3
Ramsbottom ..	14,660	100	96	4	3	203	13·8	96	103	199	13·6	17	84	0·2
Rawtenstall .. M.B.	28,660	192	193	6	6	397	13·9	204	254	458	16·0	38	96	−2·1
Rishton	6,939	41	30	1	1	73	10·5	41	65	106	15·3	4	55	−4·8
Royton	17,400	112	100	5	6	223	12·8	141	151	292	16·8	26	117	−4·0
Skelmersdale ..	6,776	42	55	—	3	100	14·8	47	45	92	13·6	7	70	1·2
Standish with Langtree.	7,524	48	42	2	—	92	12·2	42	45	87	11·6	9	98	0·6
Stretford ..	52,240	362	364	22	17	765	14·6	330	339	669	12·8	40	52	1·8
Swinton and Pendlebury	34,100	228	217	9	2	456	13·4	218	229	447	13·1	41	90	0·3
Thornton Cleveleys.	9,614	92	75	1	2	170	17·7	69	79	148	15·4	8	47	2·3
Tottington ..	6,642	33	42	1	1	77	11·6	41	41	82	12·3	2	26	−0·7
Trawden ..	2,716	19	12	—	—	31	11.4	8	14	22	8·1	2	65	3·3
Turton	12,310	70	60	1	2	133	10·8	69	93	162	13·2	10	75	−2·4
Tyldesley with Shakerley.	15,440	131	123	2	4	260	16·8	100	95	195	12·6	12	46	4·2
Ulverston ..	9,095	64	62	2	3	131	14·4	56	71	127	14·0	10	76	0·4
Upholland ..	5,812	50	43	1	2	96	16·5	37	35	72	12·4	4	42	4·1
Urmston ..	8,244	50	55	1	4	110	13·3	49	69	118	14·3	5	45	−1·0
Walton-le-Dale	12,600	89	78	4	3	174	13·8	71	89	160	12·7	11	63	1·1
Wardle	4,612	28	28	2	4	62	13·4	31	27	58	12·6	2	32	0·8
Waterloo with Seaforth.	32,030	267	248	7	13	535	16·7	185	226	411	12·9†	40	75	3·8
Westhoughton	17,290	110	110	2	4	226	13·1	127	119	246	14·2	30	133	−1·1
Whitefield ..	8,284	64	65	2	2	133	16·1	56	65	121	14·6	7	53	1·5
Whitworth ..	8,573	64	50	3	2	119	13·9	60	83	143	16·7	14	118	−2·8
Widnes M.B. ..	40,890	424	434	15	13	886	21·7	305	249	554	13·5	75	85	8·2
Withnell ..	3,316	14	26	—	1	41	12·4	21	29	50	15·1	3	73	−2·7
Worsley ..	14,760	74	75	—	1	150	10·2	87	122	209	14·2	17	113	−4·0

† Death-rate based upon estimated civilian population of 31,840.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—*cont.*														
RURAL DISTRICTS.	263,430*	1,826	1,770	73	73	3,742	14·2	1,666	1,525	3,191	12·1†	243	65	2·1
Barton-upon-Irwell	13,500	113	119	3	7	242	17·9	84	72	156	11·6	9	37	6·3
Blackburn ..	11,290	49	53	3	—	105	9·3	50	56	106	9·4	5	48	—0·1
Burnley	18,390*	87	107	5	4	203	11·0	105	137	242	13·2	13	64	—2·2
Bury	9,385	49	62	4	2	117	12·5	65	61	126	13·4	7	60	—0·9
Chorley	22,440	182	161	2	2	347	15·5	162	122	284	12·7	23	66	2·8
Clitheroe.. ..	8,893	45	32	—	3	80	9·0	28	41	69	7·8	5	63	1·2
Fylde	15,980	96	127	3	5	231	14·5	99	92	191	12.0	11	48	2·5
Garstang.. ..	11,440	97	93	4	7	201	17·6	78	64	142	12·4	11	55	5·2
Lancaster ..	9,343	80	62	1	2	145	15·5	68	68	136	14·6	7	48	0·9
Leigh	11,980	90	76	1	—	167	13·9	88	72	160	13·4	22	132	0·5
Limehurst ..	9,403	64	64	7	1	136	14·5	65	51	116	12·6†	11	81	1·9
Lunesdale ..	6.397	58	40	7	1	106	16·6	42	38	80	12·5	6	57	4·1
Preston	27,930	202	185	5	6	398	14·2	179	157	336	12·0	31	78	2·2
Sefton	2,371	14	17	—	1	32	13·5	10	17	27	11·4	—	—	2·1
Ulverston ..	16,630	145	106	10	13	274	16·5	120	119	239	14·4	20	73	2·1
Warrington ..	15,920	97	103	2	3	205	12·9	96	77	173	10·9	11	54	2·0
West Lancashire	23,270	152	153	6	7	318	13·7	142	138	280	12·0	19	60	1·7
Whiston	22,370	170	170	7	7	354	15·8	134	106	240	10·7	26	73	5·1
Wigan	6,498	36	40	3	2	81	12·5	51	37	88	13·5	6	74	—1·0
LEICESTERSHIRE:														
COUNTY BORO':														
Leicester ..	245,200	1,840	1,674	123	110	3,747	15·3	1,670	1,747	3,417	13·9	298	80	1·4
ADMINISTRATIVE COUNTY.	295,490	2,445	2,396	91	81	5,013	17·0	1,846	1,783	3,629	12·3†	286	57	4·7
URBAN DISTRICTS	121,090	950	999	21	27	1,997	16·5	734	707	1,441	11·9†	114	57	4·6
Ashby de la Zouch.	5,214	39	39	1	—	79	15·2	36	32	68	13·0	4	51	2·2
Ashby Woulds	3,561	31	26	2	3	62	17·4	17	16	33	9·3	6	97	8·1
Coalville	22,790	180	205	2	4	391	17·2	137	121	258	11·3	24	61	5·9
Hinckley ..	15,650	140	148	3	3	294	18·8	108	115	223	14·2	21	71	4·6
Loughborough M.B.	26,260	215	215	7	7	444	16·9	168	155	323	12·3	21	47	4·6
Market Harboro'	9,143	63	59	2	1	125	13·7	43	56	99	10·8	6	48	2·9
Melton Mowbray	10,480	86	78	1	4	169	16·1	65	69	134	12·8	10	59	3·3
Oadby	4,422	32	38	—	1	71	16·1	22	23	45	10·2	1	14	5·9
Quorndon ..	2,630	13	19	—	1	33	12·5	22	17	39	14·8	1	30	—2·3
Shepshed ..	5,878	29	40	—	2	71	12·1	36	34	70	11·9	5	70	0·2
Thurmaston ..	3,782	32	36	—	—	68	18·0	22	15	37	9·8	5	74	8·2
Wigston Magna	11,280	90	96	3	1	190	16·8	58	54	112	10·1†	10	53	6·7
RURAL DISTRICTS.	174,400	1,495	1,397	70	54	3,016	17·3	1,112	1,076	2,188	12·5	172	57	4·8
Ashby de la Zouch.	17,640	171	152	9	4	336	19·0	126	123	249	14·1	26	77	4·9
Barrow upon Soar.	29,730	227	229	8	10	474	15·9	211	189	400	13·5	32	68	2·4
Belvoir	3,202	19	24	3	1	47	14·7	26	27	53	16·6	—	—	—1·9
Billesdon.. ..	10,460	79	70	5	7	161	15·4	50	58	108	10·3	6	37	5·1
Blaby	26,780	356	316	12	9	693	25·9	149	150	299	11·2	37	53	14·7
Castle Donington	6,534	57	45	2	3	107	16·4	45	36	81	12·4	6	56	4·0
Hallaton ..	1,717	13	9	1	1	24	14·0	12	8	20	11·6	2	83	2·4
Hinckley ..	16,780	142	109	2	1	254	15·1	96	97	193	11·5	13	51	3·6

† Death-rates based upon estimated civilian populations as follows:—Lancashire—Rural Districts, 263,230*; Limehurst R.D. 9,203. Leicestershire—Administrative County, 295,300; Urban Districts, 120,900; Wigston Magna U.D., 11,090.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Lancashire—Rural Districts, 263,100 (Total), 262,900 (Civilian); Burnley R.D. 18,060.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LEICESTERSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Loughborough	4,836	31	24	—	—	55	11·4	28	33	61	12·6	5	91	−1·2
Lutterworth ..	10,320	71	63	4	5	143	13·9	62	87	149	14·4	8	56	−0·5
Market Bosworth	24,190	179	188	13	9	389	16·1	141	110	251	10·4	27	69	5·7
Market Harboro'	7,501	40	53	1	2	96	12·8	55	55	110	14·7	2	21	−1·9
Melton Mowbray	14,710	110	115	10	2	237	16·1	111	103	214	14·5	8	34	1·6
LINCOLNSHIRE: PARTS OF HOLLAND. ADMINISTRATIVE COUNTY.	89,400	825	789	65	54	1,733	19·4	620	550	1,170	13·1	110	63	6·3
URBAN DISTRICTS	39,190	385	350	30	19	784	20·0	302	259	561	14·3	45	57	5·7
Boston M.B. ..	15,880	147	148	12	2	309	19·5	141	115	256	16·1	32	104	3·4
Holbeach ..	5,913	66	60	6	2	134	22·7	33	33	66	11·2	5	37	11·5
Long Sutton ..	3,168	30	27	3	4	64	20·2	29	22	51	16·1	1	16	4·1
Spalding ..	11,830	106	89	5	10	210	17·8	85	75	160	13·5	6	29	4·3
Sutton Bridge	2,399	36	26	4	1	67	27·9	14	14	28	11·7	1	15	16·2
RURAL DISTRICTS.	50,210	440	439	35	35	949	18·9	318	291	609	12·1	65	68	6·8
Boston	23,140	215	205	21	21	462	20·0	148	149	297	12·8	39	84	7·2
Crowland ..	2,780	20	26	1	2	49	17·6	25	16	41	14·7	2	41	2·9
East Elloe ..	10,380	93	88	2	4	187	18·0	60	37	97	9·3	9	48	8·7
Spalding (pt.) ‡	13,910	112	120	11	8	251	18·0	85	89	174	12·5	15	60	5·5
LINCOLNSHIRE: PARTS OF KESTEVEN. ADMINISTRATIVE COUNTY.	110,010	868	853	56	61	1,838	16·7	764	737	1,501	13·9†	110	60	2·8
URBAN DISTRICTS	41,770	323	300	23	21	667	16·0	306	292	598	14·3	38	57	1·7
Bourne	4,462	47	39	1	2	89	19·9	23	52	75	16·8	4	45	3·1
Grantham M.B.	18,900	139	132	12	6	289	15·3	137	113	250	13·2	17	59	2·1
Ruskington ..	1,173	12	5	1	1	19	16·2	13	12	25	21·3	2	105	−5·1
Sleaford	7,155	52	53	6	6	117	16·4	54	47	101	14·1	8	68	2·3
Stamford M.B.	10,080	73	71	3	6	153	15·2	79	68	147	14·6	7	46	0·6
RURAL DISTRICTS.	68,240	545	553	33	40	1,171	17·2	458	445	903	13·6†	72	61	3·6
Bourne	12,550	116	120	9	3	248	19·8	107	101	208	16·6	12	48	3·2
Branston.. ..	14,700	129	100	4	9	242	16·5	95	71	166	11·4†	13	54	5·1
Claypole	7,900	42	68	4	2	116	14·7	55	68	123	15·6	8	69	−0·9
Grantham ..	12,330	85	101	7	14	207	16·8	85	85	170	14·4†	16	77	2·4
Sleaford	18,710	159	149	9	11	328	17·5	100	114	214	12·2†	20	61	5·3
Spalding (pt.) §	670	2	8	—	—	10	14·9	3	—	3	4·5	1	100	10·4
Uffington ..	1,380	12	7	—	1	20	14·5	13	6	19	13·8	2	100	0·7
LINCOLNSHIRE: PARTS OF LINDSEY. COUNTY BORO'S.	156,690	1,252	1,248	94	75	2,669	17·0	1,202	1,022	2,224	14·2†	221	83	2·8
Grimsby	91,440	781	775	64	53	1,673	18·3	708	568	1,276	14·0	148	88	4·3
Lincoln	65,250	471	473	30	22	996	15·3	494	454	948	14·6†	73	73	0·7
ADMINISTRATIVE COUNTY.	259,000	2,158	2,031	157	140	4,486	17·3	1,696	1,675	3,371	13·0	296	66	4·3

† Death-rates based upon estimated civilian populations as follows:—Lincolnshire (Kesteven)—Administrative County, 108,170; Rural Districts, 66,400; Branston R.D., 14,590; Grantham R.D., 11,790; Sleaford R.D., 17,520. Lincolnshire: Lindsey—County Boroughs, 156,520; Lincoln C.B., 65,080.

‡ The remainder of Spalding Rural District is in Lincolnshire: Kesteven.

§ The remainder of Spalding Rural District is in Lincolnshire: Holland.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LINCOLNSHIRE: PTS. OF LINDSEY —*cont.*														
URBAN DISTRICTS	125,300	1,011	955	69	64	2,099	16·8	816	804	1,620	12·9	145	69	3·9
Alford	2,211	15	20	2	1	38	17·2	18	20	38	17·2	3	79	—
Barton-upon-Humber.	6,385	55	53	1	3	112	17·5	52	54	106	16.6	10	89	0·9
Brigg	3,648	43	37	9	5	94	25·8	22	21	43	11·8	2	21	14·0
Cleethorpes ..	28,680	205	203	13	11	432	15·1	162	168	330	11·5	27	63	3·6
Crowle	2,759	31	18	2	1	52	18·8	21	27	48	17·4	7	135	1·4
Gainsborough..	18,740	166	131	7	6	310	16·5	132	106	238	12·7	26	84	3·8
Horncastle ..	3,369	31	20	2	2	55	16·3	32	35	67	19·9	4	73	—3·6
Louth M.B. ..	9,475	53	67	10	7	137	14·5	86	73	159	16·8	8	58	—2·3
Mablethorpe and Sutton	4,912	21	19	1	3	44	9·0	22	23	45	9·2	2	45	—0·2
Market Rasen	2,047	8	9	3	1	21	10·3	22	27	49	23·9	2	95	—13·6
Roxby-cum-Risby.	574	4	1	—	—	5	8·7	4	2	6	10·5	1	200	—1·8
Scunthorpe and Frodingham.	31,880	312	311	15	13	651	20·4	178	172	350	11·0	39	60	9·4
Skegness ..	7,305	37	47	3	10	97	13·3	49	53	102	14·0	9	93	—0·7
Winterton ..	1,887	26	15	1	—	42	22·3	7	9	16	8·5	5	119	13·8
Woodhall Spa	1,428	4	4	—	1	9	6·3	9	14	23	16·1	—	—	—9·8
RURAL DISTRICTS.	133,700	1,147	1,076	88	76	2,387	17·9	880	871	1,751	13·1	151	63	4·8
Caistor	12,780	92	113	10	5	220	17·2	76	88	164	12·8	14	64	4·4
Gainsborough..	14,130	121	109	10	8	248	17·6	105	98	203	14·4	20	81	3·2
Glanford Brigg	28,380	258	231	17	15	521	18·4	199	172	371	13·1	47	90	5·3
Grimsby	10,050	90	68	8	8	174	17·3	47	46	93	9·3	4	23	8·0
Horncastle ..	11,870	94	96	9	6	205	17·3	78	79	157	13·2	10	49	4·1
Isle of Axholme	6,530	49	52	6	8	115	17·6	51	34	85	13·0	9	78	4·6
Louth	16,580	146	132	12	11	301	18·2	111	112	223	13·4	12	40	4·8
Sibsey	2,990	35	32	—	2	69	23·1	16	27	43	14·4	3	43	8·7
Spilsby	19,110	166	165	12	8	351	18·4	132	133	265	13·9	25	71	4·5
Welton	11,280	96	78	4	5	183	16·2	65	82	147	13·0	7	38	3·2
GREATER LONDON‡	7,916,680	61,375	59,097	2,815	2,715	126,002	15·9	51,754	51,226	102,980	13·0†	8,258	66	2·9
LONDON: Administrative County, City and Inner and Middle Temples.	4,430,000	33,897	32,665	1,809	1,718	70,089	15·8	31,836	31,053	62,889	14·2†	4,995	71	1·6
CITY OF LONDON.	10,700	41	35	2	2	80	7·5	86	64	150	14·0	5	63	—6·5
INNER AND MIDDLE TEMPLES.	280	1	3	—	—	4	14·3	5	4	9	32·1	—	—	—17·8
METROPOLITAN BOROUGHS:														
Battersea ..	161,800	1,271	1,257	45	46	2,619	16·2	1,154	1,140	2,294	14·2	164	63	2·0
Bermondsey ..	113,800	1,125	1,091	13	23	2,252	19·8	896	753	1,649	14·5	160	71	5·3
Bethnal Green	110,500	1,008	1,005	21	30	2,064	18·7	778	734	1,512	13·7	133	64	5·0
Camberwell ..	256,900	1,937	1,878	61	58	3,934	15·3	1,739	1,752	3,491	13·6	268	68	1·7
Chelsea	62,680	336	328	35	37	736	11·7	498	485	983	15·7	52	71	—4·0

† Death-rates based upon estimated civilian populations as follows:—Greater London, 7,900,480; London, 4,417,900.

‡ Greater London consists of the City of London, the Metropolitan Boroughs and the Outer Ring. For the detailed constitution *see* Census of England and Wales, 1921, Preliminary Report pp. 58, 59 (Cmd. 1485).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LONDON—*cont.*														
METROPOLITAN BORO'S—*cont.*														
Deptford ..	111,000	931	873	29	27	1,860	16·8	762	719	1,481	13·3	141	76	3·5
Finsbury ..	70,980	626	658	37	30	1,351	19·0	617	517	1,134	16·0	104	77	3·0
Fulham	153,700	1,118	1,112	74	62	2,366	15·4	1,054	1,065	2,119	13·8	172	73	1·6
Greenwich ..	101,100	825	764	28	16	1,633	16·2	708	680	1,388	13·9†	116	71	2·3
Hackney	214,400	1,692	1,602	64	65	3,423	16·0	1,515	1,474	2,989	13·9	194	57	2·1
Hammersmith	136,900	1,039	979	66	78	2,162	15·8	936	939	1,875	13·7	133	62	2·1
Hampstead ..	84,830	458	430	40	40	968	11·4	500	642	1,142	13·5	52	54	—2·1
Holborn	38,380	159	190	17	26	392	10·2	353	245	598	15·6	29	74	—5·4
Islington ..	319,800	2,693	2,660	148	136	5,637	17·6	2,435	2,363	4,798	15·0	405	72	2·6
Kensington ..	176,000	1,181	1,136	123	105	2,545	14·5	1,145	1,569	2,714	15·4†	219	86	—0·9
Lambeth ..	294,400	2,231	2,095	170	127	4,623	15·7	2,211	2,176	4,387	14·9	313	68	0·8
Lewisham ..	207,900	1,606	1,550	59	46	3,261	15·7	1,122	1,287	2,409	11·6	144	44	4·1
Paddington ..	142,800	988	912	114	124	2,138	15·0	1,035	1,176	2,211	15·5	215	101	—0·5
Poplar	160,000	1,496	1,504	31	33	3,064	19·2	1,185	1,082	2,267	14·2	231	75	5·0
St. Marylebone	102,400	554	518	89	72	1,233	12·0	704	751	1,455	14·2	95	77	—2·2
St. Pancras ..	204,400	1,539	1,392	128	124	3,183	15·6	1,704	1,427	3,131	15·4†	262	82	0·2
Shoreditch ..	99,710	981	952	36	36	2,005	20·1	852	741	1,593	16·0	168	84	4·1
Southwark ..	178,500	1,584	1,516	64	72	3,236	18·1	1,578	1,245	2,823	15·8	265	82	2·3
Stepney	242,600	2,093	2,008	61	53	4,215	17·4	1,845	1,524	3,369	13·9†	381	90	3·5
Stoke Newington	50,040	393	386	13	15	807	16·1	310	360	670	13·4	38	47	2·7
Wandsworth ..	346,700	2,248	2,144	125	105	4,622	13·3	2,214	2,383	4,597	13·3	287	62	—
Westminster ..	130,000	602	587	87	88	1,364	10·5	1,002	869	1,871	14·9†	105	77	—4 4
Woolwich ..	146,800	1,141	1,100	29	42	2,312	15·7	893	887	1,780	12·2†	144	62	3·5
MIDDLESEX.														
ADMINISTRATIVE COUNTY	1,462,650	11,549	10,837	475	470	23,331	16·0	8,265	8,440	16,705	11·5†	1,312	56	4·5
URBAN DISTRICTS	1,392,500*	10,938	10,284	449	444	22,115	15·9	7,887	8,071	15,958	11·5†	1,251	57	4·4
Acton M.B. ..	65,200	517	456	26	27	1,026	15·7	410	421	831	12·7	85	83	3·0
Brentford and Chiswick ..	59,040	473	441	19	22	955	16·2	413	435	848	14·4	59	62	1·8
Ealing M.B. ..	104,000	749	706	32	42	1,529	14·7	613	683	1,296	12·5	73	48	2·2
Edmonton ..	75,000	661	599	19	20	1,299	17·3	437	358	795	10·6	81	62	6·7
Enfield	65,100	528	483	20	16	1,047	16·1	363	328	691	10·6	63	60	5·5
Feltham	8,048	61	76	4	1	142	17·6	46	35	81	10·5†	11	77	7·1
Finchley ..	54,830	343	331	15	15	704	12·8	298	306	604	11·0	32	45	1·8
Friern Barnet	21,470	157	140	4	6	307	14·3	98	122	220	10·2	19	62	4·1
Hampton ..	12,300	81	82	7	4	174	14·1	70	73	143	11·6	9	52	2·5
Hampton Wick	2,992	15	18	2	—	35	11·7	15	18	33	11·0	1	29	0·7
Harrow-on-the-Hill.	24,550	196	196	12	6	410	16·7	102	135	237	9·7	15	37	7·0
Hayes	13,900	163	144	3	4	314	22·6	76	63	139	10·0	14	45	12·6
Hendon	83,540	743	701	33	31	1,508	18·1	428	433	861	10·3†	67	44	7·8
Heston and Isleworth.	63,070	537	501	24	16	1,078	17·1	402	367	769	12·4†	50	46	4·7
Hornsey M.B.	88,450	610	558	27	26	1,221	13·8	547	583	1,130	12·8	66	54	1·0
Kingsbury ..	8,349	79	93	2	5	179	21·4	26	26	52	6·2	9	50	15·2
Ruislip Northwood.	14,120	123	100	2	1	226	16·0	57	67	124	9·2†	7	31	6·8
Southall Norwood.	35,370	247	244	1	5	497	14·1	166	151	317	9·0	26	52	5·1
Southgate ..	49,630	282	258	7	10	557	11·2	261	273	534	10·8	27	48	0·4
Staines	7,916	54	59	5	3	121	15·3	46	40	86	10·9	4	33	4·4

† Death-rates based upon estimated civilian populations as follows:—Metropolitan Boroughs—Greenwich, 99,900; Kensington, 175,800; St. Pancras, 203,900; Stepney, 241,800; Westminster, 125,800; Woolwich, 141,600. Middlesex—Administrative County, 1,458,810. Urban Districts, 1,388,690*; Feltham U.D., 7,708; Hendon U.D., 83,190; Heston and Isleworth U.D., 62,240; Ruislip Northwood U.D., 13,480.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Middlesex—Urban Districts, 1,396,540 (Total), 1,392,700 (Civilian).

TABLE 14—*cont*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MIDDLESEX—*cont.*														
URBAN DISTRICTS —*cont.*														
Sunbury-on-Thames.	7,119	62	52	—	3	117	16·4	30	41	71	10·0	5	43	6·4
Teddington ..	22,350	163	159	8	6	336	15·0	131	139	270	12·1	18	54	2·9
Tottenham ..	155,000	1,259	1,206	53	43	2,561	16·5	908	936	1,844	11·9	165	64	4·6
TwickenhamM.B.	36,070	278	250	15	13	556	15·4	235	252	487	13·5	34	61	1·9
Uxbridge ..	24,820*	200	219	6	5	430	17·3	119	114	233	10·0†	28	65	7·3
Wealdstone ..	20,830	217	182	6	8	413	19·8	81	111	192	9·2	28	68	10·6
Wembley ..	35,530	300	287	9	11	607	17·1	166	184	350	9·8	33	54	7·3
Willesden ..	172,500	1,390	1,302	74	76	2,842	16·5	994	1,027	2,021	11·7	168	59	4·8
Wood Green ..	53,410	353	342	12	14	721	13·5	295	310	605	11·3	43	60	2·2
Yiewsley & West Drayton.	7,996*	97	99	2	5	203	25·4	54	40	94	11·9†	11	54	13·5
RURAL DISTRICTS.	70,150*	611	553	26	26	1,216	17·3	378	369	747	10·7†	61	50	6·6
Hendon	32,400	277	263	6	7	553	17·1	132	160	292	9·0	23	42	8·1
South Mimms	4,470	34	23	3	5	65	14·5	26	24	50	11·2	1	15	3·3
Staines	29,240	266	233	14	11	524	17·9	186	158	344	11·8	29	55	6·1
Uxbridge ..	4,040*	34	34	3	3	74	18·3	34	27	61	15·2†	8	108	3·1
NORFOLK:														
COUNTY BORO's:	183,610	1,403	1,301	70	80	2,854	15·5	1,254	1,325	2,579	14·1†	200	70	1·4
Great Yarmouth	58,110	410	404	24	27	865	14·9	422	414	836	14·4	51	59	0·5
Norwich	125,500	993	897	46	53	1,989	15·8	832	911	1,743	14·0†	149	75	1·8
ADMINISTRATIVE COUNTY.	323,260	2,387	2,253	161	166	4,967	15·4	2,121	2,215	4,336	13·4†	298	60	2·0
URBAN DISTRICTS	61,790	396	381	27	37	841	13·6	453	450	903	14·6	56	67	−1·0
Cromer	4,303	17	22	1	—	40	9·3	25	18	43	10·0	—	—	−0·7
Diss	3,439	25	19	2	3	49	14·2	27	31	58	16·9	6	122	−2·7
DownhamMarket	2,452	19	22	3	4	48	19·6	15	18	33	13·5	2	42	6·1
East Dereham	5,515	36	27	3	5	71	12·9	48	36	84	15·2	2	28	−2·3
King's LynnM.B.	20,160	148	147	10	14	319	15·8	157	164	321	15·9	29	91	−0·1
New Hunstanton	3,848	10	9	1	1	21	5·5	16	17	33	8·6	2	95	−3·1
North Walsham	4,304	31	18	—	2	51	11·8	34	29	63	14·6	3	59	−2·8
Sheringham ..	4,126	21	29	1	2	53	12·8	28	21	49	11·9	3	57	0·9
Swaffham ..	2,718	15	22	1	1	39	14·3	21	24	45	16·6	1	26	−2·3
Thetford M.B.	4,363	26	24	4	4	58	13·3	38	32	70	16·0	2	34	−2·7
Walsoken ..	3,849	32	26	1	—	59	15·3	32	35	67	17·4	5	85	−2·1
Wells	2,713	16	16	—	1	33	12·2	12	25	37	13·6	1	30	−1·4
RURAL DISTRICTS	261,470	1,991	1,872	134	129	4,126	15·8	1,668	1,765	3,433	13·1†	242	59	2·7
Aylsham ..	16,400	121	119	9	13	262	16·0	99	103	202	12·3	12	46	3·7
Blofield	13,910	100	92	2	7	201	14·5	71	83	154	11·1	13	65	3·4
Depwade.. ..	18,240	131	117	12	7	267	14·6	126	144	270	14·8	13	49	−0·2
Docking	16,650	140	124	6	8	278	16·7	113	116	229	14·0†	12	43	2·7
Downham ..	14,920	149	115	11	6	281	18·8	85	108	193	12·9	20	71	5·9
East and West Flegg.	10,490	75	78	5	5	163	15·5	65	74	139	13·3	14	86	2·2
Erpingham ..	17,750	119	94	6	11	230	13·0	124	117	241	13·6	12	52	−0·6
Forehoe	12,640	106	96	4	3	209	16·5	79	98	177	14·0	10	48	2·5
Freebridge Lynn	12,060	93	85	5	5	188	15·6	67	73	140	11·6	8	43	4·0
Henstead ..	10,640	66	90	5	6	167	15·7	67	71	138	13·0	14	84	2·7

† Death-rate based upon estimated civilian populations as follows :—Middlesex, Uxbridge U.D., 23,280*; Yiewsley and West Drayton U.D., 7,886*; Rural Districts, 70,120*; Uxbridge R.D., 4,010*; Norfolk—County Boroughs, 183,010; Norwich C.B., 124,900; Administrative County, 322,990; Rural Districts, 261,200; Docking R.D., 16,380.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows :—Middlesex—Uxbridge U.D., 28,200 (Total), 26,660 (Civilian); Yiewsley and West Drayton U.D., 8,656 (Total), 8,516 (Civilian); Rural Districts, 66,110; Uxbridge R.D., *Nil*.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORFOLK—*cont.*														
RURAL DISTRICTS—*cont.*														
King's Lynn ..	913	3	9	1	—	13	14·2	3	3	6	6·6	—	—	7·6
Loddon and Clavering	12,180	88	102	4	6	200	16·4	106	79	185	15·2	12	60	1·2
Marshland ..	14,680	140	112	8	7	267	18·2	82	96	178	12·1	21	79	6·1
Mitford and Launditch.	17,360	118	97	11	11	237	13·7	104	129	233	13·4	14	59	0·3
St. Faith's ..	13,420	87	100	6	6	199	14·8	71	75	146	10·9	10	50	3·9
Smallburgh ..	14,170	98	99	10	7	214	15·1	98	95	193	13·6	19	89	1·5
Swaffham ..	6,916	62	48	4	3	117	16·9	44	41	85	12·3	7	60	4·6
Thetford ..	9,211	88	79	10	9	186	20·2	67	72	139	15·1	11	59	5·1
Walsingham ..	15,940	130	118	7	6	261	16·4	88	93	181	11·4	10	38	5·0
Wayland ..	12,980	77	98	8	3	186	14·3	109	95	204	15·7	10	54	—1·4
NORTHAMPTONSHIRE:														
COUNTY BORO':														
Northampton	94,180	583	606	31	29	1,249	13·3	540	556	1,096	11·7†	65	52	1·6
ADMINISTRATIVE COUNTY.	216,550	1,524	1,440	76	64	3,104	14·3	1,349	1,300	2,649	12·2†	171	55	2·1
URBAN DISTRICTS	102,600	686	653	35	25	1,399	13·6	571	583	1,154	11·2	80	57	2·4
Brackley M.B.	2,163	16	13	2	1	32	14·8	19	22	41	19·0	1	31	—4·2
Burton Latimer	3,514	19	19	1	—	39	11·1	13	13	26	7·4	4	103	3·7
Daventry M.B.	3,494	27	27	3	1	58	16·6	19	34	53	15·2	5	86	1·4
Desborough ..	4,541	28	27	3	—	58	12·8	17	22	39	8·6	1	17	4·2
Finedon	4,059	23	35	1	2	61	15·0	26	23	49	12·1	5	82	2·9
Higham Ferrers M.B.	3,054	17	25	—	1	43	14·1	12	11	23	7·5	3	70	6·6
Irthlingborough	4,934	41	31	2	—	74	15·0	29	26	55	11·1	4	54	3·9
Kettering ..	31,070	215	195	10	7	427	13·7	186	166	352	11·3	23	54	2·4
Oundle	2,493	17	9	1	3	30	12·0	11	22	33	13·2	1	33	—1·2
Raunds	3,753	26	19	1	—	46	12·3	26	22	48	12·8	4	87	—0·5
Rothwell ..	4,695	26	35	3	—	64	13·6	31	21	52	11·1	3	47	2·5
Rushden ..	14,020	85	84	3	2	174	12·4	67	70	137	9·8	9	52	2·6
Wellingborough	20,810	146	134	5	8	293	14·1	115	131	246	11·8	17	58	2·3
RURAL DISTRICTS:	113,950	838	787	41	39	1,705	15·0	778	717	1,495	13·1†	91	53	1·9
Brackley ..	6,272	44	37	4	3	88	14·0	47	38	85	13·6	3	34	0·4
Brixworth ..	11,750	78	79	4	3	164	14·0	90	80	170	14·5	14	85	—0·5
Crick	2,434	16	18	2	—	36	14·8	19	16	35	14·4	2	56	0·4
Daventry ..	13,670	100	95	4	4	203	14·9	92	103	195	14·3†	9	44	0·6
Easton-on-the-Hill.	1,423	5	22	1	—	28	19·7	5	8	13	9·1	1	36	10·6
Gretton	1,374	9	8	—	1	18	13·1	13	13	26	18·9	—	—	—5·8
Hardingstone	7,432	56	46	6	2	110	14·8	59	45	104	14·0	7	64	0·8
Kettering ..	9,532	80	75	2	2	159	16·7	62	57	119	12·5	11	69	4·2
MiddletonCheney	2,390	25	9	3	1	38	15·9	11	7	18	7·5	—	—	8·4
Northampton	10,610	94	76	2	1	173	16·3	60	39	99	9·3	12	69	7·0
Oundle (part of)	6,274	50	39	1	4	94	15·0	44	42	86	13·7	7	74	1·3
Oxendon ..	3,877	20	26	2	—	48	12·4	29	32	61	15·7	3	63	—3·3
Potterspury ..	4,714	27	34	—	1	62	13·2	32	31	63	13·4	2	32	—0·2
Thrapston (part of)‡.	10,140	71	63	1	4	139	13·7	79	57	136	13·4	8	58	0·3
Towcester ..	9,398	59	72	3	5	139	14·8	65	73	138	14·7	6	43	0·1
Wellingborough	12,660	104	88	6	8	206	16·3	71	76	147	11·6	6	29	4·7

† Death rates based upon estimated civilian populations as follows:—Northamptonshire—Northampton C.B., 93,970; Administrative County, 216,500; Rural Districts, 113,900; Daventry R.D., 13,620.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire.

Table 14—*cont.*

Population, Births, Deaths, Infant Mortality, Natural Increase, 1929.—Counties, County Boroughs, Municipal Boroughs and Urban Districts, Rural Districts.

Area.	Estimated Population (Middle 1929).	Births. Legitimate. M.	Births. Legitimate. F.	Births. Illegitimate. M.	Births. Illegitimate. F.	Births. Total.	Births. Crude Rate per 1,000. Total Population.	Deaths. M.	Deaths. F.	Deaths. Total.	Deaths. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Northumberland:														
County Boro's.	349,980	3,174	2,929	151	113	6,367	18·2	2,617	2,159	4,776	13·7†	552	87	4·5
Newcastle-upon-Tyne.	284,100	2,548	2,367	125	86	5,126	18·0	2,145	1,775	3,920	13·8†	437	85	4·2
Tynemouth ..	65,880	626	562	26	27	1,241	18·8	472	384	856	13·0	115	93	5·8
Administrative County.	409,980	3,269	3,248	183	185	6,885	16·8	2,546	2,463	5,009	12·2†	557	81	4·6
Urban Districts	304,380	2,555	2,574	129	130	5,388	17·7	1,935	1,885	3,820	12·6†	473	88	5·1
Alnwick	6,923	50	45	4	3	102	14·7	53	48	101	14·6	10	98	0·1
Amble	4,169	30	26	3	4	63	15·1	38	53	91	21·8	9	143	−6·7
Ashington ..	28,890	287	314	22	10	633	21·9	208	181	389	13·5	85	134	8·4
Bedlingtonshire	27,890	251	261	13	12	537	19·3	185	163	348	12·5	56	104	6·8
Berwick-upon-Tweed M.B.	12,050	100	107	9	6	222	18·4	82	75	157	13·2†	16	72	5·2
Blyth M.B. ..	31,520	265	303	12	14	594	18·8	199	196	395	12·5	52	88	6·3
Cramlington ..	8,695	78	71	—	3	152	17·5	60	45	105	12·1	13	86	5·4
Earsdon	13,050	129	105	5	4	243	18·6	75	91	166	12·7	16	66	5·9
Gosforth ..	16,770	95	104	5	4	208	12·4	89	96	185	11·0	14	67	1·4
Hexham	8,485	74	60	8	7	149	17·6	60	77	137	16·1	17	114	1·5
Longbenton ..	14,100	98	106	2	5	211	15·0	79	80	159	11·3	16	76	3·7
Morpeth M.B.	7,416	63	61	3	5	132	17·8	48	58	106	14·3	11	83	3·5
Newbiggin by the Sea	7,064	64	60	2	3	129	18·3	34	32	66	9·3	6	47	9·0
Newburn.. ..	20,340	149	150	9	9	317	15·6	127	96	223	11·0	22	69	4·6
Prudhoe	9,401	92	77	2	4	175	18·6	64	54	118	12·6	11	63	6·0
Rothbury ..	1,252	5	8	2	—	15	12·0	14	8	22	17·6	1	67	−5·6
Seaton Delaval	7,560	40	62	3	1	106	14·0	44	43	87	11·5	5	47	2·5
Seghill	2,456	27	25	2	1	55	22·4	14	13	27	11·0	4	73	11·4
Wallsend M.B.	44,800	453	413	11	23	900	20·1	312	287	599	13·4	85	94	6·7
Weetslade ..	7,739	79	73	8	5	165	21·3	52	33	85	11·0	11	67	10·3
Whitley and Monkseaton	23,810	126	143	4	7	280	11·8	98	156	254	10·7	13	46	1·1
Rural Districts	105,600	714	674	54	55	1,497	14·2	611	578	1,189	11·3	84	56	2·9
Alnwick	12,850	75	84	8	1	168	13·1	77	78	155	12·1	11	65	1·0
Belford	4,809	34	24	—	3	61	12·7	26	35	61	12·7	5	82	—
Bellingham ..	5,484	36	42	8	4	90	16·4	32	40	72	13·1	8	89	3·3
Castle Ward ..	14,360	105	85	4	4	198	13·8	79	53	132	9·2	14	71	4·6
Glendale ..	8,033	52	54	2	11	119	14·8	52	49	101	12·6	3	25	2·2
Haltwhistle ..	9,054	61	53	8	4	126	13·9	52	43	95	10·5	5	40	3·4
Hexham	21,540	140	125	7	14	286	13·3	140	113	253	11·7	13	45	1·6
Morpeth	19,620	156	146	11	8	321	16·4	102	99	201	10·2	21	65	6·2
Newcastle-upon-Tyne (Moot Hall and precincts)	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires	5,208	25	26	2	4	57	10·9	26	45	71	13·6	4	70	−2·7
Rothbury ..	4,636	30	35	4	2	71	15·3	25	23	48	10·4	—	—	4·9
Nottinghamshire														
County Boro':														
Nottingham ..	266,800	2,169	2,064	165	150	4,548	17·0	2,101	1,995	4,096	15·4	440	97	1·6
Administrative County.	429,300	3,671	3,518	157	171	7,517	17·5	2,706	2,389	5,095	11·9	574	76	5·6

† Death-rates based upon estimated civilian populations as follows:—Northumberland—County Boroughs, 349,280; Newcastle-upon-Tyne C.B., 283,400; Administrative County, 409,800; Urban Districts, 304,200; Berwick-upon-Tweed M.B., 11,870.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NOTTINGHAMSHIRE—*cont.*														
URBAN DISTRICTS	267,500	2,194	2,156	98	97	4,545	17·0	1,694	1,463	3,157	11·8	360	79	5·2
Arnold	13,490	122	99	4	4	229	17·0	85	76	161	11·9	11	48	5·1
Beeston	15,900	116	135	4	1	256	16·1	83	83	166	10·4	12	47	5·7
Carlton	21,200	191	187	11	6	395	18·6	134	115	249	11·7	24	61	6·9
East Retford M.B.	13,570	130	123	8	6	267	19·7	83	94	177	13·0	13	49	6·7
Eastwood ..	5,415	46	50	7	1	104	19·2	38	24	62	11·4	4	38	7·8
Hucknall.. ..	17,380	137	131	3	11	282	16·2	124	115	239	13·8	22	78	2·4
Huthwaite ..	5,525	29	52	4	2	87	15·7	39	46	85	15·4	11	126	0·3
Kirkby-in-Ashfield.	18,710	168	149	3	1	321	17·2	113	83	196	10·5	35	109	6·7
Mansfield M.B.	47,130	365	332	18	21	736	15·6	280	219	499	10·6	59	80	5·0
Mansfield Woodhouse.	14,610	127	138	7	8	280	19·2	87	73	160	11·0	30	107	8·2
Newark M.B.	17,390	124	135	6	8	273	15·7	142	109	251	14·4	28	103	1·3
Sutton-in-Ashfield.	24,650	192	196	8	12	408	16·6	153	148	301	12·2	40	98	4·4
Warsop	10,850	121	104	5	5	235	21·7	49	32	81	7·5	10	43	14·2
West Bridgford	16,040	90	89	1	2	182	11·3	92	109	201	12·5	8	44	—1·2
Worksop ..	25,640	236	236	9	9	490	19·1	192	137	329	12·8	53	108	6·3
RURAL DISTRICTS:	161,800	1,477	1,362	59	74	2,972	18·4	1,012	926	1,938	12·0	214	72	6·4
Basford	47,910	385	370	9	20	784	16·4	275	231	506	10·6	54	69	5·8
Bingham ..	14,820	99	108	3	8	218	14·7	107	121	228	15·4	17	78	—0·7
East Retford ..	15,220	109	110	7	8	234	15·4	111	105	216	14·2	15	64	1·2
Leake	4,453	37	35	1	4	77	17·3	33	39	72	16·2	2	26	1·1
Misterton ..	4,093	19	24	2	6	51	12·5	28	30	58	14·2	5	98	—1·7
Newark	9,388	69	67	2	2	140	14·9	50	48	98	10·4	9	64	4·5
Nottingham (Shire Hall)	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby	13,540	146	123	11	4	284	21·0	82	54	136	10·0	29	102	11·0
Southwell ..	28,250	320	256	11	9	596	21·1	183	163	346	12·2	38	64	8·9
Stapleford ..	12,540	114	106	6	5	231	18·4	71	75	146	11·6	14	61	6·8
Worksop ..	11,580	179	163	7	8	357	30·8	72	60	132	11·4	31	87	19·4
OXFORDSHIRE:														
COUNTY BORO':														
Oxford	70,730*	471	498	23	25	1,017	14·4	435	483	918	13·0†	65	64	1·4
ADMINISTRATIVE COUNTY.	128,950*	996	936	52	53	2,037	15·8	917	914	1,831	14·3†	105	52	1·5
URBAN DISTRICTS	37,190*	249	267	19	12	547	14·7	293	276	569	15·3	30	55	—0·6
Banbury M.B.	13,340	94	104	5	4	207	15·5	110	96	206	15·4	9	43	0·1
Bicester	2,979	22	23	5	1	51	17·1	28	14	42	14·1	3	59	3·0
Chipping Norton M.B.	3,422	24	21	2	2	49	14·3	37	25	62	18·1	5	102	—3·8
Headington	1,750*	20	14	—	—	34	19·4	11	14	25	14·3	2	59	5·1

† Death-rate based upon estimated civilian populations as follows:—Oxfordshire—Oxford C.B., 70,590*; Administrative County, 128,240*

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Oxfordshire—Oxford C.B., 74,000 (Total), 73,810 (Civilian); Administrative County, 125,680 (Total), 125,020 (Civilian); Urban Districts, 35,440; Headington U.D., *Nil.*

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
OXFORDSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Henley-on-Thames M.B.	6,494	39	40	4	2	85	13·1	39	50	89	13·7	2	24	−0·6
Thame	3,044	13	21	2	1	37	12·2	30	28	58	19·1	3	81	−6·9
Wheatley ..	1,114	9	19	—	—	28	25·1	4	6	10	9·0	1	36	16·1
Witney	3,475	12	20	1	—	33	9·5	21	35	56	16·1	4	121	−6·6
Woodstock M.B.	1,572	16	5	—	2	23	14·6	13	8	21	13·4	1	43	1·2
RURAL DISTRICTS.	91,760*	747	669	33	41	1,490	16·2	624	638	1,262	13·9†	75	50	2·3
Banbury ..	10,910	84	75	8	5	172	15·8	88	79	167	15·3	5	29	0·5
Bicester	9,432	86	70	6	1	163	17·3	49	70	119	13·6†	7	43	3·7
Chipping Norton	10,220	77	58	4	6	145	14·2	71	69	140	13·7	7	48	0·5
Crowmarsh ..	5,433	33	33	—	2	68	12·5	27	35	62	11·4	3	44	1·1
Culham	2,599	17	16	—	1	34	13·1	18	20	38	14·6	3	88	−1·5
Goring	3,367	22	10	2	2	36	10·7	24	16	40	11·9	2	56	−1·2
Headington ..	6,810*	66	54	2	3	125	18·4	45	40	85	12·6†	9	72	5·8
Henley	11,880	69	84	3	3	159	13·4	68	70	138	11·6	10	63	1·8
Thame	5,279	55	42	—	3	100	18·9	50	38	88	16·7	7	70	2·2
Witney	16,310	152	142	5	10	309	18·9	116	125	241	14·8	17	55	4·1
Woodstock ..	9,520*	86	85	3	5	179	18·8	68	76	144	15·1	5	28	3·7
PETERBOROUGH, SOKE OF: ADMINISTRATIVE COUNTY.	51,490	404	379	18	18	819	15·9	343	346	689	13·5†	47	57	2·4
URBAN DISTRICT: Peterborough M.B.	41,800*	318	293	14	15	640	15·3	265	280	545	13·0	39	61	2·3
RURAL DISTRICTS.	9,690*	86	86	4	3	179	18·5	78	66	144	15·3†	8	45	3·2
Barnack	2,393	12	17	1	—	30	12·5	17	16	33	15·5†	1	33	−3·0
Peterborough	7,297*	74	69	3	3	149	20·4	61	50	111	15·2	7	47	5·2
RUTLANDSHIRE: ADMINISTRATIVE COUNTY.	18,100	133	113	6	9	261	14·4	135	125	260	14·4	22	84	—
URBAN DISTRICT: Oakham	3,310	24	19	—	2	45	13·6	28	24	52	15·7	3	67	−2·1
RURAL DISTRICTS.	14,790	109	94	6	7	216	14·6	107	101	208	14·1	19	88	0·5
Ketton	2,792	16	17	4	2	39	14·0	20	24	44	15·8	3	77	−1·8
Oakham	5,970	53	48	1	4	106	17·8	37	35	72	12·1	12	113	5·7
Uppingham ..	6,028	40	29	1	1	71	11·8	50	42	92	15·3	4	56	−3·5
SHROPSHIRE: ADMINISTRATIVE COUNTY.	243,840	1,960	1,876	131	151	4,118	16·9	1,705	1,649	3,354	13·8†	270	66	3·1
URBAN DISTRICTS:	114,240	905	859	49	67	1,880	16·5	850	822	1,672	14·7†	131	70	1·8
Bishop's Castle M.B.	1,301	7	10	1	1	19	14·6	9	14	23	17·7	1	53	−3·1
Bridgnorth M.B.	4,885	39	28	4	5	76	15·6	47	38	85	17·4	5	66	−1·8
Church Stretton	1,778	9	3	1	1	14	7·9	4	9	13	7·3	—	—	0·6
Dawley	7,405	44	59	3	8	114	15·4	58	58	116	15·7	10	88	−0·3
Ellesmere ..	1,856	9	13	3	2	27	14·5	13	16	29	15·6	3	111	−1·1

† Death-rates based upon estimated civilian populations as follows:—Oxfordshire—Rural Districts, 91,050*; Bicester R.D., 8,772; Headington R.D., 6,760*; Peterborough, Soke of—Administrative County, 51,220. Rural Districts, 9,420*: Barnack R.D., 2,123: Shropshire—Administrative County 243,200; Urban Districts, 113,600.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Oxfordshire—Rural Districts, 90,240 (Total), 89,580 (Civilian); Headington R.D., 5,647; Woodstock R.D., 9,163. Peterborough, Soke of—Urban District, Peterborough M.B., 43,040; Rural Districts, 8,450 (Total), 8,180 (Civilian); Peterborough R.D., 6,057.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE—*cont*														
URBAN DISTRICTS —*cont.*														
Ludlow M.B. ..	5,306	39	33	2	1	75	14·1	41	47	88	16·6	13	173	−2·5
Market Drayton	4,647	41	28	5	4	78	16·8	46	37	83	17·9	9	115	−1·1
Newport ..	3,081	30	27	2	2	61	19·8	16	25	41	13·3	4	66	6·5
Oakengates ..	11,330	106	107	1	5	219	19·3	74	61	135	11·9	15	68	7·4
Oswestry M.B.	9,751	70	79	3	7	159	16·3	86	67	153	15·7	13	82	0·6
ShrewsburyM.B.	32,630	275	247	10	20	552	16·9	225	199	424	13·3†	28	51	3·6
Wellington ..	8,596	73	70	4	3	150	17·4	65	74	139	16·2	7	47	1·2
Wem	2,161	8	15	—	1	24	11·1	17	22	39	18·0	2	83	−6·9
Wenlock M.B..	13,900	104	100	6	3	213	15·3	100	115	215	15·5	18	85	−0·2
Whitchurch ..	5,613	51	40	4	4	99	17·6	49	40	89	15·9	3	30	1·7
RURAL DISTRICTS.	129,600	1,055	1,017	82	84	2,238	17·3	855	827	1,682	13·0	139	62	4·3
Atcham	22,500	177	165	11	11	364	16·2	133	130	263	11·7	24	66	4·5
Bridgnorth ..	8,412	66	74	7	6	153	18·2	53	61	114	13·6	9	59	4·6
Burford	1,285	7	5	—	—	12	9·3	7	6	13	10·1	1	83	−0·8
Chirbury ..	3,018	36	25	2	2	65	21·5	30	30	60	19·9	8	123	1·6
Church Stretton	4,384	40	31	2	2	75	17·1	29	33	62	14·1	4	53	3·0
Cleobury Mortimer	7,263	67	72	4	6	149	20·5	37	40	77	10·6	7	47	9·9
Clun..	6,236	42	47	4	4	97	15·6	38	37	75	12·0	8	82	3·6
Drayton	7,338	57	76	5	6	144	19·6	52	56	108	14·7	7	49	4·9
Ellesmere ..	7,742	55	67	5	9	136	17·6	57	50	107	13·8	10	74	3·8
Ludlow	8,516	87	71	9	7	174	20·4	62	47	109	12·8	11	63	7·6
Newport	5,525	38	41	5	7	91	16·5	39	35	74	13·4	3	33	3·1
Oswestry.. ..	16,350	130	115	9	7	261	16·0	108	90	198	12·1	12	46	3·9
Shifnal	7,626	57	55	6	6	124	16·3	58	56	114	14·9	11	89	1·4
Teme	1,645	15	14	1	2	32	19·5	11	17	28	17·0	4	125	2·5
Wellington ..	11,140	98	76	5	4	183	16·4	70	79	149	13·4	11	60	3·0
Wem	8,583	60	69	6	5	140	16·3	60	50	110	12·8	8	57	3·5
Whitchurch ..	2,037	23	14	1	—	38	18·7	11	10	21	10·3	1	26	8·4
SOMERSETSHIRE:														
COUNTY BORO':														
Bath	69,240	381	377	27	24	809	11·7	446	552	998	14·4	39	48	−2·7
ADMINISTRATIVE COUNTY.	406,560	2,797	2,641	130	124	5,692	14·0	2,492	2,760	5,252	12·9†	274	48	1·1
URBAN DISTRICTS.	170,950*	1,105	1,026	55	47	2,233	13·1	1,013	1,227	2,240	13·1†	108	48	—
Bridgwater M.B.	16,620*	146	117	6	4	273	16·4	112	110	222	13·4	15	55	3·0
Burnham-on-Sea	5,640	17	25	1	2	45	8·0	28	35	63	11·2	4	89	−3·2
Chard M.B. ..	4,179	21	15	2	1	39	9·3	37	32	69	16·5	4	103	−7·2
Clevedon ..	7,018	40	38	1	2	81	11·5	41	79	120	17·1	2	25	−5·6
Crewkerne ..	3,608	24	15	1	—	40	11·1	17	25	42	11·6	1	25	−0·5
Frome	10,640	65	61	2	3	131	12·3	59	77	136	12·8	5	38	−0·5
GlastonburyM.B.	4,414	23	37	1	1	62	14·0	20	32	52	11·8	3	48	2·2
Highbridge ..	2,678	21	13	2	—	36	13·4	15	18	33	12·3	1	28	1·1
Ilminster.. ..	2,289	15	20	2	2	39	17·0	14	23	37	16·2	3	77	0·8
Midsomer Norton	8,053	48	50	—	1	99	12·3	36	36	72	8·9	1	10	3·4
Minehead ..	6,021	29	33	3	—	65	10·8	43	50	93	15·4	4	62	−4·6
Portishead ..	3,965	20	33	1	2	56	14·1	24	22	46	11·6	2	36	2·5

† Death-rates based upon estimated civilian populations as follows:—Shropshire—Shrewsbury M.B., 31,990, Somersetshire—Administrative County, 406,300; Urban Districts, 170,690*.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Somersetshire—Urban Districts, 171,060 (Total), 170,800 (Civilian Bridgwater M.B., 16,730.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOMERSETSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Radstock ..	3,842	23	29	1	—	53	13·8	27	23	50	13·0	2	38	0·8
Shepton Mallet	4,242	36	34	1	2	73	17·2	37	35	72	17·0	1	14	0·2
Street	4,571	38	30	1	2	71	15·5	16	27	43	9·4	3	42	6·1
Taunton M.B.	25,120	184	193	11	13	401	16·0	135	183	318	12·8†	21	52	3·2
Watchet	1,932	16	17	—	—	33	17·1	6	13	19	9·8	—	—	7·3
Wellington ..	7,280	54	46	4	—	104	14·3	43	62	105	14·4	5	48	—0·1
Wells M.B. ..	4,464	35	27	2	2	66	14·8	26	41	67	15·0	2	30	—0·2
Weston-super-Mare.	27,620	121	100	10	7	238	8·6	167	205	372	13·5	17	71	—4·9
Wiveliscombe..	1,274	4	11	—	—	15	11·8	8	4	12	9·4	1	67	2·4
Yeovil M.B. ..	15,480	125	82	3	3	213	13·8	102	95	197	12·7	11	52	1·1
RURAL DISTRICTS.	235,610*	1,692	1,615	75	77	3,459	14·7	1,479	1,533	3,012	12·8	166	48	1·9
Axbridge.. ..	24,760	170	168	4	10	352	14·2	155	167	322	13·0	14	40	1·2
Bath	14,650	86	90	4	3	183	12·5	89	100	189	12·9	8	44	—0·4
Bridgwater ..	17,160*	135	132	9	9	285	16·6	119	134	253	14·7	15	53	1·9
Chard	12,350	89	76	3	2	170	13·8	74	60	134	10·9	11	65	2·9
Clutton	15,900	124	126	5	4	259	16·3	102	104	206	13·0	14	54	3·3
Dulverton ..	4,769	34	36	2	3	75	15·7	39	29	68	14·3	2	27	1·4
Frome	10,820	72	81	4	4	161	14·9	71	63	134	12·4	9	56	2·5
Keynsham ..	12,370	66	71	3	2	142	11·5	63	77	140	11·3	8	56	0·2
Langport ..	12,960	100	88	6	5	199	15·4	77	97	174	13·4	11	55	2·0
Long Ashton ..	20,540	133	155	5	1	294	14·3	114	128	242	11·8	13	44	2·5
Shepton Mallet	9,673	75	66	5	3	149	15·4	70	52	122	12·6	8	54	2·8
Taunton	16,680	108	106	8	8	230	13·8	101	115	216	12·9	14	61	0·9
Wellington ..	5,818	42	43	1	1	87	15·0	26	33	59	10·1	3	34	4·9
Wells	10,350	77	66	2	4	149	14·4	72	59	131	12·7	10	67	1·7
Williton	12,180	90	68	2	7	167	13·7	78	80	158	13·0	8	48	0·7
Wincanton ..	16,460	124	122	7	7	260	15·8	116	106	222	13·5	10	38	2·3
Yeovil	18,170	167	121	5	4	297	16·3	113	129	242	13·3	8	27	3·0
SOUTHAMPTON:														
COUNTY BORO'S.	531,060	4,139	3,930	267	211	8,547	16·1	3,488	3,659	7,147	14·0†	540	63	2·1
Bournemouth..	97,360	492	465	37	37	1,031	10·6	661	812	1,473	15·1	48	47	—4·5
Portsmouth ..	261,400	2,142	1,999	147	106	4,394	16·8	1,606	1,739	3,345	13·8†	293	67	3·0
Southampton ..	172,300	1,505	1,466	83	68	3,122	18·1	1,221	1,108	2,329	13·5	199	64	4·6
ADMINISTRATIVE COUNTY.	463,070	3,753	3,515	191	162	7,621	16·5	2,830	2,658	5,488	12·7†	424	56	3·8
URBAN DISTRICTS.	208,680	1,730	1,620	80	60	3,490	16·7	1,186	1,212	2,398	12·7†	211	60	4·0
Aldershot M.B.	36,570	339	316	14	10	679	18·6	145	159	304	12·2†	47	69	6·4
Alton	5,732	39	47	4	2	92	16·1	35	41	76	13·3	6	65	2·8
Andover M.B.	8,862	85	74	3	4	166	18·7	60	41	101	11·4	9	54	7·3
Basingstoke M.B.	13,360	81	110	7	2	200	15·0	87	64	151	11·3	12	60	3·7
Christchurch M.B.	8,818	79	79	4	1	163	18·5	43	54	97	11·1†	8	49	7·4
Eastleigh and Bishopstoke.	17,080	143	136	5	3	287	16·8	99	85	184	10·8	11	38	6·0
Fareham ..	11,060	79	77	4	2	162	14·6	49	63	112	10·1	8	49	4·5
Farnborough ..	15,720	154	118	4	3	279	17·7	61	80	141	12·7†	25	90	5·0

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Somersetshire—Rural Districts, 235,500; Bridgwater R.D., 17,050.

† Death-rates based upon estimated civilian populations as follows:—Somersetshire—Taunton M.B., 24,860; Southampton—County Boroughs, 511,660; Portsmouth C.B., 242,000; Administrative County, 432,600 Urban Districts, 188,100; Aldershot M.B., 24,870; Christchurch M.B., 8,728, Farnborough U.D., 11,140.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOUTHAMPTON —*cont.*														
URBAN DISTRICTS —*cont.*														
Fleet	4,350	26	24	2	3	55	12·6	20	31	51	11·7	2	36	0·9
Gosport M.B...	35,130	362	298	14	12	686	19·5	229	215	444	14·0†	43	63	5·5
Havant	4,441	24	31	2	1	58	13·1	35	31	66	14·9	2	34	−1·8
Lymington M.B.	4,789	28	21	5	1	55	11·5	35	29	64	13·4	1	18	−1·9
Milton	5,042	29	28	1	2	60	11·9	35	30	65	12·9	1	17	−1·0
Petersfield ..	4,373	30	28	—	1	59	13·5	20	31	51	11·7	1	17	1·8
Romsey M.B.	4,544	47	43	2	1	93	20·5	38	40	78	17·2	5	54	3·3
Warblington ..	4,109	31	22	2	2	57	13·9	35	31	66	16·1	4	70	−2·2
Winchester M.B.	24,700	154	168	7	10	339	13·7	160	187	347	14·5†	26	77	−0·8
RURAL DISTRICTS.	254,390	2,023	1,895	111	102	4,131	16·2	1,644	1,446	3,090	12·6†	213	52	3·6
Alresford.. ..	7,554	56	49	3	2	110	14·6	52	53	105	13·9	11	100	0·7
Alton	19,690*	173	180	5	9	367	18·6	112	101	213	13·5†	20	54	5·1
Andover	13,310	132	96	3	4	235	17·7	63	57	120	10·8†	8	34	6·9
Basingstoke ..	14,790	98	103	6	3	210	14·2	98	102	200	13·7†	14	67	0·5
Catherington ..	6,061	52	49	1	4	106	17·5	29	48	77	12·7	6	57	4·8
Christchurch ..	7,094	48	45	6	1	100	14·1	48	44	92	13·0	3	30	1·1
Droxford.. ..	13,670	101	113	5	4	223	16·3	102	76	178	13·0	12	54	3·3
Fareham.. ..	18,600	155	157	4	3	319	17·2	100	94	194	10·9†	14	44	6·3
Fordingbridge	6,589	49	42	2	4	97	14·7	40	34	74	11·2	3	31	3·5
Hartley Wintney	21,160	178	162	7	13	360	17·0	132	113	245	11·8†	20	56	5·2
Havant	10,780	85	76	2	8	171	15·9	77	54	131	12·2	7	41	3·7
Hursley	5,907	45	47	2	3	97	16·4	52	30	82	13·9	6	62	2·5
Kingsclere ..	8,448	65	55	1	1	122	14·4	66	70	136	16·1	12	98	−1·7
Lymington ..	11,040	82	69	5	7	163	14·8	66	64	130	11·8	10	61	3·0
New Forest ..	21,270	170	194	11	10	385	18·1	144	109	253	12·2†	16	42	5·9
Petersfield ..	11,460*	84	76	9	6	175	15·3	70	83	153	13·6†	8	46	1·7
Ringwood ..	8,283	64	42	15	6	127	15·3	65	55	120	14·5	7	55	0·8
Romsey	7,471	54	46	6	4	110	14·7	57	59	116	15·5	5	45	−0·8
South Stoneham	14,480	118	128	5	2	253	17·5	91	59	150	10·6†	13	51	6·9
Stockbridge ..	6,131	53	38	5	3	99	16·1	54	43	97	15·8	5	51	0·3
Whitchurch ..	6,262	51	44	1	1	97	15·5	36	34	70	11·2	2	21	4·3
Winchester ..	14,340	110	84	7	4	205	14·3	90	64	154	11·8†	11	54	2·5
STAFFORDSHIRE:														
COUNTY BORO'S.	728,430	6,861	6,447	272	233	13,813	19·0	5,492	5,040	10,532	14·5	1,243	90	4·5
Burton-upon-Trent.	48,970	411	381	22	12	826	16·9	364	365	729	14·9	39	47	2·0
Smethwick ..	85,120	762	722	20	12	1,516	17·8	607	537	1,144	13·4	121	80	4·4
Stoke-on-Trent	279,100	2,625	2,420	120	116	5,281	18·9	2,185	2,002	4,187	15·0	553	105	3·9
Walsall	100,100	948	962	35	34	1,979	19·8	778	736	1,514	15·1	198	100	4·7
West Bromwich	80,840	860	772	27	23	1,682	20·8	652	559	1,211	15·0	179	106	5·8
Wolverhampton	134,300	1,255	1,190	48	36	2,529	18·8	906	841	1,747	13·0	153	60	5·8
ADMINISTRATIVE COUNTY.	711,650*	6,485	6,191	231	218	13,125	18·4	4,813	4,293	9,106	12·8†	1,043	79	5·6

† Death-rates based upon estimated civilian populations as follows:—Southampton—Gosport M.B., 31,650; Winchester M.B., 23,970; Rural Districts, 244,500; Alton R.D., 15,740*; Andover R.D., 11,070; Basingstoke R.D., 14,560; Fareham R.D., 17,840; Hartley Wintney R.D., 20,750; New Forest R.D., 20,750; Petersfield R.D., 11,290*; South Stoneham R.D., 14,160; Winchester R.D., 13,050. Staffordshire—Administrative County, 709,950*.

* Populations adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Southampton—Alton R.D., 19,890 (Total), 15,770 (Civilian); Petersfield R.D., 11,260. Staffordshire—Administrative County, 711,600 (Total), 709,900 (Civilian).

Table 14—*cont.*

Population, Births, Deaths, Infant Mortality, Natural Increase, 1929.—Counties, County Boroughs, Municipal Boroughs and Urban Districts, Rural Districts.

Area.	Estimated Population (Middle 1929).	Births. Legitimate. M.	Births. Legitimate. F.	Births. Illegitimate. M.	Births. Illegitimate. F.	Births. Total.	Births. Crude Rate per 1,000 Total Population.	Deaths. M.	Deaths. F.	Deaths. Total.	Deaths. Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Staffordshire —*cont.*														
Urban Districts	499,750*	4,752	4,410	144	138	9,444	18·9	3,482	3,083	6,565	13·1	806	85	5·8
Amblecote ..	3,387	15	19	—	—	34	10·0	26	26	52	15·4	1	29	−5·4
Audley	15,000	110	98	6	7	221	14·7	89	85	174	11·6	11	50	3·1
Biddulph ..	8,743	81	80	7	3	171	19·6	57	46	103	11·8	10	58	7·8
Bilston	31,160	401	350	8	10	769	24·7	283	187	470	15·1	85	111	9·6
Brierley Hill ..	13,870	152	112	4	6	274	19·8	86	94	180	13·0	29	106	6·8
Brownhills ..	20,880	179	178	8	8	373	17·9	111	111	222	10·6	21	56	7·3
Cannock	35,290	378	278	23	14	693	19·6	236	168	404	11·4	49	71	8·2
Coseley	25,040*	247	234	2	4	487	19·4	165	157	322	12·9	46	94	6·5
Darlaston ..	19,620	209	206	1	3	419	21·4	144	116	260	13·3	29	69	8·1
Kidsgrove ..	10,380	97	101	1	2	201	19·4	74	51	125	12·0	20	100	7·4
Leek	18,110	137	136	7	10	290	16·0	105	121	226	12·5	26	90	3·5
Lichfield M.B.	8,365	52	59	6	1	118	14·1	64	44	108	12·9	3	25	1·2
Newcastle-under-Lyme M.B.	22,630	244	210	13	7	474	20·9	196	205	401	17·7	65	137	3·2
Quarry Bank..	8,463	72	74	1	1	148	17·5	60	46	106	12·5	10	68	5·0
Rowley Regis..	43,460	374	367	8	5	754	17·3	274	282	556	12·8	85	113	4·5
Rugeley	5,340	40	60	1	3	104	19·5	35	34	69	12·9	7	67	6·6
Sedgley	20,180	178	164	5	4	351	17·4	138	114	252	12·5	31	88	4·9
Short Heath ..	5,019	49	40	1	—	90	17·9	33	27	60	12·0	5	56	5·9
Stafford M.B.	28,680	216	216	8	6	446	15·6	183	149	332	11·6	28	63	4·0
Stone	5,953	42	44	3	4	93	15·6	41	40	81	13·6	6	65	2·0
Tamworth M.B.	7,883	66	55	3	2	126	16·0	53	35	88	11·2	4	32	4·8
Tettenhall ..	5,835	41	38	1	—	80	13·7	28	37	65	11·1	6	75	2·6
Tipton	36,400	406	377	3	10	796	21·9	278	245	523	14·4	68	85	7·5
Uttoxeter ..	5,395	46	42	4	5	97	18·0	35	52	87	16·1	8	82	1·9
Wednesbury M.B.	33,310	330	308	7	10	655	19·7	262	236	498	15·0	61	93	4·7
Wednesfield ..	9,137	104	85	3	2	194	21·2	70	45	115	12·6	12	62	8·6
Willenhall ..	22,020	232	207	7	6	452	20·5	169	151	320	14·5	35	77	6·0
Wolstanton United.	30,200	254	272	3	5	534	17·7	187	179	366	12·1	45	84	5·6
Rural Districts.	211,900	1,733	1,781	87	80	3,681	17·4	1,331	1,210	2,541	12·1†	237	64	5·3
Blore Heath ..	3,074	18	14	1	5	38	12·4	13	15	28	9·1	2	53	3·3
Cannock	21,060	185	217	15	6	423	20·1	143	115	258	12·3	37	87	7·8
Cheadle	26,670	218	226	10	6	460	17·2	164	136	300	11·2	29	63	6·0
Dudley‡	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gnosall	4,588	32	34	6	4	76	16·6	39	25	64	13·9	6	79	2·7
Kingswinford	22,650	173	215	5	7	400	17·7	139	145	284	12·5	37	93	5·2
Leek	15,180	111	113	6	12	242	15·9	101	94	195	12·8	11	45	3·1
Lichfield ..	31,250	270	262	10	9	551	17·6	186	152	338	11·4†	34	62	6·2
Mayfield	3,882	31	41	1	2	75	19·3	18	28	46	11·9	2	27	7·4
Newcastle-under-Lyme.	6,104	50	37	1	2	90	14·7	34	27	61	10·0	7	78	4·7
Seisdon	16,460	135	144	2	5	286	17·4	108	121	229	13·9	16	56	3·5
Stafford	9,449	74	87	7	4	172	18·2	70	68	138	14·6	10	58	3·6
Stone	12,660	105	96	8	3	212	16·7	83	84	167	13·2	12	57	3·5
Tamworth (part of).§	6,217	59	59	—	1	119	19·1	26	31	57	9·2	5	42	9·9

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Staffordshire—Urban Districts, 499,700; Coseley U.D., 24,990.

† Death-rates based upon estimated civilian populations as follows:—Staffordshire—Rural Districts, 210,200; Lichfield R.D., 29,550.

‡ Dudley R.D. was added to Dudley C.B. on 1st April, 1929. As no Births or Deaths belonging to this R.D. were registered during the first Quarter of the year, no adjustment of population for the purpose of working rates is necessary.

§ The remainder of Tamworth Rural District is in Warwickshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Tutbury	9,146	75	66	7	2	150	16·4	69	49	118	12·9	3	20	3·5
Uttoxeter ..	7,918	49	59	3	9	120	15·2	53	48	101	12·8	7	58	2·4
Walsall	14,900	142	106	3	3	254	17·0	81	68	149	10·0	19	75	7·0
Civil Parishes of Blymhill and Weston under Lizard, administered by R.D.C. of Shifnal (Shropshire).	692	6	5	2	—	13	18·8	4	4	8	11·6	—	—	7·2
SUFFOLK EAST:														
COUNTY BORO':														
Ipswich	85,800	695	681	32	37	1,445	16·8	512	546	1,058	12·3	76	53	4·5
ADMINISTRATIVE COUNTY.	212,120	1,623	1,518	75	87	3,303	15·6	1,377	1,324	2,701	12·9†	160	48	2·7
URBAN DISTRICTS.	90,900	621	648	30	27	1,326	14·6	554	547	1,101	12·2†	68	51	2·4
Aldeburgh M.B.	2,657	16	12	1	3	32	12·0	22	19	41	15·4	—	—	−3·4
Beccles M.B. ..	6,881	46	44	2	2	94	13·7	41	46	87	12·6	4	43	1·1
Bungay	3,008	22	35	—	1	58	19·3	20	18	38	12·6	7	121	6·7
Eye M.B. ..	1,793	10	6	3	4	23	12·8	13	16	29	16·2	3	130	−3·4
Felixstowe ..	11,550	97	69	1	2	169	14·6	60	64	124	11·2†	12	71	3·4
Halesworth ..	2,043	12	18	4	1	35	17·1	17	20	37	18·1	2	57	−1·0
Leiston cum Sizewell.	4,454	35	32	2	2	71	15·9	26	20	46	10·3	2	28	5·6
Lowestoft M.B.	45,150	295	342	11	10	658	14·6	266	268	534	11·8	30	46	2·8
Saxmundham..	1,355	6	10	—	—	16	11·8	13	8	21	15·5	1	63	−3·7
Southwold M.B.	2,899	7	17	2	—	26	9·0	17	20	37	12·8	2	77	−3·8
Stowmarket ..	4,470	38	28	—	1	67	15·0	36	22	58	13·0	4	60	2·0
Woodbridge ..	4,640	37	35	4	1	77	16·6	23	26	49	10·6	1	13	6·0
RURAL DISTRICTS.	121,220	1,002	870	45	60	1,977	16·3	823	777	1,600	13·4†	92	47	2·9
Blything ..	17,160	149	120	7	9	285	16·6	112	130	242	14·1	10	35	2·5
Bosmere and Claydon.	14,490	133	103	7	7	250	17·3	100	77	177	12·2	12	48	5·1
East Stow ..	6,774	50	54	1	7	112	16·5	49	39	88	13·0	3	27	3·5
Hartismere ..	10,670	86	75	5	4	170	15·9	77	64	141	13·2	12	71	2·7
Hoxne	9,114	88	76	6	4	174	19·1	75	64	139	15·3	5	29	3·8
Mutford and Lothingland.	12,230	124	81	2	1	208	17·0	90	81	171	14·0	12	58	3·0
Plomesgate ..	14,750	107	101	5	12	225	15·3	111	88	199	13·5	11	49	1·8
Samford	13,710	93	87	1	5	186	13·6	80	75	155	12·5†	9	48	1·1
Wangford ..	4,432	33	37	2	1	73	16·5	20	38	58	13·1	3	41	3·4
Woodbridge ..	17,890	139	136	9	10	294	16·4	109	121	230	13·2†	15	51	3·2
SUFFOLK WEST: ADMINISTRATIVE COUNTY.	108,890	777	705	47	35	1,564	14·4	778	776	1,554	14·3†	80	51	0·1

† Death-rates based upon estimated civilian populations as follows:—Suffolk East—Administrative County, 209,950; Urban Districts, 90,450; Felixstowe U.D., 11,100; Rural Districts, 119,500; Samford R.D, 12,430. Woodbridge R.D., 17,450. Suffolk West—Administrative County, 108,630.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUFFOLK WEST —*cont.*														
URBAN DISTRICTS.	41,740	282	265	15	7	569	13·6	282	312	594	14·3†	25	44	−0·7
Bury St. Edmunds M.B.	16,400	109	105	7	4	225	13·7	122	136	258	16·0†	11	49	−2·3
Glemsford ..	1,355	11	8	—	—	19	14·0	8	11	19	14·0	3	158	—
Hadleigh ..	3,021	24	21	1	—	46	15·2	18	22	40	13·2	1	22	2·0
Haverhill ..	4,030	24	25	—	—	49	12·2	23	18	41	10·2	1	20	2·0
Newmarket ..	9,906	69	59	5	1	134	13·5	63	66	129	13·0	6	45	0·5
Sudbury M.B.	7,028	45	47	2	2	96	13·7	48	59	107	15·2	3	31	−1·5
RURAL DISTRICTS.	67,150	495	440	32	28	995	14·8	496	464	960	14·3	55	55	0·5
Brandon	5,785	49	46	2	3	100	17·3	46	51	97	16·8	8	80	0·5
Clare	7,088	57	43	4	2	106	15·0	58	48	106	15·0	4	38	—
Cosford	10,180	74	62	4	3	143	14·0	80	60	140	13·8	8	56	0·2
Melford	11,950	62	72	7	1	142	11·9	82	94	176	14·7	7	49	−2·8
Mildenhall ..	8,277	63	54	4	5	126	15·2	52	50	102	12·3	6	48	2·9
Moulton	2,142	15	12	—	1	28	13·1	12	11	23	10·7	—	—	2·4
Thedwastre ..	8,398	70	55	3	6	134	16·0	51	47	98	11·7	8	60	4·3
Thingoe	13,330	105	96	8	7	216	16·2	115	103	218	16·4	14	65	−0·2
SURREY:														
COUNTY BORO'														
Croydon ..	222,300	1,584	1,656	70	89	3,399	15·3	1,365	1,425	2,790	12·6	218	64	2·7
ADMINISTRATIVE COUNTY.	861,850	6,057	5,792	318	268	12,435	14·4	4,861	5,145	10,006	11·7†	625	50	2·7
URBAN DISTRICTS.	687,520*	4,862	4,701	241	217	10,021	14·6	3,881	4,207	8,088	11·8†	515	51	2·8
Barnes	39,800	237	220	15	12	484	12·2	236	250	486	12·2	21	43	—
Beddington and Wallington.	21,800	163	132	2	3	300	13·8	118	120	238	10·9	16	53	2·9
Carshalton ..	23,470	210	223	3	5	441	18·8	109	111	220	9·4	27	61	9·4
Caterham and Warlingham §	14,230*	96	100	3	5	204	14·3	76	67	143	10·3†	14	69	4·0
Chertsey ..	16,270	126	97	4	5	232	14·3	106	119	225	13·8	12	52	0·5
Coulsdon and Purley.	32,490	202	213	12	9	436	13·4	135	143	278	8·6	22	50	4·8
Dorking	9,573	63	73	5	7	148	15·5	61	68	129	13·5	6	41	2·0
East and West Molesey.	8,014	48	76	3	—	127	15·8	48	61	109	13·6	5	39	2·2
Egham	15,430	112	88	6	4	210	13·6	102	86	188	12·2	5	24	1·4
Epsom ‡	26,230	137	115	14	9	275	10·5	105	101	206	7·9	9	33	2·6
Esher and the Dittons.	15,580	94	83	1	2	180	11·6	97	81	178	11·4	12	67	0·2
Farnham.. ..	17,280	133	132	5	6	276	16·0	121	106	227	13·1	10	36	2·9
Frimley and Camberley‖..	16,170	140	109	5	12	266	16·5	71	85	156	12·0†	12	45	4·5
Godalming M.B.	10,290*	65	54	1	3	123	12·0	62	80	142	13·8	9	73	−1·8
Guildford M.B.	28,900	236	225	8	9	478	16·5	180	196	376	13·0†	25	52	3·5
Ham	2,088	9	10	—	—	19	9·1	7	13	20	9·6	—	—	−0·5
Haslemere ..	4,227	15	23	1	—	39	9·2	21	24	45	10·6	—	—	−1·4
Kingston-on-Thames M.B.	38,760	265	264	17	10	556	14·3	244	273	517	13·4†	28	50	0·9
Leatherhead ..	6,683	43	44	3	1	91	13·6	33	38	71	10·6	3	33	3·0
Merton and Morden.	27,430	212	216	6	8	442	16·1	128	153	281	10·2	26	59	5·9

† Death rates based upon estimated civilian populations as follows :—Suffolk West—Urban Districts, 41,480; Bury St. Edmunds M.B., 16,140. Surrey—Administrative County, 856,700; Urban Districts, 682,890*; Caterham and Warlingham U.D. 13,870*; Frimley and Camberley U.D., 13,020; Guildford M.B., 28,670; Kingston-on-Thames, 38,500.

* Population adjusted to allow for changes in boundary during the year. The mid-year populations after the changes are as follows: Surrey—Urban Districts, 691,190 (Total), 686,560 (Civilian); Caterham and Warlingham U.D., 17,590 (Total), 17,230 (Civilian); Godalming M.B., 10,600.

‡ A considerable proportion of the population of this area was enumerated in County Lunatic Asylums, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

§ Caterham U.D. was extended and renamed Caterham and Warlingham on 1st October, 1929.

‖ Frimley U.D. was renamed Frimley and Camberley M.D. on 15th April, 1929.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—*cont.*														
URBAN DISTRICTS —*cont.*														
Mitcham ..	49,560	475	446	18	12	951	19·2	275	283	558	11·3	69	73	7·9
Reigate M.B. ..	29,540	188	174	14	10	386	13·1	189	182	371	12·6	15	39	0·5
Richmond M.B.	36,370	260	232	23	17	532	14·6	250	293	543	14·9	24	45	—0·3
Surbiton ..	23,560	171	180	8	6	365	15·5	143	176	319	13·5	18	49	2·0
Sutton and Cheam.	37,560	279	268	16	13	576	15·3	201	213	414	11·0	28	49	4·3
The Maldens and Coombe.	19,800	138	137	4	5	284	14·3	81	106	187	9·4	22	77	4·9
Walton-upon-Thames.	15,960	123	120	6	3	252	15·8	91	116	207	13·0	11	44	2·8
Weybridge ..	6,702	28	64	3	2	97	14·5	43	49	92	13·7	6	62	0·8
Wimbledon M.B.	59,370	351	355	26	27	759	12·8	354	420	774	13·0	35	46	—0·2
Windlesham ..	5,053	46	43	2	3	94	18·6	28	36	64	12·7	1	11	5·9
Woking	29,330	197	185	7	9	398	13·6	166	158	324	11·3†	24	60	2·3
RURAL DISTRICTS:	174,330*	1,195	1,091	77	51	2,414	13·8	980	938	1,918	11·0†	110	46	2·8
Chertsey ..	13,020	97	84	4	1	186	14·3	60	54	114	8·8	11	59	5·5
Dorking	10,820	68	77	2	7	154	14·2	72	73	145	13·4	5	32	0·8
Epsom	35,680	247	191	10	10	458	12·8	176	161	337	9·4	16	35	3·4
Farnham.. ..	15,500	131	112	9	7	259	16·7	105	110	215	14·3†	26	100	2·4
Godstone ..	26,180*	165	156	12	6	339	12·9	151	142	293	11·2	12	35	1·7
Guildford ..	22,030*	139	139	12	7	297	13·5	129	127	256	11·7†	12	40	1·8
Hambledon ..	24,200*	149	138	17	6	310	12·8	141	148	289	11·9	14	45	0·9
Reigate	26,900	199	194	11	7	411	15·3	146	123	269	10·0	14	34	5·3
SUSSEX EAST:														
COUNTY BORO'S.	268,490	1,619	1,522	124	123	3,388	12·6	1,811	2,109	3,920	14·6†	169	50	—2·0
Brighton ..	147,300	937	893	77	76	1,983	13·5	982	1,145	2,127	14·5†	108	54	—1·0
Eastbourne ..	58,570	311	289	23	20	643	11·0	370	424	794	13·6	34	53	—2·6
Hastings ..	62,620	371	340	24	27	762	12·2	459	540	999	16·0	27	35	—3·8
ADMINISTRATIVE COUNTY.	270,700	1,662	1,596	84	101	3,443	12·7	1,768	1,935	3,703	13·7	173	50	—1·0
URBAN DISTRICTS.	138,900	811	766	41	52	1,670	12·0	890	1,079	1,969	14·2	87	52	—2·2
Battle	3,344	24	22	—	4	50	15·0	24	34	58	17·3	4	80	—2·3
Bexhill M.B. ..	21,040	127	107	7	8	249	11·8	123	177	300	14·3	12	48	—2·5
Burgess Hill ..	6,105	29	40	4	2	75	12·3	38	34	72	11·8	—	—	0·5
Cuckfield.. ..	1,975	9	2	—	—	11	5·6	21	21	42	21·3	1	91	—15·7
East Grinstead	8,185	55	35	1	3	94	11·5	39	46	85	10·4	7	74	1·1
Haywards Heath	5,456	23	35	1	1	60	11·0	24	37	61	11·2	2	33	—0·2
Hove M.B. ..	51,430	265	266	17	20	568	11·0	342	495	837	16·3	30	53	—5·3
Lewes M.B. ..	11,140	66	65	2	—	133	11·9	88	78	166	14·9	8	60	—3·0
Newhaven ..	6,366	52	52	2	2	108	17·0	49	38	87	13·7	7	65	3·3
Portslade-by-Sea	9,258	78	67	3	7	155	16·7	45	47	92	9·9	7	45	6·8
Rye M.B. ..	3,824	26	16	1	1	44	11·5	37	27	64	16·7	5	114	—5·2
Seaford	7,302	36	37	1	3	77	10·5	34	23	57	7·8	4	52	2·7
Uckfield	3,475	21	22	2	1	46	13·2	26	22	48	13·8	—	—	—0·6
RURAL DISTRICTS.	131,800	851	830	43	49	1,773	13·5	878	856	1,734	13·2	86	49	0·3
Battle	6,510	34	38	2	3	77	11·8	43	43	86	13·2	8	104	—1·4
Chailey	13,180	88	75	3	6	172	13·1	102	67	169	12·8	9	52	0·3
Cuckfield.. ..	17,560	99	108	5	7	219	12·5	100	105	205	11·7	9	41	0·8

† Death-rates based upon estimated civilian populations as follows: Surrey—Woking U.D., 28,700; Rural Districts, 173,810*; Farnham R.D., 15,080; Guildford R.D., 21,930* Sussex East—County Boroughs, 267,990; Brighton C.B., 146,800.

* Population adjusted to allow for changes in boundary during the year. The mid-year populations after the changes are as follows: Surrey—Rural Districts, 170,660 (Total), 170,140 (Civilian); Godstone R.D., 22,820; Guildford R.D., 21,790 (Total), 21,690 (Civilian); Hambledon, R.D., 24,130.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUSSEX EAST —*cont.*														
RURAL DISTRICTS —*cont.*														
Eastbourne ..	6,612	60	41	3	4	108	16·3	40	44	84	12·7	5	46	3·6
East Grinstead	15,110	97	105	4	5	211	14·0	97	96	193	12·8	13	62	1·2
Hailsham	18,850	144	148	6	10	308	16·3	133	137	270	14·3	13	42	2·0
Hastings ..	2,617	21	11	—	2	34	13·0	18	19	37	14·1	2	59	−1·1
Newhaven ..	5,556	35	31	—	1	67	12·1	38	35	73	13·1	1	15	−1·0
Rye	7,335	44	41	5	2	92	12·5	42	54	96	13·1	3	33	−0·6
Ticehurst ..	12,850	75	85	6	5	171	13·3	93	85	178	13·9	8	47	−0·6
Uckfield ..	25,620	154	147	9	4	314	12·3	172	171	343	13·4	15	48	−1·1
SUSSEX WEST: ADMINISTRATIVE COUNTY	213,360	1,428	1,335	70	67	2,900	13·6	1,306	1,512	2,818	13·2†	141	49	0·4
URBAN DISTRICTS	107,880*	685	638	30	33	1,386	12·8	704	814	1,518	14·1†	64	46	−1·3
Arundel M.B.	2,562	17	16	—	1	34	13·3	29	19	48	18·7	2	59	−5·4
Bognor Regis ‡	14,360	83	72	4	5	164	11·4	78	85	163	11·4	4	24	—
Chichester M.B.	13,760	98	92	4	5	199	14·5	83	86	169	12·5†	10	50	2·0
Horsham ..	12,410	90	74	4	5	173	13·9	86	97	183	14·7	11	64	−0·8
Littlehampton	9,710	76	57	3	3	139	14·3	59	64	123	12·7	16	115	1·6
Shoreham-by-Sea.	8,133	62	55	3	2	122	15·0	36	29	65	8·0	4	33	7·0
Southwick	5,535	38	38	3	1	80	14·5	47	36	83	15·0	5	63	−0·5
Worthing M.B.	41,410*	221	234	9	11	475	11·5	286	398	684	16·5	12	25	−5·0
RURAL DISTRICTS.	105,480*	743	697	40	34	1,514	14·4	602	698	1,300	12·4†	77	51	2·0
East Preston ..	8,357*	74	54	3	4	135	16·2	47	50	97	11·6	13	96	4·6
Horsham ..	21,020	151	117	9	9	286	13·6	125	129	254	12·1	15	52	1·5
Midhurst ..	14,900	102	106	3	2	213	14·3	98	107	205	13·8	10	47	0·5
Petworth ..	8,103	49	57	4	3	113	13·9	47	68	115	14·2	7	62	−0·3
Steyning West	11,680	84	66	5	4	159	13·6	65	87	152	13·0	7	44	0·6
Thakeham ..	9,271	69	51	6	5	131	14·1	52	50	102	11·0	12	92	3·1
Westbourne ..	9,619	61	72	2	3	138	14·3	63	72	135	14·0	5	36	0·3
Westhampnett	22,530	153	174	8	4	339	15·0	105	135	240	10·8†	8	24	4·2
WARWICKSHIRE:														
COUNTY BORO's.	1,130,600	9,466	9,253	356	339	19,414	17·2	7,780	7,476	15,256	13·5	1,509	78	3·7
Birmingham ..	968,500	8,263	8,102	318	297	16,980	17·5	6,783	6,482	13,265	13·7	1,331	78	3·8
Coventry.. ..	162,100	1,203	1,151	38	42	2,434	15·0	997	994	1,991	12·3	178	73	2·7
ADMINISTRATIVE COUNTY.	357,140	2,831	2,767	113	110	5,821	16·3	2,250	2,288	4,538	12·7†	352	60	3·6
URBAN DISTRICTS	174,400	1,267	1,226	55	47	2,595	14·9	1,099	1,161	2,260	13·0	146	56	1·9
Bedworth ..	12,970	102	111	—	3	216	16·7	67	65	132	10·2	22	102	6·5
Bulkington ..	2,637	24	25	—	—	49	18·6	13	15	28	10·6	3	61	8·0
Kenilworth ..	7,723	66	60	3	1	130	16·8	49	49	98	12·7	5	38	4·1
Nuneaton M.B.	45,490	387	385	16	8	796	17·5	275	282	557	12·2	47	59	5·3
Royal Leamington Spa M.B.	29,450	198	164	16	16	394	13·4	212	235	447	15·2	27	69	−1·8
Rugby	24,350	161	161	7	5	334	13·7	140	149	289	11·9	16	48	1·8
Stratford-on-Avon M.B.	10,500	64	84	5	5	158	15·0	72	78	150	14·3	5	32	0·7

† Death-rates based upon estimated civilian populations as follows:—Sussex West—Administrative County, 212,900; Urban Districts, 107,670*; Chichester M.B., 13,550; Rural Districts, 105,230*; Westhampnett R.D., 22,280. Warwickshire—Administrative County, 356,900.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Sussex West—Urban Districts, 108,810 (Total), 108,600 (Civilian); Worthing M.B., 42,340; Rural Districts, 104,550 (Total), 104,300 (Civilian); East Preston R.D., 7,427.

‡ Bognor U.D. was renamed Bognor Regis U.D. on 26th July, 1929.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WARWICKSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Sutton Coldfield M.B.	27,450	156	133	4	6	299	10·9	187	178	365	13·3	13	43	−2·4
Warwick M.B.	13,830	109	103	4	3	219	15·8	84	110	194	14·0	8	37	1·8
RURAL DISTRICTS	182,740	1,564	1,541	58	63	3,226	17·7	1,151	1,127	2,278	12·5†	206	64	5·2
Alcester ..	12,600	89	84	—	4	177	14·0	91	91	182	14·4	7	40	−0·4
Atherstone ..	22,260	213	252	8	9	482	21·7	146	133	279	12·5	27	56	9·2
Brailes.. ..	5,673	49	46	2	1	98	17·3	49	37	86	15·2	6	61	2·1
Farnborough ..	1,381	6	7	—	2	15	10·9	8	14	22	15·9	3	200	−5·0
Foleshill ..	13,780	193	183	3	4	383	27·8	76	87	163	11·8	30	78	16·0
Meriden ..	21,080	178	144	4	12	338	16·0	142	123	265	12·6	20	59	3·4
Monks Kirby ..	1,442	9	11	—	—	20	13·9	12	10	22	15·3	1	50	−1·4
Nuneaton ..	5,908	86	80	4	3	173	29·3	37	32	69	11·7	19	110	17·6
Rugby ..	21,170	174	165	5	10	354	16·7	134	123	257	12·1	16	45	4·6
Solihull ..	27,370	196	194	9	8	407	14·9	156	159	315	11·5	17	42	3·4
Southam ..	9,886	88	83	4	3	178	18·0	71	88	159	16·1	21	118	1·9
Stratford-on-Avon.	10,330	79	70	8	3	160	15·5	69	77	146	14·1	7	44	1·4
Tamworth (part of).	17,770	133	134	9	4	280	15·8	77	80	157	8·8	18	64	7·0
Warwick ..	12,090	71	88	2	—	161	13·3	83	73	156	13·2†	14	87	0·1
WESTMORLAND: ADMINISTRATIVE COUNTY	63,190	492	402	36	27	957	15·1	406	421	827	13·1	52	54	2·0
URBAN DISTRICTS	26,990	204	166	10	8	388	14·4	172	194	366	13·6	24	62	0·8
Ambleside ..	2,303	13	8	—	—	21	9·1	16	12	28	12·2	3	143	−3·1
Appleby M.B...	1,634	5	11	—	—	16	9·8	10	12	22	13·5	—	—	−3·7
Grasmere ..	861	6	5	—	—	11	12·8	3	4	7	8·1	—	—	4·7
Kendal M.B.	14,680	113	84	6	6	209	14·2	94	100	194	13·2	13	62	1·0
Kirkby Lonsdale	1,166	16	11	—	—	27	23·2	10	18	28	24·0	1	37	−0·8
Shap	1,068	12	8	3	1	24	22·5	11	11	22	20·6	—	—	1·9
Windermere ..	5,278	39	39	1	1	80	15·2	28	37	65	12·3	7	88	2·9
RURAL DISTRICTS.	36,200	288	236	26	19	569	15·7	234	227	461	12·7	28	49	3·0
East Westmorland.	10,840	105	78	11	9	203	18·7	79	73	152	14·0	10	49	4·7
South Westmorland.	19,150	123	107	5	7	242	12·6	122	119	241	12·6	14	58	—
West Ward ..	6,210	60	51	10	3	124	20·0	33	35	68	11·0	4	32	9·0
WIGHT, ISLE OF: ADMINISTRATIVE COUNTY	86,680	545	527	28	34	1,134	13·1	589	642	1,231	14·3†	51	45	−1·2
URBAN DISTRICTS	57,040	357	352	18	25	752	13·2	395	451	846	14·8	37	49	−1·6
Cowes	10,220	60	58	4	8	130	12·7	70	71	141	13·8	5	38	−1·1
East Cowes ..	4,588	38	40	2	1	81	17·7	26	39	65	14·2	4	49	3·5
Newport M.B.	11,220	89	83	4	4	180	16·0	65	83	148	13·2	10	56	2·8

† Death-rates based upon estimated civilian populations as follows:—Warwickshire—Rural Districts, 182,500; Warwick R.D., 11,850; Isle of Wight—Administrative County, 86,060.

TABLE 14—*cont*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WIGHT, ISLE OF —*cont.*														
URBAN DISTRICTS *cont.*—														
Ryde M.B. ..	10,550	57	61	5	3	126	11·9	71	99	170	16·1	4	32	−4·2
St. Helens ..	5,315	34	39	1	4	78	14·7	45	38	83	15·6	4	51	−0·9
Sandown ..	5,724	32	31	—	1	64	11·2	44	43	87	15·2	4	63	−4·0
Shanklin ..	4,441	18	17	1	1	37	8·3	38	34	72	16·2	3	81	−7·9
Ventnor	4,982	29	23	1	3	56	11·2	36	44	80	16·1	3	54	−4·9
RURAL DISTRICT.														
Isle of Wight	29,640	188	175	10	9	382	12·9	194	191	385	13·3†	14	37	−0·4
WILTSHIRE: ADMINISTRATIVE COUNTY	308,950	2,234	2,168	104	91	4,597	14·9	1,934	1,823	3,757	12·5†	252	55	2·4
URBAN DISTRICTS	145,410	972	919	45	38	1,974	13·6	868	908	1,776	12·2†	97	49	1·4
Bradford-on-Avon.	4,937	38	24	1	1	64	13·0	35	34	69	14·0	5	78	−1·0
Calne M.B. ..	3,577	20	14	1	1	36	10·1	33	30	63	17·6	1	28	−7·5
Chippenham M.B.	8,549	63	58	3	1	125	14·6	53	55	108	12·6	6	48	2·0
Devizes M.B.	5,828	34	36	1	3	74	12·7	47	36	83	14·2	5	68	−1·5
Malmesbury M.B.	2,344	18	13	1	—	32	13·7	14	19	33	14·1	1	31	−0·4
Marlborough M.B.	4,132	22	25	2	3	52	12·6	22	20	42	10·2	1	19	2·4
Melksham ..	3,883	26	26	—	1	53	13·6	12	24	36	9·3	1	19	4·3
Salisbury M.B.	26,230	191	185	12	11	399	15·2	167	195	362	13·8	17	43	1·4
Swindon M.B.	62,020	434	402	18	13	867	14·0	346	334	680	11·0	41	47	3·0
Trowbridge ..	12,430	68	65	2	3	138	11·1	79	97	176	14·3†	13	94	−3·2
Warminster ..	5,439	24	35	2	1	62	11·4	26	30	56	10·3	1	16	1·1
Westbury ..	4,017	23	23	2	—	48	11·9	21	20	41	10·2	2	42	1·7
Wilton M.B. ..	2,024	11	13	—	—	24	11·9	13	14	27	13·3	3	125	−1·4
RURAL DISTRICTS.	163,540	1,262	1,249	59	53	2,623	16·0	1,066	915	1,981	12·8†	155	59	3·2
Amesbury ..	18,460	174	167	10	6	357	19·3	74	64	138	9·7†	17	48	9·6
Bradford-on-Avon.	5,677	33	38	—	2	73	12·9	45	33	78	13·7	8	110	−0·8
Calne	4,867	28	40	2	—	70	14·4	29	23	52	10·7	2	29	3·7
Chippenham ..	14,590	105	105	5	5	220	15·1	125	86	211	14·5	9	41	0·6
Cricklade and Wootton Bassett.	11,250	109	106	8	2	225	20·0	77	80	157	14·0	15	67	6·0
Devizes	12,800	78	98	2	5	183	14·3	74	80	154	12·2†	10	55	2·1
Highworth ..	14,530	137	143	7	3	290	20·0	91	98	189	13·0	26	90	7·0
Malmesbury ..	8,394	50	55	2	3	110	13·1	66	49	115	13·7	6	55	−0·6
Marlborough	4,256	43	33	2	2	80	18·8	20	24	44	10·3	6	75	8·5
Melksham ..	5,177	27	35	1	—	63	12·2	28	31	59	11·4	2	32	0·8
Mere	4,551	36	31	2	3	72	15·8	30	33	63	13·8	3	42	2·0
Pewsey	16,630	143	130	6	4	283	17·0	86	74	160	12·3†	12	42	4·7
Ramsbury ..	6,471	54	46	2	6	108	16·7	48	36	84	13·0	8	74	3·7
Salisbury ..	10,300	81	51	3	4	139	13·5	83	52	135	13·7†	11	79	−0·2
Tetbury (pt. of)‡	367	1	2	—	—	3	8·2	2	—	2	5·4	—	—	2·8

† Death-rates based upon estimated civilian populations as follows:—Isle of Wight, R.D., 29,020; Wiltshire—Administrative County, 300,300; Urban Districts, 145,300; Trowbridge U.D., 12,320; Rural Districts, 155,000; Amesbury R.D., 14,180; Devizes R.D., 12,610; Pewsey R.D., 12,980; Salisbury R.D., 9,880.

‡ The remainder of Tetbury Rural District is in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE—*cont.*														
RURAL DISTRICTS—*cont.*														
Tisbury	6,823	37	51	2	1	91	13·3	50	46	96	14·1	7	77	—0·8
Warminster ..	5,752	39	34	1	5	79	13·7	46	35	81	14·1	5	63	—0·4
Westbury and Whorwellsdown.	6,619	40	38	1	1	80	12·1	41	46	87	13·1	2	25	—1·0
Wilton	6,026	47	46	3	1	97	16·1	51	25	76	12·6	6	62	3·5
WORCESTERSHIRE: COUNTY BORO'S.	111,140*	967	911	36	36	1,950	17·5	875	811	1,686	15·2	173	89	2·3
Dudley	58,820*	582	551	17	15	1,165	19·8	500	387	887	15·1	127	109	4·7
Worcester ..	52,320	385	360	19	21	785	15·0	375	424	799	15·3	46	59	—0·3
ADMINISTRATIVE COUNTY.	308,660	2,446	2,300	107	100	4,953	16·0	2,084	2,008	4,092	13·3†	352	71	2·7
URBAN DISTRICTS.	197,690*	1,645	1,554	61	56	3,316	16·8	1,306	1,268	2,574	13·0	254	77	3·8
Bewdley M.B...	2,619	25	24	—	—	49	18·7	24	15	39	14·9	2	41	3·8
Bromsgrove ..	9,608	101	88	2	3	194	20·2	65	68	133	13·8	7	36	6·4
Droitwich M.B.	3,974	31	25	3	—	59	14·8	35	37	72	18·1	3	51	—3·3
Evesham M.B.	8,634	79	70	7	3	159	18·4	47	39	86	10·0	5	31	8·4
Halesowen ..	29,980	252	225	7	5	489	16·3	185	170	355	11·8	43	88	4·5
Kidderminster M.B.	27,720	210	201	14	11	436	15·7	211	201	412	14·9	34	78	0·8
Lye and Wollescote.	12,280*	115	97	4	4	220	17·9	109	74	183	14·9	22	100	3·0
Malvern	17,660	80	81	7	5	173	9·8	106	140	246	13·9	14	81	—4·1
North Bromsgrove.	9,991	94	75	1	2	172	17·2	48	60	108	10·8	9	52	6·4
Oldbury	34,190	370	362	6	4	742	21·7	234	198	432	12·6	73	98	9·1
Redditch.. ..	16,390	105	107	4	11	227	13·8	87	110	197	12·0	20	88	1·8
Stourbridge M.B.	19,390	143	146	2	4	295	15·2	112	124	236	12·2	13	44	3·0
Stourport ..	5,254	40	53	4	4	101	19·2	43	32	75	14·3	9	89	4·9
RURAL DISTRICTS.	110,970*	801	746	46	44	1,637	14·8	778	740	1,518	13·7†	98	60	1·1
Bromsgrove ..	20,170*	150	127	3	5	285	14·1	119	140	259	12·8	15	53	1·3
Droitwich ..	12,230	93	74	7	5	179	14·6	77	88	165	13·5	11	61	1·1
Evesham ..	11,050	84	85	4	6	179	16·2	78	64	142	12·9	13	73	3·3
Feckenham ..	5,353	23	36	—	1	60	11·2	32	42	74	13·8	2	33	—2·6
Kidderminster	7,666	75	57	1	1	134	17·5	47	54	101	13·2	7	52	4·3
Martley	12,880	102	96	6	10	214	16·6	101	59	160	12·4	13	61	4·2
Pershore ..	13,180	95	93	6	7	201	15·3	105	101	206	15·8†	15	75	—0·5
Rock	2,321	17	14	1	1	33	14·2	11	16	27	11·6	1	30	2·6
Shipston-on-Stour.	4,427	23	37	1	3	64	14·5	28	38	66	14·9	3	47	—0·4
Stow on the Wold (part of)‡	273	5	2	—	—	7	25·6	7	—	7	25·6	1	143	—
Tenbury ..	4,372	32	20	7	2	61	14·0	37	26	63	14·4	4	66	—0·4
Tewkesbury (part of)‡	2,126	13	6	3	2	24	11·3	12	14	26	12·2	—	—	—0·9
Upton on Severn	13,780	84	93	6	1	184	13·4	111	89	200	14·5	13	71	—1·1
Winchcomb (part of)‡	106	1	—	—	—	1	9·4	—	2	2	18·9	—	—	—9·5
Civil Parishes of Redmarley d'Abitôt and Staunton, administered by R.D.C. of Newent (Glos)	1,036	4	6	1	—	11	10·6	13	7	20	19·3	—	—	—8·7

† Death-rates based upon estimated civilian populations as follows:—Worcestershire—Administrative County, 308,510; Rural Districts, 110,810*; Pershore R.D., 13,020.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Worcestershire—County Boroughs, 111,190; Dudley C.B., 58,870; Urban Districts, 197,700; Lye and Wollescote U.D., 12,290; Rural Districts, 110,960 (Total), 110,800 (Civilian); Bromsgrove R.D., 20,160.

‡ The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire.

Table 14—*cont.*

Population, Births, Deaths, Infant Mortality, Natural Increase, 1929.—Counties, County Boroughs, Municipal Boroughs and Urban Districts, Rural Districts.

Area.	Estimated Population (Middle 1929).	Births. Legitimate. M.	Births. Legitimate. F.	Births. Illegitimate. M.	Births. Illegitimate. F.	Births. Total.	Births. Crude Rate per 1,000. Total Population.	Deaths. M.	Deaths. F.	Deaths. Total.	Deaths. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Yorkshire: East Riding:														
County Boro': Kingston-upon-Hull.	299,900	2,956	2,830	150	154	6,090	20·3	2,392	2,161	4,553	15·2	633	104	5·1
Administrative County.	176,420	1,320	1,326	88	96	2,830	16·0	1,160	1,117	2,277	12·9†	165	58	3·1
Urban Districts.	74,480	490	536	34	43	1,103	14·8	492	524	1,016	13·6	60	54	1·2
Beverley M.B.	13,690	116	120	6	7	249	18·2	100	93	193	14·1	11	44	4·1
Bridlington M.B.	18,570	100	105	7	11	223	12·0	104	124	228	12·3	13	58	−0·3
Cottingham ..	7,268	46	50	3	1	100	13·8	52	50	102	14·0	5	50	−0·2
Filey	3,776	27	23	2	—	52	13·8	20	33	53	14·0	1	19	−0·2
Great Driffield	6,122	47	53	4	9	113	18·5	42	51	93	15·2	9	80	3·3
Hedon M.B. ..	1,502	6	17	—	—	23	15·3	13	10	23	15·3	1	43	—
Hessle	7,585	43	59	2	4	108	14·2	41	54	95	12·5	6	56	1·7
Hornsea	4,510	30	33	1	4	68	15·1	31	29	60	13·3	2	29	1·8
Norton	3,730	29	28	1	3	61	16·4	29	30	59	15·8	3	49	0·6
Pocklington ..	2,746	22	25	7	3	57	20·8	24	15	39	14·2	4	70	6·6
Withernsea ..	4,981	24	23	1	1	49	9·8	36	35	71	14·3	5	102	−4·5
Rural Districts.	101,940	830	790	54	53	1,727	16·9	668	593	1,261	12·4†	105	61	4·5
Beverley ..	12,120	86	83	3	6	178	14·7	74	69	143	11·9†	12	67	2·8
Bridlington ..	7,942	70	53	7	2	132	16·6	57	44	101	12·7	10	76	3·9
Driffield	11,440	82	83	8	8	181	15·8	73	65	138	12·1	11	61	3·7
Escrick	5,909	40	46	4	3	93	15·7	32	31	63	10·7	7	75	5·0
Howden	12,930	111	108	9	10	238	18·4	90	71	161	12·5	12	50	5·9
Norton	5,329	53	46	4	4	107	20·1	40	31	71	13·3	8	75	6·8
Patrington ..	7,412	73	62	2	3	140	18·9	64	60	124	16·7	10	71	2·2
Pocklington ..	10,830	92	93	5	5	195	18·0	86	65	151	13·9	11	56	4·1
Riccall	5,349	46	33	3	3	85	15·9	29	28	57	10·7	6	71	5·2
Sculcoates ..	13,380	102	100	5	4	211	15·8	72	81	153	11·4	12	57	4·4
Sherburn.. ..	2,245	16	26	1	1	44	19·6	12	14	26	11·6	2	45	8·0
Skirlaugh ..	7,054	59	57	3	4	123	17·4	39	34	73	10·3	4	33	7·1
Yorkshire: North Riding:														
County Boro': Middlesbrough	132,880*	1,538	1,419	79	79	3,115	23·4	1,239	1,024	2,263	17·0	312	100	6·4
Administrative County.	323,560*	2,653	2,479	144	159	5,435	16·8	2,312	2,141	4,453	14·0†	412	76	2·8
Urban Districts.	179,970	1,569	1,487	69	85	3,210	17·8	1,368	1,286	2,654	14·8†	277	86	3·0
Eston	32,510	367	374	19	11	771	23·7	253	229	482	14·8	86	112	8·9
Guisborough ..	6,124	55	43	3	3	104	17·0	50	47	97	15·8	8	77	1·2
Hinderwell ..	2,371	20	8	—	—	28	11·8	13	18	31	13·1	5	179	−1·3
Kirklington cum Upsland	250	2	—	—	—	2	8·0	—	2	2	8·0	—	—	—
Loftus	8,079	57	65	4	2	128	15·8	75	45	120	14·9	10	78	0·9
Malton	4,381	32	28	1	6	67	15·3	43	26	69	15·7	4	60	−0·4
Masham	2,112	21	13	1	—	35	16·6	15	15	30	14·2	3	86	2·4
Northallerton	4,826	45	26	3	3	77	16·0	38	29	67	13·9	8	104	2·1
Pickering ..	3,494	30	26	1	—	57	16·3	28	28	56	16·0	2	35	0·3
Redcar M.B. ..	18,250	127	135	5	6	273	15·0	132	127	259	14·2	17	62	0·8

† Death-rates based upon estimated civilian populations as follows: Yorkshire—East Riding—Administrative County, 176,280; Rural Districts, 101,800; Beverley R.D., 11,980; North Riding—Administrative County, 318,320*; Urban Districts, 179,800.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows: Yorkshire North Riding—Middlesbrough C.B., 133,100; Administrative County, 323,340 (Total), 318,100 (Civilian).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE: NORTH RIDING —*cont.* URBAN DISTRICTS —*cont.*														
Richmond M.B.	4,559	42	48	2	2	94	20·6	31	24	55	12·5†	7	74	8·1
Saltburn by the Sea.	3,913	16	17	—	1	34	8·7	27	24	51	13·0	—	—	−4·3
Scalby	2,571	12	19	1	2	34	13·2	10	18	28	10·9	—	—	2·3
Scarborough M.B.	39,260	281	240	12	17	550	14·0	263	327	590	15·0	31	56	−1·0
Skelton and Brotton.	13,580	121	121	7	13	262	19·3	115	81	196	14·4	28	107	4·9
Thornaby-on-Tees M.B.	21,580	253	248	6	13	520	24·1	197	163	360	16·7	58	112	7·4
Whitby	12,110	88	76	4	6	174	14·4	78	83	161	13·3	10	57	1·1
RURAL DISTRICTS.	143,590*	1,084	992	75	74	2,225	15·5	944	855	1,799	13·0†	135	61	2·5
Aysgarth.. ..	4,191	27	31	3	2	63	15·0	36	29	65	15·5	6	95	−0·5
Bedale	6,552	64	45	3	7	119	18·2	48	47	95	14·5	7	59	3·7
Croft	2,256	17	16	2	—	35	15·5	13	15	28	12·4	2	57	3·1
Easingwold ..	9,482	64	70	5	6	145	15·3	63	69	132	13·9	13	90	1·4
Flaxton	12,000	84	88	4	6	182	15·2	55	66	121	10·7†	17	93	4·5
Guisborough ..	7,474	68	57	4	—	129	17·3	53	43	96	12·8	7	54	4·5
Helmsley ..	4,895	35	32	3	5	75	15·3	25	33	58	11·8	5	67	3·5
Kirkby Moorside	4,801	37	28	5	2	72	15·0	37	20	57	11·9	1	14	3·1
Leyburn	6,238	45	41	—	3	89	14·3	61	41	102	16·4	6	67	−2·1
Malton	5,734	39	29	4	5	77	13·4	41	42	83	14·5	4	52	−1·1
Middlesbrough	3,037*	25	29	3	3	60	19·8	18	19	37	12·2	6	100	7·6
Northallerton..	7,727	51	60	5	4	120	15·5	52	51	103	13·3	9	75	2·2
Pickering ..	5,872	40	39	4	4	87	14·8	37	39	76	12·9	3	34	1·9
Reeth	2,393	13	14	2	—	29	12·1	15	16	31	13·0	2	69	−0·9
Richmond ..	14,120	133	112	6	10	261	18·5	68	36	104	10·7†	5	19	7·8
Scarborough ..	6,806	48	37	2	2	89	13·1	53	24	77	11·3	5	56	1·8
Startforth ..	4,629	35	28	1	2	66	14·3	34	22	56	12·1	3	45	2·2
Stokesley ..	12,150	88	84	4	4	180	14·8	79	92	171	14·1	11	61	0·7
Thirsk	12,400	90	86	9	6	191	15·4	85	84	169	13·6	12	63	1·8
Wath	1,955	25	15	2	—	42	21·5	19	12	31	15·9	5	119	5·6
Whitby	8,878	56	51	4	3	114	12·8	52	55	107	12·1	6	53	0·7
YORKSHIRE: WEST RIDING:														
COUNTY BORO'S:	1,808,710	13,681	13,177	672	647	28,177	15·6	13,640	13,382	27,022	14·9†	2,514	89	0·7
Barnsley ..	71,700	769	695	28	25	1,517	21·2	569	523	1,092	15·2	183	121	6·0
Bradford ..	289,200	2,066	2,061	110	110	4,347	15·0	2,205	2,336	4,541	15·7	341	78	−0·7
Dewsbury ..	53,020	382	363	18	37	800	15·1	468	467	935	17·6	76	95	−2·5
Doncaster ..	59,890	503	454	28	21	1,006	16·8	425	386	811	13·5	66	66	3·3
Halifax ..	97,570	640	606	35	32	1,313	13·5	691	831	1,522	15·6†	100	76	−2·1
Huddersfield ..	113,100	725	662	33	29	1,449	12·8	810	885	1,695	15·0	117	81	−2·2
Leeds	478,500	3,547	3,468	212	203	7,430	15·5	3,996	3,900	7,896	16·5	722	97	−1·0
Rotherham ..	70,790	641	680	20	22	1,363	19·3	463	401	864	12·2	119	87	7·1
Sheffield	518,300‡	3,923	3,746	165	142	7,976	15·4	3,605	3,241	6,846	13·2†	694	87	2·2
Wakefield ..	56,640	485	442	23	26	976	17·2	408	412	820	14·5	96	98	2·7
ADMINISTRATIVE COUNTY.	1,529,180	12,561	11,967	549	493	25,570	16·7	10,610	10,116	20,726	13·6†	2,264	89	3·1

† Death-rates based upon estimated civilian populations as follows:—Yorkshire, North Riding—Richmond M.B., 4,389; Rural Districts, 138,520*; Flaxton R.D., 11,360; Richmond R.D., 9,690; Yorkshire, West Riding—County Boroughs, 1,808,240; Halifax C.B., 97,400; Sheffield C.B., 518,000; Administrative County, 1,528,800.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Yorkshire, North Riding—Rural Districts, 143,370 (Total), 138,300 (Civilian); Middlesbrough R.D., 2,817.

‡ Mid-year population after the change in boundary on the 1st April, 1929. The population involved in the change was too small to necessitate adjustment for calculation of rates.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —*cont.*														
URBAN DISTRICTS	1,100,580	8,439	8,075	340	318	17,172	15·6	7,731	7,629	15,360	14·0†	1,504	88	1·6
Adwick le Street	19,230	221	208	11	9	449	23·3	124	90	214	11·1	57	127	12·2
Altofts	5,236	43	41	—	—	84	16·0	37	31	68	13·0	6	71	3·0
Ardsley East and West.	9,314	68	66	4	3	141	15·1	61	74	135	14·5	17	121	0·6
Baildon	7,440	45	42	2	1	90	12·1	40	53	93	12·5	5	56	−0·4
Barkisland ..	1,590	11	8	—	—	19	11·9	12	10	22	13·8	—	—	−1·9
Barnoldswick ..	12,680	60	54	2	3	119	9·4	79	85	164	12·9	10	84	−3·5
Batley M.B. ..	34,550	273	246	13	14	546	15·8	281	273	554	16·0	56	103	−0·2
Bentley with Arksey.	16,320	155	135	2	10	302	18·5	93	74	167	10·2	35	116	8·3
Bingley	20,200	148	124	5	6	283	14·0	127	140	267	13·2	7	25	0·8
Birkenshaw ..	2,900	22	20	1	3	46	15·9	22	19	41	14·1	8	174	1·8
Birstal	7,246	63	54	1	3	121	16·7	55	50	105	14·5	10	83	2·2
Bolton-upon-Dearne	15,190	153	131	10	6	300	19·7	92	58	150	9·9	29	97	9·8
Brighouse M.B.	19,640	119	122	2	6	249	12·7	134	174	308	15·7	20	80	−3·0
Burley in Wharfedale.	4,178	24	23	1	1	49	11·7	26	20	46	11·0	7	143	0·7
Calverley ..	3,660	17	25	2	1	45	12·3	21	24	45	12·3	2	44	—
Castleford ..	23,230	169	195	9	11	384	16·5	186	161	347	14·9	49	128	1·6
Clayton	5,405	36	39	1	1	77	14·2	24	33	57	10·5	3	39	3·7
Clayton West..	2,020	8	9	1	—	18	8·9	13	12	25	12·4	—	—	−3·5
Conisbrough ..	18,460	210	206	7	10	433	23·5	145	113	258	14·0	53	122	9·5
Cudworth ..	9,516	108	101	3	5	217	22·8	85	54	139	14·6	29	134	8·2
Darfield	5,487	54	44	2	2	102	18·6	38	21	59	10·8	4	39	7·8
Darton	12,210	121	130	6	4	261	21·4	98	74	172	14·1	25	96	7·3
Denby and Cumberworth.	3,606	25	32	—	1	58	16·1	17	25	42	11·6	3	52	4·5
Denholme ..	2,881	15	11	—	—	26	9·0	18	24	42	14·6	2	77	−5·6
Dodworth ..	4,207	48	52	1	1	102	24·2	41	19	60	14·3	8	78	9·9
Drighlington ..	4,092	23	24	—	1	48	11·7	34	23	57	13·9	2	42	−2·2
Earby	5,988	33	49	1	—	83	13·9	38	56	94	15·7	9	108	−1·8
Elland	10,650	56	45	2	3	106	10·0	74	90	164	15·4	10	94	−5·4
Emley	1,791	13	7	—	—	20	11·2	11	7	18	10·1	1	50	1·1
Farsley	6,425	37	43	2	—	82	12·8	45	45	90	14·0	7	85	−1·2
Featherstone ..	15,480	170	166	3	1	340	22·0	141	86	227	14·7	49	144	7·3
Flockton ..	1,400	11	9	—	—	20	14·3	6	9	15	10·7	2	100	3·6
Garforth ..	4,023	24	29	2	—	55	13·7	19	27	46	11·4	3	55	2·3
Gildersome ..	2,895	11	19	2	—	32	11·1	24	27	51	17·6	1	31	−6·5
Golcar	10,240	56	66	—	3	125	12·2	48	71	119	11·6	5	40	0·6
Goole	19,460	190	178	3	4	375	19·3	141	121	262	13·5	36	96	5·8
Greasbrough ..	3,623	35	34	1	—	70	19·3	30	21	51	14·1	4	57	5·2
Greetland ..	4,250	22	22	—	—	44	10·4	32	34	66	15·5	2	45	−5·1
Guiseley	5,508	42	21	—	1	64	11·6	34	35	69	12·5	2	31	−0·9
Gunthwaite and Ingbirchworth	331	4	4	—	—	8	24·2	4	—	4	12·1	—	—	12·1
Harrogate M.B.	37,590	216	203	11	11	441	11·7	228	323	551	14·7	17	39	−3·0
Haworth ..	6,317	25	41	1	1	68	10·8	44	48	92	14·6	5	74	−3·8
Hebden Bridge	6,097	37	31	1	2	71	11·6	37	69	106	17·4	6	85	−5·8

† Death-rate based upon an estimated civilian population of 1,100,200.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —*cont.*														
URBAN DISTRICTS —*cont.*														
Heckmondwike	8,830	72	71	7	4	154	17·4	78	71	149	16·9	18	117	0·5
Hemsworth ..	13,550	145	149	8	2	304	22·4	105	95	200	14·8	38	125	7·6
Hipperholme ..	5,055	25	32	1	1	59	11·7	35	29	64	12·7	4	68	−1·0
Holme	430	1	3	—	1	5	11·6	1	1	2	4·7	—	—	6·9
Holmfirth ..	10,340	76	53	1	5	135	13·1	67	85	152	14·7	13	96	−1·6
Honley	4,450	30	21	—	1	52	11·7	30	31	61	13·7	4	77	−2·0
Horbury	7,815	60	60	—	1	121	15·5	58	70	128	16·4	10	83	−0·9
Horsforth ..	11,370	61	74	2	4	141	12·4	74	80	154	13·5	7	50	−1·1
Hoyland Nether	15,910	139	133	3	6	281	17·7	117	88	205	12·9	21	75	4·8
Hoyland Swaine	856	8	6	1	—	15	17·5	6	6	12	14·0	—	—	3·5
Hunsworth ..	1,346	5	9	2	—	16	11·9	10	13	23	17·1	1	63	−5·2
Ilkley	10,010	68	51	2	—	121	12·1	52	74	126	12·6	11	91	−0·5
Keighley M.B.	40,460	254	237	15	15	521	12·9	339	302	641	15·8	47	90	−2·9
Kirkburton ..	3,465	19	19	—	—	38	11·0	21	28	49	14·1	4	105	−3·1
Kirkheaton ..	2,727	27	19	—	1	47	17·2	24	16	40	14·7	3	64	2·5
Knaresborough	5,864	44	47	5	1	97	16·5	47	41	88	15·0	4	41	1·5
Knottingley ..	6,853	77	81	3	6	167	24·4	63	45	108	15·8	19	114	8·6
Lepton	3,209	25	18	—	1	44	13·7	19	27	46	14·3	2	45	−0·6
Linthwaite ..	9,711	60	54	4	1	119	12·3	51	79	130	13·4	9	76	−1·1
Luddenden Foot	2,902	21	19	—	—	40	13·8	19	21	40	13·8	5	125	—
Maltby	9,661	120	102	3	5	230	23·8	63	40	103	10·7	18	78	13·1
Marsden	5,618	28	33	1	1	63	11·2	34	48	82	14·6	4	63	−3·4
Meltham	5,403	31	31	1	1	64	11·8	31	46	77	14·3	4	63	−2·5
Methley	4,582	43	40	2	—	85	18·6	38	36	74	16·2	4	47	2·4
Mexborough ..	16,380	147	122	10	9	288	17·6	91	78	169	10·3	18	63	7·3
Midgley	1,841	12	12	—	—	24	13·0	18	20	38	20·6	—	—	−7·6
Mirfield	12,530	74	94	3	—	171	13·6	96	106	202	16·1	8	47	−2·5
Morley M.B. ..	23,450	147	136	8	4	295	12·6	168	190	358	15·3	15	51	−2·7
Mytholmroyd..	4,311	26	32	—	—	58	13·5	33	28	61	14·1	2	34	−0·6
New Mill ..	4,639	29	28	2	1	60	12·9	30	25	55	11·9	5	83	1·0
Normanton ..	16,480	148	130	4	7	289	17·5	118	89	207	12·6	34	118	4·9
Oakworth ..	4,121	26	22	—	—	48	11·6	21	35	56	13·6	2	42	−2·0
Ossett M.B. ..	14,940	121	119	4	4	248	16·6	139	123	262	17·5	23	93	−0·9
Otley	10,390	82	89	4	2	177	17·0	66	75	141	13·6	15	85	3·4
Oxenhope ..	2,354	18	11	—	1	30	12·7	13	12	25	10·6	4	133	2·1
Penistone ..	3,733	30	15	1	—	46	12·3	30	21	51	13·7	2	43	−1·4
Pontefract M.B.	18,030	182	195	6	15	398	22·1	135	104	239	13·5†	36	90	8·6
Pudsey M.B. ..	14,560	101	104	6	4	215	14·8	113	112	225	15·5	12	56	−0·7
Queensbury ..	5,748	46	41	1	1	89	15·5	40	53	93	16·2	6	67	−0·7
Rawdon	4,381	24	26	1	1	52	11·9	21	27	48	11·0	5	96	0·9
Rawmarsh ..	18,560	184	170	4	5	363	19·6	123	110	233	12·6	38	105	7·0
Ripon M.B. ..	8,407	63	41	9	2	115	13·7	62	59	121	14·4	10	87	−0·7
Rishworth ..	901	9	5	—	1	15	16·6	4	1	5	5·5	—	—	11·1
Rothwell ..	15,770	122	103	8	3	236	15·0	116	109	225	14·3	22	93	0·7
Royston	7,447	82	78	4	3	167	22·4	43	45	88	11·8	22	132	10·6
Saddleworth ..	12,650	64	42	6	2	114	9·0	83	80	163	12·9	8	70	−3·9
Scammonden ..	379	3	4	—	—	7	18·5	1	1	2	5·3	1	143	13·2
Selby	9,747	66	65	7	5	143	14·7	84	50	134	13·7	9	63	1·0

† Death-rate based upon an estimated civilian population of 17,650.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —*cont.*														
URBAN DISTRICTS —*cont.*														
Shelf	2,603	21	23	—	1	45	17·3	14	24	38	14·6	—	—	2·7
Shelley	1,666	8	10	—	—	18	10·8	6	10	16	9·6	—	—	1·2
Shepley	1,636	15	12	1	—	28	17·1	7	6	13	7·9	—	—	9·2
Shipley	29,590	212	191	14	14	431	14·6	190	209	399	13·5	37	86	1·1
Silsden	4,972	21	23	—	—	44	8·8	31	34	65	13·1	4	91	−4·3
Skelmanthorpe	3,852	31	18	—	—	49	12·7	25	28	53	13·8	5	102	−1·1
Skipton	12,230	77	75	3	1	156	12·8	99	98	197	16·1	20	128	−3·3
Slaithwaite ..	5,241	30	32	3	1	66	12·6	38	43	81	15·5	4	61	−2·9
South Crosland	2,997	16	10	2	—	28	9·3	19	20	39	13·0	1	36	−3·7
Southowram ..	2,787	14	18	1	—	33	11·8	18	10	28	10·0	1	30	1·8
Sowerby ..	14,470	104	90	3	1	198	13·7	112	142	254	17·6	15	76	−3·9
Soyland	2,932	19	21	—	—	40	13·6	21	19	40	13·6	5	125	—
Spenborough ..	30,780	215	209	10	8	442	14·4	178	273	451	14·7	35	79	−0·3
Springhead ..	5,061	33	26	—	2	61	12·1	45	36	81	16·0	2	33	−3·9
Stainland ..	4,347	17	25	1	1	44	10·1	31	22	53	12·2	3	68	−2·1
Stanley	14,810	109	127	2	1	239	16·1	89	95	184	12·4	13	54	3·7
Stocksbridge ..	9,638	76	82	—	2	160	16·6	61	49	110	11·4	6	38	5·2
Swinton	13,970	135	111	2	7	255	18·3	99	111	210	15·0	33	129	3·3
Thurlstone ..	2,569	16	18	—	—	34	13·2	23	19	42	16·3	4	118	−3·1
Thurnscoe ..	10,080	105	108	10	3	226	22·4	63	54	117	11·6	23	102	10·8
Thurstonland & Farnley Tyas‡	3,805	8	8	—	1	17	4·5	10	12	22	5·8	—	—	−1·3
Tickhill	2,189	26	17	1	—	44	20·1	18	14	32	14·6	1	23	5·5
Todmorden M.B.	22,720	126	129	4	4	263	11·6	188	182	370	16·3	22	84	−4·7
Wath-upon-Dearne.	13,880	115	131	5	1	252	18·2	104	87	191	13·8	17	67	4·4
Whitley Upper	915	3	6	—	—	9	9·8	5	2	7	7·7	1	111	2·1
Whitwood ..	6,266	69	69	1	—	139	22·2	49	46	95	15·2	21	151	7·0
Wombwell ..	20,050	187	169	10	9	375	18·7	147	119	266	13·3	43	115	5·4
Worsborough..	12,510	118	118	2	5	243	19·4	88	79	167	13·3	28	115	6·1
Yeadon	7,292	47	44	1	1	93	12·8	64	58	122	16·7	7	75	−3·9
RURAL DISTRICTS.	428,600	4,122	3,892	209	175	8,398	19·6	2,879	2,487	5,366	12·5	760	90	7·1
Barnsley ..	4,730	49	47	3	1	100	21·1	39	21	60	12·7	6	60	8·4
Bishopthorpe..	2,643	23	22	1	1	47	17·8	12	16	28	10·6	1	21	7·2
Bowland ..	5,222	30	32	3	1	66	12·6	36	28	64	12·3	1	15	0·3
Doncaster ..	44,680	608	552	16	18	1,194	26·7	262	229	491	11·0	102	85	15·7
Goole	8,674	67	80	2	8	157	18·1	66	61	127	14·6	19	121	3·5
Great Ouseburn	12,580	97	78	11	5	191	15·2	84	67	151	12·0	11	58	3·2
Halifax	6,110	31	39	1	—	71	11·6	29	32	61	10·0	4	56	1·6
Hemsworth ..	45,810	521	506	29	34	1,090	23·8	289	247	536	11·7	119	109	12·1
Hunslet	4,243	36	43	1	4	84	19·8	32	32	64	15·1	9	107	4·7
Keighley.. ..	8,183	40	51	1	3	95	11·6	55	55	110	13·4	4	42	−1·8
Kiveton Park..	17,730	157	166	14	9	346	19·5	86	73	159	9·0	23	66	10·5
Knaresborough	9,514	47	58	4	3	112	11·8	53	48	101	10·6	6	54	1·2
Pateley Bridge	8,014	57	48	2	3	110	13·7	67	48	115	14·3	9	82	−0·6
Penistone ..	5,554	41	41	2	1	85	15·3	40	22	62	11·2	5	59	4·1
Pontefract ..	23,750	252	240	12	10	514	21·6	191	143	334	14·1	56	109	7·5
Ripon	5,005	32	40	2	—	74	14·8	34	40	74	14·8	5	68	—
Rotherham ..	39,090	382	409	22	17	830	21·2	227	223	450	11·5	71	86	9·7
Sedbergh.. ..	4,045	32	18	3	1	54	13·3	26	21	47	11·6	3	56	1·7

‡ A considerable proportion of the population of this area was enumerated in a County Lunatic Asylum, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —*cont.*														
RURAL DISTRICTS —*cont.*														
Selby	6,085	53	47	4	4	108	17·7	56	37	93	15·3	10	93	2·4
Settle	14,950	124	121	4	1	250	16·7	107	95	202	13·5	21	84	3·2
Skipton	18,960	114	104	7	6	231	12·2	140	128	268	14·1	17	74	−1·9
Tadcaster ..	30,630	266	226	11	11	514	16·8	191	167	358	11·7	40	78	5·1
Thorne	24,680	467	377	18	11	873	35·4	222	178	400	16·2	122	140	19·2
Todmorden ..	4,399	29	20	1	1	51	11·6	40	41	81	18·4	5	98	−6·8
Wakefield ..	18,420	182	159	11	7	359	19·5	144	126	270	14·7	28	78	4·8
Wetherby ..	15,550	112	108	8	4	232	14·9	113	98	211	13·6	10	43	1·3
Wharfedale:—														
North ..	3,738	24	31	3	1	59	15·8	16	20	36	9·6	5	85	6·2
South ..	5,881	25	26	2	1	54	9·2	27	35	62	10·5	10	185	−1·3
Wortley	29,730	224	203	11	9	447	15·0	195	156	351	11·8	38	85	3·2
COUNTY BORO':														
York	86,970	718	693	46	43	1,500	17·2	555	524	1,079	12·7†	118	79	4·5
WALES AND MONMOUTH.														
ANGLESEY: ADMINISTRATIVE COUNTY.	51,330	370	327	40	36	773	15·1	404	406	810	15·8	68	88	−0·7
URBAN DISTRICTS.	19,340	131	115	13	12	271	14·0	156	161	317	16·4	20	74	−2·4
Amlwch ..	2,667	17	11	6	3	37	13·9	24	28	52	19·5	1	27	−5·6
Beaumaris M.B.	1,692	14	3	1	—	18	10·6	11	20	31	18·3	1	56	−7·7
Holyhead ..	11,580	74	84	4	6	168	14·5	91	85	176	15·2	15	89	−0·7
Llangefni ..	1,731	19	11	2	—	32	18·5	14	18	32	18·5	2	63	—
Menai Bridge	1,670	7	6	—	3	16	9·6	16	10	26	15·6	1	63	−6·0
RURAL DISTRICTS.	31,990	239	212	27	24	502	15·7	248	245	493	15·4	48	96	0·3
Aethwy	8,363	60	57	7	8	132	15·8	54	57	111	13·3	12	91	2·5
Dwyran	2,837	19	18	2	2	41	14·5	24	22	46	16·2	6	146	−1·7
Twrcelyn ..	9,110	71	47	9	8	135	14·8	77	68	145	15·9	5	37	−1·1
Valley	11,680	89	90	9	6	194	16·6	93	98	191	16·4	25	129	0·2
BRECKNOCKSHIRE ADMINISTRATIVE COUNTY.	59,450	475	435	30	24	964	16·2	397	353	750	12·7†	71	74	3·5
URBAN DISTRICTS.	17,040	136	125	11	3	275	16·1	122	102	224	13·3†	18	65	2·8
Brecknock, M.B.	5,500	46	31	3	—	80	14·5	30	19	49	9·2†	1	13	5·3
Brynmawr ..	7,694	67	69	5	1	142	18·5	51	47	98	12·7	16	113	5·8
Builth Wells ..	1,598	10	8	—	1	19	11·9	15	17	32	20·0	1	53	−8·1
Hay	1,511	5	11	2	1	19	12·6	23	12	35	23·2	—	—	−10·6
Llanwrtyd ..	737	8	6	1	—	15	20·4	3	7	10	13·6	—	—	6·8
RURAL DISTRICTS.	42,410	339	310	19	21	689	16·2	275	251	526	12·4	53	77	3·8
Brecknock:—														
Defynnock & Llangorse Div.	6,307	56	49	2	2	109	17·3	49	39	88	14·0	5	46	3·3
Merthyr Cynog. Div.	2,054	18	20	1	1	40	19·5	16	21	37	18·0	11	275	1·5
Builth	3,830	33	37	1	1	72	18·8	26	32	58	15·1	5	69	3·7
Crickhowell ..	7,582	58	52	2	5	117	15·4	43	41	84	11·1	10	85	4·3
Hay	4,160	27	21	—	4	52	12·5	32	22	54	13·0	1	19	−0·5
Vaynor and Penderyn .	5,332	30	27	5	3	65	12·2	40	29	69	12·9	5	77	−0·7

† Death-rates based upon estimated civilian populations as follows:—York C.B., 85,290; Brecknockshire—Administrative County, 59,270; Urban Districts, 16,860; Brecknock M.B., 5,320.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BRECKNOCKSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Ystradgynlais..	12,160	109	100	7	5	221	18·2	64	61	125	10·3	16	72	7·9
C.P. of Llanwrthwl administered by R.D.C. of Rhayader (Radnor).	347	3	—	—	—	3	8·6	1	3	4	11·5	—	—	−2·9
C.P. of Ystradfellte administered by R.D.C. of Neath (Glam.)	638	5	4	1	—	10	15·7	4	3	7	11·0	—	—	4·7
CAERNARVONSHIRE: ADMINISTRATIVE COUNTY	123,670	821	791	45	58	1,715	13·9	965	963	1,928	15·6	143	83	−1·7
URBAN DISTRICTS.	65,670	412	389	23	26	850	12·9	465	447	912	13·9	70	82	−1·0
Bangor M.B. ..	10,900	70	64	4	4	142	13·0	86	85	171	15·7	15	106	−2·7
Bethesda.. ..	4,334	37	37	3	3	80	18·5	36	44	80	18·5	8	100	—
Bettws y Coed	853	5	3	1	1	10	11·7	8	6	14	16·4	—	—	−4·7
CaernarvonM.B.	8,192	60	53	3	6	122	14·9	78	66	144	17·6	18	148	−2·7
Conway M.B.	8,987	72	38	—	—	110	12·2	58	48	106	11·8	11	100	0·4
Criccieth ..	1,745	7	14	—	—	21	12·0	12	14	26	14·9	2	95	−2·9
Llandudno ..	15,370	69	86	6	2	163	10·6	74	77	151	9·8	6	37	0·8
Llanfairfechan	3,213	16	10	1	2	29	9·0	15	25	40	12·4	—	—	−3·4
Penmaenmawr	4,109	26	27	—	1	54	13·1	37	24	61	14·8	3	56	−1·7
Portmadoc ..	4,299	30	36	2	3	71	16·5	24	29	53	12·3	3	42	4·2
Pwllheli M.B.	3,668	20	21	3	4	48	13·1	37	29	66	18·0	4	83	−4·9
RURAL DISTRICTS.	58,000	409	402	22	32	865	14·9	500	516	1,016	17·5	73	84	−2·6
Conway	5,006	26	43	4	—	73	14·6	37	41	78	15·6	4	55	−1·0
Geirionydd ..	4,160	29	22	1	—	52	12·5	31	26	57	13·7	3	58	−1·2
Glaslyn	2,910	21	19	2	2	44	15·1	18	16	34	11·7	2	45	3·4
Gwyrfai	23,840	186	169	8	15	378	15·9	241	241	482	20·2	46	122	−4·3
Lleyn	16,420	109	114	7	12	242	14·7	131	152	283	17·2	17	70	−2·5
Ogwen	5,664	38	35	—	3	76	13·4	42	40	82	14·5	1	13	−1·1
CARDIGANSHIRE: ADMINISTRATIVE COUNTY.	56,070	327	321	23	39	710	12·7	444	481	925	16·5	42	59	−3·8
URBAN DISTRICTS.	15,680	91	82	8	9	190	12·1	118	132	250	15·9	7	37	−3·8
Aberayron ..	1,256	5	3	—	1	9	7·2	4	7	11	8·8	—	—	−1·6
Aberystwyth M.B.	8,468	51	39	5	3	98	11·6	58	72	130	15·4	5	51	−3·8
Cardigan M.B.	3,201	21	22	3	3	49	15·3	22	29	51	15·9	2	41	−0·6
Lampeter M.B.	1,700	11	10	—	1	22	12·9	20	14	34	20·0	—	—	−7·1
New Quay ..	1,055	3	8	—	1	12	11·4	14	10	24	22·7	—	—	−11·3
RURAL DISTRICTS.	40,390	236	239	15	30	520	12·9	326	349	675	16·7	35	67	−3·8
Aberayron ..	7,375	46	41	2	5	94	12·7	49	58	107	14·5	5	53	−1·8
Aberystwyth:—														
North ..	6,872	36	39	2	5	82	11·9	64	66	130	18·9	2	24	−7·0
South ..	4,888	32	25	1	6	64	13·1	55	44	99	20·3	7	109	−7·2
Cardigan ..	2,996	14	13	4	2	33	11·0	32	14	46	15·4	4	121	−4·4
Lampeter ..	3,456	30	20	1	3	54	15·6	15	35	50	14·5	3	56	1·1

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CARDIGANSHIRE—*cont.* RURAL DISTRICTS—*cont.*														
Llandyssil ..	7,672	40	60	3	5	108	14·1	56	76	132	17·2	6	56	—3·1
Tregaron ..	6,776	36	39	2	4	81	12·0	52	54	106	15·6	8	99	—3·6
Civil Parish of YsguboryCoed administered by R.D.C. of Machynlleth (Montgomeryshire).	355	2	2	—	—	4	11·3	3	2	5	14·1	—	—	—2·8
CARMARTHENSHIRE: ADMINISTRATIVE COUNTY.	181,280	1,381	1,378	71	64	2,894	16·0	1,162	1,075	2,237	12·3	233	81	3·7
URBAN DISTRICTS	75,180	556	566	21	21	1,164	15·5	460	414	874	11·6	82	70	3·9
Ammanford ..	7,633	43	49	3	1	96	12·6	42	38	80	10·5	8	83	2·1
Burry Port ..	5,972	58	37	2	1	98	16·4	41	24	65	10·9	7	71	5·5
Carmarthen .. M.B.	9,927	61	70	1	7	139	14·0	61	71	132	13·3	11	79	0·7
Cwmamman ..	5,743	47	33	3	3	86	15·0	31	29	60	10·4	4	47	4·6
Kidwelly M.B.	3,224	30	42	—	—	72	22·3	23	19	42	13·0	10	139	9·3
Llandilo	1,946	6	9	2	2	19	9·8	16	13	29	14·9	—	—	—5·1
Llandovery M.B.	2,063	20	17	1	—	38	18·4	15	16	31	15·0	2	53	3·4
Llanelly M.B.	37,830	284	305	9	7	605	16·0	226	193	419	11·1	39	64	4·9
Newcastle Emlyn	842	7	4	—	—	11	13·1	5	11	16	19·0	1	91	—5·9
RURAL DISTRICTS	106,100	825	812	50	43	1,730	16·3	702	661	1,363	12·8	151	87	3·5
Carmarthen ..	24,120	205	176	12	13	406	16·8	162	178	340	14·1	40	99	2·7
Llandilo Fawr	22,800	151	171	14	8	344	15·1	158	137	295	12·9	35	102	2·2
Llandovery ..	6,520	49	43	4	3	99	15·2	65	45	110	16·9	10	101	—1·7
Llanelly	38,160	320	325	15	13	673	17·6	218	180	398	10·4	47	70	7·2
Llanybyther ..	3,393	26	24	—	3	53	15·6	22	28	50	14·7	1	19	0·9
Newcastle-in-Emlyn.	6,140	41	38	5	2	86	14·0	42	50	92	15·0	7	81	—1·0
Whitland ..	4,967	33	35	—	1	69	13·9	35	43	78	15·7	11	159	—1·8
DENBIGHSHIRE: ADMINISTRATIVE COUNTY.	159,540	1,208	1,142	67	77	2,494	15·6	1,096	966	2,062	12·9†	177	71	2·7
URBAN DISTRICTS	57,840	377	365	19	31	792	13·7	396	390	786	13·6†	45	57	0·1
Abergele and Pensarn.	2,623	16	18	1	—	35	13·3	27	14	41	15·6	4	114	—2·3
Colwyn Bay ..	21,670	112	108	1	9	230	10·6	121	150	271	12·5	13	57	—1·9
Denbigh M.B...	6,972	51	51	2	4	108	15·5	44	41	85	12·2	5	46	3·3
Llangollen ..	3,015	21	19	2	2	44	14·6	31	37	68	22·6	6	136	—8·0
Llanrwst ..	2,395	12	13	6	3	34	14·2	24	22	46	19·2	3	88	—5·0
Ruthin M.B. ..	2,815	14	12	1	2	29	10·3	24	19	43	15·3	2	69	—5·0
Wrexham M.B.	18,350	151	144	6	11	312	17·0	125	107	232	12·8†	12	38	4·2
RURAL DISTRICTS.	101,700	831	777	48	46	1,702	16·7	700	576	1,276	12·5	132	78	4·2
Chirk	4,947	37	39	1	2	79	16·0	49	36	85	17·2	7	89	—1·2
Llangollen ..	3,769	24	18	—	2	44	11·7	27	24	51	13·5	3	68	—1·8
Llanrwst ..	4,047	36	29	2	2	69	17·0	32	26	58	14·3	5	72	2·7
Llansilin	2,833	25	18	1	3	47	16·6	22	18	40	14·1	1	21	2·5

† Death-rates based upon estimated civilian populations as follows:—Denbighshire—Administrative County, 159,340 Urban Districts, 57,640; Wrexham M.B., 18,150.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DENBIGHSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Ruthin	9,270	58	61	9	1	129	13·9	76	58	134	14·5	8	62	−0·6
St. Asaph (Denbigh).	6,998	44	48	6	9	107	15·3	41	54	95	13·6	6	56	1·7
Uwchaled ..	1,966	12	13	3	4	32	16·3	21	16	37	18·8	5	156	−2·5
Wrexham ..	66,000	580	535	25	22	1,162	17·6	419	337	756	11·5	93	80	6·1
C.P. of Llanelian-yn Rhôs and Llansantffraid Glan Conway administered by R.D.C. of Conway (Caernarvonshire).	1,870	15	16	1	1	33	17·6	13	7	20	10·7	4	121	6·9
FLINTSHIRE: ADMINISTRATIVE COUNTY.	112,390	900	913	45	40	1,898	16·9	725	715	1,440	12·9†	134	71	4·0
URBAN DISTRICTS	46,390	365	384	18	16	783	16·9	300	288	588	12·7	39	50	4·2
Buckley	6,924	63	64	2	1	130	18·8	45	37	82	11·8	5	38	7·0
Connah's Quay	5,996	49	63	2	—	114	19·0	35	34	69	11·5	7	61	7·5
Flint M.B. ..	7,420	84	83	2	2	171	23·0	52	43	95	12·8	11	64	10·2
Holywell ..	3,206	28	37	1	2	68	21·2	27	16	43	13·4	3	44	7·8
Mold	5,101	41	38	4	4	87	17·1	20	33	53	10·4	3	34	6·7
Prestatyn ..	4,933	17	26	—	1	44	8·9	34	40	74	15·0	1	23	−6·1
Rhyl	12,810	85	73	7	6	169	13·2	87	85	172	13·4	9	53	−0·2
RURAL DISTRICTS.	66,000	535	529	27	24	1,115	16·9	425	427	852	13·0†	95	85	3·9
Hawarden ..	26,640	222	240	10	8	480	18·0	156	137	293	11·2†	45	94	6·8
Holywell ..	26,370	226	212	11	11	460	17·4	179	183	362	13·7	38	83	3·7
Overton	4,970	38	25	2	1	66	13·3	32	40	72	14·5	2	30	−1·2
St. Asaph (Flint)	8,020	49	52	4	4	109	13·6	58	67	125	15·6	10	92	−2·0
GLAMORGANSHIRE:														
COUNTY BORO'S..	464,690	3,907	3,745	137	165	7,954	17·1	3,151	2,900	6,051	13·0†	680	85	4·1
Cardiff	224,200	1,892	1,862	77	96	3,927	17·5	1,516	1,383	2,899	12·9†	330	84	4·6
Merthyr Tydfil	77,790	607	555	9	25	1,196	15·4	595	513	1,108	14·2	128	107	1·2
Swansea	162,700	1,408	1,328	51	44	2,831	17·4	1,040	1,004	2,044	12·6	222	78	4·8
ADMINISTRATIVE COUNTY.	809,200	6,759	6,556	266	278	13,859	17·1	5,016	4,261	9,277	11·5	1,113	80	5·6
URBAN DISTRICTS	594,100	4,943	4,929	187	211	10,270	17·3	3,842	3,215	7,057	11·9	832	81	5·4
Aberdare.. ..	53,050	330	350	15	9	704	13·3	400	308	708	13·3	69	98	—
Barry	39,010	289	359	18	17	683	17·5	246	185	431	11·0	48	70	6·5
Bridgend.. ..	9,660	76	78	5	6	165	17·1	47	45	92	9·5	14	85	7·6
Caerphilly ..	39,380	361	359	13	11	744	18·9	230	182	412	10·5	54	73	8·4
Cowbridge M.B.	1,127	6	6	1	—	13	11·5	7	11	18	16·0	—	—	−4·5
Gelligaer ..	44,110	434	391	15	18	858	19·5	307	242	549	12·4	93	108	7·1
Glyncorwg ..	10,640	103	124	3	7	237	22·3	66	59	125	11·7	19	80	10·6
Maesteg	27,070	246	257	1	14	518	19·1	190	151	341	12·6	53	102	6·5

† Death-rates based upon estimated civilian populations as follows: Flintshire—Administrative County, 111,870; Rural Districts, 65,480; Hawarden R.D., 26,120. Glamorganshire—County Boroughs, 464,490; Cardiff C.B., 224,000.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLAMORGANSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Mountain Ash	41,540	346	348	15	14	723	17·4	274	232	506	12·2	61	84	5·2
Neath M.B. ..	34,470	297	278	7	7	589	17·1	208	215	423	12·3	51	87	4·8
Ogmore and Garw.	29,130	245	252	3	10	510	17·5	173	154	327	11·2	41	80	6·3
Penarth	18,490	124	130	8	6	268	14·5	85	94	179	9·7	15	56	4·8
Pontypridd ..	45,320	380	387	17	24	808	17·8	321	244	565	12·5	54	67	5·3
Porthcawl ..	6,563	37	33	3	3	76	11·6	31	26	57	8·7	3	39	2·9
Port Talbot M.B.	41,440	390	351	11	11	763	18·4	266	196	462	11·1	43	56	7·3
Rhondda.. ..	153,100	1,279	1,226	52	54	2,611	17·1	991	871	1,862	12·2	214	82	4·9
RURAL DISTRICTS.	215,100	1,816	1,627	79	67	3,589	16·7	1,174	1,046	2,220	10·3	281	78	6·4
Cardiff	29,100	195	180	10	5	390	13·4	141	123	264	9·1	27	69	4·3
Cowbridge ..	11,250	96	83	6	6	191	17·0	69	60	129	11·5	19	99	5·5
Gower	10,220	61	62	3	2	128	12·5	55	50	105	10·3	4	31	2·2
Llantrisant and Llantwitfardre	25,260	257	242	13	14	526	20·8	143	133	276	10·9	39	74	9·9
Neath	42,010	355	315	12	13	695	16·5	227	230	457	10·9	57	82	5·6
Penybont ..	31,130	306	252	13	14	585	18·8	165	134	299	9·6	45	77	9·2
Pontardawe ..	37,730	295	283	12	8	598	15·8	225	177	402	10·7	48	80	5·1
Swansea	28,400	251	210	10	5	476	16·8	149	139	288	10·1	42	88	6·7
MERIONETHSHIRE ADMINISTRATIVE COUNTY.	44,110	313	300	27	29	669	15·2	302	334	636	14·5†	45	67	0·7
URBAN DISTRICTS.	19,840	137	139	11	14	301	15·2	134	139	273	13·8	22	73	1·4
Bala..	1,517	8	9	3	1	21	13·8	7	11	18	11·9	2	95	1·9
Barmouth ..	2,128	11	14	—	—	25	11·7	12	10	22	10·3	—	—	1·4
Dolgelley.. ..	2,375	16	18	1	4	39	16·4	14	16	30	12·6	2	51	3·8
Ffestiniog ..	9,084	75	77	6	8	166	18·3	66	75	141	15·5	14	84	2·8
Mallwyd	704	3	6	—	—	9	12·8	4	5	9	12·8	—	—	—
Towyn	4,032	24	15	1	1	41	10·2	31	22	53	13·1	4	98	−2·9
RURAL DISTRICTS.	24,270	176	161	16	15	368	15·2	168	195	363	15·1†	23	63	0·1
Deudraeth ..	7,657	52	52	8	4	116	15·1	64	60	124	16·7†	8	69	−1·6
Dolgelley.. ..	7,780	48	43	2	2	95	12·2	44	58	102	13·1	4	42	−0·9
Edeirnion ..	4,772	43	30	3	5	81	17·0	34	38	72	15·1	7	86	1·9
Penllyn	3,641	32	34	3	3	72	19·8	25	37	62	17·0	4	56	2·8
C.P. of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire).	420	1	2	—	1	4	9·5	1	2	3	7·1	—	—	2·4
MONMOUTHSHIRE:														
COUNTY BORO':														
Newport ..	96,230	826	825	31	24	1,706	17·7	624	555	1,179	12·3†	119	70	5·4
ADMINISTRATIVE COUNTY.	359,640	3,205	2,984	117	113	6,419	17·8	2,215	1,854	4,069	11·3	435	68	6·5

† Death-rates based upon estimated civilian populations as follows:—Merionethshire—Administrative County, 43,870; Rural Districts, 24,030; Deudraeth R.D., 7,417; Monmouthshire—Newport, C.B., 95,990.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MONMOUTHSHIRE —*cont.*														
URBAN DISTRICTS	306,900	2,791	2,573	102	91	5,557	18·1	1,897	1,572	3,469	11·3	381	69	6·8
Abercarn.. ..	20,960	241	211	9	4	465	22·2	125	103	228	10·9	33	71	11·3
Abergavenny M.B.	8,647	57	57	4	5	123	14·2	56	65	121	14·0	8	65	0·2
Abersychan ..	28,490	228	202	10	8	448	15·7	157	138	295	10·4	34	76	5·3
Abertillery ..	32,840	310	270	10	5	595	18·1	207	144	351	10·7	40	67	7·4
Bedwas and Machen.	9,674	95	77	1	1	174	18·0	61	53	114	11·8	14	80	6·2
Bedwellty ..	31,710	345	317	14	7	683	21·5	200	135	335	10·6	51	75	10·9
Blaenavon ..	11,950	102	84	3	3	192	16·1	85	70	155	13·0	11	57	3·1
Caerleon	2,581	12	12	1	1	26	10·1	9	14	23	8·9	—	—	1·2
Chepstow ..	4,263	34	38	3	3	78	18·3	34	20	54	12·7	3	38	5·6
Ebbw Vale ..	33,610	313	322	7	12	654	19·5	209	172	381	11·3	44	67	8·2
Llanfrechfa Upper.	4,682	40	29	2	—	71	15·2	32	22	54	11·5	2	28	3·7
Llantarnam ..	7,923	69	77	2	2	150	18·9	55	37	92	11·6	14	93	7·3
Monmouth M.B.	4,994	50	34	4	3	91	18·2	38	40	78	15·6	8	88	2·6
Mynyddislwyn	16,720	167	152	1	7	327	19·6	93	75	168	10·0	25	76	9·6
Nantyglo and Blaina.	14,760	105	100	6	7	218	14·8	90	73	163	11·0	17	78	3·8
Panteg	11,730	94	81	3	2	180	15·3	77	87	164	14·0	11	61	1·3
Pontypool ..	7,200	69	72	4	1	146	20·3	35	41	76	10·6	8	55	9·7
Rhymney ..	11,240	110	86	4	5	205	18·2	78	57	135	12·0	13	63	6·2
Risca	17,270	124	128	9	6	267	15·5	99	92	191	11·1	16	60	4·4
Tredegar ..	24,280	219	218	4	9	450	18·5	145	127	272	11·2	27	60	7·3
Usk	1,376	7	6	1	—	14	10·2	12	7	19	13·8	2	143	−3·6
RURAL DISTRICTS.	52,740	414	411	15	22	862	16·3	318	282	600	11·4	54	63	4·9
Abergavenny	9,208	62	56	5	3	126	13·7	47	41	88	9·6	10	79	4·1
Chepstow ..	8,877	67	74	1	4	146	16·4	65	67	132	14·9	10	68	1·5
Magor	6,579	55	56	2	1	114	17·3	35	39	74	11·2	8	70	6·1
Monmouth ..	6,562	47	47	3	5	102	15·5	38	40	78	11·9	9	88	3·6
Pontypool ..	5,184	29	42	1	1	73	14·1	36	28	64	12·3	5	68	1·8
St. Mellons ..	16,330	154	136	3	8	301	18·4	97	67	164	10·0	12	40	8·4
MONTGOMERYSHIRE ADMINISTRATIVE COUNTY.	50,140	368	354	24	29	775	15·5	354	318	672	13·4	47	61	2·1
URBAN DISTRICTS	18,300	122	118	5	9	254	13·9	108	115	223	12·2	9	35	1·7
Llanfyllin M.B.	1,589	8	13	—	1	22	13·8	7	17	24	15·1	—	—	−1·3
Llanidloes M.B.	2,508	15	13	—	2	30	12·0	20	20	40	15·9	2	67	−3·9
Machynlleth ..	1,891	12	7	2	2	23	12·2	11	7	18	9·5	—	—	2·7
Montgomery M.B.	962	4	4	—	—	8	8·3	9	6	15	15·6	—	—	−7·3
Newtown and Llanllwchaiarn.	5,437	46	38	—	2	86	15·8	31	27	58	10·7	2	23	5·1
Welshpool M.B.	5,913	37	43	3	2	85	14·4	30	38	68	11·5	5	59	2·9
RURAL DISTRICTS.	31,840	246	236	19	20	521	16·4	246	203	449	14·1	38	73	2·3
Forden	5,403	42	26	3	3	74	13·7	32	29	61	11·3	5	68	2·4
Llanfyllin ..	11,870	102	99	4	9	214	18·0	104	87	191	16·1	18	84	1·9
Machynlleth ..	3,647	23	21	4	1	49	13·4	38	26	64	17·5	6	122	−4·1
Newtown and Llanidloes.	10,920	79	90	8	7	184	16·8	72	61	133	12·2	9	49	4·6

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1929.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1929).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
PEMBROKESHIRE: ADMINISTRATIVE COUNTY.	87,790	690	648	35	43	1,416	16·1	591	632	1,223	14·0†	97	69	2·1
URBAN DISTRICTS.	40,650	312	282	15	21	630	15·5	231	287	518	13·0†	37	59	2·5
Fishguard ..	2,947	18	22	—	2	42	14·3	17	23	40	13·6	3	71	0·7
Goodwick ..	2,336	21	9	1	1	32	13·7	9	9	18	7·7	—	—	6·0
Haverfordwest M.B.	5,794	46	38	2	9	95	16·4	46	47	93	16·1	5	53	0·3
Milford Haven	8,717	86	91	5	3	185	21·2	38	38	76	8·7	10	54	12·5
Narberth.. ..	1,123	4	5	1	—	10	8·9	7	10	17	15·1	2	200	−6·2
Neyland	2,206	21	18	—	1	40	18·1	12	20	32	14·5	2	50	3·6
Pembroke M.B.	13,400	88	74	3	3	168	12·5	79	104	183	14·4†	11	65	−1·9
Tenby M.B. ..	4,127	28	25	3	2	58	14·1	23	36	59	14·3	4	69	−0·2
RURAL DISTRICTS.	47,140	378	366	20	22	786	16·7	360	345	705	15·0	60	76	1·7
Haverfordwest	18,620	166	151	11	10	338	18·2	134	119	253	13·6	27	80	4·6
Llanfyrnach ..	2,215	11	20	3	—	34	15·3	16	18	34	15·3	3	88	—¶
Narberth.. ..	10,700	81	84	3	5	173	16·2	97	92	189	17·7	11	64	−1·5
Pembroke ..	8,130	69	62	3	5	139	17·1	44	54	98	12·1	10	72	5·0
St. Dogmells ..	7,475	51	49	—	2	102	13·6	69	62	131	17·5	9	88	−3·9
RADNORSHIRE: ADMINISTRATIVE COUNTY.	21,570	167	141	26	15	349	16·2	138	141	279	12·9	16	46	3·3
URBAN DISTRICTS.	5,730	29	37	4	3	73	12·7	42	48	90	15·7	1	14	−3·0
Knighton ..	1,733	15	18	1	1	35	20·2	20	17	37	21·4	1	29	−1·2
Llandrindod Wells.	2,914	9	11	1	—	21	7·2	14	21	35	12·0	—	—	−4·8
Presteigne ..	1,083	5	8	2	2	17	15·7	8	10	18	16·6	—	—	−0·9
RURAL DISTRICTS.	15,840	138	104	22	12	276	17·4	96	93	189	11·9	15	54	5·5
Colwyn	2,055	12	14	5	1	32	15·6	13	17	30	14·6	1	31	1·0
Knighton ..	4,068	48	31	6	2	87	21·4	18	22	40	9·8	5	57	11·6
New Radnor ..	2,500	24	14	3	2	43	17·2	20	17	37	14·8	1	23	2·4
Painscastle ..	2,280	18	16	2	4	40	17·5	13	15	28	12·3	1	25	5·2
Rhayader ..	4,937	36	29	6	3	74	15·0	32	22	54	10·9	7	95	4·1

† Death-rates based upon estimated civilian populations as follows:—Pembrokeshire—Administrative County, 87,090; Urban Districts, 39,950; Pembroke M.B., 12,700.

TABLE 14A.—STILLBIRTHS AND RATES (PER 1,000 TOTAL BIRTHS) IN ADMINISTRATIVE AREAS, 1929.

Note.—Cases occurring away from home have been transferred to the area of residence of the parents.

Area.	Legitimate.		Illegitimate.		Total.	Stillbirths per 1,000 Total Births.
	M.	F.	M.	F.		
SUMMARY.*						
ALL AREAS—						
England and Wales	14,020	11,168	941	718	26,847	40
North	5,319	4,315	342	277	10,253	44
Midlands	4,315	3,386	264	205	8,170	37
South †	3,013	2,405	255	176	5,849	34
Wales	1,373	1,062	80	60	2,575	55
LONDON	1,237	914	111	73	2,335	32
COUNTY BOROUGHS—						
England and Wales	5,120	4,124	328	258	9,830	42
North	2,917	2,338	189	156	5,600	44
Midlands	1,487	1,190	88	69	2,834	38
South	427	351	40	23	841	36
Wales	289	245	11	10	555	54
OTHER URBAN DISTRICTS—						
England and Wales	4,904	3,986	282	228	9,400	41
North	1,745	1,434	106	85	3,370	47
Midlands	1,728	1,350	82	76	3,236	36
South	766	655	60	41	1,522	35
Wales	665	547	34	26	1,272	56
RURAL DISTRICTS—						
England and Wales	2,759	2,144	220	159	5,282	39
North	657	543	47	36	1,283	40
Midlands	1,100	846	94	60	2,100	37
South	583	485	44	39	1,151	36
Wales	419	270	35	24	748	52

* The counties in the four areas: North, Midlands, South and Wales are shewn in footnote || to Table 14.
† Including London.

TABLE 14A—*cont.*

STILLBIRTHS AND RATES (PER 1,000 TOTAL BIRTHS) IN ADMINISTRATIVE AREAS, 1929.

Area.	Legitimate		Illegitimate.		Total.	Stillbirths per 1,000 Total Births.
	M.	F.	M.	F.		
GREATER LONDON, METROPOLITAN BOROUGHS AND COUNTY BOROUGHS.						
Greater London ..	2,220	1,691	162	117	4,190	32
London Administrative County ..	1,237	914	111	73	2,335	32
City of London ..	1	—	—	—	1	12
Inner and Middle Temples.	—	—	—	—	—	—
Metropolitan Boroughs						
Battersea ..	34	30	5	2	71	26
Bermondsey ..	34	27	2	3	66	28
Bethnal Green ..	44	29	1	5	79	37
Camberwell ..	90	52	10	5	157	38
Chelsea	12	10	4	—	26	34
Deptford	38	23	1	1	63	33
Finsbury	21	14	—	1	36	26
Fulham	40	26	2	—	68	28
Greenwich ..	26	17	1	2	46	27
Hackney	54	47	6	4	111	31
Hammersmith ..	31	31	4	1	67	30
Hampstead ..	14	13	1	1	29	29
Holborn	9	11	4	—	24	58
Islington	104	72	5	3	184	32
Kensington ..	34	35	4	4	77	29
Lambeth	70	68	8	9	155	32
Lewisham ..	43	41	2	1	87	26
Paddington ..	49	36	5	3	93	42
Poplar	60	38	2	—	100	32
St. Marylebone ..	20	10	3	4	37	29
St. Pancras ..	58	39	11	6	114	35
Shoreditch ..	32	21	3	5	61	30
Southwark ..	55	40	6	2	103	31
Stepney	97	61	7	1	166	38
Stoke Newington	14	15	1	1	31	37
Wandsworth ..	84	69	3	7	163	34
Westminster ..	21	11	8	1	41	29
Woolwich ..	48	28	2	1	79	33
County Boroughs:						
Barnsley	49	27	4	2	82	51
Barrow-in-Furness	29	23	1	4	57	48
Bath	10	25	—	—	35	41
Birkenhead ..	68	54	7	2	131	42
Birmingham ..	325	276	17	9	627	36
Blackburn ..	41	30	3	3	77	47
Blackpool.. ..	26	28	2	4	60	53
Bolton	75	66	4	1	146	53
Bootle	40	24	—	1	65	38
Bournemouth ..	18	15	1	2	36	34
Bradford	106	81	5	4	196	43
Brighton	38	35	5	4	82	40
Bristol	151	111	6	8	276	43
Burnley	49	35	1	4	89	60
Burton-upon-Trent	14	8	2	—	24	28
Bury	23	17	—	1	41	50
Canterbury ..	7	8	—	1	16	39
Carlisle	26	19	3	1	49	46
Chester	13	16	1	2	32	43
Coventry	46	37	4	3	90	36
Croydon	56	50	3	2	111	32
Darlington ..	31	33	1	1	66	52
Derby	47	39	4	1	91	36
Dewsbury ..	26	22	3	1	52	61
Doncaster ..	25	20	2	—	47	45
County Boroughs —*contd.*						
Dudley	36	24	2	—	62	51
Eastbourne ..	13	5	1	—	19	29
East Ham ..	35	32	—	2	69	31
Exeter	26	14	1	—	41	40
Gateshead ..	66	44	3	2	115	44
Gloucester ..	14	25	1	1	41	43
Great Yarmouth	12	13	2	—	27	30
Grimsby	37	18	3	4	62	36
Halifax	39	28	2	1	70	51
Hastings	12	9	1	2	24	31
Huddersfield ..	38	23	—	1	62	41
Ipswich	39	28	3	1	71	47
Kingston-upon-Hull	141	88	10	10	249	39
Leeds	191	155	13	10	369	47
Leicester	79	52	5	3	139	36
Lincoln	22	18	1	1	42	40
Liverpool ..	390	309	30	24	753	38
Manchester ..	327	262	23	16	628	46
Middlesbrough ..	61	67	3	3	134	41
Newcastle-upon-Tyne.	90	93	7	8	198	37
Northampton ..	32	14	1	1	48	37
Norwich	55	36	2	5	98	47
Nottingham ..	107	91	8	9	215	45
Oldham	73	47	6	6	132	65
Oxford	17	16	1	—	34	32
Plymouth.. ..	84	48	4	5	141	40
Portsmouth ..	82	66	15	4	167	37
Preston	60	53	6	3	122	58
Reading	29	25	5	1	60	40
Rochdale	32	24	3	3	62	46
Rotherham ..	17	24	2	2	45	32
St. Helens ..	56	44	3	4	107	45
Salford	82	86	7	6	181	44
Sheffield	178	157	11	7	353	42
Smethwick ..	20	21	2	—	43	28
Southampton ..	52	51	4	2	109	34
Southend-on-Sea..	25	22	1	2	50	35
Southport ..	25	18	1	2	46	49
South Shields ..	66	42	1	2	111	45
Stockport ..	47	44	2	2	95	53
Stoke-on-Trent	137	109	11	11	268	48
Sunderland ..	78	78	4	3	163	38
Tynemouth ..	23	17	3	3	46	36
Wakefield ..	22	16	2	1	41	40
Wallasey	44	25	3	2	74	50
Walsall	42	39	—	1	82	40
Warrington ..	32	20	—	1	53	33
West Bromwich ..	30	30	1	—	61	35
West Ham ..	97	88	8	2	195	33
West Hartlepool	30	19	2	—	51	34
Wigan	54	39	2	1	96	58
Wolverhampton ..	52	30	2	4	88	34
Worcester ..	16	13	1	1	31	38
York	28	21	3	2	54	35
Cardiff	103	88	5	4	200	48
Merthyr Tydfil ..	40	43	3	2	88	69
Newport, Mon. ..	36	42	1	3	82	46
Swansea	110	72	2	1	185	61

TABLE 14A—*cont.*

STILLBIRTHS AND RATES (PER 1,000 TOTAL BIRTHS) IN ADMINISTRATIVE AREAS, 1929.

Area.		Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Stillbirths per 1,000 Total Births.
ADMINISTRATIVE COUNTIES.							
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.							
Bedford ..	U.D.	44	33	1	2	80	40
	R.D.	26	18	2	1	47	37
Berks ..	U.D.	19	12	1	—	32	29
	R.D.	42	31	2	1	76	35
Bucks ..	U.D.	30	29	1	—	60	37
	R.D.	42	21	2	2	67	28
Cambs ..	U.D.	10	10	—	—	20	27
	R.D.	27	14	1	—	42	39
Cheshire ..	U.D.	163	145	13	9	330	46
	R.D.	66	64	7	3	140	44
Cornwall ..	U.D.	38	52	1	3	94	47
	R.D.	65	44	4	4	117	44
Cumberland	U.D.	42	31	3	6	82	36
	R.D.	26	20	3	1	50	32
Derby ..	U.D.	142	119	6	8	275	49
	R.D.	124	107	6	7	244	46
Devon ..	U.D.	62	40	5	1	108	37
	R.D.	59	44	5	5	113	34
Dorset ..	U.D.	35	47	3	4	89	44
	R.D.	42	45	1	5	93	49
Durham ..	U.D.	236	204	10	5	455	41
	R.D.	193	152	10	8	363	41
Ely, I. of ..	U.D.	17	14	—	2	33	41
	R.D.	12	11	—	1	24	36
Essex ..	U.D.	256	179	8	15	458	32
	R.D.	91	72	5	—	168	37
Gloucester ..	U.D.	38	19	5	2	64	40
	R.D.	86	61	9	—	156	42
Hereford ..	U.D.	17	10	1	—	28	42
	R.D.	20	15	3	2	40	34
Hertford ..	U.D.	79	76	3	4	162	39
	R.D.	24	23	—	2	49	29
Huntingdon	U.D.	6	14	—	1	21	43
	R.D.	3	—	1	1	5	10
Kent ..	U.D.	223	182	20	13	438	33
	R.D.	84	78	10	5	177	33
Lancs ..	U.D.	569	472	31	28	1,100	48
	R.D.	81	69	2	6	158	41
Leicester ..	U.D.	53	27	—	3	83	40
	R.D.	55	36	7	2	100	32
Lincs, Holland	U.D.	19	8	1	1	29	36
	R.D.	26	20	2	—	48	48
Lincs, Kesteven	U.D.	14	11	2	2	29	42
	R.D.	27	12	1	2	42	35
Lincs, Lindsey	U.D.	45	31	7	2	85	39
	R.D.	39	30	8	6	83	34
Middlesex ..	U.D.	401	303	17	16	737	32
	R.D.	25	22	1	1	49	39
Norfolk ..	U.D.	20	14	2	1	37	42
	R.D.	76	69	11	7	163	38
Northants ..	U.D.	27	18	3	—	48	33
	R.D.	22	23	3	2	50	28
Northumberland	U.D.	127	103	4	4	238	42
	R.D.	26	26	4	3	59	38
Notts ..	U.D.	95	84	8	5	192	41
	R.D.	52	51	3	1	107	35
Oxford ..	U.D.	8	6	—	—	14	25
	R.D.	19	18	2	3	42	27
Peterborough,	U.D.	6	4	1	—	11	17
Soke of	R.D.	4	—	1	—	5	27
Rutland ..	U.D.	—	1	—	—	1	22
	R.D.	5	1	—	—	6	27
Salop ..	U.D.	48	30	4	2	84	43
	R.D.	37	38	9	4	88	38
Somerset ..	U.D.	36	36	6	3	81	35
	R.D.	70	57	2	4	133	37
Southants ..	U.D.	73	55	1	4	133	37
	R.D.	71	65	6	10	152	35
Staffs ..	U.D.	200	171	6	7	384	39
	R.D.	91	66	5	4	166	43
Suffolk, East	U.D.	34	25	—	2	61	44
	R.D.	55	29	2	4	90	44
Suffolk, West	U.D.	8	9	2	—	19	32
	R.D.	23	13	4	4	44	42
Surrey ..	U.D.	157	138	16	7	318	31
	R.D.	46	33	7	3	89	36
Sussex, East	U.D.	32	12	2	3	49	29
	R.D.	39	27	2	1	69	37
Sussex, West	U.D.	31	16	2	1	50	35
	R.D.	13	16	1	1	31	20
Warwick ..	U.D.	47	50	2	—	99	37
	R.D.	55	46	3	4	108	32
Westmorland	U.D.	8	12	1	1	22	54
	R.D.	7	11	1	4	23	39
Wight, I. of	U.D.	11	22	2	—	35	44
	R.D.	5	6	2	—	13	33
Wilts.. ..	U.D.	49	43	1	2	95	46
	R.D.	47	39	2	—	88	32
Worcester ..	U.D.	64	55	2	1	122	35
	R.D.	34	30	3	—	67	39
Yorks, E.R.	U.D.	32	17	3	2	54	47
	R.D.	34	26	4	—	64	36
Yorks, N.R...	U.D.	94	57	12	8	171	51
	R.D.	41	32	6	4	83	36
Yorks, W.R.	U.D.	474	393	29	22	918	51
	R.D.	183	143	10	7	343	39
Anglesey ..	U.D.	9	3	—	—	12	42
	R.D.	13	12	—	1	26	49
Brecon ..	U.D.	10	10	—	—	20	68
	R.D.	18	10	4	3	35	48
Caernarvon ..	U.D.	23	20	—	3	46	51
	R.D.	32	15	4	5	56	61
Cardigan ..	U.D.	6	4	—	1	11	55
	R.D.	22	11	3	2	38	68
Carmarthen ..	U.D.	50	26	—	1	77	62
	R.D.	61	43	8	6	118	64
Denbigh ..	U.D.	24	18	—	—	42	50
	R.D.	56	36	1	—	93	52
Flint ..	U.D.	16	8	4	—	28	35
	R.D.	31	26	—	1	58	49
Glamorgan ..	U.D.	320	273	20	14	627	58
	R.D.	125	73	9	3	210	55
Merioneth ..	U.D.	7	16	—	—	23	71
	R.D.	7	8	—	1	16	42
Monmouth ..	U.D.	170	144	5	7	326	55
	R.D.	26	6	1	—	33	37
Montgomery	U.D.	8	3	1	—	12	45
	R.D.	12	15	4	—	31	56
Pembroke ..	U.D.	21	20	3	—	44	65
	R.D.	12	9	—	1	22	27
Radnor ..	U.D.	1	2	1	—	4	52
	R.D.	4	6	1	1	12	42

TABLE 15.—ENGLAND AND WALES.—DEATHS at EACH YEAR of AGE REGISTERED in the YEAR 1929. (Total deaths registered.)

Age last birthday.	Persons.	Males.	Females. Total.	Single.	Married.	Widowed.
All Ages	**532,492**	**269,903**	**262,589**	**82,381**	**87,219**	**92,989**
0-4	**74,497**	**41,304**	**33,193**	**33,193**	—	—
0	47,868	27,381	20,487	20,487	—	—
1	14,136	7,468	6,668	6,668	—	—
2	6,184	3,134	3,050	3,050	—	—
3	3,632	1,908	1,724	1,724	—	—
4	2,677	1,413	1,264	1,264	—	—
5-9	**8,923**	**4,769**	**4,154**	**4,154**	—	—
5	2,541	1,338	1,203	1,203	—	—
6	1,920	996	924	924	—	—
7	1,629	889	740	740	—	—
8	1,491	811	680	680	—	—
9	1,342	735	607	607	—	—
10-14	**5,104**	**2,623**	**2,481**	**2,481**	—	—
10	904	488	416	416	—	—
11	842	437	405	405	—	—
12	941	437	504	504	—	—
13	1,117	560	557	557	—	—
14	1,300	701	599	599	—	—
15-19	**9,152**	**4,700**	**4,452**	**4,334**	**117**	**1**
15	1,470	720	750	750	—	—
16	1,689	855	834	832	2	—
17	1,886	990	896	886	10	—
18	2,029	1,044	985	958	27	—
19	2,078	1,091	987	908	78	1
20-24	**11,470**	**5,957**	**5,513**	**4,031**	**1,475**	**7**
20	2,381	1,284	1,097	958	139	—
21	2,345	1,230	1,115	891	223	1
22	2,177	1,129	1,048	778	270	—
23	2,262	1,143	1,119	738	379	2
24	2,305	1,171	1,134	666	464	4
25-29	**11,301**	**5,653**	**5,648**	**2,223**	**3,356**	**69**
25	2,240	1,112	1,128	563	554	11
26	2,207	1,146	1,061	466	586	9
27	2,259	1,159	1,100	426	658	16
28	2,254	1,121	1,133	397	720	16
29	2,341	1,115	1,226	371	838	17
30-34	**11,395**	**5,618**	**5,777**	**1,532**	**4,093**	**152**
30	2,218	1,066	1,152	346	781	25
31	2,108	1,030	1,078	293	757	28
32	2,308	1,134	1,174	310	838	26
33	2,306	1,159	1,147	294	822	31
34	2,455	1,229	1,226	289	895	42
35-39	**13,716**	**7,060**	**6,656**	**1,463**	**4,855**	**338**
35	2,545	1,281	1,264	286	934	44
36	2,662	1,385	1,277	307	909	61
37	2,653	1,357	1,296	296	933	67
38	2,926	1,467	1,459	301	1,076	82
39	2,930	1,570	1,360	273	1,003	84
40-44	**17,377**	**9,634**	**7,743**	**1,506**	**5,556**	**681**
40	3,109	1,653	1,456	320	1,019	117
41	3,088	1,643	1,445	250	1,091	104
42	3,725	2,109	1,616	341	1,134	141
43	3,609	2,026	1,583	300	1,148	135
44	3,846	2,203	1,643	295	1,164	184
45-49	**22,947**	**12,782**	**10,165**	**1,944**	**7,051**	**1,170**
45	3,988	2,241	1,747	353	1,210	184
46	4,235	2,336	1,899	362	1,337	200
47	4,411	2,508	1,903	367	1,316	220
48	5,028	2,800	2,228	434	1,544	250
49	5,285	2,897	2,388	428	1,644	316
50-54	**29,906**	**16,696**	**13,210**	**2,203**	**8,957**	**2,050**
50	5,489	3,109	2,380	401	1,642	337
51	5,154	2,856	2,298	415	1,574	309
52	6,088	3,406	2,682	466	1,820	396
53	6,355	3,557	2,798	428	1,916	454
54	6,820	3,768	3,052	493	2,005	554
55-59	**36,303**	**20,230**	**16,073**	**2,509**	**10,156**	**3,408**
55	6,289	3,531	2,758	466	1,809	483
56	7,265	4,038	3,227	527	2,085	615
57	6,918	3,849	3,069	473	1,982	614
58	7,831	4,325	3,506	522	2,165	819
59	8,000	4,487	3,513	521	2,115	877
60-64	**44,769**	**24,180**	**20,589**	**3,017**	**11,276**	**6,296**
60	8,218	4,599	3,619	553	2,107	959
61	7,815	4,270	3,545	544	2,041	960
62	9,118	4,916	4,202	646	2,299	1,257
63	9,581	5,119	4,462	626	2,389	1,447
64	10,037	5,276	4,761	648	2,440	1,673
65-69	**54,057**	**28,383**	**25,674**	**3,699**	**11,347**	**10,628**
65	10,930	5,855	5,075	719	2,410	1,946
66	10,385	5,519	4,866	726	2,272	1,868
67	10,212	5,355	4,857	714	2,163	1,980
68	10,917	5,642	5,275	757	2,280	2,238
69	11,613	6,012	5,601	783	2,222	2,596
70-74	**59,858**	**29,546**	**30,312**	**4,313**	**9,565**	**16,434**
70	11,379	5,751	5,628	847	2,003	2,778
71	10,985	5,495	5,490	752	1,908	2,830
72	12,367	6,101	6,266	903	2,017	3,346
73	12,546	6,181	6,365	881	1,812	3,672
74	12,581	6,018	6,563	930	1,825	3,808
75-79	**56,468**	**25,901**	**30,567**	**4,152**	**6,117**	**20,298**
75	12,033	5,659	6,374	911	1,510	3,953
76	11,685	5,383	6,302	839	1,368	4,095
77	11,151	5,124	6,027	820	1,228	3,979
78	11,420	5,213	6,207	817	1,091	4,299
79	10,179	4,522	5,657	765	920	3,972
80-84	**38,382**	**15,703**	**22,679**	**3,072**	**2,488**	**17,119**
80	9,196	3,881	5,315	739	740	3,836
81	7,852	3,360	4,492	580	522	3,390
82	7,800	3,178	4,622	622	509	3,491
83	7,000	2,792	4,208	605	393	3,210
84	6,534	2,492	4,042	526	324	3,192
85-89	**19,994**	**7,165**	**12,829**	**1,780**	**703**	**10,346**
85	5,582	2,118	3,464	501	234	2,729
86	4,700	1,767	2,933	401	171	2,361
87	3,851	1,336	2,515	342	137	2,036
88	3,249	1,119	2,130	278	99	1,753
89	2,612	825	1,787	258	62	1,467
90-94	**5,687**	**1,723**	**3,964**	**628**	**96**	**3,240**
90	1,879	633	1,246	181	45	1,020
91	1,380	399	981	166	26	789
92	1,090	343	747	117	16	614
93	774	209	565	94	5	466
94	564	139	425	70	4	351
95-99	**1,088**	**251**	**837**	**135**	**11**	**691**
95	405	99	306	50	2	254
96	296	67	229	36	5	188
97	184	37	147	23	2	122
98	128	32	96	16	1	79
99	75	16	59	10	1	48
100-	**98**	**25**	**73**	**12**	—	**61**
100	41	11	30	6	—	24
101-	57	14	43	6	—	37

NOTE.—The 532,492 deaths at all ages include 537 cases (312 males and 225 females) in which only approximate ages were stated; these have been included under the stated age (*e.g.*, age "about 40" under age 40). In 23 cases (18 males and 5 females) the ages were stated to be within certain limits (*e.g.*, age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 12 cases (9 males and 3 females) the ages were stated to be unknown; these have been distributed to the particular ages, with regard as far as possible to the cause of death.

Of the 262,589 deaths of females, 229 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 84 divorced women are included with the deaths of widows.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1929.
(Civilian population only.)

Age.	Sex.	All Areas.*					London.	County Boroughs.				
		England and Wales.	North.	Midlands.	South.†	Wales.		England and Wales.	North.	Midlands.	South.	Wales.
All Ages ..	M	269422	95952	83287	72599	17584	31836	96893	54094	29289	9735	3775
	F	262589	91660	80975	74000	15954	31053	93557	51315	28347	10440	3455
Under 4 weeks	M	12165	4753	3871	2594	947	1039	4491	2605	1311	362	213
	F	8971	3575	2771	1886	739	774	3299	1966	932	253	148
4 weeks–3 months	M	4423	1870	1261	991	301	464	1776	1068	512	136	60
	F	3018	1213	888	700	217	337	1219	707	385	78	49
3–6 months	M	3956	1681	1121	906	248	506	1719	1047	500	112	60
	F	2933	1299	782	653	199	359	1290	796	348	92	54
6–12 months	M	6837	3128	1909	1380	420	819	3035	1920	840	167	108
	F	5565	2497	1508	1211	349	697	2494	1585	682	120	107
Total under 1 year	M	27381	11432	8162	5871	1916	2828	11021	6640	3163	777	441
	F	20487	8584	5949	4450	1504	2167	8302	5054	2347	543	358
1—	M	7468	3482	2048	1489	449	858	3420	2204	921	168	127
	F	6668	3242	1748	1282	396	784	3202	2083	844	152	123
2—	M	3134	1399	924	607	204	337	1415	867	415	78	55
	F	3050	1472	832	563	183	291	1432	923	373	85	51
3—	M	1908	866	556	350	136	170	817	506	232	46	33
	F	1724	766	497	336	125	175	737	451	209	46	31
4—	M	1413	590	424	283	116	140	567	332	174	31	30
	F	1264	553	349	245	117	104	498	304	125	40	29
Total under 5 years	M	41304	17769	12114	8600	2821	4333	17240	10549	4905	1100	686
	F	33193	14617	9375	6876	2325	3521	14171	8815	3898	866	592
5—	M	4769	1899	1443	1086	341	453	1780	1026	509	158	87
	F	4154	1598	1271	960	325	389	1605	899	466	146	94
10—	M	2622	1012	757	645	208	262	935	539	253	92	51
	F	2481	950	768	562	201	240	909	507	288	78	36
15—	M	4628	1726	1421	1111	370	508	1722	974	514	149	85
	F	4452	1733	1288	1104	327	539	1698	986	507	136	69
20—	M	5818	2138	1839	1368	473	605	2191	1245	645	202	99
	F	5513	1992	1711	1371	439	667	2052	1157	603	183	109
25—	M	5580	2049	1753	1364	414	696	2018	1179	602	145	92
	F	5648	2057	1795	1359	437	628	2131	1195	650	180	106
30—	M	5565	2046	1730	1375	414	588	2106	1178	644	197	87
	F	5777	2233	1743	1399	402	616	2250	1285	641	223	101
35—	M	6991	2612	2088	1793	498	853	2655	1523	795	224	113
	F	6656	2469	2037	1664	486	720	2510	1410	752	242	106
40—	M	9613	3632	2838	2532	611	1272	3778	2158	1141	344	135
	F	7743	2907	2280	2063	493	920	2894	1612	858	312	112
45—	M	12756	4913	3681	3352	810	1632	5164	2981	1529	453	201
	F	10165	3762	3093	2734	576	1259	3748	2145	1128	346	129
50—	M	16681	6136	4822	4624	1099	2377	6513	3711	1942	579	281
	F	13210	4937	3848	3613	812	1639	4971	2806	1466	516	183
55—	M	20224	7379	5906	5654	1285	2777	7693	4398	2237	777	281
	F	16073	5960	4759	4371	983	1988	5919	3338	1771	597	213
60—	M	24176	8774	7058	6774	1570	3215	8655	4922	2528	892	313
	F	20589	7505	6057	5768	1259	2511	7560	4232	2212	818	298
65—	M	28383	9923	8684	7924	1852	3399	9867	5495	2931	1045	396
	F	25674	9060	7700	7420	1494	3067	8944	4966	2635	1022	321
70—	M	29545	9876	9425	8372	1872	3336	9913	5300	3088	1182	343
	F	30312	10453	9392	8748	1719	3548	10415	5630	3234	1222	329
75—	M	25900	7989	8692	7672	1547	2882	8060	4045	2646	1084	285
	F	30567	9601	9885	9413	1668	3614	10226	5211	3260	1426	329
80—	M	15703	4164	5585	5028	926	1695	4346	1978	1541	667	160
	F	22679	6122	7657	7740	1160	2885	6842	3236	2293	1116	197
85—	M	9164	1915	3451	3325	473	953	2257	893	839	445	80
	F	17703	3704	6316	6835	848	2302	4712	1885	1685	1011	131

* The counties in the four sections, North, Midlands, South and Wales, are shown in footnote || to Table 14.
† Including London.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1929.
(Civilian population only.)

Age.	Sex.	Other Urban Districts.					Rural Districts.				
		England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.
All Ages ..	M	88581	30221	32329	17760	8271	52112	11637	21669	13268	5538
	F	88602	29920	31848	19524	7310	49377	10425	20780	12983	5189
Under 4 weeks	M	4093	1446	1534	686	427	2542	702	1026	507	307
	F	3057	1140	1098	478	341	1841	469	741	381	250
4 weeks–3 months	M	1369	559	470	219	121	814	243	279	172	120
	F	958	360	307	180	111	504	146	196	105	57
3–6 months	M	1144	457	393	184	110	587	177	228	104	78
	F	860	353	295	128	84	424	150	139	74	61
6–12 months	M	2018	880	702	228	208	965	328	367	166	104
	F	1617	658	564	234	161	757	254	262	160	81
Total under 1 year	M	8624	3342	3099	1317	866	4908	1450	1900	949	609
	F	6492	2511	2264	1020	697	3526	1019	1338	720	449
1—	M	2192	943	753	271	225	998	335	374	192	97
	F	1895	849	625	228	193	787	310	279	118	80
2—	M	938	384	338	115	101	444	148	171	77	48
	F	913	416	291	111	95	414	133	168	76	37
3—	M	629	265	209	83	72	292	95	115	51	31
	F	554	221	189	72	72	258	94	99	43	22
4—	M	485	194	159	74	58	221	64	91	38	28
	F	455	181	153	63	58	207	68	71	38	30
Total under 5 years	M	12868	5128	4558	1860	1322	6863	2092	2651	1307	813
	F	10309	4178	3522	1494	1115	5192	1624	1955	995	618
5—	M	1718	620	629	290	179	818	253	305	185	75
	F	1421	499	540	236	146	739	200	265	189	85
10—	M	887	334	301	157	95	538	139	203	134	62
	F	860	313	312	136	99	472	130	168	108	66
15—	M	1531	528	559	266	178	867	224	348	188	107
	F	1492	556	500	270	166	723	191	281	159	92
20—	M	1939	637	748	331	223	1083	256	446	230	151
	F	1846	611	705	324	206	948	224	403	197	124
25—	M	1834	604	721	307	202	1032	266	430	216	120
	F	1927	643	739	345	200	962	219	406	206	131
30—	M	1839	612	708	321	198	1032	256	378	269	129
	F	1880	696	663	347	174	1031	252	439	213	127
35—	M	2338	808	827	452	251	1145	281	466	264	134
	F	2239	771	808	420	240	1187	288	477	282	140
40—	M	3119	1121	1141	557	300	1444	353	556	359	176
	F	2591	995	907	468	221	1338	300	515	363	160
45—	M	4117	1489	1433	808	387	1843	443	719	459	222
	F	3447	1245	1250	677	275	1711	372	715	452	172
50—	M	5303	1885	1902	1010	506	2488	540	978	658	312
	F	4468	1657	1504	918	389	2132	474	878	540	240
55—	M	6566	2262	2394	1258	652	3188	719	1275	842	352
	F	5434	2010	1873	1083	468	2732	612	1115	703	302
60—	M	8102	2875	2847	1572	808	4204	977	1683	1095	449
	F	6896	2473	2384	1469	570	3622	800	1461	970	391
65—	M	9538	3252	3397	2032	857	5579	1176	2356	1448	599
	F	8838	3068	3068	2013	689	4825	1026	1997	1318	484
70—	M	9832	3284	3597	2072	879	6464	1292	2740	1782	650
	F	10416	3592	3654	2408	762	5933	1231	2504	1570	628
75—	M	8677	2722	3231	2061	663	6281	1222	2815	1645	599
	F	10415	3284	3808	2587	736	6312	1106	2817	1786	603
80—	M	5390	1476	2095	1435	384	4272	710	1949	1231	382
	F	7863	2078	3054	2241	490	5089	808	2310	1498	473
85—	M	2983	584	1241	971	187	2971	438	1371	956	206
	F	6260	1251	2557	2088	364	4429	568	2074	1434	353

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGHS, 1929.
(Civilian population only.)

Age.	Sex.	Greater London.*	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages ..	M	51754	86	5	1154	896	778	1739	498	762	617	1054	708	1515	936	500
	F	51226	64	4	1140	753	734	1752	485	719	517	1065	680	1474	939	642
Under 4 weeks	M	1915	—	—	35	37	14	45	11	40	18	33	31	56	24	14
	F	1390	3	—	30	25	16	50	6	20	20	19	15	22	37	8
4 weeks–3 months	M	775	—	—	15	18	18	32	6	13	14	13	5	17	9	3
	F	553	—	—	6	9	4	18	7	10	6	17	7	16	8	2
3–6 months	M	778	—	—	16	10	19	28	2	11	9	22	8	22	15	4
	F	566	1	—	7	12	9	18	5	7	4	20	14	14	3	4
6–12 months	M	1241	1	—	31	23	31	38	7	23	17	34	23	27	18	10
	F	1040	—	—	24	26	22	39	8	17	16	14	13	20	19	7
Total under 1 year	M	4709	1	—	97	88	82	143	26	87	58	102	67	122	66	31
	F	3549	4	—	67	72	51	125	26	54	46	70	49	72	67	21
1—	M	1232	—	—	29	38	36	44	6	19	16	32	15	29	29	8
	F	1172	—	—	32	27	30	41	8	15	11	34	12	26	24	7
2—	M	539	—	—	10	16	5	18	2	5	11	9	7	12	14	5
	F	471	—	—	13	7	10	12	3	9	9	13	7	15	7	4
3—	M	280	1	—	14	1	7	9	2	6	2	11	8	5	3	—
	F	285	—	—	11	5	5	11	3	6	1	8	3	5	6	—
4—	M	245	—	—	11	2	2	11	1	3	2	1	2	5	2	5
	F	192	—	—	1	5	4	7	1	2	–	4	1	6	3	—
Total under 5 years	M	7005	2	—	161	145	132	225	37	120	89	155	99	173	114	49
	F	5669	4	—	124	116	100	196	41	86	67	129	72	124	107	32
5—	M	820	—	—	14	14	15	32	5	6	11	10	12	32	8	3
	F	718	1	—	17	8	18	23	4	9	6	13	11	23	12	3
10—	M	435	1	—	14	13	7	14	2	6	4	11	10	11	4	2
	F	445	—	—	10	10	4	16	3	8	6	4	6	18	10	4
15—	M	878	1	—	22	13	12	28	5	16	11	20	13	33	17	4
	F	873	—	—	35	10	10	36	3	15	12	21	13	25	11	6
20—	M	1074	2	—	26	21	14	38	6	14	9	27	19	25	16	14
	F	1118	—	—	33	21	20	39	8	16	10	25	16	31	22	12
25—	M	1126	1	—	33	19	16	50	11	8	17	21	15	36	14	10
	F	1132	1	—	29	12	21	33	6	15	10	26	13	30	20	11
30—	M	997	1	—	22	16	12	33	10	13	14	21	18	24	14	12
	F	1053	2	—	25	10	14	36	8	19	5	26	17	20	20	8
35—	M	1394	1	—	29	17	21	42	12	18	15	18	28	44	37	9
	F	1259	1	—	23	23	24	25	14	13	14	29	18	43	17	10
40—	M	2035	5	—	49	41	31	61	13	32	22	42	25	61	35	25
	F	1505	2	1	21	25	35	48	19	28	15	25	15	42	32	18
45—	M	2639	7	—	62	50	48	71	25	38	25	57	39	85	68	21
	F	2069	7	—	34	26	32	71	15	30	19	41	15	50	41	33
50—	M	3615	11	—	86	70	69	140	36	63	49	58	46	92	69	37
	F	2615	2	1	60	38	38	95	19	38	30	55	37	86	51	29
55—	M	4395	14	—	86	76	66	142	38	61	48	87	52	132	85	41
	F	3196	3	—	58	50	44	109	19	50	37	75	38	101	43	53
60—	M	5038	12	1	125	91	104	176	42	66	64	109	58	152	93	48
	F	4007	2	1	102	73	52	116	50	62	44	76	62	125	61	53
65—	M	5449	6	1	121	103	89	179	54	90	66	121	72	167	98	58
	F	4964	10	—	105	78	71	160	47	57	54	111	56	158	92	74
70—	M	5492	11	—	114	86	62	179	80	83	67	125	67	155	91	60
	F	5864	7	—	125	90	81	214	74	77	53	118	89	180	110	71
75—	M	4708	5	2	89	69	43	157	65	59	55	100	72	159	83	50
	F	5943	8	—	139	83	76	214	68	63	69	106	66	177	131	83
80—	M	2916	4	—	75	32	26	108	32	35	39	50	40	76	55	34
	F	4863	9	—	114	49	50	179	59	70	41	107	77	138	76	68
85—	M	1738	2	1	26	20	11	64	25	34	12	22	23	58	35	23
	F	3933	5	1	86	31	44	142	28	63	25	78	59	103	83	74

* See footnote on page 62.

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGHS, 1929.
(Civilian population only.)

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages ..	M	353	2435	1145	2211	1122	1035	1185	704	1704	852	1578	1845	310	2214	1002	893
	F	245	2363	1569	2176	1287	1176	1082	751	1427	741	1245	1524	360	2383	869	887
Under 4 weeks	M	7	77	47	78	35	35	46	22	53	33	47	55	11	69	28	38
	F	4	64	21	47	36	22	47	15	39	23	34	45	9	55	16	26
4 weeks–3 months	M	1	37	16	34	13	22	20	16	26	11	17	34	5	27	7	15
	F	3	32	17	12	9	15	15	6	16	12	34	28	—	13	6	9
3–6 months	M	5	45	30	22	7	26	24	8	35	19	33	47	2	18	11	8
	F	1	21	25	25	10	30	11	10	15	16	16	24	—	19	10	8
6–12 months	M	6	69	29	50	20	36	39	10	44	30	42	80	5	45	11	20
	F	2	60	34	45	14	29	29	8	34	24	42	68	6	41	16	20
Total under 1 year	M	19	228	122	184	75	119	129	56	158	93	139	216	23	159	57	81
	F	10	177	97	129	69	96	102	39	104	75	126	165	15	128	48	63
1—	M	2	76	39	61	18	32	54	17	38	33	58	58	2	42	11	16
	F	3	68	39	42	14	26	47	19	38	38	49	65	4	36	17	12
2—	M	2	31	14	27	10	12	15	6	17	14	16	25	3	18	6	7
	F	1	26	11	13	9	12	15	5	12	10	19	23	3	11	3	9
3—	M	2	11	8	12	6	5	9	1	9	7	13	10	—	4	2	2
	F	—	9	10	18	2	6	10	2	4	10	5	15	1	9	3	7
4—	M	—	11	4	9	6	7	8	3	7	5	5	13	1	7	1	6
	F	—	7	3	4	5	3	5	—	8	6	8	6	—	8	1	6
Total under 5 years	M	25	357	187	293	115	175	215	83	229	152	231	322	29	230	77	112
	F	14	287	160	206	99	143	179	65	166	139	207	274	23	192	72	97
5—	M	4	34	8	29	22	4	33	5	24	20	27	21	2	37	9	12
	F	4	34	12	24	15	9	16	9	17	14	15	21	3	26	5	17
10—	M	3	16	4	17	10	4	12	8	6	8	12	27	3	14	4	15
	F	1	12	4	20	12	5	13	3	12	5	11	16	1	10	5	11
15—	M	5	33	6	50	18	9	18	8	27	12	25	29	9	40	8	16
	F	3	37	13	46	24	11	34	10	23	13	29	33	5	41	8	12
20—	M	4	35	18	45	24	10	19	9	30	12	36	40	5	49	13	25
	F	1	53	34	54	21	30	27	17	23	21	26	29	6	43	14	15
25—	M	5	59	16	42	24	22	31	9	40	16	35	39	9	57	22	19
	F	1	39	29	48	32	14	39	17	26	12	25	33	6	43	16	21
30—	M	10	50	24	29	31	20	23	13	33	12	26	30	2	42	18	15
	F	7	48	31	47	32	19	18	14	36	15	26	27	10	33	13	30
35—	M	11	65	31	63	36	31	28	17	52	24	53	45	4	54	25	23
	F	5	55	33	52	38	26	21	18	33	11	31	39	6	56	14	28
40—	M	11	98	53	85	42	52	43	30	61	41	63	76	12	96	40	27
	F	8	71	36	65	47	32	28	27	44	18	32	49	9	68	22	38
45—	M	26	117	52	113	56	48	60	40	92	41	79	79	17	114	56	46
	F	16	95	60	85	45	52	45	37	71	32	47	72	8	103	43	34
50—	M	28	173	81	174	78	73	69	59	121	69	134	165	18	158	84	67
	F	14	127	75	121	52	57	41	51	70	50	70	93	21	119	60	39
55—	M	33	217	110	192	95	96	91	63	159	73	159	177	26	200	90	68
	F	17	140	94	131	88	75	68	60	92	47	86	114	27	141	70	58
60—	M	40	265	108	231	104	96	115	84	162	84	138	189	33	197	126	102
	F	33	186	131	160	104	97	68	55	102	67	111	146	29	198	84	61
65—	M	46	240	109	211	111	121	110	92	194	87	170	200	37	245	112	89
	F	30	242	188	224	112	117	109	83	147	66	106	132	47	215	92	84
70—	M	40	231	121	250	116	117	118	66	188	75	166	167	27	248	131	95
	F	31	253	167	252	136	136	109	77	165	82	146	157	50	289	105	104
75—	M	38	248	98	197	110	89	102	70	155	75	124	133	36	210	99	90
	F	20	275	203	254	148	128	140	96	174	75	122	143	35	317	96	105
80—	M	14	127	74	123	83	40	65	36	85	32	72	71	28	130	63	46
	F	23	239	161	200	151	126	76	59	132	40	93	88	45	262	78	75
85—	M	10	70	45	67	47	28	33	12	46	19	28	35	13	93	25	26
	F	17	170	138	187	131	99	51	53	94	34	62	58	29	227	72	58

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1929.
(Civilian population only.)

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ..	M	569	463	446	1162	6783	877	730	1348	569	661	2205	982	2466	776
	F	523	374	552	1023	6482	994	746	1447	521	812	2336	1145	2606	731
Under 4 weeks	M	27	34	12	47	337	30	24	62	37	16	85	28	112	32
	F	44	13	8	38	213	21	16	37	20	15	64	23	75	26
4 weeks–3 months	M	13	11	3	25	106	8	7	20	11	5	28	8	33	15
	F	8	11	2	16	80	6	1	15	7	1	23	4	28	6
3–6 months	M	16	6	3	26	124	8	1	27	18	4	23	17	27	10
	F	10	6	4	20	85	14	3	21	11	1	20	10	11	10
6–12 months	M	36	9	3	50	205	19	8	47	17	3	50	9	42	28
	F	29	4	4	32	181	20	1	40	17	3	48	9	36	20
Total under 1 year	M	92	60	21	148	772	65	40	156	83	28	186	62	214	85
	F	91	34	18	106	559	61	21	113	55	20	155	46	150	62
1—	M	30	8	4	46	255	24	8	52	25	6	60	13	53	33
	F	37	9	4	38	216	19	10	54	38	4	53	12	49	21
2—	M	15	7	4	8	75	7	2	22	11	—	22	6	25	8
	F	11	3	1	23	88	5	4	32	15	5	26	5	15	8
3—	M	4	3	2	11	59	7	2	10	9	1	10	5	19	8
	F	1	2	2	10	44	6	4	7	5	2	12	3	7	2
4—	M	8	2	—	6	31	2	1	8	1	2	11	1	15	4
	F	5	2	1	—	38	1	2	5	2	1	9	3	13	4
Total under 5 years	M	149	80	31	219	1192	105	53	248	129	37	289	87	326	138
	F	145	50	26	177	945	92	41	211	115	32	255	69	234	97
5—	M	13	5	7	15	110	16	5	23	8	5	35	14	57	11
	F	11	5	5	16	106	18	3	19	11	4	37	15	43	16
10—	M	7	7	4	11	68	8	3	13	6	2	11	13	25	6
	F	4	5	3	17	70	4	4	13	12	3	18	12	26	3
15—	M	22	14	5	24	123	19	6	12	11	7	22	12	42	13
	F	12	6	6	26	108	9	11	21	11	3	25	12	36	13
20—	M	21	15	12	29	140	25	11	28	10	12	49	16	53	15
	F	12	6	7	19	134	29	12	29	15	14	36	19	59	15
25—	M	8	10	5	29	146	20	11	26	13	11	41	12	54	11
	F	7	6	11	24	131	26	11	39	16	15	44	20	65	21
30—	M	15	7	8	24	168	14	17	25	12	14	43	19	51	15
	F	11	12	8	27	143	27	16	35	12	12	54	15	57	14
35—	M	13	12	8	37	191	20	25	23	18	10	44	20	72	20
	F	15	10	12	26	198	20	19	44	19	16	64	26	80	22
40—	M	21	13	17	62	279	23	28	52	27	24	89	28	94	27
	F	14	15	12	33	201	23	21	44	17	20	59	35	86	16
45—	M	19	26	16	89	391	46	37	63	34	29	124	42	87	41
	F	23	23	13	53	276	40	39	47	15	23	94	49	99	43
50—	M	33	23	28	75	515	66	51	91	47	43	169	55	162	51
	F	27	30	12	52	374	47	45	88	29	38	133	55	131	58
55—	M	29	33	33	92	549	83	72	115	44	45	228	79	197	72
	F	26	25	21	76	444	78	67	101	40	51	162	76	169	56
60—	M	52	44	40	104	631	93	81	130	47	74	227	93	231	80
	F	37	21	39	77	520	106	68	149	47	73	214	96	189	71
65—	M	49	47	45	97	634	96	93	163	41	68	279	119	247	91
	F	44	27	57	89	581	128	85	141	38	100	282	100	261	81
70—	M	50	48	68	107	645	110	100	164	65	93	253	134	262	78
	F	48	52	69	94	743	138	121	161	34	106	319	146	291	82
75—	M	37	42	55	80	537	86	81	119	25	82	160	114	249	75
	F	45	41	103	107	691	116	90	163	51	123	289	171	329	69
80—	M	22	27	38	33	308	35	40	33	25	59	100	81	157	22
	F	27	25	73	63	463	69	65	99	25	85	180	110	253	37
85—	M	9	10	26	35	156	12	16	20	7	46	42	44	100	10
	F	15	15	75	47	354	24	28	43	14	94	71	119	198	17

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1929.
(Civilian population only.)

Age.	Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages ..	M	364	466	178	405	306	997	1365	493	981	468	425	500	370	815	420	950	397
	F	365	461	200	372	320	994	1425	450	920	467	386	387	424	823	443	851	374
Under 4 weeks	M	12	21	8	16	13	40	53	24	40	20	17	17	7	33	18	72	9
	F	12	16	2	15	8	39	34	20	31	13	8	13	6	28	7	56	9
4 weeks–3 months	M	3	3	1	4	6	18	31	4	21	8	5	14	3	8	5	18	5
	F	4	4	—	4	10	7	11	7	18	6	4	6	4	9	4	9	6
3–6 months	M	2	3	1	4	3	12	20	8	16	4	2	16	6	8	5	28	4
	F	2	2	—	5	3	11	19	7	9	5	10	13	—	10	3	14	3
6–12 months	M	1	9	3	16	9	21	33	15	19	13	13	24	6	15	5	39	1
	F	3	3	4	11	3	30	17	13	18	7	7	24	2	13	5	33	6
Total under 1 year	M	18	36	13	40	31	91	137	51	96	45	37	71	22	64	33	157	19
	F	21	25	6	35	24	87	81	47	76	31	29	56	12	60	19	112	24
1—	M	7	11	7	18	10	34	23	13	27	14	15	29	4	6	7	47	11
	F	13	9	3	16	11	36	25	13	20	13	10	13	2	11	8	45	8
2—	M	1	3	1	14	4	15	12	6	13	5	4	14	5	16	3	11	6
	F	3	4	2	7	1	11	6	8	13	7	6	10	5	13	3	29	4
3—	M	1	1	1	7	2	14	3	3	5	5	4	11	1	3	1	18	4
	F	3	1	1	10	6	12	8	2	6	4	2	7	2	13	1	12	1
4—	M	2	1	—	4	2	7	4	1	4	4	2	3	—	4	2	7	—
	F	—	4	1	3	4	5	5	—	3	1	1	2	—	5	3	7	—
Total under 5 years	M	29	52	22	83	49	161	179	74	145	73	62	128	32	93	46	240	40
	F	40	43	13	71	46	151	125	70	118	56	48	88	21	102	34	205	37
5—	M	8	9	3	8	4	26	20	17	16	11	6	8	8	21	4	31	8
	F	3	12	2	10	4	29	21	9	16	8	7	5	2	21	10	15	7
10—	M	2	4	5	4	1	11	9	4	6	3	8	5	4	4	6	14	6
	F	1	1	1	—	6	12	7	5	10	6	3	4	4	16	3	8	3
15—	M	4	8	—	4	4	26	31	7	18	8	7	8	4	9	6	26	3
	F	3	6	3	8	2	28	18	8	17	8	8	11	2	17	4	16	14
20—	M	4	7	5	7	5	20	33	18	17	9	7	14	2	17	9	22	12
	F	8	6	6	5	4	25	28	14	16	6	8	8	3	20	5	27	11
25—	M	8	7	2	4	8	32	21	12	23	7	13	12	1	23	10	23	5
	F	6	6	3	7	5	24	32	12	19	15	5	8	7	17	3	25	11
30—	M	6	7	1	5	3	28	32	9	24	12	6	15	5	16	7	33	4
	F	16	14	3	13	—	19	40	10	18	12	15	11	5	21	8	27	5
35—	M	7	14	5	10	3	36	29	12	21	15	6	15	4	16	10	24	7
	F	15	7	1	11	8	24	29	10	23	10	13	10	8	22	11	30	4
40—	M	16	18	10	12	8	39	50	27	39	23	13	19	14	34	16	25	8
	F	8	20	2	7	10	28	37	18	31	13	15	11	19	22	13	26	8
45—	M	17	26	5	26	27	67	66	27	49	26	35	28	12	54	13	37	11
	F	12	20	5	12	20	45	50	17	46	25	11	15	16	35	13	42	11
50—	M	26	29	6	26	17	63	79	23	66	30	23	29	25	48	18	66	30
	F	11	30	9	16	16	58	79	26	44	30	20	8	15	42	25	43	20
55—	M	30	48	10	29	38	82	105	41	91	32	28	25	24	74	26	64	26
	F	20	38	14	16	15	55	75	27	53	30	20	23	22	54	29	47	11
60—	M	45	48	16	34	28	85	140	50	77	54	48	37	33	90	46	80	32
	F	34	56	20	31	36	69	105	42	69	38	19	22	37	78	30	64	32
65—	M	37	50	22	42	30	109	119	42	92	64	41	45	42	85	43	61	44
	F	36	38	18	33	29	92	140	37	95	40	46	32	48	73	44	71	32
70—	M	39	65	20	41	40	84	165	52	118	44	51	39	47	88	45	94	52
	F	51	68	28	40	38	114	192	48	113	73	44	44	42	94	60	74	39
75—	M	40	42	21	40	22	73	127	50	104	36	41	46	66	74	56	68	56
	F	49	42	30	56	34	104	177	43	100	47	52	41	78	83	63	68	55
80—	M	27	24	17	20	11	33	92	17	53	18	23	18	27	49	32	25	34
	F	28	39	25	19	26	68	145	33	79	34	28	35	43	64	43	36	40
85—	M	19	8	8	10	8	22	68	11	22	3	7	9	20	20	27	17	19
	F	24	15	17	17	21	49	125	21	53	16	24	11	52	42	45	27	34

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1929.
(Civilian population only.)

Age.	Sex.	Great Yarmouth	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages ..	M	422	708	691	459	810	512	2392	3996	1670	494	6937	6094	1239	2145	540	832	2101
	F	414	568	831	540	885	546	2161	3900	1747	454	6282	5745	1024	1775	556	911	1995
Under 4 weeks	M	14	36	26	10	30	26	129	193	71	21	333	281	55	123	20	33	95
	F	12	20	20	4	22	17	84	121	47	10	242	208	47	85	17	27	81
4 weeks–3 months	M	3	18	15	1	10	5	60	72	31	9	188	102	26	38	1	16	42
	F	5	10	5	1	8	7	39	40	18	6	105	89	24	22	8	14	40
3–6 months	M	4	16	8	1	12	7	68	61	28	2	188	137	34	27	1	14	34
	F	3	9	4	4	4	3	57	45	28	4	126	98	21	25	3	10	29
6–12 months	M	8	27	13	5	16	6	104	120	48	11	345	188	64	65	12	17	66
	F	2	12	9	1	15	5	92	70	27	10	299	169	41	52	3	18	53
Total under 1 year	M	29	97	62	17	68	44	361	446	178	43	1054	708	179	253	34	80	237
	F	22	51	38	10	49	32	272	276	120	30	772	564	133	184	31	69	203
1—	M	3	24	18	7	15	5	111	149	41	11	433	198	88	77	11	12	56
	F	7	22	13	1	8	1	123	142	33	6	402	206	81	64	5	12	60
2—	M	2	14	1	2	10	4	61	68	32	7	160	62	31	32	4	5	30
	F	4	7	4	—	6	2	44	68	24	2	165	72	41	35	6	6	25
3—	M	4	5	3	1	4	5	35	37	17	5	66	46	17	15	3	3	12
	F	1	5	—	1	2	1	35	32	11	3	79	47	19	18	6	7	15
4—	M	4	4	7	1	2	3	13	26	5	3	44	46	15	7	8	2	12
	F	—	2	3	—	1	1	18	26	3	1	59	22	13	7	3	4	6
Total under 5 years	M	42	144	91	28	99	61	581	726	273	69	1757	1060	330	384	60	102	347
	F	34	87	58	12	66	37	492	544	191	42	1477	911	287	308	51	98	309
5—	M	6	12	9	4	7	10	52	56	27	5	157	92	31	42	6	11	46
	F	3	12	11	1	15	10	51	47	22	6	149	64	29	23	5	9	37
10—	M	5	8	2	2	8	6	34	34	8	5	82	34	17	28	5	7	13
	F	4	5	5	5	6	5	21	23	13	—	69	54	11	22	6	4	17
15—	M	4	19	8	4	14	5	35	92	28	7	133	88	25	45	9	17	37
	F	6	14	9	3	15	7	50	85	29	6	127	115	28	48	11	11	33
20—	M	12	14	10	6	13	14	47	86	29	15	194	133	33	52	10	11	37
	F	3	15	9	6	14	11	63	86	42	9	154	162	29	44	10	15	40
25—	M	11	12	9	6	18	8	55	80	37	5	155	140	36	55	8	13	37
	F	13	21	18	2	15	10	45	79	48	9	143	141	23	49	24	19	39
30—	M	6	17	17	10	11	9	43	83	45	7	142	166	32	39	10	19	48
	F	6	12	22	5	13	14	49	99	37	5	172	118	35	52	11	19	38
35—	M	14	22	13	5	21	21	67	97	33	18	205	218	54	71	8	23	48
	F	9	20	15	5	16	14	65	113	54	12	173	149	33	54	8	30	38
40—	M	15	33	20	14	38	19	77	164	54	11	305	264	53	109	23	25	78
	F	8	26	19	12	21	18	77	136	59	11	200	203	44	48	17	32	59
45—	M	14	38	36	16	34	20	146	190	81	30	368	411	62	110	30	43	120
	F	10	36	27	16	34	20	83	151	60	20	241	288	38	72	17	24	73
50—	M	19	45	60	21	63	31	156	279	106	31	450	529	69	144	29	32	157
	F	19	23	42	31	48	26	99	202	86	24	295	358	56	111	28	32	112
55—	M	20	45	66	30	98	29	188	309	126	28	485	572	89	168	39	51	173
	F	15	31	64	26	62	35	127	254	113	29	367	386	52	114	29	53	119
60—	M	3[illegible]	48	74	42	107	40	181	403	142	49	536	521	92	205	42	74	161
	F	31	39	79	42	84	36	13[illegible]	326	159	39	444	520	75	147	42	51	147
65—	M	50	66	86	49	92	55	205	434	176	51	650	637	90	211	61	88	208
	F	44	45	103	58	114	46	191	400	178	44	510	565	71	165	62	87	187
70—	M	53	78	83	70	89	60	186	446	206	59	567	579	97	193	64	110	239
	F	59	53	140	71	134	51	193	463	206	52	627	602	68	171	77	118	247
75—	M	53	49	65	79	56	59	185	301	169	58	447	395	67	173	65	104	189
	F	64	63	110	93	119	83	193	446	204	64	567	587	69	163	69	118	255
80—	M	35	41	28	47	28	34	103	145	87	28	204	193	44	80	44	63	105
	F	51	40	68	75	69	61	129	296	148	51	360	330	46	117	50	112	138
85—	M	33	17	14	26	14	31	51	71	43	18	100	62	18	36	27	39	58
	F	35	26	32	77	40	62	103	150	98	31	207	192	30	67	39	79	107

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1929.
(Civilian population only.)

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ..	M	1300	435	1353	1606	863	674	734	463	875	1878	3605	607	1221	695	533	936	870
	F	1356	483	1348	1739	914	704	787	401	724	1745	3241	537	1108	771	613	884	900
Under 4 weeks	M	43	18	67	71	48	24	33	30	54	98	181	31	48	24	17	60	40
	F	28	14	43	50	41	14	27	28	46	68	131	21	47	19	15	58	39
4 weeks–3 months	M	29	5	15	36	16	7	3	15	18	56	69	9	21	7	11	23	9
	F	17	5	11	22	15	6	6	9	16	30	35	8	12	4	8	12	12
3–6 months	M	18	8	15	25	13	3	3	9	22	43	59	9	12	7	4	26	11
	F	19	1	11	20	19	7	5	4	19	34	29	8	13	6	—	20	8
6–12 months	M	36	8	32	34	34	5	15	15	36	85	110	20	29	14	8	48	18
	F	32	6	15	35	20	8	8	9	46	76	80	15	17	9	3	40	17
Total under 1 year	M	126	39	129	166	111	39	54	69	130	282	419	69	110	52	40	157	78
	F	96	26	80	127	95	35	46	50	127	208	275	52	89	38	26	130	76
1—	M	45	6	33	43	27	8	17	16	58	95	107	22	13	12	4	48	23
	F	53	4	25	27	23	17	17	14	55	61	96	17	24	8	5	43	19
2—	M	13	1	9	20	11	4	6	9	23	31	45	9	12	3	2	34	7
	F	25	2	18	17	9	6	1	7	31	40	36	7	17	5	1	20	6
3—	M	11	—	12	10	11	3	3	2	11	18	25	6	6	3	1	14	8
	F	10	2	7	9	6	5	4	6	11	14	17	5	5	3	1	6	2
4—	M	5	1	8	7	2	2	2	2	12	10	13	7	4	—	—	6	2
	F	6	—	7	12	8	4	4	—	6	4	17	2	3	—	1	14	2
Total under 5 years	M	200	47	191	246	162	56	82	98	234	436	609	113	145	70	47	259	118
	F	190	34	137	192	141	67	72	77	230	327	441	83	138	54	34	213	105
5—	M	23	6	36	27	11	16	11	10	25	41	58	8	14	10	6	37	10
	F	24	5	25	34	14	8	12	5	19	30	41	12	19	5	6	30	12
10—	M	9	4	9	16	10	8	6	8	12	22	34	4	14	4	3	13	7
	F	8	1	12	13	4	8	4	3	11	25	44	8	7	2	3	18	7
15—	M	23	4	21	30	11	10	13	7	12	34	71	10	19	9	6	31	16
	F	25	7	13	30	12	12	9	7	12	26	64	8	30	10	7	26	16
20—	M	31	17	36	31	19	11	14	8	27	45	87	20	29	9	9	27	10
	F	20	8	27	35	9	11	18	15	23	37	83	12	22	11	8	23	12
25—	M	16	4	23	25	15	11	12	8	23	51	64	17	18	12	6	22	22
	F	20	9	21	30	19	13	19	12	22	45	84	13	23	14	22	16	18
30—	M	36	5	26	26	19	23	9	12	24	41	78	12	26	10	8	18	16
	F	38	13	44	45	13	13	24	9	25	33	84	9	25	17	7	34	22
35—	M	41	11	45	35	16	13	24	14	23	60	95	20	40	20	10	26	34
	F	35	7	43	56	27	10	18	18	23	48	88	11	25	21	11	28	20
40—	M	41	13	49	63	36	20	29	14	39	67	139	34	39	17	17	33	40
	F	57	7	43	64	28	25	17	13	23	64	79	20	30	18	18	28	29
45—	M	80	23	54	79	46	44	36	20	43	107	192	44	77	43	23	42	56
	F	55	28	29	60	44	24	38	16	26	75	120	21	48	21	27	43	43
50—	M	113	29	87	97	66	44	61	33	45	130	245	43	76	41	43	43	61
	F	93	23	73	81	48	28	43	14	31	100	198	30	70	41	19	40	49
55—	M	127	37	120	128	72	51	68	34	41	146	331	47	126	51	34	56	74
	F	101	27	75	105	67	39	55	32	46	108	233	40	64	49	31	59	61
60—	M	146	31	126	130	88	46	97	32	92	159	323	38	106	56	57	60	75
	F	142	43	106	137	87	44	88	31	35	151	264	45	89	64	48	63	77
65—	M	142	51	155	176	93	73	91	46	74	183	409	62	134	101	72	75	102
	F	158	41	145	153	98	62	97	29	53	166	337	45	97	94	88	76	103
70—	M	123	50	134	173	83	96	81	47	71	155	363	59	137	92	61	81	93
	F	147	53	130	187	115	96	95	33	56	204	386	56	95	90	96	67	114
75—	M	102	47	128	157	63	79	58	45	55	120	310	41	120	69	61	63	76
	F	139	77	145	200	99	107	93	44	51	142	346	51	136	121	81	57	97
80—	M	33	33	63	108	35	47	29	22	22	53	147	23	56	56	45	32	41
	F	72	54	155	184	57	73	54	25	26	105	208	42	105	88	59	39	72
85—	M	14	23	50	59	18	26	13	5	13	28	50	12	45	25	25	18	19
	F	32	46	125	133	32	64	31	18	12	59	141	31	85	51	48	24	43

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1929.
(Civilian population only.)

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages ..	M	2185	1627	472	408	584	778	602	652	2074	599	674	906	375	555	1516	595	624	1040
	F	2002	1501	384	412	628	736	564	559	1852	490	642	841	424	524	1383	513	555	1004
Under 4 weeks	M	112	77	23	19	20	37	34	40	77	30	41	46	10	26	78	37	44	54
	F	80	60	23	23	16	41	33	23	57	28	35	18	8	23	67	22	17	42
4 weeks–3 months	M	49	43	13	8	8	18	8	24	42	12	15	19	6	15	21	11	11	17
	F	32	27	6	6	2	14	11	10	29	6	8	16	1	12	19	6	7	17
3–6 months	M	47	41	12	10	5	21	13	21	59	16	12	8	5	8	36	7	6	11
	F	34	39	7	4	6	14	6	6	33	19	9	8	5	8	22	9	8	15
6–12 months	M	108	80	18	14	5	27	23	31	78	25	43	25	6	14	46	17	11	34
	F	91	81	13	12	8	26	27	24	52	30	36	13	5	12	41	19	15	32
Total under 1 year	M	316	241	66	51	38	103	78	116	256	83	111	98	27	63	181	72	72	116
	F	237	207	49	45	32	95	77	63	171	83	88	55	19	55	149	56	47	106
1—	M	123	120	15	9	13	36	26	41	63	35	36	27	6	7	59	20	18	30
	F	101	128	21	7	6	50	27	42	75	27	39	29	6	7	52	18	20	33
2—	M	41	45	9	7	3	25	11	23	35	18	13	11	4	6	23	7	8	17
	F	32	49	7	8	6	20	17	18	46	11	17	9	1	8	22	10	10	9
3—	M	18	33	3	4	7	6	7	3	17	6	11	7	2	4	17	4	3	9
	F	17	20	6	1	2	12	9	7	16	5	11	5	—	2	11	9	3	8
4—	M	15	18	7	2	—	6	7	9	22	8	8	5	2	4	14	3	6	7
	F	7	19	2	1	1	4	8	8	11	7	4	5	2	1	12	6	1	10
Total under 5 years	M	513	457	100	73	61	176	129	192	393	150	179	148	41	84	294	106	107	179
	F	394	423	85	62	47	181	138	138	319	133	159	103	28	73	246	99	81	166
5—	M	31	50	11	6	5	13	10	12	36	22	15	12	4	12	39	19	12	17
	F	33	41	12	7	7	13	12	17	32	12	17	11	4	8	33	28	7	26
10—	M	18	22	9	5	5	6	9	5	21	8	5	5	2	3	19	9	7	16
	F	33	19	5	3	8	11	7	5	29	10	6	2	1	2	20	6	5	5
15—	M	43	40	8	7	6	12	9	10	44	8	14	15	8	11	25	20	16	24
	F	45	35	15	10	5	10	14	10	51	9	20	9	6	7	21	14	16	18
20—	M	57	35	7	9	11	14	16	23	64	13	22	13	9	9	34	12	23	30
	F	36	29	7	7	7	14	13	13	55	15	15	22	6	12	41	20	15	33
25—	M	40	45	20	9	15	16	13	13	44	21	12	15	7	14	46	12	12	22
	F	54	38	13	13	12	15	14	12	39	11	22	22	8	13	56	11	10	29
30—	M	40	48	17	9	15	18	10	11	41	19	11	26	8	8	37	11	14	25
	F	67	36	11	10	20	17	24	24	35	11	12	17	10	13	42	11	23	25
35—	M	62	46	9	7	13	24	25	24	48	13	11	25	9	14	53	14	19	27
	F	47	44	12	12	16	23	16	10	39	17	20	22	11	11	37	13	21	35
40—	M	91	55	17	13	24	33	28	14	105	19	30	37	11	19	53	20	28	34
	F	75	43	16	16	21	20	17	19	37	20	14	27	10	10	44	17	10	41
45—	M	123	64	28	30	31	32	35	25	93	38	41	43	23	29	76	31	41	53
	F	97	47	16	16	33	24	23	13	75	19	28	34	16	18	62	20	22	25
50—	M	146	79	25	26	37	47	34	44	131	36	31	51	21	33	97	44	46	94
	F	128	72	29	23	35	38	26	22	92	23	35	35	19	27	65	31	34	53
55—	M	175	102	39	28	52	60	37	42	147	40	44	70	23	50	110	47	36	88
	F	141	77	22	21	39	36	35	30	120	20	43	47	28	38	89	29	41	54
60—	M	176	128	37	47	60	72	52	43	181	41	53	85	32	56	135	43	53	82
	F	146	90	23	43	42	56	37	36	161	28	52	73	31	50	114	47	61	76
65—	M	218	123	49	45	57	68	58	61	202	57	76	81	39	52	163	60	67	106
	F	169	116	26	29	72	57	52	35	171	47	45	88	40	46	128	47	55	91
70—	M	199	132	34	31	75	86	74	57	201	58	64	106	42	72	131	63	56	93
	F	204	129	33	38	74	77	51	56	191	41	60	104	51	59	124	48	47	110
75—	M	151	107	33	39	59	54	38	45	173	30	44	95	46	49	104	53	44	84
	F	162	127	30	54	87	57	42	49	190	37	54	108	73	64	129	43	57	100
80—	M	76	61	21	18	37	33	18	23	100	19	18	57	24	27	61	23	30	46
	F	101	85	14	28	60	55	26	46	133	20	27	59	34	39	72	21	30	74
85—	M	26	33	8	6	21	14	7	8	50	7	4	22	26	13	39	8	13	20
	F	70	50	15	20	43	32	17	24	83	17	13	58	48	34	60	8	20	43

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1929.

(Civilian population only.)

Age.	Sex.	Bedfordshire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	818	524	469	950	662	991	361	517	3041	1233	926	1152	845	603	1977	1844
	F	940	519	543	949	649	948	390	529	3039	1161	1166	1259	798	633	1743	1660
Under 4 weeks	M	27	24	16	47	36	45	10	19	146	48	37	48	38	31	109	100
	F	19	15	15	31	27	33	15	12	86	34	31	43	35	31	79	61
4 weeks–3 months	M	13	5	3	15	8	6	2	3	40	21	11	14	14	14	36	36
	F	12	3	3	9	4	9	2	2	33	13	11	8	8	6	9	24
3–6 months	M	4	5	3	7	8	12	—	2	24	13	13	7	14	6	30	31
	F	3	—	3	7	3	6	—	1	24	11	8	7	13	6	10	16
6–12 months	M	10	8	9	13	7	11	1	5	63	16	9	9	16	12	39	41
	F	10	4	5	16	12	11	4	3	45	19	11	14	20	11	45	37
Total under 1 year	M	54	42	31	82	59	74	13	29	273	98	70	78	82	63	214	208
	F	44	22	26	63	46	59	21	18	188	77	61	72	76	54	143	138
1—	M	9	6	13	15	13	15	3	2	73	17	15	15	24	13	60	46
	F	10	5	4	4	13	6	—	5	46	23	13	8	23	15	48	39
2—	M	4	6	7	5	7	12	1	—	42	13	4	8	7	8	26	14
	F	4	2	3	2	2	10	—	3	38	5	5	5	6	1	18	17
3—	M	1	3	4	2	1	4	2	2	16	5	1	7	10	4	15	17
	F	6	—	1	4	4	6	—	1	11	4	2	3	3	—	16	12
4—	M	2	—	4	1	3	5	1	—	17	5	1	2	2	3	9	12
	F	5	—	3	3	2	2	3	2	12	7	1	5	4	5	8	8
Total under 5 years	M	70	57	59	105	83	110	20	33	421	138	91	110	125	91	324	297
	F	69	29	37	76	67	83	24	29	295	116	82	93	112	75	233	214
5—	M	12	6	5	9	9	16	5	3	54	18	14	12	18	7	37	31
	F	10	6	9	9	12	12	5	9	49	17	6	18	11	6	44	26
10—	M	10	4	5	8	6	10	4	8	19	12	10	13	8	4	21	19
	F	8	1	8	9	4	9	4	8	31	9	5	10	8	5	19	15
15—	M	16	4	7	14	9	11	5	9	43	18	11	15	27	6	35	34
	F	15	6	8	10	10	7	5	4	40	23	15	19	9	9	32	35
20—	M	20	12	7	21	11	31	6	7	46	29	11	20	20	15	40	34
	F	22	9	7	15	14	20	6	9	58	17	17	22	22	14	33	39
25—	M	24	7	7	18	10	18	7	7	67	24	12	11	17	12	63	45
	F	16	12	6	16	14	16	5	6	42	22	18	13	17	14	49	28
30—	M	13	7	8	21	13	20	2	7	58	22	21	21	19	9	39	42
	F	22	6	8	14	12	10	6	10	71	39	18	18	17	7	37	42
35—	M	21	9	6	18	9	19	2	11	75	34	28	19	31	16	47	52
	F	20	11	7	15	9	21	12	8	93	28	30	32	23	11	43	47
40—	M	31	8	3	27	19	25	10	14	125	42	34	33	31	19	73	62
	F	25	13	10	29	25	20	6	14	105	39	20	42	26	15	46	41
45—	M	41	15	13	35	27	28	12	13	187	44	40	35	39	20	91	88
	F	39	27	17	32	26	28	15	15	136	42	27	32	26	21	67	69
50—	M	54	15	33	45	41	54	22	18	201	60	48	64	39	26	110	91
	F	40	24	19	47	28	47	19	13	169	55	55	52	33	29	74	81
55—	M	56	29	35	63	47	54	30	17	222	91	50	69	38	31	134	132
	F	56	27	29	46	28	41	23	26	213	65	59	67	60	45	112	101
60—	M	73	43	45	74	61	94	32	38	303	115	79	91	71	53	174	128
	F	74	25	36	84	46	70	30	46	250	98	75	91	62	45	151	131
65—	M	95	58	57	94	78	108	55	57	366	155	115	129	89	70	198	191
	F	88	52	68	86	57	98	42	44	338	131	121	141	65	71	177	174
70—	M	102	67	49	128	87	129	44	77	342	154	117	152	113	63	206	213
	F	115	60	70	101	67	119	49	87	348	152	157	154	103	80	209	198
75—	M	75	87	63	121	74	113	57	77	270	138	108	160	99	87	198	220
	F	127	83	77	145	87	156	51	51	385	139	180	161	95	80	202	190
80—	M	61	59	36	77	48	94	27	69	163	77	83	104	43	46	126	115
	F	104	67	62	119	67	109	39	80	243	96	138	154	67	55	126	149
85—	M	44	37	31	72	30	57	21	52	79	62	54	94	18	28	61	50
	F	90	61	65	96	76	82	49	70	173	73	143	140	42	51	89	80

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1929.

(Civilian population only.)

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucestershire.		Herefordshire.		Hertfordshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1462	1511	818	687	3746	2799	310	202	4494	1802	768	1477	290	503	1568	704
	F	1798	1488	845	692	3275	2366	280	192	4444	1709	887	1458	289	480	1636	663
Under 4 weeks	M	49	47	35	25	226	222	21	18	206	74	27	71	20	24	66	25
	F	33	50	29	21	181	163	11	11	154	56	26	42	15	14	37	24
4 weeks–3 months	M	12	22	11	9	89	64	8	6	74	26	11	19	1	9	16	5
	F	12	12	4	8	64	52	4	2	40	16	5	9	3	3	14	3
3–6 months	M	13	12	3	5	83	65	3	6	49	19	7	13	5	3	13	4
	F	5	12	4	2	68	51	4	3	38	14	5	8	—	2	11	1
6–12 months	M	7	16	7	8	155	120	7	7	104	17	7	24	5	5	25	8
	F	14	9	4	4	112	85	5	3	72	11	7	9	6	7	12	5
Total under 1 year	M	81	97	56	47	553	471	39	37	433	136	52	127	31	41	120	42
	F	64	83	41	35	425	351	24	19	304	97	43	68	24	26	74	33
1—	M	17	9	10	9	172	114	6	1	95	26	11	17	7	7	20	8
	F	7	10	8	3	173	112	1	4	78	24	9	14	5	8	19	9
2—	M	3	5	3	4	59	55	2	1	46	13	—	6	—	1	15	4
	F	3	6	2	4	71	54	5	2	39	16	5	7	3	2	7	2
3—	M	4	7	3	5	49	31	1	—	35	9	4	8	1	3	8	2
	F	5	1	6	1	45	40	2	2	29	3	3	5	3	—	8	2
4—	M	1	5	2	1	30	26	1	—	30	7	3	5	1	1	6	3
	F	3	3	5	1	32	20	4	1	21	6	2	3	—	3	8	2
Total under 5 years	M	106	123	74	66	863	697	49	39	639	191	70	163	40	53	169	59
	F	82	103	62	44	746	577	36	28	471	146	62	97	35	39	116	48
5—	M	15	19	13	12	120	91	4	2	84	21	12	19	2	6	26	8
	F	12	17	22	13	115	60	10	1	101	12	12	15	6	7	27	7
10—	M	8	18	7	10	62	39	1	3	53	11	4	13	2	7	12	8
	F	10	9	4	8	49	45	2	3	57	8	4	10	1	6	16	4
15—	M	15	22	10	14	91	69	3	8	71	28	13	24	5	4	34	14
	F	21	23	10	7	92	57	4	—	62	24	15	15	3	8	15	4
20—	M	24	31	14	10	102	74	5	1	122	31	23	27	3	10	33	18
	F	29	21	7	12	81	75	5	3	99	29	23	38	5	8	34	8
25—	M	13	23	15	11	87	69	3	4	85	26	10	31	3	12	42	12
	F	36	26	18	5	98	59	4	5	115	24	15	22	3	4	32	9
30—	M	20	29	16	13	84	57	8	3	119	37	14	21	10	6	35	17
	F	33	27	16	12	76	65	6	7	99	31	14	41	3	8	37	12
35—	M	36	30	21	11	114	72	7	4	115	58	17	28	7	9	36	16
	F	36	34	19	13	86	72	6	2	155	50	16	32	3	15	37	18
40—	M	39	41	25	21	122	82	9	4	183	51	28	39	13	12	47	21
	F	30	39	21	17	104	62	7	6	115	39	17	29	5	10	53	18
45—	M	72	53	39	19	170	104	11	6	214	53	28	30	5	16	71	24
	F	60	50	27	27	127	83	9	6	160	68	22	56	10	18	61	21
50—	M	71	79	49	32	186	117	15	11	273	84	34	82	8	28	96	27
	F	94	66	41	36	187	110	17	5	208	80	34	58	13	17	93	34
55—	M	102	89	50	46	248	180	22	12	345	97	75	104	19	33	106	52
	F	93	64	43	41	195	136	13	18	255	98	54	83	15	28	99	26
60—	M	130	126	76	66	305	214	20	10	395	141	67	122	27	38	166	65
	F	143	108	60	35	227	177	19	15	332	115	64	111	23	43	131	52
65—	M	192	169	101	73	316	245	38	16	465	233	82	169	36	56	168	90
	F	191	156	110	81	241	205	24	10	433	163	95	141	29	40	168	61
70—	M	196	192	104	81	323	273	42	26	447	220	94	204	42	77	169	88
	F	243	187	94	94	319	213	29	14	482	182	126	170	31	68	178	86
75—	M	211	197	100	95	321	250	33	21	443	219	94	182	34	58	167	100
	F	244	223	112	84	265	184	30	33	507	222	107	213	48	55	196	90
80—	M	130	142	59	51	174	122	26	19	279	180	58	135	22	45	124	50
	F	215	177	92	80	172	112	35	24	433	218	119	145	23	57	193	74
85—	M	82	128	45	56	58	44	14	13	162	121	45	84	12	33	67	35
	F	226	158	87	83	95	74	24	12	360	200	88	182	33	49	150	91

Table 16—*contd.*

Deaths at Different Ages in Urban and Rural Aggregates of Administrative Counties, 1929.

(Civilian population only.)

Age.	Sex.	Huntingdonshire.		Kent.		Lancashire.		Leicestershire.		Lincolnshire: Parts of Holland.		Lincolnshire: Parts of Kesteven.		Lincolnshire: Parts of Lindsey.		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	159	258	5148	2125	10891	1666	734	1112	302	318	306	458	816	880	7887	378
	F	188	212	5274	2018	11290	1525	707	1076	259	291	292	445	804	871	8071	369
Under 4 weeks	M	9	11	212	80	475	78	35	55	11	18	12	18	42	45	354	15
	F	10	4	125	62	370	53	25	33	13	11	6	22	31	31	256	20
4 weeks–3 months	M	5	2	82	29	201	28	6	11	3	5	2	4	14	8	107	6
	F	2	4	63	15	123	12	7	10	2	2	3	3	10	17	86	3
3–6 months	M	5	1	62	19	154	17	11	14	4	2	4	5	9	7	96	6
	F	2	—	59	15	100	11	9	7	1	6	1	5	9	10	75	2
6–12 months	M	1	3	92	39	286	24	12	24	6	16	4	5	14	19	152	3
	F	—	—	93	32	209	20	9	18	5	5	6	10	16	14	125	6
Total under 1 year	M	20	17	448	167	1116	147	64	104	24	41	22	32	79	79	709	30
	F	14	8	340	124	802	96	50	68	21	24	16	40	66	72	542	31
1—	M	5	5	106	38	319	32	20	33	8	4	5	5	15	18	133	7
	F	1	2	78	31	235	25	20	17	2	2	4	9	17	11	148	2
2—	M	—	1	38	16	123	16	11	14	3	5	3	3	6	9	76	4
	F	1	1	39	17	119	11	3	10	2	4	3	1	9	4	57	7
3—	M	—	—	33	7	76	11	7	7	4	1	—	1	6	3	48	1
	F	4	—	28	9	60	7	6	3	2	1	—	3	3	1	31	3
4—	M	—	1	29	8	42	4	6	8	2	—	—	2	7	7	29	3
	F	1	1	27	9	59	5	4	7	1	—	—	—	1	2	36	—
Total under 5 years	M	25	24	654	236	1676	210	108	166	41	51	30	43	113	116	995	45
	F	21	12	512	190	1275	144	83	105	28	31	23	53	96	90	814	43
5—	M	4	4	97	47	178	27	17	18	5	3	5	4	13	7	151	11
	F	1	—	89	42	139	26	12	34	5	3	5	2	13	17	112	4
10—	M	4	1	56	25	101	15	8	14	4	3	2	4	8	7	62	3
	F	—	2	39	23	102	13	10	8	5	1	3	4	6	6	66	4
15—	M	3	4	91	37	166	24	12	24	6	10	5	7	10	10	142	6
	F	1	4	84	28	189	22	14	22	7	7	6	5	12	11	137	6
20—	M	3	2	118	47	220	34	12	23	7	6	9	9	20	16	186	8
	F	3	3	90	28	211	18	20	26	9	5	5	5	16	18	167	8
25—	M	2	2	96	39	204	39	17	31	6	6	4	8	21	24	178	10
	F	13	1	100	41	247	37	19	25	4	6	4	7	14	17	218	12
30—	M	3	5	102	40	214	32	26	21	6	4	11	1	15	12	148	5
	F	5	2	87	35	246	27	14	36	2	3	4	7	8	18	173	5
35—	M	7	3	147	42	313	40	15	23	9	5	7	6	24	21	221	8
	F	2	4	115	52	312	49	21	25	7	4	4	9	21	16	222	10
40—	M	5	6	175	70	444	61	31	31	6	8	13	8	30	24	290	17
	F	6	6	147	55	386	51	14	28	14	7	11	10	20	20	266	13
45—	M	9	8	247	72	548	80	27	46	13	10	9	15	38	26	391	24
	F	7	8	186	77	492	65	23	34	8	7	17	12	36	30	350	16
50—	M	6	9	304	106	759	94	47	63	16	16	16	17	50	19	519	21
	F	4	4	244	71	657	75	40	39	7	16	15	17	50	29	378	18
55—	M	9	20	375	133	887	103	44	63	23	16	17	30	53	48	670	39
	F	12	10	310	106	849	94	48	57	13	17	13	33	51	38	499	16
60—	M	10	21	422	146	1097	166	59	75	18	22	21	27	71	58	703	27
	F	13	18	381	148	1016	133	48	77	12	25	20	23	61	60	574	23
65—	M	16	28	580	231	1254	191	70	100	33	38	32	57	85	87	860	32
	F	20	24	520	192	1264	165	77	113	23	25	32	40	82	72	723	43
70—	M	15	30	546	282	1246	207	76	109	35	29	48	77	90	123	883	47
	F	19	24	611	255	1464	227	83	131	20	32	34	61	97	104	941	43
75—	M	16	36	515	238	945	173	80	148	39	34	35	67	85	122	716	38
	F	23	32	656	276	1319	176	78	136	36	42	39	60	78	140	950	43
80—	M	16	27	372	192	463	101	59	90	26	38	22	52	56	97	483	21
	F	18	32	589	198	744	126	57	91	34	24	28	54	67	105	815	33
85—	M	6	28	251	142	176	69	26	67	9	19	20	26	34	63	289	16
	F	20	26	514	201	378	77	46	89	25	36	29	43	76	80	666	29

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1929.

(Civilian population only.)

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	453	1668	571	778	1935	611	1694	1012	293	624	265	78	28	107	850	855
	F	450	1765	583	717	1885	578	1463	926	276	638	280	66	24	101	822	827
Under 4 weeks	M	15	73	29	28	112	29	92	70	11	28	10	1	—	5	43	54
	F	9	62	24	24	99	20	76	40	4	10	19	3	—	5	22	35
4 weeks–3 months	M	4	21	5	9	31	6	31	17	2	8	1	2	—	1	14	11
	F	5	16	3	7	32	3	21	12	1	4	1	—	—	1	8	5
3–6 months	M	4	16	3	6	29	6	40	14	1	2	2	1	—	1	10	10
	F	4	9	5	6	28	5	25	10	4	3	2	—	—	—	5	2
6–12 months	M	9	29	7	7	79	8	48	31	5	10	3	1	1	3	14	15
	F	6	16	4	4	63	7	27	20	2	10	1	—	2	3	15	7
Total under 1 year	M	32	139	44	50	251	49	211	132	19	48	16	5	1	10	81	90
	F	24	103	36	41	222	35	149	82	11	27	23	3	2	9	50	49
1—	M	10	27	5	13	67	12	55	28	5	11	3	1	—	—	18	10
	F	8	16	5	4	65	8	45	11	3	6	2	3	1	—	10	9
2—	M	4	6	5	2	31	3	21	22	1	3	—	—	—	—	8	8
	F	3	7	—	7	41	1	23	16	—	2	3	—	1	1	4	9
3—	M	—	7	3	5	23	3	13	8	3	4	—	—	—	—	2	7
	F	1	10	2	4	18	9	16	5	3	3	2	1	—	1	5	1
4—	M	4	3	—	4	20	2	7	6	4	3	2	2	—	—	9	1
	F	3	3	1	—	13	2	10	3	—	4	1	—	—	—	3	3
Total under 5 years	M	50	182	57	74	392	69	307	196	32	69	21	8	1	10	118	116
	F	39	139	44	56	359	55	243	117	17	42	31	7	4	11	72	71
5—	M	12	13	13	14	41	15	40	20	4	9	6	3	1	2	19	10
	F	9	16	5	5	39	15	31	15	1	7	4	—	1	—	9	12
10—	M	5	17	3	4	33	6	22	12	1	5	5	2	1	—	7	6
	F	3	13	3	4	35	7	18	13	2	2	7	—	—	1	10	6
15—	M	8	25	9	12	41	12	28	19	9	7	3	1	—	2	14	15
	F	2	24	14	5	49	10	25	21	4	11	3	1	1	2	11	4
20—	M	7	30	16	14	58	12	35	33	6	10	6	3	—	—	17	10
	F	5	34	26	15	55	10	44	15	2	17	3	1	—	2	18	14
25—	M	8	24	13	16	45	21	42	16	5	9	6	3	—	1	11	14
	F	4	40	18	12	46	9	37	24	4	13	9	2	—	1	20	21
30—	M	7	26	11	13	43	17	36	18	5	10	5	—	—	1	20	16
	F	7	25	13	10	53	10	43	26	7	17	3	—	—	1	16	22
35—	M	8	34	16	11	51	19	43	23	12	9	8	1	—	1	21	16
	F	13	39	12	10	45	12	39	27	7	8	4	1	1	2	14	19
40—	M	15	36	18	18	58	18	64	33	9	14	8	2	—	1	25	13
	F	9	41	9	23	68	16	46	32	9	8	10	1	1	2	17	20
45—	M	17	42	34	30	81	20	82	36	8	16	8	4	2	7	23	26
	F	14	62	20	18	84	11	69	26	9	22	11	3	—	2	16	23
50—	M	23	63	21	25	89	38	102	58	13	25	24	2	—	4	40	27
	F	19	74	35	33	83	25	50	41	14	22	12	4	2	4	40	41
55—	M	24	68	27	49	143	27	131	42	15	26	19	4	4	6	68	53
	F	20	80	31	37	117	42	83	49	8	32	19	3	1	7	58	40
60—	M	37	122	47	46	151	52	160	73	21	61	22	8	1	8	87	79
	F	27	111	46	47	141	47	105	53	24	40	22	10	2	9	68	53
65—	M	47	197	59	86	173	58	151	82	41	81	29	6	5	14	84	96
	F	45	162	68	68	174	76	136	99	27	68	25	1	4	10	78	79
70—	M	53	211	73	105	209	69	157	128	44	87	33	8	2	19	101	111
	F	55	204	73	96	169	66	159	122	37	90	27	13	2	13	109	110
75—	M	55	249	74	132	187	71	165	100	25	82	31	12	5	11	93	106
	F	85	253	76	110	172	67	144	98	39	93	37	7	2	11	116	111
80—	M	43	176	46	72	100	52	89	68	28	58	18	7	3	15	60	85
	F	41	213	44	87	121	60	104	74	40	76	25	9	2	17	74	95
85—	M	34	153	34	57	40	35	40	55	15	46	13	4	3	5	42	56
	F	53	235	46	81	75	40	87	74	25	70	28	3	1	6	76	86

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1929.

(Civilian population only.)

Age.	Sex.	Somerset-shire.		Southamp-ton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1013	1479	1186	1644	3482	1331	554	823	282	496	3881	980	890	878	704	602
	F	1227	1533	1212	1446	3083	1210	547	777	312	464	4207	938	1079	856	814	698
Under 4 weeks	M	38	56	53	67	194	65	21	35	10	24	152	39	37	32	12	20
	F	26	35	55	50	121	53	15	24	6	14	105	26	24	16	14	14
4 weeks–3 months	M	8	16	24	18	65	22	6	5	3	3	48	6	6	8	6	8
	F	10	10	13	15	30	17	6	6	2	2	43	7	5	8	7	6
3–6 months	M	6	12	17	17	57	13	2	6	1	3	39	8	5	7	6	4
	F	3	6	5	7	58	12	5	3	—	2	28	4	5	2	1	6
6–12 months	M	7	13	27	20	156	32	7	8	2	3	46	5	3	8	7	13
	F	10	18	17	19	125	23	6	5	1	4	54	15	2	5	11	6
Total under 1 year	M	59	97	121	122	472	132	36	54	16	33	285	58	51	55	31	45
	F	49	69	90	91	334	105	32	38	9	22	230	52	36	31	33	32
1—	M	11	20	25	38	169	37	14	12	3	2	49	15	8	9	2	5
	F	6	20	27	19	116	27	9	5	5	4	58	7	6	7	5	5
2—	M	4	7	15	11	61	16	3	7	—	2	21	4	6	7	5	2
	F	5	11	13	10	77	15	1	5	—	4	24	7	6	4	4	2
3—	M	9	2	13	8	36	8	2	3	3	—	9	6	2	3	—	1
	F	—	2	4	9	21	16	6	3	—	1	13	3	5	5	2	3
4—	M	2	9	5	3	19	9	1	—	3	1	19	1	3	1	2	—
	F	2	5	7	4	25	6	5	3	—	2	11	3	1	1	1	2
Total under 5 years	M	85	135	179	182	757	202	56	76	25	38	383	84	70	75	40	53
	F	62	107	141	133	573	169	53	54	14	33	336	72	54	48	45	44
5—	M	19	18	14	23	81	24	18	12	2	7	76	17	13	6	7	7
	F	13	22	18	23	76	21	5	9	3	3	50	16	4	7	5	7
10—	M	4	10	10	7	27	7	6	4	—	5	33	14	7	6	4	9
	F	6	14	13	16	36	9	2	12	1	4	40	7	4	6	4	2
15—	M	18	17	17	22	69	22	9	14	2	5	68	12	6	11	7	6
	F	17	14	23	16	55	17	8	5	6	5	52	6	11	15	11	8
20—	M	18	27	22	20	94	38	10	12	2	5	71	17	8	11	11	10
	F	20	21	21	24	85	16	8	11	5	6	95	14	10	14	8	8
25—	M	21	28	18	22	82	32	10	17	6	9	76	17	20	14	14	9
	F	18	32	26	25	66	30	6	13	3	13	73	14	14	14	8	10
30—	M	20	21	14	42	86	25	11	19	6	11	77	23	8	20	12	11
	F	23	23	26	27	63	29	6	19	4	7	82	15	16	12	14	8
35—	M	25	25	29	31	92	30	15	15	7	9	102	18	12	24	15	17
	F	25	33	27	26	72	31	9	18	7	8	89	24	23	14	12	19
40—	M	32	27	35	42	126	33	12	17	8	16	122	29	34	25	16	11
	F	15	34	29	41	82	23	10	19	8	15	108	34	21	21	21	18
45—	M	42	54	50	52	133	49	25	15	17	17	190	31	40	45	24	21
	F	44	35	40	50	117	45	20	20	12	14	160	37	41	41	25	26
50—	M	63	77	59	71	199	71	23	30	10	14	231	61	50	40	32	31
	F	55	62	54	54	145	54	26	32	16	15	219	38	57	35	28	31
55—	M	70	100	82	102	230	92	25	41	24	36	293	79	58	56	52	34
	F	48	80	68	82	178	80	30	36	14	18	240	53	62	56	46	42
60—	M	92	137	99	150	282	112	46	69	25	45	363	97	85	66	71	49
	F	105	106	85	114	232	89	45	56	29	27	343	77	78	60	61	56
65—	M	122	165	122	198	323	136	66	96	31	52	418	102	97	92	87	66
	F	125	157	125	140	290	109	56	69	35	56	409	106	126	81	79	80
70—	M	113	232	141	233	378	169	63	109	38	54	440	127	112	101	92	79
	F	161	188	135	176	333	144	61	106	32	45	505	103	157	107	109	83
75—	M	124	168	138	197	294	148	75	133	35	84	428	106	115	110	97	85
	F	183	223	151	194	324	149	67	114	48	69	499	116	152	129	138	92
80—	M	87	159	95	147	150	88	42	75	34	48	292	86	96	106	70	54
	F	158	187	119	161	220	103	74	100	43	74	480	106	121	104	104	83
85—	M	58	79	62	103	79	53	42	69	10	41	218	60	59	70	53	50
	F	149	195	111	144	136	92	61	84	32	52	427	100	128	92	96	81

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1929.

(Civilian population only.)

Age.	Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1099	1151	172	234	395	194	868	1066	1306	778	492	668	1368	944
	F	1161	1127	194	227	451	191	908	915	1268	740	524	593	1286	855
Under 4 weeks	M	53	51	6	6	13	3	32	43	71	30	17	34	59	51
	F	33	53	3	4	8	3	13	30	45	29	12	23	53	30
4 weeks–3 months	M	8	21	1	4	—	3	8	24	25	8	6	11	27	6
	F	6	10	—	1	2	—	7	7	21	6	3	8	19	5
3–6 months	M	8	19	2	3	6	—	11	6	17	7	4	3	29	7
	F	8	9	2	1	1	1	6	5	8	2	6	3	19	10
6–12 months	M	21	23	5	2	2	1	12	21	35	9	9	13	41	14
	F	9	20	5	7	5	3	8	19	32	7	3	10	30	12
Total under 1 year	M	90	114	14	15	21	7	63	94	148	54	36	61	156	78
	F	56	92	10	13	16	7	34	61	106	44	24	44	121	57
1—	M	28	28	2	6	2	4	13	15	33	5	3	6	44	25
	F	19	25	1	4	2	1	14	3	27	12	9	11	49	7
2—	M	17	11	—	1	2	1	7	7	18	1	5	1	24	3
	F	15	8	3	—	4	1	3	7	6	6	4	5	21	8
3—	M	4	10	—	3	1	1	4	2	10	2	1	8	14	—
	F	9	7	1	2	2	—	4	3	7	5	2	5	14	3
4—	M	4	6	1	—	1	1	5	6	6	2	4	—	8	1
	F	2	7	1	1	1	—	1	2	7	3	1	4	13	3
Total under 5 years	M	143	169	17	25	27	14	92	124	215	64	49	76	246	107
	F	101	139	16	20	25	9	56	76	153	70	40	69	218	78
5—	M	20	21	1	1	4	3	13	12	27	11	9	6	21	6
	F	12	14	—	4	5	3	3	12	9	8	4	7	19	11
10—	M	12	21	2	3	2	—	11	14	11	5	2	8	20	7
	F	7	9	1	3	1	—	2	4	18	6	7	8	19	3
15—	M	19	16	1	1	5	4	11	14	20	13	9	13	17	12
	F	19	20	4	3	7	3	11	10	14	8	10	7	28	11
20—	M	25	28	3	2	8	2	19	14	30	28	7	22	27	9
	F	27	29	4	2	6	2	14	16	21	15	5	13	31	8
25—	M	28	30	2	6	5	3	10	21	35	16	8	11	21	22
	F	17	29	8	3	11	3	17	7	30	14	6	17	22	9
30—	M	28	20	3	3	10	7	13	21	31	11	10	16	34	23
	F	34	30	2	7	6	—	18	22	25	15	6	15	32	20
35—	M	30	30	4	—	9	6	22	23	31	15	8	10	36	23
	F	18	24	6	5	17	4	20	16	34	18	10	19	23	17
40—	M	41	27	5	4	15	8	27	25	27	16	19	15	58	24
	F	41	38	4	3	11	3	35	30	35	19	18	10	46	27
45—	M	44	51	9	6	17	10	34	32	53	24	18	14	67	38
	F	55	31	6	8	14	10	36	35	57	34	16	12	46	27
50—	M	65	69	9	9	26	10	44	42	75	35	32	26	57	37
	F	58	46	8	8	18	7	34	41	67	30	25	31	63	36
55—	M	86	69	12	11	24	8	67	63	91	43	37	41	82	52
	F	69	70	17	13	27	13	58	53	71	44	26	27	64	62
60—	M	88	78	17	16	34	16	76	77	134	73	51	64	123	83
	F	98	81	10	18	35	19	67	72	88	51	38	48	85	74
65—	M	112	103	31	29	38	26	103	103	138	87	57	70	131	90
	F	112	110	27	23	52	18	87	80	122	66	45	46	109	97
70—	M	122	117	19	44	47	24	115	151	153	106	47	88	151	140
	F	140	96	22	28	47	24	119	98	146	86	84	76	142	103
75—	M	114	135	15	38	57	23	105	145	119	101	49	92	147	118
	F	143	142	19	29	60	30	135	113	168	114	62	74	130	113
80—	M	75	91	18	18	42	18	73	95	74	75	53	52	85	100
	F	118	126	29	29	57	22	106	107	111	74	62	56	109	100
85—	M	47	76	4	18	25	12	33	90	42	55	27	44	45	53
	F	92	93	11	21	52	21	90	123	99	68	60	58	100	59

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1929.

(Civilian population only).

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknockshire.		Caernarvonshire.		Cardiganshire.		Carmarthenshire.		Denbighshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	7731	2879	156	248	122	275	465	500	118	326	460	702	396	700
	F	7629	2487	161	245	102	251	447	516	132	349	414	661	390	576
Under 4 weeks	M	367	203	6	15	3	16	14	22	1	6	28	45	16	34
	F	301	111	4	7	3	16	11	10	2	10	16	39	7	39
4 weeks–3 months	M	150	89	—	2	1	7	7	12	2	5	4	14	6	19
	F	78	46	—	6	1	4	5	3	—	1	6	8	2	2
3–6 months	M	118	57	5	5	—	2	5	2	—	4	6	14	3	10
	F	93	52	—	4	2	2	7	8	2	5	6	13	3	6
6–12 months	M	226	119	3	7	2	4	14	8	—	3	11	7	5	14
	F	171	83	2	2	6	2	7	8	—	1	5	11	3	8
Total under 1 year	M	861	468	14	29	6	29	40	44	3	18	49	80	30	77
	F	643	292	6	19	12	24	30	29	4	17	33	71	15	55
1—	M	239	110	2	3	3	1	7	10	1	4	6	12	5	11
	F	248	105	3	8	1	1	5	7	5	7	6	5	6	17
2—	M	93	48	2	—	1	1	3	4	—	2	3	4	2	8
	F	113	48	1	—	1	2	1	7	—	—	3	3	3	6
3—	M	76	30	1	2	1	1	3	—	—	3	—	7	3	3
	F	67	24	3	—	1	—	2	2	1	2	4	5	3	4
4—	M	70	23	—	1	2	3	2	—	—	—	3	5	—	2
	F	46	21	1	3	1	4	3	2	—	—	1	3	1	5
Total under 5 years	M	1339	679	19	35	13	35	55	58	4	27	61	108	40	101
	F	1117	490	14	30	16	31	41	47	10	26	47	87	28	87
5—	M	178	82	3	—	2	3	7	2	2	4	7	12	4	10
	F	123	54	—	3	3	4	9	2	2	3	8	11	2	16
10—	M	87	45	1	3	—	4	3	4	—	3	6	12	2	2
	F	61	37	3	3	—	4	4	3	—	3	6	9	1	9
15—	M	133	69	1	4	3	7	8	7	1	4	7	18	7	12
	F	135	49	3	4	1	2	3	3	2	9	6	14	8	9
20—	M	154	59	3	7	7	11	8	12	7	9	16	14	4	32
	F	144	67	2	5	3	8	4	13	4	7	9	20	5	8
25—	M	153	62	5	6	2	7	15	10	6	9	10	17	9	14
	F	157	49	4	4	2	12	3	11	—	5	7	20	13	13
30—	M	147	77	3	7	—	7	9	12	3	4	18	14	8	19
	F	193	62	—	2	3	6	11	8	2	10	10	21	7	13
35—	M	176	67	1	3	3	7	13	13	3	5	15	26	11	16
	F	173	75	4	8	3	8	10	9	3	8	11	21	10	20
40—	M	259	88	7	5	4	9	11	18	1	7	16	23	16	24
	F	238	77	5	3	6	6	16	20	—	11	18	17	10	19
45—	M	370	117	8	1	7	10	17	27	4	10	26	33	15	37
	F	312	103	9	6	3	5	14	12	7	10	14	22	10	17
50—	M	513	133	7	11	5	13	29	30	5	17	22	42	25	36
	F	432	105	7	13	5	12	24	22	4	18	24	20	18	36
55—	M	593	183	11	14	8	11	37	32	11	19	38	47	35	47
	F	469	128	8	12	5	14	31	29	10	14	26	28	28	32
60—	M	757	214	14	17	11	25	38	39	16	26	57	50	37	58
	F	644	160	12	15	7	28	37	33	9	32	33	45	34	52
65—	M	835	268	19	17	16	33	51	50	16	43	52	72	47	81
	F	805	212	15	19	7	23	46	61	19	42	52	48	45	54
70—	M	834	254	21	41	13	30	57	51	12	44	46	74	42	92
	F	941	286	23	30	14	30	65	69	9	39	50	85	53	76
75—	M	689	255	13	36	14	30	47	78	11	48	36	65	47	62
	F	837	244	24	38	7	24	45	73	26	43	37	79	54	54
80—	M	377	142	13	22	6	21	42	38	10	27	17	52	36	41
	F	531	174	23	24	10	15	47	65	13	43	36	66	26	37
85—	M	137	85	7	19	8	12	18	19	6	20	10	23	11	16
	F	317	115	5	26	7	19	37	36	12	26	20	48	38	24

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1929.

(Civilian population only.)

Age.	Sex.	Flintshire.		Glamorganshire.		Merionethshire.		Monmouthshire.		Montgomeryshire.		Pembrokeshire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	300	425	3842	1174	134	168	1897	318	108	246	231	360	42	96
	F	288	427	3215	1046	139	195	1572	282	115	203	287	345	48	93
Under 4 weeks	M	12	31	221	86	3	6	106	15	6	12	10	16	1	3
	F	9	17	191	72	3	1	79	11	2	14	14	8	—	6
4 weeks–3 months	M	5	11	68	26	4	2	23	9	—	1	1	9	—	3
	F	3	8	61	10	1	1	30	2	—	1	2	9	—	2
3–6 months	M	—	6	49	20	3	3	37	3	—	3	2	5	—	1
	F	—	6	41	8	3	3	18	3	—	2	2	1	—	—
6–12 months	M	6	13	111	32	1	4	52	4	—	2	3	6	—	—
	F	4	3	90	27	4	3	36	7	1	3	3	6	—	—
Total under 1 year	M	23	61	449	164	11	15	218	31	6	18	16	36	1	7
	F	16	34	383	117	11	8	163	23	3	20	21	24	—	8
1—	M	7	8	119	30	1	2	66	7	2	3	5	5	1	1
	F	5	11	104	15	1	1	51	3	—	2	5	3	1	—
2—	M	3	2	52	12	1	—	29	5	1	6	3	3	1	1
	F	3	4	58	10	2	—	21	2	—	2	2	1	—	—
3—	M	2	3	37	8	1	—	22	1	—	2	2	1	—	—
	F	—	—	35	4	1	—	20	2	1	2	1	1	—	—
4—	M	3	1	25	6	—	2	20	5	—	1	3	1	—	1
	F	3	2	33	8	—	2	12	—	—	—	3	—	—	1
Total under 5 years	M	38	75	682	220	14	19	355	49	9	30	29	46	3	10
	F	27	51	613	154	15	11	267	30	4	26	32	29	1	9
5—	M	6	6	91	23	3	—	52	7	—	4	2	4	—	—
	F	2	6	81	28	3	3	31	4	—	1	4	3	1	1
10—	M	2	7	52	17	1	—	25	5	—	2	3	2	—	1
	F	3	3	60	18	1	2	16	3	1	3	4	3	—	3
15—	M	9	8	83	29	2	2	49	5	2	3	6	6	—	2
	F	4	6	89	24	3	5	37	6	3	3	6	5	1	2
20—	M	6	9	102	34	1	4	59	6	5	2	5	7	—	4
	F	7	7	101	27	3	6	57	10	3	6	5	6	3	1
25—	M	5	6	88	28	2	3	53	2	1	5	6	12	—	1
	F	8	3	98	37	2	6	54	5	4	6	4	7	1	2
30—	M	7	9	99	32	5	5	40	10	1	2	4	6	1	2
	F	6	13	87	32	4	3	36	4	1	8	5	6	2	1
35—	M	10	10	109	28	6	1	68	11	2	3	9	10	1	1
	F	9	9	111	28	4	7	58	11	5	4	11	7	1	—
40—	M	12	18	149	47	4	4	68	6	3	6	9	5	—	4
	F	5	19	104	34	3	5	42	9	2	7	9	8	1	2
45—	M	12	10	194	56	4	7	89	10	2	7	8	13	1	1
	F	15	19	128	46	4	6	65	8	2	7	2	10	2	4
50—	M	11	25	267	78	5	9	111	20	3	11	13	16	3	4
	F	16	23	185	51	1	8	84	16	6	7	13	11	2	3
55—	M	23	26	315	86	3	11	145	16	10	18	12	16	4	9
	F	15	34	222	77	6	13	91	16	7	7	13	20	6	6
60—	M	34	38	387	99	19	16	161	29	11	15	19	32	4	5
	F	24	29	253	80	9	14	118	26	11	7	19	23	4	7
65—	M	35	42	392	123	15	24	177	34	15	23	17	45	5	12
	F	25	37	248	88	14	17	154	29	19	16	44	41	1	9
70—	M	30	52	385	102	24	22	194	40	13	43	33	45	9	14
	F	24	56	290	106	24	23	164	29	11	26	30	46	5	13
75—	M	39	48	254	88	13	20	142	36	15	36	28	39	4	13
	F	42	52	262	87	19	31	160	26	20	31	35	53	5	12
80—	M	17	25	127	62	10	15	76	16	8	23	16	35	6	5
	F	31	32	172	71	17	23	75	30	9	20	24	38	7	9
85—	M	4	11	66	22	3	6	33	16	8	13	12	21	1	8
	F	25	28	111	58	7	12	63	20	7	18	27	29	5	9

TABLE 17.—ENGLAND AND WALES.

Causes of Death at different Age-Periods, 1929. (Total Deaths Registered).

Note.—The sequence of causes of death followed in this table is that of the International List of Causes of Death. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus, **2** Typhus 5, 15, 20, *50*, would denote that the deaths of three males in age-groups 5–10, 15–20 and 20–25 and one female in age-group 50–55 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death.	All Causes.		I. 1–42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6 Small-pox.		7 Measles.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	269903	262589	45223	41829	187	195	163	164	24	31	46	3	19	20	1736	165
0—1	27381	20487	2948	2732	—	1	—	—	—	1	—	—	4	4	354	30
1—5	13923	12706	5547	5607	2	2	1	2	1	—	—	—	1	1	1221	118
5—10	4769	4154	1874	1897	5	2	5	2	—	—	—	—	1	—	145	13
10—15	2623	2481	804	982	12	12	11	12	1	—	—	—	1	1	5	1
15—20	4700	4452	1864	2413	7	19	5	16	2	3	1	—	—	2	5	
20—25	5957	5513	2659	2996	25	20	23	19	2	1	—	—	1	1	2	
25—30	5653	5648	2419	2601	26	20	24	16	2	4	2	—	—	3	—	
30—35	5618	5777	2271	2193	21	17	18	13	3	4	7	—	1	1	—	
35—40	7060	6656	2612	2031	24	20	20	19	4	1	3	—	2	1	1	
40—45	9634	7743	3027	1788	13	13	10	11	3	2	8	1	1	2	1	—
45—50	12782	10165	3391	1797	9	14	8	10	1	4	7	—	1	1	1	—
50—55	16696	13210	3355	1892	13	18	11	14	2	4	6	—	—	—	1	
55—60	20230	16073	2993	1770	10	13	9	9	1	4	3	—	—	1	—	—
60—65	24180	20589	2564	1924	10	14	9	12	1	2	3	1	3	—	—	—
65—70	28383	25674	2266	2218	8	6	7	5	1	1	4	1	1	2	—	—
70—75	29546	30312	1829	2379	2	3	2	3	—	—	2	—	1	—	—	—
75—80	25901	30567	1526	2244	—	1	—	1	—	—	—	—	1	—	—	
80 and upwards	24867	40382	1274	2365	—	—	—	—	—	—	—	—	—	—	—	

* **2.** Typhus —; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever —.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) 1. With pneumonic complications.		11 (*a*) 2. With other pulmonary complications.		11 (*b*) 1. With non-pulmonary complications.		11 (*b*) 2. Without stated complication.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	358	359	2787	3545	1632	1814	13867	15217	7394	6835	3296	4312	1981	2443	1196	162
0—1	23	6	1148	1406	78	65	465	312	268	200	77	48	66	40	54	2
1—5	128	127	1535	1984	680	650	664	570	511	428	60	44	74	76	19	2
5—10	104	100	97	137	652	771	185	135	99	73	19	12	56	42	11	
10—15	26	38	1	1	130	161	105	101	60	49	6	5	31	39	8	
15—20	29	13	1	3	24	50	266	203	169	111	21	17	54	61	22	1
20—25	7	19	1	1	16	21	305	234	208	156	19	17	58	43	20	1
25—30	6	16	—	1	5	8	300	272	201	183	39	18	50	58	10	1
30—35	5	14	1	1	7	14	361	384	251	252	46	39	53	70	11	2
35—40	12	5	—	—	5	13	554	476	404	304	62	63	55	78	33	3
40—45	6	6	—	—	6	10	743	564	517	340	114	102	79	82	33	4
45—50	5	7	—	—	6	11	953	667	612	394	187	123	105	109	49	4
50—55	4	5	—	1	9	11	1092	893	664	451	236	220	135	167	57	5
55—60	2	2	—	1	2	13	1148	1013	649	496	263	236	161	200	75	8
60—65	1	—	1	1	4	7	1321	1285	705	619	314	366	200	215	102	8
65—70	—	—	1	1	5	5	1432	1741	691	743	413	589	226	254	102	15
70—75	—	1	—	1	1	2	1438	2063	580	782	484	752	226	315	148	21
75—80	—	—	—	2	1	1	1342	2065	477	668	506	801	185	300	174	29
80 and upwards	—	—	1	4	1	1	1193	2239	328	586	430	860	167	294	268	49

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.		16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17,18,19,20* 21 Erysipelas.		22 Acute poliomyelitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	13	12	—	—	68	30	10	4	13	7	45	19	540	491	83	57
0—1	2	2	—	—	—	1	—	—	—	—	—	1	45	34	7	2
1—5	1	4	—	—	2	1	—	—	1	—	1	1	10	12	24	22
5—10	1	1	—	—	4	1	—	—	4	—	—	1	5	1	13	13
10—15	3	1	—	—	1	1	—	—	1	—	—	1	1	5	14	5
15—20	1	—	—	—	—	1	—	1	—	—	—	—	1	9	11	4
20—25	1	1	—	—	1	3	—	—	—	1	1	2	11	6	4	1
25—30	—	1	—	—	3	—	—	—	—	—	3	—	11	13	3	1
30—35	—	—	—	—	8	1	3	—	1	—	4	1	14	11	2	2
35—40	—	—	—	—	11	4	4	2	2	1	5	1	16	12	1	2
40—45	—	1	—	—	3	3	—	—	—	1	3	2	24	17	—	1
45—50	—	—	—	—	3	2	2	—	—	2	1	—	28	19	—	3
50—55	—	—	—	—	7	5	1	1	1	1	5	3	44	42	—	1
55—60	—	—	—	—	8	—	—	—	1	—	7	—	59	40	1	—
60—65	—	—	—	—	4	4	—	—	1	—	3	4	68	43	2	—
65—70	2	1	—	—	3	1	—	—	—	—	3	1	57	58	1	—
70—75	1	—	—	—	5	1	—	—	1	1	4	—	69	64	—	—
75—80	—	—	—	—	5	1	—	—	—	—	5	1	58	52	—	—
80 and upwards	1	—	—	—	—	—	—	—	—	—	—	—	19	53	—	—

* **12** Miliary fever — ; **14.** Asiatic cholera — ; **17.** Plague — **18.** Yellow fever — ; **19.** Spirochætosis ictero-hæmorrhagica 15, 45, 55; **20.** Leprosy 65, 70, *40*.

Causes of Death.	22 (1) Poliomyelitis.		22 (2) Polioencephalitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic diseases.		25 (1) German measles.		25 (2) Varicella.		25 (3) Other diseases included under 25.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	48	37	35	20	517	520	352	236	53	41	19	12	26	27	8	2
0—1	4	1	3	1	4	3	101	64	18	16	6	4	12	12	—	—
1—5	15	16	9	6	26	29	91	70	21	19	8	6	12	13	1	—
5—10	6	8	7	5	31	22	34	30	6	3	3	1	2	1	1	1
10—15	6	4	8	1	17	23	24	24	—	1	—	—	—	1	—	—
15—20	9	2	2	2	47	39	34	12	—	—	—	—	—	—	—	—
20—25	3	1	1	—	40	39	31	12	1	—	1	—	—	—	—	—
25—30	2	1	1	—	26	42	6	4	4	—	1	—	—	—	3	—
30—35	1	2	1	—	30	35	9	2	1	—	—	—	—	—	1	—
35—40	1	2	—	—	30	43	7	3	—	—	—	—	—	—	—	—
40—45	—	—	—	1	51	29	4	2	1	—	—	—	—	—	1	—
45—50	—	—	—	3	40	46	4	7	—	1	—	1	—	—	—	—
50—55	—	—	—	1	43	47	3	3	1	1	—	—	—	—	1	1
55—60	—	—	1	—	56	42	1	1	—	—	—	—	—	—	—	—
60—65	1	—	1	—	29	36	3	1	—	—	—	—	—	—	—	—
65—70		—	1	—	29	20	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	11	13	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	5	9	—	1	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (TOTAL DEATHS REGISTERED).

Causes of Death.	23* 27 Anthrax.		28* 29 Tetanus.		30 Mycoses.		30 (1) Actinomycosis.		30 (2) Other mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	—	113	50	53	42	27	18	26	24	21286	16704	17786	13639	1344	1220
0—1	—	—	7	2	12	12	—	—	12	12	370	290	53	34	173	152
1—5	—	—	3	4	—	3	—	—	—	3	1099	881	170	163	540	473
5—10	—	—	10	5	—	—	—	—	—	—	552	525	128	126	260	241
10—15	—	—	16	5	1	—	1	—	—	—	418	570	168	339	129	122
15—20	—	—	10	1	2	2	2	2	—	—	1390	2034	1107	1755	101	95
20—25	—	—	9	4	3	2	3	2	—	—	2170	2612	1890	2371	51	56
25—30	1	—	8	4	3	4	3	4	—	—	1982	2186	1800	2032	30	23
30—35	—	—	5	4	1	3	—	2	1	1	1752	1675	1626	1548	17	21
35—40	—	—	2	2	3	4	2	2	1	2	1875	1396	1743	1275	12	10
40—45	1	—	7	4	4	1	4	—	—	1	2051	1081	1945	993	10	7
45—50	—	—	4	3	3	1	2	1	1	—	2198	949	2092	853	7	5
50—55	1	—	7	2	4	1	2	1	2	—	1951	797	1842	713	8	7
55—60	—	—	6	6	7	2	3	2	4	—	1516	576	1427	499	3	4
60—65	3	—	12	1	3	1	3	—	—	1	971	481	914	412	1	—
65—70	1	—	3	1	3	3	1	1	2	2	621	326	563	274	1	1
70—75	—	—	3	1	2	1	—	1	2	—	248	192	220	160	1	1
75—80	—	—	1	—	2	1	1	—	1	1	88	88	74	59	—	2
80 and upwards	—	—	—	1	—	1	—	—	—	1	34	45	24	33	—	—

* 26. Glanders —; 28. Rabies —.

Causes of Death.	Tuberculosis—*continued.* 33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd).		36 (*d*) Genito-urinary system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	608	619	262	217	115	85	265	211	12	43	41	30	36	23	169	110
0—1	75	53	2	—	2	—	5	11	—	—	1	5	4	5	—	1
1—5	164	114	16	7	4	2	11	5	1	—	5	1	4	3	—	—
5—10	60	60	7	9	4	3	11	4	—	—	1	1	4	2	6	1
10—15	47	41	10	7	3	3	7	5	—	—	—	—	2	1	4	4
15—20	48	69	21	12	18	6	19	7	—	—	2	—	2	—	15	7
20—25	48	61	38	19	17	5	32	18	2	2	1	—	2	—	25	16
25—30	30	48	26	19	10	8	24	15	—	2	1	—	—	2	23	11
30—35	22	31	17	16	7	4	21	15	—	1	2	1	—	—	19	13
35—40	24	31	19	12	6	6	25	25	1	—	3	2	1	—	19	23
40—45	18	28	12	14	4	2	19	13	—	1	2	—	2	—	15	11
45—50	15	20	23	25	3	7	17	13	1	2	4	3	—	1	12	7
50—55	17	23	14	15	10	5	22	14	2	1	4	6	3	2	12	5
55—60	15	13	21	13	9	8	11	14	1	6	3	2	—	1	7	5
60—65	9	15	13	20	7	6	10	10	1	4	4	2	1	1	4	1
65—70	10	8	14	16	4	6	6	11	—	7	1	—	2	2	3	2
70—75	3	3	3	8	2	4	15	11	2	5	3	3	7	1	2	2
75—80	1	—	3	5	3	9	7	11	—	7	4	2	2	1	1	1
80 and upwards	2	1	3	—	2	1	3	9	1	5	—	2	—	1	2	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Tuberculosis—*continued.* 36 (*e*) Others in 36.		37 Disseminated tuberculosis.		37 (*a*) Acute.		37 (*b*) Chronic or unstated		38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (opthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	5	906	713	330	294	576	419	892	497	56	13	40	4	16	9
0—1	—	—	60	40	32	22	28	18	246	167	16	9	—	—	16	9
1—5	1	1	194	117	86	54	108	63	21	25	—	—	—	—	—	—
5—10	—	—	82	82	29	39	53	43	7	5	—	—	—	—	—	—
10—15	1	—	54	53	18	20	36	33	5	5	—	—	—	—	—	—
15—20	—	—	76	90	36	46	40	44	4	7	1	—	1	—	—	—
20—25	2	—	94	82	28	34	66	48	9	8	1	1	1	1	—	—
25—30	—	—	62	41	20	19	42	22	13	15	1	1	1	1	—	—
30—35	—	—	42	40	7	14	35	26	23	18	3	—	3	—	—	—
35—40	1	—	46	37	12	13	34	24	37	29	2	—	2	—	—	—
40—45	—	1	43	24	14	7	29	17	61	31	2	1	2	1	—	—
45—50	—	—	41	26	9	8	32	18	77	39	5	1	5	1	—	—
50—55	1	—	38	20	16	6	22	14	120	38	7	—	7	—	—	—
55—60	—	—	30	25	10	7	20	18	107	34	10	—	10	—	—	—
60—65	—	2	17	18	5	2	12	16	75	26	4	—	4	—	—	—
65—70	—	—	23	10	7	1	16	9	54	23	3	—	3	—	—	—
70—75	1	—	4	5	1	1	3	4	17	17	1	—	1	—	—	—
75—80	—	—	—	2	—	1	—	1	13	8	—	—	—	—	—	—
80 and upwards	—	1	—	1	—	—	—	1	3	2	—	—	—	—	—	—

* **39.** Soft chancre—.

Causes of Death.	41 Purulent infection, septicæmia.		42 (1, 2)* 42. Other infectious diseases.		II. 43–69 General diseases not included in I. 1–42.		Cancer, Malignant Disease. 43–49 Total Deaths.		43 Buccal cavity.		44 Pharynx, œsophagus stomach, liver and annexa.		45 Peritoneum, intestines, and rectum.		46 Female genital organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	544	324	9	6	33619	41450	26284	30612	2569	446	9691	7996	6284	6411	—	6022
0—1	45	33	3	—	336	213	11	10	—	1	—	3	1	1	—	—
1—5	18	17	—	—	317	264	45	45	3	1	1	1	2	4	—	3
5—10	20	9	2	2	269	233	39	29	1	1	1	—	—	3	—	—
10—15	22	14	2	3	232	260	25	31	2	3	6	1	2	2	—	1
15—20	29	10	—	—	275	297	67	58	5	2	2	2	6	9	—	8
20—25	21	7	—	—	292	336	96	87	5	5	8	4	23	20	—	23
25—30	18	9	1	—	326	369	119	151	3	4	27	16	24	23	—	41
30—35	20	9	—	1	393	641	228	370	5	3	73	69	59	48	—	127
35—40	27	17	—	—	560	1092	333	757	13	9	115	111	70	83	—	261
40—45	40	20	—	—	1029	1832	728	1410	37	11	258	202	144	173	—	479
45—50	46	26	—	—	1583	2861	1255	2303	94	32	527	372	255	312	—	681
50—55	42	26	—	—	2840	3958	2341	3116	232	35	892	639	462	445	—	851
55—60	56	26	—	—	4206	4736	3537	3665	365	55	1391	856	802	677	—	833
60—65	46	23	1	—	5244	5473	4418	4134	521	67	1734	1175	1013	867	—	780
65—70	37	29	—	—	5763	5900	4795	4501	476	61	1810	1363	1218	1102	—	735
70—75	27	20	—	—	4820	5626	4001	4280	402	56	1486	1440	1003	1058	—	584
75—80	10	14	—	—	3308	4230	2754	3225	247	50	934	1045	778	912	—	387
80 and upwards	20	15	—	—	1826	3129	1492	2440	158	50	426	697	422	672	—	228

* **42.** (1) Vaccina 0, 0, 0, 5. 5, 10, 10, 25, *5, 5, 10, 10, 10, 30;*
(2) Other diseases included under 42, 60.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Cancer—*continued.* 47 Breast.		48 Skin.		49 Other or unspecified organs.		50 Tumours not returned as malignant. (brain and female genital organs excptd).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		52 (1) Chronic rheumatism.		52 (2) Rheumatoid and osteo-arthritis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	46	5944	876	494	6818	3299	431	351	638	779	1228	2456	90	122	885	2285
0—1	—	—	—	—	10	5	4	8	5	—	—	—	—	—	—	—
1—5	—	—	—	1	39	35	8	4	23	27	—	—	—	—	—	—
5—10	—	—	—	—	37	25	5	4	113	118	2	1	—	—	2	1
10—15	—	—	—	—	15	24	1	3	114	141	—	—	—	—	—	—
15—20	—	—	2	4	52	33	4	3	95	98	3	3	1	—	2	3
20—25	—	—	5	1	55	34	9	7	51	68	4	7	—	1	4	6
25—30	—	14	5	5	60	48	13	11	41	47	3	8	—	—	3	8
30—35	1	73	7	4	83	46	8	6	13	38	5	15	—	—	5	15
35—40	—	196	12	11	123	86	12	8	28	37	9	17	1	—	8	17
40—45	3	401	17	15	269	129	25	13	36	35	17	43	—	—	17	43
45—50	3	654	23	20	353	232	24	23	23	38	45	63	1	2	37	61
50—55	4	815	54	18	697	313	43	29	23	42	62	125	3	2	48	121
55—60	4	811	80	28	895	405	53	37	22	22	105	202	2	9	82	187
60—65	7	768	108	44	1035	433	51	57	29	32	155	263	9	7	109	252
65—70	8	696	113	58	1170	486	63	34	15	24	231	415	15	20	161	384
70—75	7	628	155	71	948	443	39	31	5	6	244	470	27	22	168	440
75—80	5	438	137	86	653	307	38	37	—	4	194	448	15	28	139	414
80 and upwards	4	450	158	128	324	215	31	36	2	2	149	376	16	31	100	333

Causes of Death.	52 (3) Gout.		53 Scurvy.		54 Pellagra.		55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.		58 (*b*) Other anæmias and chlorosis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	253	49	11	8	—	1	252	164	2306	3322	936	1307	807	1148	129	159
0—1	—	—	4	4	—	—	116	59	1	—	10	7	1	2	9	5
1—5	—	—	1	4	—	—	127	95	7	7	18	15	6	4	12	11
5—10	—	—	—	—	—	—	5	8	18	13	13	13	7	4	6	9
10—15	—	—	—	—	—	—	2	1	32	36	11	10	5	5	6	5
15—20	—	—	1	—	—	—	—	—	50	40	7	19	1	13	6	6
20—25	—	—	—	—	—	—	—	—	38	37	20	21	12	17	8	4
25—30	—	—	—	—	—	—	—	—	50	44	20	23	8	19	12	4
30—35	—	—	—	—	—	—	—	—	53	57	27	32	17	29	10	3
35—40	—	—	—	—	—	—	1	—	76	60	25	49	21	43	4	6
40—45	—	—	—	—	—	—	—	—	77	92	35	76	29	63	6	13
45—50	7	—	—	—	—	—	1	—	84	118	41	92	39	79	2	13
50—55	11	2	1	—	—	—	—	1	156	226	84	142	76	120	8	22
55—60	21	6	1	—	—	—	—	—	231	378	124	167	110	150	14	17
60—65	37	4	1	—	—	—	—	—	331	534	139	183	132	173	7	10
65—70	55	11	2	—	—	—	—	—	396	577	153	170	147	159	6	11
70—75	49	8	—	—	—	—	—	—	361	535	121	175	116	165	5	10
75—80	40	6	—	—	—	1	—	—	233	354	61	81	57	72	4	9
80 and upwards	33	12	—	—	—	—	—	—	112	214	27	32	23	31	4	1

* **55** Beri-beri 20.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	59 Diseases of the pituitary gland.		60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) (1) Myxœdema.		60 (*b*) (2) Cretinism.		60 (*b*) (3) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	14	25	179	1256	128	936	15	210	22	22	14	88	17	14	16	13
0—1	—	1	7	6	—	—	—	—	7	6	—	—	13	7	13	7
1—5	—	—	8	5	—	—	—	—	8	5	—	—	2	3	2	2
5—10	—	1	1	2	—	—	—	1	1	1	—	—	1	—	1	—
10—15	1	—	2	4	1	2	—	—	—	2	1	—	—	—	—	—
15—20	1	—	4	31	3	27	—	1	—	—	1	3	—	1	—	1
20—25	1	—	10	61	5	51	3	—	2	5	—	5	—	—	—	—
25—30	1	2	11	44	10	43	—	—	—	1	1	—	—	—	—	—
30—35	2	2	11	64	8	6[illegible]	1	—	2	—	—	—	—	1	—	1
35—40	—	1	12	86	12	78	—	6	—	—	—	2	—	—	—	—
40—45	5	—	25	91	20	79	2	5	1	—	2	7	—	—	—	—
45—50	1	—	21	143	18	120	1	16	1	1	1	6	1	—	—	—
50—55	—	2	14	178	13	143	—	27	—	1	1	7	—	—	—	—
55—60	1	2	18	162	16	125	2	28	—	—	—	9	—	—	—	—
60—65	1	8	19	141	15	96	1	29	—	—	3	16	—	1	—	1
65—70	—	2	8	104	5	60	3	34	—	—	—	10	—	—	—	—
70—75	—	1	4	72	1	25	2	34	—	—	1	13	—	1	—	1
75—80	—	2	2	42	—	21	—	16	—	—	2	5	—	—	—	—
80 and upwards	—	1	2	20	1	2	—	13	—	—	1	5	—	—	—	—

Causes of Death.	61 (2)* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymph-adenoma.		65 (*a*) Leukæmia.		65 (*b*) Lymph-adenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	116	86	101	149	11	16	670	497	357	335	313	162	85	49	42	1
0—1	75	46	—	1	1	—	3	3	3	3	—	—	—	—	—	—
1—5	18	13	—	—	1	—	31	23	27	23	4	—	—	—	—	—
5—10	12	10	—	—	—	—	39	19	22	16	17	3	—	—	—	—
10—15	5	3	3	—	—	1	26	19	15	17	11	2	—	—	—	—
15—20	1	5	1	3	—	—	30	25	15	14	15	11	1	—	—	—
20—25	1	5	5	8	—	—	46	25	18	13	28	12	1	—	—	—
25—30	2	1	7	4	—	1	48	22	21	15	27	7	3	—	—	—
30—35	—	—	8	14	—	4	31	28	15	13	16	15	2	3	1	—
35—40	1	—	6	17	—	1	37	40	16	25	21	15	6	2	2	—
40—45	—	—	6	14	1	—	44	38	16	26	28	7	14	7	—	—
45—50	1	—	11	17	—	—	56	42	32	36	24	6	11	4	2	—
50—55	—	1	19	18	3	—	61	39	37	28	24	11	14	12	8	1
55—60	—	—	15	13	1	2	60	45	30	26	30	19	10	6	13	—
60—65	—	1	9	18	2	4	55	60	37	36	18	24	9	4	7	—
65—70	—	—	6	13	—	—	57	32	29	22	28	10	9	6	7	—
70—75	—	—	3	6	1	2	26	25	12	14	14	11	3	3	2	—
75—80	—	—	1	2	1	1	16	12	9	6	7	6	—	2	—	—
80 and upwards	—	—	1	1	—	—	4	5	3	2	1	3	2	—	—	—

*61. (2) Other diseases of the parathyroid glands 45, *1*.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	67 (1) Occupational lead poisoning		67 (2) Other chronic poisoning by mineral substances.		68 Chronic poisoning by organic substances.		69 Other general diseases.		69 (1) Purpura.		69 (2) Hæmophilia.		69 (3) Other diseases included under 69.		III. 70–86 Diseases of the nervous system and sense organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	40	1	2	—	10	3	287	354	136	159	67	33	84	162	21266	22474
0—1	—	—	—	—	—	—	86	61	39	26	30	25	17	10	1350	944
1—5	—	—	—	—	—	—	28	22	12	12	6	1	10	9	562	524
5—10	—	—	—	—	—	—	21	15	13	9	6	1	2	5	368	290
10—15	—	—	—	—	—	—	10	11	7	9	3	—	—	2	257	251
15—20	—	—	—	—	—	1	10	10	8	9	1	—	1	1	305	256
20—25	—	—	—	—	—	—	9	10	5	9	3	1	1	—	322	216
25—30	—	—	—	—	—	—	8	11	3	8	5	2	—	1	316	245
30—35	1	—	—	—	1	—	3	7	1	6	2	1	—	—	380	324
35—40	1	—	1	—	—	—	12	17	6	9	4	—	2	8	494	423
40—45	—	—	—	—	2	1	14	17	7	13	3	—	4	4	686	576
45—50	2	—	—	—	1	—	5	18	2	6	1	1	2	11	929	921
50—55	8	1	—	—	—	1	11	25	4	10	1	—	6	15	1282	1332
55—60	12	—	1	—	1	—	14	35	6	9	—	1	8	25	1723	1670
60—65	7	—	—	—	3	—	15	33	6	10	—	—	9	23	2298	2194
65—70	7	—	—	—	—	—	21	22	9	3	1	—	11	19	2733	2728
70—75	2	—	—	—	1	—	9	19	4	4	—	—	5	15	2860	3180
75—80	—	—	—	—	1	—	7	19	2	7	1	—	4	12	2449	3106
80 and upwards	—	—	—	—	—	—	4	2	2	—	—	—	2	2	1952	3294

Causes of Death.	70 Encephalitis.		70 (1) Cerebral abscess.		70 (2) Other diseases included under 70.		71 Meningitis.		72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy, etc.		74 (*a*) (1) Cerebral hæmorrhage so returned.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	170	136	110	64	60	72	735	596	744	138	764	634	11101	14114	8712	10917
0—1	6	6	4	3	2	3	173	118	—	—	—	—	1	1	1	1
1—5	12	18	3	5	9	13	183	160	—	—	1	—	1	4	1	1
5—10	20	16	14	12	6	4	94	79	—	—	2	4	2	—	2	—
10—15	11	11	7	6	4	5	48	50	—	—	10	7	3	5	3	4
15—20	10	10	8	4	2	6	42	34	—	—	16	10	7	3	7	3
20—25	15	4	10	3	5	1	35	19	—	—	18	12	13	8	11	3
25—30	20	10	16	6	4	4	20	20	1	—	9	17	19	19	19	14
30—35	10	6	8	2	2	4	16	11	6	1	19	23	47	46	39	33
35—40	12	4	8	1	4	3	20	20	19	6	24	22	61	79	47	65
40—45	8	7	7	6	1	1	20	19	42	5	32	34	141	180	107	144
45—50	10	6	5	3	5	3	13	18	74	21	51	47	312	395	252	312
50—55	10	9	7	3	3	6	14	13	109	15	79	74	518	761	417	639
55—60	10	11	5	5	5	6	19	11	147	21	107	79	854	1042	706	850
60—65	8	8	3	2	5	6	15	6	151	30	129	83	1433	1570	1186	1240
65—70	3	3	2	—	1	3	17	7	100	16	113	80	1900	2052	1518	1645
70—75	2	3	1	1	1	2	3	4	58	14	82	58	2167	2560	1702	2001
75—80	2	1	1	1	1	—	3	5	30	6	43	55	1989	2563	1504	1951
80 and upwards	1	3	1	1	—	2	—	2	7	3	29	29	1633	2826	1190	2011

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (TOTAL DEATHS REGISTERED).

Causes of Death.	74 (*a*) (2) Apoplexy, lesion unstated.		74 (*b*) (1) Cerebral embolism.		74 (*b*) (2) Cerebral thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.		76 General paralysis of the insane.		77 Other forms of insanity.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	671	812	214	299	1504	2086	687	886	610	793	77	93	988	264	530	766
0—1	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
1—5	—	2	—	—	—	1	2	1	2	—	—	1	—	—	—	—
5—10	—	—	—	—	—	—	3	2	—	—	3	2	—	—	1	—
10—15	—	—	—	—	—	1	1	1	—	1	1	—	5	3	—	—
15—20	—	—	—	—	—	—	4	2	1	—	3	2	2	4	5	13
20—25	1	2	—	3	1	—	3	1	2	—	1	1	6	5	12	12
25—30	—	1	—	2	—	2	2	2	—	2	2	—	10	7	23	19
30—35	2	2	2	4	4	7	4	3	1	2	3	1	52	19	23	31
35—40	4	3	3	2	7	9	2	4	1	3	1	1	125	36	18	33
40—45	6	7	9	6	19	23	8	6	7	4	1	2	170	30	32	49
45—50	22	24	11	15	27	44	11	18	7	14	4	4	192	44	34	99
50—55	20	33	16	18	65	71	28	29	21	21	7	8	171	40	69	123
55—60	54	73	7	19	87	100	44	49	38	46	6	3	129	38	96	118
60—65	53	94	21	33	173	203	79	76	72	69	7	7	64	13	90	104
65—70	112	103	39	32	231	272	117	130	111	120	6	10	38	18	75	90
70—75	135	156	42	50	288	353	135	166	125	151	10	15	14	4	32	44
75—80	153	143	32	58	300	411	134	206	122	188	12	18	6	1	10	15
80 and upwards	109	169	32	57	302	589	108	190	98	172	10	18	4	2	10	16

Causes of Death.	78 Epilepsy.		79 & 80 Convulsions (non-puerperal)		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.		84 (1) Idiocy, imbecility.		84 (2) Cerebral tumour.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1128	1068	1177	848	22	79	69	131	178	206	2081	1969	215	195	626	613
0—1	15	10	1009	693	—	—	1	—	—	—	47	50	39	40	3	4
1—5	24	28	149	144	—	1	1	1	1	—	86	76	56	55	17	9
5—10	47	24	6	3	8	14	—	—	—	—	72	48	35	27	30	18
10—15	49	42	5	1	6	24	1	1	—	—	45	28	14	7	22	14
15—20	88	55	1	—	4	21	1	—	—	—	42	46	22	16	13	21
20—25	83	57	2	—	2	10	1	2	—	—	50	52	13	10	29	27
25—30	105	75	—	—	1	4	—	1	—	—	55	47	6	6	33	26
30—35	89	77	—	—	—	—	—	4	1	1	63	71	5	5	41	41
35—40	73	76	2	1	—	2	—	5	1	1	92	116	5	9	50	51
40—45	74	82	—	1	—	2	1	7	1	4	119	133	2	4	64	67
45—50	72	96	—	1	—	1	3	10	2	—	127	146	7	5	70	73
50—55	73	68	—	—	—	—	12	11	7	3	164	169	5	1	78	89
55—60	85	78	1	1	1	—	11	17	17	12	176	172	3	2	67	68
60—65	63	84	1	—	—	—	15	17	19	24	215	172	3	2	48	45
65—70	76	71	1	1	—	—	6	21	27	27	242	195	—	4	30	32
70—75	53	79	—	2	—	—	9	13	32	35	251	180	—	—	22	12
75—80	31	38	—	—	—	—	4	10	32	38	155	160	—	2	8	14
80 and upwards	28	28	—	—	—	—	3	11	38	61	80	108	—	—	1	2

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	84 (3) Disseminated sclerosis.		84 (4) Paralysis agitans.		84 (5) Other diseases included under 84.		85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		86 (1) Diseases of the mastoid sinus.		86 (2) Diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	376	448	699	547	165	166	52	49	840	590	265	214	575	376
0—1	—	—	—	—	5	6	7	4	89	62	31	19	58	43
1—5	—	—	—	—	13	12	3	4	99	87	30	31	69	56
5—10	1	—	—	—	6	3	4	3	109	97	39	38	70	59
10—15	1	1	—	—	8	6	1	—	72	78	27	36	45	42
15—20	1	3	—	—	6	6	2	3	81	55	33	25	48	30
20—25	4	13	—	—	4	2	2	—	80	34	27	18	53	16
25—30	15	12	—	—	1	3	—	—	51	24	15	6	36	18
30—35	14	22	1	1	2	2	1	1	49	30	13	7	36	23
35—40	32	53	1	1	4	2	2	2	43	16	15	4	28	12
40—45	42	50	1	2	10	10	—	1	38	16	11	4	27	12
45—50	33	58	8	3	9	7	2	1	26	18	4	5	22	13
50—55	41	60	23	14	17	5	—	—	28	17	5	7	23	10
55—60	45	54	45	30	16	18	—	3	26	18	5	5	21	13
60—65	57	48	89	63	18	14	3	3	13	4	3	2	10	2
65—70	53	42	139	98	20	19	6	5	12	12	2	2	10	10
70—75	23	19	192	130	14	19	5	7	17	11	4	5	13	6
75—80	9	5	130	127	8	12	5	2	5	6	1	—	4	6
80 and upwards	5	8	70	78	4	20	9	10	2	5	—	—	2	5

Causes of Death.	IV. 87–96 Diseases of the circulatory system.		87–90 Heart diseases.		87 Pericarditis.		88 Acute endocarditis and myocarditis.		88 (1) Infective endocarditis.		88 (2) Other acute endocarditis.		88 (3) Acute myocarditis.		89 Angina pectoris.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	57790	62225	45018	51449	180	111	918	1037	477	528	180	259	261	250	3376	1431
0—1	19	16	7	2	7	2	—	—	—	—	—	—	—	—	—	—
1—5	45	35	28	23	8	8	14	8	6	2	8	5	—	1	—	—
5—10	138	163	132	158	9	7	26	43	6	12	15	27	5	4	—	—
10—15	256	312	250	308	8	8	41	71	20	37	18	29	3	5	—	—
15—20	344	455	337	447	8	7	65	94	35	54	23	27	7	13	2	—
20—25	363	467	352	458	10	2	85	101	54	61	15	28	16	12	1	—
25—30	374	525	362	514	7	6	81	116	53	72	16	28	12	16	3	3
30—35	446	620	425	598	7	7	84	101	45	42	14	29	25	30	13	3
35—40	651	823	606	791	7	6	107	128	40	50	23	30	44	48	52	6
40—45	1171	1187	1038	1124	9	7	175	154	48	41	25	34	102	79	91	24
45—50	1909	1785	1635	1619	14	5	65	46	53	39	5	2	7	5	170	36
50—55	3110	2671	2641	2337	11	7	36	44	31	38	2	4	3	2	314	76
55—60	4703	3823	3763	3277	11	7	39	36	26	25	6	5	7	6	449	113
60—65	6724	5871	5358	4975	17	8	44	33	32	24	5	3	7	6	570	189
65—70	9192	8360	7187	6963	19	6	25	29	16	17	3	5	6	7	673	281
70—75	10521	10371	7894	8487	18	9	16	12	8	5	2	2	6	5	553	303
75—80	9172	10919	6747	8738	7	6	10	14	3	7	—	1	7	6	303	205
80 and upwards	8652	13822	6256	10630	3	3	5	7	1	2	—	—	4	5	182	192

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	90 Other diseases of the heart.		90 (1) Aortic valve disease.		90 (2) Mitral valve disease.		90 (3) Aortic and mitral valve disease.		90 (4) Other or unspecified valve disease.		90 (5) Fatty heart.		90 (6) Cardiac dilatation, cause unspecified.		90 (7) Other or unspecified myocardial disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	40544	48870	2390	1075	4212	7145	723	612	5551	7089	1343	1837	195	175	22029	25539
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	6	7	—	—	2	1	—	—	1	4	—	—	1	—	—	1
5—10	97	108	2	2	34	48	5	7	47	36	—	1	—	—	2	2
10—15	201	229	6	2	77	99	18	16	76	88	—	—	—	—	6	5
15—20	262	346	18	9	102	158	23	23	94	120	5	1	1	—	8	12
20—25	256	355	26	11	92	163	19	22	73	113	6	3	3	—	18	15
25—30	271	389	23	5	102	204	22	19	71	106	5	5	1	1	22	19
30—35	321	487	39	20	113	215	15	18	84	118	10	12	4	—	21	46
35—40	440	651	54	23	130	274	17	20	102	161	22	23	6	—	79	76
40—45	763	939	96	22	160	323	36	24	188	234	34	52	5	4	157	163
45—50	1386	1532	130	46	217	379	55	38	269	352	76	95	5	3	500	439
50—55	2280	2210	208	85	302	468	71	34	420	447	155	162	19	11	885	731
55—60	3264	3121	305	87	392	601	78	43	540	555	161	192	15	9	1420	1217
60—65	4727	4745	364	133	481	779	86	72	713	788	228	246	25	20	2340	2168
65—70	6470	6647	392	144	620	929	91	79	897	996	226	373	35	28	3514	3288
70—75	7307	8163	330	166	630	918	77	70	905	1143	199	293	22	24	4376	4583
75—80	6427	8513	252	171	423	836	69	69	624	952	123	213	24	34	4230	5340
80 and upwards	6066	10428	145	149	335	750	41	58	447	876	93	166	29	41	4451	7434

Causes of Death.	90 (8) Disordered action of the heart.		90 (9) Heart disease (undefined).		91 Diseases of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) (1) With record of cerebral vascular lesion.		91 (*b*) (2) Without record of cerebral vascular lesion.		91 (*c*) Other diseases of the arteries.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	774	1392	3327	4006	12317	10114	947	305	11265	9722	5448	5099	5817	4623	105	87
0—1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
1—5	—	—	2	1	1	—	1	—	—	—	—	—	—	—	—	—
5—10	1	1	6	11	1	1	1	—	—	—	—	—	—	—	—	1
10—15	1	1	17	18	2	3	2	2	—	1	—	—	—	1	—	—
15—20	4	7	7	16	7	6	5	6	—	—	—	—	—	—	2	—
20—25	4	10	15	18	7	5	5	3	1	2	1	1	—	1	1	—
25—30	6	4	19	26	7	2	6	2	1	—	—	—	1	—	—	—
30—35	10	18	25	40	15	7	14	3	—	4	—	3	—	1	1	—
35—40	8	25	22	49	33	16	14	8	15	8	9	6	6	2	4	—
40—45	21	44	66	73	114	42	58	12	50	28	30	19	20	9	6	2
45—50	24	59	110	121	245	133	99	31	140	100	89	73	51	27	6	2
50—55	53	82	167	190	431	274	148	31	281	241	187	185	94	56	2	2
55—60	74	110	279	307	876	472	194	41	668	428	428	330	240	98	14	3
60—65	79	146	411	393	1302	799	157	34	1138	754	680	524	458	230	7	11
65—70	118	222	577	588	1945	1297	114	47	1816	1242	995	785	821	457	15	8
70—75	147	245	621	721	2568	1806	74	38	2476	1750	1233	1011	1243	739	18	18
75—80	133	203	549	695	2386	2118	44	30	2329	2073	990	987	1339	1086	13	15
80 and upwards	91	215	434	739	2376	3133	10	17	2350	3091	806	1175	1544	1916	16	25

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		97 (1) Diseases of the nose.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	146	184	183	341	44	55	15	12	67	70	44732	38619	128	99	22	25
0—1	1	1	—	—	8	11	2	2	—	—	6623	4767	10	10	9	6
1—5	1	1	—	1	14	10	1	—	—	—	5405	4723	4	4	2	2
5—10	1	1	—	—	4	2	—	—	—	1	706	600	4	7	—	1
10—15	2	1	1	—	1	—	—	—	—	—	248	209	10	3	—	—
15—20	—	1	—	1	—	—	—	—	—	—	433	282	12	11	3	1
20—25	3	2	1	1	—	1	—	—	—	—	593	324	17	5	1	2
25—30	1	1	2	4	1	2	1	2	—	—	605	364	3	8	—	—
30—35	—	7	4	6	2	1	—	1	—	—	738	472	7	3	—	1
35—40	9	8	—	8	3	—	—	—	—	—	1089	660	7	9	—	2
40—45	7	11	12	7	—	3	—	—	—	—	1720	778	12	3	1	1
45—50	14	11	11	18	—	2	—	—	4	2	2240	985	10	8	1	—
50—55	10	22	22	28	2	3	—	1	4	6	2780	1217	11	6	1	2
55—60	14	21	35	47	1	3	2	1	12	2	2902	1663	8	9	2	1
60—65	21	20	29	64	4	2	2	2	8	9	3164	2343	6	4	—	1
65—70	21	21	19	60	1	3	4	1	15	15	3754	3200	4	5	—	1
70—75	20	16	23	43	2	6	2	2	12	11	4078	4299	1	2	—	2
75—80	16	22	16	29	—	1	1	—	6	11	3744	4717	—	1	—	1
80 and upwards	5	17	8	24	1	5	—	—	6	13	3910	7016	2	1	2	1

Causes of Death.	97 (2) Diseases of the accessory nasal sinuses.		98 Diseases of the larynx.		98 (1) Laryngismus stridulus.		98 (2) Laryngitis.		98 (3) Other diseases of the larynx.		99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	106	74	188	138	29	18	159	116	—	4	16223	17155	3570	4713	5954	4618
0—1	1	4	37	29	11	6	26	23	—	—	1545	1180	701	539	8	10
1—5	2	2	69	50	13	9	56	41	—	—	559	477	264	238	13	17
5—10	4	6	31	15	5	3	26	12	—	—	48	59	20	24	6	10
10—15	10	3	5	3	—	—	5	3	—	—	19	15	3	4	9	6
15—20	9	10	2	2	—	—	2	2	—	—	28	23	8	6	14	12
20—25	16	3	2	4	—	—	2	3	—	1	43	34	9	5	25	18
25—30	3	8	1	—	—	—	1	—	—	—	57	30	8	12	34	11
30—35	7	2	—	5	—	—	—	4	—	1	96	51	20	17	51	24
35—40	7	7	1	5	—	—	1	4	—	1	182	90	37	21	91	28
40—45	11	2	3	3	—	—	3	3	—	—	348	117	72	31	181	50
45—50	9	8	6	2	—	—	6	2	—	—	569	245	81	75	313	93
50—55	10	4	3	2	—	—	3	1	—	1	816	420	134	104	428	177
55—60	6	8	2	2	—	—	2	2	—	—	989	646	167	149	491	231
60—65	6	3	5	3	—	—	5	3	—	—	1289	1064	229	298	645	393
65—70	4	4	2	2	—	—	2	2	—	—	1886	1666	341	452	887	586
70—75	1	—	6	3	—	—	6	3	—	—	2393	2618	454	653	965	890
75—80	—	—	8	3	—	—	8	3	—	—	2478	3152	483	857	930	914
80 and upwards	—	—	5	5	—	—	5	5	—	—	2878	5268	539	1228	863	1148

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).		101 (*a*) Pneumonia, lobar.		101 (*b*) Pneumonia, not otherwise defined.		102 Pleurisy.		102 (1) Empyema.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6699	7824	25081	18765	12961	11419	12120	7346	8421	4869	3699	2477	806	494	354	159
0—1	836	631	4972	3505	4268	3030	704	475	294	208	410	267	17	12	12	4
1—5	282	222	4673	4118	3771	3434	902	684	476	338	426	346	64	55	51	46
5—10	22	25	580	498	286	294	294	204	180	130	114	74	29	12	21	7
10—15	7	5	196	177	56	60	140	117	97	84	43	33	10	8	8	7
15—20	6	5	355	218	58	61	297	157	227	117	70	40	22	14	18	8
20—25	9	11	474	243	69	59	405	184	339	148	66	36	38	18	31	7
25—30	15	7	505	287	85	69	420	218	316	163	104	55	15	17	8	6
30—35	25	10	566	360	79	84	487	276	386	209	101	67	35	23	18	8
35—40	54	41	796	482	144	97	652	385	498	295	154	90	34	24	20	14
40—45	95	36	1182	538	236	158	946	380	713	288	233	92	52	31	29	9
45—50	175	77	1395	608	339	198	1056	410	803	308	253	102	64	27	35	5
50—55	254	139	1637	653	447	228	1190	425	876	330	314	95	82	31	34	7
55—60	331	266	1554	837	415	321	1139	516	842	375	297	141	95	25	27	5
60—65	415	373	1527	1050	502	454	1025	596	768	414	257	182	71	32	19	8
65—70	658	628	1531	1252	566	581	965	671	680	454	285	217	58	55	8	9
70—75	974	1075	1357	1380	632	737	725	643	479	415	246	228	61	32	10	3
75—80	1065	1381	1014	1256	567	711	447	545	277	324	170	221	36	38	4	2
80 and upwards	1476	2892	767	1303	441	843	326	460	170	269	156	191	23	40	1	4

Causes of Death.	102 (2) Other pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.		107 (*b*) Diseases of the mediastinum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.
All Ages	452	335	511	734	20	9	1429	1128	54	10	292	87	222	60	5	4
0—1	5	8	30	26	—	—	10	2	—	—	2	3	—	—	—	—
1—5	13	9	14	9	—	—	18	7	—	—	4	3	3	1	—	—
5—10	8	5	5	—	—	—	8	6	—	—	1	3	—	—	—	1
10—15	2	1	3	—	—	—	2	3	1	—	2	—	1	—	—	—
15—20	4	6	1	5	1	—	8	3	—	—	4	6	2	3	—	—
20—25	7	11	2	3	1	1	11	14	—	—	5	2	1	2	1	—
25—30	7	11	1	4	—	—	15	15	—	—	8	3	4	1	—	1
30—35	17	15	3	2	2	—	20	25	1	—	8	3	6	1	—	1
35—40	14	10	5	2	1	2	44	42	2	1	17	3	12	—	—	1
40—45	23	22	8	5	2	1	85	74	5	—	23	6	19	4	1	—
45—50	29	22	11	7	2	1	140	81	3	—	40	6	31	5	—	—
50—55	48	24	12	8	1	—	164	89	5	1	49	7	39	5	—	—
55—60	68	20	21	7	4	1	176	124	6	2	47	10	43	9	—	—
60—65	52	24	12	31	1	1	217	152	4	—	32	6	24	5	2	—
65—70	50	46	31	47	3	1	202	160	9	—	28	12	21	11	1	—
70—75	51	29	87	106	1	1	152	150	8	2	12	5	8	5	—	—
75—80	32	36	102	144	1	—	93	116	4	2	8	5	7	5	—	—
80 and upwards	22	36	163	328	—	—	64	65	6	2	2	4	1	3	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (TOTAL DEATHS REGISTERED).

Causes of Death.	107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2) Ludwig's angina.		108 (3) Other diseases included under 108.		109 Diseases of the pharynx and tonsils.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	65	23	15200	12486	359	282	262	194	61	51	36	37	552	616
0—1	2	3	3289	2187	30	18	15	11	10	7	5	—	27	18
1—5	1	2	941	768	22	18	14	13	7	4	1	1	93	62
5—10	1	2	363	406	7	5	4	2	2	3	1	—	91	84
10—15	1	—	216	157	3	4	2	3	1	1	—	—	25	37
15—20	2	3	314	187	4	3	3	3	1	—	—	—	22	30
20—25	3	—	315	229	11	7	9	7	2	—	—	—	23	28
25—30	4	1	358	244	22	17	18	13	4	3	—	1	25	21
30—35	2	1	373	297	18	9	12	5	5	3	1	1	25	15
35—40	5	2	516	350	17	19	11	16	4	2	2	1	28	22
40—45	3	2	700	458	19	18	19	16	—	1	—	1	20	29
45—50	9	1	1008	665	19	20	16	17	2	3	1	—	26	47
50—55	10	2	1139	823	31	26	24	17	4	6	3	3	34	47
55—60	4	1	1165	875	32	26	25	23	5	3	2	—	34	39
60—65	6	1	1227	1030	34	21	31	15	3	4	—	2	23	45
65—70	6	1	1136	1085	34	17	27	9	5	5	2	3	24	31
70—75	4	—	950	1006	22	22	15	10	3	5	4	7	15	32
75—80	1	—	672	845	15	13	9	7	2	1	4	5	11	15
80 and upwards	1	1	518	874	19	19	8	7	1	—	10	12	6	14

Causes of Death.	109 (1) Tonsillitis, etc., adenoid vegetations.		109 (2) Other diseases included under 109.		110 Diseases of the œsophagus.		111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		112 (1) Inflammation of the stomach.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	436	511	116	105	27	19	3053	1028	1974	867	1079	161	661	746	551	655
0—1	18	12	9	6	—	—	3	6	2	3	1	3	172	107	157	96
1—5	78	51	15	11	—	1	4	1	2	1	2	—	31	34	30	31
5—10	81	72	10	12	—	—	—	3	—	3	—	—	13	14	12	14
10—15	22	33	3	4	—	—	1	—	1	—	—	—	6	6	4	6
15—20	18	27	4	3	—	—	27	5	19	5	8	—	9	4	6	4
20—25	22	24	1	4	1	—	44	18	24	17	20	1	3	2	3	1
25—30	19	19	6	2	—	1	91	22	53	15	38	7	6	6	4	4
30—35	21	14	4	1	—	—	149	41	80	36	69	5	9	9	5	6
35—40	18	18	10	4	2	1	235	38	150	35	85	3	8	5	4	3
40—45	15	26	5	3	1	1	333	80	202	70	131	10	14	10	6	8
45—50	20	37	6	10	—	2	470	116	312	96	158	20	23	13	18	11
50—55	21	38	13	9	2	1	443	126	307	104	136	22	40	18	28	14
55—60	27	32	7	7	1	—	365	121	226	101	139	20	43	46	37	36
60—65	19	37	4	8	3	1	330	131	235	116	95	15	55	50	45	42
65—70	17	28	7	3	3	2	265	118	172	100	93	18	53	89	40	72
70—75	10	20	5	12	4	2	166	83	105	69	61	14	66	94	54	83
75—80	7	15	4	—	4	4	89	63	57	50	32	13	58	110	50	102
80 and upwards	3	8	3	6	6	3	38	56	27	46	11	10	52	129	48	122

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	112 (2) Other diseases included under 112.		113 & 114 Diarrhœa and enteritis.		113 & 114 (1) Ulceration of the intestines.		113 & 114 (2) Colitis.		113 & 114 (3) Other diseases included under 113 & 114.		115* 116 Diseases due to other intestinal parasites.		116 (*a*) Cestodes (hydatids of the liver excepted).		116 (*b,d,e,f*)* 116 (*c*) Nematodes. Other than Ankylo. stoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	110	91	3841	3228	127	193	184	198	3530	2837	14	9	6	4	6	2
0—1	15	11	2724	1873	4	4	69	40	2651	1829	—	—	—	—	—	—
1—5	1	3	545	500	2	3	17	12	526	485	7	3	—	—	5	1
5—10	1	—	49	73	—	2	3	4	46	67	—	2	—	—	—	1
10—15	2	—	15	12	—	1	—	—	15	11	1	—	1	—	—	—
15—20	3	—	12	15	2	9	3	1	7	5	—	—	—	—	—	—
20—25	—	1	20	33	10	23	3	4	7	6	—	—	—	—	—	—
25—30	2	2	16	34	9	17	3	6	4	11	1	—	1	—	—	—
30—35	4	3	10	39	4	23	2	6	4	10	1	1	1	1	—	—
35—40	4	2	19	28	7	15	4	2	8	11	1	—	1	—	—	—
40—45	8	2	27	40	14	21	4	5	9	14	2	—	1	—	1	—
45—50	5	2	34	46	16	18	3	10	15	18	—	—	—	—	—	—
50—55	12	4	39	50	18	17	8	10	13	23	—	1	—	1	—	—
55—60	6	10	45	48	13	11	7	13	25	21	1	—	1	—	—	—
60—65	10	8	40	47	6	7	9	14	25	26	—	1	—	1	—	—
65—70	13	17	64	74	10	9	11	21	43	44	—	1	—	1	—	—
70—75	12	11	62	94	10	7	12	16	40	71	—	—	—	—	—	—
75—80	8	8	59	90	—	3	12	15	47	72	—	—	—	—	—	—
80 and upwards	4	7	61	132	2	3	14	19	45	110	—	—	—	—	—	—

*115. Ankylostomiasis 25; 116 (*b*). Trematodes—; 116 (*d*). Coccidia —:
116 (*e*). Other parasites —; 116 (*f*). Undefined parasites 1, 1, *1*, *1*, *5*.

Causes of Death.	117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.		118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119		120 Acute yellow atrophy of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1657	1169	2506	2262	1090	1039	1416	1223	300	284	69	96	231	188	12	62
0—1	4	4	293	139	74	19	219	120	17	9	12	7	5	2	—	—
1—5	100	54	110	56	24	8	86	48	6	3	4	1	2	2	2	2
5—10	142	105	43	28	2	2	41	26	5	1	2	—	3	1	2	1
10—15	114	70	42	16	4	—	38	16	3	1	1	1	2	—	—	—
15—20	159	98	57	17	4	1	53	16	6	1	—	—	6	1	1	4
20—25	140	74	54	29	8	5	46	24	2	5	2	1	—	4	2	8
25—30	123	58	46	40	9	2	37	38	6	6	3	2	3	4	1	15
30—35	76	52	49	49	8	12	41	37	5	11	—	3	5	8	—	13
35—40	81	73	59	54	17	10	42	44	12	10	2	3	10	7	—	6
40—45	89	74	74	85	20	27	54	58	14	10	2	4	12	6	1	2
45—50	113	85	121	132	41	48	80	84	14	23	2	4	12	19	1	3
50—55	104	98	158	153	69	76	89	77	29	16	2	2	27	14	1	1
55—60	112	79	177	190	88	117	89	73	31	27	4	7	27	20	—	4
60—65	109	71	230	248	102	149	128	99	39	33	7	5	32	28	1	1
65—70	81	73	277	275	168	167	109	108	39	31	3	9	36	22	—	2
70—75	65	52	256	257	151	147	105	110	33	28	7	10	26	18	—	—
75—80	34	26	241	253	158	135	83	118	26	30	8	11	18	19	—	—
80 and upwards	11	23	219	241	143	114	76	127	13	39	8	26	5	13	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (TOTAL DEATHS REGISTERED).

Causes of Death.	121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	10	1174	604	175	83	999	521	321	889	390	785	196	262	129	231
0—1	—	—	1	—	—	—	1	—	—	—	4	—	—	1	14	12
1—5	—	—	—	1	—	—	—	1	—	—	9	4	—	—	12	29
5—10	—	—	—	2	—	—	—	2	—	—	4	4	—	2	7	82
10—15	—	—	2	1	—	—	2	1	—	—	2	4	1	—	1	6
15—20	1	—	1	4	—	—	1	4	—	—	2	—	7	1	6	5
20—25	—	—	1	2	—	—	1	2	1	2	6	5	4	7	3	9
25—30	—	—	2	3	—	1	2	2	—	6	6	6	7	5	5	4
30—35	—	3	11	7	2	1	9	6	2	12	6	11	7	12	5	13
35—40	1	1	19	22	3	6	16	16	7	12	8	24	10	22	9	13
40—45	1	3	52	33	12	5	40	28	14	23	15	27	15	11	9	12
45—50	—	—	121	44	22	7	99	37	15	57	32	45	12	25	7	7
50—55	—	—	165	87	31	16	134	71	24	98	33	59	26	37	10	5
55—60	2	—	191	93	32	16	159	77	44	98	52	57	25	41	10	6
60—65	1	1	207	95	26	11	181	84	59	139	59	102	22	34	15	10
65—70	—	1	169	88	25	5	144	83	54	127	37	124	30	27	6	5
70—75	1	1	137	65	13	11	124	54	52	126	47	124	22	20	2	6
75—80	—	—	69	34	4	3	65	31	26	101	32	91	5	10	3	5
80 and upwards	—	—	26	23	5	1	21	22	23	88	36	98	3	7	5	2

* **127.** Other diseases of the digestive system —.

Causes of Death.	VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		133 (1) Cystitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	13363	9753	563	602	7311	7036	339	451	308	149	541	368	514	356
0—1	81	50	25	18	3	1	20	23	—	—	—	1	—	1
1—5	66	81	37	57	11	7	8	13	1	1	1	2	1	2
5—10	66	67	39	43	20	18	3	3	2	—	2	1	2	1
10—15	65	97	18	29	43	60	3	6	1	1	—	—	—	—
15—20	126	134	39	39	72	76	8	8	4	—	2	—	1	—
20—25	136	196	28	32	94	112	4	8	6	4	1	3	1	3
25—30	154	248	25	24	91	121	15	24	16	9	5	3	4	3
30—35	175	308	26	34	115	146	15	24	11	12	3	5	3	5
35—40	254	390	38	38	165	188	15	26	14	9	8	5	6	4
40—45	341	506	38	42	238	280	22	23	15	13	9	7	9	6
45—50	544	668	45	36	397	403	23	23	24	15	14	8	12	7
50—55	876	800	43	33	647	584	26	43	37	11	17	18	17	17
55—60	1177	977	40	49	801	756	44	40	37	29	40	27	38	24
60—65	1552	1062	39	48	945	860	27	55	35	10	43	25	41	23
65—70	1990	1198	35	36	1084	1003	35	39	36	11	75	40	72	39
70—75	2199	1172	26	22	1092	982	27	37	34	8	94	57	90	57
75—80	1963	969	12	15	884	800	29	29	26	8	107	64	105	63
80 and upwards	1598	830	10	7	609	639	15	27	9	8	120	102	112	101

* **130.** Chyluria, 45, 55.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	133 (2) Other diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27	12	461	14	433	1	28	13	3760	—	76	—	—	312	—	233
0—1	—	—	1	—	—	—	1	—	—	—	30	—	—	—	—	1
1—5	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	1
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
15—20	1	—	1	—	1	—	—	—	—	—	—	—	—	1	—	3
20—25	—	—	3	—	1	—	2	—	—	—	—	—	—	5	—	24
25—30	1	—	1	2	1	—	—	2	—	—	1	—	—	15	—	40
30—35	—	—	2	2	2	—	—	2	1	—	2	—	—	21	—	41
35—40	2	1	10	3	9	—	1	3	3	—	1	—	—	14	—	41
40—45	—	1	16	—	16	—	—	—	2	—	1	—	—	16	—	26
45—50	2	1	32	3	30	—	2	3	7	—	1	—	—	32	—	29
50—55	—	1	44	2	39	—	5	2	60	—	2	—	—	30	—	8
55—60	2	3	56	—	52	—	4	—	149	—	9	—	—	29	—	8
60—65	2	2	89	—	86	—	3	—	369	—	5	—	—	29	—	3
65—70	3	1	81	—	75	—	6	—	638	—	6	—	—	31	—	4
70—75	4	—	61	1	59	1	2	—	860	—	5	—	—	36	—	2
75—80	2	1	41	1	41	—	—	1	862	—	2	—	—	29	—	—
80 and upwards	8	1	23	—	21	—	2	—	809	—	3	—	—	24	—	—

Causes of Death.	138 (1) Salpingitis.		138 (2) Pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		141 (1) Other diseases of the uterus.		141 (2) Diseases of the other female genital organs not included in other headings.		142 Non-puerperal diseases of the breast.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	204	—	29	—	379	—	14	—	182	—	154	—	28	2	13
0—1	—	1	—	—	—	—	—	—	—	2	—	—	—	2	2	4
1—5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—
10—15	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	3	—	—	—	1	—	2	—	4	—	4	—	—	—	—
20—25	—	23	—	1	—	4	—	2	—	2	—	2	—	—	—	—
25—30	—	36	—	4	—	3	—	—	—	7	—	6	—	1	—	—
30—35	—	34	—	7	—	10	—	1	—	10	—	7	—	3	—	2
35—40	—	37	—	4	—	42	—	2	—	22	—	17	—	5	—	—
40—45	—	25	—	1	—	68	—	3	—	26	—	21	—	5	—	2
45—50	—	25	—	4	—	95	—	1	—	22	—	21	—	1	—	1
50—55	—	8	—	—	—	48	—	2	—	19	—	15	—	4	—	2
55—60	—	5	—	3	—	23	—	—	—	16	—	13	—	3	—	—
60—65	—	1	—	2	—	19	—	1	—	11	—	11	—	—	—	1
65—70	—	2	—	2	—	25	—	—	—	8	—	8	—	—	—	1
70—75	—	1	—	1	—	12	—	—	—	15	—	13	—	2	—	—
75—80	—	—	—	—	—	11	—	—	—	12	—	11	—	1	—	—
80 and upwards	—	—	—	—	—	18	—	—	—	5	—	5	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*)* Abortion.		143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.
All Ages	—	2787	—	286	—	67	—	86	—	133	—	313	—	299	—	1157
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	90	—	7	—	1	—	—	—	6	—	3	—	7	—	36
20—25	—	413	—	28	—	5	—	6	—	17	—	24	—	40	—	205
25—30	—	733	—	75	—	13	—	21	—	41	—	67	—	67	—	339
30—35	—	658	—	60	—	17	—	27	—	16	—	72	—	80	—	266
35—40	—	598	—	77	—	26	—	19	—	32	—	95	—	69	—	212
40—45	—	270	—	35	—	5	—	12	—	18	—	48	—	33	—	92
45—50	—	24	—	4	—	—	—	1	—	3	—	4	—	3	—	7
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* In addition there were 238 cases of post-abortive sepsis included under No. 146, Puerperal sepsis, and 67 cases of criminal abortion, see Table 22.

Causes of Death.	147 Puerperal phlegmasia alba dolens, embolism, sudden death.		147 (1) Puerperal phlegmasia alba dolens not returned as septic.		147 (2) Puerperal embolism and sudden death.		148 Puerperal albuminuria and convulsions.		149 Childbirth not assignable to other headings (puerperal insanity).		150 Puerperal diseases of the breast.		IX. 151–154 Diseases of the skin and cellular tissue.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	180	—	17	—	163	—	524	—	22	—	6	1669	1398
0—1	—	—	—	—	—	—	—	—	—	—	—	—	242	158
1—5	—	—	—	—	—	—	—	—	—	—	—	—	40	34
5—10	—	—	—	—	—	—	—	—	—	—	—	—	12	11
10—15	—	—	—	—	—	—	—	1	—	—	—	—	14	21
15—20	—	5	—	—	—	5	—	30	—	2	—	—	27	21
20—25	—	12	—	—	—	12	—	97	—	4	—	3	23	27
25—30	—	48	—	5	—	43	—	132	—	3	—	2	25	20
30—35	—	49	—	3	—	46	—	121	—	10	—	—	32	29
35—40	—	44	—	5	—	39	—	97	—	3	—	1	38	26
40—45	—	21	—	3	—	18	—	41	—	—	—	—	34	30
45—50	—	1	—	1	—	—	—	5	—	—	—	—	58	33
50—55	—	—	—	—	—	—	—	—	—	—	—	—	68	52
55—60	—	—	—	—	—	—	—	—	—	—	—	—	83	54
60—65	—	—	—	—	—	—	—	—	—	—	—	—	119	78
65—70	—	—	—	—	—	—	—	—	—	—	—	—	161	118
70—75	—	—	—	—	—	—	—	—	—	—	—	—	197	183
75—80	—	—	—	—	—	—	—	—	—	—	—	—	237	184
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	259	319

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (TOTAL DEATHS REGISTERED).

Causes of Death.	151 Gangrene.		151 (1) Senile gangrene.		151 (2) Other gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		153 (1) Cellulitis.		153 (2) Acute abscess.		154 Other diseases of the skin and its annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	549	506	504	469	45	37	303	166	454	313	355	252	99	61	363	413
0—1	6	4	—	—	6	4	9	7	55	33	31	16	24	17	172	114
1—5	4	7	—	—	4	7	3	—	15	12	8	7	7	5	18	15
5—10	1	1	—	—	1	1	—	1	7	7	5	5	2	2	4	2
10—15	1	1	—	—	1	1	3	3	8	15	4	12	4	3	2	2
15—20	1	1	—	—	1	1	9	10	15	8	10	8	5	—	2	2
20—25	—	—	—	—	—	—	14	11	9	11	7	9	2	2	—	5
25—30	2	2	—	—	2	2	11	6	11	7	7	7	4	—	1	5
30—35	—	1	—	—	—	1	16	12	14	10	10	10	4	—	2	5
35—40	1	—	—	—	1	—	15	17	19	7	13	6	6	1	3	2
40—45	—	—	—	—	—	—	13	12	15	12	10	11	5	1	6	6
45—50	2	1	—	—	2	1	22	10	28	12	23	11	5	1	6	11
50—55	2	2	—	—	2	2	22	13	33	21	30	17	3	4	11	16
55—60	4	6	2	1	2	5	27	10	39	23	34	20	5	3	13	15
60—65	22	19	20	16	2	3	37	7	43	27	36	26	7	1	17	25
65—70	61	50	52	47	9	3	33	11	54	22	46	17	8	5	13	35
70—75	99	102	94	100	5	2	26	13	43	29	40	23	3	6	29	39
75—80	166	114	161	112	5	2	23	10	23	22	21	20	2	2	25	38
80 and upwards	177	195	175	193	2	2	20	13	23	35	20	27	3	8	39	76

Causes of Death.	154 (1) Ulcer, bedsore.		154 (2) Eczema.		154 (3) Pemphigus.		154 (4) Other diseases included under 154.		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		155 (1) Acute infective osteomyelitis and periostitis.		155 (2) Other diseases of the bones.	
Ages at Death.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	75	138	59	32	82	94	147	149	592	386	454	290	318	191	136	99
0—1	1	2	40	18	69	64	62	30	22	16	14	11	12	10	2	1
1—5	—	—	9	3	—	2	9	10	48	49	39	41	38	37	1	4
5—10	—	—	—	—	—	1	4	1	109	67	94	61	89	58	5	3
10—15	—	—	—	—	—	—	2	2	85	40	75	36	72	34	3	2
15—20	—	—	1	—	—	—	1	2	54	30	44	25	40	21	4	4
20—25	—	2	—	—	—	—	—	3	20	12	17	7	14	2	3	5
25—30	1	—	—	—	—	2	—	3	18	13	16	7	10	2	6	5
30—35	—	—	—	—	1	1	1	4	20	9	15	6	9	3	6	3
35—40	—	—	—	—	—	1	3	1	11	9	10	6	6	4	4	2
40—45	1	1	—	—	1	2	4	3	20	7	13	4	4	2	9	2
45—50	1	1	—	2	1	4	4	4	25	18	14	16	8	6	6	10
50—55	3	9	1	1	2	2	5	4	23	14	15	6	5	2	10	4
55—60	5	7	—	—	1	4	7	4	33	17	17	10	2	2	15	8
60—65	8	8	—	1	—	3	9	13	30	20	19	14	4	4	15	10
65—70	6	19	3	1	—	3	4	12	22	15	14	7	2	1	12	6
70—75	19	22	1	2	3	2	6	13	23	19	16	14	1	1	15	13
75—80	7	18	2	2	3	2	13	16	19	12	15	7	1	—	14	7
80 and upwards	23	49	2	2	1	1	13	24	10	19	7	12	1	2	6	10

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		159 (1) Congenital hydro-cephalus.		159 (2) Congenital mal-formation of heart.		159 (3) Other congenital malformations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility, sclerema and icterus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	109	78	29	18	2101	1763	144	112	823	659	1134	992	10292	7569	1779	1114
0—1	7	4	1	1	1819	1531	95	79	700	545	1024	907	10292	7569	1779	1114
1—5	8	8	1	—	109	102	29	20	34	45	46	37	—	—	—	—
5—10	14	5	1	1	55	30	10	7	31	15	14	8	—	—	—	—
10—15	7	3	3	1	17	16	1	1	13	10	3	5	—	—	—	—
15—20	8	5	2	—	30	22	2	—	19	16	9	6	—	—	—	—
20—25	2	5	1	—	18	16	2	1	6	10	10	5	—	—	—	—
25—30	2	6	—	—	11	13	1	2	9	7	1	4	—	—	—	—
30—35	3	2	2	1	8	5	—	1	2	4	6	—	—	—	—	—
35—40	1	1	—	2	6	7	—	1	4	1	2	5	—	—	—	—
40—45	7	3	—	—	8	3	2	—	—	—	6	3	—	—	—	—
45—50	9	1	2	1	9	7	2	—	2	3	5	4	—	—	—	—
50—55	5	6	3	2	4	3	—	—	2	—	2	3	—	—	—	—
55—60	12	5	4	2	3	5	—	—	—	2	3	3	—	—	—	—
60—65	8	6	3	—	2	2	—	—	1	1	1	1	—	—	—	—
65—70	7	6	1	2	2	1	—	—	—	—	2	1	—	—	—	—
70—75	5	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—
75—80	3	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	5	2	2	—	—	—	—	—	—	—	—	—	—	—	—

* 157. Amputation, —.

Causes of Death.	160 (1) Congenital debility and sclerema.		160 (2) Icterus neonatorum.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		162 (1) Diseases of the umbilicus.		162 (2) Atelectasis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1522	982	257	132	7646	5700	6784	5208	862	492	762	637	52	46	581	440
0—1	1522	982	257	132	7646	5700	6784	5208	862	492	762	637	52	46	581	440
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	162 (3) Other diseases included under 162.		163 Lack of care.		XIII. 164 Old age.		164 (1) Senile dementia.		164 (2) Other forms of senile decay.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		Suicide. 165 & 166 By solid or liquid poisons and corrosive substances.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	129	151	105	118	8495	12685	877	1271	7618	11414	15077	6818	3480	1504	354	314
0—1	129	151	105	118	—	—	—	—	—	—	331	292	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	807	483	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	806	384	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	421	133	1	1	—	—
15—20	—	—	—	—	—	—	—	—	—	—	927	264	61	50	4	14
20—25	—	—	—	—	—	—	—	—	—	—	1209	279	128	72	15	20
25—30	—	—	—	—	—	—	—	—	—	—	1041	269	198	123	35	39
30—35	—	—	—	—	—	—	—	—	—	—	777	216	185	110	23	25
35—40	—	—	—	—	—	—	—	—	—	—	817	239	231	122	29	21
40—45	—	—	—	—	—	1	—	1	—	—	880	296	280	158	40	34
45—50	—	—	—	—	—	—	—	—	—	—	1050	372	415	207	51	34
50—55	—	—	—	—	5	7	3	3	2	4	1173	419	467	198	43	34
55—60	—	—	—	—	16	19	10	13	6	6	1156	424	459	164	38	29
60—65	—	—	—	—	75	87	38	46	37	41	1091	434	417	135	35	33
65—70	—	—	—	—	344	333	125	113	219	220	910	435	306	87	22	18
70—75	—	—	—	—	1386	1584	216	272	1170	1312	676	488	175	49	12	11
75—80	—	—	—	—	2273	2773	241	339	2032	2434	536	564	113	20	6	—
80 and upwards	—	—	—	—	4396	7881	244	484	4152	7397	469	827	44	8	1	2

Causes of Death.	Suicide—*continued.* 167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent d'ths excluding suicide and homicide.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.
All Ages	824	461	690	136	546	329	221	11	581	118	87	65	170	20	7	50	11500	5207
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	317	268
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	800	476
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	797	382
10—15	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	418	129
15—20	14	12	19	—	11	16	7	—	1	1	1	3	4	1	—	3	858	208
20—25	22	21	21	1	27	21	21	1	5	1	2	1	15	1	—	5	1073	198
25—30	43	24	41	7	25	27	17	2	23	4	3	6	11	4	—	10	839	132
30—35	54	28	25	3	27	18	12	2	22	11	4	8	17	4	1	11	589	101
35—40	66	38	29	15	31	23	17	3	38	9	4	2	16	2	1	9	576	105
40—45	75	57	37	14	41	34	16	—	46	12	12	3	13	2	—	2	593	133
45—50	107	74	67	20	54	49	24	1	77	19	7	5	27	3	1	2	628	163
50—55	108	66	110	23	80	46	26	1	74	11	15	11	11	1	—	5	702	216
55—60	111	47	104	17	69	38	21	1	90	22	8	8	16	—	2	2	692	252
60—65	98	38	94	21	66	22	26	—	73	12	9	7	15	2	1	—	672	299
65—70	65	26	74	8	52	19	15	—	56	7	9	8	13	—	—	1	600	346
70—75	30	17	36	3	36	9	10	—	37	8	7	1	7	—	—	—	498	437
75—80	22	9	24	4	22	4	5	—	26	1	4	2	3	—	1	—	423	544
80 and upwards	9	4	8	—	5	2	4	—	13	—	2	—	2	—	—	—	425	818

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	8	5	18	59	47	45	33	685	946	284	221	134	111	1253	267	65	10
0—1	—	—	—	—	2	—	4	1	54	50	212	185	—	2	13	8	—	—
1—5	1	1	—	—	8	8	2	6	369	246	24	6	3	5	95	26	—	—
5—10	—	1	—	—	6	1	1	3	34	82	9	3	2	4	156	26	2	2
10—15	—	2	—	—	2	—	11	—	11	32	3	—	2	—	79	8	4	—
15—20	1	1	1	3	1	2	—	1	11	60	3	3	—	1	122	20	11	2
20—25	—	—	—	1	4	1	2	3	9	36	3	—	6	4	89	22	10	1
25—30	—	—	—	3	1	2	4	1	14	22	3	—	6	5	68	17	4	2
30—35	1	—	—	2	2	2	3	—	8	19	4	2	1	3	52	14	7	1
35—40	1	—	—	—	2	5	3	1	11	14	4	2	9	4	58	7	7	—
40—45	—	—	1	—	6	2	—	2	19	22	3	—	10	8	66	19	5	—
45—50	1	—	1	1	4	2	3	1	10	16	1	2	12	3	57	24	4	1
50—55	3	1	1	2	4	2	1	2	15	23	4	4	16	8	95	19	3	—
55—60	—	1	—	1	3	4	4	5	14	31	3	3	13	9	93	20	5	1
60—65	2	—	1	2	5	6	1	1	10	36	2	3	13	9	81	12	3	—
65—70	—	1	—	2	2	3	3	1	23	47	2	1	12	7	70	13	—	—
70—75	—	—	—	1	2	1	1	—	20	54	2	3	12	13	26	7	—	—
75—80	—	—	—	—	4	2	—	2	26	79	2	3	11	9	20	2	—	—
80 and upwards	—	—	—	—	1	4	2	3	27	77	—	1	6	17	13	3	—	—

Causes of Death.	184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, railways, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war		191* 192 Hunger or thirst.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	7	1773	1752	1011	—	189	9	5430	1625	48	7	72	—	20	7
0—1	1	1	14	7	—	—	—	—	3	2	—	1	—	—	—	1
1—5	3	3	38	13	—	—	—	—	235	150	2	1	—	—	—	—
5—10	2	—	38	12	—	—	3	—	523	239	4	—	—	—	—	—
10—15	2	2	20	6	22	—	8	—	239	78	2	—	—	—	—	—
15—20	1	—	62	8	96	—	17	3	501	96	2	1	—	—	—	—
20—25	1	—	60	4	88	—	14	2	738	118	3	—	—	—	2	—
25—30	—	—	63	10	108	—	21	—	516	59	2	—	2	—	—	—
30—35	1	—	52	7	109	—	17	—	286	44	2	—	17	—	1	—
35—40	2	—	63	16	110	—	18	—	250	50	1	—	22	—	—	—
40—45	—	—	65	16	113	—	13	—	255	59	1	—	10	—	1	—
45—50	—	1	104	31	102	—	22	1	264	70	2	—	15	—	1	1
50—55	2	—	117	54	91	—	18	—	306	90	3	1	3	—	2	1
55—60	1	—	120	71	75	—	19	1	293	94	7	1	3	—	5	1
60—65	—	—	151	119	62	—	11	—	292	102	5	1	—	—	3	—
65—70	—	—	169	138	28	—	7	1	259	125	5	—	—	—	2	—
70—75	—	—	176	234	6	—	—	1	227	113	4	1	—	—	2	—
75—80	—	—	202	346	1	—	1	—	136	92	2	—	—	—	1	1
80 and upwards	—	—	259	660	—	—	—	—	107	44	1	—	—	—	—	2

* 191. Execution of civilians by belligerent armies —

TABLE 17—*contd.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(TOTAL DEATHS REGISTERED).

Causes of Death.	193 Excessive cold.		194 Excessive heat.		195 Lightning		196 Electricity (lightning excepted).		Homicide. 197–199 Total.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	68	27	50	19	14	—	50	1	97	107	9	16	18	22	70	69	21	7
0—1	2	—	4	2	—	—	—	—	14	24	—	—	2	2	12	22	1	2
1—5	—	—	3	2	—	—	1	—	7	7	—	—	4	2	3	5	—	—
5—10	—	1	2	3	—	—	1	—	9	2	2	—	5	1	2	1	1	—
10—15	—	—	2	—	1	—	2	—	2	3	—	—	—	—	2	3	—	—
15—20	—	—	2	—	1	—	7	1	8	6	1	2	—	—	7	4	2	—
20—25	1	1	4	—	2	—	7	—	8	9	2	—	—	1	6	8	1	—
25—30	—	—	—	—	1	—	9	—	4	14	—	6	2	3	2	5	1	—
30—35	—	—	2	—	3	—	9	—	3	5	—	1	—	1	3	3	3	—
35—40	—	—	1	—	1	—	4	—	10	12	—	1	1	5	9	6	1	—
40—45	1	1	1	1	1	—	2	—	7	5	1	1	1	2	5	2	1	—
45—50	5	2	4	1	1	—	2	—	7	2	1	1	—	1	6	—	1	—
50—55	2	3	2	—	1	—	2	—	4	5	2	1	1	—	1	4	2	—
55—60	9	2	4	1	1	—	2	—	5	8	—	2	1	2	4	4	4	2
60—65	13	2	5	3	1	—	2	—	2	—	—	—	—	—	2	—	2	—
65—70	6	4	6	1	—	—	—	—	4	2	—	—	1	1	3	1	—	1
70—75	8	2	5	2	—	—	—	—	3	2	—	—	—	1	3	1	1	2
75—80	16	5	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	5	4	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—

***200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death 1—70 years		205 Cause of death unstated or ill-defined.		205 (1) Heart failure 1–70 years.		205 (2) Other ill-defined causes.		205 (3) Cause not specified	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	192	83	6	2	484	347	133	82	351	265	250	171	70	79	31	15
0—1	6	5	1	1	29	12	—	—	29	12	—	—	8	4	21	8
1—5	16	9	—	—	36	36	2	—	34	36	1	—	33	36	—	—
5—10	13	5	—	—	3	6	1	1	2	5	—	—	2	5	—	—
10—15	8	1	—	—	8	2	—	2	8	—	7	—	1	—	—	—
15—20	17	6	—	—	1	1	1	1	—	—	—	—	—	—	—	—
20—25	29	5	—	—	7	2	4	—	3	2	2	1	—	—	1	1
25—30	16	11	—	—	6	4	2	—	4	4	2	2	—	1	2	1
30—35	9	7	—	—	5	5	2	2	3	3	3	3	—	—	—	—
35—40	8	6	—	—	12	8	5	3	7	5	7	3	—	1	—	1
40—45	19	3	—	—	18	11	5	4	13	7	11	4	1	2	1	1
45—50	11	6	1	—	36	29	14	6	22	23	18	17	2	4	2	2
50—55	9	5	—	1	41	22	15	6	26	16	23	14	3	2	—	—
55—60	11	4	3	—	70	40	23	14	47	26	45	23	1	2	1	1
60—65	7	3	—	—	90	71	26	16	64	55	58	54	6	1	—	—
65—70	6	1	—	—	110	83	33	27	77	56	73	50	3	6	1	—
70—75	5	3	1	—	7	5	—	—	7	5	—	—	5	5	2	—
75—80	—	1	—	—	2	4	—	—	2	4	—	—	2	4	—	—
80 and upwards	2	2	—	—	3	6	—	—	3	6	—	—	3	6	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	All Causes.		I. 1–42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6 Small-pox.		7 Measles.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	31836	31053	5536	4888	17	28	15	25	2	3	4	1	5	1	108	98
0—1	2828	2167	374	367	—	—	—	—	—	—	—	—	2	1	24	19
1—5	1505	1354	670	666	—	—	—	—	—	—	—	—	—	—	81	72
5—10	453	389	164	182	1	—	1	—	—	—	—	—	1	—	3	7
10—15	262	240	64	79	2	3	2	3	—	—	—	—	1	—	—	—
15—20	508	539	187	297	—	5	—	4	—	1	—	—	—	—	—	—
20—25	605	667	306	363	1	3	1	3	—	—	—	—	—	—	—	—
25—30	696	628	329	287	3	—	3	—	—	—	—	—	—	—	—	—
30—35	588	616	226	238	1	2	1	2	—	—	—	—	—	—	—	—
35—40	853	720	302	212	2	5	2	5	—	—	1	—	1	—	—	—
40—45	1272	920	401	225	—	1	—	1	—	—	1	—	—	—	—	—
45—50	1632	1259	444	207	—	2	—	1	—	1	—	—	—	—	—	—
50—55	2377	1639	501	243	2	—	1	—	1	—	1	—	—	—	—	—
55—60	2777	1988	440	212	3	2	2	1	1	1	—	—	—	—	—	—
60—65	3215	2511	361	254	1	3	1	3	—	—	—	—	—	—	—	—
65—70	3399	3067	308	257	1	1	1	1	—	—	—	1	—	—	—	—
70—75	3336	3548	179	257	—	1	—	1	—	—	1	—	—	—	—	—
75—80	2882	3614	164	257	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	2648	5187	116	285	—	—	—	—	—	—	—	—	—	—	—	—

*2. Typhus — 3. Relapsing fever (Spirillum obermeieri) — ; 4. Mediterranean fever —.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14,15* 16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	41	34	525	616	175	175	1423	1695	1203	1415	220	280	—	1	6	2
0—1	—	2	197	234	16	14	41	26	37	21	4	5	—	1	—	—
1—5	20	13	310	355	85	68	58	53	56	46	2	7	—	—	—	—
5—10	7	11	18	27	56	72	16	5	9	4	7	1	—	—	—	—
10—15	2	3	—	—	12	8	5	9	4	7	1	2	—	—	—	—
15—20	5	1	—	—	—	5	18	23	16	18	2	5	—	—	—	—
20—25	—	2	—	—	1	5	30	16	26	14	4	2	—	—	1	—
25—30	2	1	—	—	2	1	21	26	17	22	4	4	—	—	—	—
30—35	2	—	—	—	1	—	18	37	16	33	2	4	—	—	—	—
35—40	—	—	—	—	—	—	57	47	51	41	6	6	—	—	—	1
40—45	2	—	—	—	—	—	87	55	79	45	8	10	—	—	1	—
45—50	—	1	—	—	1	—	98	70	90	61	8	9	—	—	—	—
50—55	—	—	—	—	—	—	140	111	122	94	18	17	—	—	1	1
55—60	1	—	—	—	—	1	150	127	134	108	16	19	—	—	2	—
60—65	—	—	—	—	1	—	145	171	123	142	22	29	—	—	1	—
65—70	—	—	—	—	—	—	173	198	141	164	32	34	—	—	—	—
70—75	—	—	—	—	—	—	128	218	107	190	21	28	—	—	—	—
75—80	—	—	—	—	—	—	134	231	108	199	26	32	—	—	—	—
80 and upwards	—	—	—	—	—	1	104	272	67	206	37	66	—	—	—	—

* 12. Miliary fever — ; 14. Asiatic cholera — ; 15. Cholera Nostras —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17,18,19,20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	—	1	5	1	76	71	3	4	34	29	51	34	7	5
0—1	—	—	—	—	—	—	10	8	2	—	—	—	18	11	4	2
1—5	—	—	—	—	—	—	2	3	1	2	2	—	15	11	3	3
5—10	—	—	—	—	—	—	1	—	—	1	1	1	5	3	—	—
10—15	—	—	—	—	—	—	1	1	—	—	—	1	4	2	—	—
15—20	—	—	—	—	—	—	—	1	—	1	3	2	3	1	—	—
20—25	—	—	—	—	1	—	1	—	—	—	2	3	1	1	—	—
25—30	—	—	—	—	—	—	1	—	—	—	4	4	—	2	—	—
30—35	—	—	—	—	—	—	1	—	—	—	5	3	1	—	—	—
35—40	—	—	—	1	—	—	1	1	—	—	1	3	2	2	—	—
40—45	—	—	—	—	1	—	5	2	—	—	2	2	—	—	—	—
45—50	—	—	—	—	—	—	4	6	—	—	1	3	2	1	—	—
50—55	1	—	—	—	—	1	3	8	—	—	2	1	—	—	—	—
55—60	—	—	—	—	2	—	11	4	—	—	3	1	—	—	—	—
60—65	—	—	—	—	1	—	12	5	—	—	2	2	—	—	—	—
65—70	—	—	—	—	—	—	9	7	—	—	6	2	—	—	—	—
70—75	—	—	—	—	—	—	7	10	—	—	—	1	—	—	—	—
75—80	—	—	—	—	—	—	6	5	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	1	10	—	—	—	—	—	—	—	—

* **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica —: **20.** Leprosy *40*.

Causes of Death.	26, 27, 28* 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral Column.		35 Joints.		36 Other organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.
All Ages	7	7	9	6	2837	1977	2523	1707	106	121	37	22	30	21	18	8	29	22
0—1	1	—	1	2	25	29	4	4	11	10	2	3	—	—	—	—	—	—
1—5	—	1	—	—	91	78	21	17	43	45	5	—	—	—	—	—	—	—
5—10	2	1	—	—	49	47	14	10	20	27	1	1	—	2	—	1	—	1
10—15	—	—	—	—	31	50	10	35	8	12	5	—	1	1	—	—	2	—
15—20	1	—	—	1	154	257	123	227	13	12	5	4	1	3	3	1	4	—
20—25	1	1	—	—	267	329	248	302	3	7	2	4	3	2	2	—	3	3
25—30	—	—	—	—	290	250	268	232	1	4	3	5	3	1	3	2	5	3
30—35	—	—	1	—	191	190	184	183	1	2	1	—	3	—	—	—	—	2
35—40	—	1	1	—	233	146	220	140	1	1	3	2	2	—	4	—	2	2
40—45	—	2	—	—	291	155	277	147	4	—	1	1	3	2	—	—	2	2
45—50	—	—	1	1	315	114	307	109	—	1	—	—	2	3	—	—	3	—
50—55	1	—	1	—	322	114	309	107	1	—	1	1	3	1	—	—	3	3
55—60	—	—	—	—	239	71	225	67	—	—	3	1	2	1	1	1	—	1
60—65	1	—	2	1	177	62	170	52	—	—	—	—	1	2	2	2	1	2
65—70	—	1	—	1	98	42	88	36	—	—	4	—	4	3	1	1	—	—
70—75	—	—	1	—	36	25	31	23	—	—	1	—	1	—	1	—	2	2
75—80	—	—	1	—	19	16	18	14	—	—	—	—	1	—	—	—	—	1
80 and upwards	—	—	—	—	9	2	6	2	—	—	—	—	—	—	1	—	2	—

* **26.** Glanders —; **27.** Anthrax,—; **28.** Rabies —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	Tuberculosis—*contd.*															
	36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excepted).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.		37 (*a*) Acute.		37 (*b*) Chronic or unstated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	4	4	2	2	1	20	15	1	—	94	76	48	37	46	39
0—1	—	—	—	—	—	—	—	—	—	—	8	12	6	8	2	4
1—5	—	—	—	—	—	—	—	—	—	—	22	16	13	9	9	7
5—10	—	—	—	1	—	—	—	—	—	—	14	5	8	2	6	3
10—15	—	—	—	—	—	—	2	—	—	—	5	2	3	—	2	2
15—20	—	—	1	—	—	—	3	—	—	—	5	10	5	6	—	4
20—25	—	—	—	—	—	—	3	3	—	—	6	11	1	6	5	5
25—30	—	—	—	—	—	1	5	2	—	—	7	3	5	2	2	1
30—35	—	—	—	—	—	—	—	2	—	—	2	3	—	1	2	2
35—40	—	—	—	—	—	—	2	2	—	—	1	1	—	—	1	1
40—45	—	1	1	—	1	—	—	1	—	—	4	3	1	1	3	2
45—50	—	—	1	—	—	—	2	—	—	—	3	1	—	1	3	—
50—55	—	—	—	—	1	—	1	3	1	—	5	2	2	1	3	1
55—60	—	1	—	—	—	—	—	—	—	—	8	—	2	—	6	—
60—65	—	—	—	1	—	—	1	1	—	—	3	4	2	—	1	4
65—70	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	2
70—75	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
75—80	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1
80 and upwards	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—

Causes of Death.	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43–69 General diseases not included in I. 1–42.		Cancer, Malignant Disease. 43–49 Total.		43 Buccal cavity.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	137	59	6	—	3	—	3	—	60	40	3960	4739	3257	3608	296	43
0—1	23	14	3		—	—	3	—	7	4	27	19	3	2	—	—
1—5	1	2	—	—	—	—	—	—	1	5	25	25	6	7	—	—
5—10	1	3	—	—	—	—	—	—	1	2	30	31	5	3	—	—
10—15	1	—	—	—	—	—	—	—	3	1	24	29	2	6	—	—
15—20	2	—	—	—	—	—	—	—	1	—	34	37	11	9	—	—
20—25	—	—	—	—	—	—	—	—	1	3	28	43	9	16	—	—
25—30	3	3	—	—	—	—	—	—	3	—	37	40	19	20	—	1
30—35	4	3	—	—	—	—	—	—	1	2	47	74	30	44	1	—
35—40	1	5	—	—	—	—	—	—	2	1	61	114	42	82	2	2
40—45	10	3	—	—	—	—	—	—	2	4	144	203	100	158	5	2
45—50	16	5	1	—	1	—	—	—	5	4	183	331	158	273	14	4
50—55	19	7	1	—	1	—	—	—	8	1	387	480	337	406	30	3
55—60	23	3	1	—	1	—	—	—	7	3	537	556	462	441	36	7
60—65	13	7	—	—	—	—	—	—	5	3	679	609	589	480	61	3
65—70	15	1	—	—	—	—	—	—	6	3	611	664	534	509	52	8
70—75	2	1	—	—	—	—	—	—	4	1	543	622	463	485	55	5
75—80	3	2	—	—	—	—	—	—	1	3	359	471	313	376	21	3
80 and upwards	—	—	—	—	—	—	—	—	2	—	204	391	174	291	19	5

* **39.** Soft chancre —; **42.** (1) Vaccinia 5, 5, 10, 10, *5, 5, 10, 30*; (2) Other diseases included under 42, 60.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	Cancer, Malignant Disease—*contd.*												50 Tumours not returned as malignant (brain & female genital organs excepted).		51 Rheumatic fever.	
	44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1101	824	671	733	—	715	7	742	55	45	1127	506	40	26	77	91
0—1	—	—	—	—	—	—	—	—	—	—	3	2	—	2	1	—
1—5	—	—	1	2	—	1	—	—	—	—	5	4	—	1	3	3
5—10	—	—	—	—	—	—	—	—	—	—	5	3	1	—	13	20
10—15	—	—	1	—	—	—	—	—	—	—	1	6	—	—	15	13
15—20	1	—	1	3	—	1	—	—	—	—	9	5	—	—	12	12
20—25	2	1	2	3	—	2	—	—	—	1	5	9	3	—	7	8
25—30	2	1	3	3	—	4	—	—	—	—	14	11	3	2	4	7
30—35	8	8	6	6	—	18	1	3	—	—	14	9	1	—	—	4
35—40	18	13	4	16	—	28	—	16	1	—	17	7	—	1	3	4
40—45	27	22	16	16	—	50	1	40	1	2	50	26	3	1	7	7
45—50	60	44	25	37	—	75	—	87	1	3	58	23	4	2	1	5
50—55	125	72	45	58	—	115	1	104	4	2	132	52	3	—	3	1
55—60	170	86	83	81	—	100	—	93	4	1	169	73	6	4	4	4
60—65	216	112	111	97	—	85	1	108	10	6	190	69	7	6	3	2
65—70	173	142	136	110	—	85	—	81	11	6	162	77	3	2	1	1
70—75	148	146	110	119	—	77	2	74	14	4	134	60	—	1	—	—
75—80	102	103	76	90	—	51	—	72	6	10	108	47	4	1	—	—
80 and upwards	49	74	51	92	—	23	1	64	3	10	51	23	2	3	—	—

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.		58 (*b*) Other anæmias and chlorosis.		59 Diseases of the pituitary gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	131	287	—	1	18	8	218	362	75	97	66	79	9	18	2	1
0—1	—	—	—	1	9	2	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	9	5	—	—	—	3	—	1	—	2	—	—
5—10	—	—	—	—	—	1	1	—	—	1	—	1	—	—	—	—
10—15	—	—	—	—	—	—	1	3	2	1	1	1	1	—	—	—
15—20	1	—	—	—	—	—	2	1	—	2	—	1	—	1	—	—
20—25	1	—	—	—	—	—	3	3	1	2	1	2	—	—	—	—
25—30	—	—	—	—	—	—	—	3	3	—	1	—	2	—	—	—
30—35	2	1	—	—	—	—	6	5	1	2	1	2	—	—	1	—
35—40	—	2	—	—	—	—	5	7	3	2	3	2	—	—	—	—
40—45	3	4	—	—	—	—	13	10	3	6	2	5	1	1	1	—
45—50	2	2	—	—	—	—	7	21	5	6	3	5	2	1	—	—
50—55	8	17	—	—	—	—	18	22	6	11	6	8	—	3	—	1
55—60	16	21	—	—	—	—	24	41	12	13	9	11	3	2	—	—
60—65	16	30	—	—	—	—	36	47	14	14	14	12	—	2	—	—
65—70	23	55	—	—	—	—	34	74	12	8	12	7	—	1	—	—
70—75	32	60	—	—	—	—	34	58	9	9	9	7	—	2	—	—
75—80	14	43	—	—	—	—	21	33	4	13	4	10	—	3	—	—
80 and upwards	13	52	—	—	—	—	13	34	—	4	—	4	—	—	—	—

* **54.** Pellagra —; **55.** Beri-beri—.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.		61 (2)* 62 Diseases of the thymus		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	104	5	78	—	26	1	—	1	—	9	13	12	16	—	1	76	73
0—1	—	1	—	—	—	1	1	—	1	—	7	8	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	3	2
5—10	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	6	2
10—15	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	4
15—20	—	4	—	4	—	—	—	—	—	—	—	—	1	1	—	—	6	5
20—25	1	6	1	6	—	—	—	—	—	—	—	2	—	—	—	—	3	5
25—30	—	4	—	4	—	—	—	—	—	—	—	—	3	1	—	—	4	1
30—35	—	6	—	6	—	—	—	—	—	—	—	—	1	4	—	1	4	5
35—40	—	8	—	7	—	1	—	—	—	—	—	—	1	1	—	—	4	5
40—45	3	7	3	7	—	—	—	—	—	—	—	—	1	1	—	—	4	6
45—50	—	11	—	10	—	1	—	—	—	—	—	—	—	3	—	—	4	7
50—55	—	15	—	11	—	4	—	—	—	—	—	—	1	1	—	—	10	3
55—60	—	18	—	11	—	7	—	—	—	—	—	—	1	2	—	—	6	5
60—65	1	10	1	6	—	4	—	—	—	—	—	—	2	1	—	—	9	11
65—70	—	7	—	6	—	1	—	—	—	—	—	—	—	—	—	—	2	4
70—75	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	5	5
75—80	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	3	1
80 and upwards	—	5	—	—	—	5	—	—	—	—	—	—	—	—	—	—	1	2

* **61.** (2) Other diseases of the parathyroid glands —.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70–86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	36	49	40	24	10	6	1	—	26	45	1897	2107	24	16	75	46
0—1	—	—	—	—	—	—	—	—	6	3	100	68	4	2	27	11
1—5	2	2	1	—	—	—	—	—	2	2	48	46	—	1	11	9
5—10	3	1	3	1	—	—	—	—	4	3	34	31	4	2	7	3
10—15	1	3	1	1	—	—	—	—	1	2	26	26	2	1	1	5
15—20	2	5	4	—	—	—	—	—	1	3	32	29	—	—	4	2
20—25	1	4	2	1	—	—	—	—	—	1	20	22	—	—	1	1
25—30	2	1	2	—	—	—	—	—	1	2	36	26	2	1	4	2
30—35	1	3	3	2	1	1	—	—	—	1	47	33	2	—	3	—
35—40	2	2	2	3	1	—	—	—	2	2	54	44	1	—	3	2
40—45	1	5	3	1	4	1	—	—	1	2	81	64	4	2	2	4
45—50	1	7	3	—	1	—	1	—	—	1	107	97	1	1	1	3
50—55	8	2	2	1	1	—	—	—	—	3	153	129	1	3	3	1
55—60	3	3	3	2	1	—	—	—	4	7	187	158	—	—	2	1
60—65	4	5	5	6	—	1	—	—	2	7	231	218	1	2	3	—
65—70	1	3	1	1	1	1	—	—	1	3	216	248	1	1	2	1
70—75	1	2	4	3	—	1	—	—	—	1	197	297	—	—	1	—
75—80	2	1	1	—	—	1	—	—	—	2	178	259	1	—	—	1
80 and upwards	1	—	—	2	—	—	—	—	1	—	150	312	—	—	—	—

* **68.** Chronic poisoning by organic substances 40, 55.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	110	27	66	59	835	1242	633	930	202	312	44	87	40	80	4	7
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—
5—10	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
10—15	—	—	1	—	—	2	—	2	—	—	1	1	—	1	1	—
15—20	—	—	1	—	—	3	—	3	—	—	—	—	—	—	—	—
20—25	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—
25—30	—	—	1	1	2	1	2	1	—	—	—	—	—	—	—	—
30—35	—	—	1	1	7	4	6	4	1	—	—	—	—	—	—	—
35—40	2	1	2	3	4	7	3	6	1	1	—	1	—	—	—	1
40—45	4	1	4	1	20	14	16	13	4	1	—	—	—	—	—	—
45—50	10	4	6	5	31	42	29	35	2	7	1	1	—	—	1	1
50—55	24	3	1	6	42	56	36	46	6	10	4	3	3	1	1	2
55—60	25	5	10	5	80	101	64	80	16	21	1	2	1	2	—	—
60—65	29	4	11	7	113	143	93	105	20	38	4	7	4	7	—	—
65—70	8	3	13	7	123	166	90	122	33	44	9	14	9	14	—	—
70—75	5	5	7	7	142	237	101	172	41	65	8	14	8	13	—	1
75—80	2	1	3	9	146	205	112	157	34	48	6	20	6	20	—	—
80 and upwards	1	—	5	6	123	260	79	183	44	77	9	24	8	22	1	2

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	167	49	46	80	97	109	49	37	1	7	8	13	8	11	237	219
0—1	—	—	—	—	—	1	43	34	—	—	—	—	—	—	2	10
1—5	—	—	—	—	1	2	6	3	—	—	1	—	1	—	11	15
5—10	—	—	1	—	6	1	—	—	—	3	—	—	—	—	6	2
10—15	—	—	—	—	2	4	—	—	—	1	—	—	—	—	9	2
15—20	—	2	—	—	11	4	—	—	—	2	—	—	—	—	5	3
20—25	1	1	1	—	6	10	—	—	1	—	—	—	—	—	2	4
25—30	1	1	2	3	8	9	—	—	—	—	—	1	—	—	6	2
30—35	5	2	3	10	10	11	—	—	—	—	—	—	—	—	8	4
35—40	16	6	3	3	6	4	—	—	—	1	—	—	—	—	12	14
40—45	26	6	3	6	3	7	—	—	—	—	—	1	—	1	11	17
45—50	28	5	7	8	6	8	—	—	—	—	1	3	—	—	15	14
50—55	28	10	4	14	10	8	—	—	—	—	3	1	1	—	24	21
55—60	28	5	7	9	4	7	—	—	—	—	—	1	1	1	22	18
60—65	15	2	7	11	9	8	—	—	—	—	2	3	1	—	33	30
65—70	13	8	7	10	8	11	—	—	—	—	—	—	1	1	28	22
70—75	3	1	1	5	4	7	—	—	—	—	—	1	1	1	21	17
75—80	—	—	—	1	3	3	—	—	—	—	1	1	—	3	16	15
80 and upwards	3	—	—	—	—	4	—	—	—	—	—	1	2	4	6	9

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	5	126	100	7373	8272	6048	6899	28	17	137	138	546	243	5337	6501
0—1	1	—	23	10	4	5	2	1	2	1	—	—	—	—	—	—
1—5	—	—	16	15	5	5	4	2	2	1	—	—	—	—	2	1
5—10	—	1	9	19	20	16	20	16	3	1	5	7	—	—	12	8
10—15	—	—	10	10	39	43	38	43	3	—	5	10	—	—	30	33
15—20	—	—	11	13	41	70	39	70	1	2	4	15	—	—	34	53
20—25	—	—	7	5	38	72	37	71	—	—	12	18	—	—	25	53
25—30	—	—	10	5	67	80	65	79	1	1	22	16	—	1	42	61
30—35	—	—	8	1	58	73	56	71	—	1	15	10	3	1	38	59
35—40	—	1	5	1	82	105	76	98	2	1	17	12	6	—	51	85
40—45	—	—	4	4	154	142	140	130	1	1	27	23	9	3	103	103
45—50	—	—	—	3	263	232	223	214	3	—	10	6	20	4	190	204
50—55	—	—	8	3	450	341	390	281	2	1	8	7	59	8	321	265
55—60	—	—	7	3	666	478	542	403	1	—	2	5	81	17	458	381
60—65	—	—	3	1	881	733	728	628	4	1	5	4	94	32	625	591
65—70	1	—	2	4	1152	1046	962	849	1	1	4	3	112	47	845	798
70—75	1	1	3	1	1264	1363	998	1143	1	3	1	1	87	59	909	1080
75—80	—	—	—	—	1137	1431	892	1167	—	—	—	—	44	36	848	1131
80 and upwards	1	2	—	2	1052	2037	836	1633	1	2	—	1	31	35	804	1595

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1311	1707	3792	4482	234	312	1274	1314	154	79	1100	1226	476	597	624	629
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
5—10	10	8	1	—	1	—	—	—	—	—	—	—	—	—	—	—
10—15	29	31	1	1	—	1	1	—	1	—	—	—	—	—	—	—
15—20	32	45	—	4	2	4	2	—	2	—	—	—	—	—	—	—
20—25	21	46	3	3	1	4	1	1	1	1	—	—	—	—	—	—
25—30	35	56	6	4	1	1	2	—	2	—	—	—	—	—	—	—
30—35	27	43	8	11	3	5	2	2	2	—	—	2	—	1	—	1
35—40	34	62	16	21	1	2	4	6	—	2	3	4	3	4	—	—
40—45	48	65	48	36	7	2	12	11	5	2	6	9	5	7	1	2
45—50	77	100	106	94	7	10	38	17	16	4	20	13	13	8	7	5
50—55	103	97	205	155	13	13	52	56	25	9	27	47	20	32	7	15
55—60	124	133	306	224	28	24	115	71	23	10	88	61	58	44	30	17
60—65	138	156	454	404	33	31	146	96	29	14	117	80	59	51	58	29
65—70	218	202	584	551	43	45	184	188	17	8	167	180	86	109	81	71
70—75	173	233	695	786	41	61	258	208	19	14	236	193	102	99	134	94
75—80	143	204	671	881	34	46	242	259	10	8	228	249	74	116	154	133
80 and upwards	98	226	688	1307	18	62	215	399	2	7	208	388	56	126	152	262

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other Diseases of the circulatory system.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	9	17	9	21	30	2	8	1	2	10	10	5942	5092	21	15
0—1	—	—	—	—	—	—	1	2	1	2	—	—	713	496	1	—
1—5	—	—	—	—	—	—	1	3	—	—	—	—	577	478	—	1
5—10	—	—	—	—	—	—	—	—	—	—	—	—	56	47	2	1
10—15	—	—	—	—	—	—	—	—	—	—	—	—	17	22	1	1
15—20	—	—	—	—	—	—	—	—	—	—	—	—	40	25	1	3
20—25	—	—	—	—	—	—	—	—	—	—	—	—	49	28	3	2
25—30	—	—	—	—	—	—	—	1	—	—	—	—	52	36	—	—
30—35	—	—	—	—	—	—	—	—	—	—	—	—	79	39	1	2
35—40	1	—	2	1	—	—	—	—	—	—	—	—	164	75	—	3
40—45	1	—	—	—	2	1	—	—	—	—	—	—	240	86	4	—
45—50	2	—	—	—	1	1	—	—	—	—	1	—	328	155	2	—
50—55	—	—	1	1	5	1	—	—	—	—	2	2	489	179	1	—
55—60	4	—	3	2	4	2	—	—	—	—	2	—	491	273	3	1
60—65	—	2	3	1	3	8	—	—	—	—	1	—	546	352	—	1
65—70	—	—	3	1	2	6	—	—	—	—	1	2	582	477	1	—
70—75	3	1	3	2	3	6	—	1	—	—	2	3	579	584	1	—
75—80	4	2	2	—	—	4	—	—	—	—	1	1	479	635	—	—
80 and upwards	5	4	—	1	1	1	—	1	—	—	—	2	461	1105	—	—

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).	
Ages at Death.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	12	11	2094	2178	421	540	971	760	702	878	3361	2522	1942	1629	1419	893
0—1	5	2	118	83	58	48	—	—	60	35	584	408	512	343	72	65
1—5	3	3	29	25	18	16	—	2	11	7	531	440	431	363	100	77
5—10	1	1	1	5	1	2	—	2	—	1	46	38	27	17	19	21
10—15	—	1	2	5	1	—	1	2	—	3	9	15	2	4	7	11
15—20	—	—	2	3	2	—	—	2	—	1	36	16	6	8	30	8
20—25	—	—	7	2	—	—	6	1	1	1	30	20	5	8	25	12
25—30	—	—	6	2	—	1	4	1	2	—	44	23	8	5	36	18
30—35	—	—	16	6	5	3	8	3	3	—	57	26	11	11	46	15
35—40	—	2	38	14	9	5	22	5	7	4	103	49	22	14	81	35
40—45	—	—	65	11	10	5	39	5	16	1	147	62	51	20	96	42
45—50	2	—	92	36	17	10	61	16	14	10	199	98	65	40	134	58
50—55	—	1	168	62	24	13	93	26	51	23	284	96	117	37	167	59
55—60	—	1	195	102	37	21	109	44	49	37	247	143	91	75	156	68
60—65	—	—	223	153	42	43	121	67	60	43	264	169	135	90	129	79
65—70	—	—	274	232	46	60	151	102	77	70	251	208	105	116	146	92
70—75	—	—	323	317	57	67	147	129	119	121	212	222	132	142	80	80
75—80	—	—	249	372	43	92	108	138	98	142	184	210	130	147	54	63
80 and upwards	1	—	286	748	51	154	101	215	134	379	133	279	92	189	41	90

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929 (Civilian population only).

Causes of Death.	101 (*a*) Pneumonia, lobar.		101 (*b*) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1006	627	413	266	101	61	101	131	4	—	207	163	8	—	33	11
0—1	36	30	36	35	2	1	1	2	—	—	2	—	—	—	—	—
1—5	62	44	38	33	11	8	—	—	—	—	1	—	—	—	2	1
5—10	11	15	8	6	4	1	—	—	—	—	2	1	—	—	—	—
10—15	5	8	2	3	4	—	—	—	—	—	1	—	—	—	—	—
15—20	24	6	6	2	—	1	—	1	—	—	1	—	—	—	—	1
20—25	22	11	3	1	6	1	2	—	—	—	1	2	—	—	—	1
25—30	30	14	6	4	1	7	—	1	—	—	—	3	—	—	1	—
30—35	38	11	8	4	2	3	—	—	—	—	3	2	—	—	—	—
35—40	63	26	18	9	7	1	—	—	—	—	12	6	—	—	4	—
40—45	75	33	21	9	5	3	2	1	1	—	12	7	1	—	3	2
45—50	97	46	37	12	9	3	2	1	—	—	17	16	—	—	5	1
50—55	117	50	50	9	8	6	2	2	—	—	21	11	—	—	5	1
55—60	107	55	49	13	8	4	2	—	—	—	29	22	3	—	4	—
60—65	101	54	28	25	9	2	1	3	—	—	45	23	—	—	4	1
65—70	98	67	48	25	6	7	9	6	2	—	34	24	3	—	2	—
70—75	55	54	25	26	12	4	17	16	—	—	11	24	1	—	2	1
75—80	44	40	10	23	3	5	31	34	1	—	10	13	—	—	1	1
80 and upwards	21	63	20	27	4	4	32	64	—	—	5	9	—	—	—	1

Causes of Death.	107 (*b*) *		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
	107 (*a*) Chronic interstitial pneumonia.															
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	25	8	8	3	1925	1458	35	28	22	21	13	7	50	55	1	1
0—1	—	—	—	—	454	311	2	—	1	—	1	—	3	1	—	—
1—5	2	1	—	—	87	66	3	1	1	—	2	1	10	5	—	—
5—10	—	—	—	—	31	24	—	—	—	—	—	—	10	6	—	—
10—15	—	—	—	—	27	8	—	—	—	—	—	—	2	1	—	—
15—20	—	—	—	1	37	15	—	—	—	—	—	—	2	3	—	—
20—25	—	1	—	—	32	26	—	1	—	1	—	—	—	7	—	—
25—30	1	—	—	—	46	36	1	3	1	2	—	1	4	—	—	1
30—35	—	—	—	—	37	35	1	1	1	1	—	—	4	1	—	—
35—40	2	—	2	—	66	36	1	—	1	—	—	—	2	3	1	—
40—45	3	1	—	1	102	58	2	2	2	2	—	—	1	4	—	—
45—50	4	1	1	—	129	91	4	3	3	2	1	1	2	5	—	—
50—55	2	1	3	—	171	91	4	2	1	2	3	—	4	5	—	—
55—60	3	—	1	—	162	114	2	2	2	2	—	—	3	2	—	—
60—65	3	—	1	1	165	118	6	2	5	2	1	—	2	3	—	—
65—70	2	—	—	—	138	139	2	2	1	2	1	—	1	5	—	—
70—75	2	1	—	—	115	97	—	3	—	2	—	1	—	4	—	—
75—80	1	1	—	—	72	104	5	3	2	2	3	1	—	—	—	—
80 and upwards	—	1	—	—	54	89	2	3	1	1	1	2	—	—	—	—

* **107** (*b*) Diseases of the mediastinum —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, Intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	485	147	326	131	159	16	35	39	513	392	1	—	201	130	257	283
0—1	—	—	—	—	—	—	6	4	419	277	—	—	—	1	19	22
1—5	1	—	—	—	1	—	2	—	49	40	—	—	7	7	13	8
5—10	—	—	—	—	—	—	—	—	1	1	—	—	17	9	2	4
10—15	—	—	—	—	—	—	—	—	—	—	—	—	12	4	12	3
15—20	5	—	4	—	1	—	—	—	1	3	—	—	21	5	5	1
20—25	4	1	2	1	2	—	—	—	7	1	—	—	16	9	3	3
25—30	14	3	9	3	5	—	—	1	4	6	—	—	18	9	3	5
30—35	14	4	11	4	3	—	1	—	1	4	—	—	7	2	5	8
35—40	40	3	27	3	13	—	—	—	—	6	—	—	9	4	2	7
40—45	48	10	32	9	16	1	—	1	4	6	1	—	17	9	6	9
45—50	65	20	38	18	27	2	5	1	3	6	—	—	10	17	15	17
50—55	80	16	65	14	15	2	—	1	6	6	—	—	13	11	14	15
55—60	74	17	43	15	31	2	3	2	5	4	—	—	12	14	22	26
60—65	51	21	39	20	12	1	4	1	4	5	—	—	20	8	27	32
65—70	45	17	32	15	13	2	2	7	3	11	—	—	10	8	38	40
70—75	25	13	15	11	10	2	2	4	2	4	—	—	6	7	31	26
75—80	13	11	5	9	8	2	4	10	1	8	—	—	5	5	24	30
80 and upwards	6	11	4	9	2	2	6	7	3	4	—	—	1	1	16	27

* **115.** Ankylostomiasis —; **116**(*c*) Nematodes (other than ankylostoma), 40.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	116	126	141	157	44	39	10	8	34	31	4	9	—	1	185	115
0—1	4	3	15	19	1	—	1	—	—	—	—	—	—	—	—	—
1—5	2	1	11	7	—	—	—	—	—	—	1	—	—	—	—	—
5—10	1	1	1	3	—	—	—	—	—	—	1	—	—	—	—	1
10—15	1	—	11	3	—	—	—	—	—	—	—	—	—	—	1	—
15—20	—	—	5	1	1	—	—	—	1	—	—	—	—	—	1	1
20—25	—	1	3	2	—	1	—	—	—	1	1	1	—	—	—	—
25—30	1	—	2	5	—	—	—	—	—	—	—	5	—	—	—	—
30—35	1	2	4	6	1	1	—	—	1	1	—	1	—	—	2	5
35—40	1	1	1	6	1	—	—	—	1	—	—	1	—	—	5	5
40—45	2	2	4	7	2	1	—	—	2	1	1	—	—	—	12	7
45—50	6	7	9	10	3	2	—	—	3	2	—	—	—	—	16	7
50—55	7	6	7	9	5	3	—	—	5	3	—	—	—	—	34	16
55—60	12	12	10	14	3	4	1	2	2	2	—	1	—	—	24	24
60—65	13	20	14	12	4	7	—	—	4	7	—	—	—	1	30	16
65—70	22	25	16	15	5	3	1	1	4	2	—	—	—	—	24	16
70—75	19	15	12	11	8	2	2	1	6	1	—	—	—	—	25	8
75—80	16	17	8	13	5	8	2	3	3	5	—	—	—	—	9	6
80 and upwards	8	13	8	14	5	7	3	1	2	6	—	—	—	—	2	3

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only)

Causes of Death.	122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	31	21	154	94	36	79	46	80	19	28	13	32	1551	1161	47	38
0—1	—	—	—	—	—	—	1	—	—	—	3	6	10	10	5	2
1—5	—	—	—	—	—	—	—	1	—	—	1	4	4	7	1	6
5—10	—	—	—	1	—	—	—	—	—	—	—	3	3	6	1	3
10—15	—	—	1	—	—	—	—	—	—	—	—	—	6	8	—	2
15—20	—	—	1	1	—	—	1	—	—	—	—	2	20	19	3	4
20—25	—	—	—	—	—	—	1	2	—	—	—	—	21	30	2	3
25—30	—	—	—	—	—	1	1	—	—	—	1	2	19	23	2	—
30—35	—	1	2	4	—	2	—	3	—	2	1	1	19	26	3	1
35—40	1	1	4	4	2	—	—	5	2	1	1	1	37	42	7	2
40—45	4	1	8	6	2	2	3	3	2	1	1	3	41	61	3	6
45—50	4	2	12	5	—	5	3	2	2	4	1	2	57	76	4	3
50—55	6	3	28	13	5	10	5	4	1	1	—	1	91	101	4	—
55—60	6	6	18	18	6	7	4	8	2	3	2	—	146	122	4	—
60—65	4	3	26	13	6	9	6	7	3	4	2	2	198	132	4	1
65—70	2	1	22	15	2	9	3	16	3	4	—	1	241	131	1	—
70—75	3	3	22	5	6	13	7	8	3	2	—	3	242	122	2	4
75—80	—	—	9	6	2	11	4	7	—	4	—	1	223	137	—	1
80 and upwards	1	—	1	3	5	10	7	14	1	2	—	—	173	108	1	—

*** 127.** Other diseases of the digestive system —.

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	879	856	45	63	37	23	62	39	56	1	53	—	3	1	411	—
0—1	—	—	1	7	—	—	—	—	—	—	—	—	—	—	—	—
1—5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	2	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—
10—15	5	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	13	14	2	1	2	—	—	—	—	—	—	—	—	—	—	—
20—25	18	19	1	1	—	—	—	1	—	—	—	—	—	—	—	—
25—30	11	12	4	4	2	—	—	1	—	—	—	—	—	—	—	—
30—35	13	16	2	—	—	2	—	—	1	—	1	—	—	—	—	—
35—40	22	16	2	6	2	—	2	—	1	—	1	—	—	—	1	—
40—45	33	29	1	4	2	5	1	1	1	—	1	—	—	—	—	—
45—50	39	41	4	3	4	1	2	1	1	1	—	—	1	1	2	—
50—55	69	74	1	6	7	3	1	2	2	—	1	—	1	—	7	—
55—60	94	101	6	4	2	7	7	3	6	—	6	—	—	—	25	—
60—65	119	111	6	9	3	—	7	4	12	—	12	—	—	—	46	—
65—70	140	109	5	3	8	4	11	4	10	—	9	—	1	—	64	—
70—75	116	101	2	6	3	—	9	4	11	—	11	—	—	—	98	—
75—80	107	111	2	7	—	1	8	8	9	—	9	—	—	—	96	—
80 and upwards	77	94	5	2	2	—	14	9	2	—	2	—	—	—	72	—

130. Chyluria 45

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	13	—	—	36	—	37	—	47	—	1	—	19	—	1	—	253
0—1	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
1—5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
20—25	—	—	—	1	—	5	—	—	—	—	—	—	—	—	—	31
25—30	—	—	—	2	—	2	—	1	—	—	—	1	—	—	—	64
30—35	—	—	—	1	—	6	—	—	—	—	—	—	—	—	—	57
35—40	—	—	—	1	—	8	—	5	—	1	—	3	—	—	—	61
40—45	—	—	—	1	—	6	—	7	—	—	—	2	—	—	—	28
45—50	—	—	—	2	—	3	—	18	—	—	—	3	—	—	—	2
50—55	—	—	—	4	—	1	—	9	—	—	—	2	—	—	—	—
55—60	2	—	—	1	—	1	—	2	—	—	—	3	—	—	—	—
60—65	1	—	—	3	—	2	—	2	—	—	—	—	—	—	—	—
65—70	2	—	—	5	—	—	—	3	—	—	—	2	—	1	—	—
70—75	1	—	—	5	—	2	—	—	—	—	—	—	—	—	—	—
75—80	1	—	—	8	—	—	—	—	—	—	—	1	—	—	—	—
80 and upwards	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—

Causes of Death.	143 Accidents of pregnancy.		143 (*a*) Abortion.		143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, embolism, sudden death.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	27	—	4	—	12	—	11	—	22	—	19	—	132	—	8
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	1	—	—	—	—	—	4	—	1
20—25	—	—	—	—	—	—	—	—	—	1	—	1	—	17	—	1
25—30	—	7	—	—	—	4	—	3	—	4	—	5	—	35	—	1
30—35	—	7	—	2	—	4	—	1	—	5	—	5	—	28	—	3
35—40	—	7	—	1	—	2	—	4	—	7	—	8	—	30	—	1
40—45	—	5	—	1	—	2	—	2	—	5	—	—	—	17	—	1
45—50	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable else where (puerperal insanity).		IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155–158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	40	—	4	172	136	44	40	48	23	49	44	31	29	91	54
0—1	—	—	—	—	24	9	—	—	2	1	7	2	15	6	4	2
1—5	—	—	—	—	4	3	—	—	2	—	—	—	2	3	5	9
5—10	—	—	—	—	1	2	—	—	—	—	1	1	—	1	15	12
10—15	—	—	—	—	2	5	—	1	1	2	1	2	—	—	19	6
15—20	—	4	—	—	4	2	1	—	1	1	2	1	—	—	5	1
20—25	—	9	—	2	1	4	—	—	—	2	1	2	—	—	4	1
25—30	—	10	—	1	4	—	—	—	4	—	—	—	—	—	2	—
30—35	—	8	—	1	4	1	—	—	3	1	—	—	1	—	3	—
35—40	—	8	—	—	4	4	—	—	2	3	2	1	—	—	3	—
40—45	—	—	—	—	5	4	—	—	4	1	1	3	—	—	3	1
45—50	—	1	—	—	12	8	—	—	4	4	7	1	1	3	3	3
50—55	—	—	—	—	6	4	—	—	1	—	4	2	1	2	2	5
55—60	—	—	—	—	10	6	—	—	5	1	5	2	—	3	4	1
60—65	—	—	—	—	10	6	2	1	3	—	3	5	2	—	3	3
65—70	—	—	—	—	15	14	6	3	5	1	2	6	2	4	4	3
70—75	—	—	—	—	22	19	9	7	4	4	6	5	3	3	4	1
75—80	—	—	—	—	22	18	13	10	3	1	5	5	1	2	8	2
80 and upwards	—	—	—	—	22	27	13	18	4	1	2	6	3	2	—	4

* **150.** Puerperal diseases of the breast *25.*

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	71	41	15	10	5	3	208	162	906	712	131	85	667	525	569	469
0—1	2	2	2	—	—	—	184	136	906	712	131	85	667	525	569	469
1—5	4	9	1	—	—	—	10	10	—	—	—	—	—	—	—	—
5—10	13	10	2	1	—	1	3	6	—	—	—	—	—	—	—	—
10—15	16	6	2	—	1	—	1	1	—	—	—	—	—	—	—	—
15—20	5	1	—	—	—	—	3	4	—	—	—	—	—	—	—	—
20—25	3	1	—	—	1	—	—	2	—	—	—	—	—	—	—	—
25—30	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
30—35	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
35—40	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
40—45	2	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—
45—50	1	3	2	—	—	—	2	—	—	—	—	—	—	—	—	—
50—55	1	2	1	2	—	1	—	1	—	—	—	—	—	—	—	—
55—60	3	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—
60—65	2	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
65—70	2	—	2	2	—	1	1	—	—	—	—	—	—	—	—	—
70—75	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
75—80	6	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—

*157. Amputation —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		Suicide. 165 & 166 By solid or liquid poisons and corrosive substances.		Suicide. 167 By poisonous gas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	98	56	91	79	17	23	581	1027	1690	986	439	222	78	64	148	78
0—1	98	56	91	79	17	23	—	—	28	32	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	70	38	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	95	32	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	37	13	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	105	30	8	4	1	1	2	2
20—25	—	—	—	—	—	—	—	—	106	45	8	11	2	4	2	4
25—30	—	—	—	—	—	—	—	—	103	35	29	19	5	8	12	2
30—35	—	—	—	—	—	—	—	—	67	40	27	16	6	6	11	4
35—40	—	—	—	—	—	—	—	—	79	26	33	15	7	3	13	7
40—45	—	—	—	—	—	—	—	—	100	47	42	25	12	2	12	13
45—50	—	—	—	—	—	—	—	—	104	56	49	36	6	9	19	15
50—55	—	—	—	—	—	—	—	—	127	65	55	30	11	7	17	11
55—60	—	—	—	—	—	—	—	1	132	66	61	23	9	7	21	7
60—65	—	—	—	—	—	—	7	6	134	80	60	22	12	10	17	6
65—70	—	—	—	—	—	—	15	20	115	67	31	8	4	4	7	1
70—75	—	—	—	—	—	—	84	110	107	76	19	6	2	2	6	2
75—80	—	—	—	—	—	—	148	200	92	100	12	6	—	—	6	4
80 and upwards	—	—	—	—	—	—	327	690	89	138	5	1	1	1	3	—

Causes of Death.	Suicide—*contd.* 168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths, excluding suicide and homicide.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	46	19	52	15	16	—	54	19	21	18	24	4	—	5	1239	752
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27	31
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	69	38
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	95	32
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	37	13
15—20	1	—	1	1	—	—	1	—	—	—	2	—	—	—	96	25
20—25	2	—	1	—	—	—	—	—	1	1	—	1	—	1	97	29
25—30	4	1	3	2	—	—	3	1	1	2	1	1	—	2	73	16
30—35	1	1	4	1	—	—	1	2	1	1	3	—	—	1	39	23
35—40	1	2	2	—	2	—	4	1	1	1	3	—	—	1	43	10
40—45	2	2	5	2	1	—	5	5	4	1	1	—	—	—	57	20
45—50	6	3	8	4	2	—	3	3	1	1	4	1	—	—	55	20
50—55	8	5	10	3	2	—	3	—	3	3	1	1	—	—	72	35
55—60	8	2	4	2	2	—	11	3	2	2	4	—	—	—	70	43
60—65	3	1	9	—	2	—	14	2	2	3	1	—	—	—	74	58
65—70	5	1	—	—	3	—	6	—	3	2	3	—	—	—	84	59
70—75	2	—	3	—	1	—	3	2	1	—	1	—	—	—	87	69
75—80	3	1	2	—	1	—	—	—	—	1	—	—	—	—	80	94
80 and upwards	—	—	—	—	—	—	—	—	1	—	—	—	—	—	84	137

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Con-flagration.		179 Accidental burns (con-flagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	—	3	8	5	1	—	53	88	28	21	17	13	103	16
0—1	—	—	—	—	—	—	—	—	2	10	18	17	—	—	1	—
1—5	—	1	—	—	1	—	—	—	28	19	5	—	—	1	—	—
5—10	—	—	—	—	1	—	—	—	2	2	1	—	—	—	12	—
10—15	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—
15—20	—	—	—	—	—	—	—	—	1	4	—	1	—	—	7	—
20—25	—	—	—	—	—	—	—	—	1	2	—	—	—	1	6	4
25—30	—	—	—	—	—	—	—	—	2	—	—	—	1	1	12	2
30—35	—	—	—	1	1	1	—	—	—	4	—	—	—	—	6	4
35—40	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—
40—45	—	—	—	—	1	—	—	—	2	3	—	—	2	2	10	2
45—50	—	—	—	—	2	—	—	—	—	2	—	1	1	—	9	1
50—55	1	—	—	1	1	—	—	—	1	1	—	—	2	1	8	—
55—60	—	—	—	—	—	—	—	—	1	3	—	—	5	2	8	2
60—65	—	—	—	—	1	3	—	—	—	3	—	—	2	2	6	1
65—70	—	—	—	1	—	—	1	—	3	6	1	—	—	2	9	—
70—75	—	—	—	—	—	—	—	—	5	8	2	2	1	—	3	—
75—80	—	—	—	—	—	—	—	—	—	8	1	—	—	1	1	—
80 and upwards	—	—	—	—	—	1	—	—	5	10	—	—	1	—	1	—

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	—	2	—	299	294	—	—	19	1	658	291	2	—	7	—
0—1	—	—	1	—	3	2	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	5	4	—	—	—	—	27	11	—	—	—	—
5—10	—	—	—	—	3	2	—	—	—	—	76	27	—	—	—	—
10—15	—	—	—	—	1	1	—	—	1	—	32	9	—	—	—	—
15—20	—	—	—	—	4	1	—	—	1	—	79	17	—	—	—	—
20—25	—	—	—	—	9	1	—	—	2	—	73	20	—	—	—	—
25—30	—	—	—	—	13	2	—	—	3	—	39	11	1	—	—	—
30—35	—	—	1	—	9	2	—	—	1	—	18	10	—	—	1	—
35—40	—	—	—	—	13	—	—	—	4	—	19	10	—	—	2	—
40—45	—	—	—	—	8	3	—	—	—	—	28	8	—	—	2	—
45—50	—	—	—	—	10	6	—	—	2	—	25	10	—	—	2	—
50—55	—	—	—	—	19	11	—	—	1	—	37	20	—	—	—	—
55—60	—	—	—	—	15	9	—	—	4	—	32	24	1	—	—	—
60—65	—	—	—	—	31	24	—	—	—	—	33	25	—	—	—	—
65—70	—	—	—	—	31	15	—	—	—	1	38	32	—	—	—	—
70—75	—	—	—	—	28	36	—	—	—	—	44	22	—	—	—	—
75—80	—	—	—	—	45	62	—	—	—	—	33	23	—	—	—	—
80 and upwards	—	—	—	—	52	113	—	—	—	—	25	12	—	—	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	191* 192 Hunger or thirst.		193 Excessive cold.		194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	1	1	1	3	2	8	—	12	12	—	1	3	2	9	9
0—1	—	—	—	—	1	1	—	—	1	1	—	—	—	—	1	1
1—5	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	1	—	—	—	1	1	—	—	—	—	1	1
20—25	—	—	—	—	—	—	2	—	1	5	—	—	—	1	1	4
25—30	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
30—35	—	—	—	—	—	—	1	—	1	1	—	—	—	—	1	1
35—40	—	—	—	—	—	—	1	—	3	1	—	—	—	—	3	1
40—45	—	—	—	—	—	1	1	—	1	2	—	1	1	1	—	—
45—50	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	2	1	—	1	—	—	—	—	1	—	—	—	—	—	1	—
60—65	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	1	—	1	—	1	—	—	—	1	1	—	—	—	—	1	1
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

***191.** Execution of civilians by belligerent armies —. ***195.** Lightning 20.

Causes of Death.	200* 201 Fracture (cause not specified).		202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death. 1–70 years.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	1	22	13	1	1	4	6	1	—	3	6	1	—	2	6
0—1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	3	2	—	—	—	1	—	—	—	1	—	—	—	1
5—10	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
10—15	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	1
30—35	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1
40—45	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	1
50—55	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—
55—60	—	—	1	1	1	—	2	—	—	—	2	—	1	—	1	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	1	1	1	—	—	1	1	—	—	1	1	—	—	1	1
70—75	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	1

*** 200.** Infanticide. Deaths from this cause are shown under Nos 197–199.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	All Causes.		I. 1–42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* / 5 Malaria.		6 Small-pox.		7 Measles.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	96893	93557	17919	16413	61	55	53	50	8	5	18	1	6	7	1085	1029
0—1	11021	8302	1182	1123	—	—	—	—	—	—	—	—	1	1	226	191
1—5	6219	5869	2509	2684	1	2	—	2	1	—	—	—	—	1	786	767
5—10	1780	1605	724	725	2	2	2	2	—	—	—	—	—	—	72	63
10—15	935	909	303	361	1	3	1	3	—	—	—	—	—	—	1	3
15—20	1722	1698	734	962	1	5	1	5	—	—	—	—	—	—	—	2
20—25	2191	2052	1059	1156	7	5	7	5	—	—	—	—	—	—	—	—
25—30	2018	2131	885	987	8	6	8	5	—	1	1	—	—	—	—	1
30—35	2106	2250	887	874	5	8	5	6	—	2	1	—	1	1	—	—
35—40	2655	2510	1046	778	11	3	8	3	3	—	1	—	—	1	—	1
40—45	3778	2894	1244	681	8	4	6	3	2	1	2	1	—	1	—	—
45—50	5164	3748	1505	722	3	4	2	3	1	1	3	—	1	—	—	—
50—55	6513	4971	1395	750	3	6	3	6	—	—	3	—	—	—	—	1
55—60	7693	5919	1183	678	5	2	5	2	—	—	3	—	—	1	—	—
60—65	8655	7560	952	745	3	1	2	1	1	—	1	—	1	—	—	—
65—70	9867	8944	817	850	3	1	3	1	—	—	2	—	1	1	—	—
70—75	9913	10415	635	867	—	2	—	2	—	—	1	—	1	—	—	—
75—80	8060	10226	488	748	—	1	—	1	—	—	—	—	—	—	—	—
80 and upwards	6603	11554	371	722	—	—	—	—	—	—	—	—	—	—	—	—

*2. Typhus —; 3. Relapsing fever (Spirillum obermeieri) —; 4. Mediterranean fever —,

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* / 13 Mumps.		14, 15* / 16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	131	133	1011	1397	600	722	5022	5586	4032	4258	990	1328	2	4	22	10
0—1	15	2	377	500	29	28	170	116	132	93	38	23	—	—	—	—
1—5	49	53	597	846	267	287	254	225	227	198	27	27	—	2	1	—
5—10	29	38	34	45	239	294	55	45	39	31	16	14	—	—	2	1
10—15	10	13	1	—	41	62	38	33	27	17	11	16	—	1	1	1
15—20	10	4	1	2	6	14	86	87	60	57	26	30	1	—	—	—
20—25	5	6	—	1	4	5	121	95	90	70	31	25	—	—	—	1
25—30	3	6	—	—	—	2	106	101	91	75	15	26	—	—	1	—
30—35	—	3	1	1	3	1	155	126	129	100	26	26	—	—	2	1
35—40	5	1	—	—	3	5	227	177	197	141	30	36	—	—	2	1
40—45	1	2	—	—	2	4	296	208	267	166	29	42	—	—	2	1
45—50	3	3	—	—	1	4	427	284	359	230	68	54	—	—	2	—
50—55	—	1	—	—	3	3	409	364	352	279	57	85	—	—	4	2
55—60	—	—	—	—	—	6	434	384	350	296	84	88	—	—	1	—
60—65	1	—	—	—	—	2	480	506	378	404	102	102	—	—	1	1
65—70	—	—	—	1	1	3	489	694	398	550	91	144	—	1	—	—
70—75	—	1	—	—	—	1	504	767	385	583	119	184	—	—	2	1
75—80	—	—	—	—	1	1	430	691	328	507	102	184	—	—	1	—
80 and upwards	—	—	—	1	—	—	341	683	223	461	118	222	1	—	—	—

*12. Miliary fever —; 14. Asiatic cholera —. 15. Cholera nostras —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17, 18, 19, 20* / 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	2	5	3	12	5	222	189	25	18	180	199	138	95	16	21
0—1	—	—	—	—	—	—	18	13	1	1	—	1	42	30	7	7
1—5	—	—	—	—	1	—	6	7	6	10	8	11	45	28	5	11
5—10	—	—	2	—	—	1	4	—	5	3	8	7	12	7	3	2
10—15	—	—	1	—	—	1	—	1	5	2	9	9	6	9	—	—
15—20	—	—	—	—	—	—	—	4	3	—	23	16	13	6	—	—
20—25	—	—	—	—	—	1	5	3	2	1	15	17	8	4	—	—
25—30	—	—	—	—	1	—	5	4	2	—	2	14	1	2	1	—
30—35	2	—	—	—	—	1	7	5	—	—	8	17	4	1	—	—
35—40	1	1	—	—	1	—	9	7	—	—	13	17	—	—	—	—
40—45	—	—	—	1	2	—	11	8	—	—	23	10	1	1	—	—
45—50	2	—	—	—	—	—	10	6	—	1	17	21	1	4	—	1
50—55	—	1	—	1	4	—	21	15	—	—	17	14	3	1	—	—
55—60	—	—	—	—	1	—	20	18	—	—	18	18	1	1	—	—
60—65	—	—	1	—	—	1	29	18	1	—	7	15	1	—	—	—
65—70	—	—	—	—	—	—	24	20	—	—	8	7	—	—	—	—
70—75	—	—	1	1	1	—	21	26	—	—	2	1	—	—	—	—
75—80	—	—	—	—	1	—	23	16	—	—	1	4	—	1	—	—
80 and upwards	—	—	—	—	—	—	9	18	—	—	1	—	—	—	—	—

* **17.** Plague—; **18.** Yellow Fever —; **19.** Spirochætosis ictero-hæmorrhagica —; **20.** Leprosy 70.

Causes of Death.	26, 27, 28* / 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column		35 Joints.		36 Other organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	28	17	17	8	8742	6593	7392	5376	550	502	235	247	89	78	39	29	95	72
0—1	1	1	1	1	157	134	17	17	77	72	29	23	1	—	1	—	3	6
1—5	—	1	—	2	469	414	84	92	214	209	75	57	5	4	1	—	5	3
5—10	3	1	—	—	244	214	65	54	112	100	22	24	4	2	1	1	5	1
10—15	6	3	—	—	175	215	69	135	54	35	19	14	4	4	1	1	3	2
15—20	1	—	2	1	576	815	468	697	44	37	9	32	8	4	10	4	4	2
20—25	—	2	—	—	883	1007	786	909	22	23	15	25	13	7	5	—	11	8
25—30	4	2	2	1	735	837	674	785	12	7	10	12	10	8	2	2	6	8
30—35	4	3	—	—	687	697	641	653	3	7	7	12	5	5	4	1	12	4
35—40	1	1	1	1	744	546	702	500	2	4	7	9	4	5	—	3	10	9
40—45	2	—	—	—	856	416	824	385	3	3	8	12	4	4	1	2	6	3
45—50	—	1	2	—	980	366	945	341	2	1	7	6	11	7	—	—	4	4
50—55	1	1	1	—	861	321	821	291	2	2	8	8	6	6	3	2	9	2
55—60	2	1	4	1	629	224	602	199	1	1	8	2	5	3	3	2	5	6
60—65	2	—	1	—	372	185	352	160	1	—	5	5	2	8	3	4	5	3
65—70	—	—	2	1	253	106	238	86	1	—	2	5	4	4	1	2	1	3
70—75	—	—	—	—	87	56	79	48	—	—	2	1	1	4	—	—	4	1
75—80	1	—	1	—	22	25	17	13	—	1	—	—	1	3	3	5	1	3
80 and upwards	—	—	—	—	12	15	8	11	—	—	2	—	1	—	—	—	1	4

* **26.** Glanders —; **27.** Anthrax 50, 60, 60, 60, 65, ; **28.** Rabies —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only.)

Causes of Death.	Tuberculosis—*contd.*															
	36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.		37 (*a*) Acute		37 (*b*) Chronic or unstated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	14	12	14	12	5	64	38	3	1	342	289	129	112	213	177
0—1	—	—	1	4	2	2	—	—	—	—	29	16	13	5	16	11
1—5	1	—	2	1	1	1	—	—	1	1	85	49	45	22	40	27
5—10	—	—	1	—	1	—	3	1	—	—	35	32	10	15	25	17
10—15	—	—	—	—	—	1	2	1	1	—	25	24	7	8	18	16
15—20	—	—	—	—	1	—	3	2	—	—	33	39	15	21	18	18
20—25	1	1	—	—	—	—	9	7	1	—	31	35	9	14	22	21
25—30	—	1	—	—	—	—	6	7	—	—	21	15	5	6	16	9
30—35	—	1	—	—	—	—	12	3	—	—	15	15	3	5	12	10
35—40	—	—	1	—	—	—	9	9	—	—	19	16	4	5	15	11
40—45	—	—	—	—	1	—	5	3	—	—	10	7	4	3	6	4
45—50	—	—	—	1	—	—	4	3	—	—	11	7	3	2	8	5
50—55	—	—	1	2	2	—	6	—	—	—	12	10	5	2	7	8
55—60	1	3	2	1	—	—	2	2	—	—	5	11	3	3	2	8
60—65	1	1	2	1	1	1	1	—	—	—	4	5	1	—	3	5
65—70	—	3	—	—	1	—	—	—	—	—	6	6	1	—	5	6
70—75	—	1	1	—	2	—	1	—	—	—	1	2	1	1	—	1
75—80	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	2	—	2	—	—	1	—	—	—	—	—	—	—	—	—

Causes of Death.	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43–69 General diseases not included in I. 1–42.		Cancer, Malignant Disease. 43–49 Total.		43 Buccal cavity.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	393	212	21	7	15	4	6	3	172	109	11544	13560	9068	10072	1001	157
0—1	116	80	6	3	—	—	6	3	14	14	138	82	4	4	—	—
1—5	8	10	—	—	—	—	—	—	7	7	124	90	10	14	—	1
5—10	5	1	—	—	—	—	—	—	7	2	92	81	6	14	—	1
10—15	1	1	—	—	—	—	—	—	8	4	81	89	11	9	1	1
15—20	—	3	—	—	—	—	—	—	11	3	105	116	22	20	3	1
20—25	5	5	—	1	—	1	—	—	4	3	107	105	34	32	1	3
25—30	7	7	1	1	1	1	—	—	6	3	103	117	38	54	2	3
30—35	5	6	1	—	1	—	—	—	3	4	139	241	89	153	1	1
35—40	19	10	1	—	1	—	—	—	9	7	201	421	123	298	5	3
40—45	29	17	2	1	2	1	—	—	9	7	387	652	287	517	9	4
45—50	38	16	2	1	2	1	—	—	15	10	573	1021	465	838	25	15
50—55	49	13	2	—	2	—	—	—	17	8	1060	1359	874	1073	95	12
55—60	43	14	3	—	3	—	—	—	20	8	1593	1647	1356	1280	165	17
60—65	32	8	1	—	1	—	—	—	16	9	1900	1835	1644	1403	221	24
65—70	19	11	1	—	1	—	—	—	13	4	1926	1907	1593	1466	193	18
70—75	10	7	1	—	1	—	—	—	5	5	1566	1771	1325	1345	169	27
75—80	7	3	—	—	—	—	—	—	1	6	989	1232	819	947	76	13
80 and upwards	—	—	—	—	—	—	—	—	7	5	460	794	368	605	35	13

* **39.** Soft chancre — ; **42.** (1) Vaccinia 0, *10*; (2) Other diseases included under 42, —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only.)

Causes of Death.	Cancer, Malignant Disease—*contd.*												50 Tumours not returned as malignant (brain and female genital organs excptd).		51 Rheumatic fever.	
	44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3414	2615	2049	2003	—	2176	15	1924	299	151	2290	1046	155	91	207	281
0—1	—	—	—	1	—	—	—	—	—	—	4	3	2	1	3	—
1—5	—	—	1	2	—	1	—	—	—	1	9	9	5	1	8	10
5—10	—	—	—	1	—	—	—	—	—	—	6	12	—	1	43	48
10—15	2	—	—	1	—	—	—	—	—	—	8	7	1	—	33	58
15—20	—	1	4	4	—	4	—	—	1	1	14	9	4	2	36	45
20—25	5	3	7	7	—	10	—	—	—	—	21	9	1	—	16	19
25—30	7	7	12	9	—	14	—	5	1	2	16	14	2	2	12	11
30—35	33	30	19	15	—	52	—	40	4	3	32	12	4	3	5	13
35—40	36	43	28	28	—	118	—	77	7	1	47	28	5	2	5	14
40—45	118	73	42	65	—	182	1	143	7	6	110	44	11	6	10	9
45—50	207	153	86	107	—	263	1	210	9	3	137	87	9	3	4	12
50—55	339	227	168	143	—	311	—	275	17	5	255	100	19	8	14	15
55—60	528	295	281	249	—	298	2	268	27	12	353	141	22	10	6	7
60—65	641	392	386	279	—	294	1	253	40	16	355	145	14	16	10	10
65—70	606	455	376	362	—	242	4	224	45	16	369	149	17	9	1	8
70—75	496	456	319	312	—	204	2	185	49	29	290	132	14	9	1	2
75—80	289	301	228	267	—	117	2	132	47	27	177	90	13	8	—	—
80 and upwards	107	179	92	151	—	66	2	112	45	29	87	55	12	10	—	—

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.		58 (*b*) Other anæmias and chlorosis.		59 Diseases of the pituitary gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	410	774	7	3	121	76	768	1100	291	421	241	365	50	56	4	8
0—1	—	—	1	2	55	30	—	—	2	4	—	1	2	3	—	1
1—5	—	—	1	1	63	44	4	4	6	4	2	—	4	4	—	—
5—10	2	—	—	—	2	2	6	—	5	5	3	2	2	3	—	1
10—15	—	—	—	—	1	—	10	11	5	4	—	1	5	3	—	—
15—20	1	1	1	—	—	—	19	13	4	11	1	7	3	4	1	—
20—25	3	2	—	—	—	—	16	13	7	4	5	3	2	1	1	—
25—30	1	—	—	—	—	—	18	16	6	7	1	6	5	1	—	1
30—35	1	4	—	—	—	—	15	16	8	11	5	9	3	2	—	1
35—40	5	8	—	—	—	—	30	14	8	19	6	16	2	3	—	1
40—45	5	20	—	—	—	—	25	29	16	21	13	18	3	3	1	—
45—50	15	20	—	—	—	—	30	43	14	25	14	19	—	6	—	—
50—55	24	40	1	—	—	—	52	88	31	47	27	41	4	6	—	—
55—60	32	73	—	—	—	—	96	140	38	58	33	52	5	6	1	1
60—65	54	84	1	—	—	—	108	187	37	65	35	64	2	1	—	2
65—70	86	138	2	—	—	—	142	184	43	55	40	52	3	3	—	—
70—75	76	154	—	—	—	—	98	173	38	50	36	44	2	6	—	—
75—80	64	134	—	—	—	—	67	101	18	20	17	20	1	—	—	—
80 and upwards	41	96	—	—	—	—	32	68	5	11	3	10	2	1	—	—

* **54.** Pellagra *75;* **55.** Beri-beri —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.		61 (2)* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	60	382	45	284	15	98	8	1	7	1	45	22	30	34	2	4	222	148
0—1	3	2	—	—	3	2	4	—	4	—	26	16	—	—	—	—	1	1
1—5	1	1	—	—	1	1	2	—	2	—	8	1	—	—	—	—	7	4
5—10	1	—	—	—	1	—	1	—	1	—	7	2	—	—	—	—	13	5
10—15	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	14	5
15—20	2	8	1	7	1	1	—	—	—	—	—	1	—	1	—	—	11	8
20—25	3	21	1	19	2	2	—	—	—	—	—	—	3	3	—	—	17	7
25—30	5	14	5	14	—	—	—	—	—	—	—	1	1	—	—	—	16	8
30—35	2	22	2	22	—	—	—	—	—	—	—	—	2	4	—	—	13	9
35—40	7	34	7	32	—	2	—	—	—	—	—	—	1	8	—	—	13	15
40—45	8	27	6	21	2	6	—	—	—	—	—	—	2	2	—	—	14	10
45—50	7	49	7	40	—	9	1	—	—	—	—	—	3	4	—	—	21	12
50—55	4	56	3	42	1	14	—	—	—	—	—	—	6	2	—	—	16	14
55—60	7	50	6	35	1	15	—	—	—	—	—	—	6	1	1	—	15	15
60—65	6	34	6	25	—	9	—	1	—	1	—	—	2	3	1	3	12	12
65—70	2	27	1	18	1	9	—	—	—	—	—	—	2	4	—	—	27	9
70—75	2	24	—	4	2	20	—	—	—	—	—	—	1	1	—	1	6	8
75—80	—	9	—	5	—	4	—	—	—	—	—	—	1	1	—	—	4	6
80 and upwards	—	4	—	—	—	4	—	—	—	—	—	—	—	—	—	—	2	—

*61 (2) Other diseases of the parathyroid glands 45.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70–86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	115	100	107	48	26	18	21	1	96	122	7330	7429	60	36	262	195
0—1	1	1	—	—	—	—	—	—	37	21	506	340	1	1	58	36
1—5	6	4	1	—	—	—	—	—	9	6	215	183	5	4	72	65
5—10	6	4	7	1	—	—	—	—	6	3	132	104	8	6	36	28
10—15	9	4	5	1	—	—	—	—	2	1	89	98	4	5	14	16
15—20	5	3	6	5	1	—	—	—	3	6	125	89	5	3	19	9
20—25	8	4	9	3	1	—	—	—	5	4	117	69	6	2	12	5
25—30	5	6	11	2	—	—	—	—	4	3	118	85	8	2	4	7
30—35	6	4	7	5	—	1	—	—	—	4	134	118	5	—	3	2
35—40	4	12	9	3	1	1	1	—	2	7	178	137	4	1	8	2
40—45	4	6	10	4	5	2	—	—	3	9	251	224	—	3	4	9
45—50	16	11	5	1	3	3	—	—	1	12	358	311	4	—	7	7
50—55	5	11	11	3	6	5	5	1	8	9	479	484	3	1	5	2
55—60	9	8	6	7	4	3	5	—	4	9	638	604	5	4	7	4
60—65	8	8	4	4	3	1	4	—	2	14	836	783	—	2	7	—
65—70	15	5	12	4	1	2	4	—	6	5	967	902	—	—	5	1
70—75	4	5	2	3	1	—	2	—	1	4	980	989	—	1	1	1
75—80	3	4	1	2	—	—	—	—	3	5	720	1012	1	—	—	1
80 and upwards	1	—	1	—	—	—	—	—	—	—	487	897	1	1	—	—

* 68. Chronic poisoning by organic substances 60, 60, 70, *50*.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.
All Ages	300	55	222	192	3701	4648	3139	3882	562	766	207	268	193	242	14	26
0—1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1
10—15	—	—	3	3	1	—	1	—	—	—	—	—	—	—	—	—
15—20	—	—	3	5	3	—	3	—	—	—	1	—	1	—	—	—
20—25	—	—	4	4	7	3	6	2	1	1	1	—	1	—	—	—
25—30	—	—	2	5	6	6	6	5	—	1	1	2	—	2	1	—
30—35	4	—	5	8	13	18	10	14	3	4	2	2	—	1	2	1
35—40	6	4	7	4	22	30	18	27	4	3	1	1	—	1	1	—
40—45	19	2	11	14	46	77	36	59	10	18	2	2	2	2	—	—
45—50	30	8	14	17	112	136	100	115	12	21	5	5	5	4	—	1
50—55	35	6	27	20	211	305	178	272	33	33	6	11	5	8	1	3
55—60	67	10	27	21	317	391	280	344	37	47	22	15	20	13	2	2
60—65	61	12	48	30	529	559	455	487	74	72	30	32	28	30	2	2
65—70	39	7	30	28	708	689	606	581	102	108	29	39	29	37	—	2
70—75	28	2	23	15	746	808	627	697	119	111	39	55	38	49	1	6
75—80	9	3	10	13	588	846	491	687	97	159	36	55	32	52	4	3
80 and upwards	2	1	8	4	392	779	322	591	70	188	32	48	32	43	—	5

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	386	100	240	286	397	349	457	301	8	26	25	43	59	54	659	628
0—1	—	—	—	—	10	7	387	253	—	—	1	—	—	—	19	14
1—5	—	—	—	—	8	7	60	46	—	—	—	—	—	—	29	19
5—10	—	—	—	—	13	7	4	2	1	2	—	—	—	—	23	20
10—15	2	—	—	—	17	16	1	—	3	9	1	—	—	—	13	14
15—20	1	—	3	4	33	22	—	—	2	8	—	—	—	—	15	21
20—25	1	2	6	5	28	15	2	—	1	2	—	1	—	—	22	19
25—30	6	1	11	6	38	29	—	—	1	4	—	—	—	—	19	17
30—35	27	9	9	12	28	30	—	—	—	—	—	—	—	1	16	21
35—40	48	12	9	9	25	27	1	—	—	—	—	2	—	—	30	37
40—45	69	12	14	20	27	22	—	—	—	1	1	3	1	1	40	50
45—50	84	17	11	41	30	30	—	—	—	—	2	3	—	—	45	41
50—55	69	16	37	43	24	23	—	—	—	—	4	4	2	1	48	50
55—60	43	19	48	47	28	25	—	—	—	—	4	6	4	3	52	52
60—65	21	7	34	48	26	28	1	—	—	—	4	7	5	6	66	49
65—70	10	3	31	33	28	19	1	—	—	—	2	8	12	7	70	62
70—75	3	1	17	9	18	29	—	—	—	—	5	3	14	10	81	46
75—80	1	—	3	3	9	8	—	—	—	—	—	3	8	15	51	62
80 and upwards	1	1	7	6	7	5	—	—	—	—	1	3	13	10	20	34

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Pericarditis.		88 Acute endocarditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	18	23	329	225	19443	21388	15002	17626	56	38	326	369	1117	457	13503	16762
0—1	3	1	27	27	6	6	3	1	3	1	—	—	—	—	—	—
1—5	2	3	39	39	16	17	9	11	2	3	6	4	—	—	1	4
5—10	2	2	45	35	52	70	50	68	3	5	5	15	—	—	42	48
10—15	—	—	30	35	80	117	79	114	2	2	17	23	—	—	60	89
15—20	—	1	40	16	117	174	113	170	—	—	19	31	1	—	93	139
20—25	1	—	26	11	144	179	142	175	4	1	35	34	—	—	103	140
25—30	—	—	22	6	143	213	139	208	4	2	23	49	2	2	110	155
30—35	—	—	22	15	177	255	164	248	3	3	28	35	2	1	131	209
35—40	1	1	16	7	248	323	231	315	2	1	42	51	19	1	168	262
40—45	—	1	17	7	493	447	437	428	3	3	71	60	46	10	317	355
45—50	1	1	13	5	777	662	671	589	5	2	30	13	71	13	565	561
50—55	—	—	8	2	1208	1050	1035	924	6	1	11	14	112	32	906	877
55—60	—	1	14	6	1780	1439	1403	1239	3	1	13	11	151	43	1236	1184
60—65	1	1	3	2	2420	2219	1889	1884	6	2	12	12	199	57	1672	1813
65—70	—	3	2	3	3160	2897	2377	2407	6	3	5	8	224	90	2142	2306
70—75	2	3	3	6	3435	3574	2539	2887	3	4	4	4	162	82	2370	2797
75—80	3	—	1	3	2851	3712	2060	2913	1	3	4	3	78	69	1977	2838
80 and upwards	2	5	1	—	2336	4034	1661	3045	—	1	1	2	50	57	1610	2985

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4287	5491	8377	10160	839	1111	4311	3547	378	104	3898	3427	1852	1726	2046	1701
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	3	—	1	1	—	1	—	1	—	—	—	—	—	—	—
5—10	38	45	1	1	3	2	—	1	—	—	—	—	—	—	—	—
10—15	56	82	2	2	2	5	—	2	—	2	—	—	—	—	—	—
15—20	87	129	6	5	—	5	4	3	2	3	—	—	—	—	—	—
20—25	89	123	11	11	3	6	1	2	1	1	—	1	—	1	—	—
25—30	87	130	15	14	8	11	2	—	2	—	—	—	—	—	—	—
30—35	112	163	13	32	6	14	9	2	8	1	—	1	—	1	—	—
35—40	121	210	39	38	8	14	15	3	8	2	5	1	2	—	3	1
40—45	206	230	89	105	22	20	52	14	27	6	22	7	14	5	8	2
45—50	274	299	262	225	29	37	95	59	42	14	52	45	31	33	21	12
50—55	402	414	447	405	57	58	166	107	65	13	101	94	61	72	40	22
55—60	498	475	658	597	80	112	353	184	71	14	276	169	167	129	109	40
60—65	558	673	1008	1028	106	112	520	300	72	13	445	286	264	195	181	91
65—70	622	702	1387	1429	133	175	762	461	46	17	709	441	381	262	328	179
70—75	573	729	1642	1878	155	190	878	663	18	6	857	652	409	349	448	303
75—80	358	602	1478	2056	141	180	784	777	14	6	767	770	301	336	466	434
80 and upwards	206	482	1319	2333	85	170	669	969	1	6	664	960	222	343	442	617

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids phlebitis, etc).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	35	16	35	61	51	115	15	18	3	4	26	17	17813	15445	41	35
0—1	—	—	—	1	—	—	3	4	—	—	—	—	2878	2155	4	7
1—5	—	—	—	1	—	—	5	5	1	—	—	—	2526	2282	—	2
5—10	—	1	1	1	—	—	1	—	—	—	—	—	307	260	—	2
10—15	—	—	1	1	—	—	—	—	—	—	—	—	116	88	6	1
15—20	2	—	—	1	—	—	—	—	—	—	—	—	199	112	6	3
20—25	—	—	1	1	—	1	—	—	—	—	—	—	264	139	10	—
25—30	—	—	1	—	1	4	—	1	—	—	—	—	277	152	—	5
30—35	1	—	—	2	3	3	1	—	—	—	—	—	317	206	1	—
35—40	2	—	1	1	—	4	1	—	—	—	—	—	441	273	2	—
40—45	3	1	2	2	2	2	—	1	—	—	—	—	747	343	3	2
45—50	1	—	4	5	4	6	—	1	—	—	3	2	978	429	2	3
50—55	—	—	1	10	4	6	1	1	—	1	1	1	1192	528	3	1
55—60	6	1	5	10	12	6	1	—	1	—	5	—	1151	681	—	4
60—65	3	1	4	3	4	29	1	—	—	1	2	2	1179	968	1	2
65—70	7	3	6	4	6	19	1	1	1	1	7	4	1420	1297	2	2
70—75	3	5	6	5	8	13	—	2	—	1	4	3	1485	1677	—	—
75—80	3	1	2	8	4	11	—	—	—	—	1	3	1252	1729	—	—
80 and upwards	4	3	—	5	3	11	—	2	—	—	3	2	1084	2126	1	1

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	65	47	6100	6535	1294	1740	2312	1865	2494	2930	10580	8000	5640	5079	4940	2921
0—1	11	11	608	489	268	212	4	7	336	270	2233	1635	1913	1423	320	212
1—5	25	15	234	196	106	83	4	9	124	104	2231	2033	1810	1718	421	315
5—10	12	6	21	24	9	11	2	3	10	10	263	219	128	131	135	88
10—15	—	—	6	5	—	2	3	2	3	1	100	81	27	28	73	53
15—20	—	—	15	11	4	3	6	6	5	2	160	88	29	22	131	66
20—25	—	2	20	17	5	4	12	7	3	6	211	110	29	26	182	84
25—30	1	—	25	12	4	5	13	4	8	3	236	127	45	35	191	92
30—35	—	1	35	16	6	3	19	8	10	5	258	171	36	38	222	133
35—40	1	—	70	36	10	7	42	13	18	16	338	207	64	44	274	163
40—45	1	3	155	54	32	10	78	24	45	20	510	242	104	84	406	158
45—50	3	2	279	120	34	33	145	42	100	45	591	258	141	85	450	173
50—55	3	—	365	196	59	53	195	78	111	65	690	278	184	107	506	171
55—60	1	—	431	288	60	71	217	103	154	114	602	330	177	130	425	200
60—65	1	1	505	476	86	121	263	163	156	192	572	419	201	202	371	217
65—70	—	1	753	720	131	168	346	254	276	298	571	478	225	234	346	244
70—75	3	2	894	1057	163	253	354	374	377	430	476	515	220	302	256	213
75—80	2	2	875	1166	167	310	347	364	361	492	325	458	186	253	139	205
80 and upwards	1	1	809	1652	150	391	262	404	397	857	213	351	121	217	92	134

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only.)

Causes of Death.	101 (*a*) Pneumonia, lobar.		101 (*b*) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3530	1982	1410	939	285	158	139	253	8	3	483	384	19	2	93	28
0—1	134	95	186	117	10	5	8	7	—	—	3	—	—	—	1	1
1—5	224	153	197	162	28	28	4	4	—	—	4	3	—	—	—	1
5—10	82	61	53	27	10	5	—	—	—	—	1	2	—	—	—	2
10—15	53	39	20	14	2	—	—	—	—	—	—	1	1	—	1	—
15—20	105	56	26	10	9	6	1	2	1	—	4	1	—	—	3	1
20—25	154	71	28	13	17	8	—	—	—	—	4	2	—	—	2	—
25—30	146	72	45	20	8	2	—	1	—	—	5	3	—	—	2	2
30—35	184	102	38	31	14	3	1	2	1	—	5	12	—	—	2	1
35—40	218	126	56	37	9	9	—	1	—	1	16	18	—	—	5	1
40—45	326	124	80	34	24	10	2	1	1	—	36	30	1	—	14	1
45—50	353	140	97	33	29	10	3	3	2	1	60	29	2	—	7	3
50—55	380	140	126	31	29	9	3	4	1	—	75	37	3	—	20	3
55—60	341	143	84	57	33	11	5	1	2	—	59	46	1	—	17	1
60—65	280	151	91	66	20	7	8	15	—	—	62	45	2	—	8	3
65—70	240	169	106	75	17	15	10	19	—	—	59	58	1	—	7	4
70—75	173	134	83	79	18	9	33	42	—	1	54	48	3	1	4	2
75—80	88	128	51	77	6	13	21	47	—	—	21	40	2	1	—	2
80 and upwards	49	78	43	56	2	8	40	104	—	—	15	9	3	—	—	—

Causes of Death.	107 (*a*) Chronic interstitial pneumonia.		107 (*b*)* / 107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	69	17	23	9	5531	4562	126	98	93	63	33	35	171	187	6	7
0—1	—	—	1	1	1543	1026	12	11	6	7	6	4	11	9	—	—
1—5	—	—	—	1	425	319	8	8	7	6	1	2	35	22	—	1
5—10	—	—	—	1	125	146	6	—	3	—	3	—	27	24	—	—
10—15	—	—	1	—	75	46	—	1	—	—	—	1	5	12	—	—
15—20	2	—	1	1	94	59	—	2	—	2	—	—	4	8	—	—
20—25	—	—	2	—	104	75	7	3	6	3	1	—	9	7	1	—
25—30	—	1	2	—	114	75	9	6	7	4	2	2	7	7	—	—
30—35	2	—	—	1	129	106	9	2	6	2	3	—	7	6	—	—
35—40	4	—	1	1	188	123	6	9	3	8	3	1	10	6	—	—
40—45	10	1	3	—	245	159	8	6	8	6	—	—	8	11	—	1
45—50	5	3	2	—	369	216	5	10	4	9	1	1	6	13	—	—
50—55	16	2	4	1	405	296	13	9	9	3	4	6	11	11	—	—
55—60	16	—	1	1	402	299	7	9	7	7	—	2	11	6	—	—
60—65	7	3	1	—	377	385	9	1	8	—	1	1	4	16	1	1
65—70	6	3	1	1	321	342	12	5	9	2	3	3	9	6	—	2
70—75	1	2	3	—	307	343	7	10	6	2	1	8	3	10	1	—
75—80	—	2	—	—	185	275	3	3	3	2	—	1	3	7	2	2
80 and upwards	—	—	—	—	123	272	5	3	1	—	4	3	1	6	1	—

*107 (*b*). Diseases of the mediastinum. 40, *5*, *25*.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1058	351	671	292	387	59	236	252	1791	1432	2	1	485	383	822	803
0—1	2	1	1	—	1	1	76	43	1307	908	—	—	2	—	120	46
1—5	1	—	1	—	—	—	12	6	289	241	—	—	26	10	40	15
5—10	—	—	—	—	—	—	5	6	19	36	—	—	43	41	19	9
10—15	—	—	—	—	—	—	4	1	8	2	—	—	42	22	14	2
15—20	7	3	4	3	3	—	5	2	5	6	—	—	48	31	18	4
20—25	20	4	13	3	7	1	1	1	1	11	—	—	40	29	23	7
25—30	34	13	15	8	19	5	2	—	3	10	—	—	35	19	11	10
30—35	58	18	28	16	30	2	3	3	2	13	—	—	21	20	14	20
35—40	84	12	50	11	34	1	2	3	8	3	—	—	27	26	23	17
40—45	118	29	71	25	47	4	8	4	8	12	1	—	29	26	32	33
45—50	187	43	123	33	64	10	6	4	14	9	—	—	37	21	38	45
50—55	160	49	114	42	46	7	18	7	14	20	—	—	25	34	67	59
55—60	121	30	81	26	40	4	20	17	16	18	1	—	31	29	58	76
60—65	95	49	68	40	27	9	12	18	19	15	—	—	28	32	73	100
65—70	74	33	48	28	26	5	17	29	20	23	—	1	23	17	71	96
70—75	61	26	34	23	27	3	20	36	23	29	—	—	17	14	82	95
75—80	27	23	13	17	14	6	15	30	19	34	—	—	8	6	61	85
80 and upwards	9	18	7	17	2	1	10	42	16	42	—	—	3	6	58	84

* **115.** Ankylostomiasis 25; **116** (*a*) Cestodes (hydatids of the liver excepted), 40, 55, *65*.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	341	406	481	397	103	77	26	22	77	55	2	19	5	3	388	197
0—1	28	9	92	37	7	4	5	3	2	1	—	—	—	—	1	—
1—5	13	3	27	12	3	1	2	—	1	1	1	1	—	—	—	—
5—10	1	—	18	9	3	1	1	—	2	1	—	1	—	—	—	—
10—15	1	—	13	2	—	—	—	—	—	—	—	—	—	—	—	1
15—20	1	1	17	3	2	—	—	—	2	—	—	2	1	—	—	—
20—25	5	1	18	6	—	1	—	—	—	1	—	3	—	—	—	1
25—30	1	—	10	10	3	2	3	1	—	1	1	2	—	—	2	1
30—35	2	5	12	15	1	3	—	2	1	1	—	4	—	1	4	—
35—40	8	3	15	14	7	5	1	1	6	4	—	2	1	—	6	12
40—45	6	12	26	21	2	3	1	1	1	2	—	1	—	2	13	11
45—50	14	19	24	26	4	6	1	—	3	6	—	—	—	—	46	22
50—55	27	32	40	27	10	3	1	—	9	3	—	1	—	—	60	27
55—60	26	53	32	23	10	6	—	1	10	5	—	1	1	—	77	25
60—65	33	61	40	39	16	10	2	1	14	9	—	1	1	—	64	32
65—70	40	55	31	41	11	8	—	—	11	8	—	—	—	—	48	27
70—75	51	63	31	32	13	11	4	3	9	8	—	—	1	—	44	21
75—80	43	49	18	36	9	6	3	3	6	3	—	—	—	—	20	10
80 and upwards	41	40	17	44	2	7	2	6	—	1	—	—	—	—	3	7

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	54	24	334	173	107	293	123	277	62	96	43	86	4532	3416	207	226
0—1	—	—	1	—	—	—	—	—	—	—	5	4	39	18	6	6
1—5	—	—	—	—	—	—	5	1	—	—	5	13	26	31	13	20
5—10	—	—	—	—	—	—	2	—	—	1	1	27	23	35	14	25
10—15	—	—	—	1	—	—	1	3	1	—	—	2	27	33	8	8
15—20	—	—	—	—	—	—	—	—	2	—	2	1	46	36	16	12
20—25	—	—	—	1	—	2	—	1	1	1	1	4	43	76	11	12
25—30	—	1	2	—	—	1	2	1	3	3	1	—	55	104	9	7
30—35	2	—	2	—	2	1	1	3	5	5	2	7	69	117	9	12
35—40	1	5	5	7	—	5	2	10	5	7	7	6	91	157	12	13
40—45	1	1	12	10	5	6	4	8	5	3	4	3	119	178	14	15
45—50	2	2	44	20	5	17	16	16	4	8	1	2	204	232	25	15
50—55	13	3	47	24	9	33	10	28	6	13	2	2	339	313	19	18
55—60	11	3	66	22	12	38	26	23	8	17	3	4	476	365	16	19
60—65	8	2	56	30	20	55	21	39	8	13	6	3	545	373	13	20
65—70	9	1	39	26	18	42	8	38	9	14	1	1	696	394	11	13
70—75	5	4	39	17	21	38	9	45	5	6	—	2	713	375	6	5
75—80	2	1	18	9	10	33	8	30	—	3	—	3	598	329	1	3
80 and upwards	—	1	3	6	5	22	8	31	—	2	2	2	423	250	4	3

* **127.** Other diseases of the digestive system — ;

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, &c.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2526	2478	119	156	98	57	175	136	191	4	186	—	5	4	1177	—
0—1	1	—	12	9	—	—	—	1	1	—	—	—	1	—	—	—
1—5	2	1	5	8	1	1	1	—	—	—	—	—	—	—	—	—
5—10	5	8	2	1	1	—	1	—	—	—	—	—	—	—	—	—
10—15	16	23	2	2	1	—	—	—	—	—	—	—	—	—	—	—
15—20	27	20	1	1	2	—	—	—	—	—	—	—	—	—	—	—
20—25	29	44	1	4	1	3	—	—	1	—	1	—	—	—	—	—
25—30	34	58	2	8	8	6	2	—	—	—	—	—	—	—	—	—
30—35	43	57	6	8	5	4	2	3	1	—	1	—	—	—	1	—
35—40	62	84	7	7	4	7	2	2	3	1	3	—	—	1	—	—
40—45	79	110	12	7	5	3	1	4	6	—	6	—	—	—	1	—
45—50	151	154	6	5	6	6	2	2	12	2	12	—	—	2	2	—
50—55	246	229	12	16	13	3	5	4	23	—	22	—	1	—	20	—
55—60	326	276	19	19	12	11	15	12	35	—	34	—	1	—	49	—
60—65	343	306	6	20	9	4	12	5	36	—	35	—	1	—	123	—
65—70	364	334	11	17	8	1	31	10	32	—	31	—	1	—	238	—
70—75	361	318	8	11	14	3	34	25	26	—	26	—	—	—	261	—
75—80	275	261	5	10	6	4	32	31	13	1	13	—	—	1	266	—
80 and upwards	162	195	2	3	2	1	35	37	2	—	2	—	—	—	216	—

* **130.** Chyluria 55.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	36	—	—	103	—	86	—	112	—	4	—	51	2	3	—	996
0—1	17	—	—	—	—	1	—	—	—	—	—	—	2	1	—	—
1—5	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
15—20	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	39
20—25	—	—	—	1	—	9	—	1	—	1	—	1	—	—	—	146
25—30	—	—	—	6	—	16	—	1	—	—	—	2	—	—	—	289
30—35	2	—	—	10	—	16	—	2	—	—	—	4	—	1	—	235
35—40	1	—	—	4	—	13	—	17	—	1	—	8	—	—	—	193
40—45	1	—	—	3	—	12	—	16	—	—	—	8	—	—	—	87
45—50	—	—	—	10	—	9	—	23	—	1	—	5	—	—	—	6
50—55	1	—	—	17	—	3	—	18	—	1	—	4	—	—	—	—
55—60	3	—	—	13	—	3	—	7	—	—	—	5	—	—	—	—
60—65	3	—	—	10	—	—	—	4	—	—	—	3	—	1	—	—
65—70	1	—	—	8	—	1	—	8	—	—	—	2	—	—	—	—
70—75	3	—	—	9	—	—	—	3	—	—	—	1	—	—	—	—
75—80	—	—	—	8	—	—	—	5	—	—	—	6	—	—	—	—
80 and upwards	—	—	—	3	—	—	—	7	—	—	—	1	—	—	—	—

Causes of Death.	143 Accidents of pregnancy.		143 (*a*) Abortion.		143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	100	—	23	—	23	—	54	—	110	—	118	—	416	—	53
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	4	—	1	—	—	—	3	—	2	—	2	—	18	—	1
20—25	—	12	—	3	—	1	—	8	—	8	—	19	—	67	—	6
25—30	—	25	—	3	—	6	—	16	—	26	—	28	—	144	—	12
30—35	—	17	—	5	—	7	—	5	—	24	—	32	—	97	—	15
35—40	—	30	—	10	—	8	—	12	—	32	—	24	—	62	—	12
40—45	—	10	—	1	—	1	—	8	—	17	—	11	—	28	—	7
45—50	—	2	—	—	—	—	—	2	—	1	—	2	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only.)

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).		IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155–158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	187	—	10	550	452	157	141	103	60	151	116	139	135	196	139
0—1	—	—	—	—	102	67	4	2	4	2	20	14	74	49	9	9
1—5	—	—	—	—	19	11	2	4	1	—	6	4	10	3	16	18
5—10	—	—	—	—	3	3	1	—	—	1	—	2	2	—	41	24
10—15	—	1	—	—	1	8	—	—	—	1	1	6	—	1	18	17
15—20	—	11	—	1	8	7	—	—	3	2	4	4	1	1	21	15
20—25	—	31	—	1	4	12	—	—	2	6	2	5	—	1	6	3
25—30	—	52	—	2	9	9	1	2	2	2	6	2	—	3	5	7
30—35	—	45	—	5	13	9	—	—	7	7	6	2	—	—	11	5
35—40	—	32	—	1	10	3	—	—	3	2	6	1	1	—	2	3
40—45	—	14	—	—	8	14	—	—	1	4	5	6	2	4	10	2
45—50	—	1	—	—	20	8	1	—	8	2	9	1	2	5	9	4
50—55	—	—	—	—	26	24	2	—	10	7	9	8	5	9	8	4
55—60	—	—	—	—	38	14	3	2	10	2	16	10	9	—	13	8
60—65	—	—	—	—	42	29	6	5	15	2	15	11	6	11	10	6
65—70	—	—	—	—	59	39	23	17	14	4	20	8	2	10	9	4
70—75	—	—	—	—	58	58	29	32	9	4	15	9	5	13	2	5
75—80	—	—	—	—	74	51	49	30	8	5	7	10	10	6	2	2
80 and upwards	—	—	—	—	56	86	36	47	6	7	4	13	10	19	4	3

* **150.** Puerperal diseases of the breast *20, 20.*

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital malformations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	145	99	37	32	14	8	720	615	3872	2813	662	409	2914	2143	2589	1974
0—1	4	4	4	4	1	1	615	550	3872	2813	662	409	2914	2143	2589	1974
1—5	12	12	3	6	1	—	40	29	—	—	—	—	—	—	—	—
5—10	38	22	3	2	—	—	22	10	—	—	—	—	—	—	—	—
10—15	16	15	1	1	1	1	5	4	—	—	—	—	—	—	—	—
15—20	14	11	5	4	2	—	11	5	—	—	—	—	—	—	—	—
20—25	4	1	2	2	—	—	8	2	—	—	—	—	—	—	—	—
25—30	4	4	1	3	—	—	3	4	—	—	—	—	—	—	—	—
30—35	8	4	2	1	1	—	3	—	—	—	—	—	—	—	—	—
35—40	1	1	1	—	—	2	2	2	—	—	—	—	—	—	—	—
40—45	8	1	2	1	—	—	2	2	—	—	—	—	—	—	—	—
45—50	5	4	2	—	2	—	4	2	—	—	—	—	—	—	—	—
50—55	6	2	—	2	2	—	2	1	—	—	—	—	—	—	—	—
55—60	7	4	5	3	1	1	2	1	—	—	—	—	—	—	—	—
60—65	5	5	3	1	2	—	—	2	—	—	—	—	—	—	—	—
65—70	7	2	2	1	—	1	1	1	—	—	—	—	—	—	—	—
70—75	1	4	1	—	—	1	—	—	—	—	—	—	—	—	—	—
75—80	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	3	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—

* 157 Amputation —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only.)

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy		163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	325	169	266	233	30	28	2593	3787	4716	2441	1162	561	111	108	384	217
0—1	325	169	266	233	30	28	—	—	127	112	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	282	184	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	259	146	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	137	47	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	262	84	21	18	1	5	8	6
20—25	—	—	—	—	—	—	—	—	333	90	44	26	7	7	13	10
25—30	—	—	—	—	—	—	—	—	303	89	63	39	11	11	15	14
30—35	—	—	—	—	—	—	—	—	225	81	58	48	10	8	22	20
35—40	—	—	—	—	—	—	—	—	245	95	72	46	10	10	25	17
40—45	—	—	—	—	—	—	—	1	263	98	94	51	11	9	42	21
45—50	—	—	—	—	—	—	—	—	355	128	154	78	16	12	45	27
50—55	—	—	—	—	—	—	4	3	385	152	157	71	14	8	47	28
55—60	—	—	—	—	—	—	8	11	393	157	170	63	17	13	60	23
60—65	—	—	—	—	—	—	43	44	336	155	127	52	3	12	47	23
65—70	—	—	—	—	—	—	172	132	292	164	100	34	6	9	33	12
70—75	—	—	—	—	—	—	509	574	221	178	52	25	4	3	14	11
75—80	—	—	—	—	—	—	724	929	175	205	35	6	1	—	9	3
80 and upwards	—	—	—	—	—	—	1133	2093	123	276	15	4	—	1	4	2

Causes of Death.	Suicide—*continued.* 168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths, excluding suicide and homicide.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	196	53	163	104	29	3	194	39	32	18	50	2	3	17	3516	1834
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121	100
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	279	180
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	253	144
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136	46
15—20	7	—	4	5	—	—	—	—	1	1	—	—	—	1	239	63
20—25	8	—	8	7	2	1	2	—	—	—	4	—	—	1	287	61
25—30	11	3	6	9	5	—	7	1	1	—	7	—	—	1	239	47
30—35	3	1	5	5	1	—	7	4	2	2	8	1	—	7	165	31
35—40	7	4	9	8	2	1	12	2	—	—	6	—	1	4	168	42
40—45	7	7	14	8	1	—	12	5	3	—	4	1	—	—	167	44
45—50	29	9	18	16	4	1	32	9	2	3	7	—	1	1	199	50
50—55	27	12	25	15	5	—	30	1	7	6	2	—	—	1	227	80
55—60	27	6	25	12	1	—	31	5	3	3	5	—	1	1	221	91
60—65	26	6	20	6	4	—	18	4	5	1	4	—	—	—	208	103
65—70	22	2	13	7	2	—	18	3	4	1	2	—	—	—	191	129
70—75	13	2	7	4	1	—	10	5	3	—	—	—	—	—	168	152
75—80	5	1	9	1	—	—	9	—	1	1	1	—	—	—	140	199
80 and upwards	4	—	—	1	1	—	6	—	—	—	—	—	—	—	108	272

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	2	—	6	17	19	15	18	282	361	101	85	55	63	384	74
0—1	—	—	—	—	1	—	3	—	24	18	79	70	—	1	6	2
1—5	1	—	—	—	2	4	2	5	151	98	6	2	1	2	29	5
5—10	—	1	—	—	1	—	1	2	15	35	3	2	1	4	42	7
10—15	—	1	—	—	—	—	1	—	7	10	1	—	2	—	15	4
15—20	—	—	—	1	—	2	—	1	4	17	1	1	—	1	30	6
20—25	—	—	—	—	3	1	1	1	5	13	1	—	2	1	26	4
25—30	—	—	—	1	—	1	1	1	4	9	—	—	4	3	25	8
30—35	—	—	—	1	1	—	2	—	5	5	2	1	1	1	19	5
35—40	—	—	—	—	1	2	—	1	2	7	2	1	1	2	13	3
40—45	—	—	—	—	1	—	—	—	10	8	1	—	3	4	23	6
45—50	—	—	—	1	2	1	1	—	6	2	1	1	4	3	15	3
50—55	—	—	—	1	—	2	—	1	8	8	1	—	6	5	31	8
55—60	—	—	—	1	2	1	2	3	4	19	1	2	5	4	29	3
60—65	—	—	—	—	1	1	—	1	5	15	1	2	7	2	26	2
65—70	—	—	—	—	—	2	1	—	10	20	—	—	6	4	29	4
70—75	—	—	—	—	1	1	—	—	7	20	—	—	6	8	13	2
75—80	—	—	—	—	—	—	—	—	10	31	1	2	4	5	10	1
80 and upwards	—	—	—	—	1	1	—	2	5	26	—	1	2	13	3	1

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	1	6	3	623	613	135	—	61	2	1673	535	4	1	27	—
0—1	—	—	—	1	6	4	—	—	—	—	1	—	—	—	—	—
1—5	—	—	1	—	11	2	—	—	—	—	68	56	—	—	—	—
5—10	—	—	1	—	11	3	—	—	—	—	170	88	—	—	—	—
10—15	1	—	1	2	8	1	3	—	5	—	87	27	—	—	—	—
15—20	—	—	1	—	23	3	19	—	3	1	147	28	1	—	—	—
20—25	1	1	—	—	24	2	9	—	6	—	194	35	—	—	—	—
25—30	1	—	—	—	22	3	20	—	3	—	149	15	—	—	—	—
30—35	1	—	—	—	14	3	14	—	2	—	89	12	—	—	4	—
35—40	—	—	1	—	24	6	7	—	6	—	96	17	—	—	9	—
40—45	1	—	—	—	26	8	11	—	4	—	75	17	1	—	3	—
45—50	—	—	—	—	44	15	13	—	12	—	87	20	—	—	8	—
50—55	—	—	1	—	52	21	14	—	4	—	99	31	1	—	2	—
55—60	2	—	—	—	41	27	6	—	7	—	109	26	1	—	1	—
60—65	—	—	—	—	55	45	11	—	5	—	90	34	—	1	—	—
65—70	—	—	—	—	59	60	6	—	4	—	74	37	—	—	—	—
70—75	—	—	—	—	67	71	2	—	—	1	67	45	—	—	—	—
75—80	—	—	—	—	71	131	—	—	—	—	41	28	—	—	—	—
80 and upwards	—	—	—	—	65	208	—	—	—	—	30	19	—	—	—	—

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	191* 192 Hunger or thirst.		193 Excessive cold.		194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	2	11	6	15	4	15	1	38	46	1	4	12	10	25	32
0—1	—	—	—	—	—	—	—	—	6	12	—	—	1	—	5	12
1—5	—	—	—	—	2	—	—	—	3	4	—	—	3	1	—	3
5—10	—	—	—	—	2	2	—	—	6	2	1	—	4	1	1	1
10—15	—	—	—	—	1	—	—	—	1	1	—	—	—	—	1	1
15—20	—	—	—	—	—	—	2	1	2	3	—	1	—	—	2	2
20—25	1	—	1	1	2	—	—	—	2	3	—	—	—	—	2	3
25—30	—	—	—	—	—	—	5	—	1	3	—	1	1	1	—	1
30—35	—	—	—	—	1	—	5	—	2	2	—	1	—	1	2	—
35—40	—	—	—	—	—	—	2	—	5	7	—	—	1	3	4	4
40—45	—	—	—	—	—	—	—	—	2	3	—	—	—	1	2	2
45—50	1	—	1	1	1	—	—	—	2	—	—	—	—	—	2	—
50—55	—	1	—	—	1	—	—	—	1	1	—	—	1	—	—	1
55—60	—	—	2	1	3	—	—	—	2	3	—	1	—	1	2	1
60—65	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—
65—70	—	—	1	2	—	—	—	—	1	1	—	—	1	—	—	1
70—75	—	—	2	1	—	1	—	—	1	1	—	—	—	1	1	—
75—80	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—

* **191.** Execution of civilians by belligerent armies —; **195.** Lightning 50.

Causes of Death.	200* 201 Fracture (cause not specified).		202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death. 1–70 years.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.
All Ages	8	5	70	33	3	—	134	101	36	23	98	78	57	36	41	42
0—1	—	1	1	3	—	—	4	1	—	—	4	1	—	—	4	1
1—5	—	—	5	6	—	—	21	21	—	—	21	21	1	—	20	21
5—10	—	—	6	—	—	—	—	1	—	—	—	1	—	—	—	1
10—15	—	—	4	1	—	—	3	—	—	—	3	—	3	—	—	—
15—20	1	—	7	1	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	11	2	—	—	2	—	2	—	—	—	—	—	—	—
25—30	—	—	5	6	—	—	3	—	1	—	2	—	1	—	1	—
30—35	2	—	3	3	—	—	2	3	1	2	1	1	1	1	—	—
35—40	—	—	4	3	—	—	3	2	1	2	2	—	2	—	—	—
40—45	—	—	8	1	—	—	9	6	3	2	6	4	5	2	1	2
45—50	1	—	1	3	1	—	12	7	6	2	6	5	4	2	2	3
50—55	1	—	5	2	—	—	10	7	3	3	7	4	5	3	2	1
55—60	—	2	5	2	1	—	16	15	4	5	12	10	11	8	1	2
60—65	2	—	3	—	—	—	15	16	4	3	11	13	9	13	2	—
65—70	—	—	1	—	—	—	27	15	11	4	16	11	15	7	1	4
70—75	1	2	1	—	1	—	2	4	—	—	2	4	—	—	2	4
75—80	—	—	—	—	—	—	2	2	—	—	2	2	—	—	2	2
80 and upwards	—	—	—	—	—	—	3	1	—	—	3	1	—	—	3	1

* **200** Infanticide. Deaths from this cause are shown under Nos. 197-199.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	All Causes.		I. 1–42 Epidemic, endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6 Small-pox.		7 Measles.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	88581	88602	14140	13510	71	80	64	65	7	15	13	—	7	11	371	352
0—1	8624	6492	931	827	—	1	—	—	—	1	—	—	1	2	79	70
1—5	4244	3817	1684	1598	1	—	1	—	—	—	—	—	1	—	246	233
5—10	1718	1421	669	672	2	—	2	—	—	—	—	—	—	—	41	41
10—15	887	860	250	340	4	5	3	5	1	—	—	—	—	—	1	3
15—20	1531	1492	602	786	3	5	3	4	—	1	1	—	—	2	2	1
20—25	1939	1846	839	1005	13	8	12	7	1	1	—	—	—	1	—	2
25—30	1834	1927	767	892	13	11	12	8	1	3	—	—	—	3	—	—
30—35	1839	1880	735	696	10	4	9	4	1	—	2	—	—	—	—	—
35—40	2338	2239	807	663	4	9	4	9	—	—	1	—	1	—	—	1
40—45	3119	2591	974	576	4	6	3	6	1	—	3	—	1	1	—	—
45—50	4117	3447	1001	574	5	6	5	5	—	1	3	—	—	1	1	—
50—55	5303	4468	1009	608	5	9	4	5	1	4	1	—	—	—	1	—
55—60	6566	5434	896	563	—	6	—	4	—	2	—	—	—	—	—	—
60—65	8102	6896	816	614	2	8	2	6	—	2	1	—	2	—	—	—
65—70	9538	8838	697	700	4	2	3	2	1	—	1	—	—	1	—	—
70—75	9832	10416	568	783	1	—	1	—	—	—	—	—	—	—	—	—
75—80	8677	10415	497	791	—	—	—	—	—	—	—	—	1	—	—	1
80 and upwards	8373	14123	398	822	—	—	—	—	—	—	—	—	—	—	—	—

* **2.** Typhus—; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever —.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14, 15* 16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.
All Ages	116	126	895	1098	579	626	4554	5084	3444	3601	1110	1483	6	6	26	12
0—1	4	1	397	458	22	16	147	99	98	84	49	15	2	1	—	1
1—5	46	39	463	582	229	205	237	206	191	165	46	41	—	1	1	—
5—10	42	33	31	49	252	274	69	57	41	35	28	22	1	1	2	—
10—15	5	15	—	1	42	59	38	38	24	19	14	19	1	—	—	—
15—20	8	5	—	1	10	18	101	68	71	38	30	30	—	—	—	1
20—25	1	5	1	—	7	9	92	82	75	58	17	24	—	1	—	1
25—30	1	7	—	1	1	1	115	96	94	69	21	27	—	1	—	—
30—35	2	7	—	—	3	9	130	151	104	110	26	41	—	—	3	—
35—40	5	4	—	—	1	6	165	160	133	118	32	42	—	—	8	2
40—45	—	3	—	—	2	6	260	183	206	144	54	39	—	1	—	—
45—50	1	2	—	—	3	5	294	209	239	150	55	59	—	—	1	2
50—55	1	4	—	1	2	6	365	280	289	204	76	76	—	—	2	1
55—60	—	1	—	1	—	4	358	326	279	213	79	113	—	—	2	—
60—65	—	—	1	—	2	5	446	418	345	301	101	117	—	—	1	3
65—70	—	—	1	—	2	2	467	539	350	404	117	135	1	—	2	—
70—75	—	—	—	1	1	1	446	674	332	493	114	181	1	—	1	—
75—80	—	—	—	1	—	—	443	725	340	510	103	215	—	—	3	1
80 and upwards	—	—	1	2	—	—	381	773	233	486	148	287	—	—	—	—

* **12.** Miliary Fever—; **14.** Asiatic Cholera —; **15.** Cholera Nostras —.

TABLE 17—*contd.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	2	8	2	16	8	157	167	29	20	197	192	100	75	19	10
0—1	—	—	—	—	—	1	11	10	2	—	2	—	28	13	5	6
1—5	—	—	1	—	—	—	2	1	12	7	9	18	22	21	9	3
5—10	—	—	2	—	—	—	—	1	2	4	18	9	14	15	2	1
10—15	—	—	—	—	—	—	—	—	3	1	5	9	8	11	—	—
15—20	—	1	—	—	—	—	1	3	4	3	13	12	12	5	—	—
20—25	—	—	—	—	—	1	2	3	1	—	15	14	7	6	—	—
25—30	—	—	—	—	—	—	3	8	1	—	13	15	2	—	2	—
30—35	—	—	1	—	2	—	4	4	2	2	14	13	2	—	1	—
35—40	2	1	2	—	4	1	4	4	—	—	14	19	3	1	—	—
40—45	—	—	—	—	—	—	6	6	—	1	17	9	1	1	—	—
45—50	—	—	—	2	1	—	10	6	—	1	16	14	—	1	—	—
50—55	—	—	1	—	1	1	15	12	—	1	16	17	—	1	—	—
55—60	—	—	1	—	1	—	19	12	1	—	19	12	—	—	—	—
60—65	—	—	—	—	1	3	19	11	—	—	9	12	1	—	—	—
65—70	—	—	—	—	2	—	15	24	1	—	11	7	—	—	—	—
70—75	—	—	—	—	1	—	31	19	—	—	4	6	—	—	—	—
75—80	—	—	—	—	3	1	12	21	—	—	2	4	—	—	—	—
80 and upwards	—	—	—	—	—	—	3	22	—	—	—	2	—	—	—	—

* **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica 15; **20.** Leprosy, —.

Causes of Death.	26, 27, 28* 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	34	13	21	20	6476	5371	5287	4323	473	399	227	223	76	80	30	34	86	80
0—1	2	—	6	5	127	81	22	9	57	48	29	16	—	—	—	—	1	3
1—5	1	1	—	1	389	271	49	33	208	157	57	34	8	2	2	1	3	2
5—10	2	3	—	—	183	179	38	45	93	74	25	24	—	4	1	—	6	—
10—15	5	—	—	—	128	192	53	111	40	43	16	21	3	1	1	1	—	2
15—20	2	—	—	—	434	656	336	569	24	32	27	22	10	3	4	1	8	4
20—25	4	1	3	1	683	870	568	794	19	14	23	18	11	7	5	3	13	5
25—30	3	1	1	3	603	738	548	685	11	11	8	15	6	6	2	3	9	3
30—35	—	1	—	2	542	497	506	447	6	6	7	12	5	9	2	2	4	3
35—40	1	—	1	3	573	442	534	399	6	3	8	17	4	5	1	2	7	8
40—45	2	1	4	—	643	347	609	317	2	1	6	11	4	5	—	—	4	8
45—50	1	1	—	—	631	301	588	257	3	2	8	7	8	9	3	4	6	8
50—55	3	1	1	—	542	250	510	219	3	3	3	9	4	5	3	2	5	8
55—60	3	1	3	1	441	181	417	141	—	3	3	8	9	7	2	5	3	6
60—65	2	1	—	—	291	146	274	128	—	—	4	5	2	4	2	—	4	3
65—70	1	—	1	1	166	104	148	86	—	1	2	2	2	8	1	2	3	3
70—75	2	1	1	1	65	69	59	53	1	—	—	2	—	3	—	3	5	6
75—80	—	—	—	1	29	33	23	21	—	1	1	—	—	2	—	4	5	5
80 and upwards	—	—	—	1	6	14	5	9	—	—	—	—	—	—	1	1	—	3

* **26.** Glanders —; **27.** Anthrax, 25, 40; **28.** Rabies —.

TABLE 17—*contd.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only).

Causes of Death.	Tuberculosis—*continued.*															
	36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.		37 (*a*) Acute.		37 (*b*) Chronic or unstated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	15	18	10	14	11	50	41	3	3	297	232	96	93	201	139
0—1	—	—	—	1	1	1	—	1	—	—	18	5	11	3	7	2
1—5	—	—	1	—	2	2	—	—	—	—	62	42	20	20	42	22
5—10	—	—	—	—	3	—	3	—	—	—	20	32	6	16	14	16
10—15	—	—	—	—	—	—	—	2	—	—	15	13	5	3	10	10
15—20	—	—	1	—	1	—	6	4	—	—	25	25	10	13	15	12
20—25	—	1	1	—	2	—	9	4	1	—	44	29	14	12	30	17
25—30	—	1	1	—	—	1	8	1	—	—	19	15	5	7	14	8
30—35	—	—	1	—	—	—	3	3	—	—	12	18	—	5	12	13
35—40	—	—	2	1	—	—	4	7	1	—	13	8	5	4	8	4
40—45	—	—	—	—	—	—	4	7	—	1	18	5	5	—	13	5
45—50	—	2	2	1	—	1	4	4	—	—	15	14	3	4	12	10
50—55	1	1	3	4	—	1	1	2	—	—	14	4	6	1	8	3
55—60	—	1	—	1	—	1	3	3	—	—	7	11	2	3	5	8
60—65	—	2	2	—	—	—	2	—	—	1	5	6	2	1	3	5
65—70	—	1	1	—	—	1	2	1	—	—	10	2	2	1	8	1
70—75	—	2	1	2	3	1	—	1	1	—	—	2	—	—	—	2
75—80	—	3	2	—	2	1	1	1	—	—	—	—	—	—	—	—
80 and upwards	—	1	—	—	—	1	—	—	—	1	—	1	—	—	—	1

Causes of Death.	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43–69 General diseases not included in I. 1–42.		Cancer, Malignant Disease. 43–49 Total.		43 Buccal cavity.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	258	153	20	3	15	—	5	3	187	91	11264	14594	8691	10715	828	163
0—1	74	50	5	3	—	—	5	3	16	10	112	67	3	2	—	—
1—5	11	7	—	—	—	—	—	—	5	2	108	101	17	19	1	—
5—10	—	1	—	—	—	—	—	—	8	4	99	80	16	9	1	—
10—15	2	3	—	—	—	—	—	—	8	3	81	88	7	10	—	2
15—20	1	2	—	—	—	—	—	—	9	4	77	93	25	12	2	1
20—25	2	1	1	—	1	—	—	—	7	—	94	122	33	24	2	—
25—30	3	4	—	—	—	—	—	—	5	3	111	132	37	56	1	—
30—35	9	5	1	—	1	—	—	—	10	1	125	208	64	117	1	2
35—40	13	8	1	—	1	—	—	—	12	4	202	381	109	270	6	4
40—45	13	8	—	—	—	—	—	—	17	3	322	650	223	503	14	2
45—50	18	16	2	—	2	—	—	—	15	9	542	989	421	795	37	8
50—55	41	15	3	—	3	—	—	—	11	10	918	1391	740	1094	79	17
55—60	29	9	4	—	4	—	—	—	17	9	1426	1616	1176	1237	120	22
60—65	22	6	2	—	2	—	—	—	15	4	1706	1968	1407	1473	157	28
65—70	13	9	1	—	1	—	—	—	10	11	1996	2102	1666	1585	154	23
70—75	3	6	—	—	—	—	—	—	12	5	1647	1967	1357	1483	113	16
75—80	2	2	—	—	—	—	—	—	5	2	1085	1520	892	1142	92	19
80 and upwards	2	1	—	—	—	—	—	—	5	7	613	1119	498	884	48	19

* **39** Soft chancre —; **42.** (1) Vaccinia 0; (2) Other diseases included under 42 —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only).

Causes of Death.	Cancer, Malignant Disease—*cont.*												50 Tumours not returned as malignant. (brain and female genital organs excepted).		51 Rheumatic fever.	
	44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3242	2784	2149	2294	—	2081	14	2108	304	182	2154	1103	150	135	232	285
0—1	—	2	—	—	—	—	—	—	—	—	3	—	2	3	1	—
1—5	—	—	—	—	—	1	—	—	—	—	16	18	3	1	9	13
5—10	1	—	—	1	—	—	—	—	—	—	14	8	3	3	45	37
10—15	3	—	—	—	—	—	—	—	—	—	4	8	—	—	43	46
15—20	—	1	—	2	—	1	—	—	1	—	22	7	—	1	24	32
20—25	1	—	8	7	—	8	—	—	3	—	19	9	4	5	17	30
25—30	11	5	7	7	—	19	—	5	—	3	18	17	4	3	17	15
30—35	21	27	20	16	—	36	—	20	2	1	20	15	2	—	7	16
35—40	47	43	16	27	—	89	—	66	4	8	36	33	6	3	14	14
40—45	76	74	54	56	—	180	1	144	7	5	71	42	5	5	10	12
45—50	177	116	92	108	—	246	1	230	7	13	107	74	4	9	11	16
50—55	270	219	158	167	—	296	2	278	24	9	207	108	15	11	5	14
55—60	467	309	291	231	—	267	1	286	35	9	262	113	18	14	8	8
60—65	561	431	329	317	—	261	3	289	32	14	325	133	20	20	12	12
65—70	642	475	418	394	—	257	2	245	44	21	406	170	30	14	5	12
70—75	514	464	354	391	—	195	2	232	53	26	321	159	11	15	3	4
75—80	316	370	246	326	—	145	2	147	38	27	198	108	11	14	—	3
80 and upwards	135	248	156	244	—	80	—	166	54	46	105	81	12	14	1	1

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.		58 (*b*) Other anæmias and chlorosis.		59 Diseases of the pituitary gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	404	847	3	3	64	52	804	1185	362	478	313	433	49	45	4	6
0—1	—	—	2	1	30	16	1	—	5	2	1	1	4	1	—	—
1—5	—	—	—	2	32	30	3	2	8	5	1	3	7	2	—	—
5—10	—	—	—	—	1	4	6	6	8	2	4	—	4	2	—	—
10—15	—	—	—	—	—	1	11	12	1	3	1	2	—	1	—	—
15—20	—	1	—	—	—	—	14	19	1	1	—	1	1	—	—	—
20—25	—	2	—	—	—	—	11	14	6	10	2	8	4	2	—	—
25—30	1	3	—	—	—	—	17	17	7	7	4	5	3	2	—	1
30—35	1	5	—	—	—	—	21	19	12	14	8	14	4	—	—	1
35—40	4	4	—	—	—	—	29	23	8	19	7	16	1	3	—	—
40—45	7	10	—	—	—	—	24	30	10	26	8	22	2	4	3	—
45—50	22	22	—	—	1	—	26	37	17	42	17	37	—	5	1	—
50—55	23	42	—	—	—	1	64	78	28	46	24	39	4	7	—	1
55—60	39	77	1	—	—	—	79	123	49	60	45	57	4	3	—	—
60—65	46	97	—	—	—	—	116	202	60	66	57	61	3	5	—	2
65—70	76	137	—	—	—	—	126	209	56	68	54	64	2	4	—	1
70—75	73	158	—	—	—	—	138	186	49	66	46	65	3	1	—	—
75—80	62	157	—	—	—	—	85	140	23	30	21	27	2	3	—	—
80 and upwards	50	132	—	—	—	—	33	68	14	11	13	11	1	—	—	—

* **54.** Pellagra — ; **55.** Beri-beri —.

TABLE 17—*contd.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.		61 (2) * 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	66	463	47	343	19	120	6	9	6	8	45	35	38	62	7	7	235	173
0—1	3	2	—	—	3	2	6	5	6	5	29	13	—	1	1	—	1	—
1—5	3	—	—	—	3	—	—	2	—	1	7	8	—	—	1	—	13	10
5—10	—	1	—	—	—	1	—	—	—	—	3	7	—	—	—	—	10	5
10—15	2	2	1	1	1	1	—	—	—	—	1	1	1	—	—	—	10	7
15—20	1	14	1	11	—	3	—	1	—	1	1	4	—	—	—	—	8	7
20—25	4	19	2	13	2	6	—	—	—	—	—	1	1	4	—	—	16	10
25—30	3	13	2	12	1	1	—	—	—	—	2	—	3	1	—	1	16	11
30—35	3	22	3	22	—	—	—	—	—	—	—	—	2	4	—	2	9	7
35—40	3	25	3	22	—	3	—	—	—	—	1	—	3	5	—	1	18	11
40—45	9	36	8	32	1	4	—	—	—	—	—	—	3	9	1	—	19	12
45—50	7	45	6	38	1	7	—	—	—	—	1	—	4	6	—	—	19	14
50—55	7	69	7	60	—	9	—	—	—	—	—	1	3	9	2	—	22	12
55—60	6	60	5	48	1	12	—	—	—	—	—	—	8	3	—	1	27	18
60—65	9	54	7	37	2	17	—	—	—	—	—	—	4	8	—	1	18	26
65—70	3	45	2	23	1	22	—	—	—	—	—	—	4	6	—	—	16	12
70—75	—	29	—	13	—	16	—	1	—	1	—	—	2	4	1	1	7	8
75—80	2	21	—	10	2	11	—	—	—	—	—	—	—	1	1	—	5	3
80 and upwards	1	6	—	1	1	5	—	—	—	—	—	—	—	1	—	—	1	—

* **61.** (2) Other diseases of the parathyroid glands *1*.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68 * 69 Other general diseases.		III. 70–86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.
All Ages	129	121	106	52	29	14	18	—	102	123	7542	8094	59	47	243	230
0—1	1	—	—	—	—	—	—	—	28	22	441	320	1	1	56	44
1—5	12	10	1	—	—	—	—	—	12	9	187	181	5	7	62	57
5—10	5	5	5	—	—	—	—	—	7	6	138	93	6	2	35	32
10—15	5	7	5	—	—	—	—	—	5	6	90	84	3	3	22	21
15—20	5	4	3	3	—	—	—	—	3	—	82	90	1	5	11	11
20—25	6	3	10	7	—	—	—	—	2	3	112	77	6	2	14	7
25—30	7	7	9	4	2	—	—	—	2	4	99	74	7	3	4	6
30—35	5	6	4	1	—	—	1	—	2	1	126	106	3	4	8	6
35—40	9	6	9	5	2	1	1	—	4	5	187	159	7	2	7	10
40—45	8	11	11	1	1	2	—	—	7	4	232	175	2	1	5	3
45—50	9	11	10	3	4	1	1	—	2	2	318	339	5	3	3	4
50—55	15	10	7	2	5	6	3	—	1	7	465	491	4	1	3	9
55—60	14	10	13	8	4	2	7	—	4	13	607	603	3	5	4	5
60—65	14	15	4	11	3	—	3	—	7	7	826	773	3	3	3	5
65—70	8	10	8	2	5	1	2	—	7	12	968	1013	1	1	5	4
70—75	2	5	5	3	1	1	—	—	5	11	1056	1183	2	2	—	2
75—80	3	1	2	2	—	—	—	—	3	9	912	1119	—	1	1	3
80 and upwards	1	—	—	—	2	—	—	—	1	2	696	1214	—	1	—	1

* **68.** Chronic poisoning by organic substances 30, 45, 60, 75, *15*, *40*.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	254	37	305	254	4066	5144	3466	4298	600	846	269	328	240	293	29	35
0—1	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—
1—5	—	—	1	—	—	3	—	2	—	1	1	—	1	—	—	—
5—10	—	—	2	2	1	—	1	—	—	—	1	1	—	—	1	1
10—15	—	—	5	3	1	2	1	1	—	1	—	—	—	—	—	—
15—20	—	—	9	5	2	—	2	—	—	—	1	1	—	—	1	1
20—25	—	—	9	5	3	2	3	1	—	1	—	—	—	—	—	—
25—30	—	—	4	9	9	6	9	5	—	1	1	—	—	—	1	—
30—35	1	1	10	7	19	16	19	11	—	5	2	—	1	—	1	—
35—40	6	—	11	10	26	28	21	24	5	4	1	1	1	1	—	—
40—45	15	2	10	17	54	57	44	52	10	5	4	2	4	1	—	1
45—50	31	7	21	17	110	143	92	126	18	17	3	6	2	5	1	1
50—55	39	5	33	30	190	270	159	239	31	31	11	11	8	9	3	2
55—60	40	4	51	36	304	367	276	337	28	30	14	20	13	19	1	1
60—65	47	6	47	32	539	562	470	479	69	83	32	24	28	22	4	2
65—70	40	3	37	29	678	761	581	654	97	107	46	62	43	56	3	6
70—75	18	6	31	25	803	946	697	790	106	156	55	63	51	58	4	5
75—80	13	1	17	15	739	945	618	784	121	161	52	67	49	60	3	7
80 and upwards	4	2	7	12	588	1036	473	793	115	243	43	70	37	62	6	8

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	317	76	154	267	393	377	403	301	9	29	19	52	69	81	716	681
0—1	—	—	—	—	2	1	342	234	—	—	—	—	—	—	13	19
1—5	—	—	—	—	11	10	55	61	—	—	—	1	—	—	28	18
5—10	—	—	—	—	24	9	—	1	4	8	—	—	—	—	25	15
10—15	2	1	—	—	17	13	3	1	3	10	—	1	—	—	15	8
15—20	—	1	1	5	24	17	1	—	1	6	1	—	—	—	11	16
20—25	4	2	4	4	25	19	—	—	—	4	—	1	—	—	16	19
25—30	2	1	7	7	38	23	—	—	—	—	—	—	—	—	13	12
30—35	17	7	7	5	30	23	—	—	—	—	—	1	1	—	18	26
35—40	50	11	6	11	25	33	1	—	—	1	—	2	—	—	32	46
40—45	50	7	11	18	27	24	—	1	—	—	—	1	—	1	40	39
45—50	53	19	12	41	25	35	—	1	—	—	—	4	1	—	43	53
50—55	57	11	19	49	28	27	—	—	—	—	1	5	3	—	65	63
55—60	45	8	26	37	35	29	1	—	1	—	4	9	7	7	69	68
60—65	21	3	25	27	15	28	—	—	—	—	5	5	11	10	74	66
65—70	10	4	20	30	25	28	—	1	—	—	3	8	7	10	87	67
70—75	6	—	8	17	21	29	—	1	—	—	2	5	13	14	89	67
75—80	—	—	6	7	12	15	—	—	—	—	2	5	14	12	52	45
80 and upwards	—	1	2	9	9	14	—	—	—	—	1	4	12	27	26	34

TABLE 17—*contd.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	18	14	248	176	19121	20818	14791	17236	60	30	315	375	1118	478	13298	16353
0—1	3	3	22	18	7	5	2	—	2	—	—	—	—	—	—	—
1—5	—	1	24	23	14	8	9	7	2	2	5	4	—	—	2	1
5—10	1	—	39	23	44	53	43	50	3	—	12	15	—	—	28	35
10—15	1	—	18	21	87	108	86	107	1	4	13	28	—	—	72	75
15—20	1	1	18	22	126	166	126	164	5	4	31	42	1	—	89	118
20—25	1	—	30	12	133	146	126	143	3	1	28	35	1	—	94	107
25—30	—	—	14	7	106	173	101	168	1	1	23	38	—	—	77	129
30—35	1	—	9	10	143	201	140	190	3	1	27	38	6	—	104	151
35—40	—	—	15	4	220	274	207	263	2	4	31	45	20	3	154	211
40—45	—	—	14	2	375	413	324	395	3	1	60	47	24	9	237	338
45—50	1	—	10	6	608	600	522	548	4	1	14	20	55	11	449	516
50—55	—	—	12	10	996	855	829	764	3	3	12	14	100	23	714	724
55—60	—	1	3	7	1490	1298	1201	1122	4	2	13	13	150	33	1034	1074
60—65	1	2	3	—	2274	1906	1821	1619	4	2	20	13	178	66	1619	1538
65—70	3	1	6	4	3102	2847	2439	2386	8	2	9	12	216	91	2206	2281
70—75	1	3	7	3	3499	3530	2560	2876	7	1	10	3	193	110	2350	2762
75—80	1	1	3	2	3026	3587	2222	2873	4	1	3	8	112	67	2103	2797
80 and upwards	3	1	1	2	2871	4648	2033	3561	1	—	4	—	62	65	1966	3496

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4366	5464	7632	9368	1300	1521	4162	3333	284	86	3849	3210	1961	1771	1888	1439
0—1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
1—5	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	26	27	1	3	1	5	—	—	—	—	—	—	—	—	—	—
10—15	60	62	2	3	10	10	—	1	—	—	—	1	—	—	—	1
15—20	78	104	8	8	3	6	—	2	—	2	—	—	—	—	—	—
20—25	74	93	10	8	10	6	5	1	3	1	1	—	1	—	—	—
25—30	59	110	11	8	7	11	2	2	1	2	1	—	—	—	1	—
30—35	76	112	16	24	12	15	2	3	2	2	—	1	—	1	—	—
35—40	105	145	40	48	9	18	8	5	3	4	4	1	2	—	2	1
40—45	156	210	56	91	25	37	41	10	21	3	18	6	8	4	10	2
45—50	224	269	171	199	54	48	79	40	28	10	49	28	28	23	21	5
50—55	344	348	313	304	57	72	150	63	45	6	103	56	69	45	34	11
55—60	439	458	482	499	113	117	270	140	65	12	204	126	140	98	64	28
60—65	611	617	838	767	170	154	426	257	41	7	381	245	247	173	134	72
65—70	688	781	1292	1289	226	211	645	423	35	13	606	407	333	271	273	136
70—75	637	837	1487	1652	226	273	919	626	24	11	887	608	467	377	420	231
75—80	458	699	1429	1841	216	257	787	689	10	10	775	672	366	338	409	334
80 and upwards	329	591	1476	2624	161	281	827	1071	5	3	820	1059	300	441	520	618

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	29	37	59	78	66	116	16	20	6	5	21	30	13871	12258	36	36
0—1	—	—	—	—	—	—	3	5	1	—	—	—	2040	1461	3	3
1—5	—	—	1	—	—	—	4	1	—	—	—	—	1623	1436	2	1
5—10	—	—	—	—	—	—	1	2	—	—	—	1	247	199	—	2
10—15	—	—	—	—	1	—	—	—	—	—	—	—	71	67	1	1
15—20	—	—	—	—	—	—	—	—	—	—	—	—	125	95	2	5
20—25	1	—	1	1	1	—	—	1	—	—	—	—	179	106	3	2
25—30	—	—	—	1	1	—	1	—	1	2	—	—	193	124	2	2
30—35	—	—	—	4	—	2	1	1	—	1	—	—	242	151	1	1
35—40	1	—	3	3	—	3	2	—	—	—	—	—	334	203	3	5
40—45	2	1	3	5	7	2	—	1	—	—	—	—	509	241	2	1
45—50	2	2	2	4	5	8	—	—	—	—	—	—	686	276	2	4
50—55	2	1	8	9	7	15	1	1	—	—	1	3	787	374	5	4
55—60	1	2	3	7	11	24	—	2	1	1	4	2	890	528	4	1
60—65	4	5	9	10	13	15	1	—	1	—	3	5	989	705	4	—
65—70	4	3	8	11	4	19	—	2	—	—	6	6	1183	997	1	3
70—75	8	7	9	7	6	13	1	2	1	1		5	1261	1364	—	1
75—80	2	7	8	9	6	11	—	1	1	—	2	4	1190	1529	—	—
80 and upwards	2	9	4	7	4	4	1	1	—	—	2	4	1322	2402	1	—

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	62	52	5203	5659	1228	1642	1784	1382	2191	2635	7528	5669	3693	3335	3835	2334
0—1	13	11	539	403	268	190	2	2	269	211	1465	1028	1252	881	213	147
1—5	21	23	198	174	94	97	7	5	97	72	1369	1216	1088	1000	281	216
5—10	14	4	19	21	7	10	4	2	8	9	196	165	92	94	104	71
10—15	2	1	9	4	2	2	3	1	4	1	54	56	14	20	40	36
15—20	—	2	9	4	2	—	6	2	1	2	102	70	16	21	86	49
20—25	—	2	13	9	3	—	6	7	4	2	147	73	20	13	127	60
25—30	—	—	19	10	4	4	10	4	5	2	158	99	19	22	139	77
30—35	—	4	30	23	7	9	15	11	8	3	184	104	27	21	157	83
35—40	—	2	56	31	12	8	20	8	24	15	236	139	33	28	203	111
40—45	1	—	96	40	23	14	49	16	24	10	363	158	60	43	303	115
45—50	1	—	158	63	24	22	86	25	48	16	443	174	106	54	337	120
50—55	—	—	220	120	40	24	114	53	66	43	463	202	104	67	359	135
55—60	1	—	277	207	56	45	125	71	96	91	486	263	111	88	375	175
60—65	1	1	405	314	74	102	185	115	146	97	474	311	126	107	348	204
65—70	—	—	608	522	116	164	281	165	211	193	469	386	166	177	303	209
70—75	3	—	751	857	144	235	311	271	296	351	393	405	175	188	218	217
75—80	4	—	795	1055	155	285	287	278	353	492	301	382	162	208	139	174
80 and upwards	1	2	1001	1802	197	431	273	346	531	1025	225	438	122	303	103	135

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	101 (*a*) Pneumonia, lobar.		101 (*b*) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2603	1476	1232	858	278	179	165	241	6	3	486	377	15	5	92	37
0—1	86	63	127	84	4	3	13	12	—	—	3	—	—	—	—	1
1—5	135	107	146	109	17	16	5	4	—	—	9	1	—	—	2	1
5—10	63	37	41	34	10	4	4	—	—	—	3	2	—	—	1	1
10—15	23	24	17	12	3	5	1	—	—	—	—	—	—	—	1	—
15—20	60	35	26	14	8	7	—	2	—	—	3	2	—	—	1	3
20—25	109	46	18	14	10	7	—	3	—	1	4	8	—	—	2	1
25—30	99	53	40	24	4	5	1	—	—	—	7	7	—	—	2	1
30—35	121	62	36	21	11	10	2	—	1	—	9	8	—	—	4	1
35—40	150	82	53	29	15	9	2	—	1	1	14	13	—	1	7	2
40—45	212	83	91	32	13	9	3	2	—	—	25	29	2	—	4	2
45—50	254	78	83	42	16	10	4	2	—	—	45	22	1	—	16	1
50—55	272	100	87	35	29	10	5	1	—	—	47	33	2	1	16	3
55—60	261	127	114	48	37	8	7	5	2	—	61	37	2	2	13	5
60—65	263	140	85	64	27	14	1	11	1	—	66	52	—	—	10	2
65—70	224	131	79	78	22	22	7	14	—	1	63	43	4	—	9	6
70—75	134	138	84	79	21	14	28	34	1	—	61	51	2	—	1	2
75—80	84	97	55	77	19	9	33	40	—	—	35	40	1	1	2	2
80 and upwards	53	73	50	62	12	17	49	111	—	—	31	29	1	—	1	3

Causes of Death.	107 (*b*) *		107 (*a*) Chronic interstitial pneumonia.		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	66	27	25	9	4940	4233	133	102	94	70	39	32	216	232	14	8
0—1	—	—	—	1	853	582	12	3	4	2	8	1	7	5	—	—
1—5	1	—	1	1	266	237	9	6	5	5	4	1	35	22	—	—
5—10	—	—	1	1	141	138	1	4	1	2	—	2	30	30	—	—
10—15	1	—	—	—	70	61	2	—	1	—	1	—	14	16	—	—
15—20	—	2	1	1	114	64	2	1	2	1	—	—	11	9	—	—
20—25	1	1	1	—	96	88	2	3	2	3	—	—	9	11	—	—
25—30	1	—	1	1	125	83	6	5	4	4	2	1	9	6	—	—
30—35	2	1	2	—	125	100	3	5	2	1	1	4	8	7	—	—
35—40	5	—	2	1	171	132	9	5	6	5	3	—	10	10	—	1
40—45	4	1	—	1	240	148	7	5	7	4	—	1	7	10	—	—
45—50	11	1	5	—	342	227	5	6	5	5	—	1	13	17	—	1
50—55	13	2	3	1	373	290	8	13	8	10	—	3	12	18	2	—
55—60	12	5	1	—	399	299	17	8	11	7	6	1	14	18	1	—
60—65	7	2	2	—	454	366	12	10	11	6	1	4	12	20	2	—
65—70	5	6	4	—	421	423	16	8	14	5	2	3	9	11	2	—
70—75	1	2	—	—	321	391	12	8	6	5	6	3	8	9	3	1
75—80	2	2	—	—	233	296	6	4	3	1	3	3	5	8	1	2
80 and upwards	—	2	1	1	196	308	4	8	2	4	2	4	3	5	3	3

*107. (*b*). Diseases of the mediastinum 60, *35*.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929

(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1001	341	643	285	358	56	229	279	1019	936	6	2	587	411	857	784
0—1	—	4	—	2	—	2	51	36	679	476	—	—	1	2	90	51
1—5	2	1	1	1	1	—	9	17	126	135	2	1	40	21	34	23
5—10	—	2	—	2	—	—	7	4	21	26	—	1	59	29	14	10
10—15	1	—	1	—	—	—	1	3	4	8	1	—	34	25	9	6
15—20	12	1	9	1	3	—	4	1	6	2	—	—	50	36	19	8
20—25	12	9	6	9	6	—	1	1	8	14	—	—	44	23	14	13
25—30	28	4	18	2	10	2	3	2	5	10	1	—	44	20	20	19
30—35	49	9	21	7	28	2	2	4	4	17	1	—	24	19	22	8
35—40	75	14	55	12	20	2	3	1	3	16	1	—	30	33	25	23
40—45	112	22	60	18	52	4	5	2	11	17	—	—	28	20	20	29
45—50	152	33	101	28	51	5	6	6	14	18	—	—	46	27	44	42
50—55	138	37	88	30	50	7	14	4	11	14	—	—	44	38	46	52
55—60	116	48	69	39	47	9	12	12	16	20	—	—	46	23	58	62
60—65	132	42	88	40	44	2	22	24	11	18	—	—	32	22	85	80
65—70	86	46	61	41	25	5	22	39	31	26	—	—	29	35	101	97
70—75	51	33	38	26	13	7	22	38	21	42	—	—	20	21	85	92
75—80	20	21	18	17	2	4	25	38	27	28	—	—	12	8	82	87
80 and upwards	15	15	9	10	6	5	20	47	21	49	—	—	4	9	89	82

***115.** Ankylostomiasis — ; **116** (*a*) Cestodes (hydatids of the liver excepted) 10, 25, 30, 35 ; **116** (*c*) Nematodes (other than Ankylostoma), 1.
116 (*f*) Undefined Parasites, 1, *1*, *5*.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	378	343	479	441	104	113	16	40	88	73	3	21	1	6	387	208
0—1	23	5	67	46	5	4	2	3	3	1	—	—	—	—	—	—
1—5	7	3	27	20	2	1	1	—	1	1	—	1	—	—	—	—
5—10	—	1	14	9	1	—	—	—	1	—	1	—	—	—	—	—
10—15	—	—	9	6	2	1	—	1	2	—	—	—	—	—	1	—
15—20	2	—	17	8	3	1	—	—	3	1	1	1	—	—	—	3
20—25	2	3	12	10	—	2	—	—	—	2	—	3	—	—	—	—
25—30	3	—	17	19	2	4	—	1	2	3	—	5	—	—	—	1
30—35	4	2	18	6	2	5	—	—	2	5	—	5	—	2	4	2
35—40	7	3	18	20	2	3	1	2	1	1	—	1	—	1	5	1
40—45	9	9	11	20	10	4	1	2	9	2	—	—	—	1	21	10
45—50	15	16	29	26	6	10	1	2	5	8	1	3	—	—	33	10
50—55	22	26	24	26	7	7	—	1	7	6	—	—	—	—	52	33
55—60	27	37	31	25	14	11	2	1	12	10	—	2	1	—	61	37
60—65	40	50	45	30	13	9	4	3	9	6	—	—	—	—	74	34
65—70	63	61	38	36	16	14	1	4	15	10	—	—	—	1	57	33
70—75	45	44	40	48	11	8	1	3	10	5	—	—	—	1	44	26
75—80	52	43	30	44	6	12	2	5	4	7	—	—	—	—	23	9
80 and upwards	57	40	32	42	2	17	—	12	2	5	—	—	—	—	12	9

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127 * 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	61	30	326	178	125	337	134	299	75	92	49	62	4456	3355	196	229
0—1	—	—	—	—	—	—	2	—	—	—	6	1	18	17	8	7
1—5	—	—	—	—	—	—	4	1	—	—	3	8	22	27	14	19
5—10	—	—	—	—	—	—	1	3	—	—	6	29	23	21	13	12
10—15	—	—	1	—	—	—	—	—	—	—	1	2	23	40	6	9
15—20	—	—	—	3	—	—	—	—	3	1	3	—	35	57	14	14
20—25	—	—	—	—	—	—	2	2	2	3	2	4	44	62	10	12
25—30	—	—	—	1	—	4	1	3	4	—	2	—	46	80	10	14
30—35	—	—	4	2	—	6	4	3	1	4	1	4	58	106	11	16
35—40	1	—	4	1	3	6	4	6	1	7	—	4	87	139	14	16
40—45	5	3	16	7	5	12	4	8	7	5	3	3	122	186	13	14
45—50	7	2	26	8	10	24	7	20	5	9	—	1	199	267	13	13
50—55	10	7	42	26	7	35	13	21	14	18	5	—	303	282	16	13
55—60	10	6	51	31	19	28	12	17	9	13	3	—	381	335	10	23
60—65	12	6	62	28	25	53	20	38	8	14	6	2	535	353	13	20
65—70	8	3	49	30	23	54	15	51	11	5	3	3	657	421	15	11
70—75	2	3	42	23	17	50	19	52	6	10	2	—	700	403	7	8
75—80	2	—	21	9	8	34	13	42	4	2	1	1	659	299	7	
80 and upwards	4	—	8	9	8	31	13	32	—	1	2	—	544	260	2	2

* **127.** Other diseases of the digestive system —.

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130 * 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2435	2365	115	153	111	40	175	128	138	8	125	1	13	7	1270	—
0—1	2	1	5	6	—	—	—	—	—	—	—	—	—	—	—	—
1—5	5	3	2	4	—	—	—	1	—	—	—	—	—	—	—	—
5—10	8	7	—	1	1	—	1	—	—	—	—	—	—	—	—	—
10—15	17	26	—	4	—	1	—	—	—	—	—	—	—	—	—	—
15—20	15	34	3	4	—	—	2	—	1	—	1	—	—	—	—	—
20—25	28	34	2	1	2	1	1	1	1	—	—	—	1	—	—	—
25—30	25	32	5	8	4	2	1	2	1	1	1	—	—	1	—	—
30—35	38	45	5	11	3	3	1	2	—	2	—	—	—	2	—	—
35—40	58	66	2	10	7	1	2	3	3	2	3	—	—	2	1	—
40—45	88	96	6	9	5	3	3	2	7	—	7	—	—	—	—	—
45—50	146	149	11	9	8	5	5	4	12	—	12	—	—	—	3	—
50—55	225	211	9	14	12	2	7	9	14	2	12	—	2	2	19	—
55—60	267	256	13	13	18	6	14	10	11	—	8	—	3	—	44	—
60—65	324	274	10	19	17	3	13	10	29	—	28	—	1	—	129	—
65—70	357	349	15	13	11	5	20	16	27	—	24	—	3	—	210	—
70—75	351	341	11	9	7	3	34	15	11	1	10	1	1	—	278	—
75—80	282	253	10	5	13	2	42	17	10	—	10	—	—	—	294	—
80 and upwards	199	188	6	13	3	3	29	36	11	—	9	—	2	—	292	—

* **130.** Chyluria —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	—	—	119	—	78	—	142	—	6	—	80	—	7	—	928
0—1	3	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—
1—5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	2	—	—	—	2	—	1	—	—	—	21
20—25	—	—	—	3	—	5	—	3	—	1	—	1	—	—	—	127
25—30	—	—	—	5	—	15	—	1	—	—	—	—	—	—	—	258
30—35	—	—	—	6	—	12	—	4	—	—	—	5	—	—	—	230
35—40	—	—	—	5	—	15	—	12	—	—	—	9	—	—	—	195
40—45	—	—	—	11	—	6	—	31	—	1	—	11	—	2	—	88
45—50	1	—	—	16	—	16	—	41	—	—	—	13	—	1	—	9
50—55	1	—	—	6	—	4	—	9	—	1	—	9	—	2	—	—
55—60	4	—	—	11	—	1	—	9	—	—	—	6	—	—	—	—
60—65	—	—	—	10	—	—	—	9	—	1	—	7	—	—	—	—
65—70	2	—	—	12	—	2	—	10	—	—	—	3	—	—	—	—
70—75	1	—	—	13	—	—	—	5	—	—	—	8	—	—	—	—
75—80	1	—	—	9	—	—	—	3	—	—	—	4	—	—	—	—
80 and upwards	2	—	—	12	—	—	—	5	—	—	—	1	—	—	—	—

Causes of Death.	143 Accidents of pregnancy.		143 (*a*) Abortion.		143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	102	—	27	—	38	—	37	—	108	—	104	—	354	—	63
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	1	—	—	—	4	—	5	—	2
20—25	—	10	—	1	—	4	—	5	—	7	—	7	—	61	—	1
25—30	—	32	—	9	—	10	—	13	—	23	—	22	—	106	—	26
30—35	—	24	—	8	—	11	—	5	—	25	—	31	—	89	—	14
35—40	—	24	—	9	—	7	—	8	—	34	—	25	—	67	—	13
40—45	—	9	—	—	—	5	—	4	—	17	—	15	—	23	—	6
45—50	—	2	—	—	—	1	—	1	—	2	—	—	—	3	—	1
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).		IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa		X. 155–158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	190	—	5	561	478	181	176	104	58	151	100	125	144	197	126
0—1	—	—	—	—	79	55	2	1	2	3	16	12	59	39	6	4
1—5	—	—	—	—	9	14	1	2	—	—	4	6	4	6	14	15
5—10	—	—	—	—	5	4	—	1	—	—	3	3	2	—	34	23
10—15	—	—	—	—	6	5	—	—	2	—	3	4	1	1	34	11
15—20	—	8	—	1	10	10	—	1	5	6	5	2	—	1	17	10
20—25	—	40	—	1	11	6	—	—	10	1	1	3	—	2	5	3
25—30	—	48	—	—	7	7	—	—	3	3	3	4	1	—	8	4
30—35	—	45	—	2	11	15	—	—	5	5	6	6	—	4	4	2
35—40	—	30	—	1	18	15	1	—	7	10	8	4	2	1	2	4
40—45	—	18	—	—	14	7	—	—	4	4	7	2	3	1	6	4
45—50	—	1	—	—	17	11	—	—	8	3	6	6	3	2	10	6
50—55	—	—	—	—	18	11	—	2	6	—	9	7	3	2	9	4
55—60	—	—	—	—	19	21	—	1	6	6	13	7	—	7	14	4
60—65	—	—	—	—	48	25	10	7	13	4	18	8	7	6	12	8
65—70	—	—	—	—	56	35	22	15	7	4	21	4	6	12	6	5
70—75	—	—	—	—	69	57	32	35	11	4	14	6	12	12	8	6
75—80	—	—	—	—	80	78	59	49	8	3	5	7	8	19	6	6
80 and upwards	—	—	—	—	84	102	54	62	7	2	9	9	14	29	2	7

* **150.** Puerperal diseases of the breast *25, 35.*

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital malformations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	152	100	40	22	5	4	756	626	3361	2512	577	380	2504	1878	2247	1720
0—1	6	4	—	—	—	—	648	536	3361	2512	577	380	2504	1878	2247	1720
1—5	14	15	—	—	—	—	40	44	—	—	—	—	—	—	—	—
5—10	27	21	6	2	1	—	21	7	—	—	—	—	—	—	—	—
10—15	30	10	4	1	—	—	9	8	—	—	—	—	—	—	—	—
15—20	16	9	1	1	—	—	12	8	—	—	—	—	—	—	—	—
20—25	5	2	—	1	—	—	8	6	—	—	—	—	—	—	—	—
25—30	7	1	1	3	—	—	6	5	—	—	—	—	—	—	—	—
30—35	3	1	1	—	—	1	2	1	—	—	—	—	—	—	—	—
35—40	2	3	—	1	—	—	3	3	—	—	—	—	—	—	—	—
40—45	2	2	4	2	—	—	5	—	—	—	—	—	—	—	—	—
45—50	5	5	5	—	—	1	1	4	—	—	—	—	—	—	—	—
50—55	6	1	3	2	—	1	—	1	—	—	—	—	—	—	—	—
55—60	7	3	5	—	2	1	—	3	—	—	—	—	—	—	—	—
60—65	8	6	3	2	1	—	1	—	—	—	—	—	—	—	—	—
65—70	3	2	2	3	1	—	—	—	—	—	—	—	—	—	—	—
70—75	5	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	4	5	2	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	2	4	—	3	—	—	—	—	—	—	—	—	—	—	—	—

* **157.** Amputation —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only.)

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.
All Ages	257	158	247	208	33	46	2932	4725	5241	2222	1201	497	118	99	255	151
0—1	257	158	247	208	33	46	—	—	112	98	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	266	147	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	297	129	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	165	47	1	1	—	—	—	—
15—20	—	—	—	—	—	—	—	—	330	92	19	21	2	7	3	4
20—25	—	—	—	—	—	—	—	—	417	96	35	23	2	6	6	7
25—30	—	—	—	—	—	—	—	—	364	94	70	42	12	13	15	8
30—35	—	—	—	—	—	—	—	—	266	63	53	31	5	9	14	4
35—40	—	—	—	—	—	—	—	—	300	69	88	37	8	5	24	11
40—45	—	—	—	—	—	—	—	—	312	101	88	51	14	15	17	20
45—50	—	—	—	—	—	—	—	—	376	133	138	71	22	7	33	30
50—55	—	—	—	—	—	—	1	3	409	147	175	72	12	14	42	25
55—60	—	—	—	—	—	—	4	5	411	145	149	56	11	7	29	17
60—65	—	—	—	—	—	—	16	22	384	130	155	39	13	10	32	6
65—70	—	—	—	—	—	—	109	119	298	147	106	38	9	3	22	12
70—75	—	—	—	—	—	—	491	583	209	148	71	8	4	3	10	4
75—80	—	—	—	—	—	—	818	1003	171	187	41	4	4	—	6	1
80 and upwards	—	—	—	—	—	—	1493	2990	154	249	12	3	—	—	2	2

Causes of Death.	Suicide—*contd.* 168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths, excluding suicide and homicide.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	245	40	221	122	64	4	210	34	24	20	62	5	2	22	4014	1697
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106	90
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	264	146
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	296	129
10—15	1	—	—	1	—	—	—	—	—	—	—	—	—	—	164	44
15—20	5	—	4	6	3	—	—	1	—	2	2	—	—	1	309	70
20—25	4	—	9	6	6	—	1	1	1	—	6	—	—	3	380	72
25—30	18	2	11	8	4	1	9	1	—	1	1	1	—	7	292	43
30—35	8	—	12	5	4	2	7	4	—	3	3	2	—	2	213	32
35—40	15	5	14	8	4	—	17	4	1	—	5	—	—	4	211	30
40—45	15	3	15	12	5	—	14	—	3	1	5	—	—	—	222	50
45—50	17	5	19	22	8	—	28	4	2	—	9	2	—	1	235	62
50—55	46	4	36	17	4	—	24	7	4	2	7	—	—	3	231	73
55—60	35	7	28	16	7	1	31	6	3	2	4	—	1	—	261	87
60—65	38	10	28	7	7	—	27	3	2	3	8	—	—	—	229	91
65—70	24	4	19	11	5	—	22	2	2	5	3	—	—	1	191	109
70—75	9	—	17	—	4	—	18	—	3	1	6	—	—	—	138	140
75—80	8	—	8	2	2	—	9	1	2	—	1	—	1	—	130	183
80 and upwards	2	—	1	1	1	—	3	—	1	—	2	—	—	—	142	246

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 By acute accidental poisonings.		178 Con-flagration.		179 Accidental burns (con-flagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	4	2	7	21	17	23	6	227	306	100	76	50	30	445	100
0—1	—	—	—	—	—	—	1	1	17	16	77	68	—	1	3	1
1—5	—	—	—	—	3	3	—	—	125	72	8	—	2	2	30	4
5—10	—	—	—	—	3	1	—	—	13	31	2	—	1	—	59	9
10—15	—	1	—	—	2	—	9	—	4	11	1	—	—	—	37	4
15—20	1	1	1	2	1	—	—	—	6	20	1	1	—	—	47	7
20—25	—	—	—	1	—	—	1	2	3	15	2	—	4	2	31	6
25—30	—	—	—	2	—	1	2	—	5	7	—	—	1	1	15	6
30—35	—	—	—	—	—	1	1	—	2	7	1	—	—	2	11	3
35—40	1	—	—	—	—	1	1	—	4	2	—	1	2	2	29	4
40—45	—	—	—	—	3	1	—	—	5	7	2	—	4	2	21	6
45—50	—	—	—	—	—	1	1	—	3	11	—	—	7	—	24	13
50—55	—	1	—	—	2	—	1	—	3	10	3	4	6	1	32	8
55—60	—	—	—	—	1	3	2	—	6	5	1	1	3	2	42	12
60—65	1	—	1	1	1	1	1	—	4	15	1	—	2	5	28	6
65—70	—	1	—	1	2	—	1	1	7	12	1	—	5	1	19	6
70—75	—	—	—	—	—	—	1	—	6	20	—	—	5	3	6	2
75—80	—	—	—	—	3	2	—	2	7	24	—	1	5	2	7	1
80 and upwards	—	—	—	—	—	2	1	—	7	21	—	—	3	4	4	2

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	15	4	6	3	556	567	551	—	71	5	1775	527	11	2	23	—
0—1	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—
1—5	—	—	2	3	13	4	—	—	—	—	75	56	1	—	—	—
5—10	—	1	1	—	19	6	—	—	—	—	187	76	2	—	—	—
10—15	1	—	1	—	7	3	13	—	—	—	85	25	1	—	—	—
15—20	4	2	—	—	27	2	47	—	9	2	157	32	1	—	—	—
20—25	3	—	1	—	16	1	47	—	4	1	248	43	1	—	—	—
25—30	—	1	—	—	20	4	55	—	11	—	173	17	—	—	1	—
30—35	1	—	—	—	21	1	58	—	11	—	95	15	—	—	7	—
35—40	2	—	1	—	17	6	63	—	5	—	76	13	—	—	6	—
40—45	—	—	—	—	18	5	60	—	7	—	88	28	—	—	4	—
45—50	1	—	—	—	31	7	60	—	6	1	86	27	1	—	4	—
50—55	—	—	—	—	36	18	51	—	8	—	81	27	1	1	1	—
55—60	1	—	—	—	49	30	46	—	4	1	93	31	—	1	—	—
60—65	2	—	—	—	39	31	33	—	3	—	102	26	1	—	—	—
65—70	—	—	—	—	51	48	13	—	2	—	82	38	1	—	—	—
70—75	—	—	—	—	45	81	4	—	—	—	66	32	—	—	—	—
75—80	—	—	—	—	54	115	1	—	1	—	46	30	1	—	—	—
80 and upwards	—	—	—	—	92	205	—	—	—	—	34	10	—	—	—	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.

(Civilian population only).

Causes of Death.	191* 192 Hunger or thirst.		193 Excessive cold.		194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	3	20	10	16	6	20	—	26	28	2	4	2	4	22	20
0—1	—	—	—	—	1	1	—	—	6	8	—	—	1	1	5	7
1—5	—	—	—	—	—	1	1	—	2	1	—	—	—	—	2	1
5—10	—	—	—	1	—	1	1	—	1	—	—	—	—	—	1	—
10—15	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2
15—20	—	—	—	—	—	—	3	—	2	1	—	—	—	—	2	1
20—25	1	—	—	—	1	—	4	—	2	1	—	—	—	—	2	1
25—30	—	—	—	—	—	—	2	—	2	9	—	4	—	2	2	3
30—35	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
35—40	—	—	—	—	—	—	1	—	1	2	—	—	—	1	1	1
40—45	1	—	1	—	1	—	1	—	2	—	—	—	—	—	2	—
45—50	—	1	2	—	2	—	—	—	3	—	—	—	—	—	3	—
50—55	1	—	—	2	1	—	2	—	3	2	2	—	—	—	1	2
55—60	1	—	5	—	1	1	2	—	1	2	—	—	1	—	—	2
60—65	1	—	4	2	2	1	—	—	—	—	—	—	—	—	—	—
65—70	—	—	2	1	3	—	—	—	1	—	—	—	—	—	1	—
70—75	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—
75—80	1	1	4	3	—	1	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—

* **191.** Execution of civilians by belligerent armies — ; * **195.** Lightning 20, 30, 60.

Causes of Death.	200* 201 Fracture (cause not specified).		202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death. 1–70 years.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.
All Ages	8	1	61	23	1	—	199	123	64	26	135	97	98	69	37	28
0—1	—	1	4	—	1	—	16	8	—	—	16	8	—	—	16	8
1—5	—	—	4	1	—	—	11	9	1	—	10	9	—	—	10	9
5—10	1	—	7	3	—	—	—	2	—	1	—	1	—	—	—	1
10—15	—	—	2	—	—	—	1	1	—	1	1	—	1	—	—	—
15—20	—	—	4	1	—	—	1	—	1	—	—	—	—	—	—	—
20—25	1	—	11	1	—	—	1	2	—	—	1	2	1	1	—	1
25—30	—	—	7	4	—	—	2	1	1	—	1	1	1	1	—	—
30—35	1	—	—	3	—	—	2	1	—	—	2	1	2	1	—	—
35—40	1	—	2	1	—	—	7	2	3	—	4	2	4	1	—	1
40—45	—	—	6	1	—	—	8	2	2	1	6	1	5	1	1	—
45—50	—	—	7	1	—	—	17	12	6	2	11	10	9	8	2	2
50—55	1	—	1	1	—	—	15	11	7	2	8	9	7	8	1	1
55—60	3	—	1	—	—	—	29	14	16	5	13	9	13	8	—	1
60—65	—	—	2	3	—	—	41	26	14	7	27	19	25	19	2	—
65—70	—	—	2	—	—	—	45	29	13	7	32	22	30	21	2	1
70—75	—	—	1	2	—	—	3	1	—	—	3	1	—	—	3	1
75—80	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	2

* **200.** Infanticide, Deaths from this cause are shown under Nos. 197–199.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only.)

Causes of Death.	All Causes.		I. 1–42, Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid, fever.		2, 3, 4* 5 Malaria.		6 Small-pox.		7 Measles.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	52112	49377	7480	7018	36	32	29	24	7	8	11	1	1	1	170	173
0—1	4908	3526	461	415	—	—	—	—	—	—	—	—	—	—	25	23
1—5	1955	1666	684	659	—	—	—	—	—	—	—	—	—	—	108	114
5—10	818	739	317	318	—	—	—	—	—	—	—	—	—	—	29	24
10—15	538	472	186	202	4	1	4	1	—	—	—	—	—	1	3	5
15—20	867	723	310	368	2	4	—	3	2	1	—	—	—	—	2	1
20—25	1083	948	420	472	4	4	3	4	1	—	—	—	1	—	1	2
25—30	1032	962	418	435	2	3	1	3	1	—	1	—	—	—	—	—
30—35	1032	1031	405	385	5	3	3	1	2	2	4	—	—	—	—	1
35—40	1145	1187	428	378	7	3	6	2	1	1	—	—	—	—	1	2
40—45	1444	1338	404	306	1	2	1	1	—	1	2	—	—	—	1	—
45—50	1843	1711	436	294	1	2	1	1	—	1	1	—	—	—	—	—
50—55	2488	2132	448	291	3	3	3	3	—	—	1	—	—	—	—	—
55—60	3188	2732	471	317	2	3	2	2	—	1	—	—	—	—	—	—
60—65	4204	3622	435	311	4	2	4	2	—	—	1	1	—	—	—	—
65—70	5579	4825	444	411	—	2	—	1	—	1	1	—	—	—	—	—
70—75	6464	5933	447	472	1	—	1	—	—	—	—	—	—	—	—	—
75—80	6281	6312	377	448	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	7243	9518	389	536	—	—	—	—	—	—	—	—	—	—	—	1

*2. Typhus —; 3. Relapsing fever (Spirillum obermeieri) —; 4. Mediterranean fever —.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14, 15* 16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	67	66	356	434	278	291	2838	2852	1985	1873	853	979	5	1	11	6
0—1	4	1	177	214	11	7	107	71	78	50	29	21	—	—	—	—
1—5	13	22	165	201	99	90	115	86	97	63	18	23	1	1	—	1
5—10	26	18	14	16	105	131	45	28	29	15	16	13	—	—	—	—
10—15	9	7	—	—	35	32	24	21	11	11	13	10	2	—	—	—
15—20	4	3	—	—	8	13	50	25	33	15	17	10	—	—	—	—
20—25	1	6	—	—	4	2	56	41	31	31	25	10	1	—	—	1
25—30	—	2	—	—	2	4	56	49	36	35	20	14	—	—	1	—
30—35	1	4	—	—	—	4	57	70	47	48	10	22	—	—	2	—
35—40	2	—	—	—	1	2	99	92	81	67	18	25	—	—	—	—
40—45	3	1	—	—	2	—	99	118	78	87	21	31	—	—	—	2
45—50	1	1	—	—	1	2	134	104	111	76	23	28	—	—	—	—
50—55	2	—	—	—	4	2	177	138	136	94	41	44	—	—	—	1
55—60	1	1	—	—	2	2	204	176	147	115	57	61	—	—	3	—
60—65	—	—	—	1	1	—	250	190	173	138	77	52	—	—	1	—
65—70	—	—	—	—	2	—	303	310	215	214	88	96	1	—	1	1
70—75	—	—	—	—	—	—	360	404	240	268	120	136	—	—	2	—
75—80	—	—	—	1	—	—	335	418	207	253	128	165	—	—	1	—
80 and upwards	—	—	—	1	1	—	367	511	235	293	132	218	—	—	—	—

*12. Miliary fever —; 14. Asiatic cholera —; 15. Cholera nostras —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified		17, 18, 19, 20* / 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	—	—	1	11	5	83	64	26	15	101	100	43	32	10	5
0—1	—	—	—	—	—	—	6	3	2	1	2	2	13	10	2	1
1—5	—	—	—	—	—	1	—	1	5	3	7	—	9	10	4	2
5—10	—	—	—	—	—	—	—	—	6	5	4	5	3	5	1	—
10—15	—	—	—	—	—	—	—	3	6	2	3	4	6	2	—	1
15—20	—	—	—	—	—	—	—	1	4	—	5	9	2	—	—	—
20—25	—	—	—	1	—	—	2	—	1	—	7	5	3	1	—	—
25—30	—	—	—	—	1	—	2	1	—	1	7	9	1	—	1	—
30—35	—	—	—	—	2	—	2	2	—	—	3	2	2	1	—	—
35—40	—	—	—	—	—	—	1	—	1	2	2	4	—	—	—	—
40—45	—	—	—	—	—	2	2	1	—	—	8	8	2	—	1	—
45—50	—	—	—	—	—	—	4	1	—	1	6	8	1	1	—	—
50—55	—	—	—	—	—	1	5	7	—	—	8	15	—	1	1	1
55—60	—	—	—	—	3	—	9	6	—	—	16	11	—	—	—	—
60—65	—	—	—	—	1	—	8	9	1	—	11	7	1	1	—	—
65—70	—	—	—	—	1	1	9	7	—	—	4	4	—	—	—	—
70—75	—	—	—	—	2	—	10	9	—	—	5	5	—	—	—	—
75—80	—	—	—	—	1	—	17	10	—	—	2	1	—	—	—	—
80 and upwards	—	—	—	—	—	—	6	3	—	—	1	1	—	—	—	—

***17.** Plague —; **18.** Yellow Fever —; **19.** Spirochtæosis ictero-hæmorrhagica 45, 55; **20.** Leprosy 65.

Causes of Death.	26, 27, 28* / 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	43	13	6	8	3156	2763	2522	2233	211	198	106	127	66	38	28	14	54	37
0—1	3	1	4	4	61	46	10	4	28	22	15	11	1	—	1	—	1	2
1—5	2	1	—	—	150	118	16	21	75	62	27	23	3	1	1	1	3	—
5—10	3	—	—	—	76	85	11	17	35	40	12	11	3	1	2	1	—	2
10—15	5	2	1	—	84	113	36	58	27	32	7	6	2	1	1	1	2	1
15—20	6	1	—	—	217	306	176	262	17	14	6	11	2	2	1	—	3	1
20—25	3	—	—	1	327	406	279	366	7	12	8	14	10	3	5	2	5	2
25—30	1	1	—	—	340	361	297	330	5	1	9	16	7	4	3	1	4	1
30—35	1	—	—	1	316	291	282	265	7	6	5	7	4	2	1	1	5	6
35—40	—	—	—	—	306	262	270	236	3	2	6	3	9	2	1	1	6	6
40—45	3	1	—	1	259	163	233	144	1	3	3	4	1	3	3	—	7	—
45—50	3	1	—	—	268	168	249	146	2	1	—	7	2	6	—	3	3	1
50—55	2	—	1	1	226	112	202	96	2	2	5	5	1	3	4	1	5	1
55—60	1	4	—	—	206	100	182	92	2	—	1	2	5	2	3	—	3	1
60—65	7	—	—	—	131	88	118	72	—	—	—	5	8	6	—	—	—	2
65—70	2	—	—	—	104	74	89	66	—	—	2	1	4	1	1	1	2	5
70—75	1	—	—	—	60	42	51	36	—	1	—	—	1	1	1	1	4	2
75—80	—	—	—	—	18	14	16	11	—	—	—	—	1	—	—	—	1	2
80 and upwards	—	1	—	—	7	14	5	11	—	—	—	1	2	—	—	—	—	2

***26.** Glanders —; **27.** Anthrax —; **28.** Rabies —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	Tuberculosis—*contd.*															
	36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd.).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.		37 (*a*) Acute.		37 (*b*) Chronic or unstated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	10	7	4	8	6	34	16	—	1	169	116	56	52	113	64
0—1	—	—	—	—	1	2	—	—	—	—	5	7	2	6	3	1
1—5	—	—	2	—	1	—	—	—	—	—	25	10	8	3	17	7
5—10	—	—	—	—	—	2	—	—	—	—	13	13	5	6	8	7
10—15	—	—	—	—	2	—	—	1	—	—	9	14	3	9	6	5
15—20	—	—	—	—	—	—	3	1	—	—	12	16	6	6	6	10
20—25	1	—	—	—	—	—	4	2	—	—	13	7	4	2	9	5
25—30	—	—	—	—	—	—	4	1	—	—	15	8	5	4	10	4
30—35	—	—	1	1	—	—	4	5	—	—	12	4	3	3	9	1
35—40	1	—	—	1	1	—	4	5	—	—	11	12	3	4	8	8
40—45	—	—	1	—	—	—	6	—	—	—	11	9	4	3	7	6
45—50	1	—	1	1	—	—	1	—	—	—	12	4	3	1	9	3
50—55	1	—	—	—	—	1	4	—	—	—	7	4	3	2	4	2
55—60	—	1	1	—	—	—	2	—	—	—	10	3	3	1	7	2
60—65	—	1	—	—	—	—	—	—	—	1	5	3	—	1	5	2
65—70	—	3	—	—	1	1	1	1	—	—	6	—	4	—	2	—
70—75	1	1	—	1	2	—	1	—	—	—	3	1	—	—	3	1
75—80	—	2	1	—	—	—	—	—	—	—	—	1	—	1	—	—
80 and upwards	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43–69 General diseases not included in I. 1–42.		Cancer, Malignant Disease. 43–49 Total.		43 Buccal cavity.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	104	73	9	3	7	—	2	3	122	84	6815	8557	5246	6217	443	83
0—1	33	23	2	3	—	—	2	3	8	5	59	45	1	2	—	1
1—5	1	6	—	—	—	—	—	—	5	3	60	48	12	5	2	—
5—10	1	—	—	—	—	—	—	—	4	1	48	41	12	3	—	—
10—15	1	1	—	—	—	—	—	—	3	6	46	54	5	6	1	—
15—20	1	2	1	—	1	—	—	—	8	3	57	51	9	17	—	—
20—25	2	2	—	—	—	—	—	—	7	1	55	66	18	15	2	2
25—30	—	1	—	—	—	—	—	—	4	3	70	80	21	21	—	—
30—35	5	4	1	—	1	—	—	—	6	2	79	118	43	56	2	—
35—40	4	6	—	—	—	—	—	—	4	5	92	176	56	107	—	—
40—45	9	3	—	—	—	—	—	—	12	6	170	327	113	232	9	3
45—50	5	2	—	—	—	—	—	—	10	3	281	520	208	397	17	5
50—55	11	3	1	—	1	—	—	—	6	7	473	728	389	543	28	3
55—60	12	8	2	—	2	—	—	—	12	6	649	917	542	707	44	9
60—65	8	5	1	—	1	—	—	—	10	7	958	1061	777	778	82	12
65—70	7	2	1	—	1	—	—	—	8	11	1230	1227	1002	941	77	12
70—75	2	3	—	—	—	—	—	—	6	9	1064	1266	856	967	65	8
75—80	1	1	—	—	—	—	—	—	3	3	875	1[illegible]07	730	760	58	15
80 and upwards	1	1	—	—	—	—	—	—	6	3	549	825	452	660	56	13

***39.** Soft chancre —; **42.** (1) Vaccinia 0, *10*; (2) Other diseases included under 42 —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	Cancer, Malignant disease—*contd.*															
	44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.		50 Tumours not returned as malignant (brain and female genital organs excepted).		51 Rheumatic fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1929	1773	1408	1381	—	1050	10	1170	218	116	1238	644	84	99	119	122
0—1	—	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—
1—5	1	1	—	—	—	—	—	—	—	—	9	4	—	1	3	1
5—10	—	—	—	1	—	—	—	—	—	—	12	2	1	—	12	13
10—15	1	1	1	1	—	1	—	—	—	—	2	3	—	3	23	24
15—20	1	—	1	—	—	2	—	—	—	3	7	12	—	—	21	9
20—25	—	—	6	3	—	3	—	—	2	—	8	7	—	2	10	11
25—30	6	3	1	4	—	4	—	4	4	—	10	6	4	4	8	14
30—35	11	4	13	11	—	21	—	10	1	—	16	10	1	3	1	5
35—40	14	12	19	12	—	26	—	37	—	2	23	18	1	2	6	5
40—45	36	33	31	36	—	67	—	74	2	2	35	17	6	1	9	7
45—50	82	59	51	60	—	97	1	127	6	1	51	48	7	9	7	5
50—55	157	121	91	77	—	129	1	158	9	2	103	53	5	10	1	12
55—60	226	166	147	116	—	168	1	164	14	6	110	78	7	9	4	3
60—65	315	240	187	174	—	140	2	118	26	8	165	86	10	15	4	8
65—70	389	291	288	236	—	151	2	146	13	15	233	90	13	9	8	3
70—75	328	374	220	236	—	108	1	137	39	12	203	92	14	6	1	—
75—80	227	271	228	229	—	74	1	87	46	22	170	62	10	14	—	1
80 and upwards	135	196	123	185	—	59	1	108	56	43	81	56	5	9	1	1

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58. Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.		58 (*b*) Other anæmias and chlorosis.		59 Diseases of the pituitary gland	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	283	548	1	1	49	28	514	675	206	311	186	271	20	40	4	10
0—1	—	—	1	—	22	11	—	—	3	1	—	—	3	1	—	—
1—5	—	—	—	1	23	16	—	1	4	3	3	—	1	3	—	—
5—10	—	1	—	—	2	1	5	7	—	5	—	1	—	4	—	—
10—15	—	—	—	—	1	—	10	10	3	2	3	1	—	1	1	—
15—20	1	1	—	—	—	—	15	7	2	5	—	4	2	1	—	—
20—25	—	3	—	—	—	—	7	7	5	5	3	4	2	1	—	—
25—30	1	5	—	—	—	—	15	8	4	9	2	8	2	1	1	—
30—35	1	5	—	—	—	—	11	17	5	5	3	4	2	1	1	—
35—40	—	3	—	—	1	—	11	16	6	9	5	9	1	—	—	—
40—45	2	9	—	—	—	—	15	23	6	23	6	18	—	5	—	—
45—50	6	19	—	—	—	—	21	17	5	19	5	18	—	1	—	—
50—55	7	26	—	—	—	—	22	38	19	38	19	32	—	6	—	—
55—60	18	31	—	—	—	—	32	74	25	36	23	30	2	6	—	1
60—65	39	52	—	—	—	—	71	98	28	38	26	36	2	2	1	4
65—70	46	85	—	—	—	—	94	110	42	39	41	36	1	3	—	1
70—75	63	98	—	—	—	—	91	118	25	50	25	49	—	1	—	1
75—80	54	114	—	—	—	—	60	80	16	18	15	15	1	3	—	2
80 and upwards	45	96	—	—	—	—	34	44	8	6	7	6	1	—	—	1

* **54.** Pellagra —; **55.** Beri-beri —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61 Diseases of the parathyroid gland.		61 (1) Tetany		61 (2*). 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	48	307	31	231	17	76	2	4	2	4	17	16	21	37	2	4	134	103
0—1	1	1	—	—	1	1	2	2	2	2	13	9	—	—	—	—	1	2
1—5	4	4	—	—	4	4	—	1	—	1	1	3	—	—	—	—	8	7
5—10	—	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	10	7
10—15	—	2	—	1	—	1	—	—	—	—	—	1	1	—	—	1	—	3
15—20	1	5	1	5	—	—	—	—	—	—	—	—	—	1	—	—	5	5
20—25	2	15	1	13	1	2	—	—	—	—	1	2	1	1	—	—	9	3
25—30	3	13	3	13	—	—	—	—	—	—	—	—	—	2	—	—	12	2
30—35	6	14	3	14	3	—	—	1	—	1	—	—	3	2	—	1	5	7
35—40	2	19	2	17	—	2	—	—	—	—	—	—	1	3	—	—	2	9
40—45	5	21	3	19	2	2	—	—	—	—		—	—	2	—	—	6	5
45—50	7	38	5	32	2	6	—	—	—	—	—	—	4	4	—	—	11	9
50—55	3	38	3	30	—	8	—	—	—	—	—	—	9	6	1	—	13	10
55—60	5	34	5	31	—	3	—	—	—	—	—	—	—	7	—	1	12	7
60—65	3	43	1	28	2	15	—	—	—	—	—	1	1	6	1	—	16	11
65—70	3	25	2	13	1	12	—	—	—	—	—	—	—	3	—	—	12	7
70—75	2	18	1	8	1	10	—	—	—	—	—	—	—	—	—	—	8	4
75—80	—	11	—	6	—	5	—	—	—	—	—	—	—	—	—	1	4	2
80 and upwards	1	5	1	1	—	4	—	—	—	—	—	—	1	—	—	—	—	3

61. (2). Other diseases of the parathyroid glands —.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70–86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	76	65	58	38	20	11	2	—	62	64	4475	4844	26	37	151	125
0—1	1	2	—	—	—	—	—	—	15	15	303	216	—	2	32	27
1—5	7	7	1	—	—	—	—	—	5	5	112	114	2	6	38	29
5—10	8	6	2	1	—	—	—	—	4	3	64	62	2	6	16	16
10—15	—	3	—	—	—	—	—	—	2	2	52	43	2	2	11	8
15—20	3	2	2	3	—	—	—	—	3	1	64	48	3	2	7	12
20—25	3	2	6	1	—	—	—	—	2	2	69	48	3	—	5	6
25—30	7	1	5	1	1	—	—	—	—	2	62	60	3	4	8	5
30—35	3	—	2	7	1	1	—	—	1	1	67	67	—	2	2	3
35—40	1	5	1	4	2	—	—	—	4	3	73	83	—	1	2	6
40—45	3	4	3	1	4	2	—	—	3	2	122	113	2	1	9	3
45—50	5	7	6	2	3	—	—	—	2	3	142	174	—	2	2	4
50—55	9	5	4	5	2	1	—	—	2	6	183	228	2	4	3	1
55—60	4	5	8	2	1	1	1	—	2	6	291	305	2	2	6	1
60—65	11	8	5	3	3	2	—	—	4	5	405	420	4	1	2	1
65—70	5	4	7	3	2	2	1	—	7	2	582	565	1	1	5	1
70—75	5	2	3	2	1	1	—	—	3	3	626	711	—	—	1	1
75—80	1	—	3	2	—	1	—	—	1	3	639	716	—	—	2	—
80 and upwards	—	2	—	1	—	—	—	—	2	—	619	871	—	1	—	1

* **68.** Chronic poisoning by organic substances 40.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	79	19	169	129	2496	3080	2142	2619	354	461	167	203	137	178	30	25
0—1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	1
5—10	—	—	—	1	—	—	—	—	—	—	2	—	—	—	2	—
10—15	—	—	1	1	1	1	1	1	—	—	—	—	—	—	—	—
15—20	—	—	3	—	2	—	2	—	—	—	2	1	—	—	2	1
20—25	—	—	5	2	3	3	3	2	—	1	1	1	—	—	1	1
25—30	1	—	1	2	2	6	2	4	—	2	—	—	—	—	—	—
30—35	1	—	3	7	8	8	6	6	2	2	—	1	—	1	—	—
35—40	5	1	4	5	8	14	8	11	—	3	—	1	—	1	—	—
40—45	4	—	7	2	21	32	17	27	4	5	2	2	1	1	1	1
45—50	3	2	10	8	57	74	51	60	6	14	2	6	—	5	2	1
50—55	10	1	17	18	75	130	64	115	11	15	7	4	5	3	2	1
55—60	15	2	19	17	153	183	140	162	13	21	7	12	4	12	3	—
60—65	14	8	23	14	252	306	221	263	31	43	13	13	12	10	1	
65—70	13	3	33	16	391	436	353	391	38	45	33	15	30	13	3	2
70—75	7	1	21	11	476	569	412	498	64	71	33	34	28	31	5	3
75—80	6	1	13	18	516	567	436	466	80	101	40	64	35	56	5	8
80 and upwards	—	—	9	7	530	751	425	613	105	138	24	48	21	45	3	3

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	115	39	89	133	240	233	268	209	4	17	17	23	42	60	467	441
0—1	—	—	—	—	3	1	237	172	—	—	—	—	—	—	13	7
1—5	—	—	—	—	4	9	28	34	—	1	—	—	—	—	18	24
5—10	—	—	—	—	4	7	2	—	3	1	—	—	—	—	18	11
10—15	1	2	—	—	13	9	1	—	—	4	—	—	—	—	8	4
15—20	1	1	1	4	20	12	—	—	1	5	—	—	—	—	11	6
20—25	—	—	1	3	24	13	—	—	—	4	1	—	—	—	10	10
25—30	1	4	3	3	21	14	—	—	—	—	—	—	—	—	17	16
30—35	2	1	4	4	20	13	—	—	—	—	—	3	—	—	19	20
35—40	10	7	—	10	17	12	—	1	—	—	—	1	1	1	18	19
40—45	25	5	4	5	17	29	—	—	—	1	—	2	—	1	28	27
45—50	26	3	4	9	11	23	—	—	—	1	—	—	1	—	24	38
50—55	17	3	9	17	11	10	—	—	—	—	4	1	1	2	27	35
55—60	13	6	15	25	18	17	—	1	—	—	3	1	5	1	33	34
60—65	7	1	24	18	13	20	—	—	—	—	4	2	2	8	42	27
65—70	5	3	17	17	15	13	—	—	—	—	1	5	7	9	57	44
70—75	2	2	5	13	10	14	—	1	—	—	2	4	4	10	60	50
75—80	5	1	1	4	7	12	—	—	—	—	1	1	10	8	36	38
80 and upwards	—	—	1	1	12	5	—	—	—	—	1	3	11	20	28	31

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	12	7	133	89	11832	11747	9160	9688	36	26	139	155	591	253	8394	9254
0—1	—	—	17	7	2	—	—	—	—	—	—	—	—	—	—	—
1—5	1	—	20	10	10	5	6	3	2	2	3	—	—	—	1	1
5—10	1	—	16	20	22	24	19	24	—	1	4	6	—	—	15	17
10—15	—	—	14	12	50	44	47	44	2	2	6	10	—	—	39	32
15—20	1	1	12	4	59	45	58	43	2	1	11	6	—	—	45	36
20—25	—	—	16	6	48	70	47	69	3	—	10	14	—	—	34	55
25—30	—	—	5	6	58	59	57	59	1	2	13	13	1	—	42	44
30—35	—	1	8	4	66	91	64	89	1	2	14	18	2	1	47	68
35—40	1	—	7	4	97	121	88	115	1	—	16	20	6	2	65	93
40—45	—	—	3	3	147	185	136	171	2	2	17	24	12	2	105	143
45—50	—	—	2	4	258	291	217	268	2	2	11	7	22	8	182	251
50—55	—	—	—	2	452	425	384	368	—	2	5	9	42	13	337	344
55—60	—	1	2	2	765	608	615	513	3	4	11	7	67	20	534	482
60—65	1	—	4	1	1147	1013	918	844	3	3	7	4	99	34	809	803
65—70	2	1	2	1	1778	1570	1409	1321	4	—	7	6	121	53	1277	1262
70—75	1	—	4	1	2323	1904	1797	1581	7	1	1	4	111	52	1678	1524
75—80	1	1	1	1	2157	2189	1572	1785	2	2	3	3	69	33	1498	1747
80 and upwards	3	2	—	1	2393	3103	1726	2391	1	—	—	4	39	35	1686	2352

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2909	3259	4531	4933	954	1062	2567	1920	128	36	2418	1859	1159	1005	1259	854
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	14	13	—	—	1	4	1	—	1	—	—	—	—	—	—	—
10—15	32	30	2	—	5	2	1	—	1	—	—	—	—	—	—	—
15—20	39	32	4	3	2	1	1	1	1	1	—	—	—	—	—	—
20—25	26	47	7	6	1	2	—	1	—	—	—	1	—	—	—	1
25—30	37	38	2	3	3	3	1	—	1	—	—	—	—	—	—	—
30—35	35	53	8	9	4	6	1	—	1	—	—	—	—	—	—	—
35—40	43	61	18	17	4	15	6	2	3	—	3	2	2	2	1	—
40—45	70	98	23	31	12	14	8	7	4	1	4	6	3	3	1	3
45—50	96	147	66	78	20	26	33	17	13	3	19	14	17	9	2	5
50—55	152	175	145	122	40	47	62	48	12	3	50	44	37	36	13	8
55—60	253	220	223	208	58	54	138	77	35	5	100	72	63	59	37	13
60—65	337	326	370	381	102	96	210	146	15	—	195	143	110	105	85	38
65—70	472	463	630	642	175	157	354	225	16	9	334	214	195	143	139	71
70—75	559	498	920	829	199	197	513	309	13	7	496	297	255	186	241	111
75—80	409	523	931	1012	158	212	573	393	10	6	559	382	249	197	310	185
80 and upwards	335	534	1181	1592	170	226	665	694	2	1	658	684	228	265	430	419

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21	25	34	36	45	80	11	9	5	1	10	13	7057	5824	28	13
0—1	—	—	1	—	—	—	1	—	—	—	—	—	992	655	2	—
1—5	—	—	—	—	—	1	4	1	—	—	—	—	679	527	2	—
5—10	—	—	—	—	—	—	2	—	—	—	—	—	96	94	2	2
10—15	—	—	1	—	—	—	1	—	—	—	—	—	44	32	2	—
15—20	—	—	—	—	—	1	—	—	—	—	—	—	54	50	3	—
20—25	—	—	1	—	—	—	—	—	—	—	—	—	90	51	1	1
25—30	—	—	—	—	—	—	—	—	—	—	—	—	78	52	1	1
30—35	—	—	—	1	1	1	—	—	—	—	—	—	96	76	3	—
35—40	—	—	3	3	—	1	—	—	—	—	—	—	142	109	2	1
40—45	—	—	2	4	1	2	—	1	—	—	—	—	223	108	2	—
45—50	1	—	7	2	1	3	—	1	—	—	—	—	244	125	4	1
50—55	—	1	—	2	6	6	—	1	—	—	—	—	312	136	2	1
55—60	3	—	3	2	8	15	—	1	—	—	1	—	370	181	1	3
60—65	—	3	5	6	9	12	2	2	1	1	2	2	449	318	1	1
65—70	4	2	4	5	7	16	—	—	3	—	1	3	569	429	—	—
70—75	4	5	2	2	6	11	1	1	1	—	3	—	753	674	—	1
75—80	4	5	4	5	6	3	—	—	—	—	2	3	823	824	—	1
80 and upwards	5	9	1	4	—	8	—	1	—	—	1	5	1043	1383	—	—

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	49	28	2822	2783	626	791	885	611	1311	1381	3573	2574	1677	1376	1896	1198
0—1	8	5	280	205	107	89	2	1	171	115	690	434	591	383	99	51
1—5	20	9	98	82	46	42	2	1	50	39	542	429	442	353	100	76
5—10	4	4	7	9	3	1	—	3	4	5	75	76	39	52	36	24
10—15	3	1	2	1	—	—	2	1	—	—	33	25	13	8	20	17
15—20	2	—	2	5	—	3	2	2	—	—	42	44	3	10	39	34
20—25	2	—	3	6	1	1	1	3	1	2	76	40	14	12	62	28
25—30	—	—	6	6	—	2	6	2	—	2	63	38	12	7	51	31
30—35	—	—	14	6	2	2	8	2	4	2	65	59	5	14	60	45
35—40	—	1	16	9	5	1	7	2	4	6	113	87	22	11	91	76
40—45	1	—	32	12	7	2	15	5	10	5	162	76	21	11	141	65
45—50	—	—	40	26	6	10	21	10	13	6	161	78	27	19	134	59
50—55	—	1	63	42	11	14	26	20	26	8	200	77	42	17	158	60
55—60	—	1	86	49	14	12	40	13	32	24	219	101	36	28	183	73
60—65	3	1	156	121	27	32	76	48	53	41	216	151	40	55	176	96
65—70	2	1	251	192	48	60	109	65	94	67	240	180	70	54	170	126
70—75	—	1	425	387	90	98	153	116	182	173	276	238	105	105	171	133
75—80	2	1	559	559	118	170	188	134	253	255	204	206	89	103	115	103
80 and upwards	2	2	782	1066	141	252	227	183	414	631	196	235	106	134	90	101

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	101 (*a*) Pneumonia, lobar.		101 (*b*) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1258	784	638	414	141	96	106	109	2	3	251	204	12	3	73	11
0—1	38	20	61	31	1	3	8	5	—	—	2	2	—	—	1	1
1—5	55	34	45	42	8	3	5	1	—	—	4	3	—	—	—	—
5—10	24	17	12	7	5	2	1	—	—	—	2	1	—	—	—	—
10—15	16	13	4	4	1	3	2	—	—	—	1	2	—	—	—	—
15—20	30	20	9	14	5	—	—	—	—	—	—	—	—	—	—	1
20—25	48	20	14	8	4	2	—	—	1	—	2	2	—	—	1	—
25—30	38	24	13	7	2	3	—	2	—	—	3	2	—	—	3	—
30—35	41	34	19	11	8	7	—	—	—	—	3	3	1	—	2	1
35—40	64	61	27	15	3	5	3	1	—	—	2	5	2	—	1	—
40—45	100	48	41	17	10	9	1	1	—	1	12	8	1	—	2	1
45—50	98	44	36	15	10	4	2	1	—	—	16	14	—	—	11	1
50—55	107	40	51	20	16	6	2	1	—	—	21	8	—	—	8	—
55—60	133	50	50	23	17	2	7	1	—	1	27	19	—	—	13	4
60—65	123	69	53	27	15	9	2	2	—	1	44	32	2	—	10	—
65—70	118	87	52	39	13	11	5	8	1	—	46	35	1	—	10	2
70—75	117	89	54	44	10	5	9	14	—	—	26	27	2	1	5	—
75—80	61	59	54	44	8	11	17	23	—	—	27	23	1	—	5	—
80 and upwards	47	55	43	46	5	11	42	49	—	—	13	18	2	2	1	—

Causes of Death.	107 (*b*) *		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
	107 (*a*) Chronic interstitial pneumonia.															
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	61	8	9	2	2761	2233	64	54	53	40	11	14	110	142	6	3
0—1	—	—	1	1	439	268	4	4	4	2	—	2	6	3	—	—
1—5	—	—	—	—	163	146	2	3	1	2	1	1	13	13	—	—
5—10	—	—	—	—	66	98	—	1	—	—	—	1	24	24	—	—
10—15	—	—	—	—	44	42	1	3	1	3	—	—	4	8	—	—
15—20	—	1	—	—	65	49	2	—	1	—	1	—	4	10	—	—
20—25	—	—	—	—	69	40	1	—	1	—	—	—	4	3	—	—
25—30	2	—	1	—	68	50	6	3	6	3	—	—	4	8	—	—
30—35	2	—	—	—	77	56	5	1	3	1	2	—	6	1	—	—
35—40	1	—	—	—	82	59	1	5	1	3	—	2	4	3	1	—
40—45	2	1	—	—	112	93	2	5	2	4	—	1	4	4	1	—
45—50	10	—	1	1	165	131	5	1	4	1	1	—	5	12	—	1
50—55	8	—	—	—	188	146	6	2	6	2	—	—	7	13	—	1
55—60	12	4	1	—	202	163	6	7	5	7	1	—	6	13	—	—
60—65	7	—	2	—	231	161	7	8	7	7	—	1	5	6	—	—
65—70	8	2	1	—	256	181	4	2	3	—	1	2	5	9	1	—
70—75	4	—	1	—	207	175	3	1	3	1	—	—	4	9	—	1
75—80	4	—	1	—	182	170	1	3	1	2	—	1	3	—	1	—
80 and upwards	1	—	—	—	145	205	8	5	4	2	4	3	2	3	2	—

* **107** (*b*), Diseases of the mediastinum 20, 60, 65, *30*

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	497	189	326	159	171	30	161	176	517	468	5	6	374	245	565	392
0—1	1	1	1	1	—	—	39	24	319	212	—	—	1	1	64	20
1—5	—	—	—	—	—	—	8	11	81	84	5	2	27	16	23	10
5—10	—	1	—	1	—	—	1	4	8	10	—	1	23	26	8	5
10—15	—	—	—	—	—	—	1	2	3	2	—	—	26	19	7	5
15—20	3	1	2	1	1	—	—	1	—	4	—	—	37	26	15	4
20—25	8	4	3	4	5	—	1	—	3	7	—	—	35	13	13	6
25—30	14	2	11	2	3	—	1	3	4	8	—	—	25	10	11	6
30—35	26	10	19	9	7	1	3	2	3	5	—	1	24	11	6	13
35—40	30	9	14	9	16	—	3	1	8	3	—	—	15	10	9	7
40—45	55	19	39	18	16	1	1	3	4	5	—	—	14	19	16	14
45—50	64	20	48	17	16	3	6	2	3	13	—	—	20	20	24	28
50—55	64	24	39	18	25	6	8	6	8	10	—	1	22	15	30	27
55—60	54	26	33	21	21	5	8	15	8	6	—	—	23	13	39	26
60—65	52	19	40	16	12	3	17	7	6	9	—	1	29	9	45	36
65—70	60	22	31	16	29	6	12	14	10	14	—	—	19	13	67	42
70—75	29	11	18	9	11	2	22	16	16	19	—	—	22	10	58	44
75—80	29	8	21	7	8	1	14	32	12	20	—	—	9	7	74	51
80 and upwards	8	12	7	10	1	2	16	33	21	37	—	—	3	7	56	48

***115.** Ankylostomiasis — ; **116** (*a*) Cestodes (hydatids of the liver excepted), *30, 50, 60* ; **116** (*c*) Nematodes (other than Ankylostoma), 1, 1, 1, 1, *1, 5*. **116.** (*f*) Undefined parasites 1, *1*.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	255	164	310	228	48	55	16	26	32	29	2	13	1	—	213	84
0—1	19	2	45	18	4	1	4	1	—	—	—	—	—	—	—	—
1—5	2	1	21	9	1	1	1	1	—	—	—	—	—	—	—	1
5—10	—	—	8	5	1	—	1	—	—	—	—	—	—	—	—	1
10—15	2	—	5	5	1	—	1	—	—	—	—	—	—	—	—	—
15—20	1	—	14	4	—	—	—	—	—	—	—	1	—	—	—	—
20—25	1	—	12	6	1	1	1	1	—	—	—	1	—	—	1	1
25—30	4	2	7	4	1	—	—	—	1	—	—	3	—	—	—	1
30—35	1	3	5	10	1	2	—	1	1	1	—	3	—	—	1	—
35—40	1	3	8	4	2	2	—	—	2	2	—	2	—	—	2	4
40—45	3	4	13	10	—	2	—	1	—	1	—	1	1	—	6	5
45—50	6	6	18	22	1	5	—	2	1	3	—	—	—	—	26	5
50—55	13	12	17	15	7	3	1	1	6	2	1	—	—	—	19	11
55—60	23	15	16	11	4	6	1	3	3	3	—	—	—	—	29	7
60—65	16	18	29	18	6	7	1	1	5	6	1	—	—	—	39	13
65—70	43	26	24	16	7	6	1	4	6	2	—	2	—	—	40	12
70—75	36	25	22	19	1	7	—	3	1	4	—	—	—	—	24	10
75—80	47	26	27	25	6	4	1	—	5	4	—	—	—	—	17	9
80 and upwards	37	21	19	27	4	8	3	7	1	1	—	—	—	—	9	4

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	29	8	184	76	52	180	82	129	40	46	24	5	2809	1821	109	109
0—1	—	—	—	—	—	—	1	—	—	1	—	1	14	5	6	3
1—5	—	—	—	1	—	—	—	1	—	—	3	4	14	16	9	12
5—10	—	—	—	1	—	—	1	1	—	1	—	23	17	5	11	3
10—15	—	—	—	—	—	—	1	1	—	—	—	2	9	16	4	10
15—20	—	—	—	—	—	—	1	—	2	—	1	2	22	22	5	9
20—25	—	—	1	1	—	—	1	—	1	3	—	1	25	28	2	5
25—30	—	—	—	1	—	—	1	2	—	2	1	2	31	41	4	3
30—35	—	—	1	—	—	3	—	2	1	1	1	1	29	59	3	5
35—40	—	—	2	4	2	1	2	3	2	7	1	2	36	52	5	7
40—45	2	—	4	5	2	3	4	8	1	2	1	3	58	81	8	7
45—50	9	1	17	4	—	11	5	7	1	4	5	2	83	93	3	5
50—55	2	3	17	8	3	20	5	6	5	5	3	2	142	104	4	2
55—60	5	1	24	6	7	25	10	9	6	8	2	2	174	155	10	7
60—65	2	—	37	13	8	22	12	18	3	3	1	3	274	204	9	7
65—70	6	—	34	12	11	22	11	19	7	4	2	—	396	252	8	12
70—75	3	1	21	9	8	25	12	19	8	2	—	1	544	272	11	5
75—80	—	2	17	7	6	23	7	12	1	1	2	—	483	204	4	5
80 and upwards	—	—	9	4	5	25	8	21	2	2	1	—	458	212	3	2

***127.** Other diseases of the digestive system —.

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1466	1337	58	79	60	29	129	65	75	1	68	—	7	1	901	—
0—1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
1—5	3	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—
5—10	5	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
10—15	5	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	16	8	1	2	—	—	—	—	—	—	—	—	—	—	—	—
20—25	19	15	—	2	3	—	—	1	1	—	—	—	1	—	—	—
25—30	20	19	3	4	1	1	2	—	—	1	—	—	—	1	—	—
30—35	21	28	2	5	3	3	—	—	—	—	—	—	—	—	—	—
35—40	22	22	4	3	1	1	2	—	2	—	1	—	1	—	—	—
40—45	37	45	3	3	3	2	4	—	2	—	2	—	—	—	1	—
45—50	61	59	2	6	5	3	5	1	7	—	6	—	1	—	—	—
50—55	106	70	4	7	5	3	4	3	5	—	4	—	1	—	14	—
55—60	114	123	6	4	5	5	4	2	4	—	4	—	—	—	31	—
60—65	159	169	5	7	6	3	11	6	12	—	11	—	1	—	71	—
65—70	223	211	4	6	9	1	13	10	12	—	11	—	1	—	126	—
70—75	264	222	6	11	10	2	17	13	13	—	12	—	1	—	223	—
75—80	220	175	12	7	7	1	25	8	9	—	9	—	—	—	206	—
80 and upwards	171	162	2	9	2	4	42	20	8	—	8	—	—	—	229	—

***130.** Chyluria —,

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929 (Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	—	—	54	—	32	—	78	—	3	—	32	—	2	—	610
0—1	6	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
1—5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	20
20—25	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	109
25—30	1	—	—	2	—	7	—	—	—	—	—	4	—	—	—	122
30—35	—	—	—	4	—	7	—	4	—	1	—	1	—	1	—	136
35—40	—	—	—	4	—	5	—	8	—	—	—	2	—	—	—	149
40—45	—	—	—	1	—	2	—	14	—	2	—	5	—	—	—	67
45—50	—	—	—	4	—	1	—	13	—	—	—	1	—	—	—	7
50—55	—	—	—	3	—	—	—	12	—	—	—	4	—	—	—	—
55—60	—	—	—	4	—	3	—	5	—	—	—	2	—	—	—	—
60—65	1	—	—	6	—	1	—	4	—	—	—	1	—	—	—	—
65—70	1	—	—	6	—	1	—	4	—	—	—	1	—	—	—	—
70—75	—	—	—	9	—	—	—	4	—	—	—	6	—	—	—	—
75—80	—	—	—	4	—	—	—	3	—	—	—	1	—	—	—	—
80 and upwards	1	—	—	7	—	—	—	6	—	—	—	2	—	—	—	—

Causes of Death.	143 Accidents of pregnancy.		143 (*a*) Abortion.		143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	57	—	13	—	13	—	31	—	73	—	58	—	255	—	56
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	1	—	1	—	1	—	9	—	1
20—25	—	6	—	1	—	1	—	4	—	8	—	13	—	60	—	4
25—30	—	11	—	1	—	1	—	9	—	14	—	12	—	54	—	9
30—35	—	12	—	2	—	5	—	5	—	18	—	12	—	52	—	17
35—40	—	16	—	6	—	2	—	8	—	22	—	12	—	53	—	18
40—45	—	11	—	3	—	4	—	4	—	9	—	7	—	24	—	7
45—50	—	—	—	—	—	—	—	—	—	1	—	1	—	3	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).		IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155–158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	107	—	3	382	332	167	149	47	25	100	53	68	105	107	67
0—1	—	—	—	—	37	27	—	1	1	1	12	5	24	20	3	1
1—5	—	—	—	—	8	6	1	1	—	—	5	2	2	3	13	7
5—10	—	—	—	—	3	2	—	—	—	—	3	1	—	1	19	8
10—15	—	—	—	—	5	3	1	—	—	—	3	3	1	—	14	6
15—20	—	7	—	—	5	2	—	—	—	1	4	1	1	—	10	4
20—25	—	17	—	—	5	5	—	—	1	2	4	1	—	2	5	5
25—30	—	22	—	—	5	4	1	—	2	1	2	1	—	2	3	2
30—35	—	23	—	2	4	4	—	1	1	—	2	2	1	1	2	2
35—40	—	27	—	1	5	4	—	—	3	2	2	1	—	1	4	2
40—45	—	9	—	—	7	5	—	—	4	3	2	1	1	1	1	—
45—50	—	2	—	—	9	6	1	1	2	—	6	4	—	1	3	5
50—55	—	—	—	—	17	13	—	—	5	6	10	4	2	3	4	1
55—60	—	—	—	—	16	13	1	3	6	1	5	4	4	5	2	4
60—65	—	—	—	—	19	18	4	6	6	1	7	3	2	8	5	3
65—70	—	—	—	—	31	30	10	15	7	2	11	4	3	9	3	3
70—75	—	—	—	—	48	49	29	28	2	1	8	9	9	11	9	7
75—80	—	—	—	—	61	37	45	25	4	1	6	—	6	11	3	2
80 and upwards	—	—	—	—	97	104	74	68	3	3	8	7	12	26	4	5

150. Puerperal diseases of the breast, *20*.

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	85	50	17	14	5	3	417	360	2153	1532	409	240	1561	1154	1379	1045
0—1	2	1	1	—	—	—	372	309	2153	1532	409	240	1561	1154	1379	1045
1—5	9	5	4	2	—	—	19	19	—	—	—	—	—	—	—	—
5—10	16	8	3	—	—	—	9	7	—	—	—	—	—	—	—	—
10—15	13	5	—	1	1	—	2	3	—	—	—	—	—	—	—	—
15—20	8	4	2	—	—	—	4	5	—	—	—	—	—	—	—	—
20—25	5	3	—	2	—	—	2	6	—	—	—	—	—	—	—	—
25—30	3	2	—	—	—	—	1	4	—	—	—	—	—	—	—	—
30—35	2	1	—	1	—	—	2	4	—	—	—	—	—	—	—	—
35—40	4	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—
40—45	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	3	4	—	1	—	—	2	1	—	—	—	—	—	—	—	—
50—55	2	1	1	—	1	—	2	—	—	—	—	—	—	—	—	—
55—60	—	3	2	1	—	—	1	—	—	—	—	—	—	—	—	—
60—65	4	1	1	2	—	—	1	—	—	—	—	—	—	—	—	—
65—70	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	6	4	1	3	2	—	—	—	—	—	—	—	—	—	—	—
75—80	3	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
80 and upwards	2	3	1	1	1	1	—	—	—	—	—	—	—	—	—	—

* **157.** Amputation —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929.
(Civilian population only).

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165–166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	182	109	158	117	25	21	2389	3146	3288	1169	651	224	43	43	36	15
0—1	182	109	158	117	25	21	—	—	64	50	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	189	114	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	155	77	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	82	26	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	217	58	11	7	—	1	1	—
20—25	—	—	—	—	—	—	—	—	291	48	29	12	2	3	1	—
25—30	—	—	—	—	—	—	—	—	237	51	33	23	7	7	—	—
30—35	—	—	—	—	—	—	—	—	204	32	42	15	1	2	7	—
35—40	—	—	—	—	—	—	—	—	184	49	36	24	4	3	4	3
40—45	—	—	—	—	—	—	—	—	199	50	53	31	2	8	4	3
45—50	—	—	—	—	—	—	—	—	213	55	74	22	7	6	10	2
50—55	—	—	—	—	—	—	—	1	251	55	80	25	6	5	2	2
55—60	—	—	—	—	—	—	4	2	220	56	79	22	1	2	1	—
60—65	—	—	—	—	—	—	9	15	237	69	75	22	7	1	2	3
65—70	—	—	—	—	—	—	48	62	205	57	69	7	3	2	3	1
70—75	—	—	—	—	—	—	302	317	139	86	33	10	2	3	—	—
75—80	—	—	—	—	—	—	583	641	98	72	25	4	1	—	1	1
80 and upwards	—	—	—	—	—	—	1443	2108	103	164	12	—	—	—	—	—

Causes of Death.	Suicide—*contd.* 168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths, excluding suicide and homicide.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	193	24	108	88	104	4	121	26	10	9	34	9	2	6	2617	924
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	63	47
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	188	112
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153	77
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	81	26
15—20	5	—	1	4	4	—	—	—	—	—	—	1	—	1	203	50
20—25	3	1	9	8	8	—	1	—	—	—	5	—	—	—	260	36
25—30	6	1	5	8	8	1	4	1	1	3	2	2	—	—	204	26
30—35	11	1	6	7	5	—	7	1	1	2	3	1	1	1	162	15
35—40	5	4	6	7	8	2	5	2	2	1	2	2	—	—	147	23
40—45	13	2	6	12	9	—	14	2	2	1	3	1	—	2	144	19
45—50	15	3	9	7	10	—	14	3	2	1	7	—	—	—	137	31
50—55	29	2	9	11	15	1	17	3	1	—	1	—	—	1	171	28
55—60	34	2	12	8	11	—	17	8	—	1	3	—	—	1	140	31
60—65	27	4	9	9	13	—	14	3	—	—	2	2	1	—	161	47
65—70	23	1	20	1	5	—	10	2	—	—	5	—	—	—	134	49
70—75	12	1	9	5	4	—	6	1	—	—	—	—	—	—	105	76
75—80	8	2	3	1	2	—	8	—	1	—	1	—	—	—	73	68
80 and upwards	2	—	4	—	2	—	4	—	—	—	—	—	—	—	91	163

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	1	3	2	13	6	5	9	122	191	53	39	12	5	313	77
0—1	—	—	—	—	1	—	—	—	11	6	38	30	—	—	3	5
1—5	—	—	—	—	2	1	—	1	65	57	5	4	—	—	36	17
5—10	—	—	—	—	1	—	—	1	4	14	3	1	—	—	43	10
10—15	—	—	—	—	—	—	1	—	—	8	1	—	—	—	25	—
15—20	—	—	—	—	—	—	—	—	—	19	1	—	—	—	38	7
20—25	—	—	—	—	1	—	—	—	—	6	—	—	—	—	22	8
25—30	—	—	—	—	1	—	1	—	2	6	1	—	—	—	15	1
30—35	1	—	—	—	—	—	—	—	1	3	1	1	—	—	14	2
35—40	—	—	—	—	1	2	1	—	5	5	2	—	4	—	13	—
40—45	—	—	1	—	1	1	—	2	2	4	—	—	1	—	12	5
45—50	1	—	1	—	—	—	1	1	1	1	—	—	—	—	9	7
50—55	2	—	1	—	1	—	—	1	3	4	—	—	2	1	24	3
55—60	—	1	—	—	—	—	—	2	3	4	1	—	—	1	14	3
60—65	1	—	—	1	2	1	—	—	1	3	—	1	2	—	21	3
65—70	—	—	—	—	—	1	—	—	3	9	—	1	1	—	13	3
70—75	—	—	—	1	1	—	—	—	2	6	—	1	—	2	4	3
75—80	—	—	—	—	1	—	—	—	9	16	—	—	2	1	2	—
80 and upwards	—	—	—	—	—	—	1	1	10	20	—	—	—	—	5	—

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	42	5	2	1	286	278	325	—	37	1	1241	272	30	4	15	—
0—1	—	—	—	—	4	1	—	—	—	—	1	1	—	1	—	—
1—5	—	—	—	—	9	3	—	—	—	—	65	27	1	1	—	—
5—10	2	1	—	—	5	1	—	—	3	—	90	48	2	—	—	—
10—15	2	—	—	—	4	1	6	—	2	—	35	17	1	—	—	—
15—20	7	—	—	—	8	2	30	—	3	—	110	19	—	1	—	—
20—25	5	—	—	—	9	—	32	—	2	1	184	20	1	—	—	—
25—30	3	1	—	—	7	1	33	—	4	—	131	16	1	—	1	—
30—35	5	1	—	—	6	1	37	—	3	—	79	7	2	—	5	—
35—40	5	—	—	—	8	4	40	—	3	—	55	10	1	—	5	—
40—45	4	—	—	—	11	—	42	—	2	—	63	6	—	—	1	—
45—50	3	1	—	1	18	3	29	—	2	—	65	13	1	—	1	—
50—55	3	—	1	—	10	4	26	—	5	—	88	12	1	—	—	—
55—60	2	1	1	—	15	5	23	—	4	—	59	13	5	—	2	—
60—65	1	—	—	—	26	19	18	—	3	—	67	17	4	—	—	—
65—70	—	—	—	—	28	15	9	—	1	—	65	18	4	—	—	—
70—75	—	—	—	—	36	46	—	—	—	—	50	14	4	1	—	—
75—80	—	—	—	—	32	38	—	—	—	—	16	11	1	—	—	—
80 and upwards	—	—	—	—	50	134	—	—	—	—	18	3	1	—	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1929. (Civilian population only).

Causes of Death.	191* 192 Hunger or thirst.		193 Excessive cold.		194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	1	36	10	16	7	6	—	20	21	5	7	1	6	14	8
0—1	—	1	2	—	2	—	—	—	1	3	—	—	—	1	1	2
1—5	—	—	—	—	1	1	—	—	1	2	—	—	—	1	1	1
5—10	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—
10—15	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—
15—20	—	—	—	—	1	—	1	—	3	1	1	1	—	—	2	—
20—25	—	—	—	—	1	—	1	—	2	—	1	—	—	—	1	—
25—30	—	—	—	—	—	—	2	—	—	2	—	1	—	—	—	1
30—35	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2
35—40	—	—	—	—	1	—	—	—	1	2	—	1	—	1	1	—
40—45	—	—	—	1	—	—	—	—	2	—	1	—	—	—	1	—
45—50	—	—	2	1	1	1	—	—	2	2	1	1	—	1	1	—
50—55	1	—	2	1	—	—	—	—	—	2	—	1	—	—	—	1
55—60	2	—	2	—	—	—	—	—	1	3	—	1	—	1	1	1
60—65	2	—	8	—	3	2	—	—	1	—	—	—	—	—	1	—
65—70	2	—	3	1	3	1	—	—	2	1	—	—	—	1	2	—
70—75	1	—	3	1	2	1	—	—	1	—	—	—	—	—	1	—
75—80	—	—	10	2	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	4	3	—	1	—	—	—	1	—	1	—	—	—	—

***191.** Execution of civilians by belligerent armies—; **195.** Lightning 10, 15, 25, 30, 30, 35, 40, 45, 55.

Causes of Death.	200* 201 Fracture (cause not specified).		202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death, 1–70 years.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	34	14	1	1	147	117	32	33	115	84	94	66	21	18
0—1	—	—	1	1	—	1	9	3	—	—	9	3	—	—	9	3
1—5	—	—	4	—	—	—	4	5	1	—	3	5	—	—	3	5
5—10	—	—	—	1	—	—	2	3	—	—	2	3	—	—	2	3
10—15	—	—	1	—	—	—	4	1	—	1	4	—	3	—	1	—
15—20	1	—	2	2	—	—	—	1	—	1	—	—	—	—	—	—
20—25	—	—	2	1	—	—	4	—	2	—	2	—	1	—	1	—
25—30	—	—	1	1	—	—	1	2	—	—	1	2	—	1	1	1
30—35	—	—	4	—	—	—	1	1	1	—	—	1	—	1	—	—
35—40	—	—	2	2	—	—	2	3	1	1	1	2	1	2	—	—
40—45	—	—	3	—	—	—	1	3	—	1	1	2	1	1	—	1
45—50	—	—	1	2	—	—	7	9	2	2	5	7	5	7	—	—
50—55	—	—	1	2	—	—	16	4	5	1	11	3	11	3	—	—
55—60	1	—	4	1	1	—	23	11	3	4	20	7	20	7	—	—
60—65	—	—	2	—	—	—	34	29	8	6	26	23	24	22	2	1
65—70	—	—	2	—	—	—	37	38	9	16	28	22	28	22	—	—
70—75	—	—	2	—	—	—	2	—	—	—	2	—	—	—	2	—
75—80	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	2
80 and upwards	—	—	2	1	—	—	—	2	—	—	—	2	—	—	—	2

* Infanticide. Deaths from this cause are shown under Nos. 197–199.

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1929.

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
	ALL CAUSES	M.	41304	12165	4,423	3,956	6,837	7,468	3,134	1,908	1,413
		F.	33193	8,971	3,018	2,933	5,565	6,668	3,050	1,724	1,264
7	Measles	M.	1,575	2	9	29	314	697	270	167	87
		F.	1,489	4	13	16	270	666	300	144	76
8	Scarlet fever	M.	151	2	2	1	18	27	29	43	29
		F.	133	2	—	—	4	26	39	34	28
9	Whooping cough	M.	2,683	25	192	258	673	928	349	154	104
		F.	3,390	28	224	306	848	1,134	495	233	122
10	Diphtheria	M.	758	3	5	8	62	145	175	172	188
		F.	715	1	8	9	47	121	151	193	185
11	Influenza	M.	1,129	41	69	104	251	358	166	79	61
		F.	882	19	37	62	194	298	149	67	56
13	Mumps	M.	3	—	—	—	2	1	—	—	—
		F.	6	1	—	—	1	3	1	—	—
21	Erysipelas	M.	55	9	16	10	10	6	2	1	1
		F.	46	5	14	7	8	8	2	1	1
22	Acute poliomyelitis, acute polioencephalitis.	M.	31	—	—	2	5	4	9	5	6
		F.	24	—	—	1	1	11	2	5	4
23	Encephalitis lethargica ..	M.	30	—	—	1	3	8	11	6	1
		F.	32	1	—	1	1	9	9	8	3
24	Meningococcal meningitis ..	M.	192	2	12	31	56	44	27	15	5
		F.	134	—	10	17	37	29	18	12	11
25 (1)	German measles	M.	14	—	1	1	4	3	1	2	2
		F.	10	—	—	—	4	3	2	—	1
25 (2)	Varicella	M.	24	1	—	2	9	6	3	2	1
		F.	25	—	—	4	8	8	1	3	1
31–37	Tuberculosis, all forms ..	M.	1,469	7	33	95	235	465	301	179	154
		F.	1,171	2	15	77	196	358	226	169	128
31	Tuberculosis, respiratory system.	M.	223	1	2	13	37	66	46	27	31
		F.	197	—	1	10	23	68	40	26	29
32	Tuberculosis, nervous system	M.	713	4	10	44	115	229	153	82	76
		F.	625	—	—	39	113	181	132	83	77
33	Tuberculosis, intestines and peritoneum.	M.	239	1	14	23	37	79	30	37	18
		F.	167	—	10	14	29	55	23	31	5
34–36	Tuberculosis, other organs ..	M.	40	—	1	2	6	10	12	6	3
		F.	25	—	1	4	6	6	2	3	3
37	Disseminated tuberculosis ..	M.	254	1	6	13	40	81	60	27	26
		F.	157	2	3	10	25	48	29	26	14
	(*a*) Acute	M.	118	1	2	7	22	37	24	13	12
		F.	76	1	1	5	15	24	11	14	5
	(*b*) Chronic or unstated ..	M.	136	—	4	6	18	44	36	14	14
		F.	81	1	2	5	10	24	18	12	9
38	Syphilis	M.	267	89	89	46	22	15	1	2	3
		F.	192	53	64	31	19	11	6	3	5
40 (2)	Gonorrhœal or purulent ophthalmia.	M.	16	6	10	—	—	—	—	—	—
		F.	9	2	5	1	1	—	—	—	—
41	Purulent infection, septicæmia.	M.	63	13	16	9	7	7	4	4	3
		F.	50	13	7	5	8	5	6	4	2
42 (1)	Vaccinia	M.	3	—	1	1	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
43–49	Cancer	M.	56	1	1	3	6	9	12	15	9
		F.	55	1	1	6	2	10	13	13	9

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1929—*cont.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks.	4 wks.–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
51	Rheumatic fever	M.	28	—	—	2	3	1	3	9	10
		F.	27	—	—	—	—	—	2	6	19
56	Rickets	M.	243	1	12	19	84	74	33	15	5
		F.	154	—	4	14	41	62	24	8	1
62	Diseases of the thymus ..	M.	93	21	18	16	20	8	4	2	4
		F.	60	11	13	11	11	5	3	—	6
65*a*	Leukæmia	M.	30	—	1	1	1	6	6	4	11
		F.	26	—	—	—	3	8	5	6	4
69 (1)	Purpura	M.	51	17	7	7	8	3	4	3	2
		F.	38	12	6	5	3	9	1	—	2
69 (2)	Hæmophilia	M.	36	25	1	—	4	2	1	—	3
		F.	26	23	2	—	—	—	—	1	—
71	Meningitis	M.	356	14	25	52	82	87	35	34	27
		F.	278	6	17	34	61	77	40	24	19
78	Epilepsy	M.	39	4	6	1	4	7	9	5	3
		F.	38	3	1	2	4	6	6	11	5
79–80	Convulsions	M.	1,158	558	184	127	140	100	32	7	10
		F.	837	330	132	96	135	98	31	9	6
84 (1)	Idiocy	M.	95	5	9	11	14	21	19	8	8
		F.	95	5	5	6	24	24	17	4	10
86	Diseases of the ear and of the mastoid sinus.	M.	188	3	9	26	51	39	28	15	17
		F.	149	1	10	12	39	33	25	21	8
	1. Diseases of the mastoid sinus	M.	61	—	3	11	17	8	11	6	5
		F.	50	—	3	3	13	7	7	14	3
	2. Other ear diseases ..	M.	127	3	6	15	34	31	17	9	12
		F.	99	1	7	9	26	26	18	7	5
87–90	Heart disease	M.	35	2	1	1	3	4	9	5	10
		F.	25	—	—	—	2	6	3	7	7
98 (1)	Laryngismus stridulus ..	M.	24	4	2	2	3	7	1	3	2
		F.	15	2	1	2	1	4	4	—	1
98 (2)	Laryngitis	M.	82	3	4	6	13	16	13	17	10
		F.	64	4	6	4	9	12	13	7	9
99	Bronchitis	M.	2,104	200	410	408	527	368	118	46	27
		F.	1,657	138	303	294	445	329	93	40	15
100–101	Pneumonia (all forms) ..	M.	9,645	320	795	1,127	2,730	2,980	982	441	270
		F.	7,623	254	509	764	1,978	2,506	984	391	237
100	Broncho-pneumonia ..	M.	8,039	263	689	962	2,354	2,462	788	331	190
		F.	6,464	212	449	680	1,689	2,137	826	294	177
101	(*a*) Lobar	M.	770	11	49	66	168	248	114	62	52
		F.	546	14	27	35	132	166	80	55	37
	(*b*) Pneumonia not otherwise defined	M.	836	46	57	99	208	270	80	48	28
		F.	613	28	33	49	157	203	78	42	23
102	Pleurisy	M.	81	1	3	2	11	24	21	11	8
		F.	67	3	2	2	5	25	13	8	9
	1. Empyema	M.	63	1	3	2	6	15	19	11	6
		F.	50	1	—	1	2	21	11	7	7
	2. Other pleurisy	M.	18	—	—	—	5	9	2	—	2
		F.	17	2	2	1	3	4	2	1	2
103	Congestion and pulmonary infarct.	M.	44	13	8	4	5	7	4	1	2
		F.	35	11	5	6	4	3	1	2	3
97,98(3) 104–107	Other respiratory diseases ..	M.	48	5	3	9	5	10	9	2	5
		F.	29	2	4	3	6	5	4	4	1
108 (1)	Diseases of the teeth and gums	M.	29	7	1	—	7	8	2	4	—
		F.	24	1	4	2	4	10	—	2	1

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1929—*cont.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
109 (1)	Tonsillitis, etc., adenoid vegetations.	M.	96	4	3	6	5	16	18	25	19
		F.	63	1	1	2	8	15	8	10	18
112 (1)	Inflammation of the Stomach	M.	187	34	60	33	30	19	3	4	4
		F.	127	11	31	26	28	19	7	4	1
113–114	Diarrhœa and enteritis ..	M.	3,269	273	752	858	841	379	87	52	27
		F.	2,373	160	418	628	667	338	92	39	31
117	Appendicitis, typhlitis ..	M.	104	1	2	—	1	12	22	29	37
		F.	58	—	1	1	2	3	16	17	18
118	Hernia, intestinal obstruction	M.	403	34	36	86	137	67	22	13	8
		F.	195	23	11	45	60	28	14	9	5
	(*a*) Hernia	M.	98	14	21	25	14	22	—	2	—
		F.	27	10	5	1	3	5	2	1	—
	(*b*) Intestinal obstruction..	M.	305	20	15	61	123	45	22	11	8
		F.	168	13	6	44	57	23	12	8	5
128	Acute nephritis	M.	62	5	4	8	8	12	13	9	3
		F.	75	4	2	1	11	24	11	10	12
129	Chronic nephritis	M.	14	1	—	1	1	1	2	5	3
		F.	8	—	—	1	—	—	1	3	3
153	Cellulitis, acute abscess ..	M.	70	27	12	3	13	8	3	3	1
		F.	45	9	12	5	7	7	1	2	2
	1. Cellulitis	M.	39	15	8	—	8	4	—	3	1
		F.	23	5	3	4	4	3	1	1	2
	2. Acute abscess	M.	31	12	4	3	5	4	3	—	—
		F.	22	4	9	1	3	4	—	1	—
154 (2)	Eczema	M.	49	1	6	10	23	8	1	—	—
		F.	21	1	5	4	8	2	1	—	—
154 (3)	Pemphigus	M.	69	55	10	3	1	—	—	—	—
		F.	66	51	10	—	3	—	1	—	1
151–152, 154 (1), 154 (4)	Other skin diseases ..	M.	94	26	17	16	19	11	1	3	1
		F.	60	12	12	5	14	5	7	3	2
155 (1)	Acute infective osteomyelitis and periostitis.	M.	50	5	1	2	4	6	11	11	10
		F.	47	2	1	5	2	7	10	11	9
159	Congenital malformations ..	M.	1,928	1,125	450	140	104	64	23	9	13
		F.	1,633	990	301	135	105	50	26	15	11
	1. Congenital hydrocephalus	M.	124	40	15	14	26	21	3	1	4
		F.	99	33	12	14	20	9	7	2	2
	2. Congenital malformation of heart.	M.	734	529	100	38	33	18	7	6	3
		F.	590	382	79	44	40	22	8	11	4
	3. Other congenital malformations.	M.	1,070	556	335	88	45	25	13	2	6
		F.	944	575	210	77	45	19	11	2	5
160	Congenital debility, sclerema and icterus.	M.	1,779	1,095	400	189	95	—	—	—	—
		F.	1,114	670	256	130	58	—	—	—	—
	1. Congenital debility and sclerema.	M.	1,522	875	375	182	90	—	—	—	—
		F.	982	559	241	126	56	—	—	—	—
	2. Icterus neonatorum ..	M.	257	220	25	7	5	—	—	—	—
		F.	132	111	15	4	2	—	—	—	—
161	Premature birth, injury at birth.	M.	7,646	7,016	550	69	11	—	—	—	—
		F.	5,700	5,210	426	47	17	—	—	—	—
	1. Premature birth ..	M.	6,784	6,179	528	66	11	—	—	—	—
		F.	5,208	4,728	419	46	15	—	—	—	—
	2. Injury at birth	M.	862	837	22	3	—	—	—	—	—
		F.	492	482	7	1	2	—	—	—	—
162 (1)	Diseases of the umbilicus ..	M.	52	48	4	—	—	—	—	—	—
		F.	46	37	9	—	—	—	—	—	—

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1929—*cont.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
162 (2)	Atelectasis	M.	581	563	18	—	—	—	—	—	—
		F.	440	432	8	—	—	—	—	—	—
163	Lack of care	M.	105	103	2	—	—	—	—	—	—
		F.	118	118	—	—	—	—	—	—	—
175–203	Violent deaths	M.	1,138	133	65	56	77	242	184	220	161
		F.	775	105	53	57	77	138	114	114	117
179	Accidental burns (conflagration excepted).	M.	423	5	2	9	38	161	96	75	37
		F.	296	4	2	8	36	91	69	44	42
	1. By Clothing	M.	24	—	—	—	—	6	9	7	2
		F.	50	—	—	1	3	6	8	16	16
	2. Otherwise (*or not stated how*)	M.	73	3	1	5	10	22	6	16	10
		F.	65	2	2	2	10	14	21	5	9
	3. Scalds	M.	326	2	1	4	28	133	81	52	25
		F.	181	2	—	5	23	71	40	23	17
180	Accidental mechanical suffocation.	M.	236	102	57	40	13	12	4	6	2
		F.	191	77	47	38	23	4	—	—	2
	1. In bed or not stated how	M.	203	95	53	37	10	6	1	1	—
		F.	171	74	45	31	19	1	—	—	1
	2. Otherwise than in 1 ..	M.	33	7	4	3	3	6	3	5	2
		F.	20	3	2	7	4	3	—	—	1
182	Accidental drowning.. ..	M.	108	7	3	—	3	21	29	26	19
		F.	34	4	—	1	3	6	11	2	7
188	Accidental, by certain forms of crushing (vehicles, railways, etc.).	M.	238	1	1	—	1	12	34	96	93
		F.	152	—	—	1	1	18	21	53	58
	1. Road Vehicles	M.	222	—	1	—	1	12	29	94	85
		F.	146	—	—	1	1	17	21	50	56
	2. Otherwise	M.	16	1	—	—	—	—	5	2	8
		F.	6	—	—	—	—	1	—	3	2
	Other violence	M.	133	18	2	7	22	36	21	17	10
		F.	102	20	4	9	14	19	13	15	8
	Other causes	M.	680	212	76	54	74	128	51	47	38
		F.	599	197	39	41	74	110	52	47	39

Table 18.—England and Wales.—Deaths Tabulated by Cause and by Month of Occurrence, 1928–1929.

Note.—The figures for the last three months of the year 1929 are not available at the time of going to press. Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to the date of registration.

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	ALL CAUSES..	M.	18447	18216	22552	28037	35286	37380	22579	20869	17268	17459	16306	16028
		F.	17456	17126	21807	28298	37916	38873	21229	19374	15972	16057	15146	14804
1–42	**1. Epidemic, Endemic and Infectious Diseases**	M.	2311	2398	3005	4125	8057	9484	4109	3231	2377	2249	2055	1902
		F.	2009	1961	2351	3642	8534	9776	3509	2648	2114	1900	1784	1692
1	Enteric fever	M.	17	18	19	11	14	9	5	11	10	12	18	23
		F.	29	14	16	14	7	15	8	12	14	15	17	19
	(*a*) Typhoid fever ..	M.	9	13	15	10	11	8	4	10	9	12	14	18
		F.	23	10	14	12	5	11	7	11	11	11	13	16
	(*b*) Paratyphoid fever ..	M.	8	5	4	1	3	1	1	1	1	—	4	5
		F.	6	4	2	2	2	4	1	1	3	4	4	3
2	Typhus	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
3	Relapsing Fever (Spirillum obermeieri)	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
4	Mediterranean fever	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
5	Malaria	M.	4	3	3	4	6	5	3	5	5	3	—	2
		F.	1	—	—	—	—	1	1	—	—	—	—	1
6	Small-pox	M.	1	—	2	2	—	3	4	4	1	2	—	—
		F.	—	1	1	1	—	—	14	2	—	1	—	—
7	Measles	M.	33	57	88	134	204	269	199	230	145	146	96	44
		F.	36	64	71	128	190	264	164	207	177	114	95	56
8	Scarlet fever	M.	28	18	34	38	47	38	30	35	15	22	19	15
		F.	33	31	43	37	45	41	22	30	19	16	16	23
9	Whooping cough	M.	85	78	161	274	593	706	366	225	125	107	89	86
		F.	99	89	194	329	713	870	452	296	173	150	128	144
10	Diphtheria	M.	120	141	197	207	169	147	161	88	83	80	97	103
		F.	124	148	160	202	204	185	154	116	91	77	107	114
11	Influenza	M.	304	294	343	1057	4455	5504	1081	440	198	131	95	94
		F.	257	244	328	1095	5482	6334	985	371	134	93	73	64
	(*a*) 1. With pneumonic complications.	M.	165	135	168	577	2414	2978	538	215	94	65	37	38
		F.	106	72	128	462	2564	2970	402	125	39	24	18	19
	(*a*) 2. With other pulmonary complications.	M.	44	49	56	221	1186	1389	229	73	29	22	12	9
		F.	47	49	74	293	1650	1899	226	65	20	15	14	11
	(*b*) 1. With non-pulmonary complications.	M.	64	90	92	166	481	624	229	111	59	34	41	36
		F.	72	89	94	221	671	824	260	127	58	42	33	26
	(*b*) 2. Without stated complication.	M.	31	20	27	93	374	513	85	41	16	10	5	11
		F.	32	34	32	119	597	641	97	54	17	12	8	8
13	Mumps	M.	1	1	1	1	4	5	2	—	—	—	1	—
		F.	1	1	—	1	1	2	2	2	—	1	—	1
15	Cholera nostras	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
16	Dysentery	M.	5	5	5	1	3	8	6	11	8	5	3	6
		F.	1	4	4	1	6	5	2	2	4	3	1	3
	(*a*) Amœbic	M.	2	2	—	—	—	3	2	1	1	1	—	—
		F.	—	—	—	—	1	—	1	1	—	—	—	1
	(*b*) Bacillary	M.	1	1	1	—	—	—	2	1	3	—	1	2
		F.	—	2	1	1	1	—	—	1	1	1	—	—
	(*c*) Other or unspecified..	M.	2	2	4	1	3	5	2	9	4	4	2	4
		F.	1	2	3	—	4	5	1	—	3	2	1	2
19	Spirochætosis ictero-hæmorrhagica	M.	2	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
20	Leprosy	M.	1	—	—	1	—	1	—	—	—	—	—	—
		F.	—	—	—	—	1	—	—	—	—	—	—	—
21	Erysipelas	M.	36	50	48	49	48	79	46	54	33	27	29	26
		F.	27	26	41	50	46	67	53	36	38	34	22	25
22	Acute poliomyelitis.. ..	M.	7	6	10	9	9	4	4	2	6	3	8	8
		F.	7	5	6	5	3	8	4	3	3	2	2	11
	1. Poliomyelitis ..	M.	5	6	6	4	4	2	2	—	3	2	6	5
		F.	5	4	5	5	3	5	3	1	2	1	2	4
	2. Polioencephalitis ..	M.	2	—	4	5	5	2	2	2	3	1	2	3
		F.	2	1	1	—	—	3	1	2	1	1	—	7
23	Encephalitis lethargica ..	M.	37	44	41	39	47	59	46	60	28	52	43	39
		F.	52	41	43	44	57	44	49	54	46	39	41	36
24	Meningococcal meningitis ..	M.	15	15	15	24	27	54	51	36	23	27	23	24
		F.	16	20	12	16	10	30	31	25	21	20	17	21
25	Other epidemic diseases ..	M.	2	3	3	6	3	9	6	4	6	7	4	1
		F.	—	3	4	9	4	4	4	1	1	4	2	—
	(1) German measles ..	M.	—	—	—	—	—	2	5	2	3	6	—	—
		F.	—	—	—	4	—	1	—	1	—	2	—	—
	(2) Varicella	M.	1	3	3	3	3	6	1	1	3	1	2	1
		F.	—	3	4	5	3	3	4	—	1	1	2	—
	(3) Other diseases included under 25.	M.	1	—	—	3	—	1	—	1	—	—	2	—
		F.	—	—	—	—	1	—	—	—	—	1	—	—
26	Glanders	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
27	Anthrax	M.	1	—	1	1	1	2	1	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—
29	Tetanus	M.	7	5	5	9	6	11	11	17	8	10	9	6
		F.	2	—	3	3	—	5	2	9	4	4	4	10
30	Mycoses	M.	4	2	9	4	2	3	7	5	4	4	3	3
		F.	—	5	4	6	2	3	2	5	4	4	1	4
	(1) Actinomycosis ..	M.	4	1	8	1	1	2	4	2	3	1	2	1
		F.	—	4	2	2	—	1	2	2	2	2	1	1
	(2) Other mycoses ..	M.	—	1	1	3	1	1	3	3	1	3	1	2
		F.	—	1	2	4	2	2	—	3	2	2	—	3
31–37	Tuberculosis (all forms) ..	M.	1473	1516	1887	2112	2263	2411	1974	1877	1581	1514	1391	1321
		F.	1242	1206	1336	1622	1693	1808	1494	1406	1317	1259	1199	1113
31	,, Respiratory system	M.	1222	1275	1620	1769	1969	2063	1650	1531	1302	1232	1143	1065
		F.	1030	991	1092	1360	1466	1513	1182	1131	1012	994	958	896
32	,, Nervous system ..	M.	96	90	90	127	104	134	127	154	125	92	96	96
		F.	72	73	81	89	86	106	148	127	143	119	82	69
33	,, Intestines and peritoneum ..	M.	45	38	62	61	56	64	59	49	38	51	44	40
		F.	47	47	56	57	40	66	54	64	52	46	49	57
34	,, Vertebral column ..	M.	22	26	29	39	26	23	18	16	20	21	13	21
		F	18	17	18	32	24	19	20	14	20	10	18	18
35	,, Joints	M.	11	11	9	10	8	11	10	13	3	14	14	4
		F.	5	2	6	4	6	7	8	7	3	7	10	10
36	,, Other organs ..	M.	20	18	24	23	20	23	24	27	23	24	15	24
		F.	13	22	27	14	16	18	19	6	21	20	20	14
	(*a*) Skin and subcutaneous tissue.	M.	2	1	—	1	1	—	3	2	—	—	—	—
		F.	2	2	8	6	4	4	3	1	3	3	3	2
	(*b*) Bones (Vertebral column excepted).	M.	6	3	4	6	4	3	3	5	2	3	4	4
		F.	1	2	3	3	4	2	2	—	2	1	4	3
	(*c*) Lymphatic system (abdominal glands excepted).	M.	3	1	4	4	3	3	4	5	4	3	—	3
		F.	2	2	3	2	1	2	2	1	4	2	2	2
	(*d*) Genito-urinary system.	M.	9	13	16	11	10	16	13	15	16	18	11	17
		F.	8	15	12	1	7	10	11	3	12	14	10	7
	(*e*) Others in 36 ..	M.	—	—	—	1	2	1	1	—	1	—	—	—
		F.	—	1	1	2	—	—	1	1	—	—	1	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
37	Disseminated tuberculosis ..	M.	57	58	53	83	80	93	86	87	70	80	66	71
		F.	57	54	56	66	55	79	63	57	66	63	62	49
	(*a*) Acute	M.	22	21	13	23	26	42	24	36	32	32	19	33
		F.	26	19	22	26	24	34	27	27	20	27	29	18
	(*b*) Chronic or unstated ..	M.	35	37	40	60	54	51	62	51	38	48	47	38
		F.	31	35	34	40	31	45	36	30	46	36	33	31
38	Syphilis	M.	78	100	85	95	107	91	64	72	54	53	67	65
		F.	56	41	53	52	48	59	39	41	36	42	32	30
39	Soft Chancre	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
40	Gonococcal infection.. ..	M.	3	3	2	4	4	5	5	4	5	3	9	5
		F.	2	1	2	—	—	1	2	—	1	—	3	1
	(1) Gonococcal infection (ophthalmia excepted).	M.	2	3	2	2	3	2	5	3	3	2	8	5
		F.	2	—	—	—	—	—	1	—	—	—	1	—
	(2) Gonorrhœal or purulent ophthalmia.	M.	1	—	—	2	1	3	—	1	2	1	1	—
		F.	—	1	2	—	—	1	1	—	1	—	2	1
41	Purulent infection, septicæmia	M.	47	37	46	40	45	59	37	50	39	40	50	30
		F.	23	17	30	27	22	30	25	28	29	21	23	16
42	Other infectious diseases ..	M.	—	2	—	3	—	2	—	1	—	1	1	—
		F.	1	—	—	—	—	—	—	2	2	1	1	—
	(1) Vaccinia	M.	—	2	—	3	—	2	—	1	—	1	1	—
		F.	1	—	—	—	—	—	—	2	2	1	1	—
	(2) Other diseases included under 42.	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
43–69	**II. General diseases not included above.**	M.	**2719**	**2755**	**2923**	**3093**	**2798**	**3039**	**2785**	**2791**	**2614**	**2741**	**2729**	**2555**
		F.	**3377**	**3301**	**3618**	**3787**	**3633**	**3843**	**3341**	**3478**	**3239**	**3406**	**3349**	**3244**
43–49	Cancer, Malignant disease ..	M.	2131	2198	2278	2307	2099	2271	2169	2206	2104	2176	2202	2081
		F.	2568	2491	2634	2696	2481	2626	2490	2592	2476	2591	2599	2506
43	,, Buccal cavity ..	M.	229	213	249	254	201	221	205	204	225	212	210	191
		F.	37	37	40	50	35	36	37	48	39	37	40	33
44	,, Pharynx, œsophagus, stomach, liver and annexa.	M.	756	781	784	828	772	854	806	849	779	792	812	791
		F.	656	636	673	707	626	688	655	695	689	706	674	666
45	,, Peritoneum, intestines and rectum.	M.	492	542	537	563	488	555	524	528	497	491	543	513
		F.	553	522	535	554	531	543	523	539	529	517	552	537
46	,, Female genital organs..	F.	512	497	517	517	489	521	483	551	447	515	510	486
47	,, Breast	M.	6	4	7	3	7	2	1	6	6	2	3	3
		F.	512	487	523	543	483	517	495	476	443	506	487	464
48	,, Skin	M.	69	63	79	81	94	86	69	67	55	76	78	56
		F.	41	32	53	43	39	51	45	41	45	29	36	44
49	,, Other or unspecified organs.	M.	579	595	622	578	537	553	564	552	542	603	556	527
		F.	257	280	293	282	278	270	252	242	284	281	300	276
50	Tumours not returned as malignant (brain and female genital organs excepted).	M.	41	31	31	27	41	45	27	37	34	38	41	32
		F.	34	24	25	38	23	29	31	26	28	40	25	26
51	Rheumatic fever	M.	54	61	70	57	58	62	63	55	37	37	46	45
		F.	57	82	88	85	71	87	46	70	68	54	55	55
52	Chronic rheumatism, osteo-arthritis, gout.	M.	80	89	97	146	141	162	106	82	81	94	83	65
		F.	179	161	225	290	276	328	195	189	159	170	151	157
	(1) Chronic rheumatism,	M.	4	8	8	6	9	14	13	8	5	8	4	5
		F.	11	7	9	16	18	13	11	13	9	9	5	3
	(2) Rheumatoid and osteo-arthritis.	M.	59	60	67	106	102	119	72	56	56	67	66	47
		F.	165	151	212	267	254	308	179	174	147	161	140	149
	(3) Gout	M.	17	21	22	34	30	29	21	18	20	19	13	13
		F.	3	3	4	7	4	7	5	2	3	—	6	5
53	Scurvy..	M.	—	—	1	2	—	1	1	2	1	1	—	1
		F.	—	—	—	2	—	—	1	1	—	—	—	—
54	Pellagra	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	1	—	—	—	—	—	—	—	1	—	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
55	Beri-beri	M.	—	—	—	1	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
56	Rickets	M.	19	27	17	26	26	47	32	22	16	15	11	15
		F.	10	23	16	19	32	19	12	10	3	14	5	9
57	Diabetes	M.	211	195	211	272	226	219	190	174	156	178	171	148
		F.	236	244	279	322	393	370	265	275	227	245	239	201
58	Anæmia, chlorosis	M.	65	61	64	96	89	91	75	90	57	80	68	61
		F.	106	94	123	113	104	107	117	110	120	97	86	110
	(*a*) Pernicious anæmia ..	M.	60	49	54	86	74	73	66	78	51	73	58	52
		F.	92	81	99	94	89	91	105	94	104	85	75	97
	(*b*) Other anæmias and chlorosis.	M.	5	12	10	10	15	18	9	12	6	7	10	9
		F.	14	13	24	19	15	16	12	16	16	12	11	13
59	Diseases of the pituitary gland	M.	—	—	3	3	1	1	—	—	2	2	3	1
		F.	1	1	4	2	3	5	3	4	2	—	—	—
60	Diseases of the thyroid gland	M.	10	20	16	15	9	16	11	17	16	12	8	16
		F.	80	102	122	120	118	146	88	104	73	104	87	100
	(*a*) Exophthalmic goitre ..	M.	7	14	8	10	6	7	8	12	11	10	7	12
		F.	58	82	91	79	82	90	68	81	63	82	70	79
	(*b*) (1) Myxœdema ..	M.	1	2	5	1	1	2	—	1	2	1	1	1
		F.	12	14	22	24	28	35	12	16	5	13	10	12
	(*b*) (2) Cretinism.. ..	M.	2	2	2	2	2	4	2	2	1	—	—	1
		F.	1	1	1	4	2	3	3	4	1	2	1	1
	(*b*) (3) Other diseases of the thyroid gland.	M.	—	2	1	2	—	3	1	2	2	1	—	2
		F.	9	5	8	13	6	18	5	3	4	7	6	8
61	Diseases of the parathyroid glands.	M.	2	—	1	1	2	3	2	1	2	1	2	—
		F.	1	—	—	5	—	3	2	—	—	1	—	—
	(1) Tetany	M.	2	—	1	1	2	2	2	1	2	1	2	—
		F.	1	—	—	5	—	3	2	—	—	1	—	—
	(2) Other diseases of the parathyroid glands..	M.	—	—	—	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
62	Diseases of the thymus ..	M.	11	3	14	10	5	14	9	17	12	9	7	8
		F.	10	4	7	12	10	10	6	7	5	5	9	5
63	Diseases of the adrenals ..	M.	6	9	8	11	10	8	6	14	6	10	3	5
		F.	9	9	15	12	10	14	12	6	12	11	14	15
64	Diseases of the spleen ..	M.	5	1	3	2	2	2	3	1	—	—	—	1
		F.	5	2	1	1	6	1	—	1	2	1	2	1
65	Leukæmia, lymphadenoma ..	M.	44	38	62	70	53	57	47	45	62	55	56	44
		F.	42	35	31	34	54	49	35	50	37	34	47	40
	(*a*) Leukæmia	M.	27	21	36	44	31	26	24	23	29	26	34	24
		F.	25	19	20	20	36	34	26	32	19	22	30	30
	(*b*) Lymphadenoma (Hodgkin's disease).	M.	17	17	26	26	22	31	23	22	33	29	22	20
		F.	17	16	11	14	18	15	9	18	18	12	17	10
66	Alcoholism (Acute or chronic)	M.	8	4	4	7	6	8	9	2	7	10	4	8
		F.	2	2	2	5	4	4	4	5	4	3	4	3
67	Chronic poisoning by mineral substances.	M.	2	3	8	3	3	5	2	2	1	5	1	3
		F.	1	—	—	—	—	—	—	1	—	—	—	—
	(1) Occupational lead poisoning.	M.	1	3	7	3	3	4	2	2	1	5	1	3
		F.	1	—	—	—	—	—	—	1	—	—	—	—
	(2) Others	M.	1	—	1	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
68	Chronic poisoning by organic substances.	M.	1	—	—	—	2	1	2	—	1	2	—	—
		F.	—	—	1	—	—	—	1	—	1	—	1	—
69	Other general diseases ..	M.	29	15	35	37	25	26	31	24	19	16	23	21
		F.	36	26	45	31	48	45	33	27	22	35	25	16
	(1) Purpura	M.	13	6	15	19	6	15	17	12	9	7	11	9
		F.	15	10	16	7	15	17	13	20	15	18	17	10
	(2) Hæmophilia	M.	6	6	13	5	5	3	9	5	4	5	8	8
		F.	2	4	2	5	3	4	3	1	—	3	2	2

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(3) Other diseases included under 69.	M.	10	3	7	13	14	8	5	7	6	4	4	4
		F.	19	12	27	19	30	24	17	6	7	14	6	4
70–86	**III. Diseases of the Nervous System and Sense Organs**	M.	**1651**	**1557**	**1931**	**2179**	**2226**	**2418**	**1801**	**1780**	**1517**	**1516**	**1482**	**1337**
		F.	**1770**	**1659**	**2078**	**2448**	**2373**	**2508**	**1912**	**1810**	**1574**	**1588**	**1511**	**1435**
70	Encephalitis	M.	12	14	18	11	9	18	17	16	15	17	9	11
		F.	10	9	14	9	8	16	12	11	19	11	10	9
	(1) Cerebral abscess ..	M.	8	10	10	7	9	12	12	10	11	9	7	6
		F.	7	6	10	7	6	7	8	6	10	2	4	5
	(2) Other diseases included under 70.	M.	4	4	8	4	—	6	5	6	4	8	2	5
		F.	3	3	4	2	2	9	4	5	9	9	6	4
71	Meningitis	M.	74	54	60	55	55	91	70	75	70	72	64	43
		F.	40	45	34	51	42	54	69	69	57	49	35	34
72	Tabes dorsalis (Locomotor-ataxy).	M.	49	45	57	80	87	88	60	82	39	34	42	52
		F.	18	7	13	12	17	15	12	13	11	12	7	9
73	Other diseases of the spinal cord.	M.	58	86	76	81	88	88	65	67	53	53	53	37
		F.	41	41	73	64	68	69	55	45	31	52	36	49
74	Cerebral hæmorrhage, apoplexy, etc.	M.	864	803	992	1196	1233	1235	966	883	775	745	735	677
		F.	1136	1056	1296	1580	1562	1600	1173	1063	984	987	931	875
	(a) (1) Cerebral hæmorrhage so returned.	M.	676	636	783	935	937	958	780	693	603	600	577	533
		F.	886	809	989	1204	1217	1236	910	835	776	745	714	678
	(a) (2) Apoplexy lesion unstated.	M.	54	59	51	71	79	85	56	54	45	33	40	49
		F.	70	59	92	97	82	89	79	50	49	58	56	49
	(b) (1) Cerebral embolism	M.	9	11	14	29	28	16	14	15	11	17	16	13
		F.	26	36	34	36	33	30	20	27	19	21	18	22
	(b) (2) Cerebral thrombosis.	M.	125	97	144	161	189	176	116	121	116	95	102	82
		F.	154	152	181	243	230	245	164	151	140	163	143	126
75	Paralysis of unstated origin..	M.	38	57	60	72	75	95	54	50	50	50	47	38
		F.	72	72	88	107	103	102	74	67	52	59	63	54
	(*a*) Hemiplegia	M.	30	49	49	63	66	86	47	41	47	44	40	34
		F.	67	67	81	97	88	89	64	59	50	53	56	48
	(*b*) Other forms of paralysis	M.	8	8	11	9	9	9	7	9	3	6	7	4
		F.	5	5	7	10	15	13	10	8	2	6	7	6
76	General paralysis of the insane	M.	106	86	108	103	73	125	79	73	60	80	67	76
		F.	15	23	40	39	25	22	18	26	15	17	19	23
77	Other forms of insanity ..	M.	26	36	57	50	51	64	44	49	38	52	25	29
		F.	60	54	81	77	59	69	75	74	63	59	45	52
78	Epilepsy	M.	86	97	100	120	106	110	97	99	96	97	88	63
		F.	60	80	117	95	106	124	96	93	67	67	82	75
79–80	Convulsions (non-puerperal)	M.	76	70	104	110	135	149	110	104	72	93	87	98
		F.	65	52	75	93	90	90	64	84	56	61	63	68
81	Chorea..	M.	2	—	1	—	1	2	3	3	2	1	1	2
		F.	6	3	6	9	8	6	6	8	8	5	2	7
82	Hysteria and neuritis ..	M.	7	2	6	8	5	2	4	4	4	8	8	8
		F.	15	11	10	16	11	15	17	7	7	13	10	7
83	Cerebral softening	M.	15	8	16	21	23	24	10	14	6	13	14	11
		F.	20	21	18	19	26	37	23	13	11	11	13	5
84	Other diseases of the nervous system.	M.	166	133	205	198	218	232	135	181	163	135	168	127
		F.	159	138	158	212	194	215	160	176	144	142	158	130
	(1) Idiocy, imbecility ..	M.	20	10	22	21	40	24	16	12	12	9	15	15
		F.	11	9	17	30	28	26	15	15	11	9	14	15
	(2) Cerebral tumour ..	M.	53	46	65	47	38	53	45	49	61	56	64	46
		F.	57	41	48	40	35	56	49	54	55	51	68	51
	(3) Disseminated sclerosis	M.	33	22	35	34	38	41	24	44	32	16	29	24
		F.	32	33	32	50	43	51	39	43	30	32	28	34
	(4) Paralysis agitans ..	M.	48	39	60	77	72	87	41	57	49	49	49	35
		F.	41	43	43	70	57	61	46	51	40	40	42	22
	(5) Other diseases included under 84.	M.	12	16	23	19	30	27	9	19	9	5	11	7
		F.	18	12	18	22	31	21	11	13	8	10	6	8

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
85	Diseases of the eye and annexa.	M.	1	5	6	3	7	3	6	1	6	8	4	6
		F.	2	2	2	6	6	1	3	5	3	3	6	5
86	Diseases of the ear and of the mastoid sinus.	M.	71	61	65	71	60	92	81	79	68	58	70	59
		F.	51	45	53	59	48	73	55	56	46	40	31	33
	(1) Diseases of the mastoid sinus.	M.	24	17	21	20	22	26	22	27	18	20	18	19
		F.	22	23	20	18	15	34	19	24	17	10	15	12
	(2) Diseases of the ear ..	M.	47	44	44	51	38	66	59	52	50	38	52	40
		F.	29	22	33	41	33	39	36	32	29	30	16	21
87–96	**IV. Diseases of the circulatory system.**	M.	**4146**	**4034**	**5218**	**6396**	**7069**	**6962**	**4734**	**4533**	**3786**	**3834**	**3514**	**3597**
		F.	**4230**	**4234**	**5537**	**7309**	**8465**	**8050**	**5018**	**4679**	**3857**	**3851**	**3608**	**3471**
87–90	Heart diseases	M.	2931	2773	3673	4884	5501	5400	3680	3524	2963	3011	2755	2819
		F.	3211	3190	4317	6098	7112	6729	4133	3783	3183	3173	2931	2832
87	Pericarditis	M.	12	12	20	27	21	24	18	13	11	10	10	14
		F.	10	9	15	15	17	11	10	9	14	6	7	7
88	Acute endocarditis and myocarditis.	M.	82	65	84	90	95	94	70	82	72	66	59	71
		F.	77	73	74	108	105	115	85	66	81	82	77	78
	(1) Infective endocarditis	M.	39	37	37	43	34	38	35	40	43	37	35	41
		F.	43	38	33	46	41	47	41	41	46	43	47	48
	(2) Other acute endocarditis.	M.	21	11	19	17	9	19	10	22	18	16	9	13
		F.	17	20	25	24	29	33	25	11	20	25	22	13
	(3) Acute myocarditis ..	M.	22	17	28	30	52	37	25	20	11	13	15	17
		F.	17	15	16	38	35	35	19	14	15	14	8	17
89	Angina pectoris	M.	218	204	289	302	267	304	300	293	239	245	220	242
		F.	83	92	113	138	116	126	113	126	97	90	100	99
90	Other diseases of the heart ..	M.	2619	2492	3280	4465	5118	4978	3292	3136	2641	2690	2466	2492
		F.	3041	3016	4115	5837	6874	6477	3925	3582	2991	2995	2747	2648
	(1) Aortic valve disease ..	M.	180	176	223	236	237	225	199	179	186	195	165	174
		F.	97	78	108	131	122	108	98	81	65	62	83	66
	(2) Mitral valve disease ..	M.	299	265	344	452	528	463	348	331	275	298	275	285
		F.	529	506	660	795	938	845	610	504	500	479	400	413
	(3) Aortic and mitral valve disease.	M.	50	56	58	80	91	71	56	52	47	48	40	54
		F.	45	64	62	56	64	65	57	50	37	40	39	45
	(4) Other or unspecified valve disease.	M.	442	408	486	562	655	669	438	418	388	411	376	342
		F.	513	501	643	794	998	823	560	561	454	477	411	407
	(5) Fatty heart	M.	103	97	147	136	148	155	105	114	76	87	96	96
		F.	121	158	167	221	256	231	146	148	113	94	120	116
	(6) Cardiac dilatation (cause unspecified).	M.	15	25	21	20	30	22	14	15	10	17	17	9
		F.	16	18	21	26	19	22	7	22	11	11	11	12
	(7) Other or unspecified myocardial disease.	M.	1209	1168	1611	2515	2897	2852	1768	1735	1368	1378	1262	1305
		F.	1352	1326	1936	3087	3737	3696	2001	1822	1440	1521	1367	1337
	(8) Disordered action of the heart.	M.	58	45	73	78	104	93	78	70	42	35	50	44
		F.	92	111	147	172	199	201	111	100	90	70	81	56
	(9) Heart disease (undefined).	M.	263	252	317	386	428	428	286	222	249	221	185	183
		F.	276	254	371	555	541	486	335	294	281	241	235	196
91	Disease of the arteries ..	M.	1171	1208	1493	1455	1516	1521	1014	977	792	797	724	744
		F.	965	993	1172	1121	1293	1260	830	840	631	639	641	591
	(*a*) Aneurysm	M.	91	73	79	76	102	90	77	83	69	62	76	74
		F.	29	26	29	29	35	39	20	26	11	16	19	17
	(*b*) Arterio-sclerosis ..	M.	1070	1128	1402	1365	1405	1418	930	886	720	726	645	661
		F.	922	955	1135	1083	1252	1208	799	806	616	615	614	572
	(1) With record of cerebral vascular lesion	M.	432	480	513	604	571	589	459	417	383	388	332	363
		F.	421	474	535	537	544	525	400	418	351	378	352	334
	(2) Without record of cerebral vascular lesion.	M.	638	648	889	761	834	829	471	469	337	338	313	298
		F.	501	481	600	546	708	683	399	388	265	237	262	238
	(*c*) Other diseases of the arteries.	M.	10	7	12	14	9	13	7	8	3	9	3	9
		F.	14	12	8	9	6	13	11	8	4	8	8	2

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
92	Embolism and thrombosis (not cerebral).	M.	18	18	13	21	19	7	14	9	6	15	11	12
		F.	11	11	13	26	15	10	23	15	10	12	11	14
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	18	21	24	20	27	19	18	13	13	6	15	14
		F.	33	31	29	48	28	35	21	27	25	18	19	24
94	Diseases of the lymphatic system (lymphangitis, etc.)	M.	1	5	5	6	1	6	4	—	6	1	3	4
		F.	4	1	3	7	5	7	6	3	4	3	2	6
95	Hæmorrhage without stated cause.	M.	2	—	—	4	1	3	1	—	—	—	1	2
		F.	3	1	—	—	1	1	—	2	1	1	2	—
96	Other diseases of the circulatory system.	M.	5	9	10	6	4	6	3	10	6	4	5	2
		F.	3	7	3	9	11	8	5	9	3	5	2	4
97–107	**V. Diseases of the respiratory system.**	M.	**2215**	**2244**	**3648**	**5868**	**8958**	**8909**	**3592**	**3068**	**1974**	**1828**	**1450**	**1462**
		F.	**1748**	**1679**	**3189**	**5514**	**9194**	**8496**	**2844**	**2232**	**1283**	**1214**	**986**	**981**
97	Diseases of the nasal fossæ and annexa.	M.	7	11	11	14	7	16	9	16	14	9	10	8
		F.	9	8	10	3	10	4	10	15	8	10	11	6
	(1) Diseases of the nose ..	M.	2	2	3	2	2	1	2	6	—	1	1	2
		F.	4	2	6	1	3	2	1	4	2	2	3	2
	(2) Diseases of the accessory nasal sinuses.	M.	5	9	8	12	5	15	7	10	14	8	9	6
		F.	5	6	4	2	7	2	9	11	6	8	8	4
98	Diseases of the larynx ..	M.	7	16	19	25	25	27	24	18	13	9	4	8
		F.	7	14	10	26	19	11	13	10	5	6	10	5
	(1) Laryngismus stridulus	M.	1	2	6	1	2	5	3	3	4	3	2	2
		F.	3	3	1	6	3	—	2	1	—	—	1	—
	(2) Laryngitis	M.	6	13	13	24	23	22	21	15	9	6	2	6
		F.	4	11	9	20	15	11	10	9	5	5	9	4
	(3) Other diseases ..	M.	—	1	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	1	—	1	—	—	1	—	1
99	Bronchitis	M.	772	848	1358	2323	3624	3525	1262	929	593	502	439	455
		F.	739	684	1404	2731	4543	3982	1237	862	444	364	290	353
	(*a*) Acute	M.	137	187	262	560	920	814	256	179	80	71	75	67
		F.	196	159	380	775	1386	1147	297	186	81	69	51	67
	(*b*) Chronic	M.	317	340	541	819	1189	1154	482	373	273	234	197	210
		F.	225	219	430	714	1113	967	332	285	155	133	97	123
	(*c* & *d*) Not stated whether acute or chronic.	M.	318	321	555	944	1515	1557	524	377	240	197	167	178
		F.	318	306	594	1242	2044	1868	608	391	208	162	142	163
100–101	Pneumonia (all forms) ..	M.	1256	1185	1968	3092	4812	4856	2064	1853	1169	1162	851	855
		F.	848	823	1520	2441	4138	4067	1408	1200	697	722	556	524
100	Broncho-pneumonia	M.	478	577	1068	1656	3025	3040	984	740	455	397	341	341
		F.	391	469	904	1514	2789	2713	832	619	341	359	303	289
101	Pneumonia (Lobar or not otherwise defined)	M.	778	608	900	1436	1787	1816	1080	1113	714	765	510	514
		F.	457	354	616	927	1349	1354	576	581	356	363	253	235
	(*a*) Lobar	M.	568	424	655	982	1167	1178	766	790	493	557	365	378
		F.	325	236	395	603	833	844	400	401	256	248	169	159
	(*b*) Not otherwise defined..	M.	210	184	245	454	620	638	314	323	221	208	145	136
		F.	132	118	221	324	516	510	176	180	100	115	84	76
102	Pleurisy	M.	56	50	68	96	84	96	65	85	62	46	54	47
		F.	24	37	44	57	65	55	39	45	39	31	40	25
	(1) Empyema	M.	24	18	23	33	36	36	31	40	32	15	26	29
		F.	6	11	7	12	18	20	14	12	13	9	19	10
	(2) Other pleurisy ..	M.	32	32	45	63	48	60	34	45	30	31	28	18
		F.	18	26	37	45	47	35	25	33	26	22	21	15
103	Congestion and hæmorrhagic infarct of lung.	M.	31	30	50	55	76	55	29	48	37	33	32	28
		F.	50	43	76	70	118	145	50	42	46	33	31	37
104	Gangrene of the lung ..	M.	1	2	—	1	1	—	5	—	4	3	1	1
		F.	—	1	—	—	—	1	—	2	1	—	2	1
105	Asthma	M.	58	76	133	228	290	299	109	83	58	45	41	40
		F.	68	66	112	175	283	220	79	50	35	43	40	27
106	Pulmonary emphysema ..	M.	2	4	5	6	6	9	5	9	5	2	2	1
		F.	—	—	2	—	3	1	1	—	1	1	1	1

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
107	Other diseases of the respiratory system.	M.	25	22	36	28	33	26	20	27	19	17	16	19
		F.	3	3	11	11	15	10	7	6	7	4	5	2
	(*a*) Chronic interstitial pneumonia.	M.	22	14	27	24	28	22	14	18	14	11	12	12
		F.	2	3	8	10	14	6	4	5	3	2	2	1
	(*b*) Diseases of the mediastinum.	M.	—	2	1	2	—	—	—	—	—	1	—	—
		F.	—	—	—	—	—	—	1	—	1	1	1	—
	(*c*) Other diseases included under 107.	M.	3	6	8	2	5	4	6	9	5	5	4	7
		F.	1	—	3	1	1	4	2	1	3	1	2	1
108–127	**VI. Diseases of the Digestive System.**	**M.**	**1373**	**1107**	**1281**	**1370**	**1147**	**1296**	**1192**	**1192**	**1119**	**1157**	**1206**	**1466**
		F.	**1070**	**1048**	**1078**	**1083**	**941**	**1141**	**926**	**995**	**872**	**957**	**1007**	**1199**
108	Diseases of the buccal cavity and annexa.	M.	39	28	36	27	30	41	29	27	30	29	27	26
		F.	27	22	30	39	24	27	21	26	15	25	21	13
	(1) Diseases of the teeth and gums.	M.	28	22	30	20	19	25	21	22	25	20	23	17
		F.	20	16	23	27	13	22	12	17	10	19	11	10
	(2) Ludwig's angina ..	M.	7	2	3	3	6	10	7	3	2	6	2	7
		F.	5	3	2	8	6	2	2	4	3	3	9	2
	(3) Other diseases included under 108.	M.	4	4	3	4	5	6	1	2	3	3	2	2
		F.	2	3	5	4	5	3	7	5	2	3	1	1
109	Diseases of the pharynx and tonsils.	M.	34	51	31	45	36	51	47	57	38	44	58	42
		F.	52	49	60	50	43	59	52	53	45	48	50	47
	(1) Tonsillitis, etc., adenoid vegetations.	M.	26	47	22	29	27	41	34	46	29	35	49	32
		F.	46	44	46	45	32	53	44	40	40	39	39	41
	(2) Other diseases included under 109.	M.	8	4	9	16	9	10	13	11	9	9	9	10
		F.	6	5	14	5	11	6	8	13	5	9	11	6
110	Diseases of the œsophagus..	M.	2	—	1	—	5	5	3	2	1	2	3	1
		F.	2	1	1	1	3	—	2	1	1	3	4	2
111	Ulcer of the stomach or duodenum.	M.	227	194	291	293	232	264	269	254	247	284	211	239
		F.	84	64	118	108	97	91	92	85	58	84	65	64
	(*a*) Ulcer of the stomach ..	M.	148	136	197	210	145	164	183	153	153	176	130	156
		F.	70	49	95	87	87	76	81	67	49	69	55	58
	(*b*) Ulcer of the duodenum	M.	79	58	94	83	87	100	86	101	94	108	81	83
		F.	14	15	23	21	10	15	11	18	9	15	10	6
112	Other diseases of the stomach	M.	70	43	64	68	57	57	55	59	62	35	50	50
		F.	44	75	76	75	69	66	56	63	55	59	56	60
	(1) Inflammation of the stomach.	M.	60	35	58	53	48	44	43	53	57	34	43	42
		F.	41	68	70	63	59	60	49	53	47	53	51	54
	(2) Other diseases included under 112.	M.	10	8	6	15	9	13	12	6	5	1	7	8
		F.	3	7	6	12	10	6	7	10	8	6	5	6
113–114	Diarrhœa and enteritis ..	M.	449	271	282	281	249	270	213	221	216	260	336	608
		F.	327	269	235	231	203	230	191	192	182	218	270	492
	(1) Ulceration of the intestines.	M.	11	9	12	10	10	9	6	9	10	13	17	14
		F.	13	10	22	10	16	12	14	13	15	15	15	21
	(2) Colitis	M.	17	10	13	19	16	15	18	11	15	17	14	13
		F.	18	18	11	19	16	16	16	9	14	17	18	19
	(3) Other diseases included under 113–114.	M.	421	252	257	252	223	246	189	201	191	230	305	581
		F.	296	241	202	202	171	202	161	170	153	186	237	452
115	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
116	Diseases due to other intestinal parasites.	M.	—	1	2	2	—	2	1	1	3	1	—	—
		F.	—	1	3	—	—	5	1	1	1	—	—	—
	(*a*) Cestodes (hydatids of the liver excepted).	M.	—	1	—	2	—	—	—	—	1	1	—	—
		F.	—	—	1	—	—	—	1	1	1	—	—	—
	(*b*) Trematodes	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
	(*c*) Nematodes (other than ankylostoma).	M.	—	—	2	—	—	2	—	1	2	—	—	—
		F.	—	—	—	—	—	2	—	—	—	—	—	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(*f*) Undefined parasites ..	M.	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	1	2	—	—	3	—	—	—	—	—	—
117	Appendicitis, typhlitis ..	M.	138	127	134	167	115	161	130	140	136	119	140	142
		F.	108	97	94	96	84	108	88	94	97	108	87	96
118	Hernia, intestinal obstruction.	M.	182	191	213	259	221	226	222	200	184	183	184	187
		F.	161	166	178	209	198	281	162	185	171	172	183	178
	(*a*) Hernia	M.	70	90	90	111	124	102	104	82	81	66	70	62
		F.	66	86	84	109	95	152	73	81	74	71	73	71
	(*b*) Intestinal obstruction	M.	112	101	123	148	97	124	118	118	103	117	114	125
		F.	95	80	94	100	103	129	89	104	97	101	110	107
119	Other diseases of the intestines.	M.	21	22	24	28	27	27	27	27	25	16	23	16
		F.	23	26	28	24	21	23	24	25	23	17	17	22
	(1) Intestinal stasis ..	M.	2	6	4	8	11	10	6	8	3	2	4	2
		F.	4	5	12	9	6	9	6	14	5	8	5	6
	(2) Other diseases included under 119	M.	19	16	20	20	16	17	21	19	22	14	19	14
		F.	19	21	16	15	15	14	18	11	18	9	12	16
120	Acute yellow atrophy of the liver.	M.	2	1	1	—	1	—	2	—	—	1	2	1
		F.	6	9	6	4	5	4	7	2	2	3	11	8
121	Hydatid tumour of the liver..	M.	2	1	1	—	1	—	—	—	—	1	1	1
		F.	2	1	3	—	—	—	—	3	1	1	—	—
122	Cirrhosis of the liver ..	M.	117	99	102	114	99	114	96	108	90	89	85	79
		F.	51	71	61	57	50	51	42	57	44	50	49	52
	(*a*) Returned as alcoholic ..	M.	18	15	20	19	16	13	13	12	12	16	18	9
		F.	8	11	9	5	5	6	6	12	4	10	4	4
	(*b*) Not returned as alcoholic	M.	99	84	82	95	83	101	83	96	78	73	67	70
		F.	43	60	52	52	45	45	36	45	40	40	45	48
123	Biliary calculi	M.	28	30	34	30	26	26	26	27	26	26	25	18
		F.	78	79	61	88	55	79	65	96	76	62	72	67
124	Other diseases of the liver ..	M.	39	27	39	38	21	29	39	34	30	37	32	33
		F.	55	76	72	71	50	75	74	57	73	67	67	63
125	Diseases of the pancreas ..	M.	18	13	16	10	19	12	19	23	20	16	16	10
		F.	20	22	27	21	18	22	26	25	12	19	34	23
126	Peritonitis of unstated origin	M.	5	8	10	8	8	11	14	12	11	14	12	13
		F.	30	20	25	9	21	20	23	30	16	21	21	12
128–142	**VII. Non-puerperal diseases of the genito-urinary system**	M.	**1037**	**1051**	**1170**	**1384**	**1221**	**1302**	**1177**	**1066**	**1000**	**967**	**968**	**906**
		F.	**740**	**783**	**849**	**1009**	**1005**	**1014**	**861**	**787**	**708**	**700**	**685**	**649**
128	Acute nephritis (including unspecified under 10 years of age).	M.	41	45	43	57	55	47	67	49	42	31	36	37
		F.	46	41	50	65	59	64	71	47	41	35	37	40
129	Chronic nephritis (including unspecified over 10 years of age).	M.	538	575	668	811	700	693	653	597	555	529	496	499
		F.	520	565	630	766	767	744	625	581	505	493	462	432
130	Chyluria	M.	—	—	—	—	1	—	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
131	Other diseases of the kidneys and annexa.	M.	30	25	41	28	25	30	35	32	30	24	30	28
		F.	31	47	27	36	35	47	34	42	34	29	36	40
132	Calculi of the urinary passages	M.	19	32	16	19	25	37	31	22	20	20	26	21
		F.	13	12	16	9	12	11	11	5	13	15	13	17
133	Diseases of the bladder ..	M.	56	43	52	53	56	63	51	39	35	37	33	35
		F.	35	28	30	27	37	49	31	20	29	26	33	32
	(1) Cystitis	M.	55	41	50	51	50	62	44	38	34	35	32	34
		F.	35	24	29	27	36	47	31	19	28	26	31	30
	(2) Other diseases ..	M.	1	2	2	2	6	1	7	1	1	2	1	1
		F.	—	4	1	—	1	2	—	1	1	—	2	2
134	Diseases of the urethra, urinary abscess, etc.	M.	43	35	33	51	33	45	41	47	29	34	38	37
		F.	2	1	1	1	—	1	2	—	1	1	1	4

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(*a*) Stricture of the urethra	M.	38	32	33	50	28	44	40	42	27	32	36	34
		F.	—	—	—	1	—	—	—	—	—	—	—	—
	(*b*) Other diseases ..	M.	5	3	—	1	5	1	1	5	2	2	2	3
		F.	2	1	1	—	—	1	2	—	1	1	1	4
135	Diseases of the prostate ..	M.	303	292	311	360	315	378	289	271	284	284	304	247
136	Non-venereal diseases of the male genital organs.	M.	7	3	5	5	10	9	10	9	5	7	4	2
137	Cysts and other tumours of the ovary not returned as malignant.	F.	33	23	22	29	26	25	23	24	24	27	32	22
138	Salpingitis and pelvic abscess in females.	F.	9	14	15	22	17	17	16	19	19	26	21	18
	(1) Salpingitis	F.	8	13	13	19	12	16	14	17	17	23	18	17
	(2) Pelvic abscess in females.	F.	1	1	2	3	5	1	2	2	2	3	3	1
139	Tumours of the uterus not returned as malignant.	F.	33	33	41	31	32	34	33	32	26	28	36	31
140	Non-puerperal uterine hæmorrhage.	F.	1	1	—	—	1	1	1	2	1	2	—	1
141	Other diseases of the female genital organs.	F.	17	18	13	21	16	19	12	15	14	18	14	11
	(1) Other diseases of the uterus.	F.	11	14	10	19	12	17	11	13	11	15	12	10
	(2) Diseases of the other female genital organs not included above.	F.	6	4	3	2	4	2	1	2	3	3	2	1
142	Non-puerperal diseases of the breast.	M.	—	1	1	—	1	—	—	—	—	1	—	—
		F.	—	—	4	2	3	2	2	—	1	—	—	1
143–150	**VIII. The Puerperal State** ..	F.	**210**	**213**	**276**	**255**	**221**	**282**	**233**	**264**	**212**	**211**	**204**	**219**
143	Accidents of pregnancy ..	F.	26	19	25	22	17	34	17	20	21	22	17	29
	(*a*) Abortion	F.	7	4	12	7	6	9	3	5	6	4	1	5
	(*b*) Ectopic gestation ..	F.	11	6	3	8	2	7	6	5	8	8	9	10
	(*c*) Other accidents	F.	8	9	10	7	9	18	8	10	7	10	7	14
144	Puerperal hæmorrhage ..	F.	25	19	32	25	22	37	27	21	20	25	30	31
145	Other accidents of childbirth ..	F.	17	28	26	27	20	30	27	31	23	31	21	25
146	Puerperal sepsis	F.	87	84	124	111	116	117	102	126	78	65	78	79
147	Puerperal phlegmasia alba dolens, embolism, sudden death.	F.	14	21	23	22	12	15	12	19	9	14	13	11
	(1) Puerperal phlegmasia alba dolens not returned as septic.	F.	1	4	5	3	3	—	—	2	1	—	2	1
	(2) Puerperal embolism and sudden death.	F.	13	17	18	19	9	15	12	17	8	14	11	10
148	Puerperal albuminuria and convulsions.	F.	39	41	42	45	31	46	44	45	59	52	43	43
149	Childbirth not assignable above (puerperal insanity).	F.	—	—	2	3	3	3	2	2	2	—	2	1
150	Puerperal diseases of the breast	F.	2	1	2	—	—	—	2	—	—	2	—	—
151–154	**IX. Diseases of the skin and cellular tissue.**	M.	**129**	**138**	**147**	**167**	**170**	**220**	**165**	**125**	**116**	**121**	**113**	**113**
		F.	**100**	**86**	**120**	**143**	**138**	**184**	**122**	**136**	**91**	**100**	**88**	**104**
151	Gangrene	M.	44	31	43	57	57	69	65	36	38	45	39	45
		F.	28	30	31	45	47	71	46	58	37	36	31	39
	(1) Senile gangrene ..	M.	39	30	36	51	51	66	61	35	33	42	35	42
		F.	26	23	30	42	43	65	44	55	34	32	28	39
	(2) Other gangrene ..	M.	5	1	7	6	6	3	4	1	5	3	4	3
		F.	2	7	1	3	4	6	2	3	3	4	3	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928-1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
152	Carbuncle, boil	M.	29	23	33	31	24	37	20	23	12	30	21	21
		F.	18	7	13	13	15	21	9	14	10	13	16	11
153	Cellulitis, acute abscess ..	M.	30	48	32	43	59	63	38	36	39	28	25	29
		F.	22	16	30	37	35	44	27	27	23	13	15	26
	(1) Cellulitis . ..	M.	25	42	27	38	46	52	26	26	25	23	20	21
		F.	13	12	23	28	32	35	23	21	14	12	11	24
	(2) Acute abscess	M.	5	6	5	5	13	11	12	10	14	5	5	8
		F.	9	4	7	9	3	9	4	6	9	1	4	2
154	Other diseases of the skin and its annexa.	M.	26	36	39	36	30	51	42	30	27	18	28	18
		F.	32	33	46	48	41	48	40	37	21	38	26	28
	(1) Ulcer, bedsore ..	M.	5	8	9	12	7	9	5	4	9	4	6	4
		F.	14	12	18	14	11	17	15	14	5	14	10	6
	(2) Eczema .. .	M.	7	1	3	6	4	10	8	3	6	4	4	—
		F.	1	—	4	6	5	2	3	2	2	1	1	2
	(3) Pemphigus	M.	4	8	10	7	4	15	6	13	5	5	2	5
		F.	3	9	7	14	11	14	7	7	7	13	4	6
	(4) Other diseases included under 154.	M.	10	19	17	11	15	17	23	10	7	5	16	9
		F.	14	12	17	14	14	15	15	14	7	10	11	14
155 –158	**X. Diseases of the bones and organs of locomotion.**	M.	**63**	**45**	**50**	**61**	**54**	**60**	**52**	**52**	**37**	**46**	**47**	**58**
		F.	**30**	**24**	**23**	**27**	**29**	**39**	**33**	**32**	**31**	**30**	**29**	**31**
155	Diseases of the bones ..	M.	53	36	41	50	40	47	37	39	26	36	39	47
		F.	23	18	17	22	19	31	19	26	20	23	23	25
	(1) Acute infective osteomyelitis and periostitis.	M.	39	27	29	25	22	31	26	29	17	25	26	42
		F.	12	10	9	17	10	18	10	18	12	15	14	17
	(2) Other diseases of the bones.	M.	14	9	12	25	18	16	11	10	9	11	13	5
		F.	11	8	8	5	9	13	9	8	8	8	9	8
156	Diseases of the joints ..	M.	7	8	6	7	6	11	15	10	10	9	6	9
		F.	5	6	5	4	6	6	13	3	9	6	6	5
157	Amputation	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
158	Other diseases of the organs of locomotion.	M.	3	1	3	4	8	2	—	3	1	1	2	2
		F.	2	—	1	1	4	2	1	3	2	1	—	1
159	**XI. Congenital malformations**	M.	**187**	**164**	**194**	**187**	**212**	**201**	**199**	**171**	**161**	**144**	**168**	**152**
		F.	**120**	**135**	**155**	**174**	**161**	**169**	**132**	**139**	**158**	**168**	**128**	**129**
	(1) Congenital hydrocephalus.	M.	9	15	15	12	16	16	13	14	13	6	10	12
		F.	7	6	9	13	8	13	8	11	7	11	4	9
	(2) Congenital malformation of heart.	M.	69	54	82	76	83	88	76	62	53	58	76	55
		F.	52	49	53	72	66	72	51	47	53	63	53	41
	(3) Other congenital malformations.	M.	109	95	97	99	113	97	110	95	95	80	82	85
		F.	61	80	93	89	87	84	73	81	98	94	71	79
160 –163	**XII. Diseases of early infancy**	M.	**833**	**789**	**932**	**1000**	**1076**	**1037**	**864**	**840**	**732**	**771**	**716**	**684**
		F.	**584**	**587**	**692**	**729**	**763**	**814**	**676**	**649**	**524**	**561**	**520**	**496**
160	Congenital debility, sclerema and icterus.	M.	152	158	182	179	195	186	145	146	126	121	123	130
		F.	103	82	103	117	124	122	95	104	68	85	72	88
	(1) Congenital debility and sclerema.	M.	137	130	165	159	167	168	123	125	103	90	105	109
		F.	88	70	92	106	115	107	87	93	56	66	57	77
	(2) Icterus neonatorum ..	M.	15	28	17	20	28	18	22	21	23	31	18	21
		F.	15	12	11	11	9	15	8	11	12	19	15	11
161	Premature birth, injury at birth.	M.	613	567	725	731	787	778	646	608	569	581	544	508
		F.	417	454	528	555	561	612	501	485	401	411	391	359
	(1) Premature birth ..	M.	548	519	659	668	709	707	559	539	501	499	482	436
		F.	372	415	493	512	534	566	449	439	353	372	358	315
	(2) Injury at birth ..	M.	65	48	66	63	78	71	87	69	68	82	62	72
		F.	45	39	35	43	27	46	52	46	48	39	33	44
162	Other diseases peculiar to early infancy.	M.	55	55	64	74	84	63	63	75	77	64	44	40
		F.	51	40	54	43	64	67	67	58	49	53	50	39

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(1) Diseases of the umbilicus.	M.	7	4	3	4	5	4	5	7	4	7	4	2
		F.	2	2	2	—	8	6	4	5	3	7	2	2
	(2) Atelectasis	M.	41	43	50	52	70	38	46	55	63	49	32	34
		F.	39	31	45	33	38	39	47	37	33	38	40	29
	(3) Other diseases included under 162.	M.	7	8	11	18	9	21	12	13	10	8	8	4
		F.	10	7	7	10	18	22	16	16	13	8	8	8
163	Lack of care	M.	13	9	11	16	10	10	10	11	10	5	5	6
		F.	13	11	7	14	14	13	13	2	6	12	7	10
164	**XIII. Old age**	M.	**567**	**645**	**796**	**969**	**1187**	**1108**	**711**	**633**	**544**	**534**	**478**	**449**
		F.	**909**	**860**	**1179**	**1503**	**1742**	**1846**	**1062**	**967**	**780**	**792**	**709**	**652**
	(1) Senile dementia ..	M.	46	63	89	107	119	114	72	78	60	48	48	42
		F.	88	66	109	166	159	179	95	97	69	76	72	69
	(2) Other forms of senile decay.	M.	521	582	707	862	1068	994	639	555	484	486	430	407
		F.	821	794	1070	1337	1583	1667	967	870	711	716	637	583
165–203	**XIV. External causes** ..	M.	**1186**	**1248**	**1149**	**1185**	**1072**	**1302**	**1166**	**1342**	**1208**	**1505**	**1338**	**1310**
		F.	**527**	**522**	**634**	**638**	**676**	**668**	**538**	**530**	**509**	**550**	**517**	**482**
165–174	Suicide	M.	243	252	264	308	235	332	312	321	297	318	279	292
		F.	131	101	122	99	97	140	142	137	147	158	121	117
165–166	By solid or liquid poisons and corrosive substances.	M.	26	22	28	31	24	23	41	25	30	36	27	34
		F.	24	19	23	17	21	23	39	35	28	29	31	27
167	By poisonous gas	M.	43	54	44	82	54	74	67	80	69	77	58	65
		F.	37	31	42	24	36	45	42	35	45	49	30	34
168	By hanging or strangulation.	M.	56	54	66	59	49	71	65	71	50	61	48	55
		F.	17	13	8	13	11	12	5	16	13	16	7	8
169	By drowning	M.	39	38	37	48	38	52	41	58	65	47	53	46
		F.	28	22	31	25	19	34	32	32	29	30	34	29
170	By firearms	M.	22	18	16	13	12	25	24	17	20	17	18	25
		F.	—	1	—	—	—	—	1	—	1	1	2	2
171	By cutting or piercing instruments.	M.	34	50	48	48	47	66	54	48	42	54	44	43
		F.	12	3	9	10	3	14	14	12	16	12	7	4
172	By jumping from high places	M.	4	5	8	12	3	11	5	11	9	8	11	5
		F.	7	7	3	5	3	4	5	2	7	14	4	5
173	By crushing	M.	18	11	16	15	8	9	15	11	11	18	20	18
		F.	5	2	3	2	2	2	1	1	4	2	1	2
174	By other means	M.	1	—	1	—	—	1	—	—	1	—	—	1
		F.	1	3	3	3	2	6	3	4	4	5	5	6
175–196 & 201–203	Violent deaths excluding suicide and homicide.	M.	928	991	879	875	832	962	842	1007	902	1175	1044	1013
		F.	378	417	507	533	574	517	384	386	351	380	386	359
175	Food poisoning	M.	3	1	—	1	—	—	1	—	1	3	1	2
		F.	1	—	1	—	—	2	—	2	1	1	—	1
176	Poisoning by venomous animals.	M.	3	1	—	—	—	1	—	—	—	1	1	1
		F.	2	—	—	—	—	—	1	—	4	1	3	3
177	Other acute accidental poisonings.	M.	10	2	6	2	7	10	3	7	3	6	2	10
		F.	7	4	—	7	2	6	5	4	5	5	3	1
178	Conflagration	M.	—	5	2	1	3	3	—	1	4	17	1	11
		F.	—	2	1	1	6	3	2	4	3	1	1	6
179	Accidental burns (conflagration excepted).	M.	51	71	58	93	93	73	49	43	41	48	32	36
		F.	51	71	94	127	171	131	80	49	43	38	52	41
180	Accidental mechanical suffocation.	M.	19	26	30	28	36	30	16	20	22	19	17	13
		F.	12	22	33	25	32	25	14	16	9	11	15	10
181	Accidental absorption of irrespirable or poisonous gas.	M.	9	10	16	22	16	18	12	9	4	5	6	3
		F.	5	11	15	18	23	9	6	5	8	5	6	2
182	Accidental drowning ..	M.	74	73	46	81	56	81	77	133	119	212	154	120
		F.	23	15	20	13	17	32	20	18	30	27	29	18

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1928–1929—*cont.*

International List No.	Causes of Death.		1928. Oct.	Nov.	Dec.	1929. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
183	Accidental injury by firearms	M.	4	6	6	4	7	6	4	5	6	5	10	6
		F.	—	2	—	—	—	—	—	2	2	1	1	1
184	Accidental injury by cutting or piercing instruments.	M.	3	1	1	3	—	—	2	5	1	—	1	1
		F.	1	—	1	2	1	2	—	1	1	—	—	—
185	Accidental injury by fall ..	M.	132	153	158	178	197	170	146	120	124	128	149	125
		F.	134	129	202	241	213	180	117	124	100	103	118	102
186	Accidental injury in mining and quarrying.	M.	82	95	75	85	76	99	62	92	64	105	71	91
		F.	—	—	—	—	—	—	—	—	—	—	—	—
187	Accidental injury by machinery.	M.	15	16	18	13	10	21	10	21	14	21	10	12
		F.	—	1	—	—	1	—	—	—	—	2	1	2
188	Accidental injury by other forms of crushing (vehicles, railways, etc.).	M.	472	492	421	319	256	416	425	510	463	532	548	535
		F.	127	147	132	92	77	114	129	149	139	164	148	158
189	Injury by animals (poisoning excepted).	M.	4	3	6	2	6	5	5	4	6	3	5	4
		F.	—	—	—	—	—	2	2	—	—	—	—	—
190	Wounds of war	M.	9	4	5	9	4	2	8	5	4	4	6	10
		F.	—	—	—	—	—	—	—	—	—	—	—	—
192	Hunger or thirst	M.	2	1	4	4	7	—	1	2	—	—	1	2
		F.	2	1	—	1	3	—	—	1	—	1	—	—
193	Excessive cold	M.	2	3	8	14	31	6	5	—	1	—	—	—
		F.	—	3	2	3	16	3	3	—	—	—	—	—
194	Excessive heat	M.	—	1*	—	—	—	—	—	8	4	29	2	7
		F.	—	—	—	—	—	—	—	2	2	11	—	4
195	Lightning	M.	1	—	—	—	—	—	—	—	1	4	3	5
		F.	—	—	—	—	—	—	—	—	—	—	—	—
196	Electricity (lightning excepted).	M.	4	5	5	3	1	5	2	2	4	9	5	1
		F.	—	—	1	—	—	—	—	—	—	—	—	—
197–199	Homicide	M.	15	5	6	2	5	8	12	14	9	12	15	5
		F.	18	4	5	6	5	11	12	7	11	12	10	6
197	By firearms	M.	2	1	—	—	1	1	3	1	—	—	1	1
		F.	1	2	3	—	—	1	5	—	3	4	1	—
198	By cutting or piercing instruments.	M.	3	1	1	—	2	3	—	3	1	1	3	1
		F.	2	—	1	2	1	2	2	3	1	2	2	2
199	By other means	M.	10	3	5	2	2	4	9	10	8	11	11	3
		F.	15	2	1	4	4	8	5	4	7	6	7	4
201	Fracture (cause not specified)	M.	11	5	2	3	2	3	1	3	—	4	2	—
		F.	1	1	2	—	1	1	—	1	—	1	1	—
202	Other and unstated forms of accidental violence, execution.	M.	18	16	12	9	24	12	13	17	16	19	17	17
		F.	11	7	3	3	11	7	5	8	4	8	7	10
203	Violent deaths of unknown causation.	M.	—	1	—	1	—	1	—	—	—	1	—	1
		F.	1	1	—	—	—	—	—	—	—	—	1	—
204–205	**XV. Ill-defined diseases.** ..	M.	**30**	**41**	**58**	**53**	**39**	**42**	**32**	**45**	**33**	**46**	**42**	**37**
		F.	**32**	**34**	**28**	**37**	**41**	**43**	**22**	**28**	**20**	**29**	**21**	**20**
204	Sudden death (1-70 years) ..	M.	5	10	16	15	9	9	8	16	7	9	15	11
		F.	5	7	5	10	10	9	3	8	5	4	5	5
205	Cause of death unstated or ill-defined.	M.	25	31	42	38	30	33	24	29	26	37	27	26
		F.	27	27	23	27	31	34	19	20	15	25	16	15
	(1) Heart failure (1-70 years).	M.	18	23	30	28	16	25	12	22	22	27	19	23
		F.	20	16	14	20	17	18	13	13	7	21	8	12
	(2) Other ill-defined causes	M.	4	8	11	7	12	8	6	5	2	7	2	2
		F.	6	9	9	5	13	16	5	5	7	4	5	2
	(3) Cause not specified. ..	M.	3	—	1	3	2	—	6	2	2	3	6	1
		F.	1	2	—	2	1	—	1	2	1	—	3	1

*Heat apoplexy in gas works.

TABLE 19.—ENGLAND AND WALES.—CAUSES OF DEATH OF NON-CIVILIANS AT DIFFERENT AGE PERIODS, 1929.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 year and upwards
ALL CAUSES	481	73*	139	73	53	69	21	26	15	12
Enteric fever	2	2*	—	—	—	—	—	—	—	—
Measles	2	1	1	—	—	—	—	—	—	—
Scarlet fever	3	2	—	—	—	—	—	—	1	—
Influenza	30	11	6	2	1	6	1	—	1	2
Dysentery	3	—	—	1	1	1	—	—	—	—
Erysipelas	2	—	1	—	—	1	—	—	—	—
Encephalitis lethargica	5	3	1	—	—	—	1	—	—	—
Meningococcal meningitis	20	4	12	2	—	2	—	—	—	—
Tuberculosis of the respiratory system	62	4	9	13	13	17	2	3	—	1
Other tuberculosis	13	5	1	1	3	2	—	1	—	—
Purulent infection, Septicæmia	3	—	2	—	—	—	—	1	—	—
Cancer	22	—	2	4	2	3	5	3	1	2
Tumours not returned as malignant	2	—	1	—	—	—	—	—	1	—
Rheumatic fever	3	2	1	—	—	—	—	—	—	—
Beri-beri	1	—	1	—	—	—	—	—	—	—
Diabetes	2	—	1	—	—	1	—	—	—	—
Anæmia, Chlorosis	2	—	1	—	1	—	—	—	—	—
Leukaemia, Lymphadenoma	3	—	1	—	—	—	1	1	—	—
Other general diseases	4	—	2	2	—	—	—	—	—	—
Encephalitis	1	1	—	—	—	—	—	—	—	—
Meningitis	4	1	3	—	—	—	—	—	—	—
Tabes Dorsalis	1	—	—	—	—	—	—	—	1	—
Other diseases of the spinal cord	2	—	—	1	—	—	—	—	1	—
Cerebral hæmorrhage, &c.	3	—	—	—	—	1	—	2	—	—
General paralysis of the insane	3	—	—	—	1	1	—	1	—	—
Other forms of insanity	1	—	—	—	—	—	—	—	—	1
Epilepsy	1	—	—	—	1	—	—	—	—	—
Cerebral tumour	2	—	—	—	2	—	—	—	—	—
Diseases of the ear and mastoid sinus	4	—	1	—	2	—	—	1	—	—
Infective Endocarditis	1	—	—	—	—	1	—	—	—	—
Angina Pectoris	4	—	—	—	—	1	—	2	1	—
Valvular disease	3	1	—	—	1	—	—	—	—	1
Other Heart disease	9	—	—	—	—	2	1	—	2	4
Aneurysm	3	—	—	—	1	—	1	—	1	—
Other diseases of the circulatory system	1	—	—	—	—	—	—	1	—	—
Bronchitis	4	—	—	1	1	2	—	—	—	—
Broncho-pneumonia	9	4	1	1	—	3	—	—	—	—
Lobar pneumonia	24	8	6	3	2	3	—	1	—	1
Pneumonia (type not stated)	6	3	3	—	—	—	—	—	—	—
Asthma	2	—	—	—	—	—	—	2	—	—
Other Respiratory diseases	4	—	1	—	1	—	1	1	—	—
Diseases of pharynx and tonsils	5	1	1	1	—	2	—	—	—	—
Ulcer of the stomach	8	—	—	—	1	4	—	2	1	—
Ulcer of the duodenum	4	—	—	1	1	2	—	—	—	—
Diarrhœa and enteritis	1	—	1	—	—	—	—	—	—	—
Appendicitis and typhlitis	10	3	5	1	—	—	1	—	—	—
Intestinal obstruction	5	—	1	1	2	—	—	—	1	—
Cirrhosis of liver	1	—	—	—	—	1	—	—	—	—
Other diseases of the liver	7	—	4	1	1	—	—	1	—	—
Other diseases of the digestive system	2	—	2	—	—	—	—	—	—	—
Acute nephritis	4	1	3	—	—	—	—	—	—	—
Chronic nephritis	5	1	—	1	—	1	1	—	1	—
Cellulitis	3	—	1	—	—	1	—	—	1	—
Other diseases	8	2	1	2	—	2	—	1	—	—
Suicide	27	2	12	3	5	2	3	—	—	—
Accidental burns	1	—	—	1	—	—	—	—	—	—
Accidental mechanical suffocation	2	—	—	2	—	—	—	—	—	—
Accidental drowning	8	—	4	1	2	1	—	—	—	—
Accidental injury by firearms	1	—	1	—	—	—	—	—	—	—
Accidental injury by fall	9	—	2	1	2	1	2	1	—	—
Accidental injury by machinery	1	1	—	—	—	—	—	—	—	—
Injury by other forms of crushing (vehicles, railways, &c.)	83	8	39	24	5	4	1	1	1	—
Homicide	1	—	1	—	—	—	—	—	—	—
Other violence	9	2	3	2	1	1	—	—	—	—

* Including 1 aged 14 years.

Table 20.

Causes of Death at Different Periods of Life—1929.
All Areas—England and Wales—(Total Deaths Registered).

	Causes of Death.	Sex.	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	269,903	27,381	7,468	6,455	7,392	10,657	27,965	73,888	57,929	50,768
		F	262,589	20,487	6,668	6,038	6,635	9,965	25,824	60,037	55,986	70,949
1	Enteric fever ..	M	187	—	—	2	17	32	84	42	10	—
		F	195	1	1	1	14	39	70	59	9	1
2	Small-pox	M	19	4	1	—	2	1	4	4	2	1
		F	20	4	—	1	1	3	7	2	2	—
3	Measles	M	1,736	354	697	524	150	7	2	2	—	—
		F	1,652	303	666	520	146	8	6	1	—	2
4	Scarlet fever ..	M	358	23	27	101	130	36	29	12	—	—
		F	359	6	26	101	138	32	41	14	1	—
5	Whooping cough ..	M	2,787	1,148	928	607	98	2	1	1	1	1
		F	3,545	1,406	1,134	850	138	4	2	3	2	6
6	Diphtheria ..	M	1,632	78	145	535	782	40	23	21	6	2
		F	1,814	65	121	529	932	71	45	42	7	2
7	Influenza	M	13,867	465	358	306	290	571	1,958	4,514	2,870	2,535
		F	15,217	312	298	272	236	437	1,696	3,858	3,804	4,304
8	Encephalitis lethargica ..	M	517	4	8	18	48	87	137	168	40	7
		F	520	3	9	20	45	78	149	171	33	12
9	Meningococcal meningitis ..	M	352	101	44	47	58	65	26	11	—	—
		F	236	64	29	41	54	24	11	12	—	1
10	Tuberculosis of respiratory system	M	17,786	53	66	104	296	2,997	7,114	6,275	783	98
		F	13,639	34	68	95	465	4,126	5,848	2,477	434	92
11	Other tuberculous diseases	M	3,500	317	399	530	674	563	546	361	86	24
		F	3,065	256	290	428	630	520	490	326	84	41
12	Cancer, malignant disease	M	26,284	11	9	36	64	163	1,408	11,551	8,796	4,246
		F	30,612	10	10	35	60	145	2,688	13,218	8,781	5,665
13	Rheumatic fever ..	M	638	5	1	22	227	146	118	97	20	2
		F	779	—	—	27	259	166	157	134	30	6
14	Diabetes	M	2,306	1	5	2	50	88	256	802	757	345
		F	3,322	—	2	5	49	77	253	1,256	1,112	568
15	Cerebral hæmorrhage, &c. ..	M	11,711	3	1	2	5	23	277	3,255	4,303	3,842
		F	14,907	1	2	2	6	11	335	3,918	4,883	5,749
16	Heart disease .	M	45,018	7	4	24	382	689	2,431	13,397	15,081	13,003
		F	51,449	2	6	17	466	905	3,027	12,208	15,450	19,368
17	Arterio-sclerosis ..	M	11,265	—	—	—	—	1	66	2,227	4,292	4,679
		F	9,722	—	—	—	1	2	40	1,523	2,992	5,164
18	Bronchitis ..	M	16,223	1,545	368	191	67	71	683	3,663	4,279	5,356
		F	17,155	1,180	329	148	74	57	288	2,375	4,284	8,420
19	Pneumonia (all forms)	M	25,081	4,972	2,980	1,693	776	829	3,049	6,113	2,888	1,781
		F	18,765	3,505	2,506	1,612	675	461	1,667	3,148	2,632	2,559
20	Other respiratory diseases	M	3,428	106	64	109	111	126	420	1,310	665	517
		F	2,699	82	49	79	60	88	319	685	583	754
21	Ulcer of stomach or duodenum ..	M	3,053	3	2	2	1	71	808	1,608	431	127
		F	1,028	6	1	—	3	23	181	494	201	119
22	Diarrhœa, &c. ..	M	3,841	2,724	379	166	64	32	72	158	126	120
		F	3,228	1,873	338	162	85	48	141	191	168	222
23	Appendicitis and typhlitis.. ..	M	1,657	4	12	88	256	299	369	438	146	45
		F	1,169	4	3	51	175	172	257	333	125	49
24	Cirrhosis of liver ..	M	1,174	1	—	—	2	2	84	684	306	95
		F	604	—	—	1	3	6	65	319	153	57
25	Acute and chronic nephritis ..	M	7,874	28	13	35	120	233	736	2,957	2,237	1,515
		F	7,638	19	24	40	150	259	873	2,769	2,043	1,461
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	1,157	—	—	—	—	241	909	7	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	1,630	—	—	—	1	262	1,350	17	—	—
28	Congenital debility and malformation, premature birth.. ..	M	11,526	11,244	64	45	72	48	33	18	2	—
		F	8,577	8,345	50	52	46	38	28	17	1	—
29	Suicide	M	3,480	—	—	—	1	189	894	1,758	481	157
		F	1,504	—	—	—	1	122	513	704	136	28
30	Other deaths from violence.. ..	M	11,597	331	242	565	1,226	1,947	2,621	2,712	1,105	848
		F	5,314	292	138	345	516	421	507	945	787	1,363
31	Other defined diseases	M	40,522	3,820	622	694	1,412	1,291	3,675	9,492	8,099	11,417
		F	40,721	2,702	543	593	1,198	1,116	3,833	8,649	7,161	14,926
32	Causes ill-defined or unknown ..	M	484	29	29	7	11	8	41	237	117	5
		F	347	12	25	11	8	3	28	162	88	10

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

	Causes of Death.	Sex.	Administrative County of London.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	31,836	2,828	858	647	715	1,113	3,409	10,001	6,735	5,530
		F	31,053	2,167	784	570	629	1,206	2,884	7,397	6,615	8,801
1	Enteric fever ..	M	17	—	—	—	3	1	6	6	1	—
		F	28	—	—	—	3	8	8	7	2	—
2	Small-pox	M	5	2	—	—	2	—	1	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
3	Measles	M	108	24	50	31	3	—	—	—	—	—
		F	98	19	46	26	7	—	—	—	—	—
4	Scarlet fever ..	M	41	—	5	15	9	5	6	1	—	—
		F	34	2	3	10	14	3	1	1	—	—
5	Whooping cough ..	M	525	197	179	131	18	—	—	—	—	—
		F	616	234	234	121	27	—	—	—	—	—
6	Diphtheria ..	M	175	16	23	62	68	1	3	2	—	—
		F	175	14	20	48	80	10	1	1	—	1
7	Influenza	M	1,423	41	38	20	21	48	183	533	301	238
		F	1,695	26	33	20	14	39	165	479	416	503
8	Encephalitis lethargica ..	M	34	—	1	1	1	5	12	8	6	—
		F	29	—	—	—	2	5	12	7	3	—
9	Meningococcal meningitis ..	M	51	18	10	5	9	4	3	2	—	—
		F	34	11	2	9	5	2	4	1	—	—
10	Tuberculosis of respiratory system	M	2,523	4	10	11	24	371	949	1,011	119	24
		F	1,707	4	12	5	45	529	702	335	59	16
11	Other tuberculous diseases	M	314	21	23	47	56	50	56	42	15	4
		F	270	25	19	42	52	57	39	26	8	2
12	Cancer, malignant disease	M	3,257	3	—	6	7	20	191	1,546	997	487
		F	3,608	2	1	6	9	25	304	1,600	994	667
13	Rheumatic fever ..	M	77	1	1	2	28	19	14	11	1	—
		F	91	—	—	3	33	20	22	12	1	—
14	Diabetes	M	218	—	—	—	2	5	24	85	68	34
		F	362	—	—	—	3	4	25	131	132	67
15	Cerebral hæmorrhage, &c. ..	M	875	—	1	—	1	1	33	274	282	283
		F	1,322	—	1	—	3	3	26	352	430	507
16	Heart disease .	M	6,048	2	1	3	58	76	337	1,883	1,960	1,728
		F	6,899	1	1	1	59	141	378	1,526	1,992	2,800
17	Arterio-sclerosis ..	M	1,100	—	—	—	—	—	9	252	403	436
		F	1,226	—	—	—	—	—	15	201	373	637
18	Bronchitis ..	M	2,094	118	21	8	3	9	125	678	597	535
		F	2,178	83	19	6	10	5	33	353	549	1,120
19	Pneumonia (all forms)	M	3,361	584	358	173	55	66	351	994	463	317
		F	2,522	408	292	148	53	36	160	506	430	489
20	Other respiratory diseases	M	487	11	8	9	15	14	59	182	101	88
		F	392	5	5	8	6	12	43	100	82	131
21	Ulcer of stomach or duodenum ..	M	485	—	1	—	—	9	116	270	70	19
		F	147	—	—	—	—	1	20	74	30	22
22	Diarrhœa, &c. ..	M	513	419	39	10	1	8	9	18	5	4
		F	392	277	33	7	1	4	22	21	15	12
23	Appendicitis and typhlitis.. ..	M	201	—	2	5	29	37	51	55	16	6
		F	130	1	—	7	13	14	24	50	15	6
24	Cirrhosis of liver ..	M	185	—	—	—	1	1	19	104	49	11
		F	115	—	—	—	1	1	17	63	24	9
25	Acute and chronic nephritis ..	M	926	5	—	2	8	36	94	337	259	185
		F	894	2	—	7	12	40	82	331	214	206
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	132	—	—	—	—	21	110	1	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	121	—	—	—	—	20	100	1	—	—
28	Congenital debility and malformation, premature birth.. ..	M	1,006	982	7	3	4	3	4	2	1	—
		F	772	746	3	7	7	6	1	2	—	—
29	Suicide	M	439	—	—	—	—	16	131	225	50	17
		F	222	—	—	—	—	15	75	111	14	7
30	Other deaths from violence.. ..	M	1,251	28	26	44	132	195	218	272	172	164
		F	764	32	13	25	45	60	73	156	129	231
31	Other defined diseases	M	4,093	352	54	59	156	113	405	1,206	798	950
		F	4,071	274	46	64	125	125	420	948	702	1,367
32	Causes ill-defined or unknown ..	M	4	—	—	—	1	—	—	2	1	—
		F	6	—	1	—	—	—	2	1	1	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (England and Wales). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	96,893	11,021	3,420	2,799	2,715	3,913	10,557	28,025	19,780	14,663
	F	93,557	8,302	3,202	2,667	2,514	3,750	9,785	22,198	19,359	21,780
1 Enteric fever ..	M	61	—	—	1	3	8	32	14	3	—
	F	55	—	1	1	5	10	21	13	3	1
2 Small-pox	M	6	1	—	—	—	—	1	2	2	—
	F	7	1	—	1	—	—	3	1	1	—
3 Measles	M	1,085	226	459	327	73	—	—	—	—	—
	F	1,029	191	441	326	66	2	2	1	—	—
4 Scarlet fever ..	M	131	15	13	36	39	15	9	4	—	—
	F	133	2	12	41	51	10	12	4	1	—
5 Whooping cough ..	M	1,011	377	356	241	35	1	1	—	—	—
	F	1,397	500	471	375	45	3	1	—	1	1
6 Diphtheria ..	M	600	29	54	213	280	10	8	4	1	1
	F	722	28	53	234	356	19	12	15	4	1
7 Influenza	M	5,022	170	130	124	93	207	784	1,750	993	771
	F	5,586	116	120	105	78	182	612	1,538	1,461	1,374
8 Encephalitis lethargica ..	M	180	—	2	6	17	38	46	59	10	2
	F	199	1	3	8	16	33	58	68	8	4
9 Meningococcal meningitis ..	M	138	42	19	26	18	21	6	6	—	—
	F	95	30	14	14	16	10	4	6	—	1
10 Tuberculosis of respiratory system	M	7,392	17	32	52	134	1,254	2,841	2,720	317	25
	F	5,376	17	39	53	189	1,606	2,323	991	134	24
11 Other tuberculous diseases	M	1,350	140	163	222	285	205	181	122	23	9
	F	1,217	117	132	190	240	216	173	105	28	16
12 Cancer, malignant disease	M	9,068	4	3	7	17	56	537	4,339	2,918	1,187
	F	10,072	4	2	12	23	52	1,022	4,594	2,811	1,552
13 Rheumatic fever ..	M	207	3	—	8	76	52	32	34	2	—
	F	281	—	—	10	106	64	47	44	10	—
14 Diabetes	M	768	—	3	1	16	35	88	286	240	99
	F	1,100	—	2	2	11	26	75	458	357	169
15 Cerebral hæmorrhage, &c. ..	M	3,894	—	—	—	1	12	89	1,227	1,521	1,044
	F	4,890	1	—	—	—	3	137	1,446	1,583	1,720
16 Heart disease ..	M	15,002	3	1	8	129	255	971	4,998	4,916	3,721
	F	17,626	1	3	8	182	345	1,199	4,636	5,294	5,958
17 Arterio-sclerosis ..	M	3,898	—	—	—	—	—	27	874	1,566	1,431
	F	3,427	—	—	—	—	1	9	594	1,093	1,730
18 Bronchitis ..	M	6,100	608	157	77	27	35	285	1,580	1,647	1,684
	F	6,535	489	139	57	29	28	118	1,080	1,777	2,818
19 Pneumonia (all forms)	M	10,580	2,233	1,427	804	363	371	1,342	2,455	1,047	538
	F	8,000	1,635	1,263	770	300	198	747	1,285	993	809
20 Other respiratory diseases	M	1,133	37	25	36	33	57	155	465	211	114
	F	910	31	29	24	19	25	109	241	204	228
21 Ulcer of stomach or duodenum ..	M	1,058	2	—	1	—	27	294	563	135	36
	F	351	1	—	—	—	7	72	171	59	41
22 Diarrhœa, &c. ..	M	1,791	1,307	215	74	27	6	21	63	43	35
	F	1,432	908	182	59	38	17	38	62	52	76
23 Appendicitis and typhlitis.. ..	M	485	2	1	25	85	88	112	121	40	11
	F	383	—	—	10	63	60	91	116	31	12
24 Cirrhosis of liver ..	M	388	1	—	—	—	—	25	247	92	23
	F	197	—	—	—	1	1	24	106	48	17
25 Acute and chronic nephritis ..	M	2,733	7	5	10	43	83	262	1,139	742	442
	F	2,704	6	13	8	64	88	356	1,037	670	462
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	416	—	—	—	—	85	331	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	580	—	—	—	1	100	473	6	—	—
28 Congenital debility and malformation, premature birth.. ..	M	4,296	4,191	23	17	27	19	10	8	1	—
	F	3,167	3,102	15	14	14	7	8	6	1	—
29 Suicide	M	1,162	—	—	—	—	65	287	608	152	50
	F	561	—	—	—	—	44	184	264	59	10
30 Other deaths from violence.. ..	M	3,554	127	78	204	396	530	749	861	361	248
	F	1,880	112	56	128	193	130	179	328	283	471
31 Other defined diseases	M	13,666	1,475	236	276	495	461	1,345	3,423	2,768	3,187
	F	13,128	1,008	196	212	407	378	1,334	2,937	2,374	4,282
32 Causes ill-defined or unknown ..	M	134	4	18	3	3	2	17	53	29	5
	F	101	1	16	5	1	—	11	45	19	3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (England and Wales). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	88,581	8,624	2,192	2,052	2,605	3,470	9,130	24,088	19,370	17,050
	F	88,602	6,492	1,895	1,922	2,281	3,338	8,637	20,245	19,254	24,538
1 Enteric fever ..	M	71	—	—	1	6	16	31	12	5	—
	F	80	1	—	—	5	13	30	29	2	—
2 Small-pox	M	7	1	1	—	—	—	2	2	—	1
	F	11	2	—	—	—	3	4	1	1	—
3 Measles	M	371	79	127	119	42	2	—	2	—	—
	F	352	70	124	109	44	3	1	—	—	1
4 Scarlet fever ..	M	116	4	8	38	47	9	8	2	—	—
	F	126	1	7	32	48	10	21	7	—	—
5 Whooping cough ..	M	895	397	288	175	31	1	—	1	1	1
	F	1098	458	315	267	50	1	1	2	1	3
6 Diphtheria ..	M	579	22	51	178	294	17	7	7	3	—
	F	626	16	38	167	333	27	22	20	3	—
7 Influenza	M	4,554	147	123	114	107	193	670	1,463	913	824
	F	5,084	99	108	98	95	150	590	1,233	1,213	1,498
8 Encephalitis lethargica ..	M	197	2	3	6	23	28	58	60	15	2
	F	192	—	6	12	18	26	56	55	13	6
9 Meningococcal meningitis ..	M	100	28	11	11	22	19	8	1	—	—
	F	75	13	7	14	26	11	2	2	—	—
10 Tuberculosis of respiratory system	M	5,287	22	16	33	91	904	2,197	1,789	207	28
	F	4,323	9	11	22	156	1,363	1,848	745	139	30
11 Other tuberculous diseases	M	1,189	105	153	187	220	213	164	116	24	7
	F	1,048	72	103	135	215	163	176	133	34	17
12 Cancer, malignant disease	M	8,691	3	2	15	23	58	433	3,744	3,023	1,390
	F	10,715	2	7	12	19	36	946	4,599	3,068	2,026
13 Rheumatic fever ..	M	232	1	—	9	88	41	48	36	8	1
	F	285	—	—	13	83	62	57	50	16	4
14 Diabetes	M	804	1	2	1	17	25	91	285	264	118
	F	1,185	—	—	2	18	33	89	440	395	208
15 Cerebral hæmorrhage, &c. ..	M	4,306	2	—	1	2	5	114	1,194	1,575	1,413
	F	5,437	—	1	2	2	2	109	1,397	1,821	2,103
16 Heart disease ..	M	14,791	2	1	8	129	252	772	4,373	4,999	4,255
	F	17,236	—	1	6	157	307	1,016	4,053	5,262	6,434
17 Arterio-sclerosis ..	M	3,849	—	—	—	—	1	23	737	1,493	1,595
	F	3,210	—	—	—	1	—	8	455	1,015	1,731
18 Bronchitis ..	M	5,203	539	126	72	28	22	201	1,060	1,359	1,796
	F	5,659	403	114	60	25	13	104	704	1,379	2,857
19 Pneumonia (all forms)	M	7,528	1,465	863	506	250	249	941	1,866	862	526
	F	5,669	1,028	708	508	221	143	500	950	791	820
20 Other respiratory diseases	M	1,140	36	18	38	40	33	136	426	223	190
	F	930	30	11	35	20	45	115	229	191	254
21 Ulcer of stomach or duodenum ..	M	1,001	—	1	1	1	24	264	538	137	35
	F	341	4	1	—	2	10	49	160	79	36
22 Diarrhœa, &c. ..	M	1,019	679	79	47	25	14	23	52	52	48
	F	936	476	77	58	34	16	60	70	68	77
23 Appendicitis and typhlitis.. ..	M	587	1	5	35	93	94	126	168	49	16
	F	411	2	2	19	54	59	92	110	56	17
24 Cirrhosis of liver ..	M	387	—	—	—	1	—	30	220	101	35
	F	208	—	—	—	—	3	14	114	59	18
25 Acute and chronic nephritis ..	M	2,631	10	6	13	44	67	257	1,014	730	490
	F	2,594	8	7	15	54	94	299	959	709	449
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	354	—	—	—	—	66	285	3	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	574	—	—	—	—	82	486	6	—	—
28 Congenital debility and malformation, premature birth.. ..	M	3,837	3,729	24	16	30	20	16	2	—	—
	F	2,884	2,794	18	26	15	14	9	8	—	—
29 Suicide	M	1,201	—	—	—	1	54	299	617	177	53
	F	497	—	—	—	1	44	161	238	46	7
30 Other deaths from violence.. ..	M	4,040	112	73	193	461	693	943	963	330	272
	F	1,725	98	37	110	175	144	166	317	249	429
31 Other defined diseases	M	13,769	1,221	202	233	488	414	1,249	3,236	2,772	3,954
	F	14,614	898	189	194	407	393	1,315	3,093	2,614	5,511
32 Causes ill-defined or unknown ..	M	199	16	9	2	1	2	19	102	48	—
	F	123	8	3	6	3	2	6	63	30	2

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Rural Districts (England and Wales).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	52,112	4,908	998	957	1,356	1,950	4,653	11,723	12,043	13,524
		F	49,377	3,526	787	879	1,211	1,671	4,518	10,197	10,758	15,830
1	Enteric fever ..	M	36	—	—	—	4	6	15	10	1	—
		F	32	—	—	—	1	8	11	10	2	—
2	Small-pox	M	1	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—
3	Measles	M	170	25	61	47	32	3	2	—	—	—
		F	173	23	55	59	29	3	3	—	—	1
4	Scarlet fever ..	M	67	4	1	12	35	5	6	4	—	—
		F	66	1	4	18	25	9	7	2	—	—
5	Whooping cough ..	M	356	177	105	60	14	—	—	—	—	—
		F	434	214	114	87	16	—	—	1	—	2
6	Diphtheria ..	M	278	11	17	82	140	12	5	8	2	1
		F	291	7	10	80	163	15	10	6	—	—
7	Influenza	M	2,838	107	67	48	69	106	311	765	663	702
		F	2,852	71	37	49	49	66	329	608	714	929
8	Encephalitis lethargica ..	M	101	2	2	5	7	12	20	41	9	3
		F	100	2	—	—	9	14	23	41	9	2
9	Meningococcal meningitis ..	M	43	13	4	5	9	5	5	2	—	—
		F	32	10	6	4	7	1	1	3	—	—
10	Tuberculosis of respiratory system	M	2,522	10	8	8	47	455	1,082	751	140	21
		F	2,233	4	6	15	75	628	975	406	102	22
11	Other tuberculous diseases	M	634	51	60	74	113	89	139	80	24	4
		F	530	42	36	61	123	84	102	62	14	6
12	Cancer, malignant disease	M	5,246	1	4	8	17	27	233	1,916	1,853	1,182
		F	6,217	2	—	5	9	32	416	2,425	1,908	1,420
13	Rheumatic fever ..	M	119	—	—	3	35	31	24	16	9	1
		F	122	—	—	1	37	20	31	28	3	2
14	Diabetes	M	514	—	—	—	15	22	52	146	185	94
		F	675	—	—	1	17	14	64	227	228	124
15	Cerebral hæmorrhage, &c. ..	M	2,633	1	—	1	1	5	40	558	925	1,102
		F	3,258	—	—	—	1	3	63	723	1,049	1,419
16	Heart disease ..	M	9,160	—	1	5	66	105	345	2,134	3,206	3,298
		F	9,688	—	1	2	68	112	434	1,993	2,902	4,176
17	Arterio-sclerosis ..	M	2,418	—	—	—	—	—	7	364	830	1,217
		F	1,859	—	—	—	—	1	8	273	511	1,066
18	Bronchitis ..	M	2,822	280	64	34	9	5	68	345	676	1,341
		F	2,783	205	57	25	10	11	33	238	579	1,625
19	Pneumonia (all forms)	M	3,573	690	332	210	108	118	403	796	516	400
		F	2,574	434	243	186	101	84	260	407	418	441
20	Other respiratory diseases	M	662	22	13	26	23	21	68	234	130	125
		F	467	16	4	12	15	6	52	115	106	141
21	Ulcer of stomach or duodenum ..	M	497	1	—	—	—	11	125	234	89	37
		F	189	1	—	—	1	5	40	89	33	20
22	Diarrhœa, &c. ..	M	517	319	46	35	11	3	19	25	26	33
		F	468	212	46	38	12	11	21	38	33	57
23	Appendicitis and typhlitis.. ..	M	374	1	4	23	49	72	78	94	41	12
		F	245	1	1	15	45	39	50	57	23	14
24	Cirrhosis of liver ..	M	213	—	—	—	—	1	9	113	64	26
		F	84	—	—	1	1	1	10	36	22	13
25	Acute and chronic nephritis ..	M	1,575	6	2	10	25	42	120	466	506	398
		F	1,446	3	4	10	20	37	136	442	450	344
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	255	—	—	—	—	69	183	3	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	355	—	—	—	—	60	291	4	—	—
28	Congenital debility and malformation, premature birth.. ..	M	2,387	2,342	10	9	11	6	3	6	—	—
		F	1,754	1,703	14	5	10	11	10	1	—	—
29	Suicide	M	651	—	—	—	—	40	164	308	102	37
		F	224	—	—	—	—	19	93	91	17	4
30	Other deaths from violence.. ..	M	2,637	64	65	124	237	468	660	613	242	164
		F	945	50	32	82	103	87	89	144	126	232
31	Other defined diseases	M	8,921	772	130	126	273	275	645	1,614	1,760	3,326
		F	8,908	522	112	123	259	220	764	1,671	1,471	3,766
32	Causes ill-defined or unknown ..	M	147	9	2	2	6	4	5	80	39	—
		F	117	3	5	—	4	1	9	53	38	4

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Northern Counties.*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	95,952	11,432	3,482	2,855	2,911	3,864	10,339	27,202	19,799	14,068
		F	91,660	8,584	3,242	2,791	2,548	3,725	9,666	22,164	19,513	19,427
1	Enteric fever ..	M	89	—	—	1	4	14	43	21	6	—
		F	71	—	1	—	8	13	26	22	1	—
2	Small-pox	M	7	1	1	—	—	—	2	—	2	1
		F	5	1	—	—	—	1	1	—	2	—
3	Measles	M	1,018	217	418	302	76	3	1	1	—	—
		F	966	184	406	300	72	2	2	—	—	—
4	Scarlet fever ..	M	160	15	17	44	59	11	11	3	—	—
		F	183	3	13	59	64	16	19	8	1	—
5	Whooping cough ..	M	1,118	448	388	242	39	1	—	—	—	—
		F	1,424	552	460	365	44	1	1	—	—	1
6	Diphtheria ..	M	488	34	58	158	209	13	6	7	3	—
		F	547	23	48	183	241	15	12	21	4	—
7	Influenza	M	5,116	188	143	129	130	245	834	1,747	991	709
		F	5,439	137	124	131	90	180	693	1,514	1,355	1,215
8	Encephalitis lethargica ..	M	217	3	3	7	22	37	53	79	13	—
		F	227	1	6	12	18	26	72	75	15	2
9	Meningococcal meningitis ..	M	123	36	18	22	18	18	7	4	—	—
		F	75	22	13	10	21	5	2	2	—	—
10	Tuberculosis of respiratory system	M	6,310	18	29	60	160	1,100	2,405	2,244	277	17
		F	4,659	15	33	54	196	1,443	2,000	800	107	11
11	Other tuberculous diseases	M	1,454	134	184	231	290	230	211	139	28	7
		F	1,306	93	122	197	273	255	194	125	37	10
12	Cancer, malignant disease	M	8,482	5	5	7	9	53	472	4,116	2,752	1,063
		F	9,694	5	5	12	14	46	967	4,453	2,820	1,372
13	Rheumatic fever ..	M	212	2	—	10	69	33	49	40	8	1
		F	311	—	—	12	90	73	63	54	17	2
14	Diabetes	M	811	1	3	1	11	35	100	327	243	90
		F	1,200	—	2	2	19	39	105	500	385	148
15	Cerebral hæmorrhage, &c. ..	M	4,273	1	—	2	1	7	105	1,282	1,720	1,155
		F	4,965	1	1	—	1	3	128	1,524	1,713	1,594
16	Heart disease ..	M	14,594	2	3	11	137	281	964	4,912	4,934	3,350
		F	16,650	1	1	7	156	335	1,237	4,653	5,221	5,039
17	Arterio-sclerosis ..	M	4,510	—	—	—	—	—	27	932	1,859	1,692
		F	3,621	—	—	—	—	1	7	612	1,204	1,797
18	Bronchitis ..	M	6,008	775	176	94	36	38	294	1,479	1,591	1,525
		F	6,279	588	189	76	31	29	135	1,117	1,735	2,379
19	Pneumonia (all forms)	M	10,567	2,255	1,410	835	444	394	1,374	2,418	979	458
		F	7,843	1,626	1,245	828	344	222	714	1,260	920	684
20	Other respiratory diseases	M	1,072	37	24	48	41	50	144	421	182	125
		F	868	30	25	34	23	34	109	221	186	206
21	Ulcer of stomach or duodenum ..	M	974	2	—	1	—	32	301	512	95	31
		F	286	1	1	—	—	5	64	136	53	26
22	Diarrhœa, &c. ..	M	1,722	1,202	203	90	38	8	24	58	57	42
		F	1,380	808	191	73	50	16	47	56	66	73
23	Appendicitis and typhlitis.. ..	M	514	1	1	31	88	91	122	131	40	9
		F	375	2	—	13	69	67	81	104	31	8
24	Cirrhosis of liver ..	M	345	—	—	—	1	—	28	213	74	29
		F	149	—	—	—	—	2	14	84	34	15
25	Acute and chronic nephritis ..	M	2,685	9	8	16	51	78	280	1,141	717	385
		F	2,852	11	21	16	66	97	364	1,102	771	404
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	451	—	—	—	—	93	358	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	638	—	—	—	—	113	518	7	—	—
28	Congenital debility and malformation, premature birth.. ..	M	4,438	4,344	18	16	32	17	6	4	1	—
		F	3,341	3,265	21	16	15	12	8	4	—	—
29	Suicide	M	1,110	—	—	—	—	52	267	608	147	36
		F	462	—	—	—	1	38	171	203	42	7
30	Other deaths from violence.. ..	M	3,864	113	91	220	439	586	890	947	351	227
		F	1,789	101	49	141	214	143	171	326	277	367
31	Other defined diseases	M	13,440	1,586	266	275	499	434	1,293	3,303	2,673	3,111
		F	13,440	1,112	249	245	425	397	1,369	3,099	2,480	4,064
32	Causes ill-defined or unknown ..	M	231	3	15	2	8	3	26	113	56	5
		F	164	2	16	5	3	3	14	82	36	3

*See footnote to Table 14.

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Midland Counties.* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	83,287	8,162	2,048	1,904	2,200	3,260	8,409	21,467	18,109	17,728
	F	80,975	5,949	1,748	1,678	2,039	2,999	7,855	17,757	17,092	23,858
1 Enteric fever ..	M	47	—	—	1	6	7	23	8	2	—
	F	46	1	—	—	—	8	17	17	2	1
2 Small-pox	M	4	1	—	—	—	—	1	2	—	—
	F	6	1	—	1	—	—	3	1	—	—
3 Measles	M	396	65	151	131	46	2	1	—	—	—
	F	387	65	142	133	40	2	4	—	—	1
4 Scarlet fever ..	M	99	3	2	23	45	13	7	6	—	—
	F	79	1	4	19	34	8	11	2	—	—
5 Whooping cough ..	M	696	293	231	147	23	—	—	1	1	—
	F	958	366	292	248	45	1	1	—	—	5
6 Diphtheria ..	M	565	18	41	199	280	14	7	5	1	—
	F	622	20	33	173	344	27	13	10	2	—
7 Influenza	M	4,610	174	139	116	74	155	601	1,438	980	933
	F	5,044	93	101	88	78	131	550	1,186	1,253	1,564
8 Encephalitis lethargica ..	M	162	—	2	7	12	30	47	51	11	2
	F	153	1	2	5	15	24	41	52	7	6
9 Meningococcal meningitis ..	M	78	27	11	10	11	10	6	3	—	—
	F	60	14	10	11	14	4	3	4	—	—
10 Tuberculosis of respiratory system	M	5,301	21	22	22	61	879	2,227	1,830	213	26
	F	4,307	11	17	21	132	1,295	1,860	790	147	34
11 Other tuberculous diseases	M	1,021	109	138	168	168	158	159	93	21	7
	F	831	82	80	110	178	118	136	91	23	13
12 Cancer, malignant disease	M	8,457	1	2	8	24	56	417	3,494	2,927	1,528
	F	9,805	2	3	9	26	39	846	4,090	2,790	2,000
13 Rheumatic fever ..	M	194	1	—	5	75	55	30	21	6	1
	F	227	—	—	9	84	43	44	38	7	2
14 Diabetes	M	739	—	2	—	27	32	66	237	251	124
	F	985	—	—	—	13	17	61	361	345	188
15 Cerebral hæmorrhage, &c. ..	M	3,777	—	—	—	—	9	83	979	1,329	1,377
	F	4,804	—	—	1	1	1	109	1,155	1,525	2,012
16 Heart disease ..	M	13,917	2	—	6	111	194	665	3,786	4,720	4,433
	F	15,804	—	3	5	148	268	853	3,491	4,636	6,400
17 Arterio-sclerosis ..	M	3,155	—	—	—	—	—	19	585	1,149	1,402
	F	2,656	—	—	—	1	1	14	394	782	1,464
18 Bronchitis ..	M	4,943	412	106	66	18	14	163	959	1,264	1,941
	F	5,285	285	79	42	20	10	84	614	1,279	2,872
19 Pneumonia (all forms)	M	7,110	1,431	805	461	167	222	893	1,682	895	554
	F	5,297	943	673	423	171	116	520	877	796	778
20 Other respiratory diseases	M	1,050	28	23	29	36	38	127	404	219	146
	F	809	26	17	14	14	26	94	217	179	222
21 Ulcer of stomach or duodenum ..	M	916	1	1	1	1	22	217	473	155	45
	F	342	4	—	—	1	12	52	166	69	38
22 Diarrhœa, &c. ..	M	1,009	718	84	42	15	8	23	41	29	49
	F	881	507	74	46	22	21	36	58	43	74
23 Appendicitis and typhlitis.. ..	M	545	2	5	28	82	95	130	131	53	19
	F	359	—	1	21	51	49	81	97	44	15
24 Cirrhosis of liver ..	M	369	—	—	—	—	1	18	221	100	29
	F	215	—	—	1	2	2	22	114	60	14
25 Acute and chronic nephritis ..	M	2,162	9	2	11	29	75	208	749	619	460
	F	2,117	6	1	10	50	78	234	749	553	436
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	330	—	—	—	—	73	256	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	484	—	—	—	1	71	406	6	—	—
28 Congenital debility and malformation, premature birth.. ..	M	3,731	3,634	23	13	24	15	15	7	—	—
	F	2,741	2,663	16	18	12	10	12	9	1	—
29 Suicide	M	1,132	—	—	—	1	58	294	543	169	67
	F	501	—	—	—	—	45	173	226	46	11
30 Other deaths from violence.. ..	M	3,727	124	65	185	384	645	826	835	366	297
	F	1,632	96	41	104	153	133	161	280	234	430
31 Other defined diseases	M	13,221	1,074	184	221	478	450	1,131	2,804	2,591	4,288
	F	13,101	757	154	161	385	366	1,153	2,608	2,243	5,274
32 Causes ill-defined or unknown ..	M	154	14	9	4	2	3	5	79	38	—
	F	107	5	5	5	4	—	5	53	26	4

* See footnote to Table 14.

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Southern Counties (including London).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	72,599	5,871	1,489	1,240	1,731	2,479	7,064	20,404	16,296	16,02
		F	74,000	4,450	1,282	1,144	1,522	2,475	6,485	16,486	16,168	23,988
1	Enteric fever ..	M	44	—	—	—	6	9	15	12	2	—
		F	60	—	—	—	5	12	20	18	5	—
2	Small-pox	M	8	2	—	—	2	1	1	2	—	—
		F	6	1	—	—	—	2	3	—	—	—
3	Measles	M	174	33	70	51	19	—	—	1	—	—
		F	164	27	66	43	23	3	—	1	—	1
4	Scarlet fever ..	M	84	2	7	31	23	9	11	1	—	—
		F	82	2	8	16	35	8	9	4	—	—
5	Whooping cough ..	M	776	329	246	172	27	1	1	—	—	—
		F	933	381	311	193	42	2	—	3	1	—
6	Diphtheria ..	M	442	23	37	129	223	12	9	7	1	1
		F	482	18	28	119	263	25	16	10	1	2
7	Influenza	M	3,407	86	63	49	64	119	391	1,094	756	785
		F	4,057	64	58	41	48	105	368	984	1,036	1,353
8	Encephalitis lethargica ..	M	103	1	2	3	11	13	26	31	13	3
		F	115	—	1	2	10	24	29	36	9	4
9	Meningococcal meningitis ..	M	114	31	12	13	27	18	9	4	—	—
		F	88	25	5	18	18	12	5	5	—	—
10	Tuberculosis of respiratory system	M	4,902	8	12	15	57	742	1,960	1,817	245	46
		F	3,588	8	15	16	96	1,027	1,513	721	152	40
11	Other tuberculous diseases	M	767	61	67	108	157	105	130	98	31	10
		F	707	69	65	99	122	108	121	86	22	15
12	Cancer, malignant disease	M	7,746	5	1	17	26	39	416	3,228	2,584	1,430
		F	9,363	3	1	13	16	51	720	3,875	2,682	2,002
13	Rheumatic fever ..	M	176	2	1	5	60	47	33	23	5	
		F	186	—	—	5	67	37	40	32	4	1
14	Diabetes	M	619	—	—	1	8	16	61	204	214	115
		F	960	—	—	2	13	17	69	326	320	213
15	Cerebral hæmorrhage, &c. ..	M	2,837	2	1	—	4	6	71	757	932	1,064
		F	4,154	—	1	1	4	6	77	933	1,310	1,822
16	Heart disease ..	M	13,585	3	1	5	91	149	613	3,780	4,458	4,485
		F	16,020	1	2	2	116	227	714	3,282	4,679	6,997
17	Arterio-sclerosis ..	M	2,927	—	—	—	—	—	17	585	1,039	1,286
		F	2,943	—	—	—	—	—	19	425	852	1,647
18	Bronchitis ..	M	4,204	240	64	21	7	13	178	985	1 129	1,567
		F	4,656	199	35	21	18	15	52	549	1,044	2,723
19	Pneumonia (all forms)	M	6,016	1,002	603	287	127	141	628	1,694	863	671
		F	4,689	716	460	268	120	95	353	890	808	979
20	Other respiratory diseases	M	1,030	25	13	16	28	33	109	379	211	216
		F	861	17	6	18	18	23	96	202	192	289
21	Ulcer of stomach or duodenum ..	M	987	—	1	—	—	12	232	533	162	47
		F	348	—	—	—	2	5	52	167	70	52
22	Diarrhœa, &c. ..	M	903	683	71	20	5	13	19	40	24	28
		F	750	450	54	25	6	8	48	58	48	53
23	Appendicitis and typhlitis.. ..	M	486	1	6	23	71	81	95	144	50	15
		F	367	1	1	12	43	45	72	121	47	25
24	Cirrhosis of liver ..	M	387	1	—	—	1	1	27	218	108	31
		F	209	—	—	—	1	2	28	100	53	25
25	Acute and chronic nephritis ..	M	2,315	7	1	5	22	59	190	795	705	531
		F	2,099	2	2	10	22	65	205	721	551	521
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	291	—	—	—	—	59	230	2	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	330	—	—	—	—	49	279	2	—	—
28	Congenital debility and malformation, premature birth.. ..	M	2,506	2,437	16	11	12	12	11	6	1	—
		F	1,848	1,788	11	12	14	14	5	4	—	—
29	Suicide	M	1,012	—	—	—	—	52	271	509	138	42
		F	467	—	—	—	—	30	146	240	42	9
30	Other deaths from violence.. ..	M	2,925	78	64	108	303	487	573	674	330	308
		F	1,588	76	38	63	101	122	142	300	243	503
31	Other defined diseases	M	11,056	797	128	149	349	289	963	2,760	2,277	3,344
		F	11,545	599	111	145	299	277	1,048	2,374	1,982	4,710
32	Causes ill-defined or unknown ..	M	61	12	2	1	1	—	4	23	18	—
		F	44	3	3	—	—	—	6	15	15	2

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Wales and Monmouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	17,584	1,916	449	456	549	843	1,937	4,764	3,724	2,946
	F	15,954	1,504	396	425	526	766	1,818	3,630	3,213	3,676
1 Enteric fever ..	M	5	—	—	—	—	1	3	1	—	—
	F	18	—	—	1	1	6	7	2	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	1	—	—	1	—	—
3 Measles	M	146	39	58	40	9	—	—	—	—	—
	F	135	27	52	44	11	1	—	—	—	—
4 Scarlet fever ..	M	12	3	1	3	3	1	—	1	—	—
	F	15	—	1	7	5	—	2	—	—	—
5 Whooping cough ..	M	197	78	63	46	9	—	—	—	—	1
	F	230	107	71	44	7	—	—	—	1	—
6 Diphtheria ..	M	137	3	9	49	70	1	1	2	1	1
	F	163	4	12	54	84	4	4	1	—	—
7 Influenza	M	704	17	13	12	22	35	122	232	143	108
	F	677	18	15	12	20	21	85	174	160	172
8 Encephalitis lethargica ..	M	30	—	1	1	3	3	10	7	3	2
	F	25	1	—	1	2	4	7	8	2	—
9 Meningococcal meningitis ..	M	17	7	3	2	2	3	—	—	—	—
	F	13	3	1	2	1	3	1	1	—	1
10 Tuberculosis of respiratory system	M	1,211	6	3	7	18	263	477	380	48	9
	F	1,085	—	3	4	41	361	475	166	28	7
11 Other tuberculous diseases	M	245	13	10	23	59	64	40	30	6	—
	F	221	12	23	22	57	39	39	24	2	3
12 Cancer, malignant disease	M	1,577	—	1	4	5	13	89	707	533	225
	F	1,750	—	1	1	4	9	155	800	489	291
13 Rheumatic fever ..	M	53	—	—	2	23	8	6	13	1	—
	F	55	—	—	1	18	13	10	10	2	1
14 Diabetes	M	135	—	—	—	4	4	28	34	49	16
	F	177	—	—	1	4	4	18	69	62	19
15 Cerebral hæmorrhage, &c. ..	M	821	—	—	—	—	1	17	235	322	246
	F	984	—	—	—	—	1	21	306	335	321
16 Heart disease ..	M	2,904	—	—	2	43	64	182	910	969	734
	F	2,975	—	—	3	46	75	223	782	914	932
17 Arterio-sclerosis ..	M	673	—	—	—	—	1	3	125	245	299
	F	502	—	—	—	—	—	—	92	154	256
18 Bronchitis ..	M	1,064	118	22	10	6	6	44	240	295	323
	F	935	108	26	9	5	3	17	95	226	446
19 Pneumonia (all forms)	M	1,349	284	162	110	38	47	142	317	151	98
	F	936	220	128	93	40	28	80	121	108	118
20 Other respiratory diseases	M	270	16	4	16	6	4	38	103	53	30
	F	161	9	1	13	5	5	20	45	26	37
21 Ulcer of stomach or duodenum ..	M	164	—	—	—	—	5	49	87	19	4
	F	52	1	—	—	—	1	13	25	9	3
22 Diarrhœa, &c. ..	M	206	121	21	14	6	2	6	19	16	1
	F	217	108	19	18	7	3	10	19	11	22
23 Appendicitis and typhlitis.. ..	M	102	—	—	6	15	24	20	32	3	2
	F	68	1	1	5	12	11	23	11	3	1
24 Cirrhosis of liver ..	M	72	—	—	—	—	—	10	32	24	6
	F	31	—	—	—	—	—	1	21	6	3
25 Acute and chronic nephritis ..	M	703	3	2	3	18	16	55	271	196	139
	F	570	—	—	4	12	19	70	197	168	100
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	85	—	—	—	—	16	65	4	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	178	—	—	—	—	29	147	2	—	—
28 Congenital debility and malformation, premature birth.. ..	M	851	829	7	5	4	4	1	1	—	—
	F	647	629	2	6	5	2	3	—	—	—
29 Suicide	M	199	—	—	—	—	13	49	98	27	12
	F	74	—	—	—	—	9	23	35	6	1
30 Other deaths from violence.. ..	M	966	16	22	52	100	168	281	253	58	16
	F	305	19	10	37	48	23	33	39	33	63
31 Other defined diseases	M	2,733	363	44	49	86	90	258	612	557	674
	F	2,635	234	29	42	89	76	283	568	456	878
32 Causes ill-defined or unknown ..	M	38	—	3	—	—	2	6	22	5	—
	F	32	2	1	1	1	—	3	12	11	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (North).* All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	54,094	6,640	2,204	1,705	1,565	2,219	6,038	16,012	10,795	6,916
	F	51,315	5,054	2,083	1,678	1,406	2,143	5,502	12,521	10,596	10,332
1 Enteric fever ..	M	42	—	—	—	—	5	26	8	3	—
	F	29	—	1	—	3	7	10	7	1	—
2 Small-pox	M	3	—	—	—	—	—	1	—	2	—
	F	2	—	—	—	—	—	1	—	1	—
3 Measles	M	717	156	306	210	45	—	—	—	—	—
	F	691	125	311	211	42	2	—	—	—	—
4 Scarlet fever ..	M	96	13	13	27	26	8	6	3	—	—
	F	98	2	7	30	40	7	8	3	1	—
5 Whooping cough ..	M	651	237	238	154	21	1	—	—	—	—
	F	883	317	304	232	29	1	—	—	—	—
6 Diphtheria ..	M	276	22	32	97	111	5	5	3	1	—
	F	334	17	32	111	148	9	4	10	3	—
7 Influenza	M	2,710	101	69	78	62	122	476	955	509	338
	F	3,054	80	62	66	43	109	360	883	789	662
8 Encephalitis lethargica ..	M	99	—	1	2	11	19	27	32	7	—
	F	116	—	3	7	8	14	38	39	7	—
9 Meningococcal meningitis ..	M	81	25	12	19	9	11	2	3	—	—
	F	48	17	10	6	9	3	1	2	—	—
10 Tuberculosis of respiratory system	M	4,132	6	20	38	90	697	1,553	1,529	191	8
	F	2,862	9	26	34	113	878	1,212	530	54	6
11 Other tuberculous diseases	M	820	78	108	126	179	125	1 2	73	16	3
	F	745	67	78	126	140	146	108	59	18	3
12 Cancer, malignant disease	M	4,856	3	3	4	5	29	288	2,451	1,555	518
	F	5,197	3	2	7	7	24	551	2,445	1,469	689
13 Rheumatic fever ..	M	112	2	—	6	42	20	20	22	—	—
	F	161	—	—	7	50	42	27	28	7	—
14 Diabetes	M	390	—	1	1	6	17	54	159	114	38
	F	625	—	2	1	7	19	52	269	200	75
15 Cerebral hæmorrhage, &c. ..	M	2,139	—	—	—	—	6	43	692	888	510
	F	2,486	1	—	—	—	1	79	810	837	758
16 Heart disease ..	M	8,023	2	1	5	66	146	577	2,886	2,630	1,710
	F	9,301	1	1	4	100	191	730	2,692	2,803	2,779
17 Arterio-sclerosis ..	M	2,458	—	—	—	—	—	20	561	1,008	869
	F	2,134	—	—	—	—	1	3	359	707	1,064
18 Bronchitis ..	M	3,517	404	99	51	16	26	189	999	931	802
	F	3,626	316	92	37	18	20	69	699	1,039	1,336
19 Pneumonia (all forms)	M	6,550	1,414	928	516	261	246	852	1,512	567	254
	F	4,818	1,028	805	506	207	122	451	772	555	372
20 Other respiratory diseases	M	580	19	11	22	16	30	78	253	95	56
	F	456	15	19	15	8	17	53	126	102	101
21 Ulcer of stomach or duodenum ..	M	575	2	—	—	—	20	171	308	60	14
	F	161	—	—	—	—	4	36	74	31	16
22 Diarrhœa, &c. ..	M	1,104	814	145	46	21	3	8	30	24	13
	F	897	571	129	40	26	10	23	32	29	37
23 Appendicitis and typhlitis.. ..	M	264	1	—	15	45	54	63	58	24	4
	F	217	—	—	6	36	39	50	65	17	4
24 Cirrhosis of liver ..	M	190	—	—	—	—	—	15	123	40	12
	F	87	—	—	—	—	1	11	45	22	8
25 Acute and chronic nephritis ..	M	1,475	4	4	7	25	46	143	654	390	202
	F	1,555	4	12	7	38	51	204	602	398	239
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	260	—	—	—	—	51	209	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	337	—	—	—	—	60	274	3	—	—
28 Congenital debility and malformation, premature birth.. ..	M	2,433	2,384	8	8	17	10	2	3	1	—
	F	1,845	1,811	7	9	6	5	4	3	—	—
29 Suicide	M	576	—	—	—	—	37	138	309	74	18
	F	261	—	—	—	—	23	101	114	22	1
30 Other deaths from violence.. ..	M	1,932	66	46	120	224	283	409	467	191	126
	F	1,030	62	33	83	109	79	99	174	174	217
31 Other defined diseases	M	7,186	886	150	151	264	251	745	1,875	1,448	1,416
	F	6,915	608	133	129	218	207	725	1,638	1,295	1,962
32 Causes ill-defined or unknown ..	M	107	1	9	2	3	2	15	44	26	5
	F	84	—	14	4	1	—	9	38	15	3

* See footnote to Table 14.

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (Midlands).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	29,289	3,163	921	821	762	1,159	3,182	8,236	6,019	5,026
	F	28,347	2,347	844	707	754	1,110	2,901	6,577	5,869	7,238
1 Enteric fever ..	M	14	—	—	1	2	1	6	4	—	—
	F	12	—	—	—	—	1	6	3	1	1
2 Small-pox	M	2	1	—	—	—	—	—	1	—	—
	F	5	1	—	1	—	—	2	1	—	—
3 Measles	M	282	48	118	90	26	—	—	—	—	—
	F	257	48	102	86	19	—	2	—	—	—
4 Scarlet fever ..	M	22	1	—	4	9	5	2	1	—	—
	F	19	—	2	8	5	2	1	1	—	—
5 Whooping cough ..	M	264	102	89	64	9	—	—	—	—	—
	F	386	131	131	111	11	—	1	—	—	1
6 Diphtheria ..	M	213	4	16	84	103	4	2	—	—	—
	F	246	10	13	81	129	7	3	3	—	—
7 Influenza	M	1,733	59	54	41	24	63	239	601	353	299
	F	1,861	28	48	32	20	56	194	485	496	502
8 Encephalitis lethargica ..	M	58	—	1	3	4	15	13	19	2	1
	F	56	1	—	1	6	10	15	21	—	2
9 Meningococcal meningitis ..	M	33	12	5	6	3	4	2	1	—	—
	F	24	9	4	4	3	1	3	—	—	—
10 Tuberculosis of respiratory system	M	2,251	9	11	12	32	354	882	854	92	5
	F	1,708	7	9	11	51	501	739	325	53	12
11 Other tuberculous diseases	M	362	46	42	71	64	52	44	35	5	3
	F	293	32	30	40	69	42	43	26	6	5
12 Cancer, malignant disease	M	2,791	—	—	1	5	19	170	1,291	897	408
	F	3,147	1	—	2	11	16	336	1,417	846	518
13 Rheumatic fever ..	M	66	—	—	2	24	25	7	7	1	—
	F	90	—	—	2	44	15	17	11	1	—
14 Diabetes	M	245	—	2	—	4	14	20	86	84	35
	F	303	—	—	—	4	4	12	123	105	55
15 Cerebral hæmorrhage, &c. ..	M	1,195	—	—	—	—	5	35	366	438	351
	F	1,565	—	—	—	—	1	36	444	488	596
16 Heart disease ..	M	4,695	1	—	3	42	80	263	1,421	1,561	1,324
	F	5,514	—	2	2	59	117	321	1,306	1,672	2,035
17 Arterio-sclerosis ..	M	925	—	—	—	—	—	6	208	362	349
	F	810	—	—	—	—	—	4	149	251	406
18 Bronchitis ..	M	1,868	150	40	24	8	5	79	434	513	615
	F	2,049	120	39	16	7	3	36	296	545	987
19 Pneumonia (all forms)	M	3,003	643	380	222	74	93	389	681	341	180
	F	2,279	451	352	193	64	50	215	371	318	265
20 Other respiratory diseases	M	361	12	9	9	11	21	51	150	66	32
	F	302	11	10	3	8	6	38	85	72	69
21 Ulcer of stomach or duodenum ..	M	313	—	—	1	—	6	79	164	50	13
	F	126	1	—	—	—	2	25	65	21	12
22 Diarrhœa, &c. ..	M	499	367	52	17	4	2	7	21	11	18
	F	369	241	37	13	9	5	6	17	16	25
23 Appendicitis and typhlitis.. ..	M	146	1	1	7	24	25	35	40	10	3
	F	104	—	—	4	20	18	24	26	6	6
24 Cirrhosis of liver ..	M	130	—	—	—	—	—	8	84	32	6
	F	75	—	—	—	1	—	8	44	18	4
25 Acute and chronic nephritis ..	M	775	3	1	3	10	26	82	290	218	142
	F	723	2	—	—	20	27	94	293	165	122
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	110	—	—	—	—	20	90	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	159	—	—	—	1	31	124	3	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,302	1,270	8	4	7	4	6	3	—	—
	F	973	950	6	5	5	1	2	3	1	—
29 Suicide	M	413	—	—	—	—	17	113	206	51	26
	F	188	—	—	—	—	15	55	95	16	7
30 Other deaths from violence.. ..	M	1,117	46	23	67	111	169	230	263	122	86
	F	591	37	15	34	62	40	53	109	78	163
31 Other defined diseases	M	4,193	387	63	84	162	150	410	999	808	1,130
	F	3,988	265	42	57	126	119	395	848	691	1,445
32 Causes ill-defined or unknown ..	M	18	1	6	1	—	—	2	6	2	—
	F	15	1	2	1	—	—	1	7	3	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (South).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	9,735	777	168	155	250	351	910	2,701	2,227	2,196
	F	10,440	543	152	171	224	319	957	2,277	2,244	3,553
1 Enteric fever	M	4	—	—	—	1	2	—	1	—	—
	F	9	—	—	—	1	1	4	3	—	—
2 Small-pox	M	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	—	4	5	—	—	—	—	—	—
	F	11	3	3	3	1	—	—	1	—	—
4 Scarlet fever	M	11	—	—	4	4	2	1	—	—	—
	F	13	—	3	2	5	1	2	—	—	—
5 Whooping cough	M	52	24	15	11	1	—	1	—	—	—
	F	76	29	19	24	2	2	—	—	—	—
6 Diphtheria	M	69	1	5	16	43	1	1	1	—	1
	F	88	—	1	29	46	3	5	2	1	1
7 Influenza	M	463	8	6	4	5	18	46	145	107	124
	F	545	7	7	6	7	13	44	127	149	185
8 Encephalitis lethargica	M	21	—	—	1	2	3	5	8	1	1
	F	25	—	—	—	2	8	5	8	—	2
9 Meningococcal meningitis	M	19	3	2	1	4	5	2	2	—	—
	F	20	4	—	4	4	5	—	3	—	—
10 Tuberculosis of respiratory system	M	687	2	1	1	9	125	280	229	29	11
	F	527	1	1	6	14	138	239	100	22	6
11 Other tuberculous diseases	M	121	13	12	20	27	16	18	10	2	3
	F	115	11	15	15	19	14	17	14	4	6
12 Cancer, malignant disease	M	1,096	1	—	1	7	6	61	449	368	203
	F	1,357	—	—	3	3	11	98	548	396	298
13 Rheumatic fever	M	18	1	—	—	4	5	3	4	1	—
	F	19	—	—	—	7	4	3	3	2	—
14 Diabetes	M	98	—	—	—	3	2	8	31	33	21
	F	141	—	—	—	—	2	8	54	40	37
15 Cerebral hæmorrhage, &c.	M	430	—	—	—	1	1	10	132	142	144
	F	654	—	—	—	—	1	14	142	190	307
16 Heart disease	M	1,674	—	—	—	10	17	79	474	537	557
	F	2,198	—	—	—	18	18	100	462	633	967
17 Arterio-sclerosis	M	371	—	—	—	—	—	—	75	136	160
	F	365	—	—	—	—	—	2	52	106	205
18 Bronchitis	M	480	24	11	1	2	2	11	90	140	199
	F	653	26	3	4	3	5	8	63	137	404
19 Pneumonia (all forms)	M	711	118	71	37	17	21	67	189	102	89
	F	640	88	65	42	21	20	58	102	97	147
20 Other respiratory diseases	M	139	4	3	4	4	5	13	42	39	25
	F	115	2	—	2	2	2	14	17	27	49
21 Ulcer of stomach or duodenum	M	127	—	—	—	—	—	33	65	20	9
	F	52	—	—	—	—	1	7	25	6	13
22 Diarrhœa, &c.	M	128	93	11	3	1	1	4	7	4	4
	F	119	66	13	5	2	1	7	10	5	10
23 Appendicitis and typhlitis	M	60	—	—	3	13	5	10	19	6	4
	F	48	—	—	—	5	2	10	21	8	2
24 Cirrhosis of liver	M	50	1	—	—	—	—	1	28	15	5
	F	24	—	—	—	—	—	4	13	4	3
25 Acute and chronic nephritis	M	350	—	—	—	5	9	25	129	105	77
	F	311	—	1	—	4	7	43	95	71	90
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
	F	39	—	—	—	—	11	28	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	44	—	—	—	—	4	40	—	—	—
28 Congenital debility and malformation, premature birth	M	379	361	5	4	2	4	1	2	—	—
	F	219	214	1	—	2	1	1	—	—	—
29 Suicide	M	130	—	—	—	—	6	28	68	24	4
	F	86	—	—	—	—	3	21	44	16	2
30 Other deaths from violence	M	327	10	3	7	36	54	61	90	35	31
	F	190	8	5	7	12	8	16	36	23	75
31 Other defined diseases	M	1,705	111	17	32	49	41	141	409	381	524
	F	1,736	84	15	19	44	33	159	332	306	744
32 Causes ill-defined or unknown	M	5	2	2	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	1	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (Wales and Monmouth). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	3,775	441	127	118	138	184	427	1,076	739	525
	F	3,455	358	123	111	130	178	425	823	650	657
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	1	1	1	1	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	77	22	31	22	2	—	—	—	—	—
	F	70	15	25	26	4	—	—	—	—	—
4 Scarlet fever ..	M	2	1	—	1	—	—	—	—	—	—
	F	3	—	—	1	1	—	1	—	—	—
5 Whooping cough ..	M	44	14	14	12	4	—	—	—	—	—
	F	52	23	17	8	3	—	—	—	1	—
6 Diphtheria ..	M	42	2	1	16	23	—	—	—	—	—
	F	54	1	7	13	33	—	—	—	—	—
7 Influenza	M	116	2	1	1	2	4	23	49	24	10
	F	126	1	3	1	8	4	14	43	27	25
8 Encephalitis lethargica ..	M	2	—	—	—	—	1	1	—	—	—
	F	2	—	—	—	—	1	—	—	1	—
9 Meningococcal meningitis ..	M	5	2	—	—	2	1	—	—	—	—
	F	3	—	—	—	—	1	—	1	—	1
10 Tuberculosis of respiratory system	M	322	—	—	1	3	78	126	108	5	1
	F	279	—	3	2	11	89	133	36	5	—
11 Other tuberculous diseases	M	47	3	1	5	15	12	7	4	—	—
	F	64	7	9	9	12	14	5	6	—	2
12 Cancer, malignant disease	M	325	—	—	1	—	2	18	148	98	58
	F	371	—	—	—	2	1	37	184	100	47
13 Rheumatic fever ..	M	11	—	—	—	6	2	2	1	—	—
	F	11	—	—	1	5	3	—	2	—	—
14 Diabetes	M	35	—	—	—	3	2	6	10	9	5
	F	31	—	—	1	—	1	3	12	12	2
15 Cerebral hæmorrhage, &c. ..	M	130	—	—	—	—	—	1	37	53	39
	F	185	—	—	—	—	—	8	50	68	59
16 Heart disease ..	M	610	—	—	—	11	12	52	217	188	130
	F	613	—	—	2	5	19	48	176	186	177
17 Arterio-sclerosis ..	M	144	—	—	—	—	—	1	30	60	53
	F	118	—	—	—	—	—	—	34	29	55
18 Bronchitis ..	M	235	30	7	1	1	2	6	57	63	68
	F	207	27	5	—	1	—	5	22	56	91
19 Pneumonia (all forms)	M	316	58	48	29	11	11	34	73	37	15
	F	263	68	41	29	8	6	23	40	23	25
20 Other respiratory diseases	M	53	2	2	1	2	1	13	20	11	1
	F	37	3	—	4	1	—	4	13	3	9
21 Ulcer of stomach or duodenum ..	M	43	—	—	—	—	1	11	26	5	—
	F	12	—	—	—	—	—	4	7	1	—
22 Diarrhœa, &c. ..	M	60	33	7	8	1	—	2	5	4	—
	F	47	30	3	1	1	1	2	3	2	4
23 Appendicitis and typhlitis.. ..	M	15	—	—	—	3	4	4	4	—	—
	F	14	—	—	—	2	1	7	4	—	—
24 Cirrhosis of liver ..	M	18	—	—	—	—	—	1	12	5	—
	F	11	—	—	—	—	—	1	4	4	2
25 Acute and chronic nephritis ..	M	133	—	—	—	3	2	12	66	29	21
	F	115	—	—	1	2	3	15	47	36	11
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	3	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	40	—	—	—	—	5	35	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	182	176	2	1	1	1	1	—	—	—
	F	130	127	1	—	1	—	1	—	—	—
29 Suicide	M	43	—	—	—	—	5	8	25	3	2
	F	26	—	—	—	—	3	7	11	5	—
30 Other deaths from violence.. ..	M	178	5	6	10	25	24	49	41	13	5
	F	69	5	3	4	10	3	11	9	8	16
31 Other defined diseases	M	582	91	6	9	20	19	49	140	131	117
	F	489	51	6	7	19	19	55	119	82	131
32 Causes ill-defined or unknown ..	M	4	—	1	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	1	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (North).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	30,221	3,342	943	843	954	1,165	3,145	8,511	6,536	4,782
	F	29,920	2,511	849	818	812	1,167	3,105	7,385	6,660	6,613
1 Enteric fever ..	M	35	—	—	1	3	9	13	7	2	—
	F	36	—	—	—	4	6	13	13	—	—
2 Small-pox	M	4	1	1	—	—	—	1	—	—	1
	F	3	1	—	—	—	1	—	—	1	—
3 Measles	M	210	48	77	64	19	1	—	1	—	—
	F	182	44	63	56	18	—	1	—	—	—
4 Scarlet fever ..	M	49	2	4	16	22	3	2	—	—	—
	F	66	1	4	21	20	6	11	3	—	—
5 Whooping cough ..	M	357	159	116	69	13	—	—	—	—	—
	F	415	169	126	107	12	—	1	—	—	—
6 Diphtheria ..	M	152	9	19	46	67	4	1	4	2	—
	F	145	5	13	48	59	4	4	11	1	—
7 Influenza	M	1,751	59	55	39	42	82	274	605	346	249
	F	1,796	39	49	49	38	57	243	483	433	405
8 Encephalitis lethargica ..	M	86	1	1	4	9	12	20	34	5	—
	F	82	—	3	5	8	7	29	25	4	1
9 Meningococcal meningitis ..	M	26	7	4	2	4	5	3	1	—	—
	F	20	4	2	3	9	2	—	—	—	—
10 Tuberculosis of respiratory system	M	1,644	9	6	16	48	294	630	575	58	8
	F	1,352	5	4	11	63	433	590	204	38	4
11 Other tuberculous diseases	M	472	48	57	82	88	84	56	45	9	3
	F	408	18	35	50	97	79	63	49	13	4
12 Cancer, malignant disease	M	2,659	2	2	2	2	19	127	1,271	876	358
	F	3,313	1	3	4	5	13	320	1,518	976	473
13 Rheumatic fever ..	M	71	—	—	4	18	9	20	15	4	1
	F	120	—	—	4	30	26	29	20	9	2
14 Diabetes	M	299	1	2	—	3	12	37	126	86	32
	F	433	—	—	1	8	15	38	179	139	53
15 Cerebral hæmorrhage, &c. ..	M	1,554	1	—	1	1	—	50	458	608	435
	F	1,826	—	1	—	1	1	34	555	646	588
16 Heart disease ..	M	4,662	—	1	3	50	102	288	1,510	1,638	1,070
	F	5,471	—	—	2	35	104	395	1,510	1,803	1,622
17 Arterio-sclerosis ..	M	1,508	—	—	—	—	—	6	287	648	567
	F	1,117	—	—	—	—	—	4	187	369	557
18 Bronchitis ..	M	1,869	261	52	30	13	12	78	396	518	509
	F	2,065	191	69	32	9	6	53	350	560	795
19 Pneumonia (all forms)	M	3,018	626	373	244	135	110	396	705	292	137
	F	2,280	445	337	250	106	72	196	388	267	219
20 Other respiratory diseases	M	346	16	9	16	22	15	51	119	59	39
	F	308	13	4	16	7	16	43	66	64	79
21 Ulcer of stomach or duodenum ..	M	302	—	—	1	—	8	100	155	30	8
	F	86	1	1	—	—	1	17	42	17	7
22 Diarrhœa, &c. ..	M	409	257	40	23	13	4	8	19	23	22
	F	315	153	37	21	17	3	19	16	27	22
23 Appendicitis and typhlitis.. ..	M	165	—	—	9	29	23	40	50	11	3
	F	118	2	—	4	21	19	22	34	13	3
24 Cirrhosis of liver ..	M	107	—	—	—	1	—	10	64	21	11
	F	43	—	—	—	—	—	3	28	7	5
25 Acute and chronic nephritis ..	M	896	4	3	4	20	22	105	378	238	122
	F	988	6	5	5	22	38	130	402	275	105
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	119	—	—	—	—	23	96	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	211	—	—	—	—	34	173	4	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,367	1,332	7	7	11	7	3	—	—	—
	F	1,050	1,028	7	6	5	1	2	1	—	—
29 Suicide	M	394	—	—	—	—	11	99	223	51	10
	F	162	—	—	—	1	13	60	67	17	4
30 Other deaths from violence.. ..	M	1,305	36	27	64	152	203	315	331	105	72
	F	551	29	9	38	74	42	51	116	80	112
31 Other defined diseases	M	4,413	462	83	96	168	114	401	1,082	882	1,125
	F	4,796	354	77	84	142	143	463	1,090	890	1,553
32 Causes ill-defined or unknown ..	M	91	1	4	—	1	—	11	50	24	—
	F	43	2	—	1	1	2	2	24	11	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (Midlands).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	32,329	3,099	753	706	930	1,307	3,397	8,576	6,994	6,567
	F	31,848	2,264	625	633	852	1,205	3,117	7,011	6,722	9,419
1 Enteric fever	M	16	—	—	—	2	1	10	1	2	—
	F	20	1	—	—	—	5	6	8	—	—
2 Small-pox	M	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	1	—	—	—
3 Measles	M	65	7	19	30	8	1	—	—	—	—
	F	76	11	27	26	12	—	—	—	—	—
4 Scarlet fever	M	42	1	1	10	19	4	5	2	—	—
	F	31	—	2	5	16	2	5	1	—	—
5 Whooping cough	M	319	138	103	64	12	—	—	1	1	—
	F	409	165	111	102	27	1	—	—	—	3
6 Diphtheria	M	251	10	20	83	129	5	4	—	—	—
	F	266	6	14	61	159	13	8	3	2	—
7 Influenza	M	1,632	64	50	46	29	58	246	514	322	303
	F	1,935	35	40	35	38	48	219	459	440	621
8 Encephalitis lethargica	M	65	—	—	2	4	11	23	18	6	1
	F	66	—	2	4	7	9	19	17	4	4
9 Meningococcal meningitis	M	36	12	6	4	7	4	3	—	—	—
	F	25	3	3	5	11	2	—	1	—	—
10 Tuberculosis of respiratory system	M	2,069	9	7	9	19	337	913	681	82	12
	F	1,685	2	5	7	57	524	724	300	54	12
11 Other tuberculous diseases	M	404	41	69	62	61	69	57	34	9	2
	F	340	33	35	45	65	46	55	44	11	6
12 Cancer, malignant disease	M	3,337	—	—	3	11	25	159	1,391	1,193	550
	F	3,967	—	3	5	11	10	334	1,660	1,116	828
13 Rheumatic fever	M	86	1	—	3	37	18	17	6	4	—
	F	91	—	—	7	26	24	14	15	4	1
14 Diabetes	M	269	—	—	—	12	7	23	88	92	47
	F	386	—	—	—	3	8	25	137	138	75
15 Cerebral hæmorrhage, &c.	M	1,474	—	—	—	—	2	36	402	504	530
	F	1,861	—	—	1	—	—	48	425	610	777
16 Heart disease	M	5,427	1	—	2	41	83	262	1,546	1,817	1,675
	F	6,236	—	1	2	63	110	356	1,391	1,811	2,502
17 Arterio-sclerosis	M	1,234	—	—	—	—	—	9	236	461	528
	F	1,037	—	—	—	1	—	3	135	331	567
18 Bronchitis	M	1,880	165	43	29	9	7	65	384	470	708
	F	2,026	102	23	16	10	4	33	221	485	1,132
19 Pneumonia (all forms)	M	2,710	509	298	157	67	91	355	689	340	204
	F	2,017	351	237	164	75	36	189	331	303	331
20 Other respiratory diseases	M	429	10	8	12	10	8	46	178	91	66
	F	325	7	6	8	5	18	40	85	64	92
21 Ulcer of stomach or duodenum	M	397	—	1	—	1	11	92	218	59	15
	F	129	2	—	—	1	6	14	58	32	16
22 Diarrhœa, &c.	M	349	251	22	14	8	5	9	14	14	12
	F	342	192	21	18	10	9	21	27	16	28
23 Appendicitis and typhlitis	M	248	1	2	13	42	42	60	60	19	9
	F	157	—	1	8	20	19	36	43	25	5
24 Cirrhosis of liver	M	140	—	—	—	—	—	9	86	35	10
	F	101	—	—	—	—	2	8	53	31	7
25 Acute and chronic nephritis	M	845	3	1	5	9	30	84	312	227	174
	F	804	2	1	6	19	36	89	280	209	162
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
	F	126	—	—	—	—	26	100	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	195	—	—	—	—	21	172	2	—	—
28 Congenital debility and malformation, premature birth	M	1,453	1,408	11	4	15	6	8	1	—	—
	F	1,055	1,016	7	11	3	7	6	5	—	—
29 Suicide	M	458	—	—	—	1	23	115	221	74	24
	F	198	—	—	—	—	19	65	91	20	3
30 Other deaths from violence	M	1,491	45	19	74	178	269	344	308	136	118
	F	638	39	17	35	58	57	73	113	89	157
31 Other defined diseases	M	5,137	415	70	79	199	188	439	1,150	1,018	1,579
	F	5,259	295	67	58	154	143	452	1,084	917	2,089
32 Causes ill-defined or unknown	M	64	8	3	1	—	2	3	34	13	—
	F	44	2	2	4	1	—	2	22	10	1

*See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts (South).*									
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	17,760	1,317	271	272	447	597	1,637	4,648	4,104	4,467
		F	19,524	1,020	228	246	372	594	1,580	4,147	4,421	6,916
1	Enteric fever ..	M	17	—	—	—	1	5	6	4	1	—
		F	19	—	—	—	1	2	7	7	2	—
2	Small-pox	M	1	—	—	—	—	—	—	1	—	—
		F	5	—	—	—	—	2	3	—	—	—
3	Measles	M	36	8	9	9	9	—	—	1	—	—
		F	40	4	12	11	10	2	—	—	—	1
4	Scarlet fever ..	M	20	1	2	10	4	2	1	—	—	—
		F	20	—	1	1	8	2	5	3	—	—
5	Whooping cough ..	M	118	60	31	20	6	1	—	—	—	—
		F	156	73	40	31	9	—	—	2	1	—
6	Diphtheria ..	M	120	3	6	29	70	7	1	3	1	—
		F	136	2	6	25	83	8	6	6	—	—
7	Influenza	M	818	16	12	19	21	33	97	226	176	218
		F	1,016	16	10	7	13	32	86	199	258	395
8	Encephalitis lethargica ..	M	26	1	1	—	7	3	7	4	3	—
		F	35	—	1	2	3	9	5	9	5	1
9	Meningococcal meningitis ..	M	32	7	—	4	11	8	2	—	—	—
		F	24	5	1	5	6	5	1	1	—	—
10	Tuberculosis of respiratory system	M	1,060	1	—	3	17	154	450	378	52	5
		F	819	2	2	3	22	231	343	168	36	12
11	Other tuberculous diseases	M	189	13	21	30	42	24	29	22	6	2
		F	204	18	23	31	29	23	35	30	8	7
12	Cancer, malignant disease	M	1,973	1	—	8	5	7	99	741	708	404
		F	2,674	1	—	2	2	8	217	1,054	779	611
13	Rheumatic fever ..	M	48	—	—	2	20	11	9	6	—	—
		F	42	—	—	2	17	6	7	8	1	1
14	Diabetes	M	170	—	—	1	2	6	13	52	64	32
		F	268	—	—	1	5	8	19	81	86	68
15	Cerebral hæmorrhage, &c. ..	M	866	1	—	—	1	2	16	205	296	345
		F	1,314	—	—	1	1	1	22	263	415	611
16	Heart disease ..	M	3,321	1	—	2	15	33	129	860	1,087	1,194
		F	4,176	—	—	1	28	53	154	791	1,242	1,907
17	Arterio-sclerosis ..	M	816	—	—	—	—	—	6	156	273	381
		F	867	—	—	—	—	—	1	106	241	519
18	Bronchitis ..	M	897	60	19	8	1	1	27	143	206	432
		F	1,120	52	9	5	3	1	8	83	227	732
19	Pneumonia (all forms)	M	1,171	186	114	47	29	27	130	317	170	151
		F	944	135	71	52	21	21	79	177	171	217
20	Other respiratory diseases	M	233	4	—	2	4	7	21	82	44	69
		F	218	8	—	5	6	7	22	57	46	67
21	Ulcer of stomach or duodenum ..	M	234	—	—	—	—	1	51	129	43	10
		F	98	—	—	—	1	2	10	49	24	12
22	Diarrhœa, &c. ..	M	165	115	8	5	—	3	3	12	6	13
		F	164	82	7	7	2	2	14	16	17	17
23	Appendicitis and typhlitis.. ..	M	126	—	3	10	16	20	16	41	17	3
		F	110	—	—	3	10	15	28	29	16	9
24	Cirrhosis of liver ..	M	105	—	—	—	—	—	5	57	32	11
		F	48	—	—	—	—	1	3	20	19	5
25	Acute and chronic nephritis ..	M	578	1	1	1	5	7	41	193	189	140
		F	559	—	1	1	6	12	47	190	162	140
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	63	—	—	—	—	13	49	1	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	85	—	—	—	—	12	73	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	636	618	3	2	3	4	5	1	—	—
		F	480	459	4	4	4	6	1	2	—	—
29	Suicide	M	266	—	—	—	—	17	65	131	40	13
		F	109	—	—	—	—	8	30	63	8	—
30	Other deaths from violence.. ..	M	747	24	18	27	78	146	135	179	63	77
		F	390	21	9	17	16	30	34	69	63	131
31	Other defined diseases	M	2,939	189	23	32	80	68	271	693	616	967
		F	3,303	140	31	29	66	72	269	655	589	1,452
32	Causes ill-defined or unknown ..	M	32	7	—	1	—	—	2	11	11	—
		F	18	2	—	—	—	—	2	8	5	1

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (Wales and Monmouth). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	8,271	866	225	231	274	401	951	2,353	1,736	1,234
	F	7,310	697	193	225	245	372	835	1,702	1,451	1,590
1 Enteric fever ..	M	3	—	—	—	—	1	2	—	—	—
	F	5	—	—	—	—	—	4	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	—	1	—	—
3 Measles	M	60	16	22	16	6	—	—	—	—	—
	F	54	11	22	16	4	1	—	—	—	—
4 Scarlet fever ..	M	5	—	1	2	2	—	—	—	—	—
	F	9	—	—	5	4	—	—	—	—	—
5 Whooping cough ..	M	101	40	38	22	—	—	—	—	—	1
	F	118	51	38	27	2	—	—	—	—	—
6 Diphtheria ..	M	56	—	6	20	28	1	1	—	—	—
	F	79	3	5	33	32	2	4	—	—	—
7 Influenza	M	353	8	6	10	15	20	53	118	69	54
	F	337	9	9	7	6	13	42	92	82	77
8 Encephalitis lethargica ..	M	20	—	1	—	3	2	8	4	1	1
	F	9	—	—	1	—	1	3	4	—	—
9 Meningococcal meningitis ..	M	6	2	1	1	—	2	—	—	—	—
	F	6	1	1	1	—	2	1	—	—	—
10 Tuberculosis of respiratory system	M	514	3	3	5	7	119	204	155	15	3
	F	467	—	—	1	14	175	191	73	11	2
11 Other tuberculous diseases	M	124	3	6	13	29	36	22	15	—	—
	F	96	3	10	9	24	15	23	10	2	—
12 Cancer, malignant disease	M	722	—	—	2	5	7	48	341	241	78
	F	761	—	1	1	1	5	75	367	197	114
13 Rheumatic fever ..	M	27	—	—	—	13	3	2	9	—	—
	F	32	—	—	—	10	6	7	7	2	—
14 Diabetes	M	66	—	—	—	—	—	18	19	22	7
	F	98	—	—	—	2	2	7	43	32	12
15 Cerebral hæmorrhage, &c. ..	M	412	—	—	—	—	1	12	129	167	103
	F	436	—	—	—	—	—	5	154	150	127
16 Heart disease ..	M	1,381	—	—	1	23	34	93	457	457	316
	F	1,353	—	—	1	31	40	111	361	406	403
17 Arterio-sclerosis ..	M	291	—	—	—	—	1	2	58	111	119
	F	189	—	—	—	—	—	—	27	74	88
18 Bronchitis ..	M	557	53	12	5	5	2	31	137	165	147
	F	448	58	13	7	3	2	10	50	107	198
19 Pneumonia (all forms)	M	629	144	78	58	19	21	60	155	60	34
	F	428	97	63	42	19	14	36	54	50	53
20 Other respiratory diseases	M	132	6	1	8	4	3	18	47	29	16
	F	79	2	1	6	2	4	10	21	17	16
21 Ulcer of stomach or duodenum ..	M	68	—	—	—	—	4	21	36	5	2
	F	28	1	—	—	—	1	8	11	6	1
22 Diarrhœa, &c. ..	M	96	56	9	5	4	2	3	7	9	1
	F	115	49	12	12	5	2	6	11	8	10
23 Appendicitis and typhlitis.. ..	M	48	—	—	3	6	9	10	17	2	1
	F	26	—	1	4	3	6	6	4	2	—
24 Cirrhosis of liver ..	M	35	—	—	—	—	—	6	13	13	3
	F	16	—	—	—	—	—	—	13	2	1
25 Acute and chronic nephritis ..	M	312	2	1	3	10	8	27	131	76	54
	F	243	—	—	3	7	8	33	87	63	42
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	46	—	—	—	—	4	40	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	83	—	—	—	—	15	68	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	381	371	3	3	1	3	—	—	—	—
	F	299	291	—	5	3	—	—	—	—	—
29 Suicide	M	83	—	—	—	—	3	20	42	12	6
	F	28	—	—	—	—	4	6	17	1	—
30 Other deaths from violence.. ..	M	497	7	9	28	53	75	149	145	26	5
	F	146	9	2	20	27	15	8	19	17	29
31 Other defined diseases	M	1,280	155	26	26	41	44	138	311	256	283
	F	1,256	109	14	23	45	35	131	264	218	417
32 Causes ill-defined or unknown ..	M	12	—	2	—	—	—	3	7	—	—
	F	18	2	1	1	1	—	—	9	4	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (North).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	11,637	1,450	335	307	392	480	1,156	2,679	2,468	2,370
	F	10,425	1,019	310	295	330	415	1,059	2,258	2,257	2,482
1 Enteric fever ..	M	12	—	—	—	1	—	4	6	1	—
	F	6	—	—	—	1	—	3	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	91	13	35	28	12	2	1	—	—	—
	F	93	15	32	33	12	—	1	—	—	—
4 Scarlet fever ..	M	15	—	—	1	11	—	3	—	—	—
	F	19	—	2	8	4	3	—	2	—	—
5 Whooping cough ..	M	110	52	34	19	5	—	—	—	—	—
	F	126	66	30	26	3	—	—	—	—	1
6 Diphtheria ..	M	60	3	7	15	31	4	—	—	—	—
	F	68	1	3	24	34	2	4	—	—	—
7 Influenza	M	655	28	19	12	26	41	84	187	136	122
	F	589	18	13	16	9	14	90	148	133	148
8 Encephalitis lethargica ..	M	32	2	1	1	2	6	6	13	1	—
	F	29	1	—	—	2	5	5	11	4	1
9 Meningococcal meningitis ..	M	16	4	2	1	5	2	2	—	—	—
	F	7	1	1	1	3	—	1	—	—	—
10 Tuberculosis of respiratory system	M	534	3	3	6	22	109	222	140	28	1
	F	445	1	3	9	20	132	198	66	15	1
11 Other tuberculous diseases	M	162	8	19	23	23	21	43	21	3	1
	F	153	8	9	21	36	30	23	17	6	3
12 Cancer, malignant disease	M	967	—	—	1	2	5	57	394	321	187
	F	1,184	1	—	1	2	9	96	490	375	210
13 Rheumatic fever ..	M	29	—	—	—	9	4	9	3	4	—
	F	30	—	—	1	10	5	7	6	1	—
14 Diabetes	M	122	—	—	—	2	6	9	42	43	20
	F	142	—	—	—	4	5	15	52	46	20
15 Cerebral hæmorrhage, &c. ..	M	580	—	—	1	—	1	12	132	224	210
	F	653	—	—	—	—	1	15	159	230	248
16 Heart disease ..	M	1,909	—	1	3	21	33	99	516	666	570
	F	1,878	—	—	1	21	40	112	451	615	638
17 Arterio-sclerosis ..	M	544	—	—	—	—	—	1	84	203	256
	F	370	—	—	—	—	—	—	66	128	176
18 Bronchitis ..	M	622	110	25	13	7	—	27	84	142	214
	F	588	81	28	7	4	3	13	68	136	248
19 Pneumonia (all forms)	M	999	215	109	75	48	38	126	201	120	67
	F	745	153	103	72	31	28	67	100	98	93
20 Other respiratory diseases	M	146	2	4	10	3	5	15	49	28	30
	F	104	2	2	3	8	1	13	29	20	26
21 Ulcer of stomach or duodenum ..	M	97	—	—	—	—	4	30	49	5	9
	F	39	—	—	—	—	—	11	20	5	3
22 Diarrhœa, &c. ..	M	209	131	18	21	4	1	8	9	10	7
	F	168	84	25	12	7	3	5	8	10	14
23 Appendicitis and typhlitis.. ..	M	85	—	1	7	14	14	19	23	5	2
	F	40	—	—	3	12	9	9	5	1	1
24 Cirrhosis of liver ..	M	48	—	—	—	—	—	3	26	13	6
	F	19	—	—	—	—	1	—	11	5	2
25 Acute and chronic nephritis ..	M	314	1	1	5	6	10	32	109	89	61
	F	309	1	4	4	6	8	30	98	98	60
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	72	—	—	—	—	19	53	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	90	—	—	—	—	19	71	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	638	628	8	1	4	—	1	1	—	—
	F	446	426	7	1	4	6	2	—	—	—
29 Suicide	M	140	—	—	—	—	4	30	76	22	8
	F	39	—	—	—	—	2	10	22	3	2
30 Other deaths from violence.. ..	M	627	11	18	36	63	100	166	149	55	29
	F	208	10	7	20	31	22	21	36	23	38
31 Other defined diseases	M	1,841	238	33	28	67	69	147	346	343	570
	F	1,729	150	39	32	65	47	181	371	295	549
32 Causes ill-defined or unknown ..	M	33	1	2	—	4	1	—	19	6	—
	F	37	—	2	—	1	1	3	20	10	—

 * See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (Midlands).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	21,669	1,900	374	377	508	794	1,830	4,655	5,096	6,135
	F	20,780	1,338	279	338	433	684	1,837	4,169	4,501	7,201
1 Enteric fever ..	M	17	—	—	—	2	5	7	3	—	—
	F	14	—	—	—	—	2	5	6	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	49	10	14	11	12	1	1	—	—	—
	F	54	6	13	21	9	2	2	—	—	1
4 Scarlet fever ..	M	35	1	1	9	17	4	—	3	—	—
	F	29	1	—	6	13	4	5	—	—	—
5 Whooping cough ..	M	113	53	39	19	2	—	—	—	—	—
	F	163	70	50	35	7	—	—	—	—	1
6 Diphtheria ..	M	101	4	5	32	48	5	1	5	1	—
	F	110	4	6	31	56	7	2	4	—	—
7 Influenza	M	1,245	51	35	29	21	34	116	323	305	331
	F	1,248	30	13	21	20	27	137	242	317	441
8 Encephalitis lethargica ..	M	39	—	1	2	4	4	11	14	3	—
	F	31	—	—	—	2	5	7	14	3	—
9 Meningococcal meningitis ..	M	9	3	—	—	1	2	1	2	—	—
	F	11	2	3	2	—	1	—	3	—	—
10 Tuberculosis of respiratory system	M	981	3	4	1	10	188	432	295	39	9
	F	914	2	3	3	24	270	397	165	40	10
11 Other tuberculous diseases	M	255	22	27	35	43	37	58	24	7	2
	F	198	17	15	25	44	30	38	21	6	2
12 Cancer, malignant disease	M	2,329	1	2	4	8	12	88	812	832	570
	F	2,691	1	—	2	4	13	176	1,013	828	654
13 Rheumatic fever ..	M	42	—	—	—	14	12	6	8	1	1
	F	46	—	—	—	14	4	13	12	2	1
14 Diabetes	M	225	—	—	—	11	11	23	63	75	42
	F	296	—	—	—	6	5	24	101	102	58
15 Cerebral hæmorrhage, &c. ..	M	1,108	—	—	—	—	2	12	211	387	496
	F	1,378	—	—	—	1	—	25	286	427	639
16 Heart disease ..	M	3,795	—	—	1	28	31	140	819	1,342	1,434
	F	4,054	—	—	1	26	41	176	794	1,153	1,863
17 Arterio-sclerosis ..	M	996	—	—	—	—	—	4	141	326	525
	F	809	—	—	—	—	1	7	110	200	491
18 Bronchitis ..	M	1,195	97	23	13	1	2	19	141	281	618
	F	1,210	63	17	10	3	3	15	97	249	753
19 Pneumonia (all forms)	M	1,397	279	127	82	26	38	149	312	214	170
	F	1,001	141	84	66	32	30	116	175	175	182
20 Other respiratory diseases	M	260	6	6	8	15	9	30	76	62	48
	F	182	8	1	3	1	2	16	47	43	61
21 Ulcer of stomach or duodenum ..	M	206	1	—	—	—	5	46	91	46	17
	F	87	1	—	—	—	4	13	43	16	10
22 Diarrhœa, &c. ..	M	161	100	10	11	3	1	7	6	4	19
	F	170	74	16	15	3	7	9	14	11	21
23 Appendicitis and typhlitis.. ..	M	151	—	2	8	16	28	35	31	24	7
	F	98	—	—	9	11	12	21	28	13	4
24 Cirrhosis of liver ..	M	99	—	—	—	—	1	1	51	33	13
	F	39	—	—	1	1	—	6	17	11	3
25 Acute and chronic nephritis ..	M	542	3	—	3	10	19	42	147	174	144
	F	590	2	—	4	11	15	51	176	179	152
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	94	—	—	—	—	27	66	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	130	—	—	—	—	19	110	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	976	956	4	5	2	5	1	3	—	—
	F	713	697	3	2	4	2	4	1	—	—
29 Suicide	M	261	—	—	—	—	18	66	116	44	17
	F	115	—	—	—	—	11	53	40	10	1
30 Other deaths from violence.. ..	M	1,119	33	23	44	95	207	252	264	108	93
	F	403	20	9	35	33	36	35	58	67	110
31 Other defined diseases	M	3,891	272	51	58	117	112	282	655	765	1,579
	F	3,854	197	45	46	105	104	306	676	635	1,740
32 Causes ill-defined or unknown ..	M	72	5	—	2	2	1	—	39	23	—
	F	48	2	1	—	3	—	2	24	13	3

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (South).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	13,268	949	192	166	319	418	1,108	3,054	3,230	3,832
	F	12,983	720	118	157	297	356	1,064	2,665	2,888	4,718
1 Enteric fever ..	M	6	—	—	—	1	1	3	1	—	—
	F	4	—	—	—	—	1	1	1	1	—
2 Small-pox	M	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	21	1	7	6	7	—	—	—	—	—
	F	15	1	5	3	5	1	—	—	—	—
4 Scarlet fever ..	M	12	1	—	2	6	—	3	—	—	—
	F	15	—	1	3	8	2	1	—	—	—
5 Whooping cough ..	M	81	48	21	10	2	—	—	—	—	—
	F	85	45	18	17	4	—	—	1	—	—
6 Diphtheria ..	M	78	3	3	22	42	3	4	1	—	—
	F	83	2	1	17	54	4	4	1	—	—
7 Influenza	M	703	21	7	6	17	20	65	190	172	205
	F	801	15	8	8	14	21	73	179	213	270
8 Encephalitis lethargica ..	M	22	—	—	1	1	2	2	11	3	2
	F	26	—	—	—	3	2	7	12	1	1
9 Meningococcal meningitis ..	M	12	3	—	3	3	1	2	—	—	—
	F	10	5	2	—	3	—	—	—	—	—
10 Tuberculosis of respiratory system	M	632	1	1	—	7	92	281	199	45	6
	F	535	1	—	2	15	129	229	118	35	6
11 Other tuberculous diseases	M	143	14	11	11	32	15	27	24	8	1
	F	118	15	8	11	22	14	30	16	2	—
12 Cancer, malignant disease	M	1,420	—	1	2	7	6	65	492	511	336
	F	1,724	—	—	2	2	7	101	673	513	426
13 Rheumatic fever ..	M	33	—	—	1	8	12	7	2	3	—
	F	34	—	—	—	10	7	8	9	—	—
14 Diabetes	M	133	—	—	—	1	3	16	36	49	28
	F	189	—	—	1	5	3	17	60	62	41
15 Cerebral hæmorrhage, &c. ..	M	666	1	—	—	1	2	12	146	212	292
	F	864	—	—	—	—	1	15	176	275	397
16 Heart disease ..	M	2,543	—	—	—	8	23	69	563	874	1,006
	F	2,747	—	1	—	11	15	82	503	812	1,323
17 Arterio-sclerosis ..	M	640	—	—	—	—	—	2	102	227	309
	F	485	—	—	—	—	—	1	66	132	286
18 Bronchitis ..	M	733	38	13	4	1	1	15	74	186	401
	F	705	38	4	6	2	4	3	50	131	467
19 Pneumonia (all forms)	M	773	114	60	30	26	27	80	194	128	114
	F	583	85	32	26	25	18	56	105	110	126
20 Other respiratory diseases	M	171	6	2	1	5	7	16	73	27	34
	F	136	2	1	3	4	2	17	28	37	42
21 Ulcer of stomach or duodenum ..	M	141	—	—	—	—	2	32	69	29	9
	F	51	—	—	—	1	1	15	19	10	5
22 Diarrhœa, &c. ..	M	97	56	13	2	3	1	3	3	9	7
	F	75	25	1	6	1	1	5	11	11	14
23 Appendicitis and typhlitis.. ..	M	99	1	1	5	13	19	18	29	11	2
	F	79	—	1	2	15	14	10	21	8	8
24 Cirrhosis of liver ..	M	47	—	—	—	—	—	2	29	12	4
	F	22	—	—	—	—	—	4	4	6	8
25 Acute and chronic nephritis ..	M	461	1	—	2	4	7	30	136	152	129
	F	335	—	—	2	—	6	33	105	104	85
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	57	—	—	—	—	14	43	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	80	—	—	—	—	13	66	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	485	476	1	2	3	1	1	1	—	—
	F	377	369	3	1	1	1	2	—	—	—
29 Suicide	M	177	—	—	—	—	13	47	85	24	8
	F	50	—	—	—	—	4	20	22	4	—
30 Other deaths from violence.. ..	M	600	16	17	30	57	92	159	133	60	36
	F	244	15	11	14	28	24	19	39	28	66
31 Other defined diseases	M	2,318	145	34	26	64	67	145	452	482	903
	F	2,435	101	19	33	64	47	200	439	385	1,147
32 Causes ill-defined or unknown ..	M	20	3	—	—	—	—	2	9	6	—
	F	19	1	2	—	—	—	2	6	8	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (Wales and Monmouth). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	5,538	609	97	107	137	258	559	1,335	1,249	1,187
	F	5,189	449	80	89	151	216	558	1,105	1,112	1,429
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—
	F	8	—	—	—	—	5	2	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—
3 Measles	M	9	1	5	2	1	—	—	—	—	—
	F	11	1	5	2	3	—	—	—	—	—
4 Scarlet fever ..	M	5	2	—	—	1	1	—	1	—	—
	F	3	—	1	1	—	—	1	—	—	—
5 Whooping cough ..	M	52	24	11	12	5	—	—	—	—	—
	F	60	33	16	9	2	—	—	—	—	—
6 Diphtheria ..	M	39	1	2	13	19	—	—	2	1	1
	F	30	—	—	8	19	2	—	1	—	—
7 Influenza	M	235	7	6	1	5	11	46	65	50	44
	F	214	8	3	4	6	4	29	39	51	70
8 Encephalitis lethargica ..	M	8	—	—	1	—	—	1	3	2	1
	F	14	1	—	—	2	2	4	4	1	—
9 Meningococcal meningitis ..	M	6	3	2	1	—	—	—	—	—	—
	F	4	2	—	1	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	375	3	—	1	8	66	147	117	28	5
	F	339	—	—	1	16	97	151	57	12	5
11 Other tuberculous diseases	M	74	7	3	5	15	16	11	11	6	—
	F	61	2	4	4	21	10	11	8	—	1
12 Cancer, malignant disease	M	530	—	1	1	—	4	23	218	194	89
	F	618	—	—	—	1	3	43	249	192	130
13 Rheumatic fever ..	M	15	—	—	2	4	3	2	3	1	—
	F	12	—	—	—	3	4	3	1	—	1
14 Diabetes	M	34	—	—	—	1	2	4	5	18	4
	F	48	—	—	—	2	1	8	14	18	5
15 Cerebral hæmorrhage, &c. ..	M	279	—	—	—	—	—	4	69	102	104
	F	363	—	—	—	—	1	8	102	117	185
16 Heart disease ..	M	913	—	—	1	9	18	37	236	324	288
	F	1,009	—	—	—	10	16	64	245	322	352
17 Arterio-sclerosis ..	M	238	—	—	—	—	—	—	37	74	127
	F	195	—	—	—	—	—	—	31	51	113
18 Bronchitis ..	M	272	35	3	4	—	2	7	46	67	108
	F	280	23	8	2	1	1	2	23	63	157
19 Pneumonia (all forms)	M	404	82	36	23	8	15	48	89	54	49
	F	245	55	24	22	13	8	21	27	35	40
20 Other respiratory diseases	M	85	8	1	7	—	—	7	36	13	13
	F	45	4	—	3	2	1	6	11	6	12
21 Ulcer of stomach or duodenum ..	M	53	—	—	—	—	—	17	25	9	2
	F	12	—	—	—	—	—	1	7	2	2
22 Diarrhœa, &c. ..	M	50	32	5	1	1	—	1	7	3	—
	F	55	29	4	5	1	—	2	5	1	8
23 Appendicitis and typhlitis.. ..	M	39	—	—	3	6	11	6	11	1	1
	F	28	1	—	1	7	4	10	3	1	1
24 Cirrhosis of liver ..	M	19	—	—	—	—	—	3	7	6	3
	F	4	—	—	—	—	—	—	4	—	—
25 Acute and chronic nephritis ..	M	258	1	1	—	5	6	16	74	91	64
	F	212	—	—	—	3	8	22	63	69	47
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	32	—	—	—	—	9	21	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	55	—	—	—	—	9	44	2	—	—
28 Congenital debility and malformation, premature birth.. ..	M	288	282	2	1	2	—	—	1	—	—
	F	218	211	1	1	1	2	2	—	—	—
29 Suicide	M	73	—	—	—	—	5	21	31	12	4
	F	20	—	—	—	—	2	10	7	—	1
30 Other deaths from violence.. ..	M	291	4	7	14	22	69	83	67	19	6
	F	90	5	5	13	11	5	14	11	8	18
31 Other defined diseases	M	871	117	12	14	25	27	71	161	170	274
	F	890	74	9	12	25	22	77	185	156	330
32 Causes ill-defined or unknown ..	M	22	—	—	—	—	2	3	13	4	—
	F	13	—	—	—	—	—	2	3	7	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1929.
(Civilian population only).

Causes of Death.	Sex.	Greater London.* All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	51,754	4,709	1,232	1,064	1,255	1,952	5,552	15,687	10,941	9,362
	F	51,226	3,549	1,172	948	1,163	1,991	4,949	11,887	10,828	14,739
1 Enteric fever ..	M	28	—	—	—	5	3	11	8	1	—
	F	42	—	—	—	3	11	13	12	2	1
2 Small-pox	M	8	3	—	—	2	—	2	1	—	—
	F	5	1	—	1	—	—	3	—	—	—
3 Measles	M	127	27	57	39	4	—	—	—	—	—
	F	133	26	56	36	15	—	—	—	—	—
4 Scarlet fever ..	M	81	1	9	22	29	10	9	1	—	—
	F	59	2	7	13	23	6	4	4	—	—
5 Whooping cough ..	M	749	290	244	191	24	—	—	—	—	—
	F	924	360	326	198	39	—	—	—	1	—
6 Diphtheria ..	M	356	25	38	113	167	4	6	3	—	—
	F	371	19	37	94	198	13	6	3	—	1
7 Influenza	M	2,367	61	60	40	33	89	314	871	488	411
	F	2,878	41	52	34	28	81	294	765	710	873
8 Encephalitis lethargica ..	M	61	—	1	2	1	9	22	15	9	2
	F	64	—	—	—	4	14	18	19	7	2
9 Meningococcal meningitis ..	M	91	35	16	7	15	10	6	2	—	—
	F	62	18	3	18	14	4	4	1	—	—
10 Tuberculosis of respiratory system	M	4,006	10	12	15	39	612	1,561	1,552	174	31
	F	2,766	6	14	11	70	874	1,168	513	88	22
11 Other tuberculous diseases	M	496	37	44	84	82	77	80	67	20	5
	F	468	43	43	67	95	82	65	50	14	9
12 Cancer, malignant disease	M	5,343	3	1	10	13	29	311	2,392	1,727	857
	F	6,188	3	3	11	19	37	561	2,669	1,704	1,181
13 Rheumatic fever ..	M	137	1	1	6	51	33	25	16	4	—
	F	177	—	—	8	68	33	37	27	3	1
14 Diabetes	M	373	—	—	—	6	13	38	138	115	63
	F	586	—	—	—	5	9	45	196	214	117
15 Cerebral hæmorrhage, &c. ..	M	1,633	1	1	—	2	2	55	517	529	526
	F	2,342	—	1	1	3	4	59	580	769	925
16 Heart disease ..	M	9,544	3	1	4	78	127	519	2,915	3,074	2,823
	F	11,187	1	2	2	100	217	632	2,455	3,184	4,594
17 Arterio-sclerosis ..	M	1,828	—	—	—	—	—	17	423	665	723
	F	1,920	—	—	—	1	—	17	296	573	1,033
18 Bronchitis ..	M	3,195	194	40	18	3	13	167	924	854	982
	F	3,444	119	27	16	10	8	54	487	854	1,869
19 Pneumonia (all forms)	M	5,178	899	513	268	88	118	557	1,532	726	477
	F	3,953	636	421	243	97	62	293	747	664	790
20 Other respiratory diseases	M	758	19	10	11	20	25	94	297	157	125
	F	620	8	9	10	9	17	75	160	125	207
21 Ulcer of stomach or duodenum ..	M	752	—	1	—	—	11	184	405	120	31
	F	235	1	—	—	2	4	30	112	51	35
22 Diarrhœa, &c. ..	M	787	635	49	12	6	11	18	32	10	14
	F	633	418	53	17	4	5	33	45	28	30
23 Appendicitis and typhlitis.. ..	M	348	1	5	14	45	58	76	108	31	10
	F	241	1	1	9	27	28	52	84	29	10
24 Cirrhosis of liver ..	M	276	—	—	—	1	2	25	163	68	17
	F	183	—	—	—	1	4	25	95	45	13
25 Acute and chronic nephritis ..	M	1,505	7	1	6	12	48	153	553	427	298
	F	1,365	2	1	8	27	57	149	512	321	288
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	214	—	—	—	—	37	176	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	218	—	—	—	—	35	182	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,845	1,796	12	8	8	7	8	5	1	—
	F	1,376	1,328	7	13	8	10	5	5	—	—
29 Suicide	M	723	—	—	—	—	36	213	350	92	32
	F	367	—	—	—	—	27	131	177	24	8
30 Other deaths from violence.. ..	M	2,104	53	32	80	235	372	385	451	262	234
	F	1,176	53	24	43	74	94	116	235	195	342
31 Other defined diseases	M	7,039	604	82	113	285	233	695	1,942	1,384	1,701
	F	7,017	461	83	94	219	218	700	1,633	1,222	2,387
32 Causes ill-defined or unknown ..	M	16	4	2	1	1	—	1	4	3	—
	F	12	2	2	1	—	—	2	3	1	1

*See footnote on page 62.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	City of London. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	The Inner and Middle Temples. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	86	1	—	1	1	3	8	44	17	11	5	—	—	—	—	—	—	1	1	
	F	64	4	—	—	1	—	6	14	17	22	4	—	—	—	—	—	1	2	—	
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Influenza	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
	F	4	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11 Other tuberculous diseases	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 Cancer, malignant disease	M	10	—	—	—	—	—	1	8	1	—	1	—	—	—	—	—	—	—	—	1
	F	5	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—	1	—
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15 Cerebral hæmorrhage, &c.	M	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
16 Heart disease	M	26	—	—	—	—	—	2	11	7	6	—	—	—	—	—	—	—	—	—	
	F	21	—	—	—	—	—	1	4	7	9	1	—	—	—	—	—	—	—	—	
17 Arterio-sclerosis	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18 Bronchitis	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	
19 Pneumonia (all forms)	M	9	—	—	—	—	—	—	8	1	—	2	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	—	1	1	2	—	1	—	—	—	—	—	1	—	—	
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
22 Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis	M	9	—	—	—	—	—	1	1	4	3	1	—	—	—	—	—	—	—	1	—
	F	5	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	—	—	—	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28 Congenital debility and malformation, premature birth	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
29 Suicide	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31 Other defined diseases	M	12	1	—	—	1	—	—	7	1	2	—	—	—	—	—	—	—	—	—	
	F	13	2	—	—	—	—	3	2	3	3	—	—	—	—	—	—	—	—	—	
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Battersea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bermondsey. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1154	97	29	35	28	48	133	359	235	190	896	88	38	19	27	34	93	287	189	121
	F	1140	67	32	25	27	68	98	254	230	339	753	72	27	17	18	31	70	187	168	163
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	3	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough	M	18	3	6	9	—	—	—	—	—	—	18	2	11	3	2	—	—	—	—	—
	F	25	12	6	5	2	—	—	—	—	—	15	5	8	2	—	—	—	—	—	—
6 Diphtheria	M	9	2	1	3	3	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—
7 Influenza	M	67	1	1	—	1	2	8	27	18	9	9	1	1	—	—	—	1	3	1	2
	F	71	—	1	—	1	2	3	21	21	22	20	1	—	—	—	—	2	8	6	3
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	4	—	4	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	107	1	1	2	2	15	46	34	6	—	77	—	1	—	2	11	24	32	6	1
	F	79	—	—	—	2	38	28	8	3	—	42	—	1	1	2	10	17	10	1	—
11 Other tuberculous diseases	M	12	1	—	3	3	1	—	3	1	—	9	—	3	3	1	—	—	—	2	—
	F	8	2	—	1	4	1	—	—	—	—	13	2	3	2	2	—	1	2	1	—
12 Cancer, malignant disease	M	112	—	—	—	—	1	8	57	32	14	77	—	—	—	—	—	4	40	25	8
	F	131	—	—	1	—	1	13	57	35	24	70	—	—	—	—	—	6	36	21	7
13 Rheumatic fever	M	3	—	—	—	1	1	1	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	6	—	—	—	2	2	1	1	—	—	3	—	—	—	1	2	—	—	—	—
14 Diabetes	M	3	—	—	—	—	—	1	1	1	—	3	—	—	—	—	—	1	2	—	—
	F	17	—	—	—	—	—	1	5	6	5	11	—	—	—	—	—	2	7	1	1
15 Cerebral hæmorrhage, &c.	M	26	—	—	—	—	—	1	6	10	9	32	—	—	—	—	—	—	11	10	11
	F	50	—	—	—	—	—	1	14	16	19	46	—	—	—	—	—	2	12	22	10
16 Heart disease	M	223	—	—	—	6	4	7	63	65	78	147	—	—	—	2	2	7	58	44	34
	F	282	—	—	—	2	5	21	51	73	130	187	—	—	—	3	6	12	49	53	64
17 Arterio-sclerosis	M	23	—	—	—	—	—	—	5	9	9	36	—	—	—	—	—	—	1	18	17
	F	32	—	—	—	—	—	—	3	5	24	25	—	—	—	—	—	—	3	9	13
18 Bronchitis	M	74	4	—	1	—	—	7	19	24	19	64	2	—	—	—	—	1	28	19	14
	F	86	1	5	—	—	—	—	15	19	46	65	2	1	—	—	—	2	11	20	29
19 Pneumonia (all forms)	M	123	22	13	7	2	4	11	37	14	13	126	20	14	9	1	5	16	34	17	10
	F	78	11	17	5	2	5	3	12	12	11	79	15	10	10	1	1	4	18	11	9
20 Other respiratory diseases	M	17	1	1	—	—	1	4	6	2	2	11	—	—	—	—	1	1	8	1	—
	F	13	—	—	—	—	2	2	2	5	2	10	1	—	—	—	—	—	6	2	1
21 Ulcer of stomach or duodenum	M	22	—	—	—	—	—	4	14	4	—	15	—	—	—	—	—	5	8	2	—
	F	7	—	—	—	—	—	2	1	2	2	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	18	13	—	4	—	1	—	—	—	—	10	10	—	—	—	—	—	—	—	—
	F	12	7	2	—	—	—	2	—	1	—	7	6	1	—	—	—		—	—	—
23 Appendicitis and typhlitis	M	4	—	—	—	—	2	1	1	—	—	7	—	—	—	2	1	1	2	1	—
	F	4	—	—	—	—	—	1	2	—	1	3	—	—	—	—	1	1	—	1	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	3	2	—	—	8	—	—	—	—	—	1	6	1	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis	M	33	—	—	—	1	3	4	7	10	8	26	—	—	—	—	1	4	10	9	2
	F	33	—	—	1	2	5	—	10	8	7	13	—	—	—	—	3	2	6	1	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth	M	34	33	—	—	—	1	—	—	—	—	44	44	—	—	—	—	—	—	—	—
	F	26	24	—	1	1	—	—	—	—	—	26	25	—	—	1	—	—	—	—	—
29 Suicide	M	15	—	—	—	—	—	7	5	3	—	11	—	—	—	—	—	2	7	2	—
	F	6	—	—	—	—	1	2	3	—	—	3	—	—	—	—	—	3	—	—	—
30 Other deaths from violence	M	56	1	1	2	3	8	10	22	5	4	47	2	1	1	7	9	12	11	3	1
	F	14	1	—	—	2	1	—	3	2	5	13	4	—	2	—	3	—	1	—	3
31 Other defined diseases	M	144	14	4	2	5	4	10	49	31	25	104	6	2	1	6	2	13	25	28	21
	F	144	8	1	6	6	4	13	45	20	41	90	10	1	—	7	3	13	16	18	22
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929. (Civilian population only).

Causes of Death.	Sex.	Bethnal Green. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Camberwell. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	778	82	36	14	22	26	80	287	151	80	1739	143	44	38	46	66	186	529	358	329
	F	734	51	30	19	22	30	94	166	152	170	1752	125	41	30	39	75	142	391	374	535
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	10	2	6	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	7	2	3	2	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	1	—	—	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	12	3	7	1	1	—	—	—	—	—	36	10	12	13	1	—	—	—	—	—
	F	16	4	7	5	—	—	—	—	—	—	30	9	15	6	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	1	—	1	—	—	—	—	—	8	—	2	4	2	—	—	—	—	—
	F	5	—	—	3		—	—	—	—	—	8	1	2	2	3	—	—	—	—	—
7 Influenza	M	27	2	—	—	—	1	2	14	7	1	79	1	3	2	1	5	9	27	18	13
	F	32	2	1	—	—	—	5	7	11	6	83	1	1	—	2	—	8	29	24	18
8 Encephalitis lethargica ..	M	1	—	—	—	—	1	—	—	—	—	4	—	—	—	—	1	1	1	1	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	2	1	—	1	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	63	—	1	1	—	7	19	28	6	1	143	—	—	—	2	23	60	53	5	—
	F	46	—	1	—	2	12	24	5	2	—	96	—	—	—	6	33	33	22	—	2
11 Other tuberculous diseases	M	2	1	—	—	—	—	1	—	—	—	20	1	—	1	7	3	5	3	—	—
	F	8	—	—	1	4	1	2	—	—	—	21	1	1	5	6	6	1	1	—	—
12 Cancer, malignant disease	M	69	—	—	—	—	—	4	34	25	6	189	—	—	—	—	1	12	88	66	22
	F	73	—	—	—	—	—	4	39	21	9	195	—	—	—	1	2	20	75	50	47
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	5	—	—	—	4	1	—	—	—	—	4	—	—	—	2	1	—	1	—	—
14 Diabetes	M	4	—	—	—	—	—	1	2	1	—	11	—	—	—	—	—	1	5	4	1
	F	8	—	—	—	—	—	—	4	4	—	18	—	—	—	—	—	1	7	4	6
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	12	7	5	62	—	—	—	—	1	—	18	17	26
	F	21	—	—	—	—	—	—	7	7	7	76	—	—	—	1	—	1	17	28	29
16 Heart disease ..	M	156	—	—	—	1	4	14	58	51	28	318	—	—	1	2	3	24	98	98	92
	F	197	—	—	1	1	3	12	39	56	85	367	—	—	—	1	7	19	77	115	148
17 Arterio-sclerosis ..	M	12	—	—	—	—	—	—	4	4	4	41	—	—	—	—	—	—	10	16	15
	F	14	—	—	—	—	—	2	6	5	1	50	—	—	—	—	—	—	8	20	22
18 Bronchitis ..	M	66	2	—	—	—	2	7	40	12	3	101	17	1	1	1	—	5	22	27	27
	F	46	—	1	—	—	—	3	11	13	18	126	6	—	—	1	—	3	17	38	61
19 Pneumonia (all forms)	M	125	30	9	7	3	2	11	37	11	15	190	28	20	8	4	5	21	63	24	17
	F	82	12	12	5	3	3	6	11	12	18	145	26	12	11	3	2	9	27	29	26
20 Other respiratory diseases	M	11	—	1	1	—	—	2	5	1	1	15	2	—	—	—	—	—	5	5	3
	F	8	—	—	—	—	—	1	1	4	2	21	1	1	—	—	—	1	7	1	10
21 Ulcer of stomach or duodenum ..	M	9	—	—	—	—	—	3	4	2	—	16	—	—	—	—	—	4	10	2	—
	F	3	—	—	—	—	—	2	—	—	1	9	—	—	—	—	1	1	3	4	—
22 Diarrhœa, &c. ..	M	17	12	5	—	—	—	—	—	—	—	23	22	1	—	—	—	—	—	—	—
	F	14	9	2	—	—	—	1	—	1	1	17	14	1	—	—	1	—	1	—	—
23 Appendicitis and typhlitis.. ..	M	5	—	—	—	1	1	1	1	1	—	16	—	—	1	2	3	3	7	—	—
	F	3	—	—	—	1	—	1	1	—	—	2	—	—	—	—	—	—	2	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	1	1	2	1
	F	1	—	—	—	—	1	—	—	—	—	9	—	—	—	—	—	1	3	2	3
25 Acute and chronic nephritis ..	M	11	—	—	—	—	—	—	6	2	3	78	—	—	—	1	7	7	25	19	19
	F	18	—	—	—	—	1	2	8	2	5	72	—	—	—	—	4	9	27	17	15
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	4	—	—	—	—	2	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	25	21	2	—	—	—	—	1	1	—	47	45	—	—	—	—	2	—	—	—
	F	18	18	—	—	—	—	—	—	—	—	47	44	—	—	1	2	—	—	—	—
29 Suicide	M	10	—	—	—	—	—	2	6	1	1	23	—	—	—	—	—	4	16	—	3
	F	8	—	—	—	—	—	5	3	—	—	12	—	—	—	—	—	7	4	1	—
30 Other deaths from violence.. ..	M	30	1	—	—	4	6	1	8	5	5	61	—	—	3	9	7	9	14	11	8
	F	12	1	1	—	—	—	3	4	2	1	29	1	—	1	4	1	1	6	5	10
31 Other defined diseases	M	78	7	3	1	8	2	11	25	14	7	246	16	4	3	12	7	16	63	43	82
	F	74	2	1	1	5	6	11	20	12	16	297	21	5	3	7	11	19	57	36	138
32 Causes ill-defined or unknown ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Chelsea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Deptford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	498	26	6	5	7	11	46	141	134	122	762	87	19	14	12	30	71	228	173	128
	F	485	26	8	7	7	11	47	103	121	155	719	54	15	17	17	31	75	180	134	196
1 Enteric fever	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	1	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	2	1	1	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
	F	10	3	3	2	2	—	—	—	—	—	13	3	6	3	1	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza	M	42	—	1	1	—	1	4	6	15	14	18	1	1	—	—	—	3	9	4	—
	F	32	—	—	—	1	—	3	9	8	11	52	—	1	—	—	1	9	14	11	16
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	28	—	—	—	—	3	9	13	3	—	55	—	1	1	2	14	18	19	—	—
	F	17	—	—	—	—	6	6	4	1	—	35	1	—	—	—	9	19	6	—	—
11 Other tuberculous diseases	M	5	—	—	2	1	—	1	—	1	—	3	—	—	—	—	1	2	—	—	—
	F	4	1	—	—	—	—	1	2	—	—	8	—	—	3	3	—	—	1	1	—
12 Cancer, malignant disease	M	70	—	—	—	—	1	5	25	25	14	72	—	—	—	1	2	7	33	22	7
	F	64	—	—	—	—	—	6	24	18	16	78	—	—	—	—	1	8	47	14	8
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	—	2	—	5	—	—	—	—	—	—	3	2	—
	F	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	—	1	4	1	1
15 Cerebral hæmorrhage, &c.	M	13	—	—	—	—	—	—	3	8	2	17	—	—	—	—	—	3	8	5	1
	F	30	—	—	—	—	—	—	4	13	13	30	—	—	—	—	—	—	13	8	9
16 Heart disease	M	104	—	—	—	—	1	2	26	28	47	174	—	1	—	1	1	5	52	61	53
	F	123	—	—	—	1	1	1	20	43	57	150	—	—	—	—	6	16	34	45	49
17 Arterio-sclerosis	M	13	—	—	—	—	—	—	3	3	7	41	—	—	—	—	—	—	11	21	9
	F	20	—	—	—	—	—	—	3	9	8	21	—	—	—	—	—	—	4	4	13
18 Bronchitis	M	25	1	—	—	—	—	5	7	6	6	48	3	—	—	—	—	2	13	15	15
	F	18	—	—	—	—	—	—	2	5	11	64	4	—	—	1	—	1	8	14	36
19 Pneumonia (all forms)	M	46	5	2	1	—	—	4	18	9	7	90	18	12	4	2	2	10	21	13	8
	F	40	5	2	2	—	1	5	11	6	8	56	13	6	5	2	2	2	9	3	14
20 Other respiratory diseases	M	5	—	—	—	—	—	1	1	3	—	9	1	—	—	—	1	—	4	1	2
	F	6	—	1	—	—	—	—	1	3	1	4	1	—	—	—	1	—	1	—	1
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	2	4	—	—	18	—	—	—	—	1	3	9	2	3
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c.	M	3	3	—	—	—	—	—	—	—	—	12	11	—	—	—	—	—	1	—	—
	F	7	5	—	—	—	—	1	1	—	—	10	6	—	—	—	1	3	—	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	—	7	—	—	—	—	2	3	—	1	1
	F	3	—	—	—	1	—	1	—	1	—	2	—	—	—	1	—	—	1	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	1	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	2	—
25 Acute and chronic nephritis	M	15	—	—	—	—	—	—	7	6	2	15	1	—	—	—	—	—	5	8	1
	F	9	—	—	—	—	—	1	2	2	4	16	1	—	—	1	1	1	7	2	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	11	10	1	—	—	—	—	—	—	—	36	35	1	—	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	—	19	18	—	—	—	—	—	1	—	—
29 Suicide	M	9	—	—	—	—	1	2	5	1	—	7	—	—	—	—	1	1	5	—	—
	F	4	—	—	—	—	—	1	1	1	1	3	—	—	—	—	—	2	—	1	—
30 Other deaths from violence	M	15	—	1	—	3	2	4	3	1	1	30	1	—	1	3	4	8	7	2	4
	F	12	1	—	—	—	1	2	4	2	2	22	—	—	1	1	3	—	7	7	3
31 Other defined diseases	M	75	6	—	1	2	1	7	15	21	22	90	12	1	3	1	1	6	28	14	24
	F	62	2	1	1	2	1	12	12	9	22	112	7	1	2	3	5	9	21	21	43
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Finsbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Fulham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	617	58	16	15	15	20	68	186	133	106	1054	102	32	21	21	47	102	311	246	172
	F	517	46	11	10	12	22	44	130	107	135	1065	70	34	25	17	46	106	247	229	291
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	—	1	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	4	1	—	—	—	—	—	—
4 Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough	M	18	9	4	4	1	—	—	—	—	—	17	6	8	3	—	—	—	—	—	—
	F	11	6	3	2	—	—	—	—	—	—	21	8	5	7	1	—	—	—	—	—
6 Diphtheria	M	2	—	1	—	1	—	—	—	—	—	7	1	—	1	4	1	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	—	3	—	1	—	2	—	—	—	—	—
7 Influenza	M	21	1	—	—	—	—	3	9	5	3	46	3	2	1	1	1	4	16	10	8
	F	28	1	1	—	—	1	4	4	6	11	62	2	1	1	—	1	5	16	17	19
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	47	—	—	—	1	6	17	23	—	—	78	—	—	1	—	14	28	28	6	1
	F	27	—	—	—	1	7	14	4	1	—	67	—	3	—	1	22	29	11	1	—
11 Other tuberculous diseases	M	4	1	—	1	—	1	—	1	—	—	10	1	—	2	1	2	3	—	—	1
	F	2	1	—	—	1	—	—	—	—	—	16	1	3	3	1	4	1	2	1	—
12 Cancer, malignant disease	M	59	—	—	—	—	—	4	31	18	6	122	1	—	1	—	2	10	48	40	20
	F	45	—	—	1	—	1	4	12	17	10	131	—	—	—	—	2	10	63	32	24
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	5	—	—	1	1	2	1	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	1	—	14	—	—	—	—	1	2	5	5	1
	F	6	—	—	—	—	—	—	4	1	1	21	—	—	—	—	—	3	8	8	2
15 Cerebral hæmorrhage, &c.	M	24	—	—	—	—	—	1	9	9	5	17	—	1	—	—	—	1	4	6	5
	F	26	—	—	—	—	—	1	11	7	7	33	—	—	—	—	1	—	8	14	10
16 Heart disease	M	89	—	—	—	1	1	5	33	22	27	201	—	—	—	1	2	10	61	70	57
	F	111	—	—	—	3	5	3	37	33	30	238	—	—	—	4	4	7	42	70	111
17 Arterio-sclerosis	M	55	—	—	—	—	—	—	6	22	27	34	—	—	—	—	—	—	9	10	15
	F	29	—	—	—	—	—	1	—	6	22	55	—	—	—	—	—		14	12	28
18 Bronchitis	M	77	1	—	—	—	—	6	26	29	15	50	4	1	1	—	—	—	16	14	14
	F	56	3	2	—	—	—	2	16	13	20	52	3	—	1	—	1	—	8	9	30
19 Pneumonia (all forms)	M	62	16	7	4	2	1	6	12	11	3	103	21	10	7	—	3	6	29	19	8
	F	45	10	3	2	1	1	4	11	6	7	85	18	13	6	2	1	5	16	12	12
20 Other respiratory diseases	M	8	—	—	1	—	—	2	2	3	—	19	—	—	—	—	—	2	9	6	2
	F	4	—	—	—	—	—	1	—	3	—	8	—	—	—	—	—	2	2	2	2
21 Ulcer of stomach or duodenum	M	7	—	—	—	—	1	3	3	—	—	16	—	—	—	—	—	5	9	2	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	2	1	1
22 Diarrhœa, &c.	M	2	1	—	—	—	—	—	—	1	—	17	16	1	—	—	—	—	—	—	—
	F	6	3	—	3	—	—	—	—	—	—	15	11	1	—	—	—	—	2	1	—
23 Appendicitis and typhlitis	M	2	—	—	—	—	—	—	1	1	—	6	—	1	—	—	3	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	2	1	—	2	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	—	1	8	—	—	—	—	—	1	5	2	—
	F	3	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	—	2	2	—
25 Acute and chronic nephritis	M	12	—	—	—	—	2	2	5	1	2	29	—	—	—	—	1	3	11	10	4
	F	15	—	—	—	1	1	1	7	1	4	31	—	—	—	—	—	3	10	11	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	18	16	—	1	1	—	—	—	—	—	40	39	1	—	—	—	—	—	—	—
	F	19	19	—	—	—	—	—	—	—	—	22	21	—	—	—	1	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	2	5	—	—	17	—	—	—	—	—	4	8	3	2
	F	5	—	—	—	—	—	1	1	1	2	11	—	—	—	—	—	3	7	1	—
30 Other deaths from violence	M	28	3	3	2	4	4	6	3	1	2	40	—	—	—	4	10	7	9	6	4
	F	14	1	—	—	3	2	—	3	—	5	23	—	1	—	1	2	4	3	5	7
31 Other defined diseases	M	64	8	—	1	4	4	10	13	9	15	150	9	4	1	10	4	16	41	35	30
	F	54	1	2	—	—	2	5	16	12	16	134	6	2	3	2	3	20	30	30	38
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Greenwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Hackney. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	708	67	15	17	22	32	86	195	139	135	1515	122	29	22	43	58	165	461	322	293
	F	680	49	12	11	17	29	63	152	145	202	1474	72	26	26	41	56	135	362	338	418
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	2	2	1	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	10	5	2	2	1	—	—	—	—	—	9	3	3	2	1	—	—	—	—	—
	F	8	4	1	2	1	—	—	—	—	—	15	6	3	4	2	—	—	—	—	—
6 Diphtheria ..	M	5	—	1	1	3	—	—	—	—	—	13	—	—	1	12	—	—	—	—	—
	F	11	—	—	2	5	2	1	1	—	—	15	—	1	4	8	2	—	—	—	—
7 Influenza	M	30	—	—	—	1	1	6	8	7	7	67	—	1	2	2	1	9	28	14	10
	F	41	2	—	—	—	1	5	12	8	13	75	—	2	2	1	2	10	19	19	20
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	1	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	1	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	63	—	—	—	—	11	25	26	—	1	124	—	—	—	1	9	50	61	3	—
	F	47	—	—	—	—	15	20	9	1	2	81	—	—	—	3	23	30	19	4	2
11 Other tuberculous diseases	M	5	—	—	2	1	1	1	—	—	—	15	—	2	1	5	3	3	1	—	—
	F	7	—	—	1	—	2	3	1	—	—	18	1	2	1	4	3	5	2	—	—
12 Cancer, malignant disease	M	83	—	—	2	—	1	5	33	22	20	146	—	—	—	—	1	7	65	48	25
	F	73	—	—	—	—	1	5	31	20	16	194	—	—	1	—	1	15	87	55	35
13 Rheumatic fever ..	M	3	—	1	—	—	—	2	—	—	—	7	—	—	—	2	4	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	5	—	—	—	2	2	—	1	—	—
14 Diabetes	M	5	—	—	—	—	—	—	1	1	3	15	—	—	—	—	1	2	5	4	3
	F	10	—	—	—	—	—	1	2	6	1	13	—	—	—	—	—	2	5	2	4
15 Cerebral hæmorrhage, &c. ..	M	17	—	—	—	—	—	—	6	6	5	38	—	—	—	—	—	2	8	11	17
	F	32	—	—	—	—	—	—	6	7	19	58	—	—	—	—	—	—	11	23	24
16 Heart disease ..	M	131	—	—	—	1	2	8	34	51	35	292	—	—	—	3	7	14	81	100	87
	F	137	—	—	—	—	2	9	26	47	53	313	—	—	—	6	6	15	77	85	124
17 Arterio-sclerosis ..	M	21	—	—	—	—	—	1	6	6	8	90	—	—	—	—	—	2	24	26	38
	F	23	—	—	—	—	—	—	3	7	13	98	—	—	—	—	—	3	7	37	51
18 Bronchitis ..	M	36	3	1	1	1	—	2	13	3	12	95	3	1	—	—	—	5	35	23	28
	F	39	1	—	—	1	—	2	3	9	23	109	2	1	2	1	1	—	13	29	60
19 Pneumonia (all forms)	M	65	12	7	3	—	1	8	13	11	10	148	28	14	7	3	1	16	49	19	11
	F	65	15	6	2	2	1	1	8	13	17	127	11	12	8	4	2	8	34	23	25
20 Other respiratory diseases	M	11	1	—	—	1	—	—	5	2	2	25	1	—	1	1	—	3	10	7	2
	F	5	—	—	—	—	—	—	2	1	2	15	—	—	—	—	—	3	6	4	2
21 Ulcer of stomach or duodenum ..	M	12	—	—	—	—	—	2	7	3	—	28	—	—	—	—	1	6	17	2	2
	F	4	—	—	—	—	—	1	3	—	—	6	—	—	—	—	—	—	3	—	3
22 Diarrhœa, &c. ..	M	8	7	—	—	—	—	—	—	1	—	25	20	3	—	—	1	—	—	1	—
	F	9	6	1	—	—	—	—	—	2	—	17	12	1	—	—	—	2	2	—	—
23 Appendicitis and typhlitis.. ..	M	4	—	—	—	2	2	—	—	—	—	8	—	—	1	1	4	2	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	1	1	—	1	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	7	—	—	—	—	—	3	1	2	1
	F	3	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	—	1	—	1
25 Acute and chronic nephritis ..	M	23	—	—	—	—	4	2	5	7	5	40	—	—	—	—	1	6	14	10	9
	F	15	—	—	—	—	—	1	7	4	3	45	—	—	—	—	2	4	18	14	7
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	10	—	—	—	—	4	5	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	6	—	—	—	—	2	4	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	24	24	—	—	—	—	—	—	—	—	54	50	1	—	1	1	—	1	—	—
	F	15	15	—	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	2	—	—	30	—	—	—	—	—	7	16	4	3
	F	7	—	—	—	—	—	1	5	1	—	12	—	—	—	—	—	2	9	1	—
30 Other deaths from violence.. ..	M	45	1	1	2	4	4	9	10	7	7	54	1	1	2	6	14	6	7	8	9
	F	22	—	1	1	3	1	2	6	4	4	33	2	2	1	—	1	3	5	4	15
31 Other defined diseases	M	95	12	—	3	6	5	14	24	11	20	178	15	2	2	5	9	22	36	39	48
	F	99	6	2	2	4	3	7	24	15	36	176	16	1	—	8	4	22	42	38	45
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Hammersmith. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Hampstead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	936	66	29	19	12	33	100	315	189	173	500	31	8	10	5	18	56	147	118	107
	F	939	67	24	16	22	33	89	196	202	290	642	21	7	4	7	18	47	168	145	225
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	19	6	7	5	1	—	—	—	—	—	6	5	1	—	—	—	—	—	—	—
	F	22	8	7	5	2	—	—	—	—	—	6	3	2	1	—	—	—	—	—	—
6 Diphtheria	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	4	—	1	1	2	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
7 Influenza	M	36	1	2	1	—	2	2	13	8	7	37	4	4	—	—	—	2	9	6	12
	F	42	1	1	—	1	1	4	7	14	13	67	—	1	—	1	2	5	30	10	18
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	89	—	—	—	—	11	39	33	4	2	27	—	—	—	1	5	12	6	3	—
	F	47	—	—	—	1	16	17	10	3	—	21	—	—	—	—	7	8	4	1	1
11 Other tuberculous diseases	M	7	—	1	—	2	1	—	3	—	—	3	—	1	1	—	1	—	—	—	—
	F	6	—	—	1	3	2	—	—	—	—	5	—	1	1	—	1	2	—	—	—
12 Cancer, malignant disease	M	110	—	—	1	—	—	2	51	40	16	68	—	—	—	—	—	5	28	20	15
	F	121	—	—	—	1	3	7	44	40	26	107	—	—	—	—	1	4	42	33	27
13 Rheumatic fever	M	6	—	—	—	1	2	2	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	6	—	—	—	—	—	2	1	2	1	6	—	—	—	—	—	—	4	1	1
	F	10	—	—	—	—	—	—	2	6	2	13	—	—	—	—	—	1	3	4	5
15 Cerebral hæmorrhage, &c.	M	35	—	—	—	—	—	1	13	9	12	17	—	—	—	—	—	—	5	7	5
	F	61	—	1	—	—	—	2	12	17	29	27	—	—	—	—	—	—	6	8	13
16 Heart disease	M	150	—	—	—	1	1	13	52	44	39	89	—	—	—	1	1	6	24	32	25
	F	184	—	—	—	1	—	11	46	53	73	112	—	—	—	—	—	1	27	38	46
17 Arterio-sclerosis	M	30	—	—	—	—	—	1	4	13	12	22	—	—	—	—	—	—	10	5	7
	F	25	—	—	—	—	—	—	3	9	13	48	—	—	—	—	—	—	4	11	33
18 Bronchitis	M	78	1	1	—	—	—	4	31	18	23	34	1	—	—	—	—	3	7	11	12
	F	75	1	1	1	—	—	—	12	18	42	35	1	1	—	1	—	—	3	4	25
19 Pneumonia (all forms)	M	95	14	14	9	2	2	6	29	12	7	32	2	1	5	—	—	8	8	4	4
	F	68	10	12	3	—	1	9	11	11	11	31	3	1	1	—	—	2	6	8	10
20 Other respiratory diseases	M	10	—	—	—	—	1	1	4	—	4	10	—	—	—	—	1	3	2	2	2
	F	15	—	—	—	1	—	2	5	3	4	8	—	—	—	—	—	1	2	1	4
21 Ulcer of stomach or duodenum	M	13	—	—	—	—	—	3	8	2	—	6	—	—	—	—	—	—	3	1	2
	F	5	—	—	—	—	—	1	1	2	1	4	—	—	—	—	—	—	3	—	1
22 Diarrhœa, &c.	M	14	13	1	—	—	—	—	—	—	—	6	3	1	1	—	—	—	1	—	—
	F	5	4	1	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis	M	7	—	—	—	1	2	3	1	—	—	2	—	—	—	—	—	2	—	—	—
	F	5	—	—	—	—	2	—	2	1	—	3	—	—	—	1	—	1	—	—	1
24 Cirrhosis of liver	M	7	—	—	—	—	—	—	4	3	—	3	—	—	—	—	—	1	1	1	—
	F	4	—	—	—	—	—	1	3	—	—	3	—	—	—	—	—	—	3	—	—
25 Acute and chronic nephritis	M	27	—	—	1	—	—	2	10	6	8	18	—	—	—	—	1	—	7	3	7
	F	25	—	—	—	2	—	4	12	4	3	22	—	—	—	—	—	2	9	6	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth	M	22	21	—	—	—	—	1	—	—	—	10	10	—	—	—	—	—	—	—	—
	F	34	34	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	1	3	5	—	—	9	—	—	—	—	2	2	4	1	—
	F	4	—	—	—	—	—	4	—	—	—	5	—	—	—	—	—	1	4	—	—
30 Other deaths from violence	M	36	—	1	—	2	8	5	10	5	5	16	—	—	—	—	4	4	4	2	2
	F	12	—	—	—	2	3	1	1	1	4	7	—	—	—	—	1	1	2	3	—
31 Other defined diseases	M	128	9	1	2	2	2	10	42	23	37	73	5	—	2	2	2	6	24	19	13
	F	149	7	—	4	4	4	17	24	20	69	100	7	1	1	1	5	12	20	17	36
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Holborn. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Islington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	353	19	2	4	7	9	37	127	86	62	2435	228	76	53	50	68	272	772	471	445
	F	245	10	3	1	5	4	21	80	61	60	2363	177	68	42	46	90	213	548	495	684
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	6	2	3	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	2	2	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	1	2	1	1	—	—	—
5 Whooping cough	M	3	1	1	1	—	—	—	—	—	—	62	25	22	14	1	—	—	—	—	—
	F	4	1	3	—	—	—	—	—	—	—	66	22	29	13	2	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	20	1	4	9	6	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	14	2	1	1	10	—	—	—	—	—
7 Influenza	M	28	1	—	—	—	—	1	13	6	7	111	1	2	1	2	1	17	52	19	16
	F	16	—	—	—	—	—	—	7	3	6	103	—	1	—	—	2	10	31	34	25
8 Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	25	—	—	1	—	1	14	6	2	1	194	1	1	2	1	33	73	76	5	2
	F	15	—	—	—	—	2	7	5	1	—	123	—	2	1	4	37	49	25	5	—
11 Other tuberculous diseases	M	4	—	—	—	—	1	1	2	—	—	16	—	1	1	2	1	6	5	—	—
	F	—	—	—	—	—	—	—	—	—	—	17	2	—	3	2	6	—	1	2	1
12 Cancer, malignant disease	M	31	—	—	—	—	—	2	14	9	6	234	1	—	1	—	—	15	124	51	42
	F	30	—	—	—	—	—	1	13	9	7	252	1	—	—	2	1	21	118	59	50
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	5	—	—	—	1	2	1	1	—	—
	F	2	—	—	—	1	—	—	1	—	—	8	—	—	—	2	2	4	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	14	—	—	—	—	—	2	7	4	1
	F	1	—	—	—	—	—	—	1	—	—	24	—	—	—	—	1	1	7	10	5
15 Cerebral hæmorrhage, &c.	M	15	—	—	—	—	—	1	7	6	1	76	—	—	—	—	—	3	22	29	22
	F	19	—	—	—	—	—	—	7	8	4	98	—	—	—	1	—	1	24	36	36
16 Heart disease	M	52	—	—	—	1	1	3	19	18	10	403	—	—	—	1	5	28	140	131	98
	F	48	—	—	—	1	1	3	16	13	14	501	—	1	—	3	16	31	114	146	190
17 Arterio-sclerosis	M	28	—	—	—	—	—	—	2	11	15	80	—	—	—	—	—	—	16	32	32
	F	10	—	—	—	—	—	—	1	5	4	75	—	—	—	—	—	1	12	26	36
18 Bronchitis	M	30	2	—	—	—	—	—	11	9	8	165	7	2	1	—	—	12	50	45	48
	F	27	—	—	—	—	—	—	4	9	14	172	5	2	—	—	—	2	34	48	81
19 Pneumonia (all forms)	M	30	3	1	2	—	1	5	12	4	2	296	54	32	13	9	6	24	82	37	39
	F	11	1	—	—	—	—	1	2	5	2	214	38	24	11	2	3	13	43	36	44
20 Other respiratory diseases	M	3	—	—	—	1	—	—	1	1	—	79	—	—	1	3	1	5	17	17	35
	F	1	—	—	—	—	—	1	—	—	—	65	1	—	1	—	1	—	10	8	44
21 Ulcer of stomach or duodenum	M	5	—	—	—	—	—	1	2	1	1	38	—	—	—	—	—	12	20	5	1
	F	2	—	—	—	—	—	—	1	—	1	11	—	—	—	—	—	2	5	2	2
22 Diarrhœa, &c.	M	2	1	—	—	—	—	—	—	1	—	43	36	2	—	1	—	2	1	—	1
	F	4	2	—	—	—	—	—	2	—	—	37	27	3	2	—	—	—	4	—	1
23 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	—	6	—	1	—	2	—	2	1	—	—
	F	3	—	—	—	—	—	—	3	—	—	11	—	—	1	2	1	4	3	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	1	2	—	13	—	—	—	—	—	1	7	4	1
	F	1	—	—	—	—	—	—	—	1	—	7	—	—	—	—	—	—	5	1	1
25 Acute and chronic nephritis	M	17	1	—	—	—	—	—	7	5	4	53	—	—	—	—	—	8	21	17	7
	F	6	—	—	—	—	—	2	2	2	—	74	—	—	1	1	2	6	26	16	22
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	12	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth	M	7	7	—	—	—	—	—	—	—	—	68	67	—	1	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	62	60	—	—	1	1	—	—	—	—
29 Suicide	M	11	—	—	—	—	—	2	7	2	—	42	—	—	—	—	1	12	23	3	3
	F	3	—	—	—	—	—	2	1	—	—	10	—	—	—	—	1	4	4	1	—
30 Other deaths from violence	M	13	—	—	—	3	1	2	4	2	1	75	2	3	2	10	9	10	15	10	14
	F	7	—	—	—	1	1	—	3	—	2	58	2	—	1	5	2	7	12	14	15
Other defined diseases	M	41	3	—	—	1	2	5	17	7	6	329	29	3	5	10	8	37	92	62	83
	F	28	2	—	—	1	—	3	11	5	6	324	14	3	4	6	11	35	69	51	131
Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Kensington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Lambeth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1145	122	39	26	12	24	124	351	230	217	2211	184	61	48	46	95	219	710	461	387
	F	1569	97	39	24	16	47	129	360	355	502	2176	129	42	35	44	100	212	497	476	641
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	13	2	6	5	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	15	3	8	3	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	—	1	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
5 Whooping cough	M	27	10	11	6	—	—	—	—	—	—	29	10	6	11	2	—	—	—	—	—
	F	44	17	18	8	1	—	—	—	—	—	29	13	6	7	3	—	—	—	—	—
6 Diphtheria	M	7	1	2	2	—	—	2	—	—	—	18	2	3	8	4	—	1	—	—	—
	F	4	—	—	1	1	1	—	—	—	1	11	1	3	2	4	1	—	—	—	—
7 Influenza	M	50	1	2	1	—	3	2	13	13	15	132	3	3	3	—	3	14	61	25	20
	F	103	4	—	1	—	1	9	21	27	40	140	3	2	3	—	3	7	40	31	51
8 Encephalitis lethargica	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	4	1	2	—	—	—	1	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—
10 Tuberculosis of respiratory system	M	62	—	—	—	1	4	34	21	2	—	176	1	—	—	1	30	63	68	9	4
	F	58	—	—	—	1	18	24	12	2	1	132	1	—	2	1	47	47	25	7	2
11 Other tuberculous diseases	M	6	—	—	—	—	—	2	1	3	—	20	—	1	2	3	7	3	2	1	1
	F	11	3	1	1	2	4	—	—	—	—	20	1	1	1	2	5	7	3	—	—
12 Cancer, malignant disease	M	114	—	—	—	—	1	4	57	31	21	248	—	—	—	1	1	17	113	78	38
	F	168	—	—	—	—	1	15	67	49	36	254	1	—	—	—	3	25	116	67	42
13 Rheumatic fever	M	4	—	—	1	1	—	2	—	—	—	5	—	—	—	4	—	1	—	—	—
	F	2	—	—	1	—	—	1	—	—	—	7	—	—	—	1	1	4	1	—	—
14 Diabetes	M	8	—	—	—	—	—	1	3	1	3	24	—	—	—	1	—	2	10	5	6
	F	14	—	—	—	—	—	1	3	7	3	24	—	—	—	—	—	1	7	11	5
15 Cerebral hæmorrhage, &c.	M	40	—	—	—	—	—	3	11	7	19	70	—	—	—	—	—	3	21	20	26
	F	86	—	—	—	—	—	2	21	26	37	99	—	—	—	—	1	4	28	28	38
16 Heart disease	M	183	—	—	—	1	3	13	59	57	50	405	—	—	—	4	6	13	123	140	119
	F	296	—	—	—	—	4	13	62	82	135	539	1	—	—	7	10	33	106	159	223
17 Arterio-sclerosis	M	48	—	—	—	—	—	2	8	13	25	63	—	—	—	—	—	—	18	22	23
	F	99	—	—	—	—	—	—	14	26	59	84	—	—	—	—	—	2	8	22	52
18 Bronchitis	M	96	3	1	—	—	1	7	40	26	18	121	6	2	2	—	—	11	34	35	31
	F	133	3	—	—	—	—	3	23	37	67	124	6	1	—	—	—	—	26	29	62
19 Pneumonia (all forms)	M	120	12	15	9	1	3	13	39	21	7	200	31	28	10	4	4	19	59	22	23
	F	137	16	12	6	—	1	13	29	28	32	154	26	17	6	4	3	9	33	24	32
20 Other respiratory diseases	M	14	—	1	—	—	—	4	4	2	3	34	1	—	—	2	—	5	17	4	5
	F	14	—	1	—	—	—	3	4	2	4	23	—	1	3	1	3	5	2	2	6
21 Ulcer of stomach or duodenum	M	16	—	—	—	—	—	6	7	2	1	35	—	—	—	—	1	11	15	7	1
	F	9	—	—	—	—	—	—	5	3	1	8	—	—	—	—	—	—	6	1	1
22 Diarrhœa, &c.	M	33	28	2	1	—	—	1	—	—	1	31	24	5	1	—	—	—	—	—	1
	F	26	15	4	—	—	—	—	3	2	2	17	12	—	—	—	—	3	—	1	1
23 Appendicitis and typhlitis	M	13	—	—	—	1	—	3	8	1	—	12	—	—	—	2	1	1	5	1	2
	F	10	1	—	—	1	1	3	2	2	—	10	—	—	—	1	1	3	3	2	—
24 Cirrhosis of liver	M	7	—	—	—	—	—	1	3	3	—	16	—	—	—	—	—	2	10	2	2
	F	8	—	—	—	—	—	1	3	3	1	13	—	—	—	—	—	3	9	1	—
25 Acute and chronic nephritis	M	32	—	—	—	—	—	3	16	6	7	72	—	—	—	1	3	3	26	23	16
	F	43	1	—	—	1	3	4	11	13	10	63	—	—	1	—	3	6	16	20	17
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	—	8	—	—	—	—	2	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	8	—	—	—	—	2	5	1	—	—
28 Congenital debility and malformation, premature birth	M	54	54	—	—	—	—	—	—	—	—	68	68	—	—	—	—	—	—	—	—
	F	30	28	—	1	—	—	—	1	—	—	43	43	—	—	—	—	—	—	—	—
29 Suicide	M	21	—	—	—	—	—	3	13	5	—	24	—	—	—	—	3	10	8	3	—
	F	20	—	—	—	—	2	6	11	1	—	10	—	—	—	—	1	2	5	2	—
30 Other deaths from violence	M	36	—	—	3	3	4	1	5	12	8	96	2	1	1	11	24	13	17	17	10
	F	45	—	1	1	2	6	3	17	6	9	63	1	—	2	4	6	4	11	12	23
31 Other defined diseases	M	149	13	4	2	4	5	15	43	24	39	292	33	3	5	5	11	26	103	47	59
	F	190	8	2	4	6	2	14	51	39	64	267	17	3	3	9	8	35	51	55	86
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Lewisham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Paddington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1122	75	18	22	32	42	133	333	227	240	1035	119	32	24	8	19	125	313	238	157
	F	1287	69	14	16	27	45	149	289	248	430	1176	96	26	21	14	41	91	281	253	353
1 Enteric fever	M	7	—	—	—	2	—	3	2	—	—	1	—	—	—	—	—	1	—	—	—
	F	9	—	—	—	1	3	4	1	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	2	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	3	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	7	3	3	1	—	—	—	—	—	—	37	15	10	12	—	—	—	—	—	—
	F	13	7	6	—	—	—	—	—	—	—	34	9	16	7	2	—	—	—	—	—
6 Diphtheria	M	7	—	—	4	3	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	8	2	—	2	4	—	—	—	—	—	7	—	1	2	3	1	—	—	—	—
7 Influenza	M	58	2	3	2	2	4	13	18	7	7	41	—	—	—	—	1	11	8	14	7
	F	63	—	1	1	—	4	4	14	16	23	90	1	1	1	1	—	12	18	20	36
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	—	1	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	83	—	—	1	1	13	32	30	5	1	68	—	—	—	—	7	28	29	4	—
	F	70	—	—	—	2	18	40	7	3	—	43	—	—	—	—	14	17	10	2	—
11 Other tuberculous diseases	M	19	—	1	4	7	3	3	1	—	—	8	—	—	3	1	1	—	2	—	1
	F	12	1	—	1	3	3	3	1	—	—	9	1	—	1	2	2	2	—	1	—
12 Cancer, malignant disease	M	128	—	—	—	2	—	4	62	29	31	117	—	—	—	—	1	5	55	34	22
	F	172	—	—	—	—	—	12	70	49	41	167	—	—	—	—	—	8	70	54	35
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	1	—	1	1	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes	M	7	—	—	—	—	—	1	4	2	—	8	—	—	—	—	—	1	1	4	2
	F	15	—	—	—	1	—	2	2	9	1	17	—	—	—	—	—	—	9	4	4
15 Cerebral hæmorrhage, &c.	M	26	—	—	—	—	—	1	9	5	11	22	—	—	—	—	—	—	7	9	6
	F	57	—	—	—	—	—	—	16	17	24	52	—	—	—	—	—	3	18	17	14
16 Heart disease	M	182	—	—	—	6	2	16	51	64	43	208	—	—	—	—	—	17	56	80	55
	F	265	—	—	—	1	8	22	54	65	115	256	—	—	—	—	5	9	51	76	115
17 Arterio-sclerosis	M	46	—	—	—	—	—	—	11	15	20	26	—	—	—	—	—	—	9	6	11
	F	53	—	—	—	—	—	—	7	15	31	36	—	—	—	—	—	—	2	12	22
18 Bronchitis	M	90	4	2	—	—	1	4	22	26	31	38	7	—	—	—	—	2	7	16	6
	F	81	3	—	—	2	—	1	9	12	54	65	6	—	—	—	—	—	10	12	37
19 Pneumonia (all forms)	M	79	8	5	3	—	3	11	21	17	11	136	26	20	4	—	—	15	40	17	14
	F	75	8	4	2	2	1	7	16	13	22	96	24	6	2	1	1	7	23	16	16
20 Other respiratory diseases	M	21	—	—	—	—	1	4	4	7	5	9	—	—	—	1	1	—	5	2	—
	F	20	—	—	1	—	1	2	3	7	6	20	—	—	1	—	1	3	6	4	5
21 Ulcer of stomach or duodenum	M	12	—	—	—	—	—	4	8	—	—	19	—	—	—	—	2	6	10	1	—
	F	9	—	—	—	—	—	2	5	1	1	6	—	—	—	—	—	1	4	1	—
22 Diarrhœa, &c.	M	14	12	—	1	—	—	—	1	—	—	24	21	1	—	—	—	1	1	—	—
	F	8	6	—	—	—	—	2	—	—	—	16	14	—	1	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	4	—	—	1	—	—	—	2	—	1	8	—	—	—	1	—	4	3	—	—
	F	2	—	—	—	—	—	—	2	—	—	7	—	—	1	—	—	2	2	1	1
24 Cirrhosis of liver	M	8	—	—	—	—	—	—	5	2	1	4	—	—	—	—	—	—	2	1	1
	F	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	—	1	1
25 Acute and chronic nephritis	M	34	—	—	—	—	1	3	14	9	7	26	1	—	—	—	—	1	14	7	3
	F	34	—	—	—	—	1	2	18	8	5	30	—	—	—	1	—	1	11	8	9
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	9	—	—	—	6	—	—	—	—	2	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	3	—	—	—	—	2	1	—	—	—
28 Congenital debility and malformation, premature birth	M	33	31	—	1	—	—	1	—	—	—	34	34	—	—	—	—	—	—	—	—
	F	32	30	1	—	1	—	—	—	—	—	28	27	—	—	—	1	—	—	—	—
29 Suicide	M	18	—	—	—	—	1	4	9	2	2	20	—	—	—	—	1	7	10	1	1
	F	9	—	—	—	—	—	4	5	—	—	16	—	—	—	—	4	5	7	—	—
30 Other deaths from violence	M	47	—	1	—	2	6	13	14	5	6	29	1	—	1	—	3	9	6	5	4
	F	51	3	—	1	2	2	10	6	9	18	34	1	—	1	3	4	4	6	3	12
31 Other defined diseases	M	184	13	2	3	6	6	15	44	32	63	143	12	1	1	3	2	16	47	37	24
	F	200	9	2	6	5	3	15	49	22	89	127	13	—	4	—	3	10	30	21	46
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

	Causes of Death.	Sex.	Poplar. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	St. Marylebone. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	1185	129	54	32	45	37	125	335	228	200	704	56	17	10	13	17	69	246	158	118
		F	1082	102	47	30	29	61	106	222	218	267	751	39	19	7	12	27	76	203	160	208
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	4	—	2	2	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
		F	8	1	5	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4	Scarlet fever ..	M	3	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
5	Whooping cough ..	M	23	4	16	3	—	—	—	—	—	—	6	—	3	3	—	—	—	—	—	—
		F	20	6	10	3	1	—	—	—	—	—	17	6	9	1	1	—	—	—	—	—
6	Diphtheria ..	M	6	—	1	2	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	10	1	1	3	4	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
7	Influenza	M	37	4	5	—	1	2	4	12	4	5	19	—	—	1	—	—	—	6	5	7
		F	34	—	2	1	—	1	3	11	10	6	40	—	2	—	1	1	6	9	9	12
8	Encephalitis lethargica ..	M	5	—	—	—	1	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10	Tuberculosis of respiratory system	M	79	—	1	—	2	10	33	28	5	—	48	—	1	—	—	5	12	25	3	2
		F	88	—	—	—	3	25	41	17	1	1	41	—	—	1	3	15	9	11	1	1
11	Other tuberculous diseases	M	18	2	2	3	2	3	2	3	1	—	7	—	1	1	2	1	1	1	—	—
		F	11	1	—	—	1	5	1	3	—	—	2	1	—	1	—	—	—	—	—	—
12	Cancer, malignant disease	M	117	—	—	—	—	1	3	61	33	19	85	—	—	—	—	—	1	48	24	12
		F	100	—	—	—	—	1	5	41	29	24	112	—	—	1	—	—	8	54	31	18
13	Rheumatic fever ..	M	7	—	—	—	2	1	2	2	—	—	1	—	—	—	—	—	—	1	—	—
		F	6	—	—	—	1	3	1	1	—	—	2	—	—	—	1	—	1	—	—	—
14	Diabetes	M	8	—	—	—	—	—	—	2	5	1	4	—	—	—	—	—	1	1	2	—
		F	8	—	—	—	—	—	—	6	—	2	3	—	—	—	—	—	—	2	1	—
15	Cerebral hæmorrhage, &c. ..	M	20	—	—	—	1	—	—	5	8	6	18	—	—	—	—	—	1	5	7	5
		F	26	—	—	—	—	1	1	6	5	13	20	—	—	—	—	—	—	5	7	8
16	Heart disease ..	M	192	—	—	1	6	1	15	47	62	60	130	—	—	—	1	2	5	43	40	39
		F	266	—	—	—	3	5	15	71	85	87	167	—	—	—	1	1	9	40	48	68
17	Arterio-sclerosis ..	M	64	—	—	—	—	—	—	16	21	27	25	—	—	—	—	—	—	6	10	9
		F	55	—	—	—	—	—	—	6	17	32	26	—	—	—	—	—	1	8	9	8
18	Bronchitis ..	M	119	6	1	—	—	1	6	39	29	37	38	4	—	—	—	—	5	12	11	6
		F	79	5	—	1	1	—	1	9	24	38	50	—	—	—	—	—	2	11	13	24
19	Pneumonia (all forms)	M	166	36	23	14	6	3	22	36	16	10	91	10	10	2	1	—	12	28	17	11
		F	118	25	23	16	4	2	7	14	17	10	63	4	6	2	1	—	4	14	16	16
20	Other respiratory diseases	M	15	—	1	—	1	2	3	5	1	2	10	—	—	—	—	—	3	3	2	2
		F	15	—	—	—	—	—	3	1	4	7	12	—	—	—	1	—	1	4	4	2
21	Ulcer of stomach or duodenum ..	M	18	—	—	—	—	1	4	8	3	2	17	—	—	—	—	1	2	10	3	1
		F	4	—	—	—	—	—	—	3	1	—	3	—	—	—	—	—	1	1	1	—
22	Diarrhœa, &c. ..	M	24	21	1	—	—	—	1	1	—	—	9	9	—	—	—	—	—	—	—	—
		F	18	11	4	—	1	1	1	—	—	—	13	7	—	—	—	—	3	1	1	1
23	Appendicitis and typhlitis.. ..	M	6	—	—	—	2	—	1	1	2	—	2	—	—	—	—	—	2	—	—	—
		F	9	—	—	1	—	2	1	4	1	—	3	—	—	—	—	1	—	1	—	1
24	Cirrhosis of liver ..	M	9	—	—	—	—	—	—	5	4	—	7	—	—	—	—	—	1	2	4	—
		F	6	—	—	—	1	—	2	2	1	—	7	—	—	—	—	—	2	4	—	1
25	Acute and chronic nephritis ..	M	22	—	—	—	—	3	2	8	5	4	18	—	—	—	—	1	3	6	5	3
		F	18	—	—	—	—	2	1	4	8	3	20	—	—	—	—	2	1	6	2	9
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	—	2	—	—	—	—	1	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	1	5	—	—	—	3	—	—	—	—	—	3	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	38	38	—	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—	—
		F	44	43	—	—	—	1	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29	Suicide	M	10	—	—	—	—	—	3	6	1	—	13	—	—	—	—	—	4	7	2	—
		F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	2	1	—
30	Other deaths from violence.. ..	M	51	—	1	3	11	5	6	12	7	6	29	2	—	1	4	6	5	4	4	3
		F	22	—	—	2	2	1	—	3	1	13	20	2	—	—	—	1	3	4	1	9
31	Other defined diseases	M	122	17	—	3	7	3	15	35	21	21	100	9	1	—	4	—	11	38	19	18
		F	105	9	2	2	6	8	14	19	14	31	104	6	1	1	3	5	18	25	15	30
32	Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	St. Pancras. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Shoreditch. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1704	158	38	33	30	57	186	534	382	286	852	93	33	26	28	24	93	267	162	126
	F	1427	104	38	24	29	46	139	335	312	400	741	75	38	26	19	34	56	196	148	149
1 Enteric fever ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	—	3	1	1	—	—	—	—	—	12	2	6	4	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	5	2	—	3	—	—	—	—	—	—
4 Scarlet fever ..	M	4	—	—	1	—	1	2	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	44	22	8	12	2	—	—	—	—	—	17	5	5	7	—	—	—	—	—	—
	F	32	10	17	5	—	—	—	—	—	—	23	8	10	4	1	—	—	—	—	—
6 Diphtheria ..	M	8	2	—	1	5	—	—	—	—	—	7	1	2	3	1	—	—	—	—	—
	F	10	1	2	3	4	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza	M	66	4	1	1	1	1	10	27	12	9	28	1	1	2	—	—	6	10	6	2
	F	73	1	2	—	1	2	8	18	15	26	40	—	5	—	—	4	1	14	10	6
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	2	—	1	1	—	—	—	—	—	—	4	1	1	—	2	—	—	—	—	—
	F	4	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	138	—	—	—	—	14	53	59	10	2	58	—	1	—	—	9	20	28	—	—
	F	83	—	—	—	2	17	40	23	1	—	39	—	—	—	—	13	15	10	1	—
11 Other tuberculous diseases	M	18	—	3	2	3	5	2	1	2	—	9	3	1	1	—	—	3	1	—	—
	F	13	—	—	2	3	3	3	1	1	—	9	2	1	4	—	1	—	—	1	—
12 Cancer, malignant disease	M	151	—	—	1	—	1	5	66	65	13	81	—	—	—	—	1	5	41	24	10
	F	160	—	—	—	—	—	16	68	45	31	65	—	—	1	—	—	11	36	15	2
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	—	1	—	4	—	—	—	4	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	16	—	—	—	—	—	1	9	5	1	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	—	2	5	4	2	6	—	—	—	—	1	—	2	3	—
15 Cerebral hæmorrhage, &c. ..	M	38	—	—	—	—	—	—	11	16	11	21	—	—	—	—	—	1	7	5	8
	F	50	—	—	—	—	—	2	17	14	17	28	—	—	—	—	—	—	11	11	6
16 Heart disease ..	M	314	—	—	—	2	9	18	94	98	93	180	1	—	—	4	2	11	66	56	40
	F	300	—	—	—	2	4	18	63	90	123	171	—	—	—	4	7	10	51	52	47
17 Arterio-sclerosis ..	M	71	—	—	—	—	—	—	21	28	22	38	—	—	—	—	—	—	7	20	11
	F	64	—	—	—	—	—	—	15	18	31	45	—	—	—	—	—	2	9	14	20
18 Bronchitis ..	M	145	6	1	1	—	—	7	46	39	45	71	5	—	—	—	—	6	30	15	15
	F	108	2	—	—	—	2	1	17	30	56	50	4	—	—	—	—	—	12	11	23
19 Pneumonia (all forms)	M	173	29	17	6	1	4	15	56	33	12	91	20	14	6	3	2	17	20	4	5
	F	113	21	14	6	2	—	7	18	17	28	63	13	16	4	4	—	2	10	9	5
20 Other respiratory diseases	M	30	2	—	1	1	—	4	14	6	2	18	—	—	—	1	—	4	6	4	3
	F	22	—	—	1	1	1	1	7	6	5	8	—	1	—	—	1	1	5	—	—
21 Ulcer of stomach or duodenum ..	M	25	—	—	—	—	—	7	17	—	1	8	—	1	—	—	—	1	4	2	—
	F	9	—	—	—	—	—	—	4	4	1	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	25	22	—	—	—	1	—	1	—	1	18	14	1	—	—	2	—	1	—	—
	F	22	18	2	—	—	—	1	1	—	—	7	6	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis.. ..	M	13	—	—	—	3	2	5	1	1	1	3	—	—	—	—	1	1	1	—	—
	F	4	—	—	—	—	1	1	1	—	1	2	—	—	—	1	—	—	1	—	—
24 Cirrhosis of liver ..	M	6	—	—	—	—	1	2	2	1	—	3	—	—	—	—	—	—	2	1	—
	F	5	—	—	—	—	—	—	2	3	—	4	—	—	—	—	—	1	2	1	—
25 Acute and chronic nephritis ..	M	39	—	—	1	—	1	6	16	11	4	18	—	—	—	—	1	2	5	7	3
	F	28	—	—	—	—	3	4	6	8	7	17	—	—	—	—	—	—	9	4	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	58	57	—	—	1	—	—	—	—	—	29	28	—	—	1	—	—	—	—	—
	F	34	33	—	1	—	—	—	—	—	—	27	26	1	—	—	—	—	—	—	—
29 Suicide	M	26	—	—	—	—	2	13	8	2	1	8	—	—	—	—	—	3	3	2	—
	F	12	—	—	—	—	2	3	7	—	—	7	—	—	—	—	1	3	2	—	1
30 Other deaths from violence.. ..	M	58	—	2	2	6	8	12	10	9	9	30	1	—	1	8	4	3	6	4	3
	F	40	1	1	1	3	4	3	8	5	14	10	—	1	1	—	1	1	3	1	2
31 Other defined diseases	M	227	14	2	2	4	7	23	73	43	59	92	11	—	1	4	2	9	27	12	26
	F	207	15	—	3	7	4	19	50	51	58	103	14	3	7	5	4	6	16	15	33
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929. (Civilian population only).

	Causes of Death.	Sex.	Southwark. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Stepney. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	1578	139	58	34	39	61	177	510	336	224	1845	216	58	48	48	69	190	610	367	239
		F	1245	126	49	32	26	55	114	314	252	277	1524	165	65	44	37	62	148	425	289	289
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
3	Measles	M	12	3	6	2	1	—	—	—	—	—	14	3	7	4	—	—	—	—	—	—
		F	7	—	6	1	—	—	—	—	—	—	19	8	9	2	—	—	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
5	Whooping cough	M	19	7	9	2	1	—	—	—	—	—	35	17	10	6	2	—	—	—	—	—
		F	30	18	7	4	1	—	—	—	—	—	48	14	18	15	1	—	—	—	—	—
6	Diphtheria	M	10	2	1	4	3	—	—	—	—	—	7	1	—	4	2	—	—	—	—	—
		F	14	3	3	5	3	—	—	—	—	—	5	—	1	2	2	—	—	—	—	—
7	Influenza	M	76	—	2	—	1	3	15	34	11	10	69	2	—	—	1	5	16	26	14	5
		F	57	2	—	3	2	2	2	19	17	10	71	1	1	2	2	3	5	31	17	9
8	Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—	—
9	Meningococcal meningitis	M	4	1	—	—	3	—	—	—	—	—	3	2	—	—	—	1	—	—	—	—
		F	6	3	—	1	1	1	—	—	—	—	2	1	—	1	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	163	—	—	1	2	28	50	72	8	2	156	1	—	1	1	22	53	69	7	2
		F	78	—	1	—	2	24	31	18	1	1	86	1	2	—	2	32	31	13	5	—
11	Other tuberculous diseases	M	25	3	3	4	3	4	3	4	1	—	32	2	1	6	5	5	7	5	1	—
		F	6	—	1	3	—	1	—	—	—	1	8	1	2	—	2	2	1	—	—	—
12	Cancer, malignant disease	M	133	—	—	—	1	1	13	67	42	9	144	—	—	—	—	1	10	76	43	14
		F	124	—	—	1	—	2	13	56	42	10	146	—	—	—	3	1	20	74	31	17
13	Rheumatic fever	M	2	1	—	—	—	1	—	—	—	—	5	—	—	—	3	1	—	1	—	—
		F	1	—	—	—	—	—	—	1	—	—	8	—	—	—	6	—	2	—	—	—
14	Diabetes	M	5	—	—	—	—	—	—	3	2	—	16	—	—	—	—	2	1	5	5	3
		F	23	—	—	—	—	1	1	7	10	4	27	—	—	—	1	—	2	11	10	3
15	Cerebral hæmorrhage, &c.	M	45	—	—	—	—	—	3	12	15	15	36	—	—	—	—	—	1	15	7	13
		F	30	—	—	—	—	—	1	8	12	9	50	—	—	—	1	—	—	18	14	17
16	Heart disease	M	344	—	—	—	2	4	19	98	111	110	392	1	—	1	7	7	13	150	131	82
		F	319	—	—	—	5	8	18	68	83	137	333	—	—	—	3	10	28	100	92	100
17	Arterio-sclerosis	M	18	—	—	—	—	—	—	3	11	4	49	—	—	—	—	—	—	12	17	20
		F	23	—	—	—	—	—	—	8	8	7	58	—	—	—	—	—	—	20	17	21
18	Bronchitis	M	112	7	4	—	—	3	7	41	36	14	108	8	1	—	—	1	7	32	36	23
		F	82	2	—	—	1	1	2	14	25	37	97	9	1	—	—	—	2	24	25	36
19	Pneumonia (all forms)	M	161	33	19	9	1	1	13	48	24	13	230	51	23	10	4	1	26	68	28	19
		F	116	23	22	8	3	—	7	27	12	14	163	22	21	13	2	2	10	42	28	23
20	Other respiratory diseases	M	22	—	1	1	—	2	4	10	2	2	21	—	3	3	—	1	1	9	4	—
		F	11	1	—	—	1	—	4	5	—	—	19	—	—	1	—	—	2	4	4	8
21	Ulcer of stomach or duodenum	M	23	—	—	—	—	—	7	11	4	1	27	—	—	—	—	—	4	19	3	1
		F	6	—	—	—	—	—	1	3	1	1	4	—	—	—	—	—	—	3	—	1
22	Diarrhœa, &c.	M	25	19	5	—	—	—	1	—	—	—	56	44	4	1	—	1	2	4	—	—
		F	18	12	3	1	—	—	—	—	1	1	47	38	4	—	—	1	2	1	—	1
23	Appendicitis and typhlitis	M	7	—	—	1	1	2	1	1	1	—	12	—	—	1	3	4	1	1	1	1
		F	2	—	—	—	—	—	—	2	—	—	5	—	—	1	—	2	1	1	—	—
24	Cirrhosis of liver	M	5	—	—	—	—	—	—	5	—	—	7	—	—	—	1	—	—	4	1	1
		F	4	—	—	—	—	—	2	2	—	—	4	—	—	—	—	—	1	2	1	—
25	Acute and chronic nephritis	M	68	—	—	—	2	4	8	17	23	14	47	1	—	—	—	1	7	15	17	6
		F	57	—	—	1	—	1	7	21	15	12	42	—	—	2	1	3	6	21	7	2
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	—	5	—	—	—	—	1	4	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	8	—	—	—	—	—	8	—	—	—
28	Congenital debility and malformation, premature birth	M	45	45	—	—	—	—	—	—	—	—	54	54	—	—	—	—	—	—	—	—
		F	48	46	1	1	—	—	—	—	—	—	46	43	—	1	1	—	1	—	—	—
29	Suicide	M	18	—	—	—	—	1	1	13	3	—	21	—	—	—	—	—	8	7	5	1
		F	3	—	—	—	—	—	—	3	—	—	6	—	—	—	—	1	1	3	1	—
30	Other deaths from violence	M	66	—	3	4	4	6	17	18	5	9	87	4	3	6	8	11	13	19	11	12
		F	38	3	2	2	1	3	6	8	7	6	36	4	1	1	2	—	1	8	11	8
31	Other defined diseases	M	166	18	5	5	13	1	14	52	37	21	214	25	6	4	10	5	19	73	36	36
		F	131	13	3	—	6	9	13	42	18	27	176	22	4	3	7	4	19	49	25	43
32	Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Stoke Newington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Wandsworth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	310	23	2	4	5	14	27	94	64	77	2214	159	42	29	51	89	249	669	493	433
	F	360	15	4	4	4	11	31	85	97	109	2383	128	36	28	36	84	200	561	504	806
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	3	—	—	—	1	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	2	3	—	—	—	—	—
5 Whooping cough ..	M	3	2	—	1	—	—	—	—	—	—	30	13	8	7	2	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	33	16	10	6	1	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	10	2	—	2	6	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	14	1	2	4	6	1	—	—	—	—
7 Influenza	M	12	1	—	—	—	1	—	5	1	4	112	2	1	—	3	5	12	42	24	23
	F	22	—	—	1	—	1	2	6	2	10	136	1	2	1	—	2	22	33	28	47
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	2	1	—	—	—	—	—	1	—	—	5	2	—	2	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
10 Tuberculosis of respiratory system	M	20	—	—	—	—	5	7	6	2	—	189	—	2	—	4	37	80	58	7	1
	F	23	—	—	—	—	3	11	7	2	—	124	1	2	—	2	40	52	23	2	2
11 Other tuberculous diseases	M	4	—	—	1	1	1	—	1	—	—	24	5	2	2	3	3	5	2	1	1
	F	—	—	—	—	—	—	—	—	—	—	18	1	1	3	4	3	4	2	—	—
12 Cancer, malignant disease	M	48	—	—	—	—	—	4	15	17	12	238	—	—	—	—	3	21	110	68	36
	F	54	—	—	—	—	2	5	25	14	8	282	—	—	—	1	—	24	132	69	56
13 Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	4	—	—	—	3	1	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	4	—	—	—	1	—	2	—	1	—
14 Diabetes	M	5	—	—	—	—	—	2	3	—	—	10	—	—	—	1	—	1	4	2	2
	F	8	—	—	—	—	1	1	—	6	—	25	—	—	—	1	—	2	9	7	6
15 Cerebral hæmorrhage, &c. ..	M	5	—	—	—	—	—	—	1	2	2	68	—	—	—	—	—	5	23	20	20
	F	22	—	—	—	—	—	—	5	9	8	118	—	—	—	—	—	4	29	37	48
16 Heart disease ..	M	54	—	—	—	—	—	2	14	13	25	503	—	—	—	1	2	28	139	167	166
	F	75	—	—	—	—	3	6	11	29	26	552	—	—	—	1	10	16	95	138	292
17 Arterio-sclerosis ..	M	12	—	—	—	—	—	—	5	4	3	56	—	—	—	—	—	2	12	20	22
	F	21	—	—	—	—	—	—	5	7	9	86	—	—	—	—	—	—	17	25	44
18 Bronchitis ..	M	8	—	—	—	—	—	—	4	1	3	103	5	1	—	1	—	3	26	39	28
	F	26	1	—	—	—	—	—	1	6	18	180	6	3	1	—	—	5	27	46	92
19 Pneumonia (all forms)	M	32	3	1	—	1	1	4	14	4	4	184	30	19	9	2	5	13	59	29	18
	F	22	1	2	—	1	—	1	5	5	7	139	15	12	6	2	—	3	27	31	43
20 Other respiratory diseases	M	6	—	—	—	—	—	—	3	2	1	33	—	—	—	1	—	3	15	11	3
	F	3	—	—	—	—	—	—	1	2	—	23	—	—	—	1	1	—	6	7	8
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	1	1	—	26	—	—	—	—	—	5	15	6	—
	F	1	—	—	—	—	—	—	—	1	—	19	—	—	—	—	—	3	8	4	4
22 Diarrhœa, &c. ..	M	5	4	1	—	—	—	—	—	—	—	22	16	3	—	—	1	—	2	—	—
	F	2	2	—	—	—	—	—	—	—	—	16	10	1	—	—	—	1	—	1	3
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	1	2	—	—	—	22	—	—	—	3	2	8	7	2	—
	F	1	—	—	—	—	—	—	—	1	—	13	—	—	—	—	1	—	10	2	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	19	—	—	—	—	—	—	14	4	1
	F	—	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	2	7	1	1
25 Acute and chronic nephritis ..	M	12	—	—	—	—	—	2	7	2	1	64	—	—	—	2	—	8	23	12	19
	F	8	—	—	—	—	—	—	5	1	2	83	—	—	1	2	3	3	29	21	24
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	16	—	—	—	—	3	13	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	11	11	—	—	—	—	—	—	—	—	70	69	—	—	—	1	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	61	59	—	1	1	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	24	—	—	—	—	1	8	11	4	—
	F	2	—	—	—	—	—	—	2	—	—	22	—	—	—	—	2	6	13	1	—
30 Other deaths from violence.. ..	M	19	—	—	—	2	4	2	3	4	4	82	1	1	4	6	14	15	19	11	11
	F	12	2	—	2	—	—	—	2	2	4	58	1	1	—	3	7	4	11	13	18
31 Other defined diseases	M	41	1	—	1	—	1	1	10	9	18	310	14	4	2	12	12	32	86	66	82
	F	44	4	1	1	1	1	1	8	10	17	333	17	2	2	7	7	27	83	70	118
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Westminster. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Woolwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1002	57	11	9	13	21	105	356	243	187	893	81	16	15	27	41	84	283	184	162
	F	869	48	17	7	10	22	65	257	197	246	887	63	12	22	28	27	117	192	188	238
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	5	3	1	1	—	—	—	—	—	—	10	5	4	1	—	—	—	—	—	—
	F	17	9	4	2	2	—	—	—	—	—	12	6	4	2	—	—	—	—	—	—
6 Diphtheria ..	M	7	1	2	2	1	—	—	1	—	—	10	—	1	5	4	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	7	—	—	2	5	—	—	—	—	—
7 Influenza	M	53	1	1	—	1	1	2	19	18	10	50	3	1	2	3	3	7	17	9	5
	F	52	—	2	—	—	1	6	18	10	15	46	2	2	3	—	1	4	11	12	11
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	85	—	—	—	—	5	27	47	6	—	75	—	—	—	—	18	22	32	2	1
	F	31	—	—	—	—	9	8	10	4	—	68	—	—	—	5	17	35	7	3	1
11 Other tuberculous diseases	M	4	—	—	1	1	1	1	—	—	—	4	1	—	—	2	—	—	—	1	—
	F	6	1	1	—	1	—	1	2	—	—	12	1	1	3	2	2	1	2	—	—
12 Cancer, malignant disease	M	107	1	—	—	2	—	4	55	32	13	93	—	—	—	—	—	4	41	32	16
	F	114	—	—	—	1	—	6	56	34	17	120	—	1	—	—	1	12	46	38	22
13 Rheumatic fever ..	M	3	—	—	—	1	1	—	1	—	—	2	—	—	—	—	1	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	1	—	—	—	2	—	—
14 Diabetes	M	9	—	—	—	—	—	—	2	5	2	8	—	—	—	—	1	1	1	2	3
	F	11	—	—	—	—	—	—	6	3	2	8	—	—	—	—	—	—	2	4	2
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	2	5	9	8	27	—	—	—	—	—	—	10	10	7
	F	26	—	—	—	—	—	1	6	7	12	49	—	—	—	—	—	—	12	11	26
16 Heart disease ..	M	238	—	—	—	1	—	12	76	69	80	168	—	—	—	1	3	7	57	50	50
	F	203	—	—	—	4	1	8	45	58	87	185	—	—	—	2	3	11	50	58	61
17 Arterio-sclerosis ..	M	36	—	—	—	—	—	—	8	13	15	20	—	—	—	—	—	1	4	6	9
	F	33	—	—	—	—	—	1	7	14	11	18	—	—	—	—	—	1	4	4	9
18 Bronchitis ..	M	46	1	—	—	—	—	—	12	17	16	53	5	1	—	—	—	1	13	16	17
	F	60	—	—	—	—	—	1	9	12	38	68	7	—	—	1	—	—	3	18	39
19 Pneumonia (all forms)	M	93	10	4	3	1	3	13	26	22	11	63	12	4	2	2	3	6	28	3	3
	F	76	8	6	1	1	2	3	21	17	17	56	14	1	5	4	1	6	7	8	10
20 Other respiratory diseases	M	13	2	—	—	1	1	—	5	1	3	8	—	—	—	1	—	—	3	2	2
	F	11	—	—	—	—	—	1	6	2	2	7	—	—	—	—	—	3	1	1	2
21 Ulcer of stomach or duodenum ..	M	25	—	—	—	—	—	4	15	4	2	20	—	—	—	—	1	1	12	6	—
	F	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	1	2	—	—
22 Diarrhœa, &c.	M	6	3	—	—	—	—	—	2	1	—	21	14	2	1	—	1	1	2	—	—
	F	12	8	1	—	—	—	—	1	2	—	7	4	1	—	—	—	—	—	1	1
23 Appendicitis and typhlitis.. ..	M	12	—	—	—	—	2	2	7	1	—	6	—	—	—	1	1	1	1	2	—
	F	6	—	—	—	—	—	1	3	1	1	6	—	—	—	2	—	—	2	2	—
24 Cirrhosis of liver ..	M	11	—	—	—	—	—	2	8	1	—	7	—	—	—	—	—	—	2	4	1
	F	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	38	1	—	—	—	1	3	18	9	6	29	—	—	—	1	—	4	10	6	8
	F	27	—	—	—	—	—	2	13	5	7	25	—	—	—	—	—	7	8	4	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	11	—	—	—	—	—	11	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	26	26	—	—	—	—	—	—	—	—	25	24	1	—	—	—	—	—	—	—
	F	15	15	—	—	—	—	—	—	—	—	19	18	—	1	—	—	—	—	—	—
29 Suicide	M	15	—	—	—	—	—	9	6	—	—	15	—	—	—	—	1	7	7	—	—
	F	13	—	—	—	—	—	5	5	—	3	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence.. ..	M	34	3	1	1	2	3	9	5	6	4	39	2	1	2	3	6	7	6	4	8
	F	35	1	1	3	1	3	5	5	8	8	22	—	—	1	—	—	5	4	1	11
31 Other defined diseases	M	110	5	1	1	2	3	14	38	29	17	136	15	1	2	7	2	12	36	29	32
	F	105	6	—	—	—	4	12	40	17	26	123	10	2	1	7	1	16	26	23	37
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Barnsley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Barrow-in-Furness. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	569	92	30	27	20	43	57	133	99	68	463	60	8	12	12	29	42	126	95	79
	F	523	91	37	17	15	24	47	113	92	87	374	34	9	7	10	12	43	99	79	81
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	1	2	—	1	—	—	—	—	—	6	1	1	3	1	—	—	—	—	—
	F	2	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	2	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
5 Whooping cough ..	M	14	4	3	6	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	15	6	6	3	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	35	1	2	2	2	5	8	7	4	4	9	—	—	—	—	1	2	5	1	—
	F	52	1	2	1	—	1	4	11	18	14	8	—	—	—	—	2	2	1	2	1
8 Encephalitis lethargica ..	M	1	—	—	—	—		—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	37	—	1	—	2	13	10	11	—	—	24	—	—	—	—	7	11	6	—	—
	F	19	—	—	—	2	5	7	5	—	—	20	—	—	1	2	2	9	6	—	—
11 Other tuberculous diseases	M	8	1	—	3	2	2	—	—	—	—	4	—	—	—	—	2	1	1	—	—
	F	14	2	—	3	2	4	3	—	—	—	6	—	—	1	2	—	1	1	1	—
12 Cancer, malignant disease	M	40	—	—	—	—	1	4	19	10	6	45	—	—	—	1	—	2	22	13	7
	F	48	—	—	—	—	1	5	26	13	3	45	—	—	—	—	—	4	24	9	8
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	5	—	—	—	—	—	1	1	3	—	1	—	—	—	—	—	—	—	1	—
	F	7	—	—	—	—	—	—	6	1	—	7	—	—	—	1	—	—	3	2	1
15 Cerebral hæmorrhage, &c. ..	M	26	—	—	—	—	—	—	12	7	7	18	—	—	—	—	—	—	6	10	2
	F	22	—	—	—	—	—	—	8	10	4	9	—	—	—	—	—	1	1	2	5
16 Heart disease ..	M	84	—	—	—	1	2	12	24	29	16	94	—	—	—	1	4	2	28	29	30
	F	74	—	—	—	—	4	8	23	18	21	98	—	—	1	—	1	13	25	31	27
17 Arterio-sclerosis ..	M	20	—	—	—	—	—	—	3	5	12	19	—	—	—	—	—	—	8	9	2
	F	15	—	—	—	—	—	—	2	2	11	21	—	—	—	—	—	—	2	9	10
18 Bronchitis ..	M	65	17	6	1	1	—	2	12	19	7	28	2	—	—	—	—	1	7	8	10
	F	48	8	2	1	—	—	1	8	15	13	21	2	—	—	—	—	—	4	4	11
19 Pneumonia (all forms)	M	77	28	16	8	3	2	7	4	4	5	41	9	4	2	1	2	5	11	4	3
	F	58	21	22	7	2	—	1	—	3	2	25	6	7	1	1	—	1	4	2	3
20 Other respiratory diseases	M	6	—	—	—	1	—	—	3	1	1	4	—	—	—	—	—	1	2	1	—
	F	2	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	1	1	—	7	—	—	—	—	—	2	5	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	5	3	—	—	1	—	—	—	1	—	8	6	—	—	1	—	—	—	1	—
	F	7	3	1	—	—	—	1	—	1	1	3	2	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis.. ..	M	4	—	—	1	—	2	1	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	18	—	—	—	1	1	—	10	5	1	13	—	—	—	1	—	—	7	2	3
	F	17	—	—	—	—	—	3	4	5	5	10	—	—	—	1	—	1	3	4	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	28	28	—	—	—	—	—	—	—	—	31	30	1	—	—	—	—	—	—	—
	F	39	39	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	3	—	1	—
	F	5	—	—	—	—	1	2	2	—	—	7	—	—	—	—	1	1	4	1	—
30 Other deaths from violence.. ..	M	34	2	—	2	3	10	7	9	1	—	24	—	—	3	3	6	5	2	1	4
	F	6	—	1	1	2	—	—	2	—	—	9	—	—	1	—	3	1	1	2	1
31 Other defined diseases	M	46	6	—	2	—	4	4	12	9	9	75	10	1	4	3	7	6	13	13	18
	F	53	10	—	1	3	3	4	15	5	12	48	7	1	1	1	—	4	13	9	12
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Bath. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Birkenhead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	446	21	4	6	11	17	38	117	113	119	1162	148	46	25	26	53	152	360	204	148
	F	552	18	4	4	8	13	43	85	126	251	1023	106	38	33	33	45	110	258	183	217
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	1	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	—	16	4	7	5	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	18	5	5	7	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	2	—	2	—	—	—	—	—	—	—	8	3	4	1	—	—	—	—	—	—
	F	3	2	—	1	—	—	—	—	—	—	16	5	6	5	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
7 Influenza	M	18	—	—	—	1	1	2	5	5	4	58	3	2	—	—	3	11	14	12	13
	F	21	—	—	—	—	—	2	2	9	8	41	—	—	1	—	3	9	12	7	9
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	3	2	1	—
9 Meningococcal meningitis	M	1	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	31	—	—	—	2	6	9	9	3	2	94	—	—	—	5	11	40	33	3	2
	F	19	—	—	1	—	6	7	3	2	—	71	—	1	—	6	18	30	15	—	1
11 Other tuberculous diseases	M	1	—	—	1	—	—	—	—	—	—	17	2	3	5	1	4	2	—	—	—
	F	5	—	1	—	1	—	1	1	—	1	21	1	2	6	4	2	4	2	—	—
12 Cancer, malignant disease	M	51	1	—	—	2	1	2	19	16	10	112	—	—	1	—	1	5	61	34	10
	F	66	—	—	—	—	—	4	20	21	21	107	—	—	—	—	1	10	60	20	16
13 Rheumatic fever	M	1	—	—	—	—	—	—	—	1	—	3	—	—	—	2	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes	M	5	—	—	—	—	—	2	1	1	1	9	—	—	—	—	2	2	4	—	1
	F	10	—	—	—	—	—	2	3	2	3	9	—	—	—	—	—	—	3	5	1
15 Cerebral hæmorrhage, &c.	M	15	—	—	—	1	—	—	4	4	6	57	—	—	—	—	—	2	19	25	11
	F	39	—	—	—	—	—	—	6	13	20	55	—	—	—	—	—	3	21	16	15
16 Heart disease	M	76	—	—	—	—	—	4	24	23	25	157	—	—	—	2	7	9	45	42	52
	F	132	—	—	—	—	—	2	18	30	82	194	—	—	1	1	3	14	40	63	72
17 Arterio-sclerosis	M	16	—	—	—	—	—	—	2	6	8	32	—	—	—	—	—	—	3	13	16
	F	20	—	—	—	—	—	—	1	10	9	47	—	—	—	—	—	—	6	14	27
18 Bronchitis	M	20	1	—	—	—	—	—	3	5	11	61	4	1	—	—	—	3	20	18	15
	F	22	—	—	1	—	—	1	2	5	13	57	7	—	1	—	1	—	10	17	21
19 Pneumonia (all forms)	M	35	4	1	3	1	1	5	4	8	8	186	48	21	7	1	13	28	49	14	5
	F	24	3	1	1	1	3	3	3	2	7	109	20	22	7	5	6	11	16	11	11
20 Other respiratory diseases	M	8	—	1	—	—	—	1	1	2	3	16	2	—	—	—	—	5	7	1	1
	F	4	—	—	—	—	—	—	—	1	3	5	1	—	—	—	—	1	3	—	—
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	1	3	—	—	22	—	—	—	—	1	7	11	3	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	5	—	—
22 Diarrhœa, &c.	M	4	—	—	—	—	—	—	1	1	2	25	19	4	—	—	—	1	1	—	—
	F	3	2	—	—	—	—	—	1	—	—	17	10	1	1	—	—	—	3	1	1
23 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	—	7	—	—	—	1	2	1	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	1	1	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	25	—	—	—	—	—	1	9	10	5	32	—	—	—	1	—	1	16	9	5
	F	24	—	—	—	—	2	3	5	5	9	48	—	—	1	1	1	3	17	11	14
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	4	—	—	—	—	3	1	—	—	—
28 Congenital debility and malformation, premature birth	M	15	13	—	—	1	—	—	1	—	—	43	43	—	—	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—	43	43	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	—	4	—	—	18	—	—	—	—	1	3	12	2	—
	F	5	—	—	—	—	—	1	2	2	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence	M	20	1	—	1	2	4	3	4	2	3	39	—	—	2	2	2	15	16	1	1
	F	17	—	—	—	4	1	1	1	2	8	25	3	1	1	4	2	—	3	3	8
31 Other defined diseases	M	89	1	—	—	1	2	6	23	25	31	133	20	3	3	9	5	14	39	24	16
	F	121	3	1	—	2	—	10	16	22	67	110	10	—	2	9	2	17	35	14	21
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

	Causes of Death.	Sex.	Birmingham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Blackburn. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	6783	772	255	165	178	263	784	2086	1279	1001	877	65	24	16	24	44	77	288	206	133
		F	6482	559	216	170	176	242	673	1614	1324	1508	994	61	19	12	22	38	96	271	266	209
1	Enteric fever	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	106	19	52	26	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	91	21	37	26	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	5	—	—	1	3	1	—	—	—	—	2	—	—	—	1	1	—	—	—	—
		F	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	56	21	24	7	4	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	67	24	23	17	2	—	—	—	—	1	7	2	5	—	—	—	—	—	—	—
6	Diphtheria	M	35	—	1	16	16	2	—	—	—	—	7	—	—	2	5	—	—	—	—	—
		F	49	3	1	15	25	3	1	1	—	—	12	—	—	2	9	—	—	1	—	—
7	Influenza	M	516	13	7	4	7	12	77	199	112	85	44	—	—	1	1	3	5	17	10	7
		F	555	6	10	11	8	13	64	147	164	132	72	—	—	1	—	1	11	26	20	13
8	Encephalitis lethargica	M	12	—	1	1	2	2	2	4	—	—	1	—	—	—	—	—	1	—	—	—
		F	12	—	—	1	—	—	6	5	—	—	3	—	—	1	—	1	1	—	—	—
9	Meningococcal meningitis	M	12	6	2	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	2	1	—	1	—	—	—	—	—	3	1	—	—	1	—	—	1	—	—
10	Tuberculosis of respiratory system	M	550	4	2	1	11	69	215	230	18	—	57	—	—	—	—	14	13	27	3	—
		F	368	2	4	3	7	104	150	87	9	2	54	—	—	2	—	18	26	8	—	—
11	Other tuberculous diseases	M	85	11	13	15	8	15	7	13	1	2	6	—	2	—	—	2	1	1	—	—
		F	60	10	8	14	9	7	7	4	—	1	9	2	1	1	1	3	—	1	—	—
12	Cancer, malignant disease	M	637	—	—	—	1	4	43	321	194	74	88	—	—	—	—	—	2	46	31	9
		F	688	—	—	1	2	4	74	326	171	110	114	—	—	—	—	—	7	62	30	15
13	Rheumatic fever	M	17	—	—	—	7	7	2	1	—	—	2	—	—	1	—	—	1	—	—	—
		F	14	—	—	—	8	3	1	2	—	—	1	—	—	—	1	—	—	—	—	—
14	Diabetes	M	60	—	1	—	2	1	7	21	24	4	9	—	—	—	—	—	1	5	1	2
		F	79	—	—	—	2	2	3	30	27	15	17	—	—	—	—	1	—	7	7	2
15	Cerebral hæmorrhage, &c.	M	271	—	—	—	—	2	7	97	100	65	46	—	—	—	—	—	1	18	18	9
		F	346	—	—	—	—	—	9	111	112	114	61	—	—	—	—	—	3	16	27	15
16	Heart disease	M	1038	—	—	—	7	27	59	331	300	314	148	—	—	—	—	2	8	53	57	28
		F	1189	—	—	—	18	19	65	299	352	436	198	—	—	—	—	3	10	56	77	52
17	Arterio-sclerosis	M	202	—	—	—	—	—	1	45	84	72	39	—	—	—	—	—	1	7	15	16
		F	168	—	—	—	—	—	1	38	44	85	40	—	—	—	—	—	—	7	16	17
18	Bronchitis	M	356	21	5	3	2	—	14	104	95	112	54	5	1	1	—	1	4	16	14	12
		F	447	19	6	2	1	2	8	78	120	211	74	6	—	—	—	1	1	12	26	28
19	Pneumonia (all forms)	M	797	127	98	48	13	25	114	229	100	43	77	16	13	2	3	3	10	17	8	5
		F	553	96	82	44	15	17	61	92	88	58	56	9	10	3	1	—	1	12	13	7
20	Other respiratory diseases	M	60	1	3	1	3	4	9	28	5	6	10	—	—	1	—	1	2	5	—	1
		F	64	2	3	—	1	1	7	21	13	16	13	1	—	1	—	1	2	3	4	1
21	Ulcer of stomach or duodenum	M	85	—	—	—	—	2	17	50	14	2	11	—	—	—	—	1	2	6	2	—
		F	32	—	—	—	—	—	6	19	3	4	2	—	—	—	—	—	—	2	—	—
22	Diarrhœa, &c.	M	151	117	18	4	1	1	1	5	1	3	8	3	3	2	—	—	—	—	—	—
		F	122	83	15	5	3	5	1	2	4	4	7	6	—	—	—	1	—	—	—	—
23	Appendicitis and typhlitis	M	29	—	—	3	4	5	8	8	1	—	8	—	—	1	2	2	1	2	—	—
		F	30	—	—	1	5	5	6	9	2	2	7	—	—	—	1	—	4	2	—	—
24	Cirrhosis of liver	M	28	—	—	—	—	—	2	19	6	1	6	—	—	—	—	—	—	2	4	—
		F	18	—	—	—	—	—	2	13	3	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis	M	186	1	—	—	1	7	26	61	49	41	31	—	—	—	1	1	2	12	10	5
		F	166	1	—	—	4	8	20	69	45	19	40	—	1	—	—	1	4	16	11	7
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	4	23	—	—	—	4	—	—	—	—	—	4	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	35	—	—	—	1	4	27	3	—	—	7	—	—	—	—	2	5	—	—	—
28	Congenital debility and malformation, premature birth	M	342	330	4	—	3	—	3	2	—	—	34	33	—	1	—	—	—	—	—	—
		F	235	231	1	—	1	—	1	—	1	—	25	25	—	—	—	—	—	—	—	—
29	Suicide	M	102	—	—	—	—	5	28	58	6	5	12	—	—	—	—	1	4	6	—	1
		F	55	—	—	—	—	4	14	29	7	1	5	—	—	—	—	—	2	1	2	—
30	Other deaths from violence	M	247	10	9	9	30	37	49	57	29	17	37	1	2	1	6	6	5	7	7	2
		F	149	11	5	12	22	14	15	26	15	29	27	2	1	1	5	1	3	3	2	9
31	Other defined diseases	M	793	91	15	23	44	34	93	200	138	155	133	7	3	2	3	5	13	39	25	36
		F	850	48	19	15	35	23	98	200	144	268	134	7	1	—	3	4	12	34	30	43
32	Causes ill-defined or unknown	M	3	—	—	1	—	—	—	—	2	—	6	—	—	—	2	1	—	2	1	—
		F	4	—	1	—	—	—	—	3	—	—	2	—	—	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Blackpool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bolton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	730	40	8	5	8	17	81	241	193	137	1348	156	52	40	36	40	126	399	327	172
	F	746	21	10	10	7	23	67	219	206	183	1447	113	54	44	32	50	162	385	302	205
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	8	—	4	2	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	40	13	14	11	2	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	46	15	15	15	1	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	2	—	—	—	—	—	—	4	—	—	2	—	1	1	—	—	—
	F	5	—	—	3	1	—	—	1	—	—	4	—	—	1	2	—	—	—	1	—
7 Influenza	M	35	—	—	—	—	—	6	14	10	5	92	3	2	4	—	6	11	24	26	16
	F	50	—	—	—	—	—	6	14	17	13	114	5	2	4	3	5	12	32	26	25
8 Encephalitis lethargica ..	M	3	—	—	—	—	1	—	1	1	—	5	—	—	—	1	1	—	1	2	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	—	2	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	38	—	—	—	—	6	20	11	1	—	62	—	—	—	1	12	19	23	6	1
	F	28	—	—	—	—	8	12	8	—	—	62	—	—	1	—	14	39	8	—	—
11 Other tuberculous diseases	M	9	—	1	1	1	—	2	3	1	—	13	1	—	—	4	2	3	2	1	—
	F	6	1	1	—	—	1	2	1	—	—	11	—	—	2	3	1	3	2	—	—
12 Cancer, malignant disease	M	78	—	—	—	—	—	3	37	30	8	115	—	—	—	—	—	7	61	38	9
	F	104	—	—	—	1	—	4	48	36	15	92	—	—	—	1	1	11	48	21	10
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	9	—	—	—	1	1	2	3	2	—
14 Diabetes	M	15	—	—	—	—	—	3	4	4	4	14	—	—	—	—	1	1	9	3	—
	F	11	—	—	—	—	—	1	5	5	—	30	—	—	—	1	—	2	14	11	2
15 Cerebral hæmorrhage, &c. ..	M	49	—	—	—	—	—	1	15	26	7	55	—	—	—	—	1	—	15	24	15
	F	60	—	—	—	—	—	2	18	24	16	69	—	—	—	—	—	1	26	20	22
16 Heart disease ..	M	134	—	—	—	—	—	6	52	38	38	202	—	—	—	—	1	16	71	82	32
	F	160	—	—	—	—	5	7	48	46	54	264	—	—	—	4	4	26	98	66	66
17 Arterio-sclerosis ..	M	28	—	—	—	—	—	—	9	11	8	64	—	—	—	—	—	—	14	33	17
	F	25	—	—	—	—	—	—	5	9	11	110	—	—	—	—	—	—	16	29	65
18 Bronchitis ..	M	37	1	1	—	—	1	—	9	13	12	90	10	—	—	1	1	6	30	26	16
	F	53	—	1	—	—	1	1	11	17	22	129	8	7	1	1		4	29	50	29
19 Pneumonia (all forms)	M	59	7	2	1	2	2	9	20	10	6	144	39	22	13	8	1	18	30	7	6
	F	40	1	5	3	1	1	3	14	9	3	114	25	24	12	3	3	8	19	13	7
20 Other respiratory diseases	M	11	—	—	—	1	1	2	5	2	—	11	—	—	—	1	—	—	6	4	—
	F	4	—	—	—	—	—	1	1	1	1	10	—	1	—	—	1	2	5	—	1
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	1	2	4	—	1	13	—	—	—	—	1	1	9	2	—
	F	4	—	—	—	—	—	1	1	1	1	5	—	—	—	—	1	1	2	1	—
22 Diarrhœa, &c. ..	M	3	2	—	—	—	—	1	—	—	—	16	11	1	—	—	—	—	—	3	1
	F	3	1	1	—	—	—	—	—	—	1	14	6	1	—	1	—	2	2	—	2
23 Appendicitis and typhlitis.. ..	M	4	—	—	—	—	1	2	—	1	—	3	—	—	—	1	1	1	—	—	—
	F	5	—	—	—	—	1	1	3	—	—	11	—	—	—	2	5	2	2	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	—	1	4	1	1
	F	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	—	—	5	—	—
25 Acute and chronic nephritis ..	M	32	—	—	—	—	—	2	13	11	6	50	—	1	—	1	1	7	23	13	4
	F	28	—	1	—	1	—	1	13	9	3	51	—	—	1	1	3	13	18	11	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	8	—	—	—	—	1	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	13	—	—	—	—	3	10	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	22	22	—	—	—	—	—	—	—	—	54	53	1	—	—	—	—	—	—	—
	F	16	16	—	—	—	—	—	—	—	—	33	31	1	1	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	1	—	7	—	4	16	—	—	—	—	—	2	13	1	—
	F	6	—	—	—	—	—	4	1	1	—	7	—	—	—	—	—	2	4	1	—
30 Other deaths from violence.. ..	M	27	—	—	1	1	3	10	8	2	2	60	—	2	4	8	8	12	14	5	7
	F	19	—	—	1	1	1	2	5	4	5	18	—	—	—	1	—	2	1	9	5
31 Other defined diseases	M	121	8	4	—	3	—	11	27	32	36	202	25	4	2	6	1	19	49	49	47
	F	106	—	—	3	2	4	13	19	27	38	207	22	2	3	5	6	13	48	41	67
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Bootle. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bournemouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	569	83	25	21	14	21	70	172	106	57	661	28	6	3	7	19	59	191	161	187
	F	521	55	38	22	23	26	64	131	72	90	812	20	4	8	7	17	63	185	206	302
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	12	—	6	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	15	1	9	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	2	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	4	—	1	—	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	2	1	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria	M	3	1	—	2	—	—	—	—	—	—	4	—	—	1	2	—	—	1	—	—
	F	5	—	—	2	3	—	—	—	—	—	9	—	—	5	1	—	1	—	1	1
7 Influenza	M	16	—	—	—	—	—	5	6	3	2	42	—	2	1	—	—	5	8	14	12
	F	21	—	1	1	—	2	3	6	5	3	53	—	—	—	—	—	2	9	18	24
8 Encephalitis lethargica	M	3	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	2	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	—	1
9 Meningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	53	—	—	1	1	7	19	23	2	—	48	1	—	—	—	3	19	18	2	5
	F	39	—	—	1	—	12	18	6	2	—	37	—	—	—	—	6	17	11	3	—
11 Other tuberculous diseases	M	5	—	—	—	3	—	1	—	1	—	6	—	—	—	—	2	1	2	—	1
	F	11	—	3	2	3	3	—	—	—	—	4	—	1	—	—	—	—	3	—	—
12 Cancer, malignant disease	M	47	—	—	—	—	—	4	28	13	2	72	—	—	—	—	1	2	28	26	15
	F	54	—	—	—	1	—	7	27	13	6	114	—	—	—	—	—	10	37	32	35
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
14 Diabetes	M	3	—	—	—	—	—	—	1	1	1	6	—	—	—	—	—	—	2	1	3
	F	7	—	—	—	—	1	—	4	2	—	18	—	—	—	—	—	—	8	5	5
15 Cerebral hæmorrhage, &c.	M	26	—	—	—	—	—	1	10	9	6	35	—	—	—	—	—	—	10	12	13
	F	15	—	—	—	—	—	—	6	5	4	67	—	—	—	—	1	2	10	15	39
16 Heart disease	M	61	—	—	—	—	2	1	23	20	15	136	—	—	—	—	1	6	32	45	52
	F	80	—	—	—	—	1	6	28	16	29	193	—	—	—	2	2	5	43	57	84
17 Arterio-sclerosis	M	21	—	—	—	—	—	—	5	9	7	26	—	—	—	—	—	—	7	8	11
	F	19	—	—	—	—	—	—	8	4	7	28	—	—	—	—	—	—	4	9	15
18 Bronchitis	M	30	6	2	—	—	—	2	8	7	5	22	—	—	—	—	—	1	4	6	11
	F	28	2	2	—	—	—	—	6	5	13	36	—	—	—	—	—	—	1	11	24
19 Pneumonia (all forms)	M	82	20	12	4	2	5	12	15	9	3	41	4	4	—	—	—	2	14	8	9
	F	73	16	15	5	1	2	11	11	4	8	39	1	2	2	1	—	3	8	13	9
20 Other respiratory diseases	M	5	1	—	—	—	—	1	3	—	—	9	—	—	—	—	1	1	—	3	4
	F	5	—	1	—	—	1	2	1	—	—	12	—	—	1	—	—	1	3	1	6
21 Ulcer of stomach or duodenum	M	7	—	—	—	—	—	1	4	1	1	16	—	—	—	—	—	6	5	3	2
	F	4	—	—	—	—	—	1	1	1	1	3	—	—	—	—	—	—	1	—	2
22 Diarrhœa, &c.	M	14	11	2	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	12	8	2	—	—	—	—	1	1	—	7	1	—	—	—	1	3	1	1	—
23 Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	—	5	—	—	—	1	—	1	2	—	1
	F	4	—	—	—	2	—	1	1	—	—	9	—	—	—	—	—	2	5	2	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	2	2	—
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	18	—	—	—	1	—	2	11	1	3	26	—	—	—	—	—	1	10	9	6
	F	16	—	—	—	—	—	4	7	5	—	30	—	—	—	—	1	1	5	7	16
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	M	36	36	—	—	—	—	—	—	—	—	17	16	—	—	—	1	—	—	—	—
	F	21	21	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	1	4	2	1	—	8	—	—	—	—	1	2	3	2	—
	F	3	—	—	—	—	—	—	3	—	—	6	—	—	—	—	—	—	4	2	—
30 Other deaths from violence	M	22	—	—	5	4	3	3	4	3	—	19	—	—	—	1	5	2	8	2	1
	F	13	—	2	4	1	1	2	2	—	1	12	—	—	—	—	1	2	4	1	4
31 Other defined diseases	M	83	8	2	2	1	1	11	21	25	12	109	4	—	1	2	3	7	33	18	41
	F	61	5	1	—	9	2	6	12	9	17	107	2	1	—	—	3	12	25	27	37
32 Causes ill-defined or unknown	M	7	—	—	—	—	—	2	4	1	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Bradford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Brighton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	2205	186	60	43	46	71	217	748	532	302	982	62	13	12	27	28	79	269	253	239
	F	2336	155	53	47	55	61	221	603	601	540	1145	46	12	11	27	31	96	276	246	400
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	21	7	12	1	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	18	1	8	5	4	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
4 Scarlet fever ..	M	9	—	2	2	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	2	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	6	2	2	2	—	—	—	—	—	—	3	—	1	—	1	—	1	—	—	—
	F	13	7	4	2	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—
6 Diphtheria ..	M	17	1	2	4	10	—	—	—	—	—	9	—	—	1	8	—	—	—	—	—
	F	32	2	4	8	16	1	—	1	—	—	11	—	—	3	8	—	—	—	—	—
7 Influenza	M	117	1	—	2	2	4	14	51	27	16	48	1	—	—	—	2	3	18	10	14
	F	159	5	2	2	1	4	23	42	35	45	65	1	1	—	—	—	11	16	14	22
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	3	1	1	1	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	2	—	2	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	152	—	—	—	1	25	54	66	6	—	60	—	1	—	1	9	22	23	3	1
	F	94	2	3	2	1	18	40	24	4	—	52	—	—	—	2	11	20	13	6	—
11 Other tuberculous diseases	M	23	4	2	4	4	4	2	3	—	—	12	1	—	3	5	1	1	—	1	—
	F	28	—	4	2	2	8	3	5	3	1	18	2	3	1	2	4	3	—	—	3
12 Cancer, malignant disease	M	203	—	—	1	—	1	14	97	76	14	117	—	—	—	—	—	6	45	49	17
	F	255	—	—	1	—	2	21	106	92	33	156	—	—	—	—	—	11	59	55	31
13 Rheumatic fever ..	M	4	—	—	—	1	1	1	1	—	—	4	—	—	—	—	2	1	1	—	—
	F	7	—	—	1	2	2	1	1	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	14	—	—	—	—	—	1	6	7	—	11	—	—	—	1	—	—	3	5	2
	F	27	—	—	—	—	—	2	14	9	2	14	—	—	—	—	—	1	7	4	2
15 Cerebral hæmorrhage, &c. ..	M	116	—	—	—	—	—	4	30	54	28	35	—	—	—	—	—	1	7	15	12
	F	136	—	—	—	—	—	2	35	48	51	72	—	—	—	—	—	1	19	20	32
16 Heart disease ..	M	376	—	—	—	1	5	20	145	128	77	195	—	—	—	1	1	8	47	67	71
	F	476	—	—	—	—	5	27	140	160	144	232	—	—	—	2	2	10	59	61	98
17 Arterio-sclerosis ..	M	67	—	—	—	—	—	1	13	31	22	45	—	—	—	—	—	—	10	22	13
	F	84	—	—	—	—	—	—	19	31	34	45	—	—	—	—	—	1	10	14	20
18 Bronchitis ..	M	133	10	1	3	—	—	6	38	43	32	43	2	2	—	—	—	1	10	10	18
	F	159	5	1	1	2	—	4	22	51	73	75	1	—	—	1	1	1	12	15	44
19 Pneumonia (all forms)	M	197	28	26	11	2	7	24	68	19	12	53	10	4	1	—	2	9	16	7	4
	F	170	26	23	11	6	2	15	34	35	18	59	5	5	2	2	3	5	14	7	16
20 Other respiratory diseases	M	31	2	—	2	—	—	2	16	5	4	14	1	—	—	—	1	1	7	2	2
	F	13	—	—	—	1	—	—	3	2	7	7	—	—	—	—	—	1	2	1	3
21 Ulcer of stomach or duodenum ..	M	33	—	—	—	—	—	11	17	4	1	17	—	—	—	—	—	4	10	2	1
	F	6	—	—	—	—	—	1	2	2	1	7	—	—	—	—	—	1	4	—	2
22 Diarrhœa, &c. ..	M	19	11	3	—	1	1	—	2	—	1	11	8	1	1	—	1	—	—	—	—
	F	20	6	—	—	1	1	2	5	3	2	10	6	1	—	—	—	2	—	—	1
23 Appendicitis and typhlitis.. ..	M	13	—	—	1	2	3	2	4	1	—	7	—	—	—	1	1	1	3	—	1
	F	15	—	—	—	—	3	4	6	1	1	6	—	—	—	—	—	1	4	1	—
24 Cirrhosis of liver ..	M	16	—	—	—	—	—	5	7	4	—	5	—	—	—	—	—	—	3	1	1
	F	3	—	—	—	—	—	2	—	1	—	8	—	—	—	—	—	1	5	1	1
25 Acute and chronic nephritis ..	M	62	—	1	2	1	2	4	33	13	6	27	—	—	—	1	3	4	11	5	3
	F	66	—	—	—	1	1	13	25	13	13	26	—	—	—	—	2	2	10	6	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	2	9	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	3	8	1	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	81	79	1	1	—	—	—	—	—	—	33	32	—	1	—	—	—	—	—	—
	F	63	62	—	—	1	—	—	—	—	—	20	19	—	—	1	—	—	—	—	—
29 Suicide	M	38	—	—	—	—	1	11	23	2	1	20	—	—	—	—	1	3	11	5	—
	F	11	—	—	—	—	—	5	6	—	—	9	—	—	—	—	—	2	4	3	—
30 Other deaths from violence.. ..	M	59	2	1	4	8	7	13	13	7	4	18	1	2	—	2	1	2	4	4	2
	F	54	3	—	4	7	1	1	10	12	16	14	1	1	1	1	—	1	4	2	3
31 Other defined diseases	M	378	38	6	2	8	8	27	105	100	84	189	6	—	4	5	3	11	39	44	77
	F	385	36	4	5	7	8	35	94	97	99	225	8	1	2	7	4	18	33	36	116
32 Causes ill-defined or unknown ..	M	14	—	—	—	—	1	1	7	5	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	—	1	8	2	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

	Causes of Death.	Sex.	Bristol. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Burnley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	ALL CAUSES ..	M	2466	214	53	59	82	95	271	677	509	506	776	85	33	20	17	28	73	244	169	107
		F	2606	150	49	35	69	95	288	588	552	780	731	62	21	14	19	28	73	228	163	123
1	Enteric fever ..	M	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
		F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever ..	M	4	—	—	—	3	—	1	—	—	—	3	—	—	—	1	2	—	—	—	—
		F	4	—	—	1	1	1	1	—	—	—	5	—	—	1	3	—	1	—	—	—
5	Whooping cough ..	M	20	4	6	9	1	—	—	—	—	—	15	7	5	2	—	1	—	—	—	—
		F	17	7	10	—	—	—	—	—	—	—	28	12	8	8	—	—	—	—	—	—
6	Diphtheria ..	M	34	—	1	11	22	—	—	—	—	—	5	—	—	—	4	1	—	—	—	—
		F	30	—	1	6	21	1	—	1	—	—	2	—	—	1	1	—	—	—	—	—
7	Influenza	M	102	2	4	1	1	3	10	37	23	21	43	1	3	1	—	2	8	14	9	5
		F	145	—	2	1	—	3	12	25	43	59	25	—	1	—	1	—	3	12	5	3
8	Encephalitis lethargica ..	M	2	—	—	—	—	1	—	—	1	—	2	—	—	—	—	1	—	1	—	—
		F	9	—	—	—	—	—	2	5	—	2	3	—	—	—	—	—	1	2	—	—
9	Meningococcal meningitis ..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	226	1	2	1	2	46	98	64	12	—	44	—	—	1	—	7	17	16	3	—
		F	182	1	1	1	3	44	85	32	13	2	30	—	—	—	—	9	10	11	—	—
11	Other tuberculous diseases	M	36	3	2	5	14	4	7	1	—	—	10	—	1	—	2	3	4	—	—	—
		F	29	1	5	4	7	2	5	4	—	1	10	—	2	—	1	3	3	—	1	—
12	Cancer, malignant disease	M	251	—	—	—	—	1	12	118	77	43	67	—	—	—	—	—	5	39	17	6
		F	293	—	—	—	—	2	32	119	79	61	91	—	—	—	—	—	6	50	27	8
13	Rheumatic fever ..	M	3	—	—	—	2	—	1	—	—	—	3	—	—	—	—	1	—	2	—	—
		F	11	—	—	1	7	1	1	1	—	—	2	—	—	—	—	1	1	—	—	—
14	Diabetes	M	20	—	1	—	—	1	3	6	7	2	6	—	—	—	—	—	1	—	4	1
		F	25	—	—	—	1	—	—	10	12	2	10	—	—	—	—	—	—	7	3	—
15	Cerebral hæmorrhage, &c. ..	M	102	—	—	—	—	—	—	28	35	39	30	—	—	—	—	—	—	9	10	11
		F	146	—	—	—	—	—	2	38	45	61	39	—	—	—	—	—	—	19	15	5
16	Heart disease ..	M	438	—	—	—	4	6	19	131	125	153	189	—	—	—	3	—	17	68	62	39
		F	593	—	1	1	2	8	35	122	176	248	182	—	—	—	—	2	16	49	57	58
17	Arterio-sclerosis ..	M	82	—	—	—	—	—	—	19	30	33	31	—	—	—	—	—	1	9	8	13
		F	82	—	—	—	—	—	—	17	23	42	30	—	—	—	—	—	—	12	9	9
18	Bronchitis ..	M	103	6	1	1	1	—	5	12	28	49	43	4	1	2	1	—	2	10	17	6
		F	140	6	2	—	—	—	1	18	29	84	49	5	2	1	—	1	1	15	12	12
19	Pneumonia (all forms)	M	200	45	23	18	3	3	30	43	19	16	71	20	19	6	1	3	2	15	5	—
		F	162	34	21	9	3	8	18	27	26	16	42	10	5	3	3	2	5	5	6	3
20	Other respiratory diseases	M	33	—	—	1	1	1	5	14	10	1	2	—	—	—	—	—	—	2	—	—
		F	30	—	—	—	—	1	7	11	4	7	7	—	—	—	1	1	2	1	1	1
21	Ulcer of stomach or duodenum ..	M	27	—	—	—	—	1	4	11	5	6	10	—	—	—	—	—	1	9	—	—
		F	11	—	—	—	—	—	2	7	1	1	3	—	—	—	—	—	2	—	1	—
22	Diarrhœa, &c. ..	M	24	14	4	1	1	—	—	2	—	2	17	13	2	—	1	—	—	1	—	—
		F	19	6	3	1	—	—	1	2	3	3	7	4	1	—	1	—	—	1	—	—
23	Appendicitis and typhlitis.. ..	M	15	1	—	—	3	—	5	6	—	—	2	—	—	—	—	1	—	1	—	—
		F	10	—	—	1	2	1	1	3	1	1	3	—	—	—	1	1	—	1	—	—
24	Cirrhosis of liver ..	M	8	—	—	—	—	—	—	4	3		5	—	—	—	—	—	—	4	—	1
		F	6	—	—	—	—	—	—	3	1	2	1	—	—	—	—	—	—	—	—	1
25	Acute and chronic nephritis ..	M	96	1	—	—	1	3	6	37	31	17	23	1	—	—	—	—	4	9	6	3
		F	89	—	—	—	1	2	9	32	23	22	20	—	—	—	1	2	3	10	3	1
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	2	10	—			3	—	—	—	—	—	3	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	2	13	—	—	—	4	—	—	—	—	1	3	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	106	106	—	—	—	—	—	—	—	—	27	26	1	—	—	—	—	—	—	—
		F	74	71	—	1	—	—	—	2	—	—	22	22	—	—	—	—	—	—	—	—
29	Suicide	M	29	—	—	—	—	1	4	15	7	2	10	—	—	—	—	1	—	3	5	1
		F	15	—	—	—	—	2	6	6	—	1	3	—	—	—	—	—	2	1	—	—
30	Other deaths from violence.. ..	M	92	4	4	7	8	13	18	19	13	6	24	2	—	3	2	3	1	5	2	6
		F	59	2	1	4	7	3	3	9	5	25	17	1	—	—	3	1	—	3	3	6
31	Other defined diseases	M	409	27	5	3	13	11	43	109	83	115	89	10	—	4	2	2	9	27	20	15
		F	392	22	1	2	13	12	42	92	68	140	92	8	2	—	3	3	11	29	20	16
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Burton-upon-Trent. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	364	18	7	4	10	8	37	118	76	86	466	36	11	5	13	15	46	151	115	74
	F	365	21	13	6	4	11	45	77	87	101	461	25	9	9	13	12	47	144	106	96
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	6	1	3	2	—	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	1	4	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza	M	18	—	—	—	1	—	—	8	7	2	22	—	—	1	—	—	7	6	6	2
	F	29	—	2	1	—	1	4	8	8	5	17	—	—	—	—	1	1	5	7	3
8 Encephalitis lethargica ..	M	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	20	—	—	—	—	2	7	10	1	—	17	—	—	—	1	2	7	6	1	—
	F	18	—	—	—	—	5	8	3	2	—	21	—	—	—	1	3	9	7	1	—
11 Other tuberculous diseases	M	2	—	—	—	1	—	1	—	—	—	5	1	2	1	—	—	—	1	—	—
	F	4	—	1	—	1	—	1	1	—	—	5	—	1	1	—	—	1	2	—	—
12 Cancer, malignant disease	M	36	—	—	—	—	—	1	18	13	4	46	—	—	—	—	—	3	25	13	5
	F	32	—	—	—	—	—	4	13	10	5	49	—	—	—	—	—	6	31	9	3
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	3	—	—	—	—	—	1	1	1	—	4	—	—	—	—	—	1	1	1	1
	F	5	—	—	—	1	—	—	3	—	1	9	—	—	—	—	1	1	3	1	3
15 Cerebral hæmorrhage, &c. ..	M	15	—	—	—	—	—	1	1	5	8	21	—	—	—	—	—	—	7	10	4
	F	16	—	—	—	—	—	1	3	7	5	19	—	—	—	—	—	1	4	5	9
16 Heart disease ..	M	42	—	—	—	—	1	—	20	14	7	113	—	—	—	—	3	4	32	40	34
	F	65	—	—	—	—	—	5	18	25	17	110	—	—	—	1	3	6	35	35	30
17 Arterio-sclerosis ..	M	10	—	—	—	—	—	1	5	—	4	23	—	—	—	—	—	—	5	11	7
	F	9	—	—	—	—	—	—	2	2	5	23	—	—	—	—	—	—	5	10	8
18 Bronchitis ..	M	37	1	1	—	—	—	—	5	15	15	32	1	—	—	—	—	5	10	10	6
	F	28	—	2	—	—	—	—	1	11	14	67	3	—	1	—	—	1	14	25	23
19 Pneumonia (all forms)	M	26	1	4	2	1	2	3	10	1	2	37	6	5	2	3	2	1	15	3	—
	F	25	3	7	—	—	—	3	7	2	3	26	2	3	3	1	1	3	7	4	2
20 Other respiratory diseases	M	6	—	1	—	—	—	1	4	—	—	6	1	—	—	—	—	1	3	—	1
	F	5	—	—	—	—	1	1	1	—	2	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum ..	M	12	—	—	—	—	—	3	5	3	1	5	1	—	—	—	—	1	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	2	—	—	—	—	—	—	1	1	—	4	3	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	1	—	—	—	—	—	1	—	—	—	7	—	—	—	2	1	2	2	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	1	1	1	—	6	—	—	—	—	—	—	4	1	1
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	11	—	—	—	—	—	1	6	2	2	13	—	—	—	—	2	1	5	5	—
	F	7	—	—	—	—	—	—	4	1	2	9	—	—	—	1	—	—	7	—	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	13	13	—	—	—	—	—	—	—	—	17	16	—	—	1	—	—	—	—	—
	F	13	12	—	1	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	—	2	1	1	1	8	—	—	—	—	—	3	4	—	1
	F	4	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. ..	M	20	—	—	—	1	1	5	8	2	3	14	—	—	—	1	3	2	5	2	1
	F	6	—	—	—	—	—	1	1	2	2	6	3	—	—	—	1	1	1	—	—
31 Other defined diseases	M	74	3	1	1	1	1	7	14	9	37	53	5	1	1	—	1	8	16	10	11
	F	79	5	1	1	—	—	9	7	16	40	63	4	1	1	5	1	10	21	7	13
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Canterbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Carlisle. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	178	13	7	2	8	5	18	37	42	46	405	40	18	25	12	11	31	115	83	70
	F	200	6	3	4	3	9	9	48	46	72	372	35	16	20	10	13	38	75	73	92
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	6	1	2	3	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	9	—	5	2	2	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	12	7	2	2	1	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	11	5	—	6	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	1	5	1	—	—	—	—	—
7 Influenza	M	10	—	—	—	—	—	2	2	2	4	22	1	1	2	1	1	1	7	2	6
	F	12	—	—	—	1	2	—	5	4	—	18	—	2	—	—	—	1	6	2	7
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	10	—	—	—	—	2	5	3	—	—	13	—	—	1	—	1	5	6	—	—
	F	8	—	—	—	—	3	4	1	—	—	22	—	—	1	1	5	12	1	1	1
11 Other tuberculous diseases	M	1	—	—	—	—	—	1	—	—	—	3	1	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	1	—	—	—	—	—	1	—
12 Cancer, malignant disease	M	15	—	—	—	—	—	—	4	6	5	43	—	—	—	—	—	1	22	13	7
	F	33	—	—	1	—	—	1	18	4	9	42	—	—	—	—	—	4	14	12	12
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	3	—	—	—	2	—	—	1	—	—	3	—	—	1	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	2	—	4	2	1
15 Cerebral hæmorrhage, &c. ..	M	10	—	—	—	—	—	—	5	1	4	11	—	—	—	—	—	—	3	6	2
	F	7	—	—	—	—	—	—	1	3	3	17	—	—	—	—	—	—	5	5	7
16 Heart disease ..	M	28	—	—	—	1	—	1	7	12	7	89	—	—	—	—	—	7	23	33	26
	F	46	—	—	—	1	—	—	12	13	20	83	—	—	—	1	2	3	24	23	30
17 Arterio-sclerosis ..	M	8	—	—	—	—	—	—	1	5	2	30	—	—	—	—	—	—	8	6	16
	F	3	—	—	—	—	—	—	—	2	1	16	—	—	—	—	—	—	—	7	9
18 Bronchitis ..	M	9	1	—	—	—	—	—	1	1	6	14	2	1	1	—	1	—	4	4	1
	F	9	—	—	—	—	—	—	1	2	6	19	4	—	—	—	—	—	2	6	7
19 Pneumonia (all forms)	M	12	1	2	1	—	1	2	—	3	2	37	7	8	6	1	1	2	10	2	—
	F	16	2	1	2	—	1	1	3	3	3	22	4	4	3	1	—	4	2	1	3
20 Other respiratory diseases	M	4	—	—	—	1	1	—	—	2	—	3	1	—	—	—	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1	—
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	4	—	—	—	5	—	—	—	—	—	1	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	1	—	—	—	—	—	—	1	8	4	1	1	—	—	—	1	1	—
23 Appendicitis and typhlitis.. ..	M	1	—	—	—	—	—	—	—	—	1	3	—	—	—	1	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	5	—	—	—	—	—	1	2	1	1	13	—	—	—	—	1	1	5	5	1
	F	4	—	—	—	—	—	—	—	3	1	10	—	—	—	—	—	—	4	3	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	11	8	3	—	—	—	—	—	—	—	15	14	—	1	—	—	—	—	—	—
	F	2	1	—	—	—	1	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	—	3	—	—	9	—	—	—	—	—	3	6	—	—
	F	4	—	—	—	—	—	1	2	1	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence.. ..	M	7	—	—	1	—	1	1	1	1	2	19	—	3	4	3	3	1	3	1	1
	F	2	—	—	—	—	—	—	1	—	1	8	1	—	1	2	—	1	3	—	—
31 Other defined diseases	M	33	2	1	—	2	—	1	7	8	12	50	6	—	3	3	2	7	12	10	7
	F	46	1	—	—	1	1	1	4	11	27	40	3	2	1	1	2	7	5	7	12
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Chester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Coventry. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	306	31	10	8	5	9	22	110	70	41	997	91	34	36	37	46	135	297	193	128
	F	320	24	11	11	10	6	23	87	67	81	994	87	36	28	41	53	95	227	206	221
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	20	2	6	10	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	13	1	4	6	2	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	5	2	2	—	1	—	—	—	—	—	11	4	4	3	—	—	—	—	—	—
	F	8	6	2	—	—	—	—	—	—	—	28	9	13	5	1	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	16	1	2	6	7	—	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	22	1	—	4	17	—	—	—	—	—
7 Influenza	M	5	—	—	1	—	—	—	2	1	1	60	2	—	2	2	7	12	19	8	8
	F	11	—	—	—	—	—	1	4	4	2	43	1	1	1	2	3	5	10	8	12
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	21	—	1	—	—	2	5	11	2	—	112	—	—	—	1	13	46	49	3	—
	F	15	—	1	1	1	4	6	1	1	—	49	1	—	—	1	22	17	8	—	—
11 Other tuberculous diseases	M	5	1	1	2	1	—	—	—	—	—	9	—	1	3	3	—	—	2	—	—
	F	4	—	2	1	—	—	—	1	—	—	9	1	—	1	1	4	2	—	—	—
12 Cancer, malignant disease	M	40	—	—	—	—	—	—	18	17	5	99	—	—	—	—	1	5	46	33	14
	F	34	—	—	2	—	—	2	20	7	3	120	—	—	—	—	3	7	60	36	14
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	2	1	1	1	—	—
14 Diabetes	M	4	—	—	—	—	—	1	2	—	1	8	—	—	—	—	2	1	3	2	—
	F	2	—	—	—	—	—	—	1	—	1	10	—	—	—	—	—	—	5	4	1
15 Cerebral hæmorrhage, &c. ..	M	7	—	—	—	—	—	1	3	1	2	37	—	—	—	—	—	3	15	9	10
	F	20	—	—	—	—	—	1	6	7	6	43	—	—	—	—	—	1	20	11	11
16 Heart disease ..	M	57	—	—	—	—	—	1	25	20	11	175	—	—	—	1	1	7	51	68	47
	F	62	—	—	—	3	—	2	16	19	22	230	—	—	—	1	2	13	41	83	90
17 Arterio-sclerosis ..	M	24	—	—	—	—	—	—	6	13	5	20	—	—	—	—	—	—	6	11	3
	F	27	—	—	—	—	—	—	2	8	17	20	—	—	—	—	—	—	3	7	10
18 Bronchitis ..	M	11	—	—	—	—	—	—	5	3	3	39	4	—	—	1	—	—	12	10	12
	F	18	1	—	—	—	—	—	1	6	10	61	3	3	—	—	—	—	10	15	30
19 Pneumonia (all forms)	M	34	6	4	2	1	1	3	12	2	3	79	17	15	3	9	1	13	11	9	1
	F	26	3	5	1	2	1	2	7	2	3	75	17	12	8	—	3	8	11	10	6
20 Other respiratory diseases	M	2	—	—	—	—	—	—	2	—	—	12	1	1	—	1	—	1	4	4	—
	F	5	—	—	—	—	—	—	3	2	—	12	1	—	—	—	1	2	2	3	3
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	2	1	—	11	—	—	—	—	—	2	9	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—
22 Diarrhœa, &c. ..	M	1	1	—	—	—	—	—	—	—	—	9	8	—	—	—	—	—	—	1	—
	F	1	1	—	—	—	—	—	—	—	—	9	2	—	—	1	—	—	2	1	3
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	1	1	1	—	—	10	—	—	—	3	—	3	2	2	—
	F	3	—	—	—	—	—	1	1	1	—	9	—	—	—	2	—	2	5	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	1	2	2	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	5	1	—
25 Acute and chronic nephritis ..	M	9	—	—	—	—	—	1	5	1	2	22	—	—	—	—	3	2	10	6	1
	F	9	—	—	—	—	—	—	4	3	2	20	—	—	—	1	1	4	7	5	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	13	13	—	—	—	—	—	—	—	—	38	37	—	—	—	1	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	35	34	—	1	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	1	—	5	1	—	16	—	—	—	—	1	6	8	1	—
	F	4	—	—	—	—	1	1	2	—	—	6	—	—	—	—	—	2	3	—	1
30 Other deaths from violence.. ..	M	11	—	1	1	—	2	2	3	—	2	46	2	1	5	—	11	15	7	4	1
	F	3	—	—	1	—	—	—	1	1	—	20	2	1	—	2	1	2	6	2	4
31 Other defined diseases	M	37	7	1	1	1	2	6	5	8	6	138	13	4	3	6	4	17	40	20	31
	F	48	2	1	4	—	—	3	17	6	15	132	14	2	2	7	9	19	26	19	34
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Croydon. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Darlington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1365	137	23	19	29	64	132	390	284	287	493	51	13	10	21	25	60	141	94	78
	F	1425	81	25	19	28	46	138	309	332	447	450	47	13	10	14	22	50	112	85	97
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
4 Scarlet fever	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	9	4	3	2	—	—	—	—	—	—	6	2	4	—	—	—	—	—	—	—
	F	15	7	3	4	1	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—
6 Diphtheria	M	10	1	3	1	4	1	—	—	—	—	4	—	—	—	3	—	—	1	—	—
	F	13	—	1	1	10	—	—	1	—	—	4	—	—	2	2	—	—	—	—	—
7 Influenza	M	95	1	—	2	1	5	12	35	17	22	17	1	1	1	—	—	5	5	1	3
	F	104	—	2	—	1	4	9	28	33	27	12	1	—	—	—	1	2	4	2	2
8 Encephalitis lethargica	M	2	—	—	—	—	—	—	1	—	1	2	—	—	—	1	—	1	—	—	—
	F	5	—	—	—	1	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	94	—	—	—	1	17	38	33	4	1	44	—	—	—	2	14	9	14	5	—
	F	76	—	1	3	1	23	37	9	2	—	21	—	—	—	—	9	7	5	—	—
11 Other tuberculous diseases	M	18	1	1	4	4	2	3	2	—	1	7	2	—	2	3	—	—	—	—	—
	F	13	—	3	2	1	2	4	1	—	—	7	—	1	—	1	1	1	3	—	—
12 Cancer, malignant disease	M	157	—	—	—	—	2	12	54	56	33	37	—	—	—	—	—	2	20	11	4
	F	185	—	—	—	2	2	9	86	57	29	46	—	—	—	—	—	4	24	12	6
13 Rheumatic fever	M	5	—	—	—	2	—	1	2	—	—	6	—	—	1	2	—	1	2	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	13	—	—	—	—	—	1	6	1	5	3	—	—	—	—	—	1	—	2	—
	F	17	—	—	—	—	—	—	6	8	3	11	—	—	—	—	—	2	4	3	2
15 Cerebral hæmorrhage, &c.	M	51	—	—	—	—	1	—	20	15	15	17	—	—	—	—	—	2	9	3	3
	F	77	—	—	—	—	—	2	11	29	35	18	—	—	—	—	—	1	9	4	4
16 Heart disease	M	203	—	—	—	1	5	8	62	59	68	69	—	—	—	—	1	4	22	27	15
	F	307	—	—	—	1	1	16	61	95	133	84	—	—	—	1	1	7	26	23	26
17 Arterio-sclerosis	M	49	—	—	—	—	—	—	14	15	20	37	—	—	—	—	—	—	6	15	16
	F	58	—	—	—	—	—	—	8	13	37	12	—	—	—	—	1	—	3	4	4
18 Bronchitis	M	52	4	1	—	—	—	1	14	14	18	18	5	1	—	1	1	—	4	1	5
	F	57	4	—	—	—	—	1	3	13	36	22	3	1	—	—	—	—	2	8	8
19 Pneumonia (all forms)	M	114	22	10	4	2	4	8	36	17	11	70	11	6	5	—	3	15	22	4	4
	F	104	16	10	4	—	2	10	11	17	34	48	9	3	4	2	—	5	8	9	8
20 Other respiratory diseases	M	15	—	—	—	1	2	—	6	2	4	4	—	—	—	1	—	1	1	1	—
	F	17	1	—	—	—	1	1	1	4	9	3	—	—	—	—	—	2	1	—	—
21 Ulcer of stomach or duodenum	M	17	—	—	—	—	—	5	5	4	3	4	—	—	—	—	—	—	3	1	—
	F	11	—	—	—	—	—	1	4	3	3	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	27	25	1	—	—	—	1	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	13	7	—	1	—	—	2	2	—	1	6	4	—	—	—	—	—	1	—	1
23 Appendicitis and typhlitis	M	15	—	—	—	1	2	3	5	4	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	2	—	1	—	2	—	—	—	—	1	—	1	—	—
24 Cirrhosis of liver	M	12	—	—	—	—	—	1	8	2	1	5	—	—	—	—	—	—	1	3	1
	F	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis	M	53	—	—	—	1	1	2	17	21	11	13	—	—	—	1	—	2	3	6	1
	F	46	—	1	—	2	1	8	13	11	10	16	—	—	—	2	2	1	3	4	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth	M	61	54	2	1	—	2	1	1	—	—	19	19	—	—	—	—	—	—	—	—
	F	32	32	—	—	—	—	—	—	—	—	20	19	1	—	—	—	—	—	—	—
29 Suicide	M	18	—	—	—	—	—	6	9	2	1	2	—	—	—	—	—	1	1	—	—
	F	12	—	—	—	—	—	5	6	1	—	4	—	—	—	—	—	3	1	—	—
30 Other deaths from violence	M	44	2	—	—	2	13	8	11	3	5	19	1	—	—	2	4	6	6	—	—
	F	30	2	—	—	3	1	1	3	7	13	7	1	2	—	1	1	—	1	—	1
31 Other defined diseases	M	227	22	2	5	7	6	21	49	48	67	79	8	—	1	4	2	5	19	14	26
	F	208	12	2	3	4	7	19	47	37	77	87	9	1	2	5	4	7	13	15	31
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	4	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Derby. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Dewsbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	981	96	27	22	22	35	107	283	210	179	468	45	14	14	14	17	57	142	108	57
	F	920	76	20	22	26	33	91	212	208	232	467	31	13	12	14	14	50	123	113	97
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	2	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	5	2	2	1	—	—	—	—	—	—	5	1	3	1	—	—	—	—	—	—
	F	15	8	3	4	—	—	—	—	—	—	7	2	1	3	1	—	—	—	—	—
6 Diphtheria ..	M	8	1	1	4	2	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	9	2	1	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	46	—	2	—	—	4	6	15	10	9	19	—	—	—	—	2	7	7	—	3
	F	50	—	1	—	—	1	6	17	9	16	35	1	—	—	—	2	5	9	12	6
8 Encephalitis lethargica ..	M	3	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	58	—	—	—	—	7	20	26	5	—	18	—	—	—	1	5	5	5	2	—
	F	44	—	—	—	3	11	17	11	2	—	16	1	—	—	1	3	9	2	—	—
11 Other tuberculous diseases	M	12	—	2	3	2	3	2	—	—	—	10	1	—	3	2	—	4	—	—	—
	F	8	1	1	1	2	—	3	—	—	—	6	1	1	1	1	—	1	1	—	—
12 Cancer, malignant disease	M	97	—	—	—	—	1	8	40	34	14	52	—	—	—	—	—	5	23	20	4
	F	108	—	—	—	—	—	10	52	32	14	66	—	—	—	—	—	5	30	20	11
13 Rheumatic fever ..	M	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	2	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
14 Diabetes	M	6	—	—	—	—	—	—	1	4	1	7	—	—	—	—	—	—	6	1	—
	F	5	—	—	—	—	—	—	1	3	1	12	—	—	—	—	1	—	6	3	2
15 Cerebral hæmorrhage, &c. ..	M	35	—	—	—	—	—	1	9	17	8	37	—	—	—	—	—	—	18	12	7
	F	55	—	—	—	—	—	2	16	22	15	28	—	—	—	—	—	—	6	16	6
16 Heart disease ..	M	174	—	—	—	3	2	13	65	50	41	62	—	—	—	—	3	9	21	17	12
	F	206	—	—	—	3	4	14	53	63	69	79	—	—	—	1	2	8	23	23	22
17 Arterio-sclerosis ..	M	29	—	—	—	—	—	1	10	9	9	26	—	—	—	—	—	—	6	13	7
	F	14	—	—	—	—	—	—	4	3	7	20	—	—	—	—	—	—	3	7	10
18 Bronchitis ..	M	63	5	1	1	—	1	3	14	17	21	53	7	1	3	—	1	—	11	19	11
	F	70	4	5	1	—	—	1	9	19	31	53	6	3	—	1	—	—	7	15	21
19 Pneumonia (all forms)	M	85	20	10	5	2	2	13	16	11	6	47	7	5	3	1	—	9	14	6	2
	F	46	10	4	5	2	2	5	6	10	2	26	1	6	6	3	1	2	3	3	1
20 Other respiratory diseases	M	8	1	—	—	1	—	2	2	1	1	2	—	—	1	—	—	—	—	1	—
	F	12	1	—	—	—	—	4	1	4	2	2	—	—	—	—	—	—	2	—	—
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	3	3	—	—	7	—	—	—	—	—	4	2	—	1
	F	4	—	—	—	—	1	1	2	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	9	7	—	—	1	—	—	—	—	1	8	5	1	1	—	—	—	1	—	—
	F	10	5	—	2	—	—	—	1	1	1	4	3	—	1	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	—	1	2	—	—	4	—	—	—	1	—	1	2	—	—
	F	3	—	—	—	1	1	1	—	—	—	2	—	—	—	1	1	—	—	—	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	1	2	1	—	3	—	—	—	—	—	—	3	—	—
	F	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	24	—	—	—	1	2	3	7	6	5	22	—	—	—	1	3	2	9	4	3
	F	17	—	—	—	1	3	1	5	3	4	10	—	—	—	—	—	4	4	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	41	41	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
	F	40	39	—	—	1	—	—	—	—	—	7	6	—	—	1	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	1	4	5	—	—	2	—	—	—	—	—	—	—	1	1
	F	6	—	—	—	—	1	1	4	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. ..	M	36	—	—	2	3	7	8	13	1	2	12	1	1	—	4	—	3	1	2	—
	F	17	—	—	1	2	1	3	1	6	3	9	1	—	—	—	—	3	4	1	—
31 Other defined diseases	M	206	19	4	4	6	2	16	51	44	60	46	4	2	—	2	3	7	13	9	6
	F	160	6	3	4	5	4	14	28	29	67	71	7	1	—	3	3	7	21	11	18
32 Causes ill-defined or unknown ..	M	2	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929

(Civilian population only).

Causes of Death.	Sex.	Doncaster. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Dudley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	425	37	15	10	14	14	38	134	92	71	500	71	29	28	13	22	61	119	84	73
	F	386	29	10	9	10	16	48	70	90	104	387	56	13	19	9	19	40	68	76	87
1 Enteric fever ..	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	1	2	1	—	—	—	—	—	—	10	1	2	5	2	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	12	1	3	7	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	5	1	2	2	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	8	3	—	5	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	33	1	1	2	—	—	5	11	6	7	25	—	—	2	1	3	6	11	2	—
	F	49	5	—	—	—	1	7	8	13	15	16	1	—	—	—	—	3	4	3	5
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	22	—	—	—	—	1	5	15	1	—	35	—	—	—	3	7	16	9	—	—
	F	18	—	—	—	—	7	8	3	—	—	20	—	—	—	1	10	9	—	—	—
11 Other tuberculous diseases	M	7	1	1	2	—	1	2	—	—	—	3	2	—	1	—	—	—	—	—	—
	F	4	1	—	—	—	—	1	1	1	—	4	—	3	—	—	—	1	—	—	—
12 Cancer, malignant disease	M	47	1	—	—	—	1	1	24	15	5	33	—	—	—	—	—	—	20	11	2
	F	35	—	—	1	—	—	2	15	14	3	29	—	—	—	1	—	4	15	4	5
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	3	—	—	—	—	2	—	—	1	—
	F	4	—	—	—	1	2	1	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	6	—	—	—	—	—	—	1	3	2	1	—	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	—	—	—	2	1
15 Cerebral hæmorrhage, &c. ..	M	11	—	—	—	—	—	—	3	7	1	28	—	—	—	—	1	—	9	9	9
	F	17	—	—	—	—	—	—	2	7	8	29	—	—	—	—	—	2	4	11	12
16 Heart disease ..	M	65	—	—	—	—	3	3	24	17	18	35	—	—	—	2	—	4	12	11	6
	F	66	—	—	—	1	2	4	16	21	22	36	—	—	—	1	2	6	8	12	7
17 Arterio-sclerosis ..	M	22	—	—	—	—	—	—	3	10	9	14	—	—	—	—	—	—	2	5	7
	F	19	—	—	—	—	—	—	2	5	12	9	—	—	—	—	—	1	3	2	3
18 Bronchitis ..	M	32	—	2	—	—	—	1	8	11	10	61	9	1	2	1	—	2	14	16	16
	F	26	3	1	—	—	—	—	3	6	13	50	8	—	—	—	—	—	9	16	17
19 Pneumonia (all forms)	M	40	9	6	1	3	—	5	8	6	2	82	20	22	7	—	2	9	14	6	2
	F	24	5	3	3	2	—	5	2	2	2	47	16	5	3	—	—	4	9	8	2
20 Other respiratory diseases	M	5	1	—	—	—	—	—	4	—	—	7	—	—	—	—	1	3	2	—	1
	F	2	—	—	—	—	—	—	—	1	1	5	—	—	1	—	1	—	1	2	—
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	3	4	—	—	4	—	—	—	—	—	2	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
22 Diarrhœa, &c. ..	M	3	3	—	—	—	—	—	—	—	—	14	8	1	2	—	—	1	—	—	2
	F	3	2	—	—	—	—	—	1	—	—	9	6	1	—	—	—	—	2	—	—
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	1	—	5	1	1	14	—	—	1	—	—	—	4	6	3
	F	10	—	—	—	1	—	2	4	2	1	6	—	—	—	1	—	2	2	—	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	15	15	—	—	—	—	—	—	—	—	20	19	—	—	1	—	—	—	—	—
	F	6	5	—	1	—	—	—	—	—	—	18	17	1	—	—	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	1	1	5	2	1	5	—	—	—	—	—	1	1	1	2
	F	8	—	—	—	—	2	4	2	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence.. ..	M	24	—	—	—	4	4	7	5	2	2	23	1	—	2	—	2	10	6	2	—
	F	13	—	3	—	1	—	2	3	2	2	7	—	—	1	1	2	—	1	1	1
31 Other defined diseases	M	49	4	—	2	4	2	3	13	8	13	72	10	1	2	3	4	5	12	13	22
	F	66	8	—	2	2	1	6	7	15	25	64	4	—	1	1	3	4	6	12	33
32 Causes ill-defined or unknown ..	M	4	—	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Eastbourne. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	East Ham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	370	22	4	6	12	6	24	94	89	113	815	64	6	23	25	26	89	266	173	143
	F	424	12	2	7	6	5	39	90	90	173	823	60	11	31	37	37	82	209	167	189
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
5 Whooping cough ..	M	3	2	1	—	—	—	—	—	—	—	7	5	1	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	13	5	1	6	1	—	—	—	—	—
6 Diphtheria ..	M	6	—	—	2	4	—	—	—	—	—	15	—	—	6	8	1	—	—	—	—
	F	4	—	—	—	2	1	1	—	—	—	27	—	1	12	13	—	1	—	—	—
7 Influenza	M	21	—	1	—	2	—	3	3	3	9	28	—	1	—	1	—	3	15	5	3
	F	29	1	—	1	—	—	—	6	7	14	36	—	—	—	—	1	2	13	14	6
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	1	—	2	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	16	—	—	1	—	3	3	8	1	—	75	—	—	—	2	11	26	32	3	1
	F	14	—	—	—	—	1	9	4	—	—	49	—	—	1	—	17	24	7	—	—
11 Other tuberculous diseases	M	3	1	—	—	1	1	—	—	—	—	2	—	1	—	—	1	—	—	—	—
	F	5	—	1	2	—	—	2	—	—	—	3	—	—	1	1	1	—	—	—	—
12 Cancer, malignant disease	M	48	—	—	—	1	—	2	19	17	9	91	—	—	—	—	—	4	44	34	9
	F	59	—	—	—	—	—	4	23	18	14	109	1	—	1	—	—	12	46	29	20
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	1	1	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	3	—	1	1	—	—
14 Diabetes	M	3	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—	1	1	—
	F	6	—	—	—	—	—	—	1	2	3	5	—	—	—	—	—	1	2	1	1
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	4	8	12	33	—	—	—	—	—	1	5	18	9
	F	35	—	—	—	—	—	1	8	9	17	40	—	—	—	—	—	—	11	14	15
16 Heart disease ..	M	60	—	—	—	—	—	3	14	13	30	158	—	—	—	1	1	12	60	47	37
	F	87	—	—	—	—	—	4	15	25	43	164	—	—	—	2	5	8	49	46	54
17 Arterio-sclerosis ..	M	18	—	—	—	—	—	—	2	6	10	17	—	—	—	—	—	—	4	10	3
	F	20	—	—	—	—	—	—	4	5	11	19	—	—	—	—	—	—	4	7	8
18 Bronchitis ..	M	16	—	—	—	—	—	—	3	6	7	60	2	—	—	—	—	1	19	10	28
	F	19	—	—	—	—	1	1	2	2	13	52	—	—	2	—	—	3	4	17	26
19 Pneumonia (all forms)	M	38	9	1	1	1	—	1	13	6	6	69	9	2	8	1	1	11	17	9	11
	F	39	1	—	3	—	—	2	7	8	18	76	12	6	3	3	4	9	17	10	12
20 Other respiratory diseases	M	4	—	—	—	—	—	2	1	—	1	15	1	—	1	—	—	1	7	3	2
	F	6	—	—	—	—	—	3	—	—	3	8	—	—	—	—	—	1	1	5	1
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	3	1	2	1	4	—	—	—	—	—	1	2	1	—
	F	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	1	3	—	—
22 Diarrhœa, &c. ..	M	—	—	—	—	—	—	—	—	—	—	12	9	—	—	—	—	—	2	—	1
	F	6	2	—	1	—	—	—	—	1	2	9	9	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	2	—	—	1	—	—	—	—	1	—	6	—	—	1	—	1	1	2	—	1
	F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	1	—	1	3	—	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
25 Acute and chronic nephritis ..	M	20	—	—	—	—	1	1	8	2	8	22	—	—	1	—	2	2	8	4	5
	F	13	—	—	—	—	—	1	3	3	6	15	—	—	—	1	—	1	10	2	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	3	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	9	9	—	—	—	—	—	—	—	—	31	29	—	1	—	—	1	—	—	—
	F	7	7	—	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	1	—	1	—	9	—	—	—	—	—	4	2	2	1
	F	3	—	—	—	—	1	1	1	—	—	3	—	—	—	—	1	—	2	—	—
30 Other deaths from violence.. ..	M	13	1	—	—	1	—	1	5	3	2	22	—	—	—	3	4	6	7	2	—
	F	6	—	—	—	2	—	1	1	—	2	12	—	1	—	2	—	2	1	2	4
31 Other defined diseases	M	51	—	1	1	2	1	4	8	18	16	126	8	1	4	7	2	12	37	23	32
	F	62	1	1	—	2	1	8	14	10	25	121	7	1	3	9	3	7	31	19	41
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

	Causes of Death.	Sex.	Exeter. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Gateshead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	420	33	7	6	10	15	43	103	88	115	950	157	47	36	45	48	105	247	155	110
		F	443	19	8	7	13	9	35	97	104	151	851	112	45	48	23	43	108	196	145	131
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	16	4	4	6	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	21	4	6	9	2	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ..	M	3	1	1	1	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
		F	5	1	3	1	—	—	—	—	—	—	7	1	2	3	1	—	—	—	—	—
6	Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
		F	4	—	—	3	1	—	—	—	—	—	5	—	—	3	1	—	1	—	—	—
7	Influenza	M	15	—	—	—	—	—	1	5	6	3	25	3	—	—	2	2	5	10	3	—
		F	26	—	—	—	1	—	—	5	8	12	34	2	1	1	—	3	5	13	5	4
8	Encephalitis lethargica ..	M	3	—	—	—	—	—	2	1	—	—	2	—	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	3	—	2	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	24	—	—	—	—	5	9	8	2	—	81	—	—	—	6	19	31	22	3	—
		F	21	—	—	—	—	6	8	6	—	1	76	—	1	2	4	27	30	11	1	—
11	Other tuberculous diseases	M	8	—	2	—	2	1	2	1	—	—	33	2	6	4	11	4	2	3	1	—
		F	4	—	—	—	1	—	2	1	—	—	21	4	3	5	2	2	3	1	1	—
12	Cancer, malignant disease	M	46	—	—	—	1	—	2	20	11	12	81	—	—	—	—	—	6	39	28	8
		F	64	—	—	—	—	—	3	23	18	20	76	—	—	—	—	1	9	29	28	9
13	Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	—	3	—	—	—	1	1	1	—	—	—
14	Diabetes	M	4	—	—	—	—	—	1	1	2	—	6	—	—	—	—	—	—	3	2	1
		F	4	—	—	—	—	—	—	—	1	3	4	—	—	—	—	—	1	2	1	—
5	Cerebral hæmorrhage, &c. ..	M	21	—	—	—	—	—	1	3	10	7	41	—	—	—	—	—	—	11	18	12
		F	34	—	—	—	—	—	—	9	12	13	52	—	—	—	—	—	1	15	21	15
16	Heart disease ..	M	59	—	—	—	—	1	2	21	14	21	106	—	—	—	—	4	6	46	28	22
		F	72	—	—	—	—	2	2	16	25	27	107	—	—	—	2	—	13	38	29	25
17	Arterio-sclerosis ..	M	20	—	—	—	—	—	—	2	2	16	35	—	—	—	—	—	—	9	13	13
		F	20	—	—	—	—	—	—	2	6	12	28	—	—	—	—	—	—	3	7	18
18	Bronchitis ..	M	26	—	2	—	—	1	—	3	9	11	52	9	3	1	—	1	4	12	11	11
		F	29	1	—	—	—	—	—	2	8	18	49	6	2	3	—	1	2	9	9	17
19	Pneumonia (all forms)	M	32	3	1	1	1	—	6	6	5	9	106	26	20	9	4	6	10	21	7	3
		F	26	2	4	1	3	—	3	4	4	5	84	17	18	14	5	1	8	12	7	2
20	Other respiratory diseases	M	4	—	—	—	—	—	—	2	2	—	10	1	1	1	—	1	2	1	3	—
		F	7	—	—	—	2	—	1	—	3	1	14	—	2	3	—	—	1	1	5	2
21	Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	2	1	—	13	—	—	—	—	—	7	5	—	1
		F	4	—	—	—	—	—	—	2	1	1	4	—	—	—	—	—	1	1	2	—
22	Diarrhœa, &c. ..	M	6	5	1	—	—	—	—	—	—	—	32	24	4	2	—	—	—	—	1	1
		F	4	2	1	—	—	—	—	—	—	1	21	12	5	3	—	—	—	1	—	—
23	Appendicitis and typhlitis.. ..	M	2	—	—	—	—	—	2	—	—	—	4	—	—	—	1	—	2	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
24	Cirrhosis of liver ..	M	5	—	—	—	—	—	—	4	—	1	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis ..	M	18	—	—	—	—	—	—	5	7	6	21	—	—	—	—	—	2	8	5	6
		F	13	—	—	—	—	—	1	6	2	4	35	—	—	—	1	1	6	9	10	8
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	2	4	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	6	—	—	—	—	2	4	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	22	22	—	—	—	—	—	—	—	—	63	61	1	—	1	—	—	—	—	—
		F	7	7	—	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—	—
29	Suicide	M	9	—	—	—	—	1	2	1	4	1	14	—	—	—	—	—	2	9	3	—
		F	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	1	2	—	—
30	Other deaths from violence.. ..	M	14	—	—	—	2	4	4	3	—	1	51	3	—	6	11	6	6	10	4	5
		F	10	1	—	1	—	1	1	4	—	2	11	2	—	1	1	—	—	3	2	2
31	Other defined diseases	M	74	2	—	3	4	2	8	15	13	27	138	21	5	3	5	4	17	33	23	27
		F	81	5	—	1	3	—	11	15	15	31	128	19	5	—	3	1	14	41	16	29
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	2	2	2	—
		F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	5	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Gloucester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Great Yarmouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	397	19	11	10	14	15	24	99	96	109	422	29	3	10	11	16	46	83	103	121
	F	374	24	8	5	10	25	28	74	71	129	414	22	7	5	7	9	36	75	103	150
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	1	3	—	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	4	—	—	—	4	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
7 Influenza	M	25	1	2	—	—	—	—	3	10	9	31	—	—	1	—	1	6	5	7	11
	F	24	—	—	—	1	2	1	5	6	9	32	1	—	1	—	1	1	5	10	13
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	30	—	—	—	—	7	9	13	—	1	27	—	—	—	—	4	14	9	—	—
	F	28	—	—	—	—	12	11	5	—	—	21	—	—	—	—	5	13	2	1	—
11 Other tuberculous diseases	M	6	—	1	2	2	—	1	—	—	—	5	1	—	1	1	1	1	—	—	—
	F	3	—	1	—	1	1	—	—	—	—	4	—	—	—	1	—	2	1	—	—
12 Cancer, malignant disease	M	39	—	—	—	—	1	3	16	8	11	47	—	—	1	—	—	1	15	18	12
	F	38	—	—	—	—	—	3	14	13	8	53	—	—	—	—	—	4	22	20	7
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
14 Diabetes	M	4	—	—	—	—	—	—	2	—	2	3	—	—	—	—	1	—	1	1	—
	F	3	—	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	1	2	—
15 Cerebral hæmorrhage, &c. ..	M	27	—	—	—	—	—	—	6	8	13	16	—	—	—	—	—	—	4	9	3
	F	15	—	—	—	—	—	—	2	3	10	24	—	—	—	—	—	—	2	9	13
16 Heart disease ..	M	62	—	—	—	2	—	1	12	28	19	75	—	—	—	1	2	2	19	23	28
	F	73	—	—	—	1	5	2	15	17	33	75	—	—	—	—	1	2	13	23	36
17 Arterio-sclerosis ..	M	18	—	—	—	—	—	—	2	5	11	10	—	—	—	—	—	—	1	5	4
	F	19	—	—	—	—	—	—	1	6	12	14	—	—	—	—	—	—	1	6	7
18 Bronchitis ..	M	27	—	1	1	—	—	—	5	12	8	14	1	—	—	—	—	1	1	3	8
	F	35	2	1	—	—	—	—	4	8	20	22	3	—	—	—	—	1	2	3	13
19 Pneumonia (all forms)	M	30	3	4	2	—	1	2	8	6	4	25	5	2	2	3	1	3	2	6	1
	F	19	4	2	3	1	2	1	1	1	4	19	—	4	1	—	—	1	2	6	5
20 Other respiratory diseases	M	5	—	—	—	—	—	1	1	2	1	7	1	—	1	1	1	—	1	2	—
	F	3	—	1	—	—	—	—	2	—	—	9	1	—	—	—	—	1	3	2	2
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	—	2	4	1	—
	F	4	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c. ..	M	3	2	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis.. ..	M	5	—	—	—	—	1	—	3	1	—	2	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	13	1	—	—	—	—	—	4	3	5	14	—	—	—	1	—	—	4	3	6
	F	17	—	—	—	—	—	1	7	4	5	15	—	—	—	2	1	1	4	4	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	10	10	—	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	—
29 Suicide	M	11	—	—	—	—	1	1	7	—	2	1	—	—	—	—	—	—	—	—	1
	F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. ..	M	11	—	—	—	2	4	1	—	1	3	16	1	—	2	1	1	7	2	—	2
	F	5	—	—	—	—	1	—	2	—	2	10	2	—	—	—	—	—	3	4	1
31 Other defined diseases	M	62	2	2	2	5	—	4	15	12	20	102	5	1	1	1	4	8	13	24	45
	F	59	5	—	1	2	2	2	10	11	26	84	2	—	2	3	—	5	13	11	48
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Grimsby. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Halifax. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	708	97	24	23	20	33	84	176	144	107	691	62	18	11	11	18	59	236	169	107
	F	568	51	22	14	17	29	79	129	98	129	831	38	13	7	16	18	74	212	243	210
1 Enteric fever ..	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	3	2	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	7	—	4	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	2	1	1	—	—	—	—	—	—	—	7	4	3	—	—	—	—	—	—	—
	F	6	1	2	3	—	—	—	—	—	—	7	3	—	4	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	1	—	—	1	—	—	—	—	7	—	—	4	3	—	—	—	—	—
	F	5	—	1	2	1	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza	M	47	3	1	5	1	1	6	12	9	9	21	1	—	—	—	1	3	10	1	5
	F	54	1	1	1	—	1	11	11	14	14	37	1	—	—	1	1	2	8	13	11
8 Encephalitis lethargica ..	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	2	—	—	—	1	—	—	1	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	49	—	1	2	—	13	20	11	1	1	39	—	—	—	—	3	15	18	3	—
	F	48	—	—	—	1	18	22	7	—	—	29	—	—	—	—	3	15	10	1	—
11 Other tuberculous diseases	M	12	3	2	2	2	1	2	—	—	—	8	2	2	1	—	2	—	1	—	—
	F	7	—	1	1	2	1	1	1	—	—	7	—	1	1	3	—	2	—	—	—
12 Cancer, malignant disease	M	81	—	—	—	2	—	3	34	34	8	67	—	—	—	—	—	1	35	26	5
	F	63	—	—	—	1	—	6	33	13	10	103	—	—	—	—	1	8	41	37	16
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	—	3	—	1	7	—	—	—	—	1	1	4	1	—
	F	4	—	—	—	—	—	2	1	—	1	17	—	—	—	1	—	—	8	6	2
15 Cerebral hæmorrhage, &c. ..	M	36	—	—	—	—	—	2	6	14	14	40	—	—	—	—	—	1	11	22	6
	F	30	—	—	—	—	—	1	12	5	12	60	—	—	—	—	—	—	20	18	22
16 Heart disease ..	M	100	—	—	—	2	2	11	40	28	17	130	—	—	—	—	2	10	48	44	26
	F	89	—	—	—	1	1	5	25	31	26	178	—	—	—	—	—	14	52	67	45
17 Arterio-sclerosis ..	M	14	—	—	—	—	—	—	6	5	3	41	—	—	—	—	—	—	13	13	15
	F	15	—	—	—	—	—	—	3	3	9	59	—	—	—	—	—	—	9	27	23
18 Bronchitis ..	M	41	8	—	—	—	1	4	7	12	9	39	2	—	1	—	1	—	13	12	10
	F	35	4	—	—	—	—	3	7	14	7	52	1	2	—	—	—	1	5	19	24
19 Pneumonia (all forms)	M	54	12	12	9	3	1	3	7	7	—	46	8	8	—	1	1	5	13	6	4
	F	37	6	11	4	1	—	2	7	1	5	42	4	6	1	3	2	3	11	6	6
20 Other respiratory diseases	M	5	—	—	—	—	—	—	3	1	1	10	—	1	—	—	1	2	4	1	1
	F	9	—	1	—	1	—	—	—	4	3	5	—	—	—	—	1	1	1	—	2
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	2	3	—	—	8	—	—	—	—	—	2	3	3	—
	F	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	16	15	—	—	—	—	—	—	1	—	11	6	—	2	1	—	—	1	—	1
	F	7	4	1	—	—	—	—	1	1	—	8	3	—	—	1	—	—	1	2	1
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	1	—	2	—	—	3	—	—	—	—	1	1	—	1	—
	F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	2	2	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	16	—	—	—	—	—	2	7	3	4	17	—	—	—	—	—	—	12	4	1
	F	10	—	—	—	—	—	3	3	4	—	32	1	—	—	—	—	2	18	9	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	3	1	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	38	36	1	—	—	—	1	—	—	—	34	33	—	—	1	—	—	—	—	—
	F	25	24	—	—	1	—	—	—	—	—	19	18	—	—	—	1	—	—	—	—
29 Suicide	M	12	—	—	—	—	—	6	5	1	—	13	—	—	—	—	—	2	9	1	1
	F	5	—	—	—	—	—	3	2	—	—	8	—	—	—	—	—	5	2	1	—
30 Other deaths from violence.. ..	M	30	3	—	2	4	4	8	3	5	1	31	1	1	1	3	4	7	7	4	3
	F	20	3	—	—	1	2	3	3	2	6	23	—	1	1	1	1	2	2	9	6
31 Other defined diseases	M	127	13	3	2	4	7	11	25	23	39	99	4	2	1	2	1	7	30	24	28
	F	77	8	—	—	5	1	11	10	6	36	129	7	2	—	1	6	12	23	28	50
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 20—*contd.*

Causes of Death at Different Periods of Life in County Boroughs—1929 (Civilian population only).

Causes of Death.	Sex.	Hastings. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Huddersfield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	459	17	7	4	6	10	35	109	119	152	810	68	15	16	15	27	88	302	181	98
	F	540	10	1	1	6	9	24	115	129	245	885	49	8	9	21	29	65	228	248	228
1 Enteric fever	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	6	3	—	3	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough	M	2	2	—	—	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
6 Diphtheria	M	3	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	6	—	—	3	3	—	—	—	—	—
7 Influenza	M	28	—	1	—	—	2	2	4	7	12	29	1	1	—	1	3	7	9	4	3
	F	30	—	1	—	—	2	1	5	7	14	49	1	—	—	—	1	7	14	18	8
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	27	—	—	—	—	—	13	12	1	1	48	—	—	—	1	8	19	18	2	—
	F	16	—	—	—	—	3	7	4	2	—	36	—	—	—	2	13	11	9	1	—
11 Other tuberculous diseases	M	8	2	2	1	—	—	1	2	—	—	11	1	1	1	3	—	2	3	—	—
	F	6	—	—	1	1	—	—	2	2	—	15	—	1	2	4	4	2	1	1	—
12 Cancer, malignant disease	M	62	—	—	—	—	1	3	23	24	11	83	1	—	—	—	—	4	49	25	4
	F	94	—	—	—	—	1	4	33	26	30	104	—	—	—	—	—	8	49	37	10
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	7	—	—	—	—	—	—	2	3	2	8	—	—	—	—	—	1	3	2	2
	F	10	—	—	—	—	—	1	2	2	5	23	—	1	—	—	—	—	8	9	5
15 Cerebral hæmorrhage, &c.	M	19	—	—	—	—	—	1	5	6	7	49	—	—	—	—	—	—	23	17	9
	F	50	—	—	—	—	—	1	6	12	31	57	—	—	—	—	—	1	17	24	15
16 Heart disease	M	110	—	—	—	—	1	4	24	30	51	138	—	—	—	—	1	12	53	42	30
	F	122	—	—	—	—	—	3	19	33	67	188	—	—	—	—	1	11	41	68	67
17 Arterio-sclerosis	M	28	—	—	—	—	—	—	1	8	19	53	—	—	—	—	—	1	11	22	19
	F	27	—	—	—	—	—	—	4	9	14	54	—	—	—	—	—	—	10	14	30
18 Bronchitis	M	18	—	1	—	—	—	—	4	6	7	48	6	1	2	—	—	2	14	16	7
	F	28	1	—	—	—	—	—	4	2	21	77	8	—	—	—	—	1	13	22	33
19 Pneumonia (all forms)	M	16	1	1	1	—	2	4	4	1	2	76	18	9	5	4	3	8	22	7	—
	F	15	1	—	—	—	—	—	4	5	5	33	7	4	4	1	—	4	4	5	4
20 Other respiratory diseases	M	5	—	—	—	—	—	—	1	2	2	11	1	—	—	—	—	1	6	2	1
	F	5	1	—	—	—	—	—	1	1	2	6	—	1	—	1	1	1	1	1	—
21 Ulcer of stomach or duodenum	M	5	—	—	—	—	—	1	3	—	1	8	—	—	—	—	—	3	5	—	—
	F	4	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c.	M	1	—	1	—	—	—	—	—	—	—	7	4	1	—	—	—	—	2	—	—
	F	3	2	—	—	—	—	—	—	—	1	4	1	—	—	—	—	—	—	1	2
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	1	—	1	1	1	—
	F	3	—	—	—	1	—	—	—	2	—	2	—	—	—	—	—	—	1	—	1
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	2	—	5	—	—	—	—	—	—	5	—	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	3	2	—
25 Acute and chronic nephritis	M	13	—	—	—	—	—	1	1	4	7	45	—	—	—	—	1	6	25	10	3
	F	21	—	—	—	—	—	1	7	5	8	35	—	—	—	3	2	3	12	11	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	7	7	—	—	—	—	—	—	—	—	22	21	—	1	—	—	—	—	—	—
	F	4	3	—	—	1	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	—	2	1	—	17	—	—	—	—	1	3	9	4	—
	F	4	—	—	—	—	—	—	3	1	—	5	—	—	—	—	1	—	4	—	—
30 Other deaths from violence	M	13	—	—	—	—	2	—	8	1	2	31	—	—	1	2	7	7	7	4	3
	F	11	—	—	—	—	—	—	2	1	8	20	—	—	—	2	4	1	2	4	7
31 Other defined diseases	M	78	5	—	2	3	1	5	12	23	27	102	10	—	1	1	3	10	37	23	17
	F	82	2	—	—	2	—	6	15	18	39	133	9	—	—	3	2	9	39	30	41
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Ipswich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Kingston-upon-Hull. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	512	44	5	12	16	19	57	120	115	124	2392	361	111	109	86	82	242	671	391	339
	F	546	32	1	4	15	18	56	117	97	206	2161	272	123	97	72	113	236	439	384	425
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	30	6	11	11	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	31	6	15	6	4	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	1	—	—	1	—	—	—	—	—	—	20	6	5	7	2	—	—	—	—	—
	F	6	5	—	1	—	—	—	—	—	—	56	13	26	14	3	—	—	—	—	—
6 Diphtheria ..	M	6	—	1	1	4	—	—	—	—	—	17	2	1	7	5	—	—	1	1	—
	F	5	—	—	—	4	1	—	—	—	—	20	1	3	8	7	—	1	—	—	—
7 Influenza	M	15	—	—	—	—	1	3	2	6	3	115	6	—	7	2	4	14	38	12	32
	F	21	—	—	—	—	—	5	2	5	9	114	2	8	2	2	8	10	28	31	23
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	2	1	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	7	—	—	—	1	1	2	2	1	—
9 Meningococcal meningitis ..	M	1	—	—	1	—	—	—	—	—	—	6	2	1	1	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
10 Tuberculosis of respiratory system	M	33	—	—	—	—	3	15	12	2	1	184	—	—	4	6	32	66	69	6	1
	F	35	—	—	—	—	6	17	10	1	1	130	2	1	1	4	44	59	18	1	—
11 Other tuberculous diseases	M	6	1	—	1	—	2	—	1	1	—	35	2	11	2	9	2	5	4	—	—
	F	8	—	1	1	3	1	—	—	1	1	31	5	3	7	8	4	3	1	—	—
12 Cancer, malignant disease	M	58	—	—	—	1	1	7	19	17	13	202	1	1	1	—	1	8	98	69	23
	F	80	—	—	—	—	1	5	34	20	20	218	—	—	—	—	1	17	101	63	36
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	4	1	—	—	—	—
	F	4	—	—	—	2	1	1	—	—	—	11	—	—	—	4	4	3	—	—	—
14 Diabetes	M	7	—	—	—	—	—	1	3	—	3	27	—	—	—	—	1	4	12	7	3
	F	4	—	—	—	—	—	—	3	1	—	26	—	—	—	1	1	2	11	10	1
15 Cerebral hæmorrhage, &c. ..	M	37	—	—	—	—	—	2	11	12	12	103	—	—	—	—	—	—	31	48	24
	F	32	—	—	—	—	—	2	3	7	20	109	—	—	—	—	—	3	35	29	42
16 Heart disease ..	M	83	—	—	—	1	2	4	24	26	26	379	1	—	—	2	6	28	146	98	98
	F	102	—	—	—	1	2	4	24	20	51	393	—	—	—	2	14	34	93	114	136
17 Arterio-sclerosis ..	M	15	—	—	—	—	—	—	4	8	3	63	—	—	—	—	—	1	18	22	22
	F	8	—	—	—	—	—	1	4	2	1	57	—	—	—	—	—	—	9	18	30
18 Bronchitis ..	M	27	2	—	1	—	—	2	2	4	16	131	18	5	6	1	1	6	34	28	32
	F	44	3	—	—	—	—	1	7	9	24	108	11	4	2	—	—	3	19	30	39
19 Pneumonia (all forms)	M	25	5	3	1	1	1	3	4	7	—	335	89	66	38	14	8	30	54	17	19
	F	16	2	—	2	—	—	4	2	3	3	235	79	46	36	11	4	16	18	17	8
20 Other respiratory diseases	M	11	—	—	1	—	—	1	2	3	4	23	1	—	—	1	—	2	12	2	5
	F	7	—	—	—	—	—	—	2	1	4	24	—	2	—	—	1	1	6	6	8
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	4	1	1	—	24	—	—	—	—	1	11	10	—	2
	F	1	—	—	—	—	—	—	1	—	—	11	—	—	—	—	—	5	5	1	—
22 Diarrhœa, &c. ..	M	5	1	—	—	—	—	1	—	1	2	79	67	4	2	—	—	1	2	—	3
	F	1	1	—	—	—	—	—	—	—	—	68	46	8	6	3	1	2	1	1	—
23 Appendicitis and typhlitis.. ..	M	2	—	—	1	—	1	—	—	—	—	12	—	—	2	1	4	3	—	2	—
	F	1	—	—	—	—	—	—	1	—	—	9	—	—	—	1	2	3	2	1	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	—	3	2	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	1	2	—
25 Acute and chronic nephritis ..	M	15	—	—	—	—	—	3	8	—	4	33	—	—	1	1	1	1	10	15	4
	F	6	—	—	—	—	—	1	—	2	3	40	1	—	—	1	3	6	15	8	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	14	—	—	—	—	2	12	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	13	—	—	—	—	2	11	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	26	26	—	—	—	—	—	—	—	—	118	117	—	—	—	—	1	—	—	—
	F	20	20	—	—	—	—	—	—	—	—	80	78	—	1	1	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	1	1	2	1	1	17	—	—	—	—	—	6	8	2	1
	F	5	—	—	—	—	—	1	3	1	—	10	—	—	—	—	3	3	4	—	—
30 Other deaths from violence.. ..	M	32	3	—	3	2	4	3	13	3	1	109	5	—	9	18	10	21	32	7	7
	F	12	—	—	—	2	—	—	2	2	6	45	3	2	6	2	5	4	11	4	8
31 Other defined diseases	M	92	6	1	1	7	3	6	11	22	35	311	37	6	11	16	8	31	86	53	63
	F	122	1	—	—	3	5	10	18	22	63	293	25	5	7	13	13	36	59	47	88
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Leeds. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Leicester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	3996	446	149	131	90	178	424	1181	880	517	1670	178	41	54	35	57	169	455	382	299
	F	3900	276	142	126	70	171	427	933	863	892	1747	120	33	38	35	71	198	418	384	450
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	56	9	21	23	3	—	—	—	—	—	11	2	3	3	3	—	—	—	—	—
	F	46	7	19	16	4	—	—	—	—	—	9	1	3	2	2	—	1	—	—	—
4 Scarlet fever	M	14	1	1	7	4	1	—	—	—	—	2	—	—	1	—	—	—	1	—	—
	F	15	—	—	6	3	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	51	16	23	10	2	—	—	—	—	—	23	8	5	10	—	—	—	—	—	—
	F	59	19	18	22	—	—	—	—	—	—	34	10	13	11	—	—	—	—	—	—
6 Diphtheria	M	13	—	1	1	10	1	—	—	—	—	7	—	—	3	3	—	1	—	—	—
	F	12	2	—	5	4	—	—	1	—	—	6	—	—	2	2	1	1	—	—	—
7 Influenza	M	273	8	4	12	6	13	50	84	62	34	86	2	3	1	—	2	7	34	21	16
	F	300	—	4	4	1	8	20	84	90	89	128	—	—	1	1	2	12	37	33	42
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	2	—	3	1	—
	F	9	—	—	1	—	—	4	3	1	—	7	—	—	—	1	1	3	2	—	—
9 Meningococcal meningitis	M	10	3	2	4	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	4	1	2	1	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	309	2	2	—	5	59	111	115	15	—	146	1	—	—	—	16	61	58	10	—
	F	204	—	2	1	2	74	85	32	7	1	125	—	1	2	5	32	62	21	1	1
11 Other tuberculous diseases	M	55	4	7	13	8	7	8	8	—	—	33	5	3	11	4	4	5	1	—	—
	F	57	3	8	17	8	6	8	6	1	—	27	3	1	2	7	4	6	3	1	—
12 Cancer, malignant disease	M	303	—	—	—	—	2	17	146	108	30	165	—	—	—	—	—	15	77	48	25
	F	388	1	—	—	—	2	55	169	103	58	195	—	—	—	—	1	24	80	65	25
13 Rheumatic fever	M	9	1	—	—	4	4	—	—	—	—	7	—	—	—	1	3	2	1	—	—
	F	15	—	—	2	3	4	2	4	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	31	—	—	—	—	2	5	11	10	3	13	—	—	—	—	1	—	4	6	2
	F	42	—	—	—	—	2	3	16	17	4	21	—	—	—	—	2	2	7	7	3
15 Cerebral hæmorrhage, &c.	M	171	—	—	—	—	1	6	52	79	33	79	—	—	—	—	—	1	22	27	29
	F	211	—	—	—	—	1	8	69	77	56	125	—	—	—	—	—	1	41	35	48
16 Heart disease	M	618	1	1	1	5	9	39	231	210	121	217	—	—	1	4	2	7	56	97	50
	F	772	—	1	—	12	16	60	221	232	230	296	—	—	—	4	7	22	77	85	101
17 Arterio-sclerosis	M	284	—	—	—	—	—	1	54	125	104	54	—	—	—	—	—	—	15	20	19
	F	221	—	—	—	—	—	—	28	78	115	41	—	—	—	—	—	—	4	19	18
18 Bronchitis	M	266	18	3	4	1	4	19	81	64	72	104	11	4	—	—	—	1	21	32	35
	F	312	11	2	1	—	—	9	60	86	143	131	4	1	—	—	1	2	29	35	59
19 Pneumonia (all forms)	M	471	91	62	29	11	23	60	114	64	17	146	39	12	15	6	7	14	26	17	10
	F	359	53	56	27	12	15	43	75	39	39	109	19	9	12	4	4	9	20	14	18
20 Other respiratory diseases	M	38	—	—	2	1	6	4	16	8	1	21	1	—	1	—	2	3	6	4	4
	F	31	—	2	1	—	1	2	6	13	6	17	1	1	1	—	—	2	4	4	4
21 Ulcer of stomach or duodenum	M	46	—	—	—	—	4	11	29	2	—	12	—	—	1	—	—	3	8	—	—
	F	7	—	—	—	—	—	3	2	1	1	9	—	—	—	—	—	—	8	1	—
22 Diarrhœa, &c.	M	48	33	7	2	—	—	1	2	3	—	19	12	4	—	—	—	—	1	1	1
	F	58	34	7	3	1	2	3	2	—	6	20	16	1	—	2	—	—	—	1	—
23 Appendicitis and typhlitis	M	16	—	—	1	2	5	3	4	1	—	11	—	—	—	2	2	1	2	3	1
	F	9	—	—	1	2	—	2	1	2	1	5	—	—	—	—	1	2	2	—	—
24 Cirrhosis of liver	M	9	—	—	—	—	—	—	6	3	—	9	—	—	—	—	—	1	5	2	1
	F	6	—	—	—	—	1	—	1	3	1	4	—	—	—	—	—	—	3	—	1
25 Acute and chronic nephritis	M	91	—	—	1	3	2	8	46	19	12	52	—	1	—	—	—	6	21	16	8
	F	100	—	1	—	2	4	18	37	26	12	61	—	—	—	—	1	9	26	14	11
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	1	10	—	—	—	4	—	—	—	—	2	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	—	5	17	—	—	—	8	—	—	—	—	2	6	—	—	—
28 Congenital debility and malformation, premature birth	M	173	167	1	1	—	1	—	3	—	—	72	70	—	1	1	—	—	—	—	—
	F	113	112	—	—	—	—	1	—	—	—	47	46	—	1	—	—	—	—	—	—
29 Suicide	M	35	—	—	—	—	4	10	16	5	—	24	—	—	—	—	1	5	15	2	1
	F	26	—	—	—	—	—	11	10	5	—	9	—	—	—	—	—	—	6	3	—
30 Other deaths from violence	M	125	13	4	6	6	19	28	32	12	5	61	4	4	2	3	10	13	10	11	4
	F	73	5	3	6	7	11	10	7	13	11	42	5	—	1	1	3	5	8	10	9
31 Other defined diseases	M	480	79	10	14	19	11	42	130	90	85	288	23	2	3	8	5	23	67	64	93
	F	414	28	16	12	8	13	50	99	69	119	264	14	3	3	5	6	27	40	56	110
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Lincoln. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Liverpool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	494	43	11	15	10	22	41	138	110	104	6937	1054	433	270	239	327	807	1839	1217	751
	F	454	30	6	6	6	15	37	112	96	146	6282	772	402	303	218	281	688	1347	1137	1134
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	1	3	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	2	3	4	—	—	—	—	—	—	220	46	112	51	11	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	212	37	103	67	4	1	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	1	—	—	—	—	23	6	4	8	4	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	17	1	2	8	5	—	1	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	81	31	29	17	4	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	120	48	45	22	4	1	—	—	—	—
6 Diphtheria	M	4	—	—	1	3	—	—	—	—	—	63	5	11	25	21	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	71	5	7	29	26	3	—	1	—	—
7 Influenza	M	30	—	1	2	1	1	1	15	4	5	179	8	8	5	5	4	24	63	36	26
	F	26	—	—	—	—	1	1	9	7	8	235	9	3	4	7	12	26	65	60	49
8 Encephalitis lethargica	M	2	—	—	—	1	—	—	1	—	—	15	—	—	1	—	5	4	4	1	—
	F	2	—	—	—	—	1	1	—	—	—	13	—	—	—	1	2	6	4	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	17	9	1	2	2	3	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	3	3	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	28	1	—	—	2	5	13	7	—	—	660	2	6	10	16	113	251	223	39	—
	F	17	—	—	—	—	7	4	5	—	1	418	1	6	5	26	113	166	91	9	1
11 Other tuberculous diseases	M	11	—	1	2	1	3	3	1	—	—	118	14	18	19	30	15	12	6	3	1
	F	6	—	—	2	2	1	1	—	—	—	97	9	11	18	24	19	10	2	3	1
12 Cancer, malignant disease	M	49	—	—	—	—	1	1	20	16	11	607	—	—	—	1	8	41	302	177	78
	F	59	—	—	—	—	1	8	31	14	5	557	—	—	1	1	3	75	245	156	76
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	10	—	—	1	4	2	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	20	—	—	—	7	2	4	6	1	—
14 Diabetes	M	11	—	—	—	—	1	—	5	4	1	34	—	—	—	2	1	3	15	10	3
	F	5	—	—	—	—	—	—	3	1	1	45	—	—	—	1	2	3	18	17	4
15 Cerebral hæmorrhage, &c.	M	14	—	—	—	—	—	—	3	6	5	212	—	—	—	—	1	3	70	83	55
	F	26	—	—	—	—	—	—	7	7	12	256	1	—	—	—	—	9	86	77	83
16 Heart disease	M	89	—	—	—	1	1	2	33	30	22	874	—	—	2	11	28	77	276	299	181
	F	102	—	—	—	—	—	—	25	35	42	1057	—	—	2	20	27	92	278	304	334
17 Arterio-sclerosis	M	32	—	—	—	—	—	—	4	11	17	192	—	—	—	—	—	2	53	74	63
	F	26	—	—	—	—	—	—	3	5	18	159	—	—	—	—	—	—	28	54	77
18 Bronchitis	M	38	2	4	2	—	—	—	7	10	13	403	45	14	2	2	—	20	110	117	93
	F	34	9	2	—	—	—	—	2	6	15	383	45	9	4	2	4	6	68	120	125
19 Pneumonia (all forms)	M	35	7	2	1	—	1	3	15	3	3	1098	263	158	79	48	44	140	242	91	33
	F	26	7	2	1	—	—	3	4	1	8	809	171	144	94	40	17	83	125	77	58
20 Other respiratory diseases	M	4	—	—	—	—	—	—	—	2	2	67	3	1	2	3	3	14	29	7	5
	F	7	—	—	—	1	—	1	4	1	—	58	3	2	3	1	2	11	11	13	12
21 Ulcer of stomach or duodenum	M	5	—	—	—	—	—	1	3	1	—	73	—	—	—	—	1	24	37	8	3
	F	2	—	—	—	—	—	1	1	—	—	22	—	—	—	—	1	5	10	5	1
22 Diarrhœa, &c.	M	3	2	—	—	—	—	—	—	1	—	239	178	39	13	1	—	2	4	1	1
	F	7	4	1	—	—	—	1	—	—	1	177	120	38	5	1	1	3	2	1	6
23 Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	—	30	—	—	1	8	7	4	5	3	2
	F	1	—	—	—	—	—	—	—	—	1	25	—	—	—	4	7	5	8	1	—
24 Cirrhosis of liver	M	6	—	—	—	—	—	—	3	3	—	12	—	—	—	—	—	—	11	1	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis	M	14	—	—	—	—	2	1	4	5	2	187	—	—	—	4	6	20	80	50	27
	F	15	—	—	—	—	—	1	7	4	3	191	—	1	2	1	8	26	68	54	31
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	26	—	—	—	—	8	18	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—	36	—	—	—	—	4	31	1	—	—
28 Congenital debility and malformation, premature birth	M	24	24	—	—	—	—	—	—	—	—	333	325	1	2	3	2	—	—	—	—
	F	7	7	—	—	—	—	—	—	—	—	222	219	—	1	1	1	—	—	—	—
29 Suicide	M	5	—	—	—	—	—	4	—	—	1	55	—	—	—	—	5	14	26	8	2
	F	3	—	—	—	—	—	2	—	—	1	35	—	—	—	—	5	16	14	—	—
30 Other deaths from violence	M	17	—	—	1	—	5	3	6	—	2	206	5	4	15	29	42	35	36	26	14
	F	9	—	—	1	1	—	3	—	2	2	124	6	3	13	14	4	14	17	20	33
31 Other defined diseases	M	60	5	—	2	—	—	8	11	14	20	917	113	25	15	30	35	111	242	182	164
	F	63	2	—	1	1	2	7	10	12	28	880	94	21	23	28	34	76	197	164	243
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	1	—	—	—	6	1	2	—	—	—	—	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	4	1	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Manchester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Middlesbrough. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	6094	708	198	154	126	221	788	2033	1216	650	1239	179	88	63	48	58	175	312	187	129
	F	5745	564	206	141	118	277	611	1552	1167	1109	1024	133	81	73	40	57	135	221	139	145
1 Enteric fever ..	M	4	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	30	8	16	6	—	—	—	—	—	—	21	3	6	9	3	—	—	—	—	—
	F	34	11	14	7	2	—	—	—	—	—	25	2	13	10	—	—	—	—	—	—
4 Scarlet fever ..	M	3	—	1	1	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	6	—	—	3	3	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	101	38	31	29	3	—	—	—	—	—	8	4	3	1	—	—	—	—	—	—
	F	121	39	46	29	7	—	—	—	—	—	16	4	6	5	1	—	—	—	—	—
6 Diphtheria ..	M	31	8	4	9	9	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	4	3	9	6	2	—	—	1	—	3	—	2	1	—	—	—	—	—	—
7 Influenza	M	317	9	3	8	7	10	62	127	64	27	86	7	3	1	4	6	21	26	10	8
	F	380	5	3	7	5	17	46	136	89	72	65	5	9	5	3	—	11	15	9	8
8 Encephalitis lethargica ..	M	17	—	—	1	1	2	7	4	2	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	1	—	5	4	1	—	2	—	—	—	1	—	1	—	—	—
9 Meningococcal meningitis ..	M	7	1	3	3	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	7	2	3	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	559	—	2	4	1	72	217	234	27	2	107	—	1	—	9	17	45	30	5	—
	F	372	1	—	2	9	122	151	77	10	—	75	—	3	—	3	30	32	7	—	—
11 Other tuberculous diseases	M	79	4	11	10	13	18	13	5	3	2	29	5	7	4	6	1	4	2	—	—
	F	68	8	5	5	15	16	13	6	—	—	21	4	1	5	4	5	2	—	—	—
12 Cancer, malignant disease	M	568	—	—	—	—	2	36	312	166	52	66	—	—	—	—	1	1	40	16	8
	F	600	1	1	—	1	2	51	296	169	79	83	—	—	—	—	—	15	40	21	7
13 Rheumatic fever ..	M	10	—	—	1	2	—	2	5	—	—	3	—	—	—	—	—	2	1	—	—
	F	15	—	—	1	4	4	2	3	1	—	2	—	—	—	—	2	—	—	—	—
14 Diabetes	M	30	—	—	—	—	—	5	15	9	1	6	—	—	—	1	—	—	4	—	1
	F	60	—	—	—	—	3	6	23	16	12	6	—	—	—	1	—	1	3	—	1
15 Cerebral hæmorrhage, &c. ..	M	197	—	—	—	—	—	1	64	83	49	47	—	—	—	—	—	3	13	21	10
	F	254	—	—	—	—	—	14	98	77	65	49	—	—	—	—	—	4	19	14	12
16 Heart disease ..	M	786	—	—	—	6	9	68	337	253	113	191	—	—	—	1	3	13	64	63	47
	F	911	—	—	—	7	22	87	303	257	235	199	—	—	—	2	6	22	58	50	61
17 Arterio-sclerosis ..	M	247	—	—	—	—	—	5	54	99	89	38	—	—	—	—	—	—	8	20	10
	F	264	—	—	—	—	—	1	46	73	144	18	—	—	—	—	—	—	4	7	7
18 Bronchitis ..	M	521	30	7	1	—	4	43	194	143	99	53	9	6	3	1	—	2	7	7	18
	F	481	28	13	2	3	2	5	123	142	163	35	5	3	2	—	—	1	6	8	10
19 Pneumonia (all forms)	M	739	133	79	45	18	18	126	218	77	25	245	51	36	32	8	5	39	53	13	8
	F	561	116	78	43	14	27	57	101	90	35	166	32	31	31	8	4	12	20	14	14
20 Other respiratory diseases	M	75	2	1	2	3	—	7	41	16	3	5	—	1	1	—	—	3	—	—	—
	F	58	—	3	2	1	1	9	20	7	15	3	—	—	—	—	—	—	1	1	1
21 Ulcer of stomach or duodenum ..	M	57	1	—	—	—	3	13	31	8	1	15	—	—	—	—	—	3	9	2	1
	F	19	—	—	—	—	1	3	9	4	2	3	—	—	—	—	—	1	2	—	—
22 Diarrhœa, &c. ..	M	141	119	19	1	1	—	—	—	1	—	45	26	12	4	—	—	—	1	2	—
	F	112	88	14	2	1	1	2	—	2	2	31	18	5	2	4	—	—	—	1	1
23 Appendicitis and typhlitis.. ..	M	35	—	—	4	3	6	10	9	2	1	6	—	—	—	3	1	1	—	1	—
	F	29	—	—	3	6	5	4	10	1	—	4	—	—	—	3	—	1	—	—	—
24 Cirrhosis of liver ..	M	18	—	—	—	—	—	1	12	4	1	6	—	—	—	—	—	—	4	2	—
	F	15	—	—	—	—	—	1	7	6	1	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	146	—	—	1	2	4	18	68	39	14	15	—	—	—	1	1	1	8	4	—
	F	133	—	—	—	2	5	22	59	28	17	22	—	1	1	1	—	3	10	4	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	24	—	—	—	—	6	18	—	—	—	5	—	—	—	—	3	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	37	—	—	—	—	3	34	—	—	—	9	—	—	—	—	1	8	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	251	248	—	—	—	3	—	—	—	—	48	48	—	—	—	—	—	—	—	—
	F	193	191	—	—	—	1	—	1	—	—	45	45	—	—	—	—	—	—	—	—
29 Suicide	M	58	—	—	—	—	2	18	32	6	—	5	—	—	—	—	1	1	3	—	—
	F	23	—	—	—	—	2	2	13	6	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence.. .	M	205	6	4	8	24	29	52	47	19	16	66	3	3	2	5	9	21	20	3	—
	F	107	6	4	8	8	12	11	21	15	22	17	—	1	4	2	2	2	3	2	1
31 Other defined diseases	M	860	101	17	20	32	37	80	224	194	155	124	22	9	5	5	13	15	19	18	18
	F	822	64	17	17	23	21	67	196	172	245	112	18	5	6	6	4	16	30	7	20
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Newcastle-on-Tyne. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Northampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	2145	253	77	54	70	97	274	627	404	289	540	34	11	15	11	19	49	140	125	136
	F	1775	184	64	60	45	92	203	444	336	347	556	31	5	15	11	21	60	116	139	158
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	—	1	1	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
3 Measles	M	34	7	15	11	1	—	—	—	—	—	9	—	5	4	—	—	—	—	—	—
	F	40	11	16	11	2	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4 Scarlet fever	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	13	6	5	2	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	16	1	8	7	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria	M	8	—	1	1	4	—	2	—	—	—	6	—	1	3	2	—	—	—	—	—
	F	5	1	—	1	2	—	—	1	—	—	5	—	—	3	2	—	—	—	—	—
7 Influenza	M	55	—	3	1	5	4	9	21	7	5	19	—	—	—	—	1	4	4	3	7
	F	73	1	1	2	—	1	9	18	23	18	13	1	—	—	—	1	2	4	3	2
8 Encephalitis lethargica	M	5	—	—	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	9	1	—	2	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	188	1	1	2	5	39	77	61	2	—	36	—	—	—	—	8	13	14	1	—
	F	122	—	1	—	8	43	47	23	—	—	32	—	—	—	1	7	19	4	1	—
11 Other tuberculous diseases	M	35	1	3	1	11	8	9	2	—	—	4	—	1	1	—	1	—	1	—	—
	F	39	3	5	8	4	9	6	3	1	—	4	—	—	—	2	1	1	—	—	—
12 Cancer, malignant disease	M	217	—	—	—	1	2	14	111	66	23	65	—	—	—	—	—	2	28	20	15
	F	174	—	—	1	1	—	23	75	56	18	85	—	—	—	—	—	9	36	23	17
13 Rheumatic fever	M	6	—	—	—	2	—	2	2	—	—	1	—	—	—	—	1	—	—	—	—
	F	10	—	—	1	1	3	2	3	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes	M	7	—	1	—	—	1	2	—	3	—	4	—	—	—	1	—	1	—	—	2
	F	21	—	1	—	—	1	1	10	6	2	4	—	—	—	—	—	—	—	2	2
15 Cerebral hæmorrhage, &c.	M	95	—	—	—	—	—	2	33	38	22	19	—	—	—	—	—	1	7	3	8
	F	91	—	—	—	—	—	3	31	32	25	26	—	—	—	—	—	1	2	10	13
16 Heart disease	M	330	—	—	—	1	6	28	112	110	73	114	—	—	—	—	2	6	24	39	43
	F	314	1	—	—	2	7	23	101	86	94	139	—	—	—	1	6	6	32	46	48
17 Arterio-sclerosis	M	145	—	—	—	—	—	2	34	61	48	18	—	—	—	—	—	—	3	9	6
	F	82	—	—	—	—	—	1	8	32	41	15	—	—	—	—	—	—	4	3	8
18 Bronchitis	M	123	14	5	1	1	1	6	34	31	30	31	3	—	—	—	—	—	6	13	9
	F	91	9	2	—	—	1	3	13	18	45	51	2	1	1	—	—	—	3	18	26
19 Pneumonia (all forms)	M	200	33	27	18	11	12	33	43	14	9	24	4	1	—	—	1	7	1	8	2
	F	147	31	18	18	6	3	13	28	17	13	32	3	1	7	—	—	4	5	6	6
20 Other respiratory diseases	M	22	1	1	3	—	—	3	10	1	3	3	—	1	—	—	—	—	1	1	—
	F	18	1	2	1	—	—	2	8	2	2	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum	M	22	—	—	—	—	2	7	10	1	2	9	—	—	—	—	—	2	6	—	1
	F	7	—	—	—	—	1	1	3	1	1	2	—	—	—	—	—	—	—	2	—
22 Diarrhœa, &c.	M	41	31	3	4	1	1	—	—	—	1	6	3	1	—	—	—	—	2	—	—
	F	38	23	4	3	4	—	1	—	1	2	4	2	—	1	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	12	1	—	1	—	1	3	6	—	—	3	—	—	—	1	—	1	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	2	—	—	1	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	1	3	—	1	3	—	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	54	—	1	—	—	—	7	25	14	7	25	—	—	—	2	—	—	7	11	5
	F	58	—	—	—	1	—	3	34	10	10	14	—	—	—	—	1	2	3	4	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	2	10	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	4	15	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	114	109	—	—	3	1	—	—	1	—	15	14	—	—	1	—	—	—	—	—
	F	77	76	1	—	—	—	—	—	—	—	18	17	1	—	—	—	—	—	—	—
29 Suicide	M	19	—	—	—	—	2	2	14	1	—	19	—	—	—	—	1	7	6	1	4
	F	8	—	—	—	—	—	5	3	—	—	8	—	—	—	—	—	3	3	1	1
30 Other deaths from violence	M	75	3	4	1	4	8	15	21	12	7	17	—	1	2	2	1	1	2	5	3
	F	42	4	—	2	4	3	8	7	5	9	12	—	—	—	—	—	2	5	2	3
31 Other defined diseases	M	306	44	6	6	16	6	45	84	41	58	88	8	—	5	2	3	4	25	10	31
	F	252	21	5	2	8	12	26	67	45	66	74	6	—	1	3	3	6	13	16	26
32 Causes ill-defined or unknown	M	3	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Norwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Nottingham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	832	80	12	10	18	28	80	200	198	206	2101	237	56	54	59	74	211	611	447	352
	F	911	69	12	17	13	26	100	160	205	309	1995	203	60	46	54	73	174	451	434	500
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	21	—	6	12	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	17	4	8	5	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	6	6	—	—	—	—	—	—	—	—	11	6	3	2	—	—	—	—	—	—
	F	17	8	5	3	1	—	—	—	—	—	21	5	6	9	1	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	26	—	2	7	17	—	—	—	—	—
	F	4	1	—	3	—	—	—	—	—	—	51	—	1	9	20	1	—	—	—	—
7 Influenza	M	55	—	1	—	1	2	8	7	17	19	80	4	5	3	—	—	12	25	15	16
	F	76	—	1	—	—	2	10	11	26	26	73	1	—	1	1	4	8	15	19	24
8 Encephalitis lethargica ..	M	2	—	—	—	—	1	—	1	—	—	9	—	—	—	—	2	2	5	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	2	—	—	—	—
9 Meningococcal meningitis ..	M	3	1	1	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	1	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	55	—	—	1	—	7	25	17	5	—	161	—	1	—	1	29	61	65	4	—
	F	45	1	—	—	1	11	22	7	2	1	124	—	1	1	5	35	54	23	5	—
11 Other tuberculous diseases	M	9	1	2	—	—	2	1	3	—	—	32	5	1	4	9	5	5	3	—	—
	F	9	—	—	2	2	2	1	—	1	1	20	3	2	2	5	4	2	—	2	—
12 Cancer, malignant disease	M	85	—	—	—	1	1	2	34	31	16	193	—	—	—	—	4	12	94	62	21
	F	122	—	—	—	—	—	17	38	35	32	212	—	—	—	1	—	25	107	47	32
13 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	4	—	—	—	1	2	—	1	—	—
	F	4	—	—	—	2	—	—	2	—	—	5	—	—	—	1	2	2	—	—	—
14 Diabetes	M	13	—	—	—	—	—	1	2	3	7	17	—	—	—	—	—	1	5	8	3
	F	5	—	—	—	—	—	—	2	—	3	23	—	—	—	—	—	1	11	7	4
15 Cerebral hæmorrhage, &c. ..	M	47	—	—	—	—	—	2	13	13	19	69	—	—	—	—	—	3	25	22	19
	F	56	—	—	—	—	—	1	13	13	29	109	—	—	—	—	—	1	20	38	50
16 Heart disease ..	M	135	—	—	—	—	3	6	32	46	48	411	1	—	—	2	5	22	110	140	131
	F	144	—	—	—	1	6	16	21	48	52	438	—	—	—	2	7	14	93	151	171
17 Arterio-sclerosis ..	M	42	—	—	—	—	—	—	10	15	17	92	—	—	—	—	—	1	21	43	27
	F	57	—	—	—	—	—	—	4	15	38	86	—	—	—	—	—	1	23	37	25
18 Bronchitis ..	M	52	4	—	1	1	—	3	6	12	25	155	12	3	—	—	—	7	48	39	46
	F	65	3	1	1	1	—	1	5	14	39	158	11	—	1	1	—	2	19	40	84
19 Pneumonia (all forms)	M	63	18	5	5	3	—	5	10	9	8	247	64	23	12	7	7	21	61	33	19
	F	71	16	3	3	3	—	6	9	14	17	203	46	38	12	6	4	14	31	31	21
20 Other respiratory diseases	M	13	—	—	—	—	1	3	6	3	—	27	2	—	1	1	1	4	16	1	1
	F	14	1	—	—	1	—	2	4	4	2	17	2	1	—	2	—	1	5	5	1
21 Ulcer of stomach or duodenum ..	M	13	—	—	—	—	—	4	2	6	1	25	—	—	—	—	1	7	14	3	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	—	2
22 Diarrhœa, &c. ..	M	6	6	—	—	—	—	—	—	—	—	47	33	7	4	—	—	1	1	—	1
	F	8	4	—	—	—	—	—	1	2	1	34	28	3	—	—	—	—	1	—	2
23 Appendicitis and typhlitis.. ..	M	4	—	—	—	1	2	1	—	—	—	8	—	—	—	3	—	2	1	1	1
	F	4	—	—	1	—	2	—	1	—	—	3	—	—	—	1	—	2	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	11	—	—	—	—	—	1	8	2	—
	F	3	—	—	—	—	—	1	1	1	—	4	—	—	—	—	—	—	3	—	1
25 Acute and chronic nephritis ..	M	17	—	—	—	1	1	1	6	4	4	41	—	—	—	1	1	7	14	11	7
	F	15	—	—	—	—	—	—	9	4	2	39	—	—	—	1	4	6	14	8	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	2	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	11	—	—	—	—	1	10	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	32	30	1	1	—	—	—	—	—	—	78	77	—	—	1	—	—	—	—	—
	F	27	27	—	—	—	—	—	—	—	—	83	83	—	—	—	—	—	—	—	—
29 Suicide	M	14	—	—	—	—	—	3	8	3	—	31	—	—	—	—	—	6	15	10	—
	F	5	—	—	—	—	—	1	4	—	—	20	—	—	—	—	2	6	8	3	1
30 Other deaths from violence.. ..	M	23	1	1	—	2	2	5	7	4	1	77	5	1	6	9	12	10	15	8	11
	F	18	—	1	2	—	—	—	4	3	8	29	2	—	1	2	2	2	7	2	11
31 Other defined diseases	M	139	13	1	1	7	5	9	36	26	41	224	27	2	2	4	5	26	64	45	49
	F	134	8	1	2	1	1	16	24	23	58	221	17	—	5	4	3	19	70	38	65
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Oldham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Oxford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1300	126	45	29	32	54	134	466	265	149	435	39	6	2	10	21	33	120	101	103
	F	1356	96	53	41	32	45	150	391	305	243	483	26	4	4	6	15	36	121	94	177
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	11	3	3	4	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	12	4	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	31	9	13	6	3	—	—	—	—	—	5	2	3	—	—	—	—	—	—	—
	F	44	14	16	13	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
6 Diphtheria	M	5	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—		3	5	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	119	5	3	1	2	4	22	43	26	13	20	1	—	—	2	—	3	3	4	7
	F	111	2	2	2	3	5	10	38	25	24	23	—	—	—	—	1	2	9	4	7
8 Encephalitis lethargica	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	4	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	99	—	—	—	2	19	32	44	2	—	30	—	—	—	—	9	11	9	—	1
	F	45	—	1	1	1	12	19	10	1	—	24	—	—	—	—	5	10	6	1	2
11 Other tuberculous diseases	M	13	—	—	2	4	—	4	2	1	—	5	—	—	—	4	—	—	1	—	—
	F	13	1	—	—	1	5	2	3	—	1	1	—	—	—	—	—	—	1	—	—
12 Cancer, malignant disease	M	112	—	—	—	—	—	7	66	33	6	45	—	—	—	—	—	4	18	13	10
	F	130	—	1	—	—	1	17	67	26	18	77	—	—	—	—	—	3	33	19	22
13 Rheumatic fever	M	7	—	—	1	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	2	1	2	—	—	—	3	—	—	—	—	1	2	—	—	—
14 Diabetes	M	6	—	—	—	—	1	—	4	—	1	7	—	—	—	—	—	—	1	3	3
	F	18	—	—	—	—	2	3	6	6	1	7	—	—	—	—	—	—	5	1	1
15 Cerebral hæmorrhage, &c.	M	44	—	—	—	—	—	2	16	17	9	17	—	—	—	—	—	—	2	10	5
	F	66	—	—	—	—	—	2	21	23	20	24	—	—	—	—	—	—	5	4	15
16 Heart disease	M	195	—	—	—	2	4	14	74	66	35	86	—	—	—	—	1	3	23	36	23
	F	255	—	—	—	2	5	22	99	76	51	101	—	—	—	1	—	3	21	23	53
17 Arterio-sclerosis	M	57	—	—	—	—	—	—	18	23	16	22	—	—	—	—	—	—	6	4	12
	F	46	—	—	—	—	—	—	10	20	16	32	—	—	—	—	—	—	2	7	23
18 Bronchitis	M	105	11	2	2	—	1	7	33	27	22	17	2	—	—	—	—	—	3	5	7
	F	141	8	2	1	1	—	4	39	44	42	24	—	1	—	1	—	—	1	5	16
19 Pneumonia (all forms)	M	124	25	21	10	7	4	10	29	13	5	36	9	2	—	1	—	3	7	6	8
	F	99	23	17	8	5	1	12	21	7	5	30	5	—	—	—	1	5	5	6	8
20 Other respiratory diseases	M	25	—	1	—	—	3	5	10	4	2	6	—	—	—	—	2	—	3	1	—
	F	18	—	—	—	—	1	—	6	6	5	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum	M	11	—	—	—	—	—	2	8	1	—	4	—	—	—	—	1	—	2	1	—
	F	6	—	—	—	—	—	1	2	2	1	3	—	—	—	—	—	—	1	2	—
22 Diarrhœa, &c.	M	9	9	—	—	—	—	—	—	—	—	5	3	—	1	—	—	—	1	—	—
	F	9	3	3	—	—	1	—	1	1	—	8	2	1	—	—	—	—	1	1	3
23 Appendicitis and typhlitis	M	7	—	—	—	—	2	2	3	—	—	3	—	—	—	—	—	2	1	—	—
	F	7	—	—	1	1	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	1	—	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis	M	41	—	—	—	—	1	3	26	7	4	20	—	—	—	—	—	2	9	7	2
	F	49	1	1	—	—	—	9	24	11	3	8	—	—	—	—	—	—	4	1	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	46	46	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
	F	33	29	—	2	1	—	1	—	—	—	10	10	—	—	—	—	—	—	—	—
29 Suicide	M	14	—	—	—	—	—	3	10	1	—	4	—	—	—	—	—	—	2	2	—
	F	6	—	—	—	—	—	3	2	1	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence	M	26	1	—	1	2	5	4	6	3	4	11	—	—	—	1	4	1	3	1	1
	F	15	—	—	3	2	—	3	1	3	3	21	1	2	1	—	2	1	3	5	6
31 Other defined diseases	M	170	17	1	—	4	8	14	62	37	27	71	5	1	1	2	4	4	22	8	24
	F	181	11	3	1	6	6	25	33	46	50	74	7	—	2	2	3	7	21	14	18
32 Causes ill-defined or unknown	M	14	—	—	—	—	—	1	5	3	5	1	—	—	—	—	—	—	1	—	—
	F	15	—	1	—	—	—	1	3	7	3	1	—	—	1	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Plymouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Portsmouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1353	129	33	29	45	57	143	387	289	241	1606	166	43	37	43	61	149	434	349	324
	F	1348	80	25	32	37	40	151	283	275	425	1739	127	27	38	47	65	195	383	340	517
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	1	—	—	—	—	—	3	—	—	2	—	1	—	—	—	—
	F	3	—	1	—	2	—	—	—	—	—	4	—	—	1	—	1	2	—	—	—
5 Whooping cough ..	M	9	3	4	2	—	—	—	—	—	—	10	4	2	4	—	—	—	—	—	—
	F	14	6	2	6	—	—	—	—	—	—	9	2	3	4	—	—	—	—	—	—
6 Diphtheria ..	M	11	—	—	—	11	—	—	—	—	—	13	—	—	6	7	—	—	—	—	—
	F	14	—	—	7	7	—	—	—	—	—	12	—	—	4	8	—	—	—	—	—
7 Influenza	M	28	—	2	—	—	3	3	7	8	5	73	4	—	1	1	5	5	23	17	17
	F	27	1	—	—	1	—	4	6	5	10	81	2	—	3	2	2	6	22	23	21
8 Encephalitis lethargica ..	M	2	—	—	—	1	—	—	1	—	—	2	—	—	1	—	—	1	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	5	—	—	—	—	2	1	2	—	—
9 Meningococcal meningitis ..	M	3	—	1	1	—	1	—	—	—	—	9	—	—	—	2	4	1	2	—	—
	F	3	—	—	—	2	1	—	—	—	—	9	2	—	1	1	3	—	2	—	—
10 Tuberculosis of respiratory system	M	92	1	—	—	—	28	40	21	2	—	100	—	—	—	3	24	43	25	5	—
	F	76	—	—	—	6	18	38	11	3	—	92	—	—	1	1	23	48	17	1	1
11 Other tuberculous diseases	M	17	—	1	5	2	4	4	—	1	—	15	2	4	2	1	1	2	2	—	1
	F	14	2	—	2	1	4	1	2	1	1	20	—	3	2	7	1	4	2	—	1
12 Cancer, malignant disease	M	127	—	—	—	1	—	8	56	42	20	167	—	—	1	1	1	12	74	50	28
	F	169	—	—	—	—	4	14	70	53	28	206	—	—	1	—	2	20	95	53	35
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	—	1	1	1	—	—
14 Diabetes	M	9	—	—	—	—	—	1	3	5	—	15	—	—	—	—	1	2	4	6	2
	F	15	—	—	—	—	—	—	8	3	4	18	—	—	—	—	1	1	8	6	2
15 Cerebral hæmorrhage, &c. ..	M	70	—	—	—	—	—	3	30	19	18	90	—	—	—	—	—	—	26	36	28
	F	73	—	—	—	—	—	5	22	14	32	97	—	—	—	—	—	1	25	35	36
16 Heart disease ..	M	252	—	—	—	2	1	19	71	89	70	273	—	—	—	3	4	15	82	97	72
	F	314	—	—	—	2	—	19	56	88	149	336	—	—	—	6	4	25	87	98	116
17 Arterio-sclerosis ..	M	44	—	—	—	—	—	—	14	13	17	31	—	—	—	—	—	—	10	10	11
	F	42	—	—	—	—	—	—	7	13	22	35	—	—	—	—	—	1	6	9	19
18 Bronchitis ..	M	72	6	—	—	2	—	2	13	16	33	84	2	3	1	—	1	4	15	23	35
	F	122	8	1	2	1	1	1	9	27	72	116	5	—	1	1	2	2	12	25	68
19 Pneumonia (all forms)	M	115	23	14	8	5	4	9	35	5	12	124	21	26	10	3	3	9	30	14	8
	F	89	11	13	9	3	1	10	17	12	13	123	25	12	13	8	8	17	12	14	14
20 Other respiratory diseases	M	19	1	1	—	1	—	1	4	10	1	30	1	1	3	—	—	1	13	6	5
	F	12	—	—	—	—	1	3	2	—	6	28	—	—	1	—	—	2	4	12	9
21 Ulcer of stomach or duodenum ..	M	14	—	—	—	—	—	5	6	2	1	15	—	—	—	—	—	3	10	2	—
	F	6	—	—	—	—	—	1	4	1	—	10	—	—	—	—	1	3	3	—	3
22 Diarrhœa, &c. ..	M	19	4	3	1	1	—	3	3	2	2	39	35	2	—	—	—	—	1	1	—
	F	14	6	2	—	—	—	—	4	2	—	34	27	3	—	2	—	—	1	—	1
23 Appendicitis and typhlitis.. ..	M	7	—	—	—	2	1	1	2	—	1	7	—	—	1	4	—	—	2	—	—
	F	6	—	—	—	2	—	2	1	—	1	11	—	—	—	2	2	1	4	1	1
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	2	3	—	4	1	—	—	—	—	—	2	1	—
	F	5	—	—	—	—	—	2	1	—	2	3	—	—	—	—	—	1	1	1	—
25 Acute and chronic nephritis ..	M	43	—	—	—	—	1	7	19	11	5	55	—	—	—	2	2	3	26	10	12
	F	31	—	—	—	—	—	7	11	10	3	45	—	—	—	—	—	12	13	4	16
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	—	10	—	—	—	8	—	—	—	—	—	8	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	64	63	—	—	—	1	—	—	—	—	64	63	—	1	—	—	—	—	—	—
	F	31	31	—	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	1	1	7	3	—	22	—	—	—	—	1	7	9	4	1
	F	9	—	—	—	—	1	3	3	2	—	15	—	—	—	—	1	4	6	2	2
30 Other deaths from violence.. ..	M	63	2	1	4	8	8	14	16	6	4	49	2	—	1	6	4	11	13	6	6
	F	26	1	2	2	1	1	1	4	3	11	33	1	2	2	—	—	2	5	6	15
31 Other defined diseases	M	251	25	6	6	7	4	22	77	52	52	308	31	3	3	10	8	30	64	61	98
	F	207	13	3	3	8	3	24	45	37	71	335	21	4	4	8	9	27	55	50	157
32 Causes ill-defined or unknown ..	M	1	1	—	—	—	—	—	—	—	—	3	—	2	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

	Causes of Death.	Sex.	Preston										Reading.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	863	111	27	24	21	30	86	272	176	116	674	39	8	9	24	21	67	185	169	152
		F	914	95	23	23	18	21	87	246	213	188	704	35	17	15	16	23	61	135	158	244
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	6	2	3	1	—	—	—	—	—	—	4	—	2	2	—	—	—	—	—	—
		F	13	1	5	5	2	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ..	M	16	8	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	13	2	4	5	2	—	—	—	—	—	7	3	3	—	—	1	—	—	—	—
6	Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	1	—	—	1	—	—	—	—	—	5	—	—	3	1	—	1	—	—	—
7	Influenza	M	40	2	2	2	—	1	6	16	6	5	41	—	—	—	—	—	2	15	14	10
		F	40	1	—	1	1	1	3	13	11	9	47	1	2	1	—	1	—	12	11	19
8	Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	2	1	4	—	—	4	—	—	—	—	—	2	2	—	—
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	55	—	1	—	—	15	19	20	—	—	63	—	—	—	1	4	34	23	1	—
		F	32	1	—	—	1	10	12	6	2	—	41	1	—	—	2	12	21	4	1	—
11	Other tuberculous diseases	M	15	2	2	1	3	3	1	3	—	—	7	—	1	—	4	1	—	1	—	—
		F	7	2	—	1	—	—	3	—	1	—	8	—	2	3	1	1	—	—	1	—
12	Cancer, malignant disease	M	89	—	—	—	—	—	7	48	29	5	74	—	—	—	—	—	4	28	26	16
		F	101	—	—	—	—	—	9	47	25	20	85	—	—	—	1	—	7	29	21	27
13	Rheumatic fever ..	M	5	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	1	2	—	—	—	—	4	—	—	—	2	—	1	—	1	—
14	Diabetes	M	6	—	—	—	—	—	1	4	1	—	6	—	—	—	—	1	—	2	2	1
		F	13	—	—	—	—	—	1	5	6	1	10	—	—	—	—	—	1	1	2	6
15	Cerebral hæmorrhage, &c. ..	M	35	—	—	—	—	—	—	7	18	10	14	—	—	—	—	—	1	5	3	5
		F	46	—	—	—	—	—	1	16	17	12	34	—	—	—	—	—	—	6	12	16
16	Heart disease ..	M	125	—	—	—	1	1	6	50	46	21	90	—	—	—	2	1	2	25	27	33
		F	147	—	—	—	2	1	7	45	54	38	136	—	—	—	1	2	4	24	50	55
17	Arterio-sclerosis ..	M	30	—	—	—	—	—	—	12	12	6	54	—	—	—	—	—	—	7	21	26
		F	34	—	—	—	—	—	—	8	12	14	52	—	—	—	—	—	—	5	15	32
18	Bronchitis ..	M	56	11	1	—	—	—	1	10	11	22	49	1	1	—	—	—	1	6	19	21
		F	55	7	1	2	1	—	1	10	11	22	56	1	1	—	—	—	—	5	13	36
19	Pneumonia (all forms)	M	100	15	12	12	5	4	14	26	7	5	45	7	3	4	2	3	3	9	11	3
		F	88	18	10	4	1	—	5	27	14	9	37	10	4	2	2	—	1	7	2	9
20	Other respiratory diseases	M	10	—	—	—	1	2	1	4	1	1	14	—	—	—	1	—	4	4	4	1
		F	15	2	1	—	—	—	2	4	5	1	8	—	—	—	—	—	—	3	2	3
21	Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	3	2	1	—	6	—	—	—	—	—	1	3	2	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
22	Diarrhœa, &c. ..	M	16	12	1	—	—	—	—	2	—	1	4	3	—	—	—	—	—	1	—	—
		F	13	9	2	1	—	—	—	—	1	—	8	2	4	1	—	—	—	—	1	—
23	Appendicitis and typhlitis.. ..	M	2	—	—	—		—	1	—	—	—	2	—	—	—	1	—	1	—	—	—
		F	5	—	—	—	—	1	1	3	—	—	3	—	—	—	—	—	1	2	—	—
24	Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—	1	—	2
		F	4	—	—	—	—	—	—	1	—	3	1	—	—	—	—	—	—	—	1	—
25	Acute and chronic nephritis ..	M	59	1	—	—	—	—	3	18	21	16	18	—	—	—	1	1	2	7	5	2
		F	69	—	—	—	2	—	1	10	31	25	11	—	—	—	—	—	1	2	5	3
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	1	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	7	1	—	—	3	—	—	—	—	1	2	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	43	42	—	—	1	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
		F	39	38	—	—	—	—	1	—	—	—	12	11	1	—	—	—	—	—	—	—
29	Suicide	M	20	—	—	—	—	—	5	14	1	—	15	—	—	—	—	1	3	9	2	—
		F	8	—	—	—	—	—	3	4	1	—	5	—	—	—	—	—	3	2	—	—
30	Other deaths from violence.. ..	M	17	1	—	1	4	1	4	3	3	—	31	—	—	—	8	6	2	10	4	1
		F	18	—	—	1	2	—	1	8	2	4	14	1	—	1	1	1	3	5	1	1
31	Other defined diseases	M	105	15	1	2	1	2	12	29	19	24	110	4	1	3	4	3	7	29	28	31
		F	126	12	—	2	2	3	23	34	20	30	105	5	—	2	4	3	11	25	19	36
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929.
(Civilian population only).

Causes of Death.	Sex.	Rochdale. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Rotherham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	734	54	17	11	17	27	74	262	172	100	463	69	16	13	18	15	48	119	93	72
	F	787	46	17	9	16	27	78	224	192	178	401	50	14	13	8	22	52	93	62	87
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	14	3	7	3	1	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
	F	5	1	3	—	1	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
6 Diphtheria	M	4	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	1	3	4	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	52	1	1	—	1	3	9	21	10	6	18	—	1	—	—	1	4	10	2	—
	F	57	—	1	1	—	2	8	14	18	13	31	1	—	2	—	3	5	9	6	5
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	38	—	—	—	2	6	16	13	1	—	25	—	—	1	1	4	13	6	—	—
	F	29	—	—	—	1	12	8	7	1	—	22	—	—	—	—	8	9	5	—	—
11 Other tuberculous diseases	M	6	—	—	2	—	—	2	2	—	—	6	1	1	—	2	1	—	1	—	—
	F	7	1	—	—	—	3	3	—	—	—	5	—	1	1	1	1	1	—	—	—
12 Cancer, malignant disease	M	75	—	—	—	—	1	3	37	24	10	52	—	—	—	—	—	—	27	17	8
	F	90	—	—	—	—	—	8	45	25	12	38	—	—	—	—	—	7	19	8	4
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	1	2	—	—	—	—	3	—	—	—	2	—	—	—	1	—
14 Diabetes	M	6	—	—	—	1	—	—	4	—	1	1	—	—	—	—	—	—	1	—	—
	F	7	—	—	—	—	—	—	3	3	1	6	—	—	—	—	—	1	3	2	—
15 Cerebral hæmorrhage, &c.	M	37	—	—	—	—	—	—	6	17	14	27	—	—	—	—	—	—	8	7	12
	F	59	—	—	—	—	—	—	23	15	21	25	—	—	—	—	—	1	6	5	13
16 Heart disease	M	120	—	—	—	—	2	9	57	36	16	54	—	—	—	1	—	3	18	19	13
	F	154	—	—	—	1	1	9	38	47	58	56	—	—	—	1	4	7	16	11	17
17 Arterio-sclerosis	M	48	—	—	—	—	—	1	12	19	16	14	—	—	—	—	—	—	3	6	5
	F	32	—	—	—	—	—	—	6	15	11	6	—	—	—	—	—	—	1	2	3
18 Bronchitis	M	76	3	2	—	—	—	3	34	26	8	41	7	1	—	—	—	—	8	10	15
	F	80	3	—	—	—	—	1	25	26	25	28	3	—	—	—	—	—	3	7	15
19 Pneumonia (all forms)	M	49	9	3	1	3	5	4	15	6	3	52	14	7	4	3	1	9	5	7	2
	F	38	8	9	3	—	2	4	4	4	4	31	5	7	3	1	—	1	6	5	3
20 Other respiratory diseases	M	6	—	—	—	—	—	—	2	2	2	11	—	—	—	—	—	—	5	3	3
	F	12	—	—	—	—	—	—	7	3	2	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	2	2	—	—	5	—	—	—	—	1	2	1	1	—
	F	4	—	—	—	—	—	1	1	2	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	5	3	—	—	1	—	—	1	—	—	11	7	1	1	1	—	—	1	—	—
	F	4	4	—	—	—	—	—	—	—	—	6	1	1	1	1	—	—	—	1	1
23 Appendicitis and typhlitis	M	8	—	—	1	—	2	3	—	2	—	1	—	—	—	—	—	1	—	—	—
	F	8	—	—	1	2	—	2	1	2	—	2	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	1	—	1	—	3	—	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	19	—	—	—	1	—	1	13	2	2	9	—	—	—	—	—	2	3	4	—
	F	27	—	—	—	2	1	2	18	2	2	11	—	1	—	—	—	3	5	1	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth	M	30	29	—	—	—	1	—	—	—	—	27	26	—	—	1	—	—	—	—	—
	F	22	22	—	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—	—
29 Suicide	M	15	—	—	—	—	1	2	10	2	—	6	—	—	—	—	—	1	4	1	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	14	1	—	1	2	2	3	5	—	—	23	1	3	3	2	4	6	3	1	—
	F	11	2	—	—	1	—	2	2	2	2	14	1	1	4	1	4	2	—	—	1
31 Other defined diseases	M	101	5	3	—	3	4	14	28	22	22	69	10	1	2	5	3	7	13	14	14
	F	107	5	2	1	3	1	16	27	25	27	68	7	2	1	1	1	5	16	12	23
32 Causes ill-defined or unknown	M	3	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	St. Helens. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Salford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	875	130	58	46	37	39	109	221	145	90	1878	282	95	59	63	79	219	542	338	201
	F	724	127	55	48	30	35	93	138	109	89	1745	208	61	58	55	63	190	434	370	306
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	24	7	6	9	2	—	—	—	—	—	15	4	7	2	2	—	—	—	—	—
	F	25	6	14	5	—	—	—	—	—	—	18	7	5	4	2	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	—	2	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	4	—	1	1	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
5 Whooping cough ..	M	3	—	2	—	1	—	—	—	—	—	47	8	24	15	—	—	—	—	—	—
	F	10	4	3	3	—	—	—	—	—	—	59	28	16	15	—	—	—	—	—	—
6 Diphtheria ..	M	7	—	—	4	2	1	—	—	—	—	18	1	3	8	6	—	—	—	—	—
	F	4	—	—	2	1	—	1	—	—	—	20	—	3	2	14	—	—	1	—	—
7 Influenza	M	85	7	7	4	3	4	20	26	10	4	99	3	—	1	4	4	20	42	19	6
	F	61	12	5	7	2	1	5	12	11	6	110	1	1	2	1	1	14	34	36	20
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	5	—	1	—	—	2	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	10	—	1	—	—	—	4	3	2	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	51	—	—	—	2	10	23	14	2	—	179	—	—	1	3	22	75	74	4	—
	F	40	—	—	1	3	11	22	3	—	—	104	1	—	1	6	29	44	21	2	—
11 Other tuberculous diseases	M	16	1	3	3	6	2	—	1	—	—	24	3	—	1	5	10	2	2	1	—
	F	8	—	—	2	1	4	1	—	—	—	18	—	2	4	2	3	4	3	—	—
12 Cancer, malignant disease	M	54	—	—	1	—	—	4	25	19	5	155	—	—	—	1	—	9	73	58	14
	F	48	1	—	—	—	3	7	23	8	6	175	—	—	—	—	—	24	82	53	16
13 Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	4	—	—	—	3	—	1	—	—	—
	F	4	—	—	—	2	—	2	—	—	—	7	—	—	—	4	2	1	—	—	—
14 Diabetes	M	4	—	—	—	—	1	1	1	1	—	10	—	—	—	—	1	1	4	3	1
	F	7	—	—	—	—	—	1	3	2	1	26	—	—	—	—	—	3	9	8	6
15 Cerebral hæmorrhage, &c. ..	M	59	—	—	—	—	—	1	21	19	18	46	—	—	—	—	—	—	18	16	12
	F	30	—	—	—	—	—	—	8	10	12	68	—	—	—	—	—	1	25	23	19
16 Heart disease ..	M	95	—	—	—	2	5	6	41	27	14	279	—	—	—	5	5	14	106	94	55
	F	106	—	—	—	1	2	13	36	33	21	322	—	—	—	7	8	19	99	106	83
17 Arterio-sclerosis ..	M	27	—	—	—	—	—	—	9	12	6	76	—	—	—	—	—	—	19	33	24
	F	8	—	—	—	—	—	—	1	6	1	63	—	—	—	—	—	—	16	25	22
18 Bronchitis ..	M	61	11	3	2	—	—	3	17	10	15	128	9	4	1	1	1	9	45	34	24
	F	56	9	6	2	—	—	1	8	12	18	129	8	1	2	1	—	2	37	32	46
19 Pneumonia (all forms)	M	124	24	27	15	4	5	16	18	13	2	236	62	35	13	7	9	31	54	17	8
	F	106	29	20	18	7	3	14	8	7	—	169	38	19	22	8	3	18	23	24	14
20 Other respiratory diseases	M	8	—	—	—	—	—	3	3	2	—	23	—	—	1	2	3	1	10	2	4
	F	8	—	—	1	1	1	—	3	1	1	17	1	—	—	—	1	1	7	1	6
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	—	2	5	1	—	17	—	—	—	—	1	7	8	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1
22 Diarrhœa, &c. ..	M	13	7	4	—	—	—	1	—	1	—	85	70	9	2	—	—	—	2	2	—
	F	10	8	—	1	—	—	1	—	—	—	61	46	9	—	—	—	—	1	3	2
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	—	1	—	—	1	—	8	—	—	—	3	1	1	1	2	—
	F	4	—	—	—	—	2	1	—	1	—	4	—	—	—	—	—	1	3	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	9	—	—	—	—	—	2	5	1	1
	F	3	—	—	—	—	—	—	3	—	—	9	—	—	—	—	—	2	7	—	—
25 Acute and chronic nephritis ..	M	14	—	—	—	—	3	4	2	3	2	32	—	—	—	1	3	4	14	8	2
	F	11	—	—	—	—	—	2	6	1	2	36	—	1	1	—	4	6	14	9	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	7	—	—	—	—	—	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	45	45	—	—	—	—	—	—	—	—	92	91	—	—	1	—	—	—	—	—
	F	45	44	—	—	—	—	—	1	—	—	59	59	—	—	—	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	1	4	3	1	1	16	—	—	—	—	2	5	5	4	—
	F	3	—	—	—	—	—	2	1	—	—	9	—	—	—	—	2	3	3	1	—
30 Other deaths from violence.. ..	M	34	1	—	4	7	2	7	9	2	2	55	1	3	3	7	9	14	10	6	2
	F	12	1	2	3	1	—	1	1	1	2	31	2	—	1	4	1	3	8	5	7
31 Other defined diseases	M	115	26	6	3	6	2	12	22	17	21	213	29	7	10	11	6	22	47	33	48
	F	94	13	3	2	9	4	9	19	16	19	196	16	2	3	4	7	24	37	40	63
32 Causes ill-defined or unknown ..	M	7	—	—	1	—	—	1	1	4	—	2	—	1	—	—	—	—	1	—	—
	F	4	—	1	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Sheffield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Smethwick. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	3605	419	107	83	92	158	376	1091	772	507	607	69	22	22	12	30	83	172	121	76
	F	3241	275	96	70	85	147	335	815	723	695	537	52	17	14	20	20	53	136	101	124
1 Enteric fever ..	M	4	—	—	—	—	—	2	2	—	—	2	—	—	1	1	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	3	5	1	—	—	—	—	—	—	14	1	6	5	2	—	—	—	—	—
	F	5	1	3	—	1	—	—	—	—	—	11	2	3	5	1	—	—	—	—	—
4 Scarlet fever ..	M	9	1	—	2	1	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	2	1	4	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	20	10	7	3	—	—	—	—	—	—	6	3	1	2	—	—	—	—	—	—
	F	33	10	13	10	—	—	—	—	—	—	11	3	3	3	1	—	1	—	—	—
6 Diphtheria ..	M	16	1	2	7	4	1	—	1	—	—	2	—	—	1	1	—	—	—	—	—
	F	18	1	2	2	10	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	230	11	7	5	2	10	27	85	48	35	45	—	1	—	1	3	6	21	9	4
	F	237	6	3	5	1	8	27	71	68	48	32	—	3	1	1	1	3	13	5	5
8 Encephalitis lethargica ..	M	5	—	—	—	—	—	2	2	1	—	1	—	—	—	—	—	1	—	—	—
	F	7	—	—	—	1	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	4	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	267	—	—	—	3	38	84	114	28	—	47	—	—	1	—	8	17	19	2	—
	F	142	—	—	1	3	52	57	25	4	—	34	—	—	1	1	7	16	6	3	—
11 Other tuberculous diseases	M	50	9	4	10	10	8	4	2	3	—	5	—	1	2	2	—	—	—	—	—
	F	37	5	2	6	6	10	4	4	—	—	6	2	—	—	2	—	1	1	—	—
12 Cancer, malignant disease	M	406	—	2	—	—	4	33	194	128	45	52	—	—	—	—	—	3	27	13	9
	F	328	—	—	1	1	1	27	145	106	47	53	—	—	—	—	—	4	30	10	8
13 Rheumatic fever ..	M	4	—	—	—	2	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	5	—	—	—	1	2	—	1	1	—	2	—	—	—	—	2	—	—	—	—
14 Diabetes	M	37	—	—	—	1	4	6	10	11	5	4	—	—	—	—	—	1	2	1	—
	F	40	—	—	1	1	1	5	16	12	4	7	—	—	—	—	—	—	2	2	3
15 Cerebral hæmorrhage, &c. ..	M	105	—	—	—	—	1	2	38	41	23	13	—	—	—	—	—	—	3	6	4
	F	131	—	—	—	—	—	2	44	48	37	31	—	—	—	—	—	1	9	12	9
16 Heart disease ..	M	581	—	—	1	7	8	33	192	197	143	87	—	—	—	1	—	3	26	34	23
	F	673	—	—	—	10	18	51	174	192	228	100	—	—	—	2	2	4	21	30	41
17 Arterio-sclerosis ..	M	257	—	—	—	—	—	—	48	103	106	21	—	—	—	—	—	1	4	9	7
	F	235	—	—	—	—	—	—	38	79	118	13	—	—	—	—	—	—	1	4	8
18 Bronchitis ..	M	191	30	5	3	1	1	7	49	48	47	28	2	—	—	—	—	1	8	9	8
	F	191	15	4	2	—	4	5	26	62	73	30	1	—	—	—	—	—	3	9	17
19 Pneumonia (all forms)	M	448	104	61	31	20	20	61	97	39	15	96	16	6	8	2	8	21	20	11	4
	F	300	78	45	24	14	3	29	52	31	24	55	12	7	2	1	—	5	17	8	3
20 Other respiratory diseases	M	34	1	2	1	—	4	6	11	4	5	7	—	1	—	—	1	—	4	1	—
	F	22	2	1	—	1	1	2	5	6	4	4	—	—	—	—	—	—	—	1	3
21 Ulcer of stomach or duodenum ..	M	32	—	—	—	—	1	10	18	3	—	5	—	—	—	—	1	2	2	—	—
	F	10	—	—	—	—	—	2	6	1	1	4	—	—	—	—	—	1	2	1	—
22 Diarrhœa, &c. ..	M	45	30	4	2	2	—	—	3	4	—	9	7	2	—	—	—	—	—	—	—
	F	28	12	6	1	—	2	3	1	2	1	8	5	—	—	3	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	21	—	—	1	5	5	6	4	—	—	5	—	1	—	—	1	2	1	—	—
	F	8	—	—	—	2	—	—	4	2	—	1	—	—	—	—	1	—	—	—	—
24 Cirrhosis of liver ..	M	9	—	—	—	—	—	1	7	1	—	4	—	—	—	—	—	—	4	—	—
	F	3	—	—	—	—	—	—	2	1	—	2	—	—	—	1	—	1	—	—	—
25 Acute and chronic nephritis ..	M	92	—	—	—	1	5	9	34	27	16	18	—	—	—	—	1	3	6	6	2
	F	108	1	2	—	3	6	13	46	24	13	19	—	—	—	1	—	2	11	2	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	—	—	—	—	6	19	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	—	—	—	—	5	20	—	—	—	5	—	—	—	—	2	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	160	158	—	—	1	—	1	—	—	—	29	29	—	—	—	—	—	—	—	—
	F	116	110	1	2	—	2	—	1	—	—	20	18	—	—	1	—	1	—	—	—
29 Suicide	M	34	—	—	—	—	2	5	18	6	3	11	—	—	—	—	1	4	2	3	1
	F	13	—	—	—	—	3	3		1	—	3	—	—	—	—	1	—	2	—	—
30 Other deaths from violence.. ..	M	129	3	2	7	10	24	24	40	10	9	30	3	1	2	—	3	9	9	2	3
	F	80	3	3	8	11	6	3	15	17	14	12	1	—	1	2	—	2	5	—	1
31 Other defined diseases	M	406	57	6	8	21	21	47	121	70	55	65	8	2	—	2	2	9	14	15	13
	F	402	31	6	5	14	14	59	125	65	83	71	8	1	1	3	4	5	13	14	22
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Southampton. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—	Southend-on-Sea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1221	110	13	22	28	48	123	385	271	221	695	52	12	6	14	18	59	191	193	150
	F	1108	89	24	25	26	52	103	271	192	326	771	38	8	8	7	21	70	175	184	260
1 Enteric fever	M	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	11	8	1	2	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	18	5	5	7	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria	M	11	—	2	4	4	—	1	—	—	—	3	—	2	—	1	—	—	—	—	—
	F	14	—	—	3	7	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	44	2	—	—	—	—	6	20	4	12	35	2	1	2	—	—	3	8	11	8
	F	50	1	1	1	1	2	9	11	10	14	38	1	1	2	—	—	3	8	8	15
8 Encephalitis lethargica	M	6	—	—	—	1	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	3	—	1	1	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	122	—	—	—	1	24	45	46	5	1	41	—	1	—	—	5	14	19	2	—
	F	75	—	—	1	2	26	23	17	2	4	46	—	—	—	—	15	19	7	3	2
11 Other tuberculous diseases	M	25	6	1	4	8	3	3	—	—	—	10	3	2	—	3	2	—	—	—	—
	F	17	7	1	2	4	1	—	2	—	—	1	—	—	—	—	—	—	1	—	—
12 Cancer, malignant disease	M	160	—	—	—	1	—	8	79	45	27	93	—	—	—	—	1	3	34	34	21
	F	126	—	—	1	—	2	11	55	38	19	116	—	—	—	—	—	9	42	39	26
13 Rheumatic fever	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	1	1	1	—	—	—	3	—	—	—	1	—	2	—	—	—
14 Diabetes	M	16	—	—	—	—	—	1	6	6	3	8	—	—	—	—	—	1	2	5	—
	F	19	—	—	—	—	1	2	10	5	1	12	—	—	—	—	—	—	5	5	2
15 Cerebral hæmorrhage, &c.	M	46	—	—	—	—	—	3	13	13	17	33	—	—	—	—	—	1	8	17	7
	F	69	—	—	—	—	—	1	19	16	33	64	—	—	—	—	—	—	14	22	28
16 Heart disease	M	192	—	—	—	—	2	7	65	61	57	130	—	—	—	1	—	5	27	55	42
	F	221	—	—	—	3	5	10	52	58	93	184	—	—	—	1	1	10	31	56	85
17 Arterio-sclerosis	M	32	—	—	—	—	—	—	5	20	7	24	—	—	—	—	—	—	5	9	10
	F	15	—	—	—	—	—	—	1	1	13	26	—	—	—	—	—	—	5	9	12
18 Bronchitis	M	69	7	1	—	—	—	1	14	25	21	31	—	—	—	—	—	1	9	7	14
	F	84	5	1	—	—	—	1	10	14	53	33	—	—	—	—	—	—	5	8	20
19 Pneumonia (all forms)	M	86	13	4	3	2	1	9	22	17	15	39	7	3	—	—	1	7	12	7	2
	F	69	11	13	3	1	2	3	12	10	14	36	5	3	4	1	1	3	3	10	6
20 Other respiratory diseases	M	13	1	—	1	—	—	2	3	4	2	5	—	—	—	—	—	—	2	3	—
	F	9	—	—	—	—	—	2	1	2	4	7	—	—	—	—	—	—	5	1	1
21 Ulcer of stomach or duodenum	M	19	—	—	—	—	—	—	17	2	—	17	—	—	—	—	—	2	10	3	2
	F	5	—	—	—	—	—	1	4	—	—	5	—	—	—	—	—	1	2	1	1
22 Diarrhœa, &c.	M	13	10	1	1	—	—	—	1	—	—	6	5	1	—	—	—	—	—	—	—
	F	14	8	1	2	—	—	—	1	—	2	7	4	—	—	—	—	1	2	—	—
23 Appendicitis and typhlitis	M	9	—	—	1	3	—	—	4	1	—	2	—	—	—	1	—	—	1	—	—
	F	5	—	—	—	—	—	—	4	1	—	2	—	—	—	1	—	—	—	—	1
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	3	2	—	5	—	—	—	—	—	—	2	3	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	2	3	—
25 Acute and chronic nephritis	M	47	—	—	—	—	—	2	14	20	11	16	—	—	—	—	—	—	9	3	4
	F	47	—	—	—	2	1	6	20	10	8	24	—	—	—	—	1	5	8	1	9
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	3	4	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	—	5	—	—	—	—	1	4	—	—	—
28 Congenital debility and malformation, premature birth	M	53	51	—	1	1	—	—	—	—	—	22	21	1	—	—	—	—	—	—	—
	F	40	39	—	—	—	—	1	—	—	—	18	17	1	—	—	—	—	—	—	—
29 Suicide	M	14	—	—	—	—	—	3	10	—	1	7	—	—	—	—	—	2	5	—	—
	F	11	—	—	—	—	—	1	9	1	—	6	—	—	—	—	1	1	3	—	1
30 Other deaths from violence	M	36	1	—	—	4	6	13	7	3	2	25	—	—	—	3	7	3	5	4	3
	F	15	1	—	—	—	2	3	2	—	7	16	3	—		3	1	1	3	1	3
31 Other defined diseases	M	186	9	3	4	2	8	19	53	43	45	136	11	1	3	4	2	16	32	30	37
	F	157	11	2	4	3	2	12	38	24	61	109	8	—	—	—	—	7	29	17	48
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Southport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	South Shields. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	533	40	4	3	9	15	41	157	133	131	936	157	48	54	50	58	99	201	156	113
	F	613	26	5	3	9	15	58	125	184	188	884	130	43	40	48	49	106	205	143	120
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	2	1	—	—	—	—	—	—	—	10	2	1	6	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	13	1	3	7	2	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	14	4	4	6	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	10	6	2	2	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	29	—	—	—	1	1	4	10	7	6	41	1	—	3	4	3	8	11	8	3
	F	36	—	—	—	1	1	3	10	11	10	49	1	—	3	3	3	5	15	11	8
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	27	—	—	—	1	4	9	12	1	—	88	—	2	4	3	19	35	25	—	—
	F	19	—	—	—	—	9	8	1	1	—	81	—	4	3	7	23	32	12	—	—
11 Other tuberculous diseases	M	2	—	—	1	—	1	—	—	—	—	36	4	6	6	5	8	5	2	—	—
	F	6	—	—	1	2	2	1	—	—	—	24	4	3	3	6	6	—	2	—	—
12 Cancer, malignant disease	M	58	—	—	—	—	—	2	23	24	9	70	—	—	—	—	3	4	29	25	9
	F	89	—	—	—	—	—	7	35	28	19	89	—	—	—	—	1	15	46	22	5
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	1	1	—	—
	F	2	—	—	—	1	—	—	1	—	—	2	—	—	—	1	—	—	—	1	—
14 Diabetes	M	6	—	—	—	—	—	—	5	1	—	12	—	—	—	1	—	4	5	2	—
	F	18	—	—	—	—	—	1	4	6	7	7	—	—	—	—	—	2	3	2	—
15 Cerebral hæmorrhage, &c. ..	M	28	—	—	—	—	—	1	6	9	12	38	—	—	—	—	—	3	7	15	13
	F	39	—	—	—	—	—	3	4	18	14	27	—	—	—	—	—	3	9	9	6
16 Heart disease ..	M	95	—	—	—	—	1	6	23	34	31	105	—	—	—	1	4	9	35	32	24
	F	131	—	—	—	—	—	7	30	48	46	131	—	—	—	1	1	10	42	37	40
17 Arterio-sclerosis ..	M	31	—	—	—	—	—	—	11	8	12	40	—	—	—	—	—	—	9	18	13
	F	22	—	—	—	—	—	—	2	5	15	24	—	—	—	—	—	—	4	11	9
18 Bronchitis ..	M	31	1	—	—	—	1	1	11	7	10	62	12	8	1	1	—	4	9	14	13
	F	41	1	1	—	—	—	1	3	12	23	66	13	3	1	1	—	1	13	14	20
19 Pneumonia (all forms)	M	45	8	2	1	1	1	5	12	6	9	109	34	19	14	19	4	3	10	5	1
	F	30	5	2	2	—	—	3	3	8	7	100	28	19	14	9	4	5	11	9	1
20 Other respiratory diseases	M	11	—	—	—	—	1	—	3	5	2	12	1	1	—	—	2	2	4	2	—
	F	4	—	—	—	—	—	—	2	—	2	8	—	—	1	—	—	1	2	4	—
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	2	3	—	—	8	—	—	—	—	—	2	4	2	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	3	—	—
22 Diarrhœa, &c. ..	M	5	2	—	—	—	—	—	1	1	1	27	16	3	3	2	—	—	2	1	—
	F	4	2	—	—	—	—	1	—	1	—	20	11	2	2	4	—	—	1	—	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	—	1	1	1	—	4	—	—	1	1	2	—	—	—	—
	F	4	—	—	—	—	—	1	2	1	—	6	—	—	—	—	1	—	4	1	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	1	—	—
25 Acute and chronic nephritis ..	M	21	1	—	1	—	2	1	9	5	2	11	—	—	1	2	—	1	2	1	4
	F	22	—	—	—	1	—	5	2	7	7	16	—	—	—	2	2	3	6	3	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	8	—	—	—	—	2	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	2	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	23	23	—	—	—	—	—	—	—	—	61	61	—	—	—	—	—	—	—	—
	F	14	14	—	—	—	—	—	—	—	—	52	52	—	—	—	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	—	1	4	3	—	6	—	—	—	—	1	1	3	1	—
	F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	2	2	—	—
30 Other deaths from violence.. ..	M	14	—	1	—	2	1	2	3	3	2	34	—	1	2	1	3	4	11	9	3
	F	14	1	—	—	—	1	1	1	5	5	10	2	—	1	2	2	—	2	1	—
31 Other defined diseases	M	83	3	—	—	2	2	6	19	18	33	138	22	2	7	7	8	12	29	21	30
	F	100	2	1	—	2	2	9	22	29	33	119	12	7	2	6	2	18	24	17	31
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	—
	F	3	—	—	—	—	—	1	1	1	—	5	—	—	—	1	—	—	3	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	Stockport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Stoke-on-Trent. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	870	78	23	17	17	26	112	266	195	136	2185	316	123	74	49	100	233	620	417	253
	F	900	76	19	10	19	28	89	230	217	212	2002	237	101	56	66	81	243	512	373	333
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	32	8	15	8	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	24	4	11	8	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	5	4	—	1	—	—	—	—	—	—	11	4	6	1	—	—	—	—	—	—
	F	14	5	5	2	2	—	—	—	—	—	15	7	3	5	—	—	—	—	—	—
6 Diphtheria	M	3	—	1	1	1	—	—	—	—	—	5	—	1	3	1	—	—	—	—	—
	F	3	—	1	—	2	—	—	—	—	—	6	—	1	3	2	—	—	—	—	—
7 Influenza	M	59	3	5	1	1	1	13	23	7	5	178	19	14	5	3	9	21	62	28	17
	F	66	3	—	3	2	2	9	21	18	8	178	11	15	5	4	6	18	63	34	22
8 Encephalitis lethargica	M	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	69	1	1	1	1	11	30	21	2	1	142	—	3	3	3	20	50	56	7	—
	F	37	—	—	—	1	6	21	9	—	—	149	1	2	2	11	41	60	30	2	—
11 Other tuberculous diseases	M	7	—	1	2	1	—	2	1	—	—	21	3	3	4	2	2	1	3	2	1
	F	8	—	—	1	—	3	3	—	1	—	29	3	2	4	7	6	3	4	—	—
12 Cancer, malignant disease	M	89	—	—	—	—	—	3	47	27	12	158	—	—	—	—	1	12	88	39	18
	F	114	—	—	—	—	—	8	59	33	14	170	—	—	—	1	—	24	85	46	14
13 Rheumatic fever	M	2	1	—	—	—	—	—	1	—	—	3	—	—	—	3	—	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	3	—	—	—	2	—	1	—	—	—
14 Diabetes	M	8	—	—	—	—	—	1	3	4	—	16	—	—	—	—	3	—	7	5	1
	F	14	—	—	—	—	1	—	6	6	1	25	—	—	—	—	—	—	13	9	3
15 Cerebral hæmorrhage, &c.	M	23	—	—	—	—	—	—	10	9	4	68	—	—	—	—	—	4	30	22	12
	F	46	—	—	—	—	—	1	15	20	10	100	—	—	—	—	—	3	44	36	17
16 Heart disease	M	146	—	—	—	1	2	13	53	44	33	350	—	—	—	1	9	24	111	137	68
	F	180	—	—	—	4	4	15	49	54	54	331	—	1	1	4	14	33	103	96	79
17 Arterio-sclerosis	M	76	—	—	—	—	—	1	9	30	36	56	—	—	—	—	—	—	7	22	27
	F	63	—	—	—	—	—	1	9	19	34	60	—	—	—	—	—	—	11	23	26
18 Bronchitis	M	51	7	1	1	—	1	1	8	19	13	208	29	8	8	1	1	14	53	61	33
	F	68	8	2	—	1	1	1	10	17	28	182	24	7	2	3	—	5	36	42	63
19 Pneumonia (all forms)	M	92	11	7	6	4	—	18	34	8	4	301	76	61	24	8	13	38	55	17	9
	F	57	9	5	3	2	1	6	8	12	11	209	53	52	21	9	—	21	30	16	7
20 Other respiratory diseases	M	5	—	1	—	—	1	—	3	—	—	44	1	1	2	2	3	6	19	10	—
	F	3	—	—	—	—	—	—	2	1	—	19	1	—	1	2	—	3	4	5	3
21 Ulcer of stomach or duodenum	M	8	—	—	—	—	1	2	4	1	—	13	—	—	—	—	—	6	6	1	—
	F	7	—	—	—	—	—	1	2	2	2	8	—	—	—	—	—	3	2	3	—
22 Diarrhœa, &c.	M	3	2	1	—	—	—	—	—	—	—	38	30	4	1	—	—	—	1	—	2
	F	5	3	1	1	—	—	—	—	—	—	24	20	3	—	—	—	1	—	—	—
23 Appendicitis and typhlitis	M	3	—	—	—	—	—	2	—	1	—	9	—	—	—	2	3	1	3	—	—
	F	2	—	—	—	1	1	—	—	—	—	6	—	—	1	2	—	3	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	1	—	—	—	8	—	—	—	—	—	—	6	1	1
	F	3	—	—	—	—	—	1	1	—	1	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis	M	30	—	—	—	—	—	4	13	6	7	42	—	—	1	1	2	6	20	10	2
	F	34	—	—	—	1	—	1	10	16	6	61	1	—	—	2	4	10	22	13	9
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	6	—	—	—	—	—	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	13	—	—	—	—	—	13	—	—	—
28 Congenital debility and malformation, premature birth	M	38	36	—	—	2	—	—	—	—	—	118	116	1	—	—	1	—	—	—	—
	F	38	38	—	—	—	—	—	—	—	—	83	81	1	—	—	1	—	—	—	—
29 Suicide	M	10	—	—	—	—	1	4	4	1	—	30	—	—	—	—	1	9	17	1	2
	F	4	—	—	—	—	—	2	2	—	—	11	—	—	—	—	3	5	3	—	—
30 Other deaths from violence	M	23	1	1	2	3	3	3	6	3	1	85	2	—	8	11	14	17	19	6	8
	F	21	—	1	—	2	1	5	3	3	6	39	1	—	1	9	1	4	6	3	14
31 Other defined diseases	M	116	12	4	1	2	4	14	26	33	20	246	28	6	6	10	16	24	56	48	52
	F	98	10	3	—	—	6	4	23	15	37	243	27	3	2	6	5	26	55	43	76
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Sunderland. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Tynemouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1627	241	120	96	72	75	194	373	255	201	472	66	15	19	20	15	63	129	83	62
	F	1501	207	128	88	60	64	161	286	245	262	384	49	21	15	17	22	52	90	59	59
1 Enteric fever	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	80	15	33	29	3	—	—	—	—	—	7	3	2	1	1	—	—	—	—	—
	F	71	10	36	23	2	—	—	—	—	—	12	6	2	3	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	17	6	7	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	27	9	12	4	2	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria	M	4	—	1	3	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—
	F	5	—	1	3	—	1	—	—	—	—	11	—	—	4	7	—	—	—	—	—
7 Influenza	M	93	6	8	3	3	2	13	26	22	10	26	1	—	2	1	4	6	4	5	3
	F	86	5	5	2	2	2	9	20	21	20	12	—	2	—	—	2	2	2	3	1
8 Encephalitis lethargica	M	3	—	—	—	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	5	2	1	—	—	1	—	1	—	—	3	1	—	—	—	1	—	1	—	—
	F	8	3	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	103	—	—	5	4	21	44	22	6	1	28	—	1	—	1	2	13	10	1	—
	F	87	—	2	4	6	26	35	12	2	—	40	—	—	1	2	10	21	6	—	—
11 Other tuberculous diseases	M	48	2	4	3	14	12	8	5	—	—	9	3	—	3	2	—	1	—	—	—
	F	46	1	8	5	14	8	8	2	—	—	8	—	2	2	2	1	1	—	—	—
12 Cancer, malignant disease	M	114	—	—	—	—	—	8	61	28	17	24	—	—	—	—	—	3	10	7	4
	F	137	—	—	—	—	—	21	54	42	20	40	—	—	—	—	—	3	21	11	5
13 Rheumatic fever	M	2	—	—	—	—	2	—	—	—	—	3	—	—	—	1	—	2	—	—	—
	F	5	—	—	—	2	2	1	—	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	8	—	—	—	—	—	1	3	4	—	3	—	—	—	—	—	—	—	3	—
	F	15	—	—	—	—	—	3	9	1	2	3	—	—	—	—	—	—	1	2	—
15 Cerebral hæmorrhage, &c.	M	61	—	—	—	—	—	3	20	21	17	17	—	—	—	—	—	—	8	7	2
	F	52	—	—	—	—	—	1	12	14	25	25	—	—	—	—	—	1	10	4	10
16 Heart disease	M	183	—	—	—	2	3	20	63	50	45	65	—	—	—	—	2	6	26	22	9
	F	199	—	—	—	—	4	20	54	60	61	31	—	—	—	—	3	3	10	7	8
17 Arterio-sclerosis	M	93	—	—	—	—	—	—	22	36	35	14	—	—	—	—	—	—	3	7	4
	F	62	—	—	—	—	—	—	11	14	37	3	—	—	—	—	—	—	—	2	1
18 Bronchitis	M	100	31	3	4	2	—	7	14	17	22	27	5	—	1	1	—	3	9	4	4
	F	115	23	2	7	1	1	3	18	30	30	17	1	—	—	—	1	2	3	4	6
19 Pneumonia (all forms)	M	242	57	50	27	22	10	22	33	12	9	42	6	6	6	2	1	5	9	3	4
	F	182	51	40	27	17	3	10	20	11	3	44	8	7	3	2	1	4	8	5	6
20 Other respiratory diseases	M	14	—	—	3	—	1	2	4	2	2	5	—	—	—	—	—	1	3	—	1
	F	11	—	1	—	—	—	3	1	3	3	7	1	—	—	—	—	—	2	2	2
21 Ulcer of stomach or duodenum	M	15	—	—	—	—	—	5	10	—	—	7	—	—	—	—	—	4	1	2	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c.	M	47	33	7	4	2	1	—	—	—	—	10	7	1	—	2	—	—	—	—	—
	F	54	34	13	3	—	—	—	2	1	1	7	3	1	—	—	—	—	1	1	1
23 Appendicitis and typhlitis	M	8	—	—	—	1	1	2	3	1	—	3	—	—	—	1	—	1	1	—	—
	F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	3	1	—	3	—	—	—	—	—	—	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
25 Acute and chronic nephritis	M	63	—	—	—	—	1	8	26	19	9	17	—	—	—	—	2	1	6	5	3
	F	70	—	2	—	1	—	9	29	15	14	12	—	—	—	1	—	2	3	5	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	1	10	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	2	6	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth	M	72	69	1	—	1	1	—	—	—	—	26	25	—	1	—	—	—	—	—	—
	F	59	58	—	—	—	—	1	—	—	—	22	21	1	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	2	2	2	—	5	—	—	—	—	—	2	2	1	—
	F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	2	2	—	—
30 Other deaths from violence	M	82	2	3	8	12	11	19	14	7	6	19	—	1	4	2	1	4	6	—	1
	F	37	2	1	3	5	5	1	4	10	6	8	—	1	—	1	1	—	3	1	1
31 Other defined diseases	M	156	18	1	3	4	8	29	38	27	28	100	14	4	1	2	2	10	25	15	27
	F	143	11	3	6	6	5	17	34	21	40	64	9	4	—	1	2	6	13	12	17
32 Causes ill-defined or unknown	M	2	—	1	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Wakefield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Wallasey. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	408	51	9	13	11	16	38	131	76	63	584	38	13	10	10	17	67	180	132	117
	F	412	45	7	10	10	17	51	103	67	102	628	32	6	9	15	12	69	149	146	190
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	1	2	2	—	—	—	—	—	—	8	1	5	2	—	—	—	—	—	—
	F	6	1	2	2	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	4	1	2	1	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	17	1	—	2	—	3	4	5	2	—	32	1	—	2	—	1	8	9	5	6
	F	28	—	—	1	—	—	6	12	3	6	50	1	2	—	—	—	6	14	13	14
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	31	—	—	1	—	4	10	16	—	—	42	—	—	1	1	8	18	13	1	—
	F	17	—	—	1	—	8	5	3	—	—	32	—	—	—	1	5	20	4	1	1
11 Other tuberculous diseases	M	8	1	—	1	1	—	1	4	—	—	9	—	4	2	1	—	1	—	1	—
	F	7	1	—	2	1	2	—	1	—	—	10	—	—	1	5	1	2	—	1	—
12 Cancer, malignant disease	M	42	—	—	—	—	—	2	23	12	5	69	—	—	—	—	—	2	30	24	13
	F	55	—	—	—	—	—	6	30	9	10	68	—	—	—	—	—	8	31	17	12
13 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	2	—	—	—	—	—	—	—	2	—	7	—	—	—	—	—	—	2	3	2
	F	2	—	—	—	—	—	—	1	1	—	10	—	—	—	—	—	—	5	3	2
15 Cerebral hæmorrhage, &c. ..	M	21	—	—	—	—	1	—	7	8	5	28	—	—	—	—	—	1	8	14	5
	F	29	—	—	—	—	—	—	6	8	15	41	—	—	—	—	—	1	10	14	16
16 Heart disease ..	M	65	—	—	—	1	1	4	24	18	17	114	—	—	—	2	—	8	35	32	37
	F	73	—	—	—	—	2	3	24	21	23	151	—	—	—	2	1	6	32	46	64
17 Arterio-sclerosis ..	M	11	—	—	—	—	—	—	3	5	3	22	—	—	—	—	—	1	5	7	9
	F	6	—	—	—	—	—	—	1	2	3	37	—	—	—	—	—	—	8	6	23
18 Bronchitis ..	M	30	4	—	—	—	—	2	5	7	12	22	1	—	—	—	—	1	9	3	8
	F	32	3	2	—	1	—	—	4	9	13	24	1	1	—	—	—	1	2	4	15
19 Pneumonia (all forms)	M	34	11	1	3	1	—	3	9	2	4	42	5	1	—	—	2	7	15	9	3
	F	29	8	1	1	—	1	3	8	4	3	42	7	1	4	—	2	5	5	7	11
20 Other respiratory diseases	M	2	—	—	1	—	—	—	1	—	—	4	—	—	—	—	—	—	1	2	1
	F	3	1	—	—	1	—	—	—	1	—	2	—	—	—	—	—	—	1	—	1
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	—	1	5	2	—	8	—	—	—	—	—	1	5	2	—
	F	3	—	—	—	—	—	—	2	—	1	3	—	—	—	—	—	—	1	1	1
22 Diarrhœa, &c. ..	M	10	8	2	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	1
	F	7	4	1	—	1	—	—	—	—	1	5	1	—	—	1	—	1	—	1	1
23 Appendicitis and typhlitis.. ..	M	4	—	—	—	2	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	6	—	—	—	—	2	4	—	—	—	5	—	—	—	2	1	—	1	1	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	3	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	11	—	—	—	—	—	2	3	3	3	24	—	—	—	—	1	4	9	6	4
	F	9	—	—	—	1	—	—	4	2	2	20	—	—	—	—	—	1	8	6	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	15	15	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
	F	19	19	—	—	—	—	—	—	—	—	14	13	—	1	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	—	3	—	—	5	—	—	—	—	—	1	4	—	—
	F	1	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—	2	3	—	—
30 Other deaths from violence.. ..	M	21	—	1	1	2	2	4	6	4	1	22	—	—	2	1	1	6	9	1	2
	F	8	1	—	1	1	—	3	—	1	1	13	—	—	—	1	1	2	3	2	4
31 Other defined diseases	M	58	9	—	1	2	3	5	14	11	13	91	8	1	—	4	4	7	23	18	26
	F	59	5	—	1	2	2	14	6	6	23	79	8	1	—	2	—	6	20	22	20
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Walsall. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Warrington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	778	103	36	37	19	26	91	211	154	101	602	78	26	25	19	25	76	158	132	63
	F	736	95	50	36	24	24	75	154	134	144	564	77	27	34	19	27	71	121	103	85
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	1	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	3	10	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	19	6	8	5	—	—	—	—	—	—	29	13	9	7	—	—	—	—	—	—
	F	25	9	8	8	—	—	—	—	—	—	34	13	7	12	2	—	—	—	—	—
6 Diphtheria	M	6	—	—	4	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	9	—	1	6	2	—	—	—	—	—	4	—	1	1	1	1	—	—	—	—
7 Influenza	M	63	4	5	7	1	3	13	16	7	7	38	2	1	—	1	4	9	10	9	2
	F	58	1	4	2	—	4	3	18	14	12	45	1	1	1	2	1	11	7	11	10
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	58	—	—	1	3	5	21	26	2	—	55	—	—	—	2	7	21	21	4	—
	F	47	—	—	—	4	11	23	8	1	—	41	—	—	1	3	13	17	5	1	1
11 Other tuberculous diseases	M	10	1	1	4	—	1	1	2	—	—	5	1	—	2	1	1	—	—	—	—
	F	6	1	1	1	2	1	—	—	—	—	7	2	—	2	1	—	—	1	1	—
12 Cancer, malignant disease	M	51	—	—	—	—	—	5	26	19	1	59	—	—	—	—	—	6	22	24	7
	F	73	—	—	—	2	—	7	31	24	9	44	—	—	—	—	1	6	24	7	6
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	9	—	—	—	—	1	—	6	2	—	5	—	—	—	—	—	3	1	1	—
	F	8	—	—	—	—	—	1	4	2	1	6	—	—	—	—	—	—	4	1	1
15 Cerebral hæmorrhage, &c.	M	37	—	—	—	—	—	—	12	16	9	12	—	—	—	—	—	1	3	3	5
	F	30	—	—	—	—	—	2	10	10	8	20	—	—	—	—	—	1	8	8	3
16 Heart disease	M	113	—	—	—	2	1	8	43	41	18	91	—	—	—	3	2	7	30	34	15
	F	122	—	—	—	3	1	7	31	38	42	84	—	—	—	3	3	6	28	31	13
17 Arterio-sclerosis	M	21	—	—	—	—	—	—	3	12	6	36	—	—	—	—	—	1	10	16	9
	F	7	—	—	—	—	—	—	1	4	2	17	—	—	—	—	—	—	2	4	11
18 Bronchitis	M	69	2	3	—	—	1	6	11	18	28	41	10	1	—	—	—	—	8	12	10
	F	55	2	2	2	—	—	1	4	19	25	42	5	3	—	1	—	—	8	9	16
19 Pneumonia (all forms)	M	82	24	11	8	—	3	10	15	8	3	68	11	12	13	—	3	11	14	4	—
	F	69	14	18	9	4	—	5	12	4	3	60	12	14	9	3	—	6	7	8	1
20 Other respiratory diseases	M	11	—	—	—	—	1	3	6	—	1	7	—	—	—	—	—	1	1	3	2
	F	7	—	1	—	—	—	2	2	2	—	14	—	—	—	—	1	2	2	4	5
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	1	2	—	—	4	—	—	—	—	—	2	1	1	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	1	2	—	—
22 Diarrhœa, &c.	M	25	17	4	1	—	1	—	—	2	—	10	4	2	—	2	—	1	1	—	—
	F	10	7	1	1	—	—	1	—	—	—	6	4	—	1	—	—	1	—	—	—
23 Appendicitis and typhlitis	M	3	—	—	—	—	1	2	—	—	—	3	—	—	—	1	—	2	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	5	—	—	—	2	1	—	1	1	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	1	2	1	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	10	—	—	—	—	1	1	4	4	—	14	1	—	—	—	—	1	5	5	2
	F	9	—	—	—	—	—	—	5	3	1	7	—	—	—	—	2	2	—	2	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth	M	41	40	—	—	—	1	—	—	—	—	26	26	—	—	—	—	—	—	—	—
	F	39	38	—	—	—	—	—	1	—	—	36	36	—	—	—	—	—	—	—	—
29 Suicide	M	16	—	—	—	—	—	6	6	3	1	5	—	—	—	—	1	3	—	1	—
	F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	1	2	1	—	—
30 Other deaths from violence	M	30	—	—	3	5	1	6	9	3	3	15	2	—	—	3	2	1	4	2	
	F	10	3	—	1	—	1	—	1	1	3	7	1	—	—	1	1	—	2	1	
31 Other defined diseases	M	87	8	—	2	4	5	7	23	15	23	66	7	1	2	4	3	4	22	13	1
	F	112	16	3	1	4	4	12	22	12	38	66	3	1	6	—	1	8	17	14	1
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	1	—	—	—	—	—	—	—	5	—	—	1	—	—	2	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	West Bromwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	West Ham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	652	116	41	35	17	33	62	154	118	76	2074	256	63	74	57	108	238	552	403	323
	F	559	63	42	33	22	23	65	101	91	119	1852	171	75	73	61	106	150	448	362	406
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
3 Measles	M	21	4	9	7	1	—	—	—	—	—	6	2	2	2	—	—	—	—	—	—
	F	23	4	10	6	3	—	—	—	—	—	16	4	4	7	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	5	1	—	—	2	2	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough	M	14	3	7	3	1	—	—	—	—	—	50	20	13	16	1	—	—	—	—	—
	F	18	4	7	7	—	—	—	—	—	—	64	20	24	19	1	—	—	—	—	—
6 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	17	2	2	7	6	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	22	2	3	8	9	—	—	—	—	—
7 Influenza	M	43	1	1	2	1	3	11	13	5	6	80	1	3	4	—	5	9	37	14	7
	F	35	1	3	1	1	2	2	9	6	10	86	—	3	2	1	3	8	24	24	21
8 Encephalitis lethargica	M	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	1	1	2	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	1	1	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	5	2	1	—	—	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	33	2	1	—	1	6	9	12	2	—	181	—	—	—	2	41	67	62	9	—
	F	23	—	—	—	—	8	13	2	—	—	120	1	—	—	5	54	34	22	4	—
11 Other tuberculous diseases	M	8	2	1	—	1	—	2	1	1	—	21	2	1	6	4	2	4	2	—	—
	F	7	1	—	—	3	2	1	—	—	—	24	3	2	3	7	2	2	3	1	1
12 Cancer, malignant disease	M	47	—	—	—	—	1	4	16	20	6	188	—	—	—	—	—	14	87	60	27
	F	40	—	—	—	—	—	7	19	9	5	183	—	—	—	3	4	23	85	48	20
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	8	—	—	1	2	4	1	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	13	—	—	1	7	1	2	2	—	—
14 Diabetes	M	3	—	—	—	—	1	—	1	1	—	12	—	—	—	—	2	—	6	2	2
	F	9	—	—	—	—	—	—	4	2	3	18	—	—	—	—	—	2	6	8	2
15 Cerebral hæmorrhage, &c.	M	17	—	—	—	—	1	1	3	8	4	80	—	—	—	—	—	3	29	29	19
	F	32	—	—	—	—	—	1	10	8	13	100	—	—	—	—	1	4	30	33	32
16 Heart disease	M	76	—	—	—	2	2	2	31	21	18	289	—	—	1	3	7	27	85	92	74
	F	76	—	—	—	2	5	10	11	22	26	357	—	—	—	7	11	20	115	95	109
17 Arterio-sclerosis	M	25	—	—	—	—	—	—	4	11	10	47	—	—	—	—	—	1	12	13	21
	F	11	—	—	—	—	—	—	1	3	7	25	—	—	—	—	—	—	6	4	15
18 Bronchitis	M	43	7	2	1	—	—	—	11	12	10	169	9	4	2	—	1	10	37	43	63
	F	50	5	1	—	—	—	3	6	16	19	165	1	2	3	—	—	2	25	53	79
19 Pneumonia (all forms)	M	94	17	16	14	3	3	10	17	9	5	250	73	29	23	5	5	26	54	23	12
	F	82	17	19	12	3	2	5	11	6	7	195	40	28	21	5	2	12	30	30	27
20 Other respiratory diseases	M	10	—	1	—	—	—	—	2	2	5	25	2	—	—	—	3	6	7	6	1
	F	7	1	—	—	—	—	—	1	2	3	19	—	1	—	—	1	2	6	2	7
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	—	3	—	—	22	—	—	—	—	—	8	8	6	—
	F	6	—	—	—	—	—	—	3	1	2	4	1	—	—	—	1	1	—	—	1
22 Diarrhœa, &c.	M	23	16	3	1	—	—	1	—	1	1	45	34	1	2	1	—	2	3	1	1
	F	9	5	2	1	—	—	—	—	1	—	28	18	4	—	—	—	—	2	1	3
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	12	—	—	1	3	2	—	5	1	—
	F	—	—	—	—	—	—	—	—	—	—	9	—	—	—	2	2	2	1	1	1
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	5	—	—	7	—	—	—	—	—	—	5	1	1
	F	3	—	—	—	—	—	1	2	—	—	3	—	—	—	—	—	—	2	1	—
25 Acute and chronic nephritis	M	10	—	—	—	—	1	2	4	2	1	51	—	—	—	—	—	4	23	16	8
	F	17	—	—	—	—	—	5	7	3	2	45	—	—	—	3	1	5	22	10	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	8	—	—	—	—	2	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth	M	51	50	—	—	—	1	—	—	—	—	77	74	—	1	—	—	1	1	—	—
	F	21	21	—	—	—	—	—	—	—	—	67	65	—	1	1	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	2	1	2	—	—	21	—	—	—	—	1	5	10	5	—
	F	2	—	—	—	—	—	1	1	—	—	6	—	—	—	—	—	—	5	1	—
30 Other deaths from violence	M	29	—	—	4	5	4	7	6	1	2	87	4	1	2	13	12	19	23	9	4
	F	12	—	—	1	3	—	1	2	2	3	26	—	2	3	—	2	1	7	3	8
31 Other defined diseases	M	84	14	—	2	2	6	10	20	22	8	311	29	4	6	15	18	30	53	73	83
	F	58	4	—	3	3	3	8	9	9	19	231	14	1	2	8	16	18	54	43	75
32 Causes ill-defined or unknown	M	3	—	—	—	—	—	—	3	—	—	2	—	2	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929
(Civilian population only).

Causes of Death.	Sex.	West Hartlepool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Wigan. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	599	83	35	32	30	21	72	155	115	56	674	111	36	32	20	36	64	169	140	66
	F	490	83	27	23	22	24	59	90	88	74	642	88	39	32	23	35	68	158	105	94
1 Enteric fever	M	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	18	4	5	6	3	—	—	—	—	—	19	6	7	5	1	—	—	—	—	—
	F	8	—	5	1	2	—	—	—	—	—	21	2	7	8	3	1	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	1	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	14	4	8	2	—	—	—	—	—	—	6	1	2	3	—	—	—	—	—	—
	F	26	14	6	5	1	—	—	—	—	—	12	4	6	2	—	—	—	—	—	—
6 Diphtheria	M	5	—	1	1	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	8	—	—	3	5	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	20	1	—	1	—	1	5	10	1	1	30	1	—	—	1	1	5	16	3	3
	F	13	1	—	—	—	—	2	6	3	1	32	—	1	1	1	3	6	10	5	5
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	3	—	1	2	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	30	—	1	1	1	4	10	13	—	—	30	—	—	—	—	7	13	9	1	—
	F	34	—	—	—	2	15	15	2	—	—	38	—	—	—	2	15	15	6	—	—
11 Other tuberculous diseases	M	15	1	2	6	3	—	3	—	—	—	6	—	1	—	3	2	—	—	—	—
	F	10	1	2	1	3	1	1	1	—	—	14	3	—	4	1	3	1	2	—	—
12 Cancer, malignant disease	M	48	—	—	—	1	—	4	22	14	7	37	—	—	—	—	1	3	17	13	3
	F	56	—	—	—	—	2	8	28	14	4	40	—	—	—	—	—	3	26	9	2
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
14 Diabetes	M	6	—	—	—	—	—	—	4	2	—	1	—	—	—	—	—	—	—	—	1
	F	6	—	—	—	—	—	3	1	2	—	6	—	—	—	—	—	1	5	—	—
15 Cerebral hæmorrhage, &c.	M	24	—	—	—	—	—	—	6	14	4	20	—	—	—	—	—	—	7	11	2
	F	14	—	—	—	—	—	1	7	4	2	19	—	—	—	—	—	1	5	8	5
16 Heart disease	M	71	—	—	—	1	1	3	25	26	15	76	—	—	—	2	4	9	27	24	10
	F	78	—	—	—	—	3	5	18	32	20	88	—	—	—	6	—	10	39	26	7
17 Arterio-sclerosis	M	16	—	—	—	—	—	—	5	7	4	18	—	—	—	—	—	1	3	11	3
	F	2	—	—	—	—	—	—	—	2	—	9	—	—	—	—	—	—	1	4	4
18 Bronchitis	M	36	13	2	—	—	—	1	10	6	4	92	11	3	4	—	3	4	21	30	16
	F	31	9	2	—	—	—	1	6	4	9	71	9	5	—	1	—	1	18	18	19
19 Pneumonia (all forms)	M	86	10	9	11	6	6	14	23	6	1	107	27	19	17	5	4	12	14	7	2
	F	47	9	11	6	1	1	4	7	6	2	71	18	16	12	2	3	6	8	4	2
20 Other respiratory diseases	M	15	—	—	1	1	—	2	4	5	2	2	—	—	—	—	—	—	2	—	—
	F	8	1	—	—	—	—	1	1	1	4	5	1	—	2	—	—	—	1	1	—
21 Ulcer of stomach or duodenum	M	8	—	—	—	—	1	3	3	1	—	7	—	—	—	—	—	2	5	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
22 Diarrhœa, &c.	M	11	5	3	—	1	—	—	—	2	—	7	6	1	—	—	—	—	—	—	—
	F	10	9	—	—	1	—	—	—	—	—	10	6	1	—	—	—	—	2	—	1
23 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—
25 Acute and chronic nephritis	M	13	—	—	—	—	—	1	4	5	3	18	—	1	—	—	1	1	7	8	—
	F	14	—	—	—	1	—	1	3	7	2	16	—	—	—	1	3	1	6	5	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	2	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	12	—	—	—	—	2	10	—	—	—
28 Congenital debility and malformation, premature birth	M	30	29	—	—	—	1	—	—	—	—	43	43	—	—	—	—	—	—	—	—
	F	26	26	—	—	—	—	—	—	—	—	35	33	2	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	1	2	2	2	—	9	—	—	—	—	2	3	3	1	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	25	2	—	—	4	3	10	4	2	—	32	1	—	—	4	6	6	8	7	—
	F	8	1	—	1	2	—	1	—	1	2	17	3	—	—	2	2	—	3	3	
31 Other defined diseases	M	91	14	3	3	6	2	9	18	21	15	101	14	1	1	2	4	5	24	24	2
	F	76	12	—	4	3	—	8	10	11	28	110	9	1	1	3	1	9	21	20	4
32 Causes ill-defined or unknown	M	2	—	1	—	—	—	—	—	1	—	3	—	1	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex	Wolverhampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Worcester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	906	98	27	23	17	28	103	249	187	174	375	27	6	8	6	17	35	99	81	96
	F	841	55	29	19	13	31	88	189	192	225	424	19	6	3	5	12	39	94	91	155
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
5 Whooping cough	M	8	2	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	4	—	—	3	1	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	55	1	1	—	—	—	11	24	9	9	31	3	1	—	—	2	1	6	7	11
	F	58	2	—	—	—	2	6	12	20	16	32	—	1	1	—	1	2	6	9	12
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	—	2	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	62	—	—	1	1	9	29	20	2	—	16	—	—	1	—	4	5	5	1	—
	F	43	—	—	—	2	9	21	9	2	—	17	—	—	—	—	5	9	3	—	—
11 Other tuberculous diseases	M	9	1	2	4	1	1	—	—	—	—	6	2	1	—	—	2	1	—	—	—
	F	9	2	1	1	2	—	3	—	—	—	5	1	—	—	—	2	—	2	—	—
12 Cancer, malignant disease	M	86	—	—	—	—	1	2	40	30	13	45	—	—	—	—	—	4	11	19	11
	F	95	—	—	—	—	—	12	44	25	14	54	—	—	—	—	—	3	22	15	14
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	6	—	—	—	—	—	1	1	4	—	4	—	—	—	1	—	1	2	—	—
	F	5	—	—	—	—	—	—	1	2	2	8	—	—	—	—	—	—	3	3	2
15 Cerebral hæmorrhage, &c.	M	43	—	—	—	—	—	2	13	16	12	22	—	—	—	—	1	—	5	7	9
	F	34	—	—	—	—	—	—	10	7	17	32	—	—	—	—	—	1	7	7	17
16 Heart disease	M	153	—	—	1	1	—	9	37	54	51	65	—	—	—	—	3	7	18	19	18
	F	197	—	—	—	1	6	11	35	70	74	105	—	—	—	—	2	6	23	29	45
17 Arterio-sclerosis	M	23	—	—	—	—	—	—	6	7	10	17	—	—	—	—	—	—	4	5	8
	F	27	—	—	—	—	—	—	4	11	12	7	—	—	—	—	—	—	—	2	5
18 Bronchitis	M	72	7	1	1	1	—	3	16	22	21	23	1	1	—	—	—	1	3	8	9
	F	58	5	2	1	—	—	1	7	12	30	29	1	—	—	—	—	1	2	7	18
19 Pneumonia (all forms)	M	98	23	12	5	3	3	18	20	7	7	20	2	2	2	—	1	2	7	2	2
	F	58	7	13	6	2	—	5	8	6	11	29	7	5	1	1	—	2	5	1	7
20 Other respiratory diseases	M	13	1	—	—	1	—	2	7	1	1	3	—	—	—	—	—	—	3	—	—
	F	13	—	1	—	—	—	1	4	4	3	5	—	—	—	—	—	1	1	2	1
21 Ulcer of stomach or duodenum	M	12	—	—	—	—	—	2	7	3	—	2	—	—	—	—	—	—	2	—	—
	F	10	—	—	—	—	—	2	5	3	—	2	—	—	—	—	—	—	1	1	—
22 Diarrhœa, &c.	M	15	12	—	—	—	—	—	2	—	1	6	5	1	—	—	—	—	—	—	—
	F	10	5	1	2	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	5	—	—	—	—	2	3	—	—	—	2	—	—	—	—	2	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	1	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
25 Acute and chronic nephritis	M	14	—	—	—	1	—	3	2	5	3	12	—	—	—	—	—	1	5	5	1
	F	20	—	—	—	2	—	5	9	4	—	8	—	—	—	—	—	1	3	1	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	41	41	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—	—
	F	23	22	1	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	—	2	7	1	—	10	—	—	—	—	—	2	7	—	1
	F	4	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	31	2	—	2	2	6	2	8	4	5	19	1	—	3	1	—	4	6	2	2
	F	17	1	2	2	—	4	1	1	2	4	11	—	—	—	2	—	1	2	1	5
31 Other defined diseases	M	136	7	6	4	3	5	14	35	21	41	57	4	—	1	2	2	4	14	6	24
	F	135	9	3	3	2	6	12	36	24	40	59	3	—	—	1	1	4	11	13	26
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	York. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Cardiff. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	555	63	7	14	15	20	55	168	124	89	1516	181	59	54	58	59	189	418	294	20
	F	524	55	7	11	10	19	47	133	105	137	1383	149	52	45	53	62	179	330	252	26
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	1	—	—	—	—	—	57	16	24	16	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	56	8	22	22	4	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
5 Whooping cough ..	M	9	6	2	1	—	—	—	—	—	—	10	4	3	1	2	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	14	5	6	—	2	—	—	—	1	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	18	1	—	6	11	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	12	—	1	4	7	—	—	—	—	—
7 Influenza	M	15	—	—	—	—	—	3	10	2	—	40	1	—	—	1	2	6	16	9	5
	F	19	1	—	—	—	—	3	2	2	11	49	—	—	—	2	—	8	15	11	13
8 Encephalitis lethargica ..	M	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
10 Tuberculosis of respiratory system	M	44	—	—	—	—	7	17	19	1	—	132	—	—	—	1	32	58	37	4	—
	F	30	—	—	—	1	10	14	5	—	—	123	—	1	—	6	34	66	15	1	—
11 Other tuberculous diseases	M	10	—	1	3	3	—	—	3	—	—	22	2	—	1	5	7	4	3	—	—
	F	10	2	1	2	2	2	1	—	—	—	23	3	4	4	5	5	1	—	—	1
12 Cancer, malignant disease	M	49	—	—	—	—	—	2	23	17	7	137	—	—	1	—	1	6	57	48	24
	F	70	—	—	—	—	—	8	33	21	8	147	—	—	—	1	—	15	72	38	21
13 Rheumatic fever ..	M	1	—	—	1	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	5	—	—	—	3	1	—	1	—	—
14 Diabetes	M	3	—	—	—	—	—	1	1	1	—	18	—	—	—	3	—	3	4	6	2
	F	7	—	—	—	—	—	1	5	1	—	12	—	—	1	—	1	1	5	3	1
15 Cerebral hæmorrhage, &c. ..	M	32	—	—	—	—	1	1	11	11	8	41	—	—	—	—	—	—	14	16	11
	F	25	—	—	—	—	—	1	9	9	6	57	—	—	—	—	—	2	17	21	17
16 Heart disease ..	M	111	—	—	1	1	—	7	38	41	23	225	—	—	—	3	1	22	82	72	45
	F	113	—	—	—	—	—	4	27	37	45	237	—	—	—	3	8	21	59	70	76
17 Arterio-sclerosis ..	M	11	—	—	—	—	—	—	1	4	6	51	—	—	—	—	—	—	11	26	14
	F	15	—	—	—	—	—	—	4	5	6	47	—	—	—	—	—	—	17	10	20
18 Bronchitis ..	M	30	2	1	—	—	—	1	8	4	14	99	9	3	—	1	—	2	30	26	28
	F	28	3	—	—	—	1	—	4	7	13	78	7	1	—	—	—	1	9	28	32
19 Pneumonia (all forms)	M	35	8	2	4	1	2	6	5	4	3	116	24	20	11	6	3	15	18	13	6
	F	30	6	4	3	1	2	—	8	—	6	91	15	13	8	4	2	11	19	10	9
20 Other respiratory diseases	M	7	—	—	—	—	—	1	3	2	1	24	2	—	—	1	—	8	10	2	1
	F	3	—	—	—	—	—	1	1	—	1	17	—	—	1	1	—	2	6	2	5
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	2	2	—	—	26	—	—	—	—	—	8	17	1	—
	F	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	2	2	1	—
22 Diarrhœa, &c. ..	M	11	10	—	—	—	—	—	—	—	1	37	21	4	4	1	—	1	4	2	—
	F	8	6	—	1	—	—	—	—	1	—	25	18	1	—	—	—	1	2	1	2
23 Appendicitis and typhlitis.. ..	M	1	—	—	—	—	—	—	1	—	—	7	—	—	—	1	1	2	3	—	—
	F	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	—	2	3	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	2	2	1	8	—	—	—	—	—	1	5	2	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	3	3	1
25 Acute and chronic nephritis ..	M	21	—	—	—	—	—	1	12	3	5	50	—	—	—	1	—	7	24	8	10
	F	18	—	—	1	—	—	2	7	5	3	56	—	—	1	1	1	3	27	17	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	11	—	—	—	—	2	9	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	28	27	—	—	1	—	—	—	—	—	67	64	—	—	1	1	1	—	—	—
	F	26	25	—	—	1	—	—	—	—	—	66	65	—	—	—	—	1	—	—	—
29 Suicide	M	5	—	—	—	—	2	1	2	—	—	15	—	—	—	—	1	2	10	1	1
	F	1	—	—	—	—	1	—	—	—	—	7	—	—	—	—	1	2	1	3	—
30 Other deaths from violence.. ..	M	23	1	—	2	3	5	4	7	1	—	72	4	3	7	11	6	19	15	3	4
	F	10	1	—	1	1	—	1	2	3	1	26	2	1	1	4	—	4	2	5	7
31 Other defined diseases	M	96	9	1	2	3	2	8	20	31	20	239	33	2	7	7	4	22	56	55	53
	F	93	9	1	2	3	1	4	23	13	37	197	26	2	2	9	6	22	55	26	49
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 20—*contd.*

Causes of Death at Different Periods of Life in County Boroughs—1929 (Civilian population only).

Causes of Death.	Sex.	Merthyr Tydfil. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Newport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	595	72	20	14	28	32	57	165	123	84	624	72	18	17	19	39	73	176	123	87
	F	513	56	18	25	34	34	52	127	95	72	555	47	20	14	12	31	64	158	102	107
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	3	2	4	—	—	—	—	—	—	10	3	4	2	1	—	—	—	—	—
	F	6	4	—	2	—	—	—	—	—	—	7	3	2	2	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	6	2	3	—	1	—	—	—	—	—	10	2	3	5	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	12	3	7	2	—	—	—	—	—	—
6 Diphtheria ..	M	14	1	1	2	10	—	—	—	—	—	5	—	—	4	1	—	—	—	—	—
	F	27	1	4	6	16	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
7 Influenza	M	24	—	—	—	—	1	6	10	6	1	18	—	—	—	—	1	5	8	4	—
	F	22	—	1	1	4	3	1	8	3	1	23	—	—	—	1	—	2	10	5	5
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	39	—	—	1	1	14	13	10	—	—	62	—	—	—	—	15	25	21	1	—
	F	31	—	—	—	1	17	10	3	—	—	49	—	—	—	2	14	21	11	1	—
11 Other tuberculous diseases	M	2	—	1	—	1	—	—	—	—	—	8	1	—	2	2	1	2	—	—	—
	F	12	1	—	3	3	4	—	1	—	—	5	1	—	1	—	1	1	1	—	—
12 Cancer, malignant disease	M	38	—	—	—	—	—	2	16	12	8	61	—	—	—	—	1	4	29	16	11
	F	48	—	—	—	1	—	2	29	14	2	60	—	—	—	—	—	4	31	18	7
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	—	1	2	1	—
	F	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	—	1	4	2	—
15 Cerebral hæmorrhage, &c. ..	M	37	—	—	—	—	—	—	12	18	7	23	—	—	—	—	—	1	6	9	7
	F	48	—	—	—	—	—	1	14	21	12	26	—	—	—	—	—	3	5	10	8
16 Heart disease ..	M	86	—	—	—	4	1	7	32	23	19	123	—	—	—	1	5	10	39	34	34
	F	67	—	—	1	—	3	4	32	18	9	121	—	—	—	—	4	7	40	37	33
17 Arterio-sclerosis ..	M	27	—	—	—	—	—	—	4	10	13	21	—	—	—	—	—	—	3	8	10
	F	8	—	—	—	—	—	—	1	4	3	17	—	—	—	—	—	—	3	4	10
18 Bronchitis ..	M	50	11	—	—	—	—	1	11	16	11	21	3	1	—	—	—	1	4	5	7
	F	35	5	1	—	—	—	—	3	10	16	34	7	2	—	1	—	1	5	4	14
19 Pneumonia (all forms)	M	52	4	10	2	2	4	7	17	4	2	45	7	4	2	1	3	7	12	8	1
	F	51	15	8	7	—	1	5	8	3	4	40	12	6	5	3	2	4	4	2	2
20 Other respiratory diseases	M	6	—	—	1	—	—	—	2	3	—	12	—	—	—	—	1	1	6	4	—
	F	5	1	—	1	—	—	1	2	—	—	4	—	—	1	—	—	—	2	—	1
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	1	1	3	1	—	3	—	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	3	—	—
22 Diarrhœa, &c. ..	M	5	3	—	1	—	—	—	—	1	—	7	3	1	1	—	—	—	1	1	—
	F	9	6	—	1	—	—	1	—	1	—	6	3	—	—	1	—	—	1	—	1
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	2	1	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	—	3	1	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	18	—	—	—	—	2	1	10	4	1	24	—	—	—	—	—	—	12	9	3
	F	15	—	—	—	—	2	6	5	2	—	14	—	—	—	1	—	1	6	6	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	32	31	1	—	—	—	—	—	—	—	40	39	1	—	—	—	—	—	—	—
	F	14	13	—	—	1	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	1	—	3	2	—	9	—	—	—	—	1	4	4	—	—
	F	5	—	—	—	—	2	—	3	—	—	8	—	—	—	—	—	4	3	1	—
30 Other deaths from violence.. ..	M	25	1	—	1	2	4	10	5	1	1	31	—	1	1	6	6	8	6	3	—
	F	11	1	2	1	2	—	3	1	1	—	10	1	—	—	1	—	—	2	1	5
31 Other defined diseases	M	102	16	2	2	5	2	7	27	20	21	77	13	2	—	5	4	3	18	18	14
	F	83	7	2	1	4	1	11	15	17	25	74	1	1	2	2	6	6	24	11	21
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1929 (Civilian population only).

Causes of Death.	Sex.	Swansea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1040	116	30	33	33	54	108	317	199	150
	F	1004	106	33	27	31	51	130	208	201	217
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	18	6	5	6	1	—	—	—	—	—
	F	24	13	4	6	1	—	—	—	—	—
6 Diphtheria	M	5	—	—	4	1	—	—	—	—	—
	F	12	—	—	2	10	—	—	—	—	—
7 Influenza	M	34	1	1	1	1	—	6	15	5	4
	F	32	1	2	—	1	1	3	10	8	6
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	3	2	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	89	—	—	—	1	17	30	40	—	1
	F	76	—	2	2	2	24	36	7	3	—
11 Other tuberculous diseases	M	15	—	—	2	7	4	1	1	—	—
	F	24	2	5	1	4	4	3	4	—	1
12 Cancer, malignant disease	M	89	—	—	—	—	—	6	46	22	15
	F	116	—	—	—	—	1	16	52	30	17
13 Rheumatic fever	M	7	—	—	—	4	2	1	—	—	—
	F	3	—	—	1	1	1	—	—	—	—
14 Diabetes	M	10	—	—	—	—	1	—	4	2	3
	F	11	—	—	—	—	—	—	3	7	1
15 Cerebral hæmorrhage, &c.	M	29	—	—	—	—	—	—	5	10	14
	F	54	—	—	—	—	—	2	14	16	22
16 Heart disease	M	176	—	—	—	3	5	13	64	59	32
	F	188	—	—	1	2	4	16	45	61	59
17 Arterio-sclerosis	M	45	—	—	—	—	—	1	12	16	16
	F	46	—	—	—	—	—	—	13	11	22
18 Bronchitis	M	65	7	3	1	—	2	2	12	16	22
	F	60	8	1	—	—	—	3	5	14	29
19 Pneumonia (all forms)	M	103	23	14	14	2	1	5	26	12	6
	F	81	26	14	9	1	1	3	9	8	10
20 Other respiratory diseases	M	11	—	2	—	1	—	4	2	2	—
	F	11	2	—	1	—	—	1	3	1	3
21 Ulcer of stomach or duodenum	M	8	—	—	—	—	—	2	4	2	—
	F	3	—	—	—	—	—	2	1	—	—
22 Diarrhœa, &c.	M	11	6	2	2	—	—	1	—	—	—
	F	7	3	2	—	—	1	—	—	—	1
23 Appendicitis and typhlitis	M	5	—	—	—	1	2	1	1	—	—
	F	5	—	—	—	2	—	3	—	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1	—
	F	2	—	—	—	—	—	1	—	—	1
25 Acute and chronic nephritis	M	41	—	—	—	2	—	4	20	8	7
	F	30	—	—	—	—	—	5	9	11	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	—	3	13	—	—	—
28 Congenital debility and malformation, premature birth	M	43	42	—	1	—	—	—	—	—	—
	F	34	33	1	—	—	—	—	—	—	—
29 Suicide	M	13	—	—	—	—	2	2	8	—	1
	F	6	—	—	—	—	—	1	4	1	—
30 Other deaths from violence	M	50	—	2	1	6	8	12	15	6	—
	F	22	1	—	2	3	3	4	4	1	4
31 Other defined diseases	M	164	29	—	—	3	9	17	39	38	29
	F	135	17	1	2	4	6	16	25	28	36
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **BEDFORD**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75
ALL CAUSES ..	M	818	54	9	7	22	36	89	224	197	180	524	42	6	9	10	16	31	102	125	183
	F	940	44	10	15	18	37	83	209	203	321	519	22	5	2	7	15	42	103	112	211
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	3	—	—	1	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	5	4	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	1	—	1	3	1	—	—	—	—	4	—	—	—	4	—	—	—	—	—
7 Influenza	M	47	1	1	1	—	5	7	12	8	12	28	—	1	3	1	1	4	5	4	9
	F	55	—	—	2	1	—	6	7	19	20	23	—	—	—	1	1	3	3	6	9
8 Encephalitis lethargica ..	M	4	—	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	60	—	—	—	—	4	29	24	2	1	15	—	—	—	—	3	8	4	—	—
	F	43	—	1	—	—	13	19	9	1	—	12	—	—	—	—	6	3	3	—	—
11 Other tuberculous diseases	M	8	—	—	1	2	1	1	2	1	—	1	—	1	—	—	—	—	—	—	—
	F	17	3	2	2	2	4	2	1	1	—	7	—	1	—	—	1	4	1	—	—
12 Cancer, malignant disease	M	95	—	—	—	—	2	2	42	33	16	68	—	—	—	—	1	—	22	20	25
	F	127	—	—	—	—	1	9	58	36	23	89	—	—	—	—	—	5	25	33	26
13 Rheumatic fever ..	M	3	—	—	—	3	—	—	—	—	—	3	—	—	—	1	1	—	1	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	1	1	—	—
14 Diabetes	M	4	—	—	—	1	—	—	2	1	—	1	—	—	—	—	—	—	—	1	—
	F	8	—	—	—	—	—	1	4	2	1	6	—	—	—	—	—	—	2	3	1
15 Cerebral hæmorrhage, &c. ..	M	35	—	—	—	—	—	—	5	15	15	24	—	—	—	—	—	—	3	4	17
	F	61	—	—	—	—	—	2	11	16	32	31	—	—	—	—	—	—	9	8	14
16 Heart disease ..	M	140	—	—	—	—	4	8	38	52	38	91	—	—	—	1	—	—	15	34	41
	F	153	—	—	—	1	3	13	38	47	51	108	—	—	—	—	1	8	22	24	53
17 Arterio-sclerosis ..	M	33	—	—	—	—	—	—	4	15	14	29	—	—	—	—	—	—	2	14	13
	F	48	—	—	—	—	—	—	1	15	32	22	—	—	—	—	—	—	2	4	16
18 Bronchitis ..	M	54	8	2	—	1	1	2	12	9	19	39	3	—	1	—	—	—	5	8	22
	F	54	1	—	1	1	—	—	6	9	36	33	1	—	—	—	—	1	2	4	25
19 Pneumonia (all forms)	M	38	5	2	1	2	1	6	14	3	4	27	5	2	1	—	1	1	9	4	4
	F	41	5	3	3	2	—	4	9	6	9	18	1	1	1	—	—	2	7	3	3
20 Other respiratory diseases	M	7	—	—	2	—	—	—	3	1	1	8	2	—	—	1	—	—	2	2	1
	F	14	—	—	—	—	2	—	3	2	7	3	—	—	—	1	—	1	1	—	—
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	1	—	3	2	—	9	—	—	—	—	1	1	3	2	2
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
22 Diarrhœa, &c. ..	M	3	2	—	1	—	—	—	—	—	—	6	2	—	—	—	—	—	—	1	3
	F	11	6	—	1	1	—	1	—	1	1	5	1	1	—	—	1	—	—	1	1
23 Appendicitis and typhlitis.. ..	M	6	—	—	—	2	2	1	1	—	—	5	—	—	—	—	2	2	1	—	—
	F	10	—	—	—	—	3	2	3	1	1	3	—	—	—	—	—	—	1	2	—
24 Cirrhosis of liver ..	M	8	—	—	—	—	—	—	5	3	—	2	—	—	—	—	—	—	—	2	—
	F	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	17	—	—	—	1	—	3	7	4	2	17	—	—	—	—	—	—	4	5	8
	F	18	—	—	—	—	2	2	3	8	3	20	—	—	—	—	—	2	5	7	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	6	1	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth..	M	35	30	1	—	1	1	2	—	—	—	25	25	—	—	—	—	—	—	—	—
	F	24	22	1	—	—	1	—	—	—	—	13	13	—	—	—	—	—	—	—	—
29 Suicide	M	17	—	—	—	—	1	8	4	4	—	2	—	—	—	—	—	1	—	—	1
	F	6	—	—	—	—	—	2	4	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. ..	M	36	—	—	—	4	5	11	9	5	2	26	1	—	1	3	4	9	4	2	2
	F	10	—	1	2	1	1	—	2	2	1	7	—	—	—	—	—	—	1	1	5
31 Other defined diseases	M	148	3	1	—	3	6	8	33	38	56	94	3	2	3	2	2	5	21	21	35
	F	208	5	2	2	5	5	8	41	36	104	96	5	1	1	1	4	5	13	14	52
32 Causes ill-defined or unknown ..	M	4	1	—	—	—	—	1	2	—	—	2	—	—	—	—	—	—	1	1	—
	F	4	—	—	—	—	—	—	3	1	—	5	—	—	—	—	—	—	4	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **BERKS**—1929 (Civilian population only).

Causes of Death.	Sex	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	469	31	13	15	10	14	24	126	106	130	950	82	15	8	17	35	84	217	222	270
	F	543	26	4	7	17	15	31	101	138	204	949	63	4	9	18	25	74	209	187	360
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	1	—	1	—	—	—	—	—	3	—	2	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	9	3	3	3	—	—	—	—	—	—	8	6	2	—	—	—	—	—	—	—
	F	3	—	2	—	1	—	—	—	—	—	5	4	—	1	—	—	—	—	—	—
6 Diphtheria	M	4	—	—	1	2	1	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	6	—	—	—	6	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
7 Influenza	M	35	1	2	2	—	—	4	12	6	8	57	—	—	2	—	1	3	14	15	22
	F	39	1	—	1	—	1	4	9	12	11	80	2	1	—	—	4	3	23	20	27
8 Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	24	—	—	—	—	3	9	9	3	—	43	—	—	—	—	7	18	15	2	1
	F	18	—	—	—	—	5	4	5	2	2	27	1	—	—	1	8	11	6	—	—
11 Other tuberculous diseases	M	9	—	1	4	1	—	2	1	—	—	12	1	2	1	2	1	3	1	1	—
	F	6	—	—	1	1	1	—	—	3	—	7	1	—	—	2	1	1	2	—	—
12 Cancer, malignant disease	M	60	—	—	1	—	—	—	22	23	14	110	—	—	—	—	1	7	41	38	23
	F	67	—	—	—	—	—	3	24	23	17	123	—	—	—	—	1	6	42	38	36
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	—	3	—	—	—	—	3	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes	M	4	—	—	—	—	—	—	3	1	—	12	—	—	—	—	—	1	4	4	3
	F	12	—	—	—	1	—	—	2	5	4	11	—	—	—	—	—	2	5	1	3
15 Cerebral hæmorrhage, &c.	M	24	—	—	—	—	—	—	3	8	13	32	—	—	—	—	—	2	8	12	10
	F	46	—	—	—	—	—	2	8	13	23	58	—	—	—	—	—	2	11	18	27
16 Heart disease	M	79	—	—	—	—	1	1	26	19	32	154	—	—	—	1	4	5	27	59	58
	F	111	—	—	—	1	3	1	21	38	47	183	—	—	—	1	1	6	31	53	91
17 Arterio-sclerosis	M	24	—	—	—	—	—	—	2	7	15	50	—	—	—	—	—	—	12	13	25
	F	23	—	—	—	—	—	—	2	7	14	38	—	—	—	—	—	—	10	10	18
18 Bronchitis	M	28	4	1	—	—	—	—	7	4	12	78	5	—	—	1	—	2	11	18	41
	F	40	2	—	—	—	—	—	—	8	30	72	6	1	1	—	—	1	7	13	43
19 Pneumonia (all forms)	M	26	3	3	2	—	—	2	9	4	3	63	13	6	3	1	2	2	17	12	7
	F	27	3	1	2	2	1	2	4	6	6	58	8	1	1	5	3	4	11	8	17
20 Other respiratory diseases	M	6	—	—	—	—	—	—	1	3	2	11	—	—	—	—	1	1	7	—	2
	F	5	—	—	1	1	—	1	1	1	—	8	—	—	—	—	—	1	2	—	5
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	—	3	—	1	11	—	—	—	—	—	4	6	1	—
	F	3	—	—	—	—	1	—	2	—	—	6	—	—	—	—	—	4	1	1	—
22 Diarrhœa, &c.	M	5	3	—	1	—	1	—	—	—	—	4	3	—	—	—	—	—	—	1	—
	F	5	3	—	1	—	—	—	—	—	1	4	2	—	—	—	—	—	1	—	1
23 Appendicitis and typhlitis	M	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	2	1	—	2	—
	F	1	—	—	—	—	—	—	—	1	—	7	—	—	—	2	—	1	4	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis	M	13	—	—	—	—	—	—	5	5	3	23	—	—	—	—	—	4	4	6	9
	F	19	—	—	—	1	—	1	7	6	4	22	—	—	—	—	1	2	7	5	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth	M	14	14	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
	F	14	13	—	—	1	—	—	—	—	—	35	34	—	1	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	2	—	1	—	—	9	—	—	—	—	1	3	3	2	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence	M	19	—	1	1	2	3	3	4	2	3	47	2	1	1	5	6	20	3	6	3
	F	10	1	—	—	—	1	1	2	—	5	19	1	1	1	2	2	6	3	—	3
31 Other defined diseases	M	67	1	1	—	2	1	3	15	20	24	162	13	2	—	3	6	7	39	26	66
	F	83	3	—	1	2	1	10	14	12	40	162	4	—	1	3	1	15	37	20	81
32 Causes ill-defined or unknown	M	1	1	—	—	—	—	—	—	—	—	6	1	—	—	—	—	—	4	1	—
	F	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	3	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **BUCKINGHAM**—1929 (Civilian population only).

Causes of Death.	Sex	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	662	59	13	11	15	20	51	176	165	152	991	74	15	21	26	42	82	230	237	264
	F	649	46	13	8	16	24	60	128	124	230	948	59	6	18	21	27	67	186	217	347
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	4	1	—	1	1	—	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	4	1	3	—	—	—	—	—	—	—	4	—	1	2	1	—	—	—	—	—
	F	8	4	3	—	—	1	—	—	—	—	6	3	1	1	—	—	—	—	—	1
6 Diphtheria	M	5	2	—	2	1	—	—	—	—	—	8	—	—	2	5	—	—	1	—	—
	F	5	—	—	3	2	—	—	—	—	—	5	—	—	2	2	—	—	1	—	—
7 Influenza	M	44	1	2	3	1	—	6	12		9	58	1	4	—	1	5	5	17	16	9
	F	32	—	1	—	—	—	4	6	6	15	47	1	1	1	1	2	5	9	13	14
8 Encephalitis lethargica	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	1	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis	M	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	37	—	—	—	—	7	18	10	2	—	40	—	—	—	2	5	20	10	2	1
	F	31	—	—	—	1	7	14	6	3	—	33	—	—	—	1	9	12	9	1	1
11 Other tuberculous diseases	M	4	—	1	—	—	—	2	1	—	—	8	1	—	2	1	1	2	—	—	1
	F	9	2	3	1	2	1	—	—	—	—	8	—	2	1	1	2	2	—	—	—
12 Cancer, malignant disease	M	68	—	—	—	—	—	5	28	23	12	129	—	—	—	—	—	5	43	52	29
	F	90	—	—	—	1	—	5	42	19	23	132	—	—	—	—	1	9	44	45	33
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	4	—	—	—	—	2	1	1	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes	M	5	—	—	—	1	—	—	3	1	—	11	—	—	—	—	—	1	5	2	3
	F	11	—	—	—	—	—	—	4	4	3	18	—	—	—	—	—	1	2	11	4
15 Cerebral hæmorrhage, &c.	M	43	—	—	—	—	—	—	13	10	20	48	—	—	—	—	—	—	8	13	27
	F	44	—	—	—	—	—	—	9	11	24	74	—	—	—	—	—	—	9	28	37
16 Heart disease	M	94	—	—	—	2	1	1	22	46	22	158	—	—	—	2	3	7	38	55	53
	F	89	—	—	—	1	2	4	17	27	38	175	—	—	—	—	2	5	45	41	82
17 Arterio-sclerosis	M	22	—	—	—	—	—	—	5	9	8	41	—	—	—	—	—	—	4	14	23
	F	25	—	—	—	—	—	—	4	6	15	25	—	—	—	—	—	—	1	9	15
18 Bronchitis	M	43	1	—	1	1	—	2	5	11	22	60	1	3	—	—	—	2	6	14	34
	F	54	1	—	—	1	—	1	2	8	41	70	3	—	—	—	—	—	3	13	51
19 Pneumonia (all forms)	M	43	7	5	2	1	—	5	13	5	5	58	11	2	4	—	2	8	17	8	6
	F	30	4	2	1	—	1	4	3	4	11	36	6	2	3	3	1	6	5	4	6
20 Other respiratory diseases	M	15	1	—	—	—	—	1	5	4	4	14	—	—	—	1	—	1	6	3	3
	F	8	—	—	—	—	—	1	2	1	4	11	—	—	—	—	—	—	2	4	5
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	1	3	—	—	8	—	—	—	—	—	1	6	1	—
	F	2	—	—	—	—	—	—	—	1	1	6	—	—	—	—	—	1	2	2	1
22 Diarrhœa, &c.	M	4	3	—	—	—	—	—	1	—	—	5	1	—	—	—	—	1	1	2	—
	F	9	6	—	—	—	—	1	1		—	7	6	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	—	1	10	—	—	2	—	—	1	3	3	1
	F	4	—	—	—	—	2	—	1	1	—	2	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver	M	6	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	25	1	—	—	—	—	3	9	6	6	17	—	—	—	1	1	—	5	6	4
	F	17	—	—	—	1	1	3	7	3	2	30	—	—	—	1	1	1	7	10	10
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	2	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	31	31	—	—	—	—	—	—	—	—	48	46	1	—	—	1	—	—	—	—
	F	23	23	—	—	—	—	—	—	—	—	35	33	—	—	—	1	—	1	—	—
29 Suicide	M	6	—	—	—	—	—	—	3	3	—	13	—	—	—	—	2	1	8	2	—
	F	9	—	—	—	—	1	2	4	2	—	4	—	—	—	—	—	1	3	—	—
30 Other deaths from violence	M	25	—	—	1	3	8	1	9	2	1	63	3	2	2	3	14	15	14	6	4
	F	9	1	—	1	1	1	3	—	1	1	22	1	—	3	2	1	3	2	2	8
31 Other defined diseases	M	126	9	2	2	3	3	6	28	31	42	172	9	2	5	7	6	9	31	37	66
	F	125	4	4	1	4	5	12	19	25	51	186	6	—	4	9	4	15	37	33	78
32 Causes ill-defined or unknown	M	1	1	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **CAMBRIDGE**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	361	13	3	4	9	11	21	96	99	105	517	29	2	2	11	16	39	86	134	198
	F	390	21	—	3	9	11	29	87	91	139	529	18	5	6	17	13	38	100	131	201
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	—	3	—	—	—	—	—	4	—	1	—	2	1	—	—	—	—
	F	7	—	—	1	5	—	1	—	—	—	6	—	—	—	6	—	—	—	—	—
7 Influenza	M	19	—	—	—	—	1	1	6	5	6	35	—	—	—	1	2	4	5	9	14
	F	18	1	—	—	—	—	—	2	5	10	26	—	1	—	2	1	—	10	6	6
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	1	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	26	—	—	—	—	1	8	14	2	1	21	—	—	—	—	4	6	8	3	—
	F	18	—	—	—	1	3	10	3	—	1	24	—	—	—	1	7	10	5	—	1
11 Other tuberculous diseases	M	5	—	1	1	1	—	1	1	—	—	5	—	—	—	1	—	3	1	—	—
	F	4	—	—	—	1	2	—	1	—	—	2	—	—	1	—	—	—	1	—	—
12 Cancer, malignant disease	M	46	—	—	—	—	—	2	16	20	8	70	—	—	—	1	1	2	16	28	22
	F	59	—	—	—	—	—	5	25	16	13	61	—	—	—	1	1	3	18	21	17
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	—	1	2	1	3	—	—	—	—	—	—	—	2	1
	F	4	—	—	—	—	—	—	4	—	—	7	—	—	—	—	—	1	3	3	—
15 Cerebral hæmorrhage, &c. ..	M	15	—	—	—	—	—	—	3	6	6	27	—	—	—	—	—	—	4	8	15
	F	21	—	—	—	—	—	1	2	10	8	38	—	—	—	—	—	—	5	12	21
16 Heart disease ..	M	67	—	—	—	—	—	—	16	24	27	109	—	—	—	1	—	2	12	37	57
	F	83	—	—	—	—	2	1	20	25	35	113	—	—	—	—	—	6	23	34	50
17 Arterio-sclerosis ..	M	13	—	—	—	—	—	—	3	6	4	22	—	—	—	—	—	1	2	7	12
	F	5	—	—	—	—	—	—	—	—	5	31	—	—	—	—	—	—	4	9	18
18 Bronchitis ..	M	21	1	—	—	—	—	1	3	4	12	30	2	—	1	—	—	1	—	6	20
	F	28	4	—	—	—	—	—	2	3	19	28	1	1	—	—	—	—	—	5	21
19 Pneumonia (all forms)	M	16	2	1	1	—	1	—	2	5	4	29	4	—	—	—	—	3	6	7	9
	F	17	1	—	—	—	—	—	3	7	6	18	1	2	3	—	—	—	2	3	7
20 Other respiratory diseases	M	7	—	—	—	1	—	—	2	1	3	6	—	—	—	—	—	1	3	1	1
	F	3	—	—	—	—	1	—	—	—	2	5	—	—	—	—	—	—	—	3	2
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	1	1	1	—	3	—	—	—	—	—	—	1	1	1
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—
22 Diarrhœa, &c. ..	M	3	—	—	2	—	—	—	—	1	—	3	—	1	—	—	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	1	2
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	1	—	—	1	2	—	—	3	—	—	1	—	—	1	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	9	—	—	—	—	—	—	4	2	3	11	—	—	—	1	—	2	1	4	3
	F	12	—	—	—	—	—	—	3	8	1	26	—	—	—	—	—	2	6	8	10
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	7	7	—	—	—	—	—	—	—	—	19	17	—	—	—	1	1	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	1	2	4	2	—	6	—	—	—	—	1	1	3	1	—
	F	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	2	—	—	—
30 Other deaths from violence.. ..	M	15	—	—	—	1	4	1	4	2	3	18	—	—	1	—	3	5	2	4	3
	F	11	—	—	—	—	1	—	3	1	6	10	1	—	—	2	1	1	1	1	3
31 Other defined diseases	M	69	3	1	—	3	2	3	14	16	27	89	5	—	—	4	3	6	16	16	39
	F	72	2	—	—	1	2	6	13	16	32	101	2	2	1	3	1	9	18	23	43
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **CHESTER**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	3041	273	73	75	73	89	325	913	708	512	1233	98	17	23	30	47	122	310	309	277
	F	3039	188	46	61	80	98	311	768	686	801	1161	77	23	16	26	40	128	260	283	308
1 Enteric fever	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	3	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	2	4	3	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever	M	5	—	1	1	2	—	1	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	12	—	1	4	6	1	—	—	—	—	3	—	1	1	—	1	—	—	—	—
5 Whooping cough	M	32	14	9	9	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
	F	29	15	5	9	—	—	—	—	—	—	8	5	—	2	—	—	—	—	—	1
6 Diphtheria	M	25	—	3	8	11	2	—	—	1	—	8	—	—	1	6	1	—	—	—	—
	F	18	—	1	4	10	1	1	1	—	—	13	1	—	4	7	1	—	—	—	—
7 Influenza	M	187	4	3	4	3	4	31	57	45	36	86	1	1	1	1	7	15	27	16	17
	F	210	1	8	3	4	7	37	57	37	56	89	1	1	—	3	1	17	25	19	22
8 Encephalitis lethargica	M	10	—	—	—	1	1	5	2	1	—	5	—	1	—	—	—	1	3	—	—
	F	9	—	—	—	—	3	4	1	—	1	3	—	—	—	—	—	1	2	—	—
9 Meningococcal meningitis	M	4	1	2	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	164	—	1	—	2	23	59	73	6	—	43	—	—	1	—	5	20	13	4	—
	F	116	1	—	1	4	34	49	24	3	—	35	1	1	—	—	12	14	6	1	—
11 Other tuberculous diseases	M	38	5	4	12	3	7	2	3	2	—	16	1	1	3	1	2	4	4	—	—
	F	41	2	7	8	5	6	7	6	—	—	12	2	—	1	1	2	2	3	1	—
12 Cancer, malignant disease	M	304	—	—	—	—	2	12	131	111	48	114	—	—	—	—	1	5	47	40	21
	F	357	—	—	1	—	2	32	152	100	70	155	—	—	—	—	1	14	71	46	23
13 Rheumatic fever	M	5	—	—	—	1	—	—	3	1	—	4	—	—	—	2	2	—	—	—	—
	F	13	—	—	—	2	4	4	2	1	—	6	—	—	1	2	1	1	—	1	—
14 Diabetes	M	35	—	—	—	1	—	3	16	12	3	16	—	—	—	—	—	—	7	6	3
	F	43	—	—	—	2	—	5	15	13	8	13	—	—	—	—	—	4	2	5	2
15 Cerebral hæmorrhage, &c.	M	141	—	—	—	—	—	6	54	42	39	37	—	—	—	—	—	1	9	16	11
	F	181	—	—	—	—	—	2	50	65	64	77	—	—	—	—	—	1	16	31	29
16 Heart disease	M	473	—	—	1	4	11	28	152	172	105	256	—	—	—	3	2	13	62	92	84
	F	595	—	—	—	9	10	34	157	203	182	260	—	—	—	1	4	10	54	102	89
17 Arterio-sclerosis	M	173	—	—	—	—	—	1	31	82	59	55	—	—	—	—	—	—	8	20	27
	F	129	—	—	—	—	—	—	17	43	69	43	—	—	—	—	—	—	10	11	22
18 Bronchitis	M	181	21	7	2	—	—	5	31	65	50	51	4	1	—	1	—	4	7	13	21
	F	201	13	2	2	2	—	7	30	53	92	44	5	1	—	—	—	—	6	7	25
19 Pneumonia (all forms)	M	296	40	29	18	10	8	52	90	33	16	79	10	5	4	1	2	18	18	14	7
	F	200	33	15	12	8	3	19	56	33	21	55	8	7	4	2	3	5	4	14	8
20 Other respiratory diseases	M	28	—	—	—	1	—	6	15	3	3	17	—	—	1	1	1	1	6	4	3
	F	32	1	—	—	1	1	7	9	6	7	11	1	—	—	—	—	1	4	1	4
21 Ulcer of stomach or duodenum	M	27	—	—	—	—	—	10	16	1	—	13	—	—	—	—	—	5	4	1	3
	F	12	—	—	—	—	—	—	5	3	4	4	—	—	—	—	—	1	2	1	—
22 Diarrhœa, &c.	M	22	17	1	—	1	—	1	1	—	1	12	9	—	1	—	—	—	1	1	—
	F	24	11	2	2	1	1	—	—	3	4	13	5	2	—	—	—	1	1	—	4
23 Appendicitis and typhlitis	M	23	—	—	3	2	1	6	9	2	—	8	—	—	1	—	1	2	4	—	—
	F	9	—	—	1	2	—	1	2	2	1	3	—	—	—	—	1	1	—	—	1
24 Cirrhosis of liver	M	19	—	—	—	—	—	2	14	3	—	3	—	—	—	—	—	—	1	2	—
	F	3	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	100	—	—	—	1	3	11	43	26	16	40	—	—	1	—	—	4	15	14	6
	F	106	—	—	—	3	4	22	37	27	13	33	—	—	—	—	1	1	8	12	11
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	—	10	—	—	—	11	—	—	—	—	3	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	—	—	—	—	1	16	—	—	—	9	—	—	—	—	1	8	—	—	—
28 Congenital debility and malformation, premature birth	M	144	141	1	1	—	—	1	—	—	—	50	50	—	—	—	—	—	—	—	—
	F	80	79	—	—	—	—	1	—	—	—	40	36	3	—	—	1	—	—	—	—
29 Suicide	M	38	—	—	—	—	1	6	23	5	3	27	—	—	—	—	1	6	16	4	—
	F	20	—	—	—	—	1	7	9	2	1	4	—	—	—	—	1	2	1	—	—
30 Other deaths from violence	M	113	5	3	7	15	16	18	27	12	10	60	3	1	5	8	14	7	11	9	2
	F	63	6	—	3	8	2	3	16	11	14	27	1	1	—	3	1	6	7	1	7
31 Other defined diseases	M	435	22	5	7	15	10	56	116	81	123	222	19	6	2	5	8	14	44	52	72
	F	492	23	1	8	12	17	41	119	78	193	185	11	5	2	6	5	30	36	30	60
32 Causes ill-defined or unknown	M	7	—	—	—	—	—	—	5	2	—	4	—	—	—	—	—	—	3	1	—
	F	3	—	—	—	—	—	—	1	2	—	2	—	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **CORNWALL**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	926	70	15	6	24	22	95	217	232	245	1152	78	15	17	25	35	84	259	281	358
	F	1166	61	13	8	11	32	86	216	278	461	1259	72	8	13	28	41	105	242	295	455
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	7	5	2	—	—	—	—	—	—	—	9	6	3	—	—	—	—	—	—	—
	F	12	7	2	3	—	—	—	—	—	—	7	3	2	1	1	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	1	—	—	3	—	—	—	—	—
7 Influenza	M	33	—	—	—	3	2	3	8	7	10	43	—	—	1	1	—	2	13	11	15
	F	65	1	—	—	1	3	7	7	17	29	75	1	—	1	2	4	6	18	15	28
8 Encephalitis lethargica	M	2	—	—	—	1	—	—	—	1	—	3	—	—	—	—	1	—	2	—	—
	F	3	—	—	—	—	—	2	—	1	—	4	—	—	—	1	1	—	2	—	—
9 Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	73	—	—	—	2	7	24	36	4	—	51	—	—	—	—	12	17	21	1	—
	F	43	—	—	—	—	12	16	11	3	1	53	—	—	—	1	16	22	10	4	—
11 Other tuberculous diseases	M	18	3	1	1	7	3	—	3	—	—	9	—	—	1	2	1	2	3	—	—
	F	21	1	3	1	1	2	7	4	1	1	18	4	—	2	2	3	4	3	—	—
12 Cancer, malignant disease	M	99	—	—	—	—	—	6	32	41	20	123	—	—	—	1	—	5	46	43	28
	F	126	—	—	—	—	1	8	47	40	30	147	—	—	—	—	1	14	59	45	28
13 Rheumatic fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	11	—	—	—	—	—	—	3	8	—	17	—	—	—	—	—	2	6	5	4
	F	19	—	—	—	—	—	—	7	8	4	22	—	—	1	—	—	4	7	6	4
15 Cerebral hæmorrhage, &c.	M	52	—	—	—	—	—	—	7	19	26	62	—	—	—	—	—	—	10	19	33
	F	97	—	—	—	—	—	1	12	41	43	88	—	—	—	—	—	3	22	29	34
16 Heart disease	M	186	—	—	—	—	—	9	37	70	70	238	—	—	—	1	5	8	50	78	96
	F	266	—	—	—	2	2	7	38	79	138	284	—	—	—	1	—	10	52	103	118
17 Arterio-sclerosis	M	36	—	—	—	—	—	—	7	9	20	42	—	—	—	—	—	—	6	16	20
	F	45	—	—	—	—	—	—	8	12	25	33	—	—	—	—	—	—	5	12	16
18 Bronchitis	M	44	3	—	—	—	—	1	3	8	29	72	1	1	1	—	—	2	9	16	42
	F	66	3	1	1	—	—	—	4	21	36	91	2	—	—	2	—	—	7	15	65
19 Pneumonia (all forms)	M	38	6	7	—	2	1	7	7	4	4	45	2	5	3	3	1	5	10	8	8
	F	34	5	5	1	—	1	1	10	4	7	39	3	3	2	3	2	5	3	9	9
20 Other respiratory diseases	M	15	—	—	—	—	—	1	10	1	3	19	—	—	1	—	—	2	7	3	6
	F	12	1	—	—	—	—	1	5	2	3	11	—	—	—	—	1	2	1	4	3
21 Ulcer of stomach or duodenum	M	9	—	—	—	—	—	3	4	2	—	10	—	—	—	—	1	1	6	2	—
	F	6	—	—	—	—	—	—	4	2	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c.	M	5	4	—	1	—	—	—	—	—	—	6	5	1	—	—	—	—	—	—	—
	F	8	3	—	—	—	—	1	3	1	—	2	1	—	1	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	5	—	1	1	1	—	1	1	—	—	7	1	—	1	—	3	—	2	—	—
	F	2	—	—	—	1	1	—	—	—	—	7	—	—	1	2	1	1	—	1	1
24 Cirrhosis of liver	M	4	—	—	—	—	—	1	2	1	—	3	—	—	—	—	—	—	2	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	35	—	—	—	—	2	4	8	11	10	43	—	—	—	2	—	2	14	14	11
	F	51	—	—	—	—	—	6	12	16	17	38	—	—	1	—	—	5	9	15	8
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	4	—	—	—	—	2	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	10	—	—	—	—	1	8	1	—	—
28 Congenital debility and malformation, premature birth	M	33	33	—	—	—	—	—	—	—	—	51	51	—	—	—	—	—	—	—	—
	F	30	30	—	—	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	1	—	5	1	—	10	—	—	—	—	—	3	5	1	1
	F	5	—	—	—	—	1	1	3	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	35	4	—	1	3	5	10	6	3	3	46	—	—	3	7	7	14	9	5	1
	F	20	—	—	—	1	2	1	4	2	10	20	1	—	—	2	1	2	6	2	6
31 Other defined diseases	M	174	12	3	1	5	1	23	38	41	50	235	12	5	2	5	4	18	38	59	92
	F	217	10	1	1	3	6	16	36	27	117	259	17	3	3	6	8	15	37	35	135
32 Causes ill-defined or unknown	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **CUMBERLAND**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	845	82	24	19	26	47	98	187	202	160	603	63	13	15	11	21	56	130	133	161
	F	798	76	23	13	19	31	83	181	168	204	633	54	15	6	11	23	47	140	151	186
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	3	1	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	7	4	—	3	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—
	F	6	3	2	—	1	—	—	—	—	—	12	6	4	1	1	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza	M	37	1	—	1	3	2	9	14	7	—	31	1	1	1	—	—	3	9	7	9
	F	33	—	3	—	—	—	3	11	6	10	33	—	1	1	—	1	4	7	6	13
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	50	—	—	—	1	19	17	9	4	—	21	—	—	—	—	3	9	8	1	—
	F	41	—	—	—	1	14	19	5	1	1	26	—	—	—	—	7	10	7	2	—
11 Other tuberculous diseases	M	16	3	1	2	2	4	3	1	—	—	8	—	1	2	—	—	3	2	—	—
	F	14	1	—	2	3	4	3	—	—	1	7	1	—	—	1	2	1	1	1	—
12 Cancer, malignant disease	M	73	—	—	—	—	—	2	23	25	23	50	—	—	—	—	—	2	22	19	7
	F	97	—	—	—	—	—	11	36	35	15	90	—	—	—	—	—	5	31	28	26
13 Rheumatic fever	M	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—
	F	4	—	—	—	1	2	1	—	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	10	—	—	—	—	—	1	4	5	—	3	—	—	—	—	—	—	1	—	2
	F	11	—	—	—	—	1	—	3	5	2	6	—	—	—	—	1	—	—	4	1
15 Cerebral hæmorrhage, &c.	M	45	—	—	—	—	—	2	14	20	9	31	—	—	—	—	1	1	5	12	12
	F	57	—	—	—	—	—	3	18	11	25	50	—	—	—	—	—	1	9	22	18
16 Heart disease	M	136	—	—	—	3	1	8	30	54	40	113	—	—	—	2	2	7	20	39	43
	F	144	—	—	—	2	—	15	31	44	52	117	—	—	—	—	1	5	28	42	41
17 Arterio-sclerosis	M	34	—	—	—	—	—	—	4	17	13	31	—	—	—	—	—	—	5	11	15
	F	25	—	—	—	—	—	—	4	13	8	37	—	—	—	—	—	—	6	9	22
18 Bronchitis	M	56	14	3	2	1	1	3	12	13	7	27	2	2	2	—	—	1	2	5	13
	F	53	8	4	4	1	—	1	9	9	17	31	5	2	—	1	—	—	3	7	13
19 Pneumonia (all forms)	M	76	6	12	8	3	6	20	14	5	2	50	4	3	3	2	3	7	13	7	8
	F	57	16	8	1	2	1	1	16	6	6	22	2	2	—	—	—	1	7	2	8
20 Other respiratory diseases	M	16	1	—	1	1	—	1	5	4	3	11	—	—	1	—	—	2	3	2	3
	F	15	—	—	1	1	1	2	2	3	5	6	—	—	—	1	—	—	3	1	1
21 Ulcer of stomach or duodenum	M	12	—	—	—	—	1	3	6	2	—	3	—	—	—	—	—	3	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	4	2	—	—
22 Diarrhœa, &c.	M	11	6	3	—	—	—	—	2	—	—	10	5	2	2	—	—	—	—	1	—
	F	14	7	2	1	—	—	—	1	1	2	7	3	1	—	—	—	—	1	1	1
23 Appendicitis and typhlitis	M	5	—	—	—	1	2	1	1	—	—	4	—	—	—	1	—	1	1	—	1
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	1	—	1	—	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	23	—	—	—	2	—	5	5	7	4	20	—	—	—	—	1	1	8	6	4
	F	21	—	—	—	—	1	4	7	8	1	22	—	2	—	—	1	1	5	5	8
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth	M	34	34	—	—	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—	—
	F	34	31	—	2	—	—	—	1	—	—	30	30	—	—	—	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	1	3	4	—	—	9	—	—	—	—	—	1	6	2	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	33	1	1	—	5	7	7	5	3	4	29	—	—	2	1	5	6	8	4	3
	F	18	—	—	1	5	1	—	4	3	4	14	—	—	1	—	2	—	3	2	6
31 Other defined diseases	M	137	8	2	1	2	2	10	28	31	53	102	12	1	2	4	5	9	14	14	41
	F	136	10	3	1	1	2	14	28	22	55	95	7	2	2	3	6	8	24	15	28
32 Causes ill-defined or unknown	M	13	1	1	—	—	—	2	5	4	—	4	—	—	—	—	1	—	2	1	—
	F	4	—	—	—	—	1	—	2	1	—	6	—	—	—	—	—	—	3	3	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DERBY—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1977	214	60	50	58	75	222	509	404	385	1844	208	46	43	50	68	201	439	404	385
	F	1743	143	48	42	63	65	175	404	386	417	1660	138	39	37	41	74	158	382	372	419
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	2	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	1	2	2	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—	—
	F	8	1	2	4	1	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
4 Scarlet fever	M	2	—	—	—	1	—	1	—	—	—	3	—	—	1	1	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
5 Whooping cough	M	15	8	4	3	—	—	—	—	—	—	8	2	3	3	—	—	—	—	—	—
	F	18	5	7	4	2	—	—	—	—	—	15	7	6	1	1	—	—	—	—	—
6 Diphtheria	M	11	1	—	3	6	—	1	—	—	—	9	—	1	3	4	—	—	1	—	—
	F	15	—	1	3	9	2	—	—	—	—	10	1	—	5	4	—	—	—	—	—
7 Influenza	M	92	5	2	5	3	2	16	33	18	8	86	4	2	1	1	4	13	25	23	13
	F	92	2	2	3	4	—	17	30	13	21	113	5	1	1	5	2	12	29	27	31
8 Encephalitis lethargica	M	6	—	—	—	1	1	3	—	1	—	1	—	—	—	—	—	1	—	—	—
	F	5	—	1	—	—	—	2	2	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	90	—	1	—	1	13	44	26	3	2	90	—	1	1	—	13	44	29	1	1
	F	88	—	—	1	5	26	43	12	1	—	72	1	—	—	3	32	20	14	2	—
11 Other tuberculous diseases	M	27	5	8	4	4	3	3	—	—	—	33	7	2	4	6	1	7	6	—	—
	F	26	4	1	6	6	2	3	4	—	—	16	—	2	3	4	2	3	2	—	—
12 Cancer, malignant disease	M	185	—	—	—	1	4	15	81	52	32	157	—	—	1	—	—	7	66	52	31
	F	178	—	—	—	—	1	10	74	56	37	197	—	—	—	—	—	14	83	66	34
13 Rheumatic fever	M	4	—	—	—	1	2	—	1	—	—	5	—	—	—	2	1	1	1	—	—
	F	7	—	—	1	2	1	2	—	1	—	3	—	—	—	—	—	1	1	1	—
14 Diabetes	M	8	—	—	—	—	1	—	2	4	1	21	—	—	—	2	—	3	3	6	7
	F	31	—	—	—	—	—	1	17	6	7	24	—	—	—	1	—	2	13	6	2
15 Cerebral hæmorrhage, &c.	M	105	—	—	—	—	—	2	31	47	25	84	—	—	—	—	—	—	24	38	22
	F	106	—	—	—	—	—	3	34	42	27	101	—	—	—	—	—	3	24	40	34
16 Heart disease	M	326	—	—	1	4	9	22	97	105	88	284	—	—	—	3	5	15	75	108	78
	F	314	—	—	—	5	6	13	83	108	99	294	—	—	—	1	8	22	59	97	107
17 Arterio-sclerosis	M	69	—	—	—	—	—	—	10	26	33	80	—	—	—	—	—	2	17	21	40
	F	57	—	—	—	—	—	—	7	24	26	59	—	—	—	—	—	—	11	20	28
18 Bronchitis	M	129	14	1	4	1	1	5	22	31	50	115	8	3	1	1	—	1	15	33	53
	F	118	7	3	—	1	—	3	18	35	51	100	9	7	3	—	—	—	16	23	42
19 Pneumonia (all forms)	M	177	30	28	16	10	7	24	39	14	9	162	38	22	14	4	2	22	31	19	10
	F	119	30	19	14	7	2	11	19	9	8	100	14	11	13	4	—	13	19	13	13
20 Other respiratory diseases	M	29	—	3	1	1	—	2	13	6	3	19	—	1	2	1	—	3	5	5	2
	F	17	—	—	1	—	2	2	5	4	3	8	1	—	—	—	1	—	3	1	2
21 Ulcer of stomach or duodenum	M	19	—	—	—	1	2	4	6	4	2	13	—	—	—	—	—	8	5	—	—
	F	8	—	—	—	—	—	1	6	1	—	9	—	—	—	—	—	1	5	1	2
22 Diarrhœa, &c.	M	22	14	1	3	—	—	2	1	1	—	23	19	1	1	—	—	—	1	—	1
	F	19	8	2	2	2	1	1	1	1	1	23	14	3	2	—	—	—	2	—	2
23 Appendicitis and typhlitis	M	8	—	—	—	1	3	3	1	—	—	17	—	1	—	2	5	6	1	1	1
	F	5	—	—	—	2	—	1	1	1	—	10	—	—	—	1	2	2	4	1	—
24 Cirrhosis of liver	M	14	—	—	—	—	—	1	7	5	1	13	—	—	—	—	—	—	8	4	1
	F	1	—	—	—	—	—	—	—	1	—	4	—	—	1	—	—	1	1	1	—
25 Acute and chronic nephritis	M	44	—	—	1	1	1	2	20	13	6	43	—	—	—	2	5	6	14	10	6
	F	47	—	1	—	1	2	6	16	15	6	51	1	—	—	—	3	6	20	14	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	4	3	—	—	—	11	—	—	—	—	4	6	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	2	9	—	—	—	10	—	—	—	—	1	9	—	—	—
28 Congenital debility and malformation, premature birth	M	104	103	—	1	—	—	—	—	—	—	99	98	1	—	—	—	—	—	—	—
	F	68	68	—	—	—	—	—	—	—	—	61	60	—	—	—	—	1	—	—	—
29 Suicide	M	38	—	—	—	1	1	10	19	6	1	23	—	—	—	—	2	5	10	4	2
	F	6	—	—	—	—	1	3	2	—	—	8	—	—	—	—	2	3	3	—	—
30 Other deaths from violence	M	112	5	1	4	10	18	31	29	10	4	109	2	1	5	11	19	28	32	7	4
	F	31	1	1	1	5	2	1	10	4	6	36	2	—	3	3	6	4	7	6	5
31 Other defined diseases	M	323	28	8	2	10	7	31	61	56	120	332	28	5	6	8	10	28	65	69	113
	F	333	17	8	1	10	11	40	60	61	125	309	23	7	4	11	11	34	57	52	110
32 Causes ill-defined or unknown	M	13	—	1	—	—	—	—	10	2	—	9	—	—	—	1	—	—	5	3	—
	F	5	—	—	—	—	—	—	2	3	—	4	—	—	—	—	—	—	4	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DEVON—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1462	81	17	8	23	39	108	375	388	423	1511	97	9	17	37	53	123	347	361	467
	F	1798	64	7	11	22	50	135	390	434	685	1488	83	10	10	26	44	126	288	343	558
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	3	—	—	—	1	—	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	3	—	2	—	1	—	—	—	—	—	11	10	—	1	—	—	—	—	—	—
	F	8	6	2	—	—	—	—	—	—	—	6	3	2	—	1	—	—	—	—	—
6 Diphtheria	M	2	—	—	1	1	—	—	—	—	—	8	—	—	3	4	1	—	—	—	—
	F	7	—	—	3	3	1	—	—	—	—	9	—	—	2	6	—	1	—	—	—
7 Influenza	M	72	2	2	1	1	2	9	15	18	22	88	1	—	1	5	2	11	31	17	20
	F	81	—	—	—	2	3	5	16	23	32	86	2	—	—	1	3	10	24	21	25
8 Encephalitis lethargica	M	3	—	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	1	—	—	1	1	4	—	—	—	—	—	1	2	—	1
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	77	—	—	—	—	9	29	29	9	1	87	—	—	—	—	18	33	28	8	—
	F	86	—	—	—	2	20	33	22	6	3	56	—	—	—	1	12	22	13	7	1
11 Other tuberculous diseases	M	11	1	1	—	5	—	1	3	—	—	15	1	—	—	4	4	4	1	1	—
	F	15	—	—	1	2	6	2	4	—	—	15	—	—	2	2	3	6	1	1	—
12 Cancer, malignant disease	M	162	—	—	—	1	1	3	51	68	38	162	—	—	—	—	—	8	54	58	42
	F	253	—	—	—	—	—	13	108	82	50	185	—	—	1	—	1	9	56	62	56
13 Rheumatic fever	M	2	—	—	—	1	—	1	—	—	—	7	—	—	—	—	2	4	1	—	—
	F	3	—	—	—	1	—	1	1	—	—	5	—	—	—	—	1	3	1	—	—
14 Diabetes	M	17	—	—	—	—	—	2	6	7	2	18	—	—	—	—	—	3	3	8	4
	F	25	—	—	—	1	—	4	8	5	7	22	—	—	—	1	1	—	9	7	4
15 Cerebral hæmorrhage, &c.	M	84	—	—	—	—	—	2	19	28	35	79	—	—	—	—	1	—	11	28	39
	F	159	—	—	—	—	—	5	29	46	79	104	—	—	—	—	—	2	20	35	47
16 Heart disease	M	286	—	—	—	—	3	10	71	104	98	293	—	—	—	—	3	10	61	98	121
	F	370	—	—	1	2	3	11	63	126	164	317	—	—	—	—	2	7	57	100	151
17 Arterio-sclerosis	M	83	—	—	—	—	—	1	13	25	44	72	—	—	—	—	—	1	10	26	35
	F	124	—	—	—	—	—	—	5	33	86	70	—	—	—	—	—	—	5	19	46
18 Bronchitis	M	83	5	2	—	—	—	1	10	16	49	80	3	1	—	—	—	1	10	10	55
	F	101	8	—	1	1	—	—	11	18	62	79	1	—	—	—	1	—	5	18	54
19 Pneumonia (all forms)	M	78	5	6	1	—	2	9	20	17	18	55	10	1	5	6	1	5	9	9	9
	F	60	3	2	3	2	2	1	9	19	19	57	7	4	1	2	2	5	14	6	16
20 Other respiratory diseases	M	21	1	—	—	—	2	—	8	1	9	25	—	—	—	—	1	1	13	7	3
	F	15	1	—	—	—	1	2	4	3	4	19	1	1	—	1	—	2	6	5	3
21 Ulcer of stomach or duodenum	M	14	—	—	—	—	—	4	3	5	2	19	—	—	—	—	—	3	10	3	3
	F	8	—	—	—	—	—	—	7	—	1	9	—	—	—	—	—	5	4	—	—
22 Diarrhœa, &c.	M	9	5	—	1	—	—	—	—	1	2	8	5	—	—	—	—	—	—	—	3
	F	11	5	—	—	—	—	3	—	2	1	11	5	—	—	—	—	1	4	1	—
23 Appendicitis and typhlitis	M	12	—	—	—	5	2	1	3	—	1	10	—	—	—	2	3	2	1	1	1
	F	10	—	—	—	1	1	1	4	2	1	11	—	—	—	2	1	2	2	3	1
24 Cirrhosis of liver	M	12	—	—	—	—	—	—	7	3	2	7	—	—	—	—	—	—	4	1	2
	F	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis	M	54	—	—	—	1	—	2	23	21	7	61	—	—	—	—	2	3	19	21	16
	F	60	—	—	—	—	1	8	24	15	12	46	—	—	—	—	1	6	12	15	12
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	15	—	—	—	—	5	10	—	—	—
28 Congenital debility and malformation, premature birth	M	44	44	—	—	—	—	—	—	—	—	53	51	—	—	1	—	—	1	—	—
	F	33	32	1	—	—	—	—	—	—	—	51	47	1	—	1	1	1	—	—	—
29 Suicide	M	21	—	—	—	—	—	3	9	5	4	26	—	—	—	—	—	9	14	2	1
	F	5	—	—	—	—	1	2	2	—	—	4	—	—	—	—	—	2	1	1	—
30 Other deaths from violence	M	69	—	4	3	3	13	15	22	4	5	67	1	4	2	7	10	13	21	5	4
	F	29	—	1	—	1	3	4	5	3	12	21	—	—	1	2	4	2	3	2	7
31 Other defined diseases	M	235	18	—	1	4	3	14	58	53	84	250	14	2	5	7	5	10	42	56	109
	F	312	9	1	2	3	5	28	65	49	150	272	17	2	3	6	4	23	48	35	134
32 Causes ill-defined or unknown	M	6	—	—	—	—	—	—	3	3	—	5	1	—	—	—	—	—	2	2	—
	F	5	—	—	—	—	—	2	3	—	—	6	—	—	—	—	—	1	1	4	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DORSET—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	818	56	10	8	20	24	77	214	205	204	687	47	9	10	22	24	56	163	154	202
	F	845	41	8	13	26	17	74	171	204	291	692	35	3	6	21	19	47	139	175	247
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	2	1	1	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	3	1	—	2	—	—	—	—	—	—	4	2	—	1	—	—	—	1	—	—
6 Diphtheria	M	7	—	—	3	3	—	—	1	—	—	13	1	—	3	9	—	—	—	—	—
	F	19	—	—	4	15	—	—	—	—	—	11	1	1	—	8	—	1	—	—	—
7 Influenza	M	34	1	1	—	—	2	5	6	9	10	42	3	—	—	1	1	5	11	7	14
	F	43	3	—	1	1	1	5	11	5	16	35	1	—	—	1	3	2	8	12	8
8 Encephalitis lethargica	M	3	—	1	—	1	—	1	—	—	—	5	—	—	—	1	—	1	2	1	—
	F	5	—	—	2	—	—	—	1	2	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	46	—	—	—	—	3	20	18	5	—	28	—	—	—	—	4	9	11	4	—
	F	32	—	—	—	2	3	17	8	2	—	27	—	—	—	2	6	11	7	1	—
11 Other tuberculous diseases	M	6	—	—	—	3	2	1	—	—	—	13	1	—	1	—	1	3	6	1	—
	F	7	—	1	—	1	1	3	—	1	—	4	1	—	—	—	—	3	—	—	—
12 Cancer, malignant disease	M	94	—	—	—	—	—	4	41	34	15	72	—	—	—	—	—	3	27	27	15
	F	112	—	—	—	—	—	6	41	38	27	86	—	—	—	—	—	5	33	25	23
13 Rheumatic fever	M	4	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	10	—	—	—	—	—	—	7	—	3	4	—	—	—	—	—	1	2	—	1
	F	7	—	—	—	—	1	—	3	3	—	9	—	—	—	—	—	—	2	7	—
15 Cerebral hæmorrhage, &c.	M	55	—	—	—	—	—	1	8	20	26	36	—	—	—	1	—	1	5	17	12
	F	59	—	—	—	—	—	1	9	21	28	57	—	—	—	—	—	—	9	24	24
16 Heart disease	M	149	—	—	—	1	4	3	37	52	52	133	—	—	—	1	1	1	36	34	60
	F	212	—	—	—	1	4	7	51	63	86	131	—	—	—	—	1	3	24	48	55
17 Arterio-sclerosis	M	37	—	—	—	—	—	—	9	15	13	29	—	—	—	—	—	—	6	8	15
	F	43	—	—	—	—	—	—	4	11	28	29	—	—	—	—	—	—	2	10	17
18 Bronchitis	M	33	2	2	—	—	—	2	6	6	15	22	—	—	—	—	—	—	1	6	15
	F	38	—	1	—	—	—	—	1	10	26	31	—	1	—	—	—	—	2	9	19
19 Pneumonia (all forms)	M	38	9	3	—	2	2	2	5	8	7	35	3	3	1	—	1	5	8	9	5
	F	27	4	3	1	1	—	3	4	4	7	24	2	—	1	2	—	4	4	4	7
20 Other respiratory diseases	M	5	—	—	—	—	—	2	1	1	1	9	3	1	—	—	—	1	2	—	2
	F	5	1	—	—	—	—	1	—	2	1	10	—	—	—	—	—	2	1	4	3
21 Ulcer of stomach or duodenum	M	11	—	—	—	—	—	2	7	1	1	9	—	—	—	—	—	2	4	2	1
	F	4	—	—	—	—	—	—	1	2	1	5	—	—	—	—	—	—	4	—	1
22 Diarrhœa, &c.	M	7	5	—	—	—	—	—	1	1	—	6	3	1	—	—	—	—	1	1	—
	F	6	3	1	—	—	—	1	—	1	—	3	2	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	10	—	—	—	—	1	1	5	3	—	4	—	—	1	1	—	1	—	1	—
	F	8	—	—	1	—	2	—	2	3	—	4	—	—	—	—	2	—	2	—	—
24 Cirrhosis of liver	M	6	—	—	—	—	—	—	4	2	—	4	—	—	—	—	—	—	3	1	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	26	—	—	1	—	1	2	10	7	5	24	—	—	—	—	1	2	7	5	9
	F	27	—	—	—	—	1	6	9	4	7	21	—	—	—	—	—	—	9	5	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	1	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth	M	29	29	—	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
	F	23	23	—	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide	M	13	—	—	—	—	—	5	7	1	—	11	—	—	—	—	—	1	7	3	—
	F	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	1	—	2	—	—
30 Other deaths from violence	M	36	—	1	2	4	6	8	9	2	4	29	—	1	2	3	5	9	7	2	—
	F	18	1	1	1	—	—	4	2	5	4	16	—	—	2	2	3	—	3	2	4
31 Other defined diseases	M	152	7	1	1	4	2	15	32	38	52	127	5	2	—	5	10	11	16	25	53
	F	133	5	1	1	4	3	12	22	25	60	147	5	1	2	5	1	6	24	24	79
32 Causes ill-defined or unknown	M	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **DURHAM**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	3746	553	172	138	182	193	407	909	639	553	2799	471	114	112	130	143	280	615	518	416
	F	3275	425	173	148	164	173	364	736	560	532	2366	351	112	114	105	132	258	506	418	370
1 Enteric fever	M	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	1	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	62	10	24	20	8	—	—	—	—	—	53	7	19	20	7	—	—	—	—	—
	F	53	12	18	14	9	—	—	—	—	—	50	2	20	20	8	—	—	—	—	—
4 Scarlet fever	M	5	1	2	1	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	55	25	16	12	2	—	—	—	—	—	32	15	9	5	3	—	—	—	—	—
	F	65	24	25	14	2	—	—	—	—	—	29	14	9	6	—	—	—	—	—	—
6 Diphtheria	M	22	1	—	7	10	1	—	3	—	—	17	1	2	6	7	1	—	—	—	—
	F	13	1	2	3	9	—	—	1	—	—	19	—	2	7	9	1	—	—	—	—
7 Influenza	M	177	5	4	4	12	15	31	53	35	18	128	4	4	7	14	10	17	34	25	13
	F	112	3	5	3	4	2	17	37	19	22	91	5	1	4	5	2	12	31	15	16
8 Encephalitis lethargica	M	6	—	—	—	1	1	3	1	—	—	9	—	—	—	1	3	1	3	1	—
	F	9	—	2	3	1	—	2	1	—	—	8	—	—	—	2	1	3	2	—	—
9 Meningococcal meningitis	M	4	1	—	—	1	2	—	—	—	—	3	2	—	—	—	1	—	—	—	—
	F	5	1	—	1	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	238	—	2	7	9	54	99	61	6	—	142	1	2	2	7	40	54	32	4	—
	F	235	—	—	3	20	78	98	32	4	—	149	—	—	6	11	52	57	21	2	—
11 Other tuberculous diseases	M	81	5	6	11	33	16	8	1	1	—	36	1	5	6	8	6	8	2	—	—
	F	78	3	11	9	25	14	9	5	2	—	43	—	3	6	12	15	6	—	1	—
12 Cancer, malignant disease	M	291	1	1	—	—	3	15	154	86	31	213	—	—	—	1	2	19	101	54	36
	F	323	—	1	—	—	3	52	150	80	37	208	1	—	—	—	—	19	104	69	15
13 Rheumatic fever	M	14	—	—	2	2	3	3	3	1	—	7	—	—	—	2	1	3	1	—	—
	F	15	—	—	2	5	—	2	5	—	1	4	—	—	—	—	—	2	2	—	—
14 Diabetes	M	29	—	—	—	—	1	6	14	5	3	16	—	—	—	—	—	2	8	5	1
	F	40	—	—	—	1	1	1	17	13	7	42	—	—	—	1	1	2	23	11	4
15 Cerebral hæmorrhage, &c.	M	194	—	—	—	1	—	11	54	85	43	168	—	—	1	—	—	6	40	63	58
	F	175	—	—	—	—	—	1	63	69	42	135	—	—	—	—	—	3	43	44	45
16 Heart disease	M	453	—	—	—	5	15	28	148	150	107	357	—	—	1	7	11	28	115	126	69
	F	453	—	—	1	5	11	32	140	147	117	326	—	—	—	6	12	34	87	103	84
17 Arterio-sclerosis	M	214	—	—	—	—	—	—	40	77	97	153	—	—	—	—	—	—	27	61	65
	F	136	—	—	—	—	—	—	29	41	66	79	—	—	—	—	—	—	15	32	32
18 Bronchitis	M	208	43	9	7	5	1	6	37	42	58	176	38	8	5	3	—	8	22	44	48
	F	189	35	9	5	2	—	4	24	42	68	145	29	18	2	1	1	6	15	27	46
19 Pneumonia (all forms)	M	421	105	70	40	24	20	36	85	20	21	268	74	39	21	23	9	24	45	24	9
	F	330	73	70	63	25	10	24	34	20	11	216	54	33	30	10	12	21	26	17	13
20 Other respiratory diseases	M	46	4	1	1	5	1	8	14	9	3	33	—	1	4	—	1	3	12	7	5
	F	33	3	—	1	—	3	6	12	4	4	23	—	—	2	—	1	4	9	3	4
21 Ulcer of stomach or duodenum	M	30	—	—	—	—	1	14	12	2	1	17	—	—	—	—	1	4	11	1	—
	F	8	—	—	—	—	—	6	1	1	—	5	—	—	—	—	—	1	2	2	—
22 Diarrhœa &c.	M	81	52	12	3	6	—	2	1	2	3	89	58	9	7	3	1	2	1	7	1
	F	68	27	11	6	5	—	5	3	8	3	74	42	12	5	4	2	2	3	3	1
23 Appendicitis and typhlitis	M	20	—	—	1	4	2	7	3	2	1	16	—	—	1	2	5	4	4	—	—
	F	8	—	—	—	2	2	1	2	1	—	4	—	—	—	2	—	1	1	—	—
24 Cirrhosis of liver	M	11	—	—	—	—	—	2	6	2	1	9	—	—	—	—	—	—	7	2	—
	F	4	—	—	—	—	—	—	1	2	1	3	—	—	—	—	—	—	1	2	—
25 Acute and chronic nephritis	M	76	1	—	—	2	4	15	27	18	9	67	—	—	3	2	4	9	26	13	10
	F	80	—	—	1	2	7	17	35	14	4	59	—	1	3	3	2	5	23	16	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	23	—	—	—	—	8	15	—	—	—	20	—	—	—	—	6	14	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	29	—	—	—	—	6	23	—	—	—	27	—	—	—	—	6	21	—	—	—
28 Congenital debility and malformation, premature birth	M	204	200	2	—	2	—	—	—	—	—	200	197	1	1	1	—	—	—	—	—
	F	173	173	—	—	—	—	—	—	—	—	152	148	2	—	1	1	—	—	—	—
29 Suicide	M	30	—	—	—	—	—	9	19	1	1	25	—	—	—	—	—	8	11	4	2
	F	11	—	—	—	—	1	5	5	—	—	8	—	—	—	—	—	2	6	—	—
30 Other deaths from violence	M	202	3	6	9	22	39	54	49	13	7	148	1	5	9	17	27	38	36	9	6
	F	68	5	2	6	14	8	6	9	8	10	44	1	1	7	7	5	3	9	5	6
31 Other defined diseases	M	546	95	17	13	26	14	45	109	78	149	398	71	8	13	17	20	42	70	64	93
	F	515	65	17	11	26	19	37	119	82	139	379	54	10	14	22	11	38	70	62	98
32 Causes ill-defined or unknown	M	22	—	—	—	1	—	2	15	4	—	16	1	2	—	3	—	—	6	4	—
	F	14	—	—	—	1	—	1	9	3	—	20	—	—	—	1	1	2	12	4	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **ELY, ISLE OF**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	310	39	6	4	5	8	27	68	80	73	202	37	1	1	5	9	15	39	42	53
	F	280	24	1	11	12	9	23	58	53	89	192	19	4	5	4	3	20	44	24	69
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	1	—	3	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
6 Diphtheria	M	3	—	—	1	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	6	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	10	—	—	—	—	—	1	2	3	4	8	3	—	—	—	—	1	1	—	3
	F	14	—	—	1	2	—	2	3	3	3	9	—	—	2	—	—	2	2	—	3
8 Encephalitis lethargica	M	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	14	—	—	—	—	2	6	6	—	—	11	1	—	—	—	3	2	5	—	—
	F	13	—	—	—	—	5	5	3	—	—	10	—	—	—	—	1	7	2	—	—
11 Other tuberculous diseases	M	4	2	1	—	—	1	—	—	—	—	3	1	—	—	1	1	—	—	—	—
	F	3	—	—	1	—	—	1	1	—	—	2	—	—	—	—	—	1	1	—	—
12 Cancer, malignant disease	M	47	—	—	—	—	—	1	14	24	8	21	—	—	—	—	—	—	5	9	7
	F	40	—	—	—	—	—	6	19	11	4	27	—	—	—	—	—	1	14	5	7
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—	—	1	—	—
	F	4	—	—	—	—	—	—	2	2	—	5	—	—	—	—	—	—	1	1	3
15 Cerebral hæmorrhage, &c.	M	20	—	—	—	—	—	—	4	7	9	8	—	—	—	—	—	—	1	4	3
	F	26	—	—	—	—	—	—	3	11	12	7	—	—	—	—	—	—	2	2	3
16 Heart disease	M	47	—	—	—	—	—	3	12	13	19	34	—	—	—	1	1	1	5	14	12
	F	51	—	—	—	—	1	1	8	16	25	40	—	—	—	—	—	1	4	11	24
17 Arterio-sclerosis	M	14	—	—	—	—	—	—	2	8	4	11	—	—	—	—	—	—	3	—	8
	F	8	—	—	—	—	—	—	1	2	5	7	—	—	—	—	—	—	2	—	5
18 Bronchitis	M	15	2	—	—	—	—	1	1	5	6	5	—	—	—	—	—	—	1	2	2
	F	7	—	—	—	—	—	—	—	1	6	8	1	—	—	—	—	—	—	2	5
19 Pneumonia (all forms)	M	24	6	3	1	—	—	2	5	3	4	12	8	—	—	—	—	—	1	1	2
	F	24	7	1	2	—	—	3	6	2	3	11	1	1	—	—	—	2	4	2	1
20 Other respiratory diseases	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	1	—	3
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	1	1	—	—	—
22 Diarrhœa, &c.	M	8	7	—	—	—	—	—	1	—	—	3	3	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	5	—	—	—	—	—	1	1	1	2	7	—	—	—	—	—	1	2	1	3
	F	4	—	—	—	1	1	—	—	1	1	2	—	—	—	—	—	—	2	—	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	16	16	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
	F	14	14	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	3	2	1	1	5	—	—	—	—	—	2	1	2	—
	F	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	13	—	—	1	2	2	1	5	—	2	15	—	1	—	1	3	2	6	2	—
	F	9	—	—	—	2	—	1	2	1	3	5	1	—	2	1	—	—	—	—	1
31 Other defined diseases	M	46	4	1	—	1	2	4	10	11	13	35	7	—	1	1	—	5	4	6	11
	F	43	—	—	1	2	2	3	6	3	26	30	1	1	1	1	1	4	6	1	14
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **ESSEX**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	4494	433	95	111	137	193	502	1227	912	884	1802	136	26	29	32	59	172	375	453	520
	F	4444	304	78	89	158	161	484	955	915	1300	1709	97	24	25	20	53	144	361	345	640
1 Enteric fever	M	5	—	—	—	1	1	3	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	12	1	4	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	1	3	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	9	—	—	1	6	—	2	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	9	—	1	4	2	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	49	20	16	10	2	—	—	1	—	—	21	11	6	4	—	—	—	—	—	—
	F	59	22	17	15	4	—	—	—	—	1	21	7	9	4	1	—	—	—	—	—
6 Diphtheria	M	59	2	6	22	28	1	—	—	—	—	9	—	—	4	3	1	—	—	1	—
	F	52	—	1	7	38	4	2	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza	M	175	6	5	7	2	11	26	62	31	25	79	1	1	3	3	1	11	20	21	18
	F	217	6	7	4	3	10	28	40	54	65	75	1	1	1	—	4	9	15	16	28
8 Encephalitis lethargica	M	6	—	—	—	—	—	5	1	—	—	2	—	—	—	—	1	—	—	1	—
	F	3	—	—	1	—	1	—	1	—	—	2	—	—	—	—	—	1	—	1	—
9 Meningococcal meningitis	M	6	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	1	1	1	2	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	321	1	1	1	2	55	140	109	10	2	83	—	—	—	—	15	49	16	2	1
	F	232	1	—	1	6	68	110	31	11	4	80	—	—	—	3	21	37	15	2	2
11 Other tuberculous diseases	M	49	4	8	11	9	7	6	4	—	—	24	2	2	5	2	5	7	—	1	—
	F	46	3	5	3	13	6	8	6	2	—	14	2	2	3	2	—	—	3	2	—
12 Cancer, malignant disease	M	480	—	—	1	3	3	23	198	177	75	220	—	—	—	2	1	7	74	83	53
	F	569	—	—	1	3	3	52	236	149	125	242	—	—	—	—	1	11	105	59	66
13 Rheumatic fever	M	10	—	—	2	4	3	1	—	—	—	3	—	—	—	1	1	—	1	—	—
	F	22	—	—	—	9	3	4	4	2	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	39	—	—	—	2	—	4	14	11	8	17	—	—	—	1	—	2	7	4	3
	F	50	—	—	—	1	2	3	18	15	11	20	—	—	—	—	—	2	8	6	4
15 Cerebral hæmorrhage, &c.	M	186	—	—	—	—	—	8	49	53	76	90	—	—	—	—	—	—	16	28	46
	F	250	—	—	—	—	—	10	59	85	96	104	—	—	—	—	—	2	23	30	49
16 Heart disease	M	769	—	—	—	7	15	35	237	246	229	330	—	—	—	1	2	14	86	122	105
	F	929	—	—	1	12	18	63	202	254	379	347	—	—	1	1	6	16	67	97	159
17 Arterio-sclerosis	M	117	—	—	—	—	—	3	28	37	49	102	—	—	—	—	—	—	10	36	56
	F	111	—	—	—	1	—	—	18	32	60	85	—	—	—	—	—	—	12	22	51
18 Bronchitis	M	261	19	4	3	—	—	12	49	62	112	96	2	1	1	—	—	2	11	27	52
	F	310	10	2	3	1	—	9	35	88	162	102	2	—	—	—	—	1	5	22	72
19 Pneumonia (all forms)	M	366	69	30	15	9	12	46	93	59	33	102	17	7	4	2	4	10	25	21	12
	F	296	46	22	20	12	5	33	56	45	57	76	11	3	4	2	3	9	16	14	14
20 Other respiratory diseases	M	64	2	—	—	4	2	13	23	15	5	18	—	—	2	1	1	5	4	3	2
	F	47	1	—	1	1	1	8	14	7	14	15	1	—	1	—	—	—	5	4	4
21 Ulcer of stomach or duodenum	M	71	—	—	—	—	1	14	37	18	1	19	—	—	—	—	—	5	8	4	2
	F	16	—	—	—	—	1	1	9	4	1	6	—	—	—	—	—	1	4	1	—
22 Diarrhœa, &c.	M	55	48	3	—	—	2	1	1	—	—	11	8	1	—	—	—	1	—	—	1
	F	62	36	5	3	1	1	5	5	3	3	18	6	2	2	—	—	2	4	2	—
23 Appendicitis and typhlitis	M	34	—	—	3	4	5	5	11	4	2	13	—	—	—	2	1	6	3	1	—
	F	29	—	—	1	7	4	3	7	5	2	6	—	—	1	2	—	1	1	1	—
24 Cirrhosis of liver	M	17	—	—	—	—	—	2	7	5	3	9	—	—	—	—	—	—	7	2	—
	F	16	—	—	—	—	—	1	9	4	2	5	—	—	—	—	—	1	2	2	—
25 Acute and chronic nephritis	M	129	—	—	2	1	3	18	60	28	17	45	1	—	1	—	2	2	13	14	12
	F	85	—	—	2	1	4	14	28	21	15	44	—	—	—	—	3	3	16	11	11
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	—	3	18	—	—	—	6	—	—	—	—	3	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	—	1	20	—	—	—	10	—	—	—	—	—	9	1	—	—
28 Congenital debility and malformation, premature birth	M	190	185	3	—	—	1	1	—	—	—	70	68	—	1	—	1	—	—	—	—
	F	153	146	1	3	—	—	2	1	—	—	57	56	—	—	1	—	—	—	—	—
29 Suicide	M	73	—	—	—	—	6	14	42	9	2	26	—	—	—	—	—	10	8	7	1
	F	31	—	—	—	—	—	13	14	3	1	8	—	—	—	—	1	4	2	1	—
30 Other deaths from violence	M	194	8	—	12	24	35	48	34	18	15	64	3	—	—	5	14	15	15	6	6
	F	98	2	3	10	9	9	11	15	15	24	26	—	—	3	2	4	3	3	2	9
31 Other defined diseases	M	744	64	12	13	28	30	72	166	129	230	342	23	8	3	7	8	26	49	68	150
	F	685	29	10	6	27	15	64	142	115	277	330	11	6	4	4	7	28	51	49	170
32 Causes ill-defined or unknown	M	4	2	—	1	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1	—
	F	5	—	—	1	—	—	—	2	1	1	3	—	—	—	—	—	—	1	1	1

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLOUCESTER—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	768	52	11	7	16	36	69	204	176	197	1477	127	17	19	32	51	119	338	373	401
	F	887	43	9	10	16	38	62	174	221	314	1458	68	14	15	25	53	124	308	311	540
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough	M	3	1	2	—	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—	—
	F	3	1	—	1	1	—	—	—	—	—	6	—	2	4	—	—	—	—	—	—
6 Diphtheria	M	8	—	1	3	2	2	—	—	—	—	11	—	—	2	5	2	—	2	—	—
	F	11	—	1	2	7	—	1	—	—	—	12	1	2	3	4	2	—	—	—	—
7 Influenza	M	41	2	1	—	—	—	5	9	10	14	81	8	1	1	1	1	4	21	22	22
	F	56	—	1	—	—	1	1	14	17	22	81	1	1	3	1	1	11	18	16	29
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	2	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	48	—	—	—	—	12	21	11	4	—	64	1	—	—	—	13	28	20	2	—
	F	52	—	—	—	—	21	22	7	2	—	69	—	—	—	1	25	25	16	2	—
11 Other tuberculous diseases	M	9	1	—	2	2	1	2	1	—	—	17	2	2	2	3	4	3	—	1	—
	F	10	1	1	—	3	2	1	2	—	—	16	2	1	1	3	5	3	—	—	1
12 Cancer, malignant disease	M	87	—	—	—	—	—	3	32	34	18	156	—	—	—	—	1	9	57	55	34
	F	116	—	—	—	—	—	9	43	37	27	195	—	—	—	1	1	18	64	51	60
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	3	—	—	—	1	1	—	1	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	9	—	—	—	1	—	—	1	4	3	19	—	—	—	1	1	1	6	5	5
	F	19	—	—	—	—	—	1	3	11	4	19	—	—	—	—	—	—	13	3	3
15 Cerebral hæmorrhage, &c.	M	30	—	—	—	—	—	1	7	8	14	82	—	—	—	—	1	1	20	29	31
	F	54	—	—	—	—	—	1	9	17	27	89	—	—	—	—	—	1	15	28	45
16 Heart disease	M	159	—	—	—	—	3	6	52	53	45	302	—	—	—	—	2	7	62	116	115
	F	204	—	—	—	—	2	3	36	58	105	331	—	—	—	1	2	11	67	100	150
17 Arterio-sclerosis	M	42	—	—	—	—	—	—	6	14	22	64	—	—	—	—	—	—	11	21	32
	F	31	—	—	—	—	—	—	2	12	17	69	—	—	—	—	—	1	10	15	43
18 Bronchitis	M	29	1	2	—	1	2	1	6	2	14	84	6	—	2	—	—	3	13	23	37
	F	36	2	—	—	—	1	—	3	8	22	60	2	—	—	—	—	—	8	8	42
19 Pneumonia (all forms)	M	45	6	2	1	2	3	7	14	5	5	78	19	10	3	1	1	6	19	8	11
	F	46	3	3	3	1	2	1	6	12	15	61	4	3	2	5	2	8	10	14	13
20 Other respiratory diseases	M	11	—	—	—	—	—	2	4	3	2	15	1	—	1	—	—	1	9	2	1
	F	2	—	—	—	—	—	1	—	1	—	16	1	—	—	—	—	—	3	5	7
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	1	2	2	1	20	—	—	—	—	—	5	10	4	1
	F	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	3	—	2
22 Diarrhœa, &c.	M	3	2	—	—	—	1	—	—	—	—	6	5	—	—	—	—	—	—	—	1
	F	4	4	—	—	—	—	—	—	—	—	5	2	—	—	—	—	2	—	—	1
23 Appendicitis and typhlitis	M	6	—	—	—	—	1	1	2	2	—	12	—	—	—	1	2	2	4	1	2
	F	5	—	—	—	—	—	1	2	2	—	8	—	—	—	—	—	3	4	1	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	—	2	6	—	—	—	—	—	—	3	2	1
	F	4	—	—	—	—	—	—	1	2	1	3	—	—	—	—	—	—	2	1	—
25 Acute and chronic nephritis	M	26	—	—	—	—	1	—	11	5	9	55	—	—	1	1	1	5	12	23	12
	F	30	—	—	—	1	—	—	8	6	15	55	—	—	—	—	1	4	18	20	12
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	5	—	—	—	—	—	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth	M	31	30	—	—	—	—	1	—	—	—	67	66	—	1	—	—	—	—	—	—
	F	22	21	1	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	1	2	7	2	—	13	—	—	—	—	2	5	4	1	1
	F	8	—	—	—	—	2	2	2	2	—	8	—	—	—	—	—	3	5	—	—
30 Other deaths from violence	M	21	—	—	—	2	4	5	6	1	3	65	4	2	3	8	7	13	14	8	6
	F	12	2	1	—	—	2	—	3	1	3	24	2	—	—	1	3	1	2	7	8
31 Other defined diseases	M	135	9	3	1	4	5	10	31	27	45	241	11	1	2	7	12	25	45	49	89
	F	151	9	1	3	2	2	14	32	32	56	269	16	5	2	8	9	23	43	39	124
32 Causes ill-defined or unknown	M	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	—	—	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	4	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **HEREFORD**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	290	31	7	2	4	8	33	59	78	68	503	41	7	5	13	14	39	115	133	136
	F	289	24	5	6	7	8	14	61	60	104	480	26	8	5	13	16	37	106	108	161
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	3	1	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	5	1	3	1	—	—	—	—	—	—	6	3	2	—	1	—	—	—	—	—
6 Diphtheria	M	2	—	—	—	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	7	—	—	2	5	—	—	—	—	—	4	—	—	—	3	1	—	—	—	—
7 Influenza	M	8	—	1	—	—	—	1	1	2	3	22	—	—	—	—	1	1	7	5	8
	F	12	—	—	—	—	1	—	1	3	7	26	2	—	—	—	—	1	7	9	7
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	15	—	—	—	—	4	7	3	1	—	24	—	—	—	—	5	7	10	2	—
	F	11	—	—	—	—	4	6	1	—	—	20	—	—	—	1	5	9	3	2	—
11 Other tuberculous diseases	M	3	1	—	—	1	—	1	—	—	—	5	—	—	1	3	—	—	1	—	—
	F	2	—	—	—	1	—	—	1	—	—	5	—	—	1	1	1	—	1	1	—
12 Cancer, malignant disease	M	31	—	—	—	—	—	2	15	11	3	50	—	—	—	—	—	5	14	18	13
	F	37	—	—	—	—	—	—	20	7	10	67	—	—	—	—	—	4	35	20	8
13 Rheumatic fever	M	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	—	2	2	—	5	—	—	—	—	—	1	1	2	1
	F	3	—	—	—	—	—	—	1	1	1	6	—	—	—	1	—	—	2	1	2
15 Cerebral hæmorrhage, &c.	M	19	—	—	—	—	—	—	5	7	7	36	—	—	—	—	—	1	8	10	17
	F	16	—	—	—	—	—	—	3	1	12	28	—	—	—	—	—	1	3	7	17
16 Heart disease	M	55	—	—	1	—	1	3	10	15	25	99	—	—	—	1	—	4	17	38	39
	F	71	—	—	—	—	1	2	11	29	28	124	—	—	—	—	—	4	21	34	65
17 Arterio-sclerosis	M	15	—	—	—	—	—	—	2	8	5	22	—	—	—	—	—	—	4	9	9
	F	6	—	—	—	—	—	—	—	2	4	16	—	—	—	—	—	—	—	5	11
18 Bronchitis	M	8	—	1	—	—	—	—	—	3	4	17	2	1	—	—	—	1	3	4	6
	F	10	—	—	—	—	—	—	—	3	7	18	2	—	—	—	—	—	—	3	13
19 Pneumonia (all forms)	M	22	4	3	—	—	—	3	3	7	2	31	5	2	1	1	—	4	9	6	3
	F	23	6	2	1	—	1	—	6	2	5	18	1	1	1	1	2	1	4	3	4
20 Other respiratory diseases	M	7	—	—	—	—	—	1	2	2	2	9	—	1	—	1	—	1	3	2	1
	F	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	3	1	—	2
21 Ulcer of stomach or duodenum	M	5	—	—	—	—	—	3	2	—	—	5	—	—	—	—	—	3	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—	—
22 Diarrhœa, &c.	M	4	2	—	1	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	1
	F	3	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	1	—	—	1	—	—	—	—	—	—	3	—	—	—	—	1	1	—	1	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	11	—	—	—	—	—	—	3	5	3	23	—	—	—	—	1	1	4	9	8
	F	11	—	—	—	—	—	1	1	3	6	15	—	—	—	—	—	1	3	5	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	2	2	—	—	—
28 Congenital debility and malformation, premature birth	M	19	18	—	—	—	1	—	—	—	—	24	23	—	—	1	—	—	—	—	—
	F	12	12	—	—	—	—	—	—	—	—	13	12	—	—	1	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	2	—	—	1	8	—	—	—	—	1	2	4	—	1
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	12	2	—	—	—	1	4	1	2	2	32	—	—	1	2	4	4	9	7	5
	F	3	1	—	1	—	—	—	—	1	—	9	1	—	—	1	—	1	1	1	4
31 Other defined diseases	M	39	1	—	—	1	—	6	9	11	11	80	8	2	—	4	1	4	19	19	23
	F	47	3	—	—	1	1	2	11	7	22	81	5	4	2	2	3	8	19	16	22
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **HERTS**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1568	120	20	29	38	67	160	439	337	358	704	42	8	9	16	32	66	168	178	185
	F	1636	74	19	23	43	49	159	384	346	539	663	33	9	6	11	12	57	133	147	255
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
4 Scarlet fever ..	M	4	—	—	2	1	—	—	1	—	—	3	—	1	—	2	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	1	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	14	5	5	2	2	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	16	6	2	6	2	—	—	—	—	—	5	—	4	1	—	—	—	—	—	—
6 Diphtheria ..	M	6	—	—	3	3	—	—	—	—	—	4	—	—	—	3	—	—	1	—	—
	F	6	—	—	2	4	—	—	—	—	—	4	—	—	1	2	—	1	—	—	—
7 Influenza	M	84	2	2	2	1	2	10	31	19	15	43	1	1	1	—	3	3	7	14	13
	F	113	1	2	2	3	—	12	32	28	33	34	1	—	1	—	—	1	2	12	17
8 Encephalitis lethargica ..	M	4	—	—	1	1	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	4	—	—	1	2	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
9 Meningococcal meningitis ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	82	—	—	—	1	9	43	24	5	—	28	—	—	—	—	4	14	10	—	—
	F	91	—	—	1	3	16	43	21	6	1	26	—	—	—	—	2	17	4	3	—
11 Other tuberculous diseases	M	22	3	2	3	2	7	1	2	1	1	8	1	—	—	1	3	2	1	—	—
	F	21	1	4	1	3	1	5	5	—	1	4	—	—	—	1	1	1	—	1	—
12 Cancer, malignant disease	M	161	—	—	—	1	1	6	72	50	31	90	—	—	—	—	1	4	31	37	17
	F	192	—	—	1	—	—	15	72	62	42	83	—	—	—	—	—	5	28	27	23
13 Rheumatic fever ..	M	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	1	—	1	1	—	1	3	—	—	—	2	—	—	1	—	—
14 Diabetes	M	16	—	—	—	—	—	2	3	6	5	6	—	—	—	1	1	—	2	1	1
	F	15	—	—	—	—	1	1	5	5	3	9	—	—	—	—	—	—	2	3	4
15 Cerebral hæmorrhage, &c. ..	M	81	—	—	—	—	—	2	21	22	36	36	—	—	—	—	—	1	7	11	17
	F	90	—	—	—	—	—	—	20	30	40	43	—	—	—	—	—	—	8	8	27
16 Heart disease ..	M	292	—	—	—	—	6	17	80	89	100	130	—	—	—	1	—	7	30	45	47
	F	365	—	—	—	4	3	15	78	95	170	157	—	—	—	—	1	4	38	38	76
17 Arterio-sclerosis ..	M	55	—	—	—	—	—	1	11	21	22	21	—	—	—	—	—	—	3	6	12
	F	65	—	—	—	—	—	—	11	17	37	23	—	—	—	—	—	—	7	4	12
18 Bronchitis ..	M	71	2	2	2	—	—	2	11	19	33	28	1	1	—	—	—	—	4	9	13
	F	90	4	1	—	—	—	1	6	20	58	32	—	—	—	—	—	—	2	6	24
19 Pneumonia (all forms)	M	96	11	4	3	3	6	14	34	13	8	47	7	2	2	—	3	3	12	9	9
	F	69	6	8	5	3	—	10	17	8	12	31	6	2	2	—	—	2	5	6	8
20 Other respiratory diseases	M	18	—	—	—	—	—	3	9	3	3	8	—	—	—	—	—	1	3	1	3
	F	13	1	—	—	—	1	2	5	2	2	1	—	—	—	—	—	1	—	—	—
21 Ulcer of stomach or duodenum ..	M	22	—	—	—	—	1	7	9	4	1	12	—	—	—	—	—	2	4	4	2
	F	8	—	—	—	—	1	—	2	3	2	4	—	—	—	—	—	1	1	1	1
22 Diarrhœa, &c. ..	M	17	13	1	1	—	—	—	1	1	—	6	3	1	—	—	—	2	—	—	—
	F	17	6	—	1	1	2	2	1	1	3	4	—	—	—	—	—	1	1	—	2
23 Appendicitis and typhlitis.. ..	M	15	—	—	—	2	3	4	5	—	1	8	—	—	—	1	2	4	1	—	—
	F	6	—	—	—	—	1	2	1	1	1	1	—	—	—	—	—	—	—	—	1
24 Cirrhosis of liver ..	M	10	—	—	—	—	—	3	6	1	—	7	—	—	—	—	—	—	4	—	3
	F	8	—	—	—	—	—	1	6	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	47	—	—	—	—	4	2	15	14	12	10	—	—	1	—	—	2	2	2	3
	F	45	—	—	1	—	4	4	11	11	14	21	—	—	—	2	—	4	4	5	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	3	6	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	3	7	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	69	68	—	1	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
	F	39	35	1	1	1	—	1	—	—	—	21	18	1	—	—	1	1	—	—	—
29 Suicide	M	20	—	—	—	—	—	6	13	1	—	5	—	—	—	—	—	1	3	1	—
	F	7	—	—	—	—	1	3	2	1	—	2	—	—	—	—	1	—	1	—	—
30 Other deaths from violence.. ..	M	79	—	—	2	3	17	19	20	12	6	45	1	—	2	2	8	13	13	4	2
	F	35	2	—	—	2	5	5	8	6	7	20	3	—	1	—	1	2	4	5	4
31 Other defined diseases	M	275	16	4	4	17	8	17	69	56	84	132	7	1	2	5	7	7	29	31	43
	F	292	11	1	1	13	6	22	77	49	112	120	3	2	—	3	2	12	24	26	48
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	5	1	—	—	—	—	—	1	3	—
	F	2	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—	2	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **HUNTINGDON**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	159	20	5	—	8	6	17	34	31	38	258	17	5	2	5	6	16	58	58	91
	F	188	14	1	6	1	4	26	36	39	61	212	8	2	2	2	7	13	40	48	90
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1		—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
7 Influenza	M	10	2	—	—	—	—	—	1	3	4	20	—	1	1	—	1	1	4	7	5
	F	12	—	—	—	1	—	2	—	3	6	9	1	—	—	—	—	—	2	—	6
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	6	—	—	—	—	2	3	1	—	—	11	—	—	—	—	4	3	4	—	—
	F	11	—	—	1	—	2	6	—	2	—	8	—	—	—	2	1	3	1	1	—
11 Other tuberculous diseases	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	21	—	—	—	—	1	—	7	7	6	39	—	—	—	—	—	1	12	14	12
	F	32	—	—	—	—	—	4	12	10	6	37	—	—	—	—	—	1	14	12	10
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	—	1	1	1	—	7	—	—	—	—	—	2	1	3	1
15 Cerebral hæmorrhage, &c. ..	M	3	—	—	—	—	—	—	1	1	1	12	—	—	—	—	—	—	2	2	8
	F	9	—	—	—	—	—	—	2	3	4	11	—	—	—	—	—	—	1	4	6
16 Heart disease ..	M	24	—	—	—	1	—	1	8	6	8	38	—	—	—	—	—	4	12	11	11
	F	26	—	—	—	—	—	1	7	6	12	36	—	—	—	—	1	1	9	11	14
17 Arterio-sclerosis ..	M	7	—	—	—	—	—	—	3	—	4	11	—	—	—	—	—	—	—	1	10
	F	4	—	—	—	—	—	—	—	2	2	14	—	—	—	—	—	—	3	5	6
18 Bronchitis ..	M	15	3	1	—	—	—	1	—	5	5	13	—	—	—	—	—	1	3	5	4
	F	13	—	—	—	—	—	—	—	5	8	13	—	—	—	—	—	—	—	1	12
19 Pneumonia (all forms)	M	11	1	3	—	1	—	—	4	1	1	17	5	1	1	1	—	2	2	2	3
	F	5	1	—	1	—	—	1	1	1	—	6	1	1	—	—	1	—	1	1	1
20 Other respiratory diseases	M	1	1	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	—	—	2	3
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c. ..	M	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	1	—	1	—	—	—	3	—	—	—	—	—	—	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	3	—	—	—	1	—	1	1	—	—	4	—	—	—	—	—	1	2	—	1
	F	5	—	—	—	—	—	—	3	2	—	7	—	—	—	—	—	1	2	2	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	8	8	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	1	—	—	1	—	5	—	—	—	—	—	—	2	—	3
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence.. ..	M	9	—	—	—	—	2	4	1	1	1	6	—	—	—	1	—	2	1	1	1
	F	3	—	—	—	—	1	—			—	5	—	1	1	—	—	—	—	1	2
31 Other defined diseases	M	29	3	—	—	3	—	5	6	4	8	59	1	3	—	1	1	1	8	12	32
	F	38	1	—	1	—	—	3	7	3	23	42	2	—	1	—	1	3	4	5	26
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of KENT—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	5148	448	106	100	153	209	520	1348	1126	1138	2125	167	38	31	72	84	191	457	513	572
	F	5274	340	78	94	128	174	449	1121	1131	1759	2018	124	31	35	65	56	183	402	447	675
1 Enteric fever ..	M	8	—	—	—	1	3	3	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	9	—	—	—	—	—	4	5	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	3	5	7	5	—	—	—	—	—	5	—	2	—	3	—	—	—	—	—
	F	24	2	3	9	8	1	—	—	—	1	8	—	4	2	2	—	—	—	—	—
4 Scarlet fever ..	M	6	—	—	4	1	1	—	—	—	—	3	—	—	—	3	—	—	—	—	—
	F	6	—	1	—	3	1	—	1	—	—	2	—	—	—	1	—	1	—	—	—
5 Whooping cough ..	M	44	24	10	7	2	1	—	—	—	—	13	5	5	3	—	—	—	—	—	—
	F	71	35	16	13	6	—	—	1	—	—	19	11	3	5	—	—	—	—	—	—
6 Diphtheria ..	M	48	1	4	14	22	5	1	1	—	—	20	1	2	5	11	—	—	1	—	—
	F	53	1	4	9	29	4	2	4	—	—	27	—	—	4	19	2	2	—	—	—
7 Influenza	M	205	3	—	3	5	12	31	59	38	54	111	5	1	—	3	4	19	28	19	32
	F	242	6	5	1	1	11	23	54	63	78	111	4	2	2	3	4	16	21	35	24
8 Encephalitis lethargica ..	M	8	—	—	—	3	1	2	1	1	—	1	—	—	1	—	—	—	—	—	—
	F	8	—	—	—	2	3	—	3	—	—	2	—	—	—	1	—	—	1	—	—
9 Meningococcal meningitis ..	M	16	4	—	1	5	4	2	—	—	—	4	1	—	—	2	1	—	—	—	—
	F	13	4	—	4	3	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	341	—	—	2	10	57	145	115	12	—	116	1	—	—	2	22	48	32	9	2
	F	242	1	—	1	7	74	100	44	11	4	89	—	—	1	2	22	42	17	4	1
11 Other tuberculous diseases	M	48	2	5	8	12	6	8	3	3	1	27	3	1	2	8	3	4	6	—	—
	F	57	8	5	8	12	8	4	9	1	2	20	2	4	—	5	1	4	3	1	—
12 Cancer, malignant disease	M	560	—	—	3	2	2	37	224	195	97	222	—	—	1	3	1	5	71	90	51
	F	695	1	—	1	—	3	68	265	194	163	289	—	—	—	2	1	21	114	86	65
13 Rheumatic fever ..	M	11	—	—	—	3	5	1	2	—	—	4	—	—	1	—	2	—	—	1	—
	F	8	—	—	—	4	2	—	2	—	—	9	—	—	—	3	—	3	3	—	—
14 Diabetes	M	39	—	—	—	1	1	5	13	12	7	13	—	—	—	—	—	3	4	3	3
	F	74	—	—	—	1	3	5	24	22	19	29	—	—	—	2	1	4	8	7	7
15 Cerebral hæmorrhage, &c. ..	M	214	1	—	—	—	—	4	59	80	70	98	—	—	—	—	—	2	17	32	47
	F	319	—	—	—	—	—	3	81	99	136	111	—	—	—	—	—	1	20	39	51
16 Heart disease ..	M	960	1	—	1	5	12	42	237	319	343	396	—	—	—	2	4	14	85	148	143
	F	1156	—	—	—	6	10	51	225	334	530	391	—	—	—	2	6	14	72	99	198
17 Arterio-sclerosis ..	M	197	—	—	—	—	—	1	40	69	87	121	—	—	—	—	—	—	18	46	57
	F	200	—	—	—	—	—	—	27	58	115	66	—	—	—	—	—	—	11	19	36
18 Bronchitis ..	M	294	22	9	4	—	—	10	47	75	127	118	5	3	—	—	—	1	10	29	70
	F	337	20	3	3	2	—	3	23	62	221	102	9	—	—	—	—	—	6	21	66
19 Pneumonia (all forms)	M	379	65	53	16	12	11	40	105	41	36	144	29	13	6	7	3	16	37	20	13
	F	272	48	24	22	7	4	20	49	41	57	123	14	10	6	2	4	14	21	29	23
20 Other respiratory diseases	M	61	—	—	1	2	2	8	22	12	14	21	—	1	—	1	1	3	10	3	2
	F	63	2	—	1	3	3	9	18	15	12	26	—	—	—	1	1	1	6	8	9
21 Ulcer of stomach or duodenum ..	M	83	—	—	—	—	—	20	47	11	5	17	—	—	—	—	—	5	6	3	3
	F	28	—	—	—	—	1	4	12	6	5	5	—	—	—	—	—	1	1	2	1
22 Diarrhœa, &c. ..	M	68	50	6	—	—	1	—	5	2	4	22	10	4	—	2	—	—	—	3	3
	F	62	44	3	2	2	1	3	2	2	3	20	5	—	3	1	—	3	1	1	6
23 Appendicitis and typhlitis.. ..	M	30	—	—	4	2	6	4	11	3	—	13	—	—	—	1	4	—	6	2	—
	F	26	—	—	1	5	2	9	5	4	—	11	—	—	—	3	1	1	3	1	2
24 Cirrhosis of liver ..	M	26	—	—	—	—	—	2	12	6	6	4	—	—	—	—	—	—	4	—	—
	F	12	—	—	—	—	1	1	5	5	—	7	—	—	—	—	—	1	1	2	3
25 Acute and chronic nephritis ..	M	156	1	1	—	2	—	11	46	53	42	58	—	—	1	1	—	4	13	20	19
	F	141	—	1	1	1	1	8	48	44	37	51	—	—	1	—	—	6	16	14	14
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	—	—	—	—	4	15	1	—	—	6	—	—	—	—	—	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	26	—	—	—	—	4	22	—	—	—	10	—	—	—	—	4	6	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	208	205	—	—	1	1	—	1	—	—	70	68	—	1	1	—	—	—	—	—
	F	120	111	1	3	2	2	—	1	—	—	64	64	—	—	—	—	—	—	—	—
29 Suicide	M	81	—	—	—	—	5	18	41	16	1	38	—	—	—	—	1	10	19	6	2
	F	33	—	—	—	—	2	10	20	1	—	7	—	—	—	—	—	4	2	1	—
30 Other deaths from violence.. ..	M	229	8	5	10	29	48	41	49	20	19	106	4	3	6	10	17	31	18	7	10
	F	111	7	3	7	5	10	6	19	21	33	42	4	2	4	6	4	3	6	7	6
31 Other defined diseases	M	799	58	8	14	28	25	84	201	156	225	358	35	3	4	12	20	25	72	72	115
	F	839	50	9	8	19	15	77	173	146	342	367	11	4	7	10	5	29	68	70	163
32 Causes ill-defined or unknown ..	M	8	—	—	1	—	—	—	5	2	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	2	1	3	—	1	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **LANCASTER**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	10891	1116	319	241	279	386	1175	3291	2500	1584	1666	147	32	31	42	58	172	443	398	343
	F	11290	802	235	238	241	400	1191	3014	2728	2441	1525	96	25	23	39	40	164	367	392	379
1 Enteric fever	M	6	—	—	—	—	1	3	1	1	—	1	—	—	—	—	—	—	1	—	—
	F	8	—	—	—	1	1	4	2	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	2	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	46	11	17	11	6	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	33	10	13	8	2	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
4 Scarlet fever	M	8	1	—	5	1	—	1	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	21	1	1	5	3	3	7	1	—	—	3	—	—	—	1	2	—	—	—	—
5 Whooping cough	M	124	56	44	18	6	—	—	—	—	—	10	6	1	3	—	—	—	—	—	—
	F	133	50	36	41	5	—	1	—	—	—	13	6	2	5	—	—	—	—	—	—
6 Diphtheria	M	47	3	5	16	22	—	—	—	1	—	4	—	—	2	2	—	—	—	—	—
	F	59	4	5	21	18	2	2	7	—	—	10	—	—	3	6	—	1	—	—	—
7 Influenza	M	733	21	21	7	9	27	127	284	144	93	105	3	1	—	2	3	15	33	32	16
	F	762	13	16	19	18	28	106	213	199	150	90	2	1	1	—	5	16	19	24	22
8 Encephalitis lethargica	M	43	—	—	1	4	10	9	17	2	—	7	—	—	1	—	—	4	2	—	—
	F	39	—	—	1	5	2	11	17	3	—	5	—	—	—	—	—	—	2	2	1
9 Meningococcal meningitis	M	7	1	1	1	1	1	1	1	—	—	4	1	2	—	1	—	—	—	—	—
	F	3	1	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
0 Tuberculosis of respiratory system	M	561	3	1	3	12	85	216	217	21	3	73	—	—	—	—	15	31	25	2	—
	F	414	—	—	1	9	140	187	61	15	1	54	—	—	—	—	10	33	10	1	—
1 Other tuberculous diseases	M	143	13	22	22	20	27	15	20	2	2	15	—	1	—	3	2	6	2	1	—
	F	108	5	4	8	28	20	22	18	2	1	13	—	—	1	4	2	3	3	—	—
2 Cancer, malignant disease	M	951	—	1	1	2	8	45	475	308	111	154	—	—	—	—	1	7	61	62	23
	F	1274	1	—	2	3	3	117	603	387	158	181	—	—	—	—	2	16	74	56	33
3 Rheumatic fever	M	20	—	—	—	8	2	6	4	—	—	1	—	—	—	1	—	—	—	—	—
	F	45	—	—	1	13	9	13	6	3	—	5	—	—	—	2	—	1	2	—	—
4 Diabetes	M	90	1	1	—	—	4	11	38	26	9	26	—	—	—	—	2	2	8	10	4
	F	164	—	—	1	2	7	14	66	55	19	24	—	—	—	2	1	2	8	11	—
5 Cerebral hæmorrhage, &c.	M	518	—	—	—	—	—	20	140	227	131	89	—	—	—	—	—	—	23	34	32
	F	655	—	—	—	—	1	13	207	238	196	92	—	—	—	—	—	3	24	39	26
6 Heart disease	M	1743	—	—	2	15	38	119	589	622	358	264	—	1	—	3	3	11	80	91	75
	F	2210	—	—	—	9	38	173	635	749	606	306	—	—	—	2	3	18	85	94	104
7 Arterio-sclerosis	M	527	—	—	—	—	—	3	115	237	172	74	—	—	—	—	—	—	14	27	33
	F	400	—	—	—	—	—	1	73	131	195	49	—	—	—	—	—	—	6	23	20
8 Bronchitis	M	795	101	18	9	5	4	42	190	224	202	110	15	1	1	1	—	6	20	33	33
	F	942	62	26	14	2	4	26	200	275	333	115	4	1	2	—	—	1	17	39	51
9 Pneumonia (all forms)	M	1118	214	129	82	43	43	165	284	116	42	152	24	14	11	7	5	21	35	25	10
	F	796	140	96	61	26	31	89	158	109	86	102	14	10	5	4	6	9	19	19	16
0 Other respiratory diseases	M	122	4	4	6	7	4	17	46	23	11	15	1	—	—	1	2	1	3	3	4
	F	114	6	1	5	3	7	13	27	24	28	20	1	1	1	—	—	2	4	7	4
1 Ulcer of stomach or duodenum	M	129	—	—	—	—	2	43	64	16	4	18	—	—	—	—	1	7	8	1	1
	F	34	1	—	—	—	1	7	14	10	1	9	—	—	—	—	—	3	3	1	2
2 Diarrhœa, &c.	M	118	75	10	6	2	2	3	6	8	6	9	5	1	1	—	—	—	1	—	1
	F	84	45	8	5	2	1	6	4	8	5	10	5	—	—	1	—	—	1	3	—
3 Appendicitis and typhlitis	M	53	—	—	2	6	11	16	14	3	1	23	—	1	2	3	3	7	5	1	1
	F	51	1	—	2	7	13	9	11	6	2	4	—	—	—	1	—	2	1	—	—
4 Cirrhosis of liver	M	34	—	—	—	1	—	3	16	13	1	4	—	—	—	—	—	—	3	—	1
	F	14	—	—	—	—	—	—	13	—	1	7	—	—	—	—	—	—	6		—
5 Acute and chronic nephritis	M	320	2	—	1	5	7	38	149	84	34	54	1	1	—	1	2	5	22	14	8
	F	389	3	2	2	10	15	48	174	96	39	52	1	1	—	—	—	5	16	19	10
6 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	31	—	—	—	—	7	24	—	—	—	10	—	—	—	—	—	10	—	—	—
7 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	76	—	—	—	—	12	61	3	—	—	8	—	—	—	—	1	7	—	—	—
8 Congenital debility and malformation, premature birth	M	465	453	1	3	4	4	—	—	—	—	69	67	1	—	1	—	—	—	—	—
	F	332	327	1	—	2	1	1	—	—	—	51	46	1	—	—	3	1	—	—	—
9 Suicide	M	149	—	—	—	—	2	32	87	28	—	17	—	—	—	—	1	2	9	2	3
	F	69	—	—	—	—	5	22	32	8	2	8	—	—	—	—	—	1	7	—	—
0 Other deaths from violence	M	430	13	10	15	52	60	100	120	36	24	97	—	2	7	7	10	28	29	10	4
	F	198	6	3	12	24	9	25	48	35	36	25	—	2	1	6	2	1	5	5	3
1 Other defined diseases	M	1565	144	32	30	48	44	137	399	352	379	266	24	5	3	8	8	18	56	50	94
	F	1821	125	23	28	48	40	189	414	372	582	252	16	5	3	9	3	29	52	48	87
2 Causes ill-defined or unknown	M	24	—	1	—	—		3	14	6	—	3	—	—	—	—	—	—	3	—	—
		10	1	—	—	—	—	—	7	2	—	2	—	—	—	—	—	—	2	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **LEICESTER**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts: All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts: All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	734	64	20	24	25	24	89	177	146	165	112	104	33	29	32	47	106	247	209	305
	F	707	50	20	13	22	34	68	159	160	181	1076	68	17	20	42	48	114	207	244	316
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	7	2	1	2	2	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	2	2	—	—	—	—
5 Whooping cough	M	8	1	5	2	—	—	—	—	—	—	7	3	3	—	1	—	—	—	—	—
	F	7	3	3	1	—	—	—	—	—	—	14	6	5	3	—	—	—	—	—	—
6 Diphtheria	M	4	1	—	1	2	—	—	—	—	—	9	—	2	5	2	—	—	—	—	—
	F	6	1	—	1	2	1	1	—	—	—	15	—	1	1	11	—	1	1	—	—
7 Influenza	M	38	—	2	3	2	1	5	12	6	7	65	—	4	2	3	1	4	16	15	20
	F	43	2	2	1	2	2	4	10	8	12	91	3	1	3	2	—	15	15	26	26
8 Encephalitis lethargica	M	3	—	—	—	—	—	2	1	—	—	3	—	1	—	1	—	—	1	—	—
	F	4	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	52	—	—	1	—	10	28	11	2	—	77	—	1	—	2	14	33	23	4	—
	F	49	—	—	—	1	18	18	10	1	1	61	—	1	—	—	25	26	7	2	—
11 Other tuberculous diseases	M	13	—	2	1	1	3	5	1	—	—	26	1	4	5	2	6	4	3	1	—
	F	4	—	1	2	—	1	—	—	—	—	12	1	1	—	5	1	4	—	—	—
12 Cancer, malignant disease	M	73	—	—	—	—	—	2	30	31	10	113	—	2	1	—	1	6	38	37	28
	F	79	—	—	—	—	1	3	34	23	18	141	—	—	—	—	—	11	54	43	33
13 Rheumatic fever	M	6	—	—	—	5	—	—	1	—	—	3	—	—	—	2	—	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
14 Diabetes	M	3	—	—	—	—	—	—	—	1	2	11	—	—	—	—	—	2	5	3	1
	F	10	—	—	—	—	—	—	4	6	—	15	—	—	—	—	—	4	5	2	4
15 Cerebral hæmorrhage, &c.	M	40	—	—	—	—	—	2	9	12	17	62	—	—	—	—	—	—	5	17	40
	F	40	—	—	—	—	—	—	8	16	16	85	—	—	—	—	—	2	17	32	34
16 Heart disease	M	122	—	—	—	2	3	8	40	37	32	177	—	—	—	3	—	7	49	39	79
	F	109	—	—	—	1	3	6	30	39	30	196	—	—	—	5	4	7	42	67	71
17 Arterio-sclerosis	M	13	—	—	—	—	—	1	3	5	4	51	—	—	—	—	—	—	9	18	24
	F	19	—	—	—	—	—	—	3	7	9	31	—	—	—	—	—	—	3	9	19
18 Bronchitis	M	48	5	1	1	—	—	1	6	10	24	47	7	1	1	—	1	—	5	8	24
	F	50	2	1	—	—	—	—	7	13	27	59	2	1	—	—	—	2	8	16	30
19 Pneumonia (all forms)	M	40	8	6	6	1	1	4	9	2	3	95	14	10	6	2	7	9	23	12	12
	F	33	5	8	1	1	—	3	5	3	7	51	10	6	4	3	—	3	9	9	7
20 Other respiratory diseases	M	13	—	1	4	—	—	—	4	1	3	13	—	—	—	—	—	3	3	4	3
	F	12	2	—	—	1	1	2	2	3	1	10	1	—	—	—	—	2	3	2	2
21 Ulcer of stomach or duodenum	M	9	—	—	—	—	1	3	4	1	—	11	—	—	—	—	—	2	6	2	1
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	2	3	—	—
22 Diarrhœa, &c.	M	5	4	1	—	—	—	—	—	—	—	8	5	—	1	—	—	1	—	—	1
	F	10	4	—	1	1	—	2	1	1	—	8	3	—	1	1	—	—	1	—	2
23 Appendicitis and typhlitis	M	9	—	—	1	1	1	4	2	—	—	4	—	—	—	—	2	1	1	—	—
	F	2	—	—	—	—	—	—	1	1	—	7	—	—	1	—	1	4	1	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	1	1	1	—	4	—	—	—	—	—	—	—	4	—
	F	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	12	—	—	—	1	—	2	3	2	4	17	—	—	—	—	—	4	1	9	3
	F	19	—	—	—	1	1	3	7	5	2	26	—	—	—	—	1	5	9	6	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	9	—	—	—	—	—	9	—	—	—
28 Congenital debility and malformation, premature birth	M	32	32	—	—	—	—	—	—	—	—	54	53	—	—	—	—	—	1	—	—
	F	27	25	—	—	1	—	1	—	—	—	34	34	—	—	—	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	—	2	6	2	—	14	—	—	—	—	1	6	6	1	—
	F	4	—	—	—	—	1	1	2	—	—	3	—	—	—	—	1	1	1	—	—
30 Other deaths from violence	M	38	3	—	4	5	3	11	3	2	7	55	1	3	1	5	6	11	19	6	3
	F	9	—	1	1	2	1	—	2	—	2	18	1	—	4	1	3	1	—	3	5
31 Other defined diseases	M	137	10	1	—	5	1	8	30	30	52	170	16	1	4	5	8	12	29	29	66
	F	153	6	3	4	8	3	11	29	33	56	170	7	1	2	12	6	11	27	26	78
32 Causes ill-defined or unknown	M	3	—	1	—	—	—	—	1	1	—	5	1	—	1	—	—	—	3	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **LINCOLN: PARTS OF HOLLAND**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	302	24	8	9	9	13	27	70	68	74	318	41	4	6	6	16	23	64	67	91
	F	259	21	2	5	10	16	27	40	43	95	291	24	2	5	4	12	20	65	57	102
1 Enteric fever ..	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	2	3	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	5	—	—	1	3	1	—	—	—	—	3	—	—	—	2	1	—	—	—	—
7 Influenza	M	26	3	4	2	—	—	1	7	4	5	25	7	1	2	—	—	2	3	3	7
	F	12	3	—	1	1	—	1	2	3	1	24	1	—	—	—	—	—	6	3	14
8 Encephalitis lethargica ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	14	—	—	—	—	4	3	5	2	—	11	—	—	—	—	4	3	3	1	—
	F	15	—	—	—	1	4	7	3	—	—	9	—	—	—	—	2	5	2	—	—
11 Other tuberculous diseases	M	5	1	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	1	1	—	—	—	—	3	—	—	1	—	1	—	1	—	—
12 Cancer, malignant disease	M	34	—	—	—	—	—	1	13	14	6	34	—	—	1	—	—	—	16	12	5
	F	30	—	—	—	—	—	7	10	9	4	44	—	—	—	—	—	1	18	18	7
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	5	—	—	—	—	1	—	2	—	2	3	—	—	—	—	—	1	—	2	—
	F	6	—	—	—	—	1	—	3	1	1	2	—	—	—	—	—	—	1	1	—
15 Cerebral hæmorrhage, &c. ..	M	17	—	—	—	—	—	—	3	9	5	19	—	—	—	—	—	—	6	6	7
	F	24	—	—	—	—	—	1	3	8	12	24	—	—	—	—	—	—	6	7	11
16 Heart disease ..	M	35	—	—	—	1	—	3	6	12	13	46	—	—	—	2	2	4	7	17	14
	F	34	—	—	—	1	2	3	6	8	14	43	—	—	—	1	1	3	7	11	20
17 Arterio-sclerosis ..	M	12	—	—	—	—	—	—	—	6	6	12	—	—	—	—	—	—	—	4	8
	F	3	—	—	—	—	—	—	—	—	3	7	—	—	—	—	—	—	1	2	4
18 Bronchitis ..	M	16	1	—	—	—	—	—	6	5	4	18	2	—	—	—	—	1	3	3	9
	F	7	1	—	—	—	—	—	1	1	4	12	2	—	—	—	—	—	1	3	6
19 Pneumonia (all forms)	M	16	1	1	—	—	—	2	3	4	5	15	5	2	1	—	—	1	3	2	1
	F	8	1	1	—	—	1	—	—	1	4	13	2	1	1	—	1	—	6	2	—
20 Other respiratory diseases	M	4	1	—	1	—	—	—	1	—	1	6	1	—	—	—	—	—	3	1	1
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	2	1
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	2	4	—	—	2	—	—	—	—	1	—	1	—	—
	F	3	—	—	—	—	—	1	—	2	—	2	1	—	—	—	—	1	—	—	—
22 Diarrhœa, &c. ..	M	6	2	3	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	5	3	—	—	—	—	1	—	—	1
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	3	1	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	—	1	2	—	5	7	—	—	—	—	—	—	1	3	3
	F	5	—	—	—	—	—	1	1	—	3	3	—	—	—	—	—	1	—	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	10	10	—	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
	F	12	12	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	1	1	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—	1
30 Other deaths from violence.. ..	M	17	—	—	2	2	3	7	3	—	—	12	1	—	—	—	4	1	4	—	2
	F	9	—	—	—	—	2	3	1	—	3	6	—	—	1	—	—	—	4	—	1
31 Other defined diseases	M	59	5	—	2	1	1	5	12	11	22	72	6	1	1	1	2	6	12	10	33
	F	75	4	1	—	3	1	2	10	9	45	57	2	—	1	—	1	2	9	6	36
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **LINCOLN: PARTS OF KESTEVEN**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75
All Causes	M	306	22	5	3	7	14	35	63	80	77	458	32	5	6	8	16	23	89	134	14
	F	292	16	4	3	8	11	23	65	66	96	445	40	9	4	6	10	33	85	101	15
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	2	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	12	—	—	—	—	—	2	5	1	4	23	1	1	—	—	1	—	7	8	5
	F	9	—	—	—	—	—	—	4	4	1	18	1	1	—	—	1	—	8	4	3
8 Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	19	—	—	—	—	4	7	7	1	—	13	—	—	—	—	5	6	2	—	—
	F	16	—	—	—	1	4	5	6	—	—	11	—	—	—	—	2	6	1	1	1
11 Other tuberculous diseases	M	4	—	—	1	1	—	2	—	—	—	2	—	1	—	—	—	—	1	—	—
	F	4	—	1	—	1	1	—	1	—	—	3	1	—	—	1	—	1	—	—	—
12 Cancer, malignant disease	M	32	—	—	—	—	—	4	9	18	1	60	—	—	—	—	—	2	19	22	17
	F	41	—	—	—	—	—	4	11	12	14	54	—	—	—	—	—	3	25	14	12
13 Rheumatic fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	—	—	1	—	3	—	—	—	1	—	2	—	—	—
14 Diabetes	M	5	—	—	—	—	—	1	1	3	—	5	—	—	—	1	—	1	1	2	—
	F	4	—	—	—	—	—	—	1	3	—	9	—	—	—	—	—	1	1	5	2
15 Cerebral hæmorrhage, &c.	M	20	—	—	—	—	—	1	5	7	7	29	—	—	—	—	—	—	4	12	13
	F	22	—	—	—	—	—	—	3	9	10	27	—	—	—	—	—	—	6	6	15
16 Heart disease	M	48	—	—	—	—	—	2	10	15	21	86	—	—	—	—	—	2	20	37	27
	F	63	—	—	—	1	3	3	14	15	27	115	—	—	—	—	2	4	17	37	55
17 Arterio-sclerosis	M	12	—	—	—	—	—	—	1	4	7	17	—	—	—	—	—	—	2	5	10
	F	10	—	—	—	—	—	—	2	2	6	11	—	—	—	—	—	—	2	—	9
18 Bronchitis	M	26	3	1	—	—	—	—	5	9	8	29	2	—	—	—	—	—	3	4	20
	F	19	—	1	—	—	—	—	1	4	13	34	1	1	—	—	—	—	1	8	23
19 Pneumonia (all forms)	M	21	5	3	—	—	—	4	5	—	4	32	7	—	3	1	1	3	4	10	3
	F	18	5	2	1	2	—	1	3	2	2	24	6	4	—	1	—	3	3	6	1
20 Other respiratory diseases	M	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	1	—	—	1	1
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	1	1	—	4	1	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1
	F	2	—	—	1	—	—	—	1	—	—	6	4	1	1	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	4	—	—	—	1	—	1	1	1	—	5	—	—	1	1	1	—	1	1	—
	F	2	—	—	—	—	—	—	—	2	—	3	—	—	1	—	—	1	1	—	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	2	2	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	M	7	—	—	—	—	1	1	1	3	1	17	—	—	—	—	—	—	2	9	6
	F	7	1	—	—	1	—	—	2	2	1	12	—	—	—	—	—	1	2	3	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth	M	8	8	—	—	—	—	—	—	—	—	15	13	—	—	—	1	—	1	—	—
	F	5	5	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	1	—	1	—	8	—	—	—	—	—	—	5	2	1
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	1	1	—
30 Other deaths from violence	M	18	1	—	—	2	7	2	2	4	—	17	—	—	—	1	3	5	4	2	2
	F	2	—	—	—	—	—	—	—	—	2	5	—	—	—	1	2	1	—	—	1
31 Other defined diseases	M	58	3	1	1	2	1	6	9	12	23	81	7	1	—	4	3	4	8	16	38
	F	54	4	—	—	1	1	5	13	10	20	78	6	1	1	2	2	6	15	16	29
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **LINCOLN: PARTS OF LINDSEY**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	816	79	15	19	21	30	90	212	175	175	880	79	18	19	14	26	81	151	210	282
	F	804	66	17	13	19	28	63	198	179	221	871	72	11	7	23	29	71	157	176	325
1 Enteric fever	M	1	—	—	—	1	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	1	—	—	—	—	—	—	4	1	1	1	—	1	—	—	—	—
	F	6	1	3	2	—	—	—	—	—	—	4	1	—	—	2	1	—	—	—	—
4 Scarlet fever	M	2	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
5 Whooping cough	M	7	4	1	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	10	3	3	2	2	—	—	—	—	—	6	5	1	—	—	—	—	—	—	—
6 Diphtheria	M	2	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
7 Influenza	M	55	2	4	1	3	—	5	20	9	11	60	—	1	2	1	1	7	12	12	24
	F	65	1	1	—	1	1	8	19	16	18	55	3	—	—	1	—	5	15	9	22
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
	F	4	—	—	—	1	—	1	2	—	—	4	—	—	—	—	1	1	2	—	—
9 Meningococcal meningitis	M	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	49	—	—	1	1	6	20	20	1	—	32	—	—	—	1	4	17	7	2	1
	F	40	—	1	—	3	17	11	7	1	—	48	—	—	1	3	15	16	11	2	—
11 Other tuberculous diseases	M	12	—	1	1	—	2	6	1	1	—	11	—	2	2	1	2	2	1	—	1
	F	9	1	1	—	—	1	2	3	1	—	10	2	—	1	2	1	4	—	—	—
12 Cancer, malignant disease	M	81	—	—	—	—	—	4	23	32	22	78	—	—	—	—	—	4	21	33	20
	F	112	—	—	1	2	—	6	48	27	28	105	—	—	—	—	—	9	34	34	28
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1
14 Diabetes	M	15	—	—	—	1	1	1	5	6	1	13	—	—	—	1	1	2	1	6	2
	F	13	—	—	—	—	1	—	3	6	3	19	—	—	—	—	1	3	7	4	4
15 Cerebral hæmorrhage, &c.	M	42	—	—	—	—	—	2	11	14	15	55	—	—	—	—	—	1	7	21	26
	F	41	—	—	—	—	—	—	12	13	16	63	—	—	—	—	—	1	10	23	29
16 Heart disease	M	117	—	—	—	1	1	5	36	43	31	153	—	—	—	1	3	7	28	48	66
	F	127	—	—	—	2	—	8	42	39	36	164	—	—	—	—	2	9	28	44	81
17 Arterio-sclerosis	M	32	—	—	—	—	—	—	10	10	12	30	—	—	—	—	—	—	4	13	13
	F	14	—	—	—	—	—	1	3	6	4	13	—	—	—	—	—	—	—	5	8
18 Bronchitis	M	36	5	—	—	—	—	2	7	8	14	38	5	1	—	—	—	—	4	11	17
	F	44	2	1	—	—	—	2	4	10	25	49	4	1	—	—	1	—	4	5	34
19 Pneumonia (all forms)	M	69	13	4	3	1	3	14	13	11	7	62	16	8	5	1	2	6	8	9	7
	F	51	12	6	5	2	1	2	3	9	11	45	6	6	1	3	2	5	4	7	11
20 Other respiratory diseases	M	11	—	—	—	—	—	2	7	2	—	5	—	1	—	—	—	—	1	1	2
	F	8	—	—	—	—	—	1	3	2	2	5	2	—	—	—	—	—	2	—	1
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	1	3	—	—	2	—	—	—	—	—	—	2	—	—
	F	4	1	—	—	—	—	1	2	—	—	4	—	—	—	—	1	—	1	1	1
22 Diarrhœa, &c.	M	5	3	—	—	—	—	—	1	—	1	4	3	—	—	—	—	—	—	—	1
	F	5	2	—	1	—	1	—	—	1	—	9	2	1	1	1	—	2	—	—	2
23 Appendicitis and typhlitis	M	10	—	—	—	—	1	6	2	1	—	3	—	—	1	—	—	1	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
	F	4	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	M	20	1	—	—	—	1	1	7	5	5	25	1	—	—	2	2	1	7	7	5
	F	21	—	—	—	—	—	—	9	10	2	28	1	—	—	2	—	—	8	6	11
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	5	—	—	—	—	3	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	39	38	—	—	—	—	1	—	—	—	36	36	—	—	—	—	—	—	—	—
	F	31	30	1	—	—	—	—	—	—	—	36	34	1	1	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	—	2	4	2	1	10	—	—	—	—	1	1	6	2	—
	F	6	—	—	—	—	1	2	3	—	—	2	—	—	—	—	—	1	—	1	—
30 Other deaths from violence	M	37	—	2	4	1	8	9	8	—	5	40	—	1	2	4	5	13	10	5	—
	F	13	1	—	—	1	2	2	2	2	3	11	1	—	1	1	—	1	—	5	2
31 Other defined diseases	M	150	11	2	5	9	6	7	31	29	50	205	15	2	5	2	4	15	28	37	97
	F	164	11	—	1	2	3	10	29	35	73	174	11	1	1	7	—	5	29	30	90
32 Causes ill-defined or unknown	M	3	1	—	—	—	—	—	1	1	—	2	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **MIDDLESEX***—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts: All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts: All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	7887	709	133	153	213	328	837	2283	1743	1488	378	30	7	8	14	14	40	111	79	7
	F	8071	542	148	124	178	304	879	1801	1664	2431	369	31	2	10	8	14	40	73	86	10
1 Enteric fever	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	1	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	12	—	1	2	6	2	1	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	5	—	—	—	3	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	88	34	27	24	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	116	53	34	24	5	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
6 Diphtheria	M	70	3	4	19	41	1	2	—	—	—	3	—	—	3	—	—	—	—	—	—
	F	62	2	7	13	37	2	—	1	—	—	7	1	1	3	2	—	—	—	—	—
7 Influenza	M	367	6	11	7	7	13	61	124	77	61	28	—	—	1	—	—	4	12	5	
	F	490	3	7	7	5	12	59	122	108	167	21	1	—	1	—	3	2	3	8	
8 Encephalitis lethargica	M	13	—	—	1	—	2	4	2	3	1	1	—	—	—	—	—	—	1	—	—
	F	21	—	—	—	—	4	6	5	4	2	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	16	7	2	1	1	3	2	—	—	—	2	1	—	—	—	—	1	—	—	—
	F	10	2	1	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	582	5	1	3	3	89	242	208	28	3	25	—	—	—	—	6	7	11	1	—
	F	435	1	1	2	8	137	189	83	12	2	16	—	—	—	1	6	5	4	—	—
11 Other tuberculous diseases	M	81	10	11	13	10	15	8	11	3	—	1	1	—	—	—	—	—	—	—	—
	F	72	5	8	10	14	10	13	7	3	2	3	—	—	1	—	—	1	1	—	—
12 Cancer, malignant disease	M	820	—	—	1	2	2	42	338	294	141	36	—	—	—	1	—	3	14	8	1
	F	1043	—	2	1	1	1	101	432	286	219	41	—	—	—	—	—	5	20	11	
13 Rheumatic fever	M	25	—	—	1	9	4	6	2	3	—	—	—	—	—	—	—	—	—	—	—
	F	25	—	—	3	6	8	4	4	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes	M	62	—	—	—	2	3	6	21	19	11	2	—	—	—	—	—	—	1	1	—
	F	89	—	—	—	2	1	9	26	35	16	6	—	—	—	—	1	1	1	2	
15 Cerebral hæmorrhage, &c.	M	288	—	—	—	—	—	8	95	92	93	13	—	—	—	—	—	—	5	6	
	F	373	—	—	1	—	—	15	91	104	162	15	—	—	—	—	—	1	2	7	
16 Heart disease	M	1447	1	—	—	5	16	63	420	472	470	72	—	—	—	—	—	4	23	23	2
	F	1785	—	1	—	14	27	121	349	485	788	76	—	—	—	—	—	5	11	28	3
17 Arterio-sclerosis	M	343	—	—	—	—	—	3	72	131	137	16	—	—	—	—	—	—	7	5	
	F	321	—	—	—	—	—	1	39	107	174	12	—	—	—	—	—	—	1	3	
18 Bronchitis	M	405	31	5	6	—	2	14	100	101	146	18	—	2	—	—	—	1	3	6	
	F	487	17	3	3	—	2	7	55	102	298	26	—	—	—	—	—	1	1	5	1
19 Pneumonia (all forms)	M	710	95	52	36	13	24	90	225	116	59	34	6	4	—	1	—	7	8	5	
	F	515	68	50	33	20	10	51	91	89	103	19	3	—	3	—	—	2	2	4	
20 Other respiratory diseases	M	113	3	2	—	—	3	13	52	25	15	9	—	—	1	—	—	—	6	1	
	F	88	1	3	1	1	1	14	23	20	24	4	—	—	—	—	—	—	3	—	
21 Ulcer of stomach or duodenum	M	104	—	—	—	—	1	25	62	11	5	4	—	—	—	—	—	1	2	—	
	F	38	—	—	—	1	2	3	15	13	4	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c.	M	98	73	5	—	4	2	3	3	4	4	5	3	—	—	—	—	—	—	—	
	F	95	58	7	2	1	—	4	11	4	8	2	1	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	54	1	2	4	6	7	11	18	4	1	2	—	—	—	—	—	—	1	1	—
	F	45	—	1	—	5	5	14	16	4	—	3	—	—	—	1	—	—	1	1	—
24 Cirrhosis of liver	M	32	—	—	—	—	—	—	23	6	3	3	—	—	—	—	1	—	2	—	—
	F	24	—	—	—	—	2	3	11	6	2	4	—	—	—	—	—	—	1	2	
25 Acute and chronic nephritis	M	229	1	1	—	—	6	26	85	67	43	11	—	—	—	—	—	1	2	4	
	F	194	—	—	—	5	9	27	71	47	35	6	—	—	—	—	—	—	1	3	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	—	—	—	—	4	21	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	45	—	—	—	—	7	38	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth	M	340	330	2	2	4	1	—	1	—	—	18	18	—	—	—	—	—	—	—	—
	F	241	231	1	3	—	2	2	2	—	—	16	15	—	—	—	—	1	—	—	—
29 Suicide	M	103	—	—	—	—	6	30	42	18	7	5	—	—	—	—	—	2	1	—	
	F	63	—	—	—	—	7	26	25	5	—	3	—	—	—	—	—	3	—	—	—
30 Other deaths from violence	M	366	7	2	14	51	75	66	71	44	36	21	—	1	—	4	6	4	4	2	—
	F	172	16	4	4	11	14	21	31	24	47	10	—	—	—	—	1	—	3	3	
31 Other defined diseases	M	1110	101	5	18	46	51	107	306	224	252	46	1	—	2	6	1	5	8	11	1
	F	1179	84	16	15	32	35	125	288	206	378	64	8	—	—	1	2	7	17	9	2
32 Causes ill-defined or unknown	M	4	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

* For the Administrative County of London, see p. 243.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **NORFOLK**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	453	32	10	8	17	15	38	101	100	132	1668	139	27	16	30	55	120	295	408	578
	F	450	24	8	7	12	7	33	80	100	179	1765	103	16	20	29	58	145	327	366	701
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	9	4	5	—	—	—	—	—	—	—
	F	6	2	1	3	—	—	—	—	—	—	16	8	5	3	—	—	—	—	—	—
6 Diphtheria	M	4	—	1	1	2	—	—	—	—	—	5	—	—	1	4	—	—	—	—	—
	F	7	—	—	2	5	—	—	—	—	—	5	1	—	1	3	—	—	—	—	—
7 Influenza	M	22	2	—	2	—	2	1	5	7	3	97	5	3	—	—	1	10	23	26	29
	F	26	1	1	—	—	—	3	3	4	14	117	1	1	4	—	4	12	18	33	44
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	—	2	1	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	30	—	—	1	2	3	13	10	1	—	75	—	—	—	1	10	32	26	6	—
	F	15	—	—	—	1	3	8	—	2	1	77	—	—	—	—	25	31	14	4	3
11 Other tuberculous diseases	M	8	1	3	1	2	1	—	—	—	—	15	1	1	2	1	4	2	3	1	—
	F	4	2	—	—	—	—	—	2	—	—	21	—	1	1	6	5	2	5	1	—
12 Cancer, malignant disease	M	58	—	—	—	—	1	1	24	23	9	197	—	—	1	1	1	6	61	76	51
	F	55	—	—	—	—	1	2	23	14	15	230	—	—	—	—	1	21	78	62	68
13 Rheumatic fever	M	3	—	—	—	2	1	—	—	—	—	3	—	—	—	2	—	1	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	3	—	—	—	1	—	—	1	1	—
14 Diabetes	M	5	—	—	—	—	—	—	3	—	2	24	—	—	—	1	1	1	4	11	6
	F	6	—	—	—	—	—	—	3	1	2	22	—	—	—	3	1	1	7	6	4
15 Cerebral hæmorrhage, &c.	M	27	—	—	—	—	—	1	4	8	14	72	—	—	—	—	—	1	10	28	33
	F	40	—	—	—	—	—	—	7	10	23	123	—	—	—	—	—	—	25	32	66
16 Heart disease	M	72	—	—	—	—	—	4	18	20	30	305	—	—	—	—	2	6	43	97	157
	F	85	—	—	—	2	—	3	13	31	36	310	—	—	—	—	—	12	42	83	173
17 Arterio-sclerosis	M	33	—	—	—	—	—	—	4	7	22	97	—	—	—	—	—	—	8	28	61
	F	26	—	—	—	—	—	—	—	6	20	100	—	—	—	—	—	2	15	17	66
18 Bronchitis	M	27	2	1	—	—	—	1	1	7	15	57	6	—	—	—	—	1	3	10	37
	F	36	1	—	1	—	—	—	5	7	22	93	6	—	1	—	1	1	6	16	62
19 Pneumonia (all forms)	M	22	8	4	3	—	—	—	3	2	2	93	18	7	4	1	1	10	18	15	19
	F	22	3	5	1	2	1	3	—	2	5	77	6	5	3	1	2	12	7	18	23
20 Other respiratory diseases	M	5	—	—	—	—	1	1	—	—	3	26	—	2	1	2	3	4	4	7	3
	F	4	—	—	—	—	—	—	3	1	—	11	—	—	—	—	—	1	3	1	6
21 Ulcer of stomach or duodenum	M	8	—	—	—	—	—	1	7	—	—	14	—	—	—	—	2	5	3	3	1
	F	2	—	—	—	—	—	—	—	1	1	9	—	—	—	—	—	1	6	2	—
22 Diarrhœa, &c.	M	1	1	—	—	—	—	—	—	—	—	6	3	—	—	—	—	—	1	1	1
	F	4	2	1	—	—	—	—	—	—	1	16	7	1	—	—	1	1	1	2	3
23 Appendicitis and typhlitis	M	3	—	—	—	—	1	1	—	—	1	14	—	—	2	1	1	2	2	6	—
	F	1	—	—	—	—	—	—	1	—	—	7	—	—	1	2	1	—	2	1	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	2	1	—
	F	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	—	—	2	2	—
25 Acute and chronic nephritis	M	15	—	—	—	—	—	—	3	4	8	43	1	—	—	—	2	2	13	14	11
	F	13	—	—	—	—	—	—	5	5	3	44	—	—	—	1	—	4	15	17	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth	M	10	10	—	—	—	—	—	—	—	—	72	68	2	—	1	1	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—	56	56	—	—	—	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	1	4	3	2	—	14	—	—	—	—	—	4	8	1	1
	F	1	—	—	—	—	—	1	—	—	—	13	—	—	—	—	—	8	5	—	—
30 Other deaths from violence	M	19	1	1	—	5	1	4	2	1	4	76	6	1	2	8	15	18	13	8	5
	F	8	—	—	—	—	—	1	1	1	5	33	—	—	2	2	1	5	7	7	9
31 Other defined diseases	M	63	5	—	—	3	3	6	12	15	19	334	27	6	3	7	10	14	40	64	163
	F	70	5	—	—	1	1	5	12	15	31	348	16	3	4	8	11	19	62	59	166
32 Causes ill-defined or unknown	M	2	1	—	—	—	—	—	—	1	—	13	—	—	—	—	1	—	7	5	—
	F	—	—	—	—	—	—	—	—	—	—	7	1	—	—	1	—	—	3	1	1

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **NORTHAMPTON**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	571	44	5	8	16	25	58	129	132	154	778	50	13	11	18	26	58	150	191	26
	F	583	36	5	3	8	40	52	132	141	166	717	41	4	11	9	20	55	135	164	27
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	—	1	—	—	—	—	—	—	6	1	1	2	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	1	1	1	1	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	1	2	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	4	4	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	—	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	4	—	1	2	1	—	—	—	—	—	4	—	—	3	1	—	—	—	—	—
7 Influenza	M	13	—	1	—	—	1	1	5	2	3	31	1	2	2	—	1	1	9	7	8
	F	40	—	—	—	—	2	3	16	5	14	32	—	—	2	1	1	5	3	5	1
8 Encephalitis lethargica ..	M	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	3	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	50	—	—	—	1	12	23	13	1	—	36	—	—	—	—	7	16	11	1	[illegible]
	F	49	—	—	—	2	21	14	11	1	—	24	—	—	—	—	8	11	3	2	—
11 Other tuberculous diseases	M	4	—	1	1	—	1	—	1	—	—	5	—	1	—	1	—	3	—	—	—
	F	4	—	—	—	—	1	1	—	1	1	7	3	—	1	—	2	—	1	—	—
12 Cancer, malignant disease	M	66	—	—	—	1	—	1	28	23	13	83	—	—	—	—	1	3	30	27	22
	F	83	—	1	—	—	1	5	32	26	18	93	—	—	—	—	1	3	29	33	27
13 Rheumatic fever ..	M	3	—	—	—	2	—	1	—	—	—	2	—	—	—	—	2	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	5	—	—	—	—	—	—	2	3	—	9	—	—	—	—	—	—	3	4	2
	F	7	—	—	—	—	—	—	3	2	2	8	—	—	—	—	—	1	5	1	1
15 Cerebral hæmorrhage, &c. ..	M	30	—	—	—	—	—	—	6	10	14	42	—	—	—	—	—	—	9	17	16
	F	43	—	—	—	—	—	—	7	15	21	49	—	—	—	—	—	1	10	17	21
16 Heart disease ..	M	110	—	—	—	1	—	5	18	43	43	147	—	—	—	—	—	3	22	56	66
	F	123	—	—	—	1	5	7	22	41	47	130	—	—	—	2	2	7	25	34	60
17 Arterio-sclerosis ..	M	33	—	—	—	—	—	—	6	6	21	36	—	—	—	—	—	—	3	14	19
	F	10	—	—	—	—	—	—	2	2	6	24	—	—	—	—	—	—	4	5	15
18 Bronchitis ..	M	16	—	—	—	—	—	—	2	6	8	58	6	1	—	—	—	—	5	14	32
	F	24	—	1	1	—	—	1	4	4	13	48	4	—	1	—	—	—	1	9	33
19 Pneumonia (all forms)	M	13	2	2	—	—	—	3	4	2	—	37	3	5	1	1	—	3	8	8	8
	F	20	5	2	—	1	1	4	—	5	2	27	4	3	—	1	1	4	5	4	5
20 Other respiratory diseases	M	9	—	—	—	—	—	—	4	2	3	8	—	—	—	1	1	—	3	—	3
	F	9	1	—	—	—	1	—	4	2	1	9	—	—	—	—	—	—	4	3	2
21 Ulcer of stomach or duodenum ..	M	14	—	—	—	—	1	5	6	2	—	13	—	—	—	—	1	2	7	3	—
	F	1	—	—	—	—	—	—	—	—	1	6	—	—	—	—	—	—	3	3	—
22 Diarrhœa, &c. ..	M	5	2	—	—	—	—	—	—	1	2	10	5	1	2	1	—	—	—	—	1
	F	4	1	—	—	1	—	—	—	1	1	3	2	—	1	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	6	—	—	—	2	—	—	4	—	—	3	—	—	—	—	—	1	1	1	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	2	2	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	1
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	14	—	—	—	—	1	2	2	5	4	20	—	—	—	2	2	4	3	3	6
	F	15	—	—	—	—	—	1	4	6	4	16	—	—	—	—	—	1	2	9	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	6	—	—	—	—	2	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	30	26	—	—	1	2	1	—	—	—	24	24	—	—	—	—	—	—	—	—
	F	24	23	—	—	—	1	—	—	—	—	19	19	—	—	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	—	4	1	2	2	12	—	—	—	—	—	2	7	3	—
	F	4	—	—	—	—	1	3	—	—	—	4	—	—	—	—	1	1	1	1	—
30 Other deaths from violence.. ..	M	23	—	1	2	—	4	7	5	1	3	31	2	1	—	3	8	6	6	2	3
	F	10	—	—	—	—	2	—	1	2	5	11	—	1	—	2	—	—	4	2	2
31 Other defined diseases	M	100	9	—	4	5	3	5	15	21	38	143	7	—	2	2	1	10	18	30	73
	F	88	2	—	—	1	1	5	23	26	30	178	7	—	1	—	1	12	31	33	93
32 Causes ill-defined or unknown ..	M	5	—	—	—	—	—	—	4	1	—	4	—	—	—	—	—	—	3	1	—
	F	2	—	—	—	—	—	—	1	1	—	3	1	—	—	—	—	1	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **NORTHUMBERLAND**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1935	251	67	74	74	99	197	464	382	327	611	49	12	8	21	24	75	137	127	158
	F	1885	222	65	72	74	104	212	425	343	368	578	35	8	12	22	20	47	125	142	167
1 Enteric fever	M	8	—	—	—	2	3	1	2	—	—	2	—	—	—	—	—	1	1	—	—
	F	9	—	—	—	1	3	3	2	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	19	5	8	6	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	23	5	5	12	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever	M	2	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
5 Whooping cough	M	46	19	17	9	1	—	—	—	—	—	8	5	3	—	—	—	—	—	—	—
	F	58	22	19	15	2	—	—	—	—	—	6	2	—	4	—	—	—	—	—	—
6 Diphtheria	M	3	1	—	—	1	—	1	—	—	—	4	—	1	—	2	1	—	—	—	—
	F	7	—	—	2	3	—	—	1	1	—	3	—	—	1	2	—	—	—	—	—
7 Influenza	M	76	3	2	4	4	4	7	22	17	13	27	—	—	—	—	2	5	6	6	8
	F	73	—	—	2	3	4	8	20	12	24	20	—	—	1	—	1	1	7	6	4
8 Encephalitis lethargica	M	8	1	—	2	1	—	—	3	1	—	1	—	—	—	—	1	—	—	—	—
	F	9	—	—	—	1	1	5	1	1	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	4	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	119	1	—	4	6	24	48	31	4	1	39	—	—	1	3	6	14	12	3	—
	F	119	—	—	2	10	40	50	16	—	1	24	—	—	1	1	4	10	2	5	1
11 Other tuberculous diseases	M	45	6	5	8	11	8	4	3	—	—	10	1	4	—	—	3	2	—	—	—
	F	42	2	5	6	9	9	4	6	1	—	11	—	—	1	1	2	3	2	1	1
12 Cancer, malignant disease	M	168	1	—	—	—	1	5	72	61	28	47	—	—	—	—	—	6	18	12	11
	F	209	—	—	—	2	1	21	101	61	23	75	—	—	—	—	1	3	27	26	18
13 Rheumatic fever	M	4	—	—	—	2	1	—	—	1	—	1	—	—	—	1	—	—	—	—	—
	F	4	—	—	—	2	—	1	1	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	11	—	—	—	—	—	—	2	5	4	5	—	—	—	1	1	—	—	2	1
	F	35	—	—	—	—	1	5	13	11	5	7	—	—	—	—	—	—	2	2	3
15 Cerebral hæmorrhage, &c.	M	113	—	—	1	—	—	1	24	40	47	31	—	—	—	—	—	1	5	13	12
	F	105	—	—	—	—	—	3	30	35	37	42	—	—	—	—	—	1	15	9	17
16 Heart disease	M	232	—	1	—	4	10	13	76	73	55	115	—	—	—	—	1	5	29	42	38
	F	280	—	—	—	1	14	26	82	77	80	109	—	—	—	2	1	9	24	34	39
17 Arterio-sclerosis	M	114	—	—	—	—	—	2	19	47	46	30	—	—	—	—	—	—	8	10	12
	F	63	—	—	—	—	—	—	11	28	24	15	—	—	—	—	—	—	4	6	5
18 Bronchitis	M	81	9	—	3	—	1	5	16	20	27	24	6	—	—	—	—	—	2	3	13
	F	86	14	3	1	—	—	1	17	22	28	22	3	—	—	—	—	1	4	3	11
19 Pneumonia (all forms)	M	172	37	26	14	7	9	18	34	17	10	32	2	2	—	1	1	9	8	5	4
	F	161	37	19	19	11	5	13	19	21	17	23	4	5	1	2	—	1	3	5	2
20 Other respiratory diseases	M	28	1	1	2	—	2	6	6	6	4	8	—	—	—	—	—	2	2	2	2
	F	19	—	—	3	—	—	5	3	4	4	7	—	—	—	—	—	1	—	3	3
21 Ulcer of stomach or duodenum	M	15	—	—	1	—	2	2	9	—	1	5	—	—	—	—	—	—	5	—	—
	F	7	—	—	—	—	—	1	4	1	1	2	—	—	—	—	—	—	1	1	—
22 Diarrhœa, &c.	M	47	31	3	6	1	1	—	2	1	2	8	2	—	3	—	—	—	3	—	—
	F	32	19	3	1	3	—	2	1	2	1	10	4	3	1	1	—	1	—	—	—
23 Appendicitis and typhlitis	M	8	—	—	1	3	—	1	1	1	1	4	—	—	1	1	1	1	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	—	1	—	—
24 Cirrhosis of liver	M	12	—	—	—	—	—	—	8	1	3	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	57	—	—	—	1	—	3	20	20	13	17	—	—	—	1	—	2	3	3	8
	F	76	1	2	—	2	2	11	26	17	15	27	—	—	—	—	1	4	6	11	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	2	6	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	—	2	13	—	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth	M	110	106	—	1	1	1	1	—	—	—	23	22	—	—	1	—	—	—	—	—
	F	94	90	3	1	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide	M	25	—	—	—	—	2	7	15	1	—	6	—	—	—	—	—	2	4	—	—
	F	8	—	—	—	—	1	3	3	1	—	3	—	—	—	—	—	—	1	1	1
30 Other deaths from violence	M	98	2	—	6	8	18	33	25	3	3	40	—	1	3	3	5	13	10	1	4
	F	37	3	—	3	6	6	3	6	2	8	13	2	—	—	6	2	—	1	1	1
31 Other defined diseases	M	297	27	4	6	18	11	35	69	58	69	117	11	—	—	6	2	12	17	24	45
	F	294	29	6	4	16	12	25	58	44	100	123	4	—	2	5	3	4	22	27	56
32 Causes ill-defined or unknown	M	13	—	—	—	—	—	3	5	5	—	3	—	—	—	—	—	—	3	—	—
	F	5	—	—	—	—	1	—	2	2	—	4	—	—	—	—	—	1	2	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **NOTTINGHAM**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1694	211	55	41	62	63	185	475	308	294	1012	132	28	36	32	52	90	209	210	223
	F	1463	149	45	49	49	69	165	307	295	335	926	82	11	24	28	36	109	169	221	246
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	—	2	1	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	4	1	1	2	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	4	1	—	2	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	5	—	—	2	1	—	2	—	—	—
5 Whooping cough ..	M	19	8	6	4	—	—	—	—	1	—	10	4	5	1	—	—	—	—	—	—
	F	14	4	6	4	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	9	—	1	3	5	—	—	—	—	—	7	—	—	5	2	—	—	—	—	—
	F	13	1	—	5	5	1	1	—	—	—	3	—	—	1	1	1	—	—	—	—
7 Influenza	M	106	10	4	1	3	4	16	36	15	17	62	9	2	1	2	1	5	21	8	1
	F	94	—	3	5	4	6	14	19	22	21	64	4	—	1	2	1	11	6	19	2
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	4	—	—	—	—	—	2	2	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	86	—	—	—	3	17	36	30	—	—	47	—	—	—	—	19	16	10	1	
	F	85	—	—	—	6	26	40	11	2	—	44	1	—	2	—	7	27	6	1	—
11 Other tuberculous diseases	M	31	2	7	6	6	5	3	2	—	—	12	1	3	2	1	1	4	—	—	—
	F	20	3	3	2	4	3	3	1	—	1	18	1	1	3	4	2	5	2	—	—
12 Cancer, malignant disease	M	154	—	—	—	—	1	15	74	49	15	83	—	—	—	—	—	2	37	31	1
	F	168	—	—	1	2	—	18	75	42	30	103	1	—	—	—	—	8	43	35	1
13 Rheumatic fever ..	M	3	—	—	—	2	—	1	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	3	—	—	—	1	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	10	—	—	—	—	1	1	4	3	1	10	—	—	—	—	2	1	3	4	—
	F	21	—	—	—	—	—	2	6	10	3	12	—	—	—	—	1	—	3	4	
15 Cerebral hæmorrhage, &c. ..	M	81	—	—	—	—	—	1	18	29	33	55	—	—	—	—	—	2	8	23	2
	F	99	—	—	—	—	—	3	23	37	36	53	—	—	—	—	—	2	6	27	1
16 Heart disease ..	M	229	—	—	—	5	6	17	77	75	49	136	—	—	1	4	1	6	30	55	3
	F	209	—	—	—	4	7	17	58	59	64	158	—	—	—	5	—	10	36	50	5
17 Arterio-sclerosis ..	M	60	—	—	—	—	—	—	11	28	21	42	—	—	—	—	—	1	5	18	1
	F	44	—	—	—	—	—	—	6	19	19	41	—	—	—	—	—	—	7	11	2
18 Bronchitis ..	M	148	19	4	3	1	1	5	41	24	50	59	8	1	2	—	—	1	9	8	3
	F	116	13	2	4	1	1	2	15	30	48	52	5	1	1	2	—	1	4	10	2
19 Pneumonia (all forms)	M	185	41	21	10	6	4	26	51	16	10	85	18	12	13	—	1	10	17	8	
	F	118	25	16	13	4	3	14	22	9	12	66	11	3	9	1	4	8	9	10	1
20 Other respiratory diseases	M	20	1	—	—	—	1	—	14	1	3	19	—	—	—	4	1	1	1	5	
	F	22	—	2	1	1	2	2	4	7	3	5	—	—	—	—	—	1	2	1	
21 Ulcer of stomach or duodenum ..	M	17	—	1	—	—	—	4	12	—	—	15	—	—	—	—	—	3	8	4	—
	F	8	—	—	—	—	—	1	5	1	1	4	—	—	—	—	1	1	1	1	—
22 Diarrhœa, &c. ..	M	16	13	1	1	—	—	1	—	—	—	16	12	—	2	1	—	—	1	—	—
	F	15	11	2	—	1	—	1	—	—	—	4	2	—	—	1	—	—	—	—	
23 Appendicitis and typhlitis.. ..	M	9	—	—	1	1	1	4	—	—	2	7	—	1	—	1	—	2	2	1	—
	F	10	—	—	1	—	2	4	2	1	—	3	—	—	—	—	1	—	2	—	—
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	—	3	3	—	3	—	—	—	—	—	—	3	—	—
	F	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	33	—	—	1	—	1	5	10	7	9	17	—	—	—	—	1	2	7	6	
	F	32	—	—	—	1	3	4	10	8	6	28	—	—	1	1	2	3	9	7	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	3	6	—	—	—	9	—	—	—	—	2	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	8	—	—	—	—	3	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	98	97	—	—	1	—	—	—	—	—	56	53	—	2	—	—	—	1	—	—
	F	67	66	—	—	—	1	—	—	—	—	40	40	—	—	—	—	—	—	—	—
29 Suicide	M	25	—	—	—	—	—	6	15	3	1	8	—	—	—	—	1	3	2	1	
	F	3	—	—	—	—	—	—	2	—	1	6	—	—	—	—	2	3	1	—	—
30 Other deaths from violence.. ..	M	93	4	2	4	16	13	25	23	2	4	69	3	1	2	5	15	19	16	7	
	F	35	1	3	4	4	4	3	5	5	6	21	2	2	2	3	1	1	2	4	
31 Other defined diseases	M	238	15	5	4	12	6	15	51	51	79	182	22	3	5	9	6	11	25	30	7
	F	230	24	6	7	6	6	21	37	40	83	166	12	3	—	5	7	14	28	39	5
32 Causes ill-defined or unknown ..	M	7	—	1	—	—	2	1	2	1	—	4	1	—	—	—	—	—	3	—	—
	F	6	—	1	—	1	—	—	2	2	—	4	—	—	—	1	—	—	1	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **OXFORD**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	293	19	5	8	5	15	31	57	85	68	624	48	11	10	14	17	42	128	168	186
	F	276	11	3	3	3	6	27	55	64	104	638	27	6	9	9	28	46	116	158	239
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	3	1	1	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	—	—	—	1	8	5	1	2	—	—	—	—	—	—
6 Diphtheria	M	2	—	—	1	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
7 Influenza	M	18	1	—	—	—	—	—	4	6	7	33	1	—	—	2	1	2	6	12	9
	F	24	1	—	—	—	—	3	3	5	12	38	—	—	—	—	1	2	8	11	16
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
9 Meningococcal meningitis	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	18	—	—	1	—	2	10	3	2	—	26	—	—	—	1	4	10	9	2	—
	F	14	—	—	—	—	3	5	5	1	—	33	—	1	—	1	13	10	5	3	—
11 Other tuberculous diseases	M	3	—	—	—	—	2	—	1	—	—	5	—	—	—	—	1	3	1	—	—
	F	3	—	—	1	—	—	1	1	—	—	5	1	—	—	1	1	1	—	—	1
12 Cancer, malignant disease	M	25	—	—	—	—	—	—	9	9	7	85	—	—	—	—	—	6	23	28	28
	F	42	—	—	—	—	—	3	14	14	11	74	—	—	—	—	2	4	23	26	19
13 Rheumatic fever	M	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	3	—	—	—	1	—	—	—	1	1	5	—	—	—	—	1	—	2	2	—
	F	1	—	—	—	—	—	—	—	—	1	8	—	—	—	—	—	—	4	2	2
15 Cerebral hæmorrhage, &c.	M	20	—	—	—	—	1	2	4	7	6	39	—	—	—	—	—	1	6	15	17
	F	18	—	—	—	—	—	—	3	8	7	44	—	—	—	—	—	—	10	13	21
16 Heart disease	M	56	—	—	—	—	—	2	12	26	16	115	—	—	—	—	—	1	28	45	41
	F	53	—	—	—	1	—	3	7	20	22	121	—	—	—	—	1	5	17	35	63
17 Arterio-sclerosis	M	9	—	—	—	—	—	—	—	5	4	22	—	—	—	—	—	—	3	7	12
	F	6	—	—	—	—	—	—	1	3	2	27	—	—	—	—	1	1	3	10	12
18 Bronchitis	M	22	2	2	—	—	—	—	3	5	10	46	5	2	—	—	—	1	6	8	24
	F	19	—	—	—	—	—	—	2	4	13	49	—	1	—	—	—	2	5	15	26
19 Pneumonia (all forms)	M	14	2	—	2	—	1	2	3	1	3	35	5	4	1	2	—	3	6	11	3
	F	10	3	1	1	—	—	2	2	1	—	26	5	2	2	—	—	4	4	5	4
20 Other respiratory diseases	M	6	—	—	—	—	—	1	2	2	1	17	—	—	—	—	2	2	3	7	3
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	1	1	—
22 Diarrhœa, &c.	M	2	2	—	—	—	—	—	—	—	—	6	2	2	1	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	—	—	1	4	1	—	1	—	1	—	—	1	—
23 Appendicitis and typhlitis	M	4	—	—	1	1	1	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	1
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	9	—	—	—	—	1	2	1	4	1	16	—	—	—	—	—	1	4	5	6
	F	8	—	—	—	—	—	1	6	1	—	19	—	—	—	—	—	1	3	7	8
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	8	8	—	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	15	14	—	1	—	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	—	3	2	—	—	7	—	—	—	—	—	1	4	2	—
	F	2	—	—	—	—	1	—	1	—	—	7	—	—	—	—	—	1	4	2	—
30 Other deaths from violence	M	15	1	—	1	—	1	3	4	5	—	33	—	—	5	4	5	5	7	3	4
	F	4	1	—	—	—	—	1	—	1	1	16	—	—	1	3	1	—	3	3	5
31 Other defined diseases	M	41	2	2	—	—	5	4	8	9	11	98	8	2	2	3	2	6	17	20	38
	F	61	4	1	1	1	2	5	9	6	32	123	1	—	—	3	6	9	21	22	61
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PETERBOROUGH, SOKE of—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75
All Causes ..	M	265	16	3	2	11	9	27	73	62	62	78	5	1	2	5	4	6	18	14	
	F	280	23	2	6	11	6	26	64	52	90	66	3	3	1	—	2	4	20	14	
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	5	—	—	—	—	—	2	2	1	—	5	—	—	—	1	—	—	3	—	—
	F	10	1	—	—	—	1	—	4	1	3	6	—	1	—	—	—	—	3	1	—
8 Encephalitis lethargica ..	M	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	10	—	—	—	—	2	3	5	—	—	4	1	—	—	—	—	2	1	—	—
	F	12	—	—	—	1	2	5	4	—	—	1	—	—	—	—	—	—	1	—	—
11 Other tuberculous diseases	M	5	1	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	37	—	—	—	—	—	2	15	11	9	11	—	—	—	—	—	—	4	3	—
	F	48	—	—	—	—	—	4	19	14	11	7	—	—	—	—	—	—	3	3	—
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	5	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—
15 Cerebral hæmorrhage, &c. ..	M	10	—	—	—	—	—	—	3	5	2	1	—	—	—	—	—	1	—	—	—
	F	17	—	—	—	—	—	—	2	3	12	3	—	—	—	—	—	—	—	2	—
16 Heart disease ..	M	38	—	—	—	1	—	—	11	12	14	12	—	—	—	—	—	—	3	3	—
	F	42	—	—	—	—	—	5	13	11	13	11	—	—	—	—	—	—	3	2	—
17 Arterio-sclerosis ..	M	7	—	—	—	—	—	—	2	2	3	4	—	—	—	—	—	—	—	2	—
	F	5	—	—	—	—	—	—	2	1	2	6	—	—	—	—	—	—	1	2	—
18 Bronchitis ..	M	15	1	—	—	—	—	—	4	5	5	6	2	—	—	—	—	—	—	1	—
	F	21	—	—	1	—	—	—	2	4	14	6	—	—	—	—	—	1	—	2	—
19 Pneumonia (all forms)	M	10	2	2	—	—	1	—	4	1	—	8	—	1	2	1	—	—	2	1	—
	F	14	1	2	2	—	—	2	1	4	2	3	—	1	1	—	—	—	1	—	—
20 Other respiratory diseases	M	3	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	10	—	—	1	—	1	—	2	4	2	3	—	—	—	—	—	—	1	1	—
	F	11	—	—	—	—	—	1	4	4	2	—	—	—	—	—	—	—	—	—	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	7	6	—	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	15	14	—	—	—	—	—	1	—	—	4	3	—	—	—	—	1	—	—	—
29 Suicide	M	6	—	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	16	1	1	—	2	1	5	1	3	2	3	—	—	—	—	2	—	1	—	—
	F	10	1	—	—	1	1	1	—	3	3	1	—	—	—	—	—	1	—	—	—
31 Other defined diseases	M	60	4	—	—	2	1	6	12	14	21	17	—	—	—	3	2	3	3	1	—
	F	55	6	—	—	4	—	5	8	5	27	13	—	1	—	—	1	—	5	2	—
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	2	—
	F	2	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **RUTLAND**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	28	1	—	—	2	—	—	7	7	11	107	10	—	—	2	2	4	25	33	31
	F	24	2	1	1	1	1	2	5	6	5	101	9	—	2	1	4	6	22	23	34
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	4	—	—	—	—	—	—	—	2	2	13	—	—	—	—	—	—	4	5	4
	F	4	1	—	—	—	—	—	1	2	—	9	—	—	—	—	—	4	1	2	2
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	1	—	3	1	—
11 Other tuberculous diseases	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
12 Cancer, malignant disease	M	6	—	—	—	—	—	—	1	2	3	12	—	—	—	—	—	1	4	6	1
	F	4	—	—	—	—	—	—	—	2	2	6	—	—	—	—	—	—	3	2	1
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	—	1
15 Cerebral hæmorrhage, &c.	M	1	—	—	—	—	—	—	—	—	1	7	—	—	—	—	—	—	1	3	3
	F	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	—	—	1	1	5
16 Heart disease	M	4	—	—	—	—	—	—	1	2	1	13	—	—	—	—	—	—	3	6	4
	F	3	—	—	—	—	—	—	1	1	1	23	—	—	—	—	—	—	6	7	10
17 Arterio-sclerosis	M	2	—	—	—	—	—	—	—	—	2	8	—	—	—	—	—	—	—	2	6
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	1	5
18 Bronchitis	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	2	1	3
	F	—	—	—	—	—	—	—	—	—	—	9	2	—	—	—	—	—	2	3	2
19 Pneumonia (all forms)	M	2	1	—	—	—	—	—	—	1	—	4	2	—	—	—	—	—	2	—	—
	F	2	—	1	—	—	1	—	—	—	—	6	—	—	1	—	1	—	2	—	2
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	1	—	1	3
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	—	—	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	3	—	—	—	2	—	—	1	—	—	4	—	—	—	—	1	1	1	1	—
	F	1	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	1
31 Other defined diseases	M	4	—	—	—	—	—	—	2	—	2	15	1	—	—	1	—	—	1	7	5
	F	5	1	—	—	1	—	—	2	—	1	13	1	—	—	—	—	1	2	5	4
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **SALOP**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	850	81	18	19	26	31	77	218	185	195	855	90	10	16	16	25	59	185	207	24
	F	822	50	10	12	19	29	67	182	187	266	827	49	9	13	18	18	82	157	189	29
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	—	1	—	1	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	6	5	—	1	—	—	—	—	—	—	6	3	2	1	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	6	1	—	3	2	—	—	—	—	—
6 Diphtheria ..	M	7	—	1	3	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	8	—	—	3	3	—	—	1	1	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	54	4	—	1	2	3	7	15	15	7	53	5	—	1	—	—	5	14	13	1
	F	68	2	—	—	1	1	2	22	18	22	59	—	—	—	1	—	10	10	20	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	7	—	—	1	1	1	—	3	1	—
	F	3	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	44	1	—	—	1	9	13	18	1	1	30	—	—	—	—	6	15	6	2	
	F	40	—	—	—	3	13	17	5	2	—	33	—	—	—	2	7	21	2	1	—
11 Other tuberculous diseases	M	10	—	1	3	3	1	2	—	—	—	8	—	—	1	3	1	2	—	1	—
	F	9	3	1	1	2	—	1	1	—	—	6	1	—	2	2	—	1	—	—	—
12 Cancer, malignant disease	M	98	—	—	—	1	—	2	46	30	19	88	—	—	—	—	—	1	32	38	1
	F	96	—	—	—	—	—	6	39	30	21	103	—	—	—	1	1	6	42	34	1
13 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	4	—	—	—	1	—	3	—	—	—
14 Diabetes	M	7	—	—	—	—	—	—	2	3	2	5	—	—	—	—	—	—	1	4	—
	F	9	—	—	—	—	1	—	2	3	3	7	—	—	—	—	—	—	1	6	—
15 Cerebral hæmorrhage, &c. ..	M	43	—	—	—	—	—	1	8	20	14	45	—	—	—	—	1	—	12	10	2
	F	56	—	—	—	—	—	3	11	17	25	68	—	—	—	—	—	2	14	22	3
16 Heart disease ..	M	153	—	—	—	2	1	14	36	51	49	152	—	—	—	1	—	2	36	58	5
	F	146	—	—	—	—	2	6	38	42	58	172	—	—	—	3	—	2	34	51	8
17 Arterio-sclerosis ..	M	27	—	—	—	—	—	—	3	10	14	45	—	—	—	—	—	—	6	9	3
	F	26	—	—	—	—	—	—	4	9	13	27	—	—	—	—	—	1	1	7	1
18 Bronchitis ..	M	40	2	2	—	—	—	—	6	12	18	45	2	2	1	—	—	—	4	8	2
	F	47	1	1	—	—	—	1	6	6	32	47	—	—	1	—	1	1	4	14	2
19 Pneumonia (all forms)	M	66	15	9	4	2	2	9	13	7	5	41	10	3	3	—	1	4	7	9	
	F	50	9	7	3	1	—	3	7	13	7	37	7	3	—	1	2	3	7	8	
20 Other respiratory diseases	M	6	—	1	—	—	1	—	2	2	—	9	—	—	—	—	—	1	2	4	
	F	8	—	—	—	—	1	1	1	2	3	7	—	—	—	—	—	1	1	1	
21 Ulcer of stomach or duodenum ..	M	10	—	—	—	—	1	2	4	1	2	7	—	—	—	—	—	1	4	1	
	F	5	—	—	—	—	1	1	3	—	—	2	—	—	—	—	—	—	1	—	
22 Diarrhœa, &c. ..	M	8	5	—	1	—	—	—	1	—	1	8	4	2	1	—	—	—	1	—	—
	F	8	3	—	1	—	1	1	1	—	1	3	—	1	1	—	—	—	—	1	—
23 Appendicitis and typhlitis.. ..	M	9	—	—	—	4	1	2	2	—	—	2	—	—	—	1	1	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	5	—	—	—	—	—	2	3	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	—	2	2	—
	F	4	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis ..	M	27	—	—	—	—	—	2	11	9	5	23	—	—	—	—	—	2	10	8	
	F	25	—	—	—	1	2	5	5	6	6	14	—	—	1	1	1	—	4	2	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	40	38	1	—	—	—	1	—	—	—	51	51	—	—	—	—	—	—	—	—
	F	21	20	—	1	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—	—
29 Suicide	M	11	—	—	—	—	—	2	6	—	3	7	—	—	—	—	—	1	2	4	—
	F	4	—	—	—	—	—	1	2	1	—	5	—	—	—	—	—	3	2	—	—
30 Other deaths from violence.. ..	M	37	2	—	3	5	6	9	9	1	2	48	—	—	4	4	9	9	12	5	
	F	15	—	1	1	2	—	3	3	2	3	19	—	2	2	—	1	4	3	3	
31 Other defined diseases	M	137	9	2	2	2	5	11	31	22	53	161	13	1	3	3	5	15	28	29	6
	F	156	10	—	—	2	4	10	26	32	72	154	8	2	2	3	4	12	26	19	78
32 Causes ill-defined or unknown ..	M	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	—	3	1	—
	F	3	1	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **SOMERSET**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1013	59	11	15	23	36	98	267	235	269	1479	97	20	18	28	44	101	368	397	406
	F	1227	49	6	7	19	37	81	252	286	490	1533	69	20	18	36	35	122	283	345	605
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	—	—	—	1	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	—	1	—	—	—	—	2	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	9	4	1	3	1	—	—	—	—	—	8	2	3	2	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	20	13	4	2	1	—	—	—	—	—
6 Diphtheria ..	M	11	—	—	1	9	1	—	—	—	—	7	1	—	3	3	—	—	—	—	—
	F	8	—	—	1	6	—	1	—	—	—	4	—	—	1	2	1	—	—	—	—
7 Influenza	M	38	—	2	1	—	1	7	11	7	9	62	2	1	—	2	6	2	14	20	15
	F	56	1	1	—	1	—	1	8	16	28	91	2	—	2	2	1	8	22	26	28
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	5	—	—	—	—	1	—	3	1	—
	F	4	—	—	—	—	2	1	1	—	—	4	—	—	—	—	1	1	2	—	—
9 Meningococcal meningitis ..	M	3	1	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	54	—	—	—	1	11	25	15	2	—	59	—	—	—	1	5	25	22	6	—
	F	57	1	—	—	2	16	24	11	3	—	71	—	—	—	2	13	34	13	8	1
11 Other tuberculous diseases	M	12	2	1	—	3	2	—	4	—	—	13	4	1	1	3	3	—	1	—	—
	F	12	—	2	1	2	—	1	6	—	—	12	—	—	—	2	2	5	3	—	—
12 Cancer, malignant disease	M	129	—	—	—	—	1	10	41	49	28	154	—	—	—	—	—	5	53	56	40
	F	160	—	—	—	—	—	9	58	44	49	209	—	—	—	—	1	14	79	52	63
13 Rheumatic fever ..	M	4	—	—	—	1	1	2	—	—	—	3	—	—	—	1	1	1	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	18	—	—	—	—	—	—	6	7	5	19	—	—	—	—	1	—	2	14	2
	F	20	—	—	—	—	1	3	7	6	3	25	—	—	—	—	1	1	6	13	4
15 Cerebral hæmorrhage, &c. ..	M	48	—	—	—	—	—	—	16	15	17	82	—	—	—	—	1	—	19	26	36
	F	78	—	—	1	1	1	1	14	22	38	122	—	—	—	—	—	—	26	38	58
16 Heart disease ..	M	182	—	—	—	—	2	5	47	64	64	288	—	—	—	1	1	6	72	110	98
	F	278	—	—	—	1	3	9	50	80	135	307	—	—	—	3	1	7	41	102	153
17 Arterio-sclerosis ..	M	55	—	—	—	—	—	—	14	19	22	66	—	—	—	—	—	—	14	25	27
	F	57	—	—	—	—	—	—	7	20	30	40	—	—	—	—	—	1	8	9	22
18 Bronchitis ..	M	34	—	—	—	—	—	4	2	10	18	80	4	2	1	—	—	2	11	24	36
	F	66	4	1	—	—	—	1	3	16	41	86	5	2	—	—	—	1	3	12	63
19 Pneumonia (all forms)	M	51	6	4	3	1	2	5	17	7	6	96	14	4	4	2	5	14	19	19	15
	F	33	5	—	1	—	1	4	5	7	10	59	10	4	2	5	2	4	9	8	15
20 Other respiratory diseases	M	15	—	—	—	—	—	1	4	—	10	21	1	—	—	1	—	2	8	3	6
	F	17	—	—	—	—	1	1	5	5	5	9	—	—	—	1	—	2	3	1	2
21 Ulcer of stomach or duodenum ..	M	13	—	—	—	—	1	4	6	2	—	20	—	—	—	—	—	4	12	4	—
	F	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	—	1	2	2	—
22 Diarrhœa, &c. ..	M	7	3	—	1	—	1	—	—	—	2	12	4	4	2	—	—	—	—	2	—
	F	7	1	—	—	—	1	1	2	1	1	5	1	—	1	—	—	—	—	2	1
23 Appendicitis and typhlitis.. ..	M	7	—	—	2	—	—	4	—	1	—	10	—	—	—	2	2	4	2	—	—
	F	5	—	—	—	—	1	1	2	—	1	11	—	—	—	4	2	1	2	1	1
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	—	1	3	—	—	—	—	—	—	3	—	—
	F	7	—	—	—	—	—	—	1	4	2	4	—	—	—	—	—	1	—	1	2
25 Acute and chronic nephritis ..	M	42	—	—	—	—	—	3	15	16	8	68	—	—	—	—	—	3	26	23	16
	F	39	—	—	—	—	2	2	13	10	12	37	—	—	—	—	—	3	12	14	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	32	28	2	—	—	1	1	—	—	—	51	50	—	—	1	—	—	—	—	—
	F	27	27	—	—	—	—	—	—	—	—	31	30	1	—	—	—	—	—	—	—
29 Suicide	M	13	—	—	—	—	1	2	7	1	2	19	—	—	—	—	2	6	8	2	1
	F	6	—	—	—	—	—	2	4	—	—	8	—	—	—	—	1	2	5	—	—
30 Other deaths from violence.. ..	M	43	1	1	2	4	8	10	8	4	5	58	2	1	1	4	11	16	15	5	3
	F	22	1	—	1	1	—	—	3	8	8	25	—	3	3	4	2	1	3	1	8
31 Other defined diseases	M	182	12	—	2	2	—	15	49	30	72	267	11	3	3	6	4	10	62	57	111
	F	250	8	2	2	5	6	11	46	43	127	327	8	5	6	8	4	24	43	53	176
32 Causes ill-defined or unknown ..	M	5	2	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOUTHAMPTON—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1186	121	25	33	24	39	96	290	263	295	1644	122	38	22	30	42	137	375	431	447
	F	1212	90	27	24	31	44	108	247	260	381	1446	91	19	23	39	40	119	300	316	499
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	1	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	4	—	3	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	10	4	5	1	—	—	—	—	—	—	12	6	5	1	—	—	—	—	—	—
	F	13	2	9	2	—	—	—	—	—	—	10	3	3	3	1	—	—	—	—	—
6 Diphtheria	M	7	1	1	3	1	—	—	—	1	—	8	—	—	3	2	1	2	—	—	—
	F	13	—	—	4	5	1	2	1	—	—	8	—	—	3	4	—	—	1	—	—
7 Influenza	M	50	—	1	5	2	1	5	12	13	11	94	2	2	1	1	1	10	19	28	30
	F	53	1	—	—	1	2	4	12	10	23	91	—	3	2	1	2	7	16	22	38
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	4	—	—	—	1	2	1	—	—	—	2	—	—	—	1	—	—	1	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—
10 Tuberculosis of respiratory system	M	64	1	—	—	—	12	31	17	2	1	75	—	1	—	1	7	43	20	3	—
	F	61	—	1	1	2	19	23	13	1	1	68	—	—	—	5	20	24	14	4	1
11 Other tuberculous diseases	M	21	2	2	9	2	3	3	—	—	—	18	2	2	4	5	—	3	2	—	—
	F	13	1	1	5	2	—	3	1	—	—	14	3	2	1	3	2	1	2	—	—
12 Cancer, malignant disease	M	121	—	—	1	1	1	6	49	39	24	157	—	—	1	1	1	7	51	56	40
	F	141	—	—	—	—	1	10	61	35	34	200	—	—	1	—	—	7	89	51	52
13 Rheumatic fever	M	3	—	—	—	1	1	—	1	—	—	4	—	—	—	—	1	1	1	1	—
	F	3	—	—	—	1	—	1	1	—	—	5	—	—	—	1	1	2	1	—	—
14 Diabetes	M	7	—	—	—	—	—	1	1	4	1	23	—	—	—	—	—	4	9	8	2
	F	11	—	—	1	—	—	1	5	2	2	13	—	—	—	—	—	2	2	6	3
15 Cerebral hæmorrhage, &c.	M	59	—	—	—	—	—	—	15	19	25	74	1	—	—	—	—	—	17	29	27
	F	74	—	—	—	—	—	1	13	25	35	74	—	—	—	—	1	1	18	23	31
16 Heart disease	M	223	—	—	—	—	1	10	68	70	74	328	—	—	—	—	3	10	69	120	126
	F	266	—	—	—	3	6	11	49	84	113	339	—	—	—	2	1	11	71	94	160
17 Arterio-sclerosis	M	46	—	—	—	—	—	1	10	15	20	84	—	—	—	—	—	—	13	35	36
	F	39	—	—	—	—	—	—	6	13	20	55	—	—	—	—	—	—	2	15	38
18 Bronchitis	M	53	3	1	1	1	—	1	11	11	24	84	4	—	—	—	—	1	7	29	43
	F	71	1	1	—	—	—	—	10	16	43	68	4	—	2	—	—	1	6	13	42
19 Pneumonia (all forms)	M	95	27	8	7	1	1	8	23	11	9	105	18	15	5	3	5	3	30	11	15
	F	67	15	7	3	3	2	10	15	7	5	62	11	3	6	2	3	7	7	15	8
20 Other respiratory diseases	M	22	1	—	—	—	—	1	5	8	7	20	—	—	—	1	1	3	7	4	4
	F	14	1	—	1	—	1	2	2	4	3	20	1	—	—	1	—	3	3	4	8
21 Ulcer of stomach or duodenum	M	10	—	—	—	—	—	1	7	1	1	13	—	—	—	—	—	5	4	4	—
	F	7	—	—	—	—	—	2	2	3	—	7	—	—	—	1	1	—	2	3	—
22 Diarrhœa, &c.	M	16	10	1	1	—	—	—	1	—	3	12	8	1	—	—	1	1	1	—	—
	F	11	8	—	1	—	—	1	—	1	—	7	4	1	1	—	—	—	—	1	—
23 Appendicitis and typhlitis	M	8	—	—	1	—	3	—	1	3	—	15	—	—	2	—	1	3	6	2	1
	F	9	—	—	—	—	—	3	4	—	2	5	—	—	—	1	2	—	1	1	—
24 Cirrhosis of liver	M	9	—	—	—	—	—	—	2	7	—	8	—	—	—	—	—	1	6	1	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—	—
25 Acute and chronic nephritis	M	38	—	—	—	—	—	1	10	13	14	72	—	—	1	—	3	4	17	27	20
	F	27	—	—	—	1	—	3	8	12	3	44	—	—	—	—	1	5	13	14	11
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	10	—	—	—	—	1	9	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	5	—	—	—	—	1	4	—	—	—
28 Congenital debility and malformation, premature birth	M	57	55	1	—	—	1	—	—	—	—	56	55	—	—	—	1	—	—	—	—
	F	52	51	—	—	—	1	—	—	—	—	43	41	1	—	—	—	1	—	—	—
29 Suicide	M	17	—	—	—	—	—	3	8	4	2	23	—	—	—	—	3	4	14	1	1
	F	5	—	—	—	—	—	2	2	1	—	6	—	—	—	—	—	2	3	1	—
30 Other deaths from violence	M	41	1	2	2	6	9	6	9	3	3	76	4	3	—	5	8	14	23	10	9
	F	17	3	1	2	2	1	1	2	3	2	39	4	4	1	6	2	2	5	5	10
31 Other defined diseases	M	201	13	2	2	9	6	17	39	37	76	273	21	8	4	9	5	16	58	59	93
	F	216	7	4	2	9	6	16	35	42	95	241	19	2	2	7	1	28	42	43	97
32 Causes ill-defined or unknown	M	3	1	—	—	—	—	—	—	2	—	4	1	—	—	—	—	—	—	3	—
	F	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **STAFFORD**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	—75	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	3482	472	169	116	108	163	386	844	701	523	1331	132	37	33	31	60	120	324	305	289
	F	3083	334	116	123	112	140	283	672	623	680	1210	105	27	37	30	33	113	268	253	344
1 Enteric fever	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	18	2	8	6	2	—	—	—	—	—	10	1	6	2	1	—	—	—	—	—
	F	23	3	8	9	3	—	—	—	—	—	17	2	4	10	1	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	53	21	17	11	4	—	—	—	—	—	10	6	3	1	—	—	—	—	—	—
	F	81	28	18	27	8	—	—	—	—	—	12	5	3	3	1	—	—	—	—	—
6 Diphtheria	M	20	—	2	11	6	—	1	—	—	—	5	1	—	2	2	—	—	—	—	—
	F	21	1	2	5	12	—	1	—	—	—	4	—	1	—	2	—	—	1	—	—
7 Influenza	M	202	13	7	6	1	8	42	64	36	25	98	1	4	5	2	4	8	35	21	18
	F	203	6	8	5	6	4	31	51	40	52	67	1	1	1	—	2	8	12	24	18
8 Encephalitis lethargica	M	4	—	—	—	1	2	1	—	—	—	5	—	—	—	1	1	1	2	—	—
	F	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	208	2	3	1	3	37	93	63	6	—	69	—	—	—	1	16	25	23	3	1
	F	171	—	—	1	9	65	67	26	3	—	44	—	—	—	—	11	22	9	1	1
11 Other tuberculous diseases	M	42	6	9	5	6	6	5	2	2	1	15	2	3	5	2	—	2	1	—	—
	F	33	4	1	3	8	7	5	4	1	—	10	1	3	1	2	1	1	—	1	—
12 Cancer, malignant disease	M	314	—	—	1	—	8	16	147	106	36	121	—	—	—	1	2	3	48	43	24
	F	306	—	—	—	1	—	31	122	101	51	158	—	—	1	1	—	10	68	44	34
13 Rheumatic fever	M	10	—	—	—	3	2	4	1	—	—	4	—	—	—	—	2	1	1	—	—
	F	3	—	—	—	1	1	—	1	—	—	2	—	—	—	—	—	1	1	—	—
14 Diabetes	M	20	—	—	—	2	—	3	8	5	2	11	—	—	—	1	1	—	3	3	3
	F	33	—	—	—	—	—	4	12	11	6	21	—	—	—	—	—	2	9	7	3
15 Cerebral hæmorrhage, &c.	M	141	—	—	—	—	1	2	45	63	30	55	—	—	—	—	—	1	16	23	15
	F	191	—	—	—	—	—	3	55	70	63	75	—	—	—	—	—	2	24	22	27
16 Heart disease	M	470	—	—	—	5	10	20	138	157	140	221	—	—	—	2	6	11	47	84	71
	F	537	—	—	1	9	13	25	162	158	169	220	—	—	—	3	2	11	46	67	91
17 Arterio-sclerosis	M	126	—	—	—	—	—	1	21	55	49	90	—	—	—	—	—	—	20	33	37
	F	87	—	—	—	—	—	1	12	30	44	56	—	—	—	—	—	1	11	13	31
18 Bronchitis	M	264	29	12	8	4	—	9	57	81	64	76	6	1	—	—	—	1	13	23	32
	F	219	26	6	1	4	—	5	27	72	78	63	6	1	2	1	—	—	8	16	29
19 Pneumonia (all forms)	M	464	124	81	35	10	18	65	81	37	13	105	25	11	7	3	2	16	23	12	6
	F	299	77	57	46	13	5	20	27	35	19	65	9	6	5	3	1	8	11	10	12
20 Other respiratory diseases	M	30	1	1	3	2	—	3	10	9	1	11	—	—	—	1	—	2	3	2	3
	F	25	1	1	2	1	2	2	3	2	11	13	1	1	2	—	—	2	4	2	1
21 Ulcer of stomach or duodenum	M	32	—	—	—	—	1	4	22	4	1	12	—	—	—	—	—	4	4	3	1
	F	10	1	—	—	—	—	2	4	2	1	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c.	M	52	36	5	3	3	—	—	1	2	2	10	7	1	1	1	—	—	—	—	—
	F	44	29	3	3	1	2	1	2	—	3	19	8	2	2	—	2	—	1	2	2
23 Appendicitis and typhlitis	M	26	—	—	1	8	8	2	4	3	—	6	—	—	1	1	2	1	1	—	—
	F	12	—	—	2	4	—	2	2	1	1	6	—	—	2	1	—	1	—	1	1
24 Cirrhosis of liver	M	10	—	—	—	—	—	—	8	2	—	7	—	—	—	—	—	—	4	3	—
	F	12	—	—	—	—	—	—	8	3	1	2	—	—	—	1	—	—	—	—	1
25 Acute and chronic nephritis	M	66	—	—	—	4	8	6	23	15	10	27	—	—	—	—	1	1	9	6	10
	F	82	1	—	3	2	3	6	43	13	11	26	—	—	1	—	1	4	11	4	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	2	7	—	—	—	8	—	—	—	—	1	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	30	—	—	—	—	—	30	—	—	—	12	—	—	—	—	3	9	—	—	—
28 Congenital debility and malformation, premature birth	M	175	172	1	—	2	—	—	—	—	—	69	68	—	1	—	—	—	—	—	—
	F	123	122	—	—	—	—	—	1	—	—	53	53	—	—	—	—	—	—	—	—
29 Suicide	M	31	—	—	—	—	3	8	16	3	1	22	—	—	—	—	1	9	10	2	—
	F	17	—	—	—	—	2	1	13	1	—	8	—	—	—	—	2	4	1	1	—
30 Other deaths from violence	M	158	4	7	13	21	27	43	31	7	5	90	2	5	4	4	19	17	23	7	9
	F	58	3	—	3	11	8	5	9	11	8	31	1	2	4	3	4	1	6	4	6
31 Other defined diseases	M	538	61	16	11	19	24	56	100	108	143	179	13	3	2	7	3	17	38	37	59
	F	442	32	8	9	17	25	33	87	69	162	213	18	2	3	10	3	19	43	33	82
32 Causes ill-defined or unknown	M	3	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	1	2	—	—	—	1	—	—	2	—	—	—	1	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **SUFFOLK, EAST**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	554	36	14	6	24	19	48	119	129	159	823	54	12	10	16	26	68	155	205	277
	F	547	32	9	12	7	16	31	121	117	202	777	38	5	11	21	16	69	144	175	298
1 Enteric fever	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough	M	2	1	1	—	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—
	F	7	5	2	—	—	—	—	—	—	—	4	—	1	3	—	—	—	—	—	—
6 Diphtheria	M	7	—	1	1	5	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—
	F	7	—	1	1	4	—	—	—	1	—	3	—	—	1	2	—	—	—	—	—
7 Influenza	M	23	1	1	1	1	1	4	2	3	9	42	—	2	2	—	2	5	12	6	13
	F	41	1	—	1	—	1	2	10	7	19	39	—	—	—	2	—	—	7	8	22
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	40	—	1	—	—	7	19	13	—	—	41	—	1	—	—	8	18	11	2	1
	F	18	—	1	—	—	6	5	3	2	1	30	—	—	—	1	4	15	6	3	1
11 Other tuberculous diseases	M	11	—	2	—	3	3	2	1	—	—	12	—	3	—	3	2	3	—	1	—
	F	9	1	1	3	1	1	2	—	—	—	11	—	—	1	3	2	4	1	—	—
12 Cancer, malignant disease	M	57	—	—	—	1	—	1	20	23	12	97	—	—	—	—	2	3	31	33	28
	F	72	—	—	—	—	—	3	39	19	11	100	—	—	—	—	—	2	35	37	26
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	7	—	—	—	—	—	—	2	4	1	13	—	—	—	1	—	6	2	2	2
	F	6	—	—	—	—	1	1	—	4	—	8	—	—	—	—	—	—	—	5	3
15 Cerebral hæmorrhage, &c.	M	27	—	—	—	—	—	1	7	8	11	45	—	—	—	—	—	1	7	11	26
	F	40	—	—	—	—	—	2	6	11	21	71	—	—	—	1	—	1	16	16	37
16 Heart disease	M	124	—	—	—	1	—	4	31	39	49	151	—	—	—	—	2	5	27	51	66
	F	97	—	—	—	—	1	5	15	25	51	143	—	—	—	1	1	6	25	37	73
17 Arterio-sclerosis	M	21	—	—	—	—	—	—	3	7	11	24	—	—	—	—	—	—	—	10	14
	F	20	—	—	—	—	—	—	2	5	13	26	—	—	—	—	—	—	1	9	16
18 Bronchitis	M	29	2	—	—	—	—	1	6	7	13	64	3	—	2	—	1	1	5	14	38
	F	29	—	—	—	—	—	—	2	9	18	59	3	1	1	—	—	1	5	10	38
19 Pneumonia (all forms)	M	30	6	6	1	1	—	3	4	5	4	43	7	3	—	—	—	2	10	13	8
	F	29	5	2	1	1	—	2	7	5	6	43	5	2	1	1	1	7	13	7	6
20 Other respiratory diseases	M	9	—	—		1	—	2	3	—	3	7	—	—	—	1	—	1	2	2	1
	F	9	—	—	1	—	—	—	3	4	1	10	—	—	—	—	—	1	3	4	2
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	1	1	—	—	7	—	—	—	—	—	—	4	3	—
	F	3	—	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	3	1	1	—	—	—	—	—	—	1	3	—	—	1	—	—	1	—	—	1
	F	2	—	—	—	—	—	—	1	—	1	5	3	—	—	—	—	—	—	1	1
23 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	—	1	—	6	—	—	1	—	—	1	1	3	—
	F	3	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	13	—	—	—	—	—	1	4	5	3	16	—	—	—	—	—	1	4	4	7
	F	17	—	—	—	—	—	1	7	5	4	24	—	—	—	1	—	2	3	11	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	10	—	—	—	—	—	10	—	—	—
28 Congenital debility and malformation, premature birth	M	18	18	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
	F	19	15	1	2	—	1	—	—	—	—	23	22	—	—	1	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	—	1	5	1	1	11	—	—	—	—	1	—	6	3	1
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	4	2	—	—
30 Other deaths from violence	M	17	—	1	—	3	3	4	2	3	1	40	1	1	—	6	6	7	6	6	7
	F	7	—	—	2	—	—	—	2	—	3	16	—	1	2	2	3	—	—	1	7
31 Other defined diseases	M	100	7	—	3	6	5	4	14	21	40	154	10	1	1	2	1	13	24	38	64
	F	106	5	1	1	1	3	6	18	18	53	136	5	—	2	5	5	10	24	26	59
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	1	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **SUFFOLK, WEST**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	282	16	3	6	2	4	27	76	69	79	496	33	2	3	12	10	45	112	106	173
	F	312	9	5	—	4	11	22	71	67	123	464	22	4	7	7	11	43	74	101	195
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	3	—	3	—	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	25	—	—	1	—	—	3	6	5	10	25	—	—	—	—	1	3	5	6	10
	F	23	1	—	—	—	2	2	9	5	4	33	1	—	—	—	—	—	9	10	13
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	18	—	—	—	—	1	11	4	1	1	21	—	—	—	—	2	12	6	1	—
	F	12	—	—	—	—	5	3	4	—	—	30	—	—	—	1	8	17	3	1	—
11 Other tuberculous diseases	M	3	—	—	—	1	—	1	1	—	—	4	1	—	—	1	—	1	1	—	—
	F	2	—	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—	—
12 Cancer, malignant disease	M	26	—	—	—	—	—	—	13	11	2	57	1	—	—	—	—	4	23	16	13
	F	41	—	—	—	—	—	3	23	8	7	63	—	—	—	—	—	5	20	25	13
13 Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	1	—	1	—	4	—	—	—	—	—	—	—	3	1
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	1	—	—	1	2	—
15 Cerebral hæmorrhage, &c. ..	M	11	—	—	—	—	—	—	2	4	5	23	—	—	—	—	—	—	5	6	12
	F	14	—	—	—	—	—	—	4	7	3	35	—	—	—	—	—	3	9	6	17
16 Heart disease ..	M	53	—	—	—	—	1	2	11	18	21	106	—	—	—	—	—	7	18	28	53
	F	80	—	—	—	—	1	3	13	25	38	109	—	—	—	—	—	3	13	25	68
17 Arterio-sclerosis ..	M	18	—	—	—	—	—	—	4	6	8	24	—	—	—	—	—	—	3	6	15
	F	20	—	—	—	—	—	—	2	4	14	17	—	—	—	—	—	—	—	2	15
18 Bronchitis ..	M	16	1	—	—	—	—	—	2	5	8	27	—	—	—	—	—	—	3	7	17
	F	21	—	—	—	—	—	—	—	3	18	27	—	—	—	—	—	—	1	8	18
19 Pneumonia (all forms)	M	11	3	1	—	—	1	1	2	1	2	18	1	—	—	—	1	3	8	1	4
	F	6	1	—	—	—	—	—	2	1	2	20	3	1	2	—	1	3	4	3	3
20 Other respiratory diseases	M	4	—	—	—	—	—	1	3	—	—	8	—	1	—	1	—	2	1	1	2
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	—	—	—	5
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	—	4	1	—	7	—	—	—	—	—	1	1	5	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	1	—	1
22 Diarrhœa, &c. ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	4	—	—	1	—	1	1	—	1	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	—	1	2	2
	F	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	6	—	—	—	—	—	1	3	2	—	14	—	—	—	—	—	—	5	4	5
	F	7	—	—	—	1	—	—	—	1	5	14	—	—	—	—	—	1	2	5	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	9	9	—	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	—	1	1	1	8	—	—	—	—	1	2		3	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. ..	M	11	1	—	1	1	—	2	3	1	2	16	1	—	—	2	3	2	5	1	2
	F	8	1	—	—	1	—	1	2	1	2	9	—	—	1	1	—	3	—	1	3
31 Other defined diseases	M	49	1	2	1	—	—	2	15	9	19	95	5	—	1	4	1	7	24	16	37
	F	54	1	2	—	1	1	3	8	8	30	66	2	1	1	1	1	3	11	13	33
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **SURREY**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	3881	285	49	49	109	139	377	1077	858	938	980	58	15	11	31	29	87	268	229	252
	F	4207	230	58	48	90	147	352	962	914	1406	938	52	7	13	23	20	87	205	209	322
1 Enteric fever ..	M	4	—	—	—	—	—	2	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	4	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	1	—	2	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	6	1	3	—	1	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
4 Scarlet fever ..	M	7	—	2	4	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	6	—	—	—	2	1	1	2	—	—	3	—	1	—	1	1	—	—	—	—
5 Whooping cough ..	M	26	14	6	4	2	—	—	—	—	—	5	4	1	—	—	—	—	—	—	—
	F	37	19	7	10	—	—	—	—	1	—	5	2	1	2	—	—	—	—	—	—
6 Diphtheria ..	M	28	1	—	4	23	—	—	—	—	—	8	—	—	2	5	—	1	—	—	—
	F	22	—	2	3	16	1	—	—	—	—	6	—	—	—	6	—	—	—	—	—
7 Influenza	M	217	5	3	4	4	7	17	62	51	64	64	1	2	—	2	2	4	18	21	14
	F	268	3	3	1	4	6	29	53	58	111	78	1	1	—	—	—	12	19	17	28
8 Encephalitis lethargica ..	M	5	1	—	—	—	—	3	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	6	—	—	—	—	1	1	4	—	—	3	—	—	—	—	—	1	2	—	—
9 Meningococcal meningitis ..	M	9	1	—	1	5	2	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	6	—	1	—	3	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	243	—	—	—	2	36	106	91	7	1	46	—	—	—	—	3	22	16	4	1
	F	163	—	—	—	4	56	65	31	6	1	35	—	—	—	—	3	19	12	—	1
11 Other tuberculous diseases	M	35	2	6	3	5	4	10	3	1	1	12	—	2	—	3	1	3	—	2	1
	F	46	5	8	9	6	2	8	5	1	2	8	1	—	3	2	1	1	—	—	—
12 Cancer, malignant disease	M	398	—	—	2	1	1	23	142	136	93	115	—	1	—	2	—	10	53	29	20
	F	591	—	—	1	1	1	54	256	168	110	132	—	—	—	—	—	7	50	45	30
13 Rheumatic fever ..	M	10	—	—	—	6	1	2	1	—	—	4	—	—	—	2	1	—	—	1	—
	F	16	—	—	1	8	1	4	2	—	—	4	—	—	—	2	1	—	1	—	—
14 Diabetes	M	40	—	—	1	1	4	4	8	16	6	9	—	—	—	—	—	—	2	3	4
	F	48	—	—	—	—	2	4	9	21	12	16	—	—	—	—	—	1	6	4	5
15 Cerebral hæmorrhage, &c. ..	M	171	—	—	—	1	—	6	47	54	63	45	—	—	—	—	—	1	19	7	18
	F	243	—	—	—	—	—	4	49	85	105	47	—	—	—	—	—	2	7	13	25
16 Heart disease ..	M	689	—	—	—	4	4	31	212	209	229	172	—	—	—	—	1	3	40	61	67
	F	802	—	—	—	11	13	31	168	241	338	185	—	—	—	1	2	6	39	49	88
17 Arterio-sclerosis ..	M	203	—	—	—	—	—	1	40	75	87	54	—	—	—	—	—	1	11	16	26
	F	187	—	—	—	—	—	1	24	48	114	44	—	—	—	—	—	—	8	10	26
18 Bronchitis ..	M	195	11	2	—	—	1	4	40	42	95	45	2	2	1	—	—	—	3	14	23
	F	230	5	1	—	—	1	—	19	46	158	43	4	—	1	—	1	—	4	10	23
19 Pneumonia (all forms)	M	308	44	23	11	7	8	31	95	50	39	62	5	3	—	—	2	7	25	11	9
	F	277	37	21	11	5	7	21	49	52	74	41	10	1	2	—	—	4	8	6	10
20 Other respiratory diseases	M	44	—	—	—	—	—	6	17	9	12	12	—	—	—	1	2	—	5	2	2
	F	56	1	—	1	1	1	4	13	6	29	13	—	—	—	—	—	2	—	6	5
21 Ulcer of stomach or duodenum ..	M	48	—	—	—	—	—	11	25	12	—	4	—	—	—	—	—	—	3	1	—
	F	21	—	—	—	1	—	1	14	2	3	5	—	—	—	—	—	1	—	2	2
22 Diarrhœa, &c. ..	M	28	23	—	—	—	—	1	2	1	1	8	4	1	—	—	—	1	1	1	—
	F	32	11	2	1	—	—	2	6	6	4	6	—	—	—	—	—	—	1	4	1
23 Appendicitis and typhlitis.. ..	M	35	—	1	—	6	8	4	12	3	1	8	—	—	—	2	1	1	3	1	—
	F	27	—	—	—	1	6	8	7	3	2	9	—	—	—	1	1	3	3	—	1
24 Cirrhosis of liver ..	M	21	—	—	—	—	—	1	13	7	—	7	—	—	—	—	—	—	3	3	1
	F	13	—	—	—	—	—	2	6	4	1	3	—	—	—	—	—	—	—	1	2
25 Acute and chronic nephritis ..	M	106	—	—	—	2	2	10	42	26	24	32	—	—	—	—	1	1	12	11	7
	F	115	—	—	—	3	3	10	45	28	26	23	—	—	—	—	1	4	7	5	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	—	3	13	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	3	11	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	135	132	—	—	1	1	1	—	—	—	33	33	—	—	—	—	—	—	—	—
	F	116	111	2	—	1	2	—	—	—	—	26	26	—	—	—	—	—	—	—	—
29 Suicide	M	68	—	—	—	—	6	20	32	8	2	14	—	—	—	—	1	3	5	4	1
	F	29	—	—	—	—	4	7	17	1	—	6	—	—	—	—	—	3	2	1	—
30 Other deaths from violence.. ..	M	177	7	—	5	17	39	29	42	15	23	43	—	—	—	5	10	14	10	2	2
	F	104	4	2	5	6	9	14	18	14	32	16	—	1	1	1	1	1	1	3	7
31 Other defined diseases	M	621	41	6	8	18	15	54	147	135	197	168	9	3	6	6	4	12	37	35	56
	F	703	31	6	5	16	20	54	164	123	284	168	7	1	3	8	5	14	35	33	62
32 Causes ill-defined or unknown ..	M	4	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	2	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **SUSSEX, EAST**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	890	51	8	11	20	14	74	233	209	270	878	55	9	11	12	22	83	207	193	286
	F	1079	36	6	12	8	21	74	238	283	401	856	31	7	10	13	29	61	192	188	325
1 Enteric fever	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	2	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	3	1	—	1	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria	M	3	—	—	1	2	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	2	1	—	—	—	—	—
7 Influenza	M	47	1	—	1	3	—	3	17	9	13	51	1	—	1	1	—	2	22	15	9
	F	57	—	1	2	1	1	2	10	17	23	54	—	—	1	—	—	3	7	20	23
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	—	2	1	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	39	—	—	—	1	1	16	17	3	1	44	—	—	—	1	5	21	10	5	2
	F	37	—	1	—	—	7	21	7	1	—	41	—	—	—	1	16	15	7	2	—
11 Other tuberculous diseases	M	12	—	2	3	1	2	2	2	—	—	10	1	2	1	1	—	1	2	2	—
	F	11	1	1	3	—	1	3	1	—	1	4	—	—	—	2	—	1	1	—	—
12 Cancer, malignant disease	M	102	1	—	—	—	—	3	42	31	25	95	—	—	—	—	1	8	23	35	28
	F	199	—	—	—	1	—	14	76	58	50	106	—	—	—	—	—	4	43	31	28
13 Rheumatic fever	M	3	—	—	—	2	1	—	—	—	—	2	—	—	—	—	2	—	—	—	—
	F	4	—	—	—	1	—	—	1	1	1	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	8	—	—	—	—	1	—	1	2	4	7	—	—	—	—	1	—	2	1	3
	F	17	—	—	—	1	—	—	4	6	6	13	—	—	—	—	—	3	3	4	3
15 Cerebral hæmorrhage, &c.	M	45	—	—	—	—	—	1	9	13	22	53	—	—	—	—	—	1	14	7	31
	F	71	—	—	—	—	—	1	14	24	32	65	—	—	—	—	—	1	9	15	40
16 Heart disease	M	178	—	—	—	3	—	5	41	60	69	169	—	—	—	—	—	4	36	55	74
	F	237	—	—	—	—	1	8	39	77	112	209	—	1	—	—	—	6	49	55	98
17 Arterio-sclerosis	M	42	—	—	—	—	—	—	4	7	31	32	—	—	—	—	—	—	4	9	19
	F	50	—	—	—	—	—	—	10	12	28	42	—	—	—	—	—	—	6	9	27
18 Bronchitis	M	36	3	—	—	—	—	2	5	10	16	63	4	1	1	—	—	2	5	12	38
	F	52	2	—	—	—	—	2	3	7	38	45	2	—	—	—	2	—	3	6	32
19 Pneumonia (all forms)	M	47	2	1	3	1	—	8	10	11	11	66	4	2	2	1	2	11	16	10	18
	F	53	5	1	3	1	2	2	12	15	12	42	3	1	3	1	1	3	10	11	9
20 Other respiratory diseases	M	16	2	—	—	—	1	1	4	3	5	11	—	—	—	—	1	—	7	2	1
	F	10	—	—	—	—	—	—	4	1	5	8	—	—	1	—	—	1	3	1	2
21 Ulcer of stomach or duodenum	M	15	—	—	—	—	—	1	9	5	—	9	—	—	—	—	—	1	5	2	1
	F	7	—	—	—	—	—	1	2	3	1	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c.	M	6	3	—	—	—	—	1	2	—	—	4	4	—	—	—	—	—	—	—	—
	F	8	1	—	—	—	—	—	2	2	3	4	1	—	—	—	1	—	—	1	1
23 Appendicitis and typhlitis	M	7	—	—	1	—	—	1	2	2	1	12	—	—	—	2	2	2	5	1	—
	F	8	—	—	—	—	1	3	1	2	1	8	—	1	1	—	3	—	3	—	—
24 Cirrhosis of liver	M	10	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	—	2	4	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	36	—	—	—	—	1	4	9	13	9	22	—	—	—	—	—	6	6	4	6
	F	17	—	—	—	—	2	—	4	8	3	17	—	—	—	—	—	2	7	4	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth	M	28	24	—	1	—	—	3	—	—	—	34	33	—	—	—	—	1	—	—	—
	F	23	21	—	—	—	1	—	1	—	—	19	19	—	—	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	—	3	4	—	2	12	—	—	—	—	3	4	3	2	—
	F	8	—	—	—	—	—	1	6	1	—	5	—	—	—	—	1	4	—	—	—
30 Other deaths from violence	M	32	2	2	—	3	4	2	12	2	5	39	—	—	6	1	4	11	11	4	2
	F	18	2	—	—	—	1	1	7	1	6	19	1	—	1	2	3	—	3	3	6
31 Other defined diseases	M	164	12	2	—	3	3	18	38	33	55	138	8	2	—	4	1	7	36	27	53
	F	172	3	2	2	1	2	10	32	42	78	136	4	1	1	4	2	13	34	25	52
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, WEST—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	704	31	2	7	11	18	57	179	179	220	602	45	5	3	16	16	48	135	145	189
	F	814	33	5	7	9	19	55	160	188	338	698	32	5	7	9	16	55	155	163	256
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	—	—	1	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6 Diphtheria	M	2	—	1	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza	M	29	—	—	—	1	1	3	11	5	8	33	4	—	—	1	2	2	8	6	10
	F	44	—	—	—	—	2	2	8	14	18	41	1	—	—	1	—	4	7	11	17
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	32	—	—	—	1	2	18	6	5	—	28	—	—	—	1	1	17	7	2	—
	F	29	—	—	—	2	6	14	6	1	—	25	—	—	1	—	6	8	7	2	1
11 Other tuberculous diseases	M	6	—	1	—	1	—	1	2	1	—	2	—	1	—	—	—	1	—	—	—
	F	5	—	2	—	—	1	1	—	—	1	7	1	2	—	—	—	4	—	—	—
12 Cancer, malignant disease	M	93	—	—	1	—	—	3	34	37	18	77	—	—	—	—	1	2	21	32	21
	F	120	—	—	—	—	—	7	43	34	36	90	—	—	—	—	1	3	43	33	10
13 Rheumatic fever	M	5	—	—	1	2	—	—	2	—	—	2	—	—	—	2	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	—	1	2	1	4	—	—	—	—	1	—	1	—	2
	F	10	—	—	—	—	—	1	4	1	4	7	—	—	—	—	—	—	3	3	1
15 Cerebral hæmorrhage, &c.	M	46	—	—	—	—	1	—	11	14	20	31	—	—	—	—	—	2	11	9	9
	F	60	—	—	—	—	—	1	13	13	33	47	—	—	—	—	—	2	13	16	16
16 Heart disease	M	141	—	—	—	—	1	3	23	41	73	115	—	—	—	—	1	4	27	33	50
	F	192	—	—	—	1	4	4	28	49	106	151	—	—	—	—	—	5	24	44	78
17 Arterio-sclerosis	M	27	—	—	—	—	—	1	8	7	11	31	—	—	—	—	—	—	3	5	23
	F	43	—	—	—	—	—	—	3	13	27	34	—	—	—	—	—	—	4	10	20
18 Bronchitis	M	36	2	—	1	—	—	—	5	11	17	34	1	2	—	—	—	1	5	12	13
	F	47	6	—	—	—	—	2	3	10	26	34	1	—	—	—	—	—	3	8	22
19 Pneumonia (all forms)	M	34	5	—	1	1	—	6	8	5	8	31	5	1	—	1	1	3	9	7	4
	F	27	6	1	2	—	—	3	7	4	4	31	6	3	—	2	1	2	7	6	4
20 Other respiratory diseases	M	13	—	—	—	2	—	—	5	3	3	14	1	—	—	—	—	2	6	1	4
	F	8	—	—	1	1	—	—	—	4	2	10	—	—	2	—	—	1	2	3	2
21 Ulcer of stomach or duodenum	M	14	—	—	—	—	—	2	9	3	—	6	—	—	—	—	—	1	5	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	—	1
22 Diarrhœa, &c.	M	4	2	—	—	—	—	1	—	1	—	5	3	—	—	1	—	—	—	—	1
	F	2	1	—	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	2	—	—	—	—	—	—	1	1	—	6	—	—	1	—	1	1	2	1	—
	F	5	—	—	—	1	—	—	2	1	1	3	—	—	—	—	—	1	—	—	2
24 Cirrhosis of liver	M	7	—	—	—	—	—	1	5	1	—	2	—	—	—	—	—	—	—	2	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	26	—	—	—	—	—	1	8	11	6	16	—	—	—	1	—	—	6	5	4
	F	26	—	—	—	—	—	2	10	8	6	16	—	—	—	—	1	—	5	7	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth	M	15	14	—	1	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—
	F	15	14	—	—	—	—	1	—	—	—	15	15	—	—	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	1	2	8	1	—	6	—	—	—	—	2	3	—	1	—
	F	6	—	—	—	—	—	1	3	2	—	4	—	—	—	—	—	1	3	—	—
30 Other deaths from violence	M	29	1	—	—	3	5	5	9	2	4	22	1	1	1	5	4	2	4	4	—
	F	20	1	1	1	—	2	1	2	2	10	18	3	—	—	1	2	1	4	1	6
31 Other defined diseases	M	124	6	—	—	—	3	10	23	28	51	108	3	—	1	3	2	7	20	25	47
	F	141	4	1	1	2	3	11	24	31	64	146	2	—	1	3	4	17	28	18	73
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **WARWICK**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1099	90	28	25	32	44	127	283	234	236	1151	114	28	27	42	44	107	267	220	302
	F	1161	56	19	26	19	46	110	280	252	353	1127	92	25	22	23	49	121	228	206	361
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	—	1	1	—	—	—	—	—	5	1	1	2	1	—	—	—	—	—
	F	3	—	1	2	—	—	—	—	—	—	6	1	2	2	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	17	7	7	3	—	—	—	—	—	—	9	4	3	2	—	—	—	—	—	—
	F	21	6	6	7	1	—	—	—	—	1	10	4	3	2	1	—	—	—	—	—
6 Diphtheria	M	7	1	1	2	3	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	6	—	—	3	3	—	—	—	—	—
7 Influenza	M	49	—	1	1	3	1	6	12	11	14	70	3	3	—	2	—	6	14	20	22
	F	77	2	1	3	1	1	6	14	16	33	78	1	2	—	—	—	11	11	17	36
8 Encephalitis lethargica	M	3	—	—	—	—	1	2	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	71	—	—	—	1	9	38	18	4	1	49	—	1	—	1	5	22	20	—	—
	F	68	—	1	—	2	21	26	16	1	1	63	—	1	—	2	18	30	9	3	—
11 Other tuberculous diseases	M	19	3	4	2	3	3	3	1	—	—	22	1	2	3	5	3	6	2	—	—
	F	14	—	2	4	1	1	4	2	—	—	6	—	1	1	3	—	—	1	—	—
12 Cancer, malignant disease	M	95	—	—	—	—	2	5	41	30	17	94	—	—	—	2	—	2	38	27	25
	F	142	—	—	—	—	—	13	64	41	24	136	—	—	1	—	3	11	51	36	34
13 Rheumatic fever	M	2	—	—	—	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	1	2	—	—	—	—	5	—	—	—	1	—	3	1	—	—
14 Diabetes	M	9	—	—	—	1	—	—	3	3	2	15	—	—	—	1	1	1	8	2	2
	F	20	—	—	—	—	—	1	9	3	7	20	—	—	—	—	1	2	4	10	3
15 Cerebral hæmorrhage, &c.	M	59	—	—	—	—	—	1	19	15	24	53	—	—	—	—	—	—	6	28	19
	F	63	—	—	—	—	—	—	17	25	21	63	—	—	—	—	—	3	20	11	29
16 Heart disease	M	171	—	—	—	1	1	8	46	65	50	183	—	—	—	4	1	11	52	56	59
	F	235	—	—	—	2	5	11	53	77	87	197	—	—	—	3	3	7	52	57	75
17 Arterio-sclerosis	M	47	—	—	—	—	—	—	11	14	22	48	—	—	—	—	—	—	12	15	21
	F	38	—	—	—	—	—	—	6	14	18	35	—	—	—	—	—	1	6	6	22
18 Bronchitis	M	63	4	—	1	—	—	3	11	19	25	63	12	1	—	—	—	1	9	12	28
	F	77	2	1	—	—	—	1	9	18	46	58	5	2	—	—	—	1	3	11	36
19 Pneumonia (all forms)	M	86	11	11	7	3	3	16	24	6	5	95	17	9	6	3	6	10	25	7	12
	F	66	7	5	4	—	2	8	18	12	10	75	17	10	3	2	5	4	10	13	11
20 Other respiratory diseases	M	13	—	—	—	1	—	—	4	5	3	10	—	—	1	—	—	—	5	4	—
	F	18	—	—	—	—	3	1	3	1	10	14	—	—	—	—	—	1	3	4	6
21 Ulcer of stomach or duodenum	M	23	—	—	—	—	1	4	14	4	—	7	—	—	—	—	—	1	2	2	2
	F	5	—	—	—	—	—	2	1	1	1	2	—	—	—	—	1	—	1	—	—
22 Diarrhœa, &c.	M	3	1	1	—	—	—	1	—	—	—	10	9	—	—	—	—	—	—	—	1
	F	5	2	1	—	—	—	—	—	1	1	11	5	3	—	—	1	—	2	—	—
23 Appendicitis and typhlitis	M	11	—	—	1	—	2	4	3	—	1	14	—	—	—	3	4	3	2	2	—
	F	3	—	—	1	—	—	—	1	1	—	7	—	—	2	1	—	2	1	1	—
24 Cirrhosis of liver	M	9	—	—	—	—	—	1	8	—	—	4	—	—	—	—	—	—	3	—	1
	F	5	—	—	—	—	—	—	3	2	—	4	—	—	—	—	—	2	1	1	—
25 Acute and chronic nephritis	M	30	—	—	—	—	1	1	10	6	12	24	—	—	—	1	1	1	8	8	5
	F	36	—	—	—	1	3	4	13	8	7	37	—	—	1	1	2	3	16	8	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	8	—	—	—	—	2	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	5	—	—	—	—	1	4	—	—	—
28 Congenital debility and malformation, premature birth	M	44	41	1	—	2	—	—	—	—	—	49	49	—	—	—	—	—	—	—	—
	F	33	31	—	1	1	—	—	—	—	—	44	43	—	—	1	—	—	—	—	—
29 Suicide	M	19	—	—	—	—	1	—	10	7	1	13	—	—	—	—	2	4	6	1	—
	F	8	—	—	—	—	—	1	5	2	—	10	—	—	—	—	1	6	1	2	—
30 Other deaths from violence	M	53	3	—	4	6	13	12	10	4	1	77	2	3	8	5	14	18	17	—	10
	F	20	1	1	1	1	1	5	3	2	5	17	3	—	1	2	2	1	1	2	5
31 Other defined diseases	M	190	18	2	3	5	6	22	35	41	58	227	16	5	4	9	6	20	36	36	95
	F	184	5	—	3	5	4	16	43	27	81	205	13	1	5	2	8	21	33	24	98
Causes ill-defined or unknown	M	2	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **WESTMORLAND**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	172	14	2	1	3	4	14	47	50	37	234	15	6	4	4	3	13	42	73	7
	F	194	10	1	5	1	8	20	41	49	59	227	13	4	3	7	5	18	47	51	7
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	2	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	3	—	—	—	—	—	—	1	1	1	10	1	—	—	—	—	—	3	2	
	F	6	—	—	—	—	—	1	2	2	1	12	—	1	1	—	1	—	3	4	
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	1	—	—	1	—	—	—	3	—	—	—	—	1	1	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	6	—	—	—	—	—	4	2	—	—	5	—	—	—	1	1	1	2	—	—
	F	8	—	—	—	—	5	2	1	—	—	4	—	—	—	—	—	3	1	—	—
11 Other tuberculous diseases	M	1	—	1	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	1	1	—	—	—	—	—
12 Cancer, malignant disease	M	17	—	—	—	—	—	—	6	9	2	28	—	—	—	—	—	1	9	9	
	F	20	—	—	—	—	—	1	6	7	6	29	—	—	—	—	—	1	12	8	
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	3	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	1	—	
15 Cerebral hæmorrhage, &c. ..	M	14	—	—	—	—	—	—	2	6	6	15	—	—	—	—	—	—	2	10	
	F	26	—	—	—	—	—	—	4	13	9	18	—	—	—	—	—	—	3	5	
16 Heart disease ..	M	37	—	—	—	—	—	—	12	14	11	57	—	—	—	—	1	2	7	25	2
	F	49	—	—	—	1	—	4	12	12	20	51	—	—	—	—	1	2	9	18	2
17 Arterio-sclerosis ..	M	6	—	—	—	—	—	—	2	—	4	9	—	—	—	—	—	—	—	6	
	F	5	—	—	—	—	—	—	—	2	3	12	—	—	—	—	—	—	2	2	
18 Bronchitis ..	M	8	—	—	—	1	—	—	1	2	4	10	1	1	—	—	—	—	—	1	
	F	8	1	—	—	—	—	1	1	2	3	15	5	—	—	—	—	1	2	3	
19 Pneumonia (all forms)	M	8	3	—	—	—	—	1	2	2	—	15	3	1	2	—	—	2	1	4	
	F	3	1	—	—	—	—	—	2	—	—	8	3	—	—	—	1	1	2	—	
20 Other respiratory diseases	M	3	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
22 Diarrhœa, &c. ..	M	3	2	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	—	1	
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	
	F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	1	—	—	—	—	
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	2	1	
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis ..	M	14	—	—	—	—	1	—	7	4	2	7	—	—	—	—	—	2	1	1	
	F	7	—	—	—	—	1	—	2	4	—	8	—	—	—	—	—	—	2	3	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	6	6	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
	F	3	2	—	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
29 Suicide	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
30 Other deaths from violence.. ..	M	10	—	—	—	—	2	5	2	1	—	8	—	1	1	—	—	3	—	1	
	F	2	—	—	1	—	—	1	—	—	—	6	—	—	—	1	1	1	—	1	
31 Other defined diseases	M	23	2	—	—	1	1	3	4	9	3	49	4	1	1	3	1	1	11	11	
	F	33	3	—	1	—	—	2	8	7	12	42	1	2	—	3	—	7	8	5	
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **WIGHT, ISLE OF**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	395	21	2	4	6	13	39	101	85	124	194	7	4	3	3	6	24	44	50	53
	F	451	16	2	7	6	13	45	94	99	169	191	7	1	1	3	5	10	49	42	73
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	23	1	—	—	1	2	4	6	5	4	10	—	—	—	—	1	2	2	3	2
	F	33	—	—	1	1	1	4	4	11	11	10	—	1	—	—	—	—	2	4	3
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	25	—	—	—	—	4	9	11	—	1	15	—	—	—	—	1	10	4	—	—
	F	19	—	—	1	1	5	10	2	—	—	7	—	—	—	—	—	3	4	—	—
11 Other tuberculous diseases	M	8	1	—	2	2	2	1	—	—	—	3	—	—	—	—	—	2	1	—	—
	F	3	—	—	—	1	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—
12 Cancer, malignant disease	M	50	—	—	—	—	—	1	18	20	11	10	—	—	—	—	—	1	4	5	—
	F	76	—	—	—	—	1	10	26	23	16	25	—	—	—	—	—	1	9	10	5
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—	—
	F	13	—	—	—	—	—	1	4	4	4	3	—	—	—	1	—	—	—	1	1
15 Cerebral hæmorrhage, &c. ..	M	20	—	—	—	—	—	—	3	5	12	14	—	—	—	—	—	—	4	5	5
	F	31	—	—	—	—	—	1	7	3	20	21	—	—	—	—	—	—	8	3	10
16 Heart disease ..	M	77	—	—	—	—	1	5	15	21	35	49	—	—	—	—	—	1	13	17	18
	F	81	—	—	—	—	1	2	18	20	40	50	—	—	—	—	—	—	6	14	30
17 Arterio-sclerosis ..	M	23	—	—	—	—	—	1	4	5	13	9	—	—	—	—	—	—	1	4	4
	F	18	—	—	—	—	—	—	2	3	13	1	—	—	—	—	—	—	—	—	1
18 Bronchitis ..	M	21	1	—	—	—	—	1	2	5	12	9	—	—	—	—	—	—	—	3	6
	F	20	—	—	—	—	—	—	—	3	17	9	—	—	1	—	—	—	1	1	6
19 Pneumonia (all forms)	M	19	3	—	1	—	—	2	5	4	4	10	—	2	—	1	1	1	1	2	2
	F	17	1	1	2	—	—	5	2	2	4	8	1	—	—	—	—	1	2	2	2
20 Other respiratory diseases	M	5	—	—	—	—	1	1	1	1	1	2	—	—	—	1	—	—	—	—	1
	F	4	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	—	2	—
	F	5	—	—	—	—	—	—	1	4	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	4	3	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	4	1	—	1	—	—	—	—	1	1	3	1	—	—	—	—	—	—	—	2
23 Appendicitis and typhlitis.. ..	M	3	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	15	—	—	—	—	1	1	5	4	4	10	1	—	—	—	—	—	2	5	2
	F	13	—	—	—	—	—	—	5	3	5	2	—	—	—	—	—	—	2	—	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	8	8	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	10	—	—	—	—	1	2	6	—	1	9	—	1	1	—	1	3	2	1	—
	F	7	—	—	—	—	1	—	2	1	3	—	—	—	—	—	—	—	—	—	—
31 Other defined diseases	M	70	1	—	1	1	1	8	19	14	25	31	2	—	—	1	2	3	8	2	13
	F	85	4	—	2	2	2	5	18	17	35	43	1	—	—	1	5	2	14	7	13
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 20—*contd.*

Causes of Death at Different Periods of Life in the Administrative County of WILTS—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	868	63	13	16	24	30	72	221	218	211	1066	94	15	15	26	28	90	214	254	330
	F	908	34	14	8	5	25	90	195	206	331	915	61	3	12	16	26	75	201	178	343
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	4	1	—	2	1	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	3	2	—	1	—	—	—	—	—	—	5	3	—	1	1	—	—	—	—	—
	F	5	1	2	—	1	—	—	1	—	—	5	3	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	8	—	—	—	7	—	—	1	—	—	4	—	—	1	1	1	1	—	—	—
	F	4	1	—	1	2	—	—	—	—	—	6	—	—	1	4	1	—	—	—	—
7 Influenza	M	35	2	1	2	1	3	6	7	8	5	48	2	1	—	—	—	3	10	10	22
	F	35	—	—	—	—	1	—	7	12	15	49	1	—	—	3	—	2	12	10	21
8 Encephalitis lethargica ..	M	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	42	—	—	1	—	9	18	14	—	—	40	—	—	—	1	7	18	13	1	—
	F	32	—	—	—	—	8	16	8	—	—	36	—	—	—	—	7	18	8	3	—
11 Other tuberculous diseases	M	3	—	1	—	—	—	—	1	1	—	9	1	—	—	4	1	1	1	1	—
	F	8	2	—	2	1	1	1	—	1	—	8	2	—	3	1	1	—	1	—	—
12 Cancer, malignant disease	M	105	—	—	—	—	1	3	45	35	21	123	—	—	—	—	1	4	48	42	28
	F	134	—	—	—	—	1	15	49	40	29	132	—	—	—	—	1	10	56	35	30
13 Rheumatic fever ..	M	3	—	—	1	1	—	1	—	—	—	3	—	—	—	2	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes	M	10	—	—	—	—	—	1	2	5	2	6	—	—	—	1	—	2	—	3	—
	F	12	—	—	—	1	1	—	4	3	3	19	—	—	—	1	—	—	9	3	6
15 Cerebral hæmorrhage, &c. ..	M	48	—	—	—	—	1	2	8	21	16	60	—	—	—	—	—	3	11	21	25
	F	77	—	—	—	—	—	1	14	23	39	70	—	—	—	—	—	1	13	22	34
16 Heart disease ..	M	171	—	—	1	2	4	5	46	58	55	208	—	—	—	2	—	3	47	61	95
	F	205	—	—	—	—	3	12	41	51	98	200	—	—	—	1	1	7	37	51	103
17 Arterio-sclerosis ..	M	43	—	—	—	—	—	—	5	20	18	50	—	—	—	—	—	—	4	24	22
	F	38	—	—	—	—	—	—	8	11	19	33	—	—	—	—	—	—	5	9	19
18 Bronchitis ..	M	40	4	2	2	—	—	1	5	8	18	48	9	1	—	—	1	3	2	13	19
	F	52	1	1	—	—	—	—	6	10	34	45	4	—	1	—	—	—	3	5	32
19 Pneumonia (all forms)	M	58	11	6	2	2	—	10	13	8	6	61	11	5	1	1	3	8	13	10	9
	F	50	3	5	1	—	1	7	11	10	12	39	10	2	2	1	—	3	9	6	6
20 Other respiratory diseases	M	10	—	—	1	—	1	—	4	2	2	6	1	—	—	—	—	1	1	2	1
	F	9	—	—	—	—	—	1	4	1	3	2	—	—	—	—	—	—	1	1	—
21 Ulcer of stomach or duodenum ..	M	11	—	—	—	—	—	3	7	1	—	20	—	—	—	—	1	5	8	5	1
	F	5	—	—	—	—	—	2	1	1	1	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	6	4	—	—	—	—	—	1	—	1	7	5	—	—	—	—	1	—	1	—
	F	8	1	1	—	—	—	2	1	—	3	8	1	—	—	—	—	1	3	1	2
23 Appendicitis and typhlitis.. ..	M	4	—	—	1	1	—	—	2	—	—	9	—	1	—	3	—	3	2	—	—
	F	8	—	—	1	—	1	3	2	—	1	3	—	—	—	—	1	—	1	1	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	2	1	1	4	—	—	—	—	—	—	3	1	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	1	1	—
25 Acute and chronic nephritis ..	M	31	—	—	—	—	—	2	12	9	8	32	—	—	—	—	—	1	10	11	10
	F	24	—	—	—	—	2	1	5	8	8	18	—	—	—	—	1	—	6	6	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	10	—	—	—	—	1	9	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	33	32	—	—	1	—	—	—	—	—	48	46	1	1	—	—	—	—	—	—
	F	18	17	—	1	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—	—
29 Suicide	M	18	—	—	—	—	1	6	9	2	—	9	—	—	—	—	—	1	7	—	1
	F	4	—	—	—	—	—	2	2	—	—	3	—	—	—	—	1	—	2	—	—
30 Other deaths from violence.. ..	M	27	—	2	1	4	5	4	3	6	2	58	2	2	7	5	9	12	10	9	2
	F	14	1	—	—	—	—	1	3	3	6	9	1	—	—	—	—	1	2	2	3
31 Other defined diseases	M	150	8	—	2	4	5	10	34	31	56	201	12	4	1	3	4	19	24	39	95
	F	152	6	4	2	—	3	19	26	32	60	167	6	—	4	3	7	14	29	22	82
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **WORCESTER**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1306	148	33	34	38	50	124	353	291	235	778	54	5	5	16	41	58	175	193	231
	F	1268	106	27	20	27	35	124	283	268	378	740	44	12	14	14	23	66	159	152	256
1 Enteric fever	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	11	1	1	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	2	5	1	—	—	—	—	—	—	4	—	1	2	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	10	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	11	2	2	1	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
6 Diphtheria	M	6	—	2	2	1	1	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	4	—	—	3	1	—	—	—	—	—
7 Influenza	M	83	3	1	2	—	3	17	26	13	18	55	—	1	1	—	1	7	15	17	13
	F	85	—	4	—	3	3	9	15	25	26	54	1	1	—	1	3	8	10	12	18
8 Encephalitis lethargica	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	79	—	—	—	—	16	35	25	3	—	34	—	—	—	1	9	16	7	1	—
	F	55	—	—	—	3	14	25	13	—	—	31	—	—	—	1	9	12	7	2	—
11 Other tuberculous diseases	M	21	1	6	6	4	1	2	1	—	—	11	—	—	1	4	2	2	1	1	—
	F	12	—	—	4	2	1	2	1	1	1	7	2	—	2	2	1	—	—	—	—
12 Cancer, malignant disease	M	140	—	—	—	1	—	4	55	61	19	80	—	—	—	—	—	2	33	24	21
	F	165	—	—	—	1	1	10	74	45	34	103	—	—	—	—	1	6	37	32	27
13 Rheumatic fever	M	3	—	—	—	—	1	2	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes	M	10	—	—	—	—	—	2	4	4	—	9	—	—	—	—	2	—	3	2	2
	F	9	—	—	—	—	—	—	4	4	1	11	—	—	—	—	—	1	3	5	2
15 Cerebral hæmorrhage, &c.	M	80	—	—	—	—	—	1	24	25	30	46	—	—	—	—	—	1	11	14	20
	F	102	—	—	—	—	—	3	21	31	47	47	—	—	—	—	—	—	11	16	20
16 Heart disease	M	205	—	—	—	2	5	9	63	81	45	145	—	—	—	—	1	3	31	59	51
	F	223	—	—	—	2	3	14	55	70	79	141	—	—	—	—	2	7	35	31	66
17 Arterio-sclerosis	M	52	—	—	—	—	—	—	11	21	20	27	—	—	—	—	—	—	3	8	16
	F	28	—	—	—	—	—	—	7	4	17	19	—	—	—	—	—	—	2	5	12
18 Bronchitis	M	63	7	2	—	—	—	2	18	15	19	51	6	2	1	—	—	—	3	12	27
	F	90	8	—	1	1	—	—	9	18	53	55	2	—	—	—	—	2	7	11	33
19 Pneumonia (all forms)	M	113	31	14	10	2	3	9	24	13	7	32	6	—	—	1	3	3	9	6	4
	F	86	15	12	3	3	—	7	17	16	13	29	1	4	1	—	—	7	5	6	5
20 Other respiratory diseases	M	21	—	—	1	—	—	—	9	6	5	5	—	—	—	—	—	—	—	3	2
	F	11	—	—	1	—	—	1	4	2	3	6	1	—	—	—	1	—	1	2	1
21 Ulcer of stomach or duodenum	M	17	—	—	—	—	—	5	9	2	1	8	—	—	—	—	—	1	5	2	—
	F	5	—	—	—	—	—	—	2	2	1	3	—	—	—	—	—	—	2	1	—
22 Diarrhœa, &c.	M	21	15	—	—	—	—	1	3	2	—	6	3	—	—	—	1	1	—	—	1
	F	14	9	—	1	—	1	1	1	—	1	6	1	1	2	—	1	—	1	—	—
23 Appendicitis and typhlitis	M	18	—	—	—	7	3	4	2	2	—	11	—	—	—	2	3	1	2	1	2
	F	5	—	—	—	—	1	2	—	2	—	4	—	—	—	2	—	—	—	1	1
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	3	1	—	4	—	—	—	—	—	—	1	3	—
	F	5	—	—	—	—	—	1	1	3	—	3	—	—	—	—	—	—	1	2	—
25 Acute and chronic nephritis	M	29	—	—	—	—	—	3	13	11	2	25	—	—	—	—	—	1	11	8	5
	F	38	—	—	—	1	1	5	13	10	8	20	—	—	—	1	—	1	7	7	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	1	11	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	5	—	—	—	—	1	4	—	—	—
28 Congenital debility and malformation, premature birth	M	75	69	2	—	3	—	1	—	—	—	35	35	—	—	—	—	—	—	—	—
	F	47	46	—	—	—	1	—	—	—	—	30	29	1	—	—	—	—	—	—	—
29 Suicide	M	17	—	—	—	—	1	4	8	3	1	10	—	—	—	—	1	2	5	—	2
	F	8	—	—	—	—	1	2	3	2	—	6	—	—	—	—	—	2	3	1	—
30 Other deaths from violence	M	54	2	1	2	7	8	10	12	5	7	44	—	—	1	4	10	10	6	6	7
	F	36	5	1	4	4	—	6	7	2	7	13	—	—	1	—	1	1	4	3	3
31 Other defined diseases	M	169	14	—	3	9	7	13	40	22	61	136	3	1	1	3	7	8	29	26	58
	F	189	10	3	1	3	4	16	34	31	87	132	6	2	3	4	3	14	21	15	64
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **YORK, EAST RIDING**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	492	36	3	10	11	16	45	138	104	129	668	61	6	9	14	35	52	145	158	188
	F	524	24	9	7	11	15	40	105	129	184	593	44	11	14	15	20	61	118	122	188
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	2	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	2	1	—	1	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria	M	5	—	—	3	1	—	—	1	—	—	3	—	—	1	2	—	—	—	—	—
	F	3	—	1	—	2	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—
7 Influenza	M	28	—	—	2	—	—	3	9	6	8	55	2	1	—	1	4	2	9	16	20
	F	35	1	1	—	—	—	7	5	9	12	46	—	—	1	—	—	7	7	16	15
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	26	—	—	—	—	7	12	7	—	—	29	—	—	—	1	9	13	4	1	1
	F	23	1	—	—	2	7	10	3	—	—	24	—	—	—	—	8	14	2	—	—
11 Other tuberculous diseases	M	5	1	—	1	1	1	1	—	—	—	6	—	—	—	1	2	2	1	—	—
	F	7	1	1	—	2	—	—	—	3	—	10	1	—	2	3	—	3	1	—	—
12 Cancer, malignant disease	M	61	—	—	—	—	1	4	23	18	15	59	—	—	—	—	—	2	21	26	10
	F	78	—	—	—	—	—	6	30	20	22	83	—	—	—	—	2	7	26	24	24
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	1	—	2	—
	F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	1	1	2	—	—	—
14 Diabetes	M	6	—	—	—	—	—	—	2	3	1	16	—	—	—	1	1	—	4	5	5
	F	4	—	—	—	—	1	—	—	1	2	9	—	—	—	—	—	3	4	2	—
15 Cerebral hæmorrhage, &c.	M	30	—	—	—	—	—	—	8	10	12	34	—	—	—	—	—	—	9	14	11
	F	36	—	—	—	—	—	—	6	12	18	42	—	—	—	—	—	—	8	9	25
16 Heart disease	M	88	—	—	—	—	—	4	25	24	35	130	—	—	—	1	2	2	29	47	49
	F	110	—	—	—	1	—	3	17	40	49	92	—	—	—	1	1	—	22	31	37
17 Arterio-sclerosis	M	26	—	—	—	—	—	—	6	7	13	38	—	—	—	—	—	—	4	9	25
	F	20	—	—	—	—	—	—	—	9	11	29	—	—	—	—	—	—	3	5	21
18 Bronchitis	M	22	2	—	1	—	—	1	2	7	9	27	3	—	—	1	—	1	4	6	12
	F	27	—	2	—	—	—	—	4	6	15	29	4	1	1	1	1	—	4	6	11
19 Pneumonia (all forms)	M	32	5	2	1	2	1	5	9	4	3	37	7	2	3	1	3	3	9	4	5
	F	13	1	3	1	1	—	—	3	1	3	35	6	3	3	2	—	3	5	8	5
20 Other respiratory diseases	M	6	—	—	—	—	—	1	1	1	3	8	—	—	—	—	—	1	5	—	2
	F	7	1	—	1	—	—	—	—	2	3	5	—	—	—	—	—	1	2	—	2
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	—	2	1	—	8	—	—	—	—	1	1	5	—	1
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	7	6	—	—	—	—	—	—	—	1	11	5	2	2	—	—	1	—	—	1
	F	5	2	—	—	—	—	1	1	—	1	9	3	1	—	—	—	—	1	1	3
23 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	—	3	—	—	—	1	—	1	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	1	—	1	—	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	—	1	4	—	—	—	—	—	—	2	1	1
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	1	1
25 Acute and chronic nephritis	M	6	—	—	—	—	—	1	3	1	1	15	—	—	—	—	1	—	6	5	3
	F	14	1	—	—	—	2	—	3	5	3	16	—	—	—	—	1	2	6	5	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	9	—	—	—	—	3	6	—	—	—
28 Congenital debility and malformation, premature birth	M	17	16	—	—	1	—	—	—	—	—	31	30	—	—	—	—	1	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	23	22	1	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	2	4	—	—	6	—	—	—	—	—	2	3	1	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	—	1
30 Other deaths from violence	M	17	—	1	—	1	4	2	6	3	—	28	1	—	1	3	6	11	2	2	2
	F	14	1	—	—	1	1	—	3	3	5	13	1	1	1	1	1	1	3	1	3
31 Other defined diseases	M	92	3	—	1	4	2	8	28	19	27	108	10	—	1	—	4	8	26	19	40
	F	100	3	1	4	1	3	7	24	17	40	97	6	1	2	3	1	9	24	13	38
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **YORKS, NORTH RIDING**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1368	156	44	46	41	44	149	329	282	277	944	78	25	4	13	21	92	210	230	271
	F	1286	121	49	48	38	59	123	258	251	339	855	57	7	14	14	19	73	199	200	272
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	12	2	4	6	—	—	—	—	—	—	6	1	3	—	—	1	1	—	—	—
	F	15	3	3	8	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	11	3	4	3	1	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
	F	21	8	9	4	—	—	—	—	—	—	6	4	1	—	1	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	3	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	3	—	—	2	—	—	1	—	—	—
7 Influenza	M	75	3	2	2	3	4	9	29	15	8	59	2	2	—	—	1	11	24	6	13
	F	53	1	—	2	—	3	8	12	13	14	48	1	—	1	—	1	6	15	7	17
8 Encephalitis lethargica ..	M	2	—	—	1	—	—	1	—	—	—	2	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	—	2	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	57	2	—	—	3	13	24	13	2	—	30	—	1	—	1	4	15	7	2	—
	F	72	2	3	2	4	23	25	7	6	—	17	—	—	—	—	5	8	4	—	—
11 Other tuberculous diseases	M	22	3	4	3	2	3	3	1	2	1	16	—	2	—	—	2	5	6	—	1
	F	14	—	1	3	4	2	2	1	—	1	10	2	—	—	3	1	1	2	1	—
12 Cancer, malignant disease	M	105	—	—	—	—	—	7	40	39	19	87	—	—	—	—	—	4	28	28	27
	F	149	—	—	1	—	—	11	70	45	22	113	—	—	—	—	—	8	44	35	26
13 Rheumatic fever ..	M	6	—	—	—	1	—	3	1	—	1	2	—	—	—	—	—	2	—	—	—
	F	8	—	—	—	—	3	1	—	3	1	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	8	—	—	—	—	1	2	—	4	1	10	—	—	—	—	1	2	4	2	1
	F	11	—	—	—	—	1	—	5	4	1	12	—	—	—	—	—	1	2	5	4
15 Cerebral hæmorrhage, &c. ..	M	90	—	—	—	—	—	2	27	20	41	51	—	—	—	—	—	—	4	23	24
	F	90	—	—	—	1	—	1	30	28	30	57	—	—	—	—	—	1	11	23	22
16 Heart disease ..	M	252	—	—	—	6	5	17	71	85	68	191	—	—	—	1	2	6	48	65	69
	F	217	—	—	—	1	3	18	39	70	86	213	—	—	1	2	3	12	43	68	84
17 Arterio-sclerosis ..	M	64	—	—	—	—	—	—	13	15	36	53	—	—	—	—	—	1	3	18	31
	F	56	—	—	—	—	—	—	8	9	39	31	—	—	—	—	—	—	3	8	20
18 Bronchitis ..	M	64	11	3	3	—	—	3	8	16	20	29	4	—	1	—	—	1	3	3	17
	F	76	8	5	—	—	—	3	8	18	34	28	3	—	1	—	—	—	2	8	14
19 Pneumonia (all forms)	M	133	33	17	10	4	4	23	23	15	4	56	6	5	1	—	4	8	15	9	8
	F	113	22	19	17	6	3	8	14	7	17	51	6	3	3	—	2	7	6	7	17
20 Other respiratory diseases	M	11	—	1	—	—	—	3	3	2	2	13	1	1	1	—	—	—	4	3	3
	F	10	—	1	1	—	—	1	1	3	3	9	—	—	—	1	—	1	3	1	3
21 Ulcer of stomach or duodenum ..	M	10	—	—	—	—	1	4	5	—	—	6	—	—	—	—	—	1	2	1	2
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	21	10	4	3	—	—	1	—	1	2	7	2	1	—	—	—	1	—	—	3
	F	14	7	4	—	1	—	—	—	1	1	3	1	—	—	—	—	—	1	—	1
23 Appendicitis and typhlitis.. ..	M	6	—	—	—	2	1	2	—	1	—	7	—	—	—	2	—	—	1	4	—
	F	11	—	—	—	4	1	1	3	2	—	4	—	—	—	2	1	1	—	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	4	—	1	4	—	—	—	—	—	1	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
25 Acute and chronic nephritis ..	M	50	—	—	1	1	1	3	18	16	10	31	—	—	—	—	—	3	7	12	9
	F	37	—	—	—	3	2	—	17	10	5	19	—	—	—	—	—	2	6	9	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	4	7	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	58	57	—	1	—	—	—	—	—	—	40	38	1	—	—	—	—	1	—	—
	F	54	53	1	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
29 Suicide	M	19	—	—	—	—	2	4	11	2	—	16	—	—	—	—	—	2	10	4	—
	F	8	—	—	—	—	1	5	2	—	—	5	—	—	—	—	—	2	2	1	—
30 Other deaths from violence.. ..	M	62	2	—	1	7	7	19	18	3	5	50	—	3	—	6	6	14	15	5	1
	F	20	1	2	2	1	3	1	2	1	7	14	1	1	2	1	3	2	2	—	2
31 Other defined diseases	M	215	30	4	8	8	2	19	42	44	58	169	20	4	1	2	—	13	24	43	62
	F	208	16	1	4	9	8	24	37	31	78	173	12	2	4	3	2	18	48	24	60
32 Causes ill-defined or unknown ..	M	3	—	1	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **YORK, WEST RIDING**—1929 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	7731	861	239	239	265	287	735	2233	1669	1203	2879	468	110	101	127	128	294	647	522	482
		F	7629	643	248	226	184	279	761	1857	1746	1685	2487	292	105	93	91	116	263	496	498	533
1	Enteric fever	M	14	—	—	1	1	4	5	2	1	—	6	—	—	—	1	—	2	2	1	—
		F	11	—	—	—	1	1	5	4	—	—	3	—	—	—	—	—	3	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	54	12	19	18	4	1	—	—	—	—	28	4	11	7	5	1	—	—	—	—
		F	45	11	19	11	4	—	—	—	—	—	30	9	9	9	2	—	1	—	—	—
4	Scarlet fever	M	27	—	1	8	15	3	—	—	—	—	8	—	—	1	6	—	1	—	—	—
		F	24	—	2	7	7	2	4	2	—	—	10	—	1	6	2	—	—	1	—	—
5	Whooping cough	M	78	36	26	13	3	—	—	—	—	—	44	18	15	9	2	—	—	—	—	—
		F	100	45	29	24	2	—	—	—	—	—	49	28	13	7	1	—	—	—	—	—
6	Diphtheria	M	43	4	11	9	18	1	—	—	—	—	22	2	3	5	11	1	—	—	—	—
		F	38	—	4	15	16	1	1	1	—	—	14	—	1	5	7	—	1	—	—	—
7	Influenza	M	435	22	23	15	8	26	57	136	76	72	154	14	9	3	8	14	16	42	26	22
		F	512	20	16	20	9	13	56	126	136	116	160	9	8	6	1	2	27	34	36	37
8	Encephalitis lethargica	M	17	—	1	—	2	—	2	11	1	—	5	1	—	—	—	1	—	3	—	—
		F	12	—	1	—	1	1	5	4	—	—	5	1	—	—	—	2	—	2	—	—
9	Meningococcal meningitis	M	7	3	1	1	1	1	—	—	—	—	7	1	—	1	3	1	1	—	—	—
		F	7	1	2	—	2	2	—	—	—	—	2	—	—	—	1	—	1	—	—	—
10	Tuberculosis of respiratory system	M	423	3	2	2	15	69	151	162	15	4	152	2	—	2	9	26	65	37	11	—
		F	324	1	1	2	13	92	150	55	9	1	112	—	2	2	8	34	49	13	4	—
11	Other tuberculous diseases	M	121	12	14	23	16	18	20	16	2	—	53	5	4	12	10	4	13	4	1	—
		F	102	4	6	14	21	23	15	13	5	1	45	2	6	9	10	6	4	5	1	2
12	Cancer, malignant disease	M	689	—	—	1	—	4	37	347	219	81	215	—	—	1	1	1	11	87	71	43
		F	806	—	2	—	—	4	69	370	241	120	250	—	—	1	2	3	23	101	83	37
13	Rheumatic fever	M	20	—	—	2	4	3	7	4	—	—	9	—	—	—	3	—	3	2	1	—
		F	28	—	—	1	7	7	6	5	2	—	7	—	—	—	3	1	1	2	—	—
14	Diabetes	M	107	—	1	—	2	6	14	50	25	9	29	—	—	—	—	1	3	10	12	3
		F	123	—	—	—	3	3	12	59	37	9	27	—	—	—	1	2	3	10	6	5
15	Cerebral hæmorrhage, &c.	M	409	1	—	—	—	—	8	135	158	107	124	—	—	—	—	—	3	35	39	47
		F	501	—	1	—	—	—	11	147	175	167	140	—	—	—	—	1	5	30	48	56
16	Heart disease	M	1248	—	—	—	13	22	71	407	444	291	426	—	—	2	4	9	25	126	139	121
		F	1413	—	—	1	6	28	90	397	461	430	404	—	—	—	7	14	22	99	123	139
17	Arterio-sclerosis	M	350	—	—	—	—	—	—	57	166	127	101	—	—	—	—	—	—	15	41	45
		F	283	—	—	—	—	—	3	45	93	142	75	—	—	—	—	—	—	17	32	26
18	Bronchitis	M	454	60	12	3	1	5	13	99	129	132	168	37	12	4	1	—	6	24	34	50
		F	483	50	18	6	2	2	10	57	133	205	159	23	5	1	1	1	4	15	36	73
19	Pneumonia (all forms)	M	762	183	88	71	42	19	76	164	80	39	310	85	38	30	13	11	34	57	28	14
		F	607	122	107	76	27	19	42	86	70	58	233	56	40	26	11	4	19	28	26	23
20	Other respiratory diseases	M	86	6	2	6	8	8	8	29	11	8	40	—	2	3	1	1	5	14	7	7
		F	75	2	2	4	2	4	9	12	18	22	21	—	1	—	6	—	3	4	4	3
21	Ulcer of stomach or duodenum	M	75	—	—	—	—	1	24	40	8	2	26	—	—	—	—	1	9	14	1	1
		F	21	—	1	—	—	—	3	15	2	—	12	—	—	—	—	—	2	9	—	1
22	Diarrhœa, &c.	M	99	58	6	5	3	1	1	7	11	7	62	44	3	5	1	—	4	3	1	1
		F	73	34	7	6	5	1	5	6	4	5	39	21	5	5	1	1	1	—	1	4
23	Appendicitis and typhlitis	M	45	—	—	2	10	6	6	19	2	—	19	—	—	2	4	4	3	6	—	—
		F	30	1	—	1	6	3	5	12	2	—	18	—	—	3	4	6	2	2	1	—
24	Cirrhosis of liver	M	20	—	—	—	—	—	3	13	2	2	16	—	—	—	—	—	2	8	3	3
		F	17	—	—	—	—	—	2	10	4	1	2	—	—	—	—	1	—	1	—	—
25	Acute and chronic nephritis	M	250	1	3	2	8	6	29	106	62	33	63	—	—	1	2	2	6	21	21	10
		F	258	1	1	2	2	4	28	101	94	25	73	—	—	1	3	2	10	26	18	13
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	—	5	29	—	—	—	24	—	—	—	—	8	16	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	53	—	—	—	—	6	46	1	—	—	23	—	—	—	—	5	18	—	—	—
28	Congenital debility and malformation, premature birth	M	329	319	3	1	3	2	1	—	—	—	183	182	—	—	1	—	—	—	—	—
		F	269	262	2	2	3	—	—	—	—	—	106	100	—	1	3	1	1		—	—
29	Suicide	M	119	—	—	—	—	3	36	60	14	6	31	—	—	—	—	2	6	15	5	3
		F	44	—	—	—	1	3	18	16	5	1	7	—	—	—	—	1	2	4	—	—
30	Other deaths from violence	M	340	10	6	26	42	50	77	79	31	19	167	6	5	8	18	27	46	38	14	5
		F	131	7	2	10	15	12	12	28	17	28	52	4	1	8	6	5	7	6	7	8
31	Other defined diseases	M	1103	131	19	30	46	28	88	287	210	264	410	67	8	5	22	21	30	84	66	107
		F	1197	80	25	23	29	42	124	283	237	354	383	39	12	3	11	16	38	87	71	106
32	Causes ill-defined or unknown	M	7	—	1	—	—	—	1	3	2	—	1	—	—	—	1	—	—	—	—	—
		F	6	1	—	1	—	—	1	2	1	—	2	—	1	—	—	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **ANGLESEY**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	156	14	2	3	4	4	16	40	40	33	248	29	3	3	3	11	21	43	58	77
	F	161	6	3	5	3	5	13	36	38	52	245	19	8	3	6	9	17	46	49	88
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	—	2	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	8	—	—	—	—	—	2	—	3	3	15	—	—	—	—	1	2	2	5	5
	F	15	—	—	—	—	1	2	3	1	8	23	—	—	—	—	—	4	3	3	13
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	13	—	—	1	—	1	4	6	1	—	21	—	—	1	1	7	10	2	—	—
	F	9	—	—	—	2	2	3	2	—	—	11	—	—	—	—	6	3	2	—	—
11 Other tuberculous diseases	M	3	—	—	—	2	1	—	—	—	—	3	—	—	—	—	1	1	1	—	—
	F	1	—	—	1	—	—	—	—	—	—	5	—	2	—	2	—	—	1	—	—
12 Cancer, malignant disease	M	17	—	—	—	—	—	1	9	6	1	22	—	—	—	—	—	1	8	5	8
	F	34	—	—	—	—	—	1	11	10	12	34	—	—	—	—	—	1	8	13	12
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
15 Cerebral hæmorrhage, &c. ..	M	6	—	—	—	—	—	—	2	2	2	20	—	—	—	—	—	—	1	6	13
	F	11	—	—	—	—	—	—	1	5	5	12	—	—	—	—	—	—	1	5	6
16 Heart disease ..	M	22	—	—	—	—	—	1	7	4	10	42	—	—	—	—	—	—	9	13	20
	F	37	—	—	—	—	1	3	5	12	16	44	—	—	—	1	—	1	9	15	18
17 Arterio-sclerosis ..	M	9	—	—	—	—	—	—	—	8	1	7	—	—	—	—	—	—	—	2	5
	F	4	—	—	—	—	—	—	1	3	—	6	—	—	—	—	—	—	—	2	4
18 Bronchitis ..	M	6	1	—	—	—	1	—	—	—	4	15	3	—	—	—	—	—	2	5	5
	F	4	—	1	—	—	—	—	—	—	3	22	4	2	—	—	—	—	2	1	13
19 Pneumonia (all forms)	M	6	1	—	—	—	—	3	—	1	1	15	7	1	1	—	—	1	3	2	—
	F	4	1	—	—	—	—	1	1	—	1	9	1	1	—	—	—	—	1	2	4
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	1	1	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis ..	M	14	1	—	1	—	—	—	3	5	4	10	—	—	—	—	—	1	1	6	2
	F	7	—	—	—	—	—	—	2	2	3	7	—	—	—	—	—	1	3	2	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	3	3	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	13	12	—	1	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—	1
30 Other deaths from violence.. ..	M	3	1	—	1	—	—	—	—	—	1	10	—	1	1	1	1	3	3	—	—
	F	5	—	—	2	—	1	—	—	2	—	5	—	1	—	1	—	1	—	—	2
31 Other defined diseases	M	33	4	2	—	1	—	3	10	7	6	44	6	—	—	—	1	1	5	12	19
	F	17	1	—	—	1	—	3	6	2	4	34	1	1	1	—	1	1	11	5	13
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **BRECKNOCK**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	122	6	3	4	2	10	9	31	29	28	275	29	1	5	7	18	30	59	63	63
	F	102	12	1	3	3	4	14	20	21	24	251	24	1	6	8	10	32	59	53	58
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	—	—	1	—	—	—	—	—	—	4	1	—	3	—	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza	M	4	—	—	—	—	1	—	1	1	1	7	—	—	—	—	1	—	3	1	2
	F	6	1	—	—	—	—	—	2	—	3	13	1	—	—	1	—	2	2	1	6
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	6	—	—	—	—	2	1	3	—	—	19	—	—	—	1	6	7	5	—	—
	F	9	—	—	—	—	3	4	2	—	—	13	—	—	1	—	4	7	1	—	—
11 Other tuberculous diseases	M	3	—	—	—	1	1	—	1	—	—	4	—	—	—	1	2	—	—	1	—
	F	1	—	—	—	1	—	—	—	—	—	6	—	—	1	4	—	—	—	—	1
12 Cancer, malignant disease	M	8	—	—	—	—	1	1	2	2	2	18	—	—	—	—	1	—	5	9	3
	F	8	—	—	—	—	—	1	4	3	—	23	—	—	—	—	—	2	13	7	1
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1
15 Cerebral hæmorrhage, &c. ..	M	9	—	—	—	—	—	—	5	3	1	18	—	—	—	—	—	—	4	6	8
	F	8	—	—	—	—	—	—	1	3	4	19	—	—	—	—	—	—	7	9	3
16 Heart disease ..	M	22	—	—	—	—	—	2	4	8	8	47	—	—	—	1	1	3	9	18	15
	F	24	—	—	—	—	—	4	5	8	7	52	—	—	—	1	1	5	12	15	18
17 Arterio-sclerosis ..	M	3	—	—	—	—	—	—	—	1	2	10	—	—	—	—	—	—	2	2	6
	F	2	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	—	1	2
18 Bronchitis ..	M	10	2	1	—	—	—	1	—	2	4	19	2	—	1	—	—	—	5	5	6
	F	8	3	—	—	—	—	—	—	2	3	9	1	—	1	—	—	—	2	3	2
19 Pneumonia (all forms)	M	4	1	—	—	—	1	—	—	—	2	19	5	—	—	—	—	4	5	2	3
	F	6	1	—	1	1	—	—	1	1	1	11	4	1	1	—	—	2	2	1	—
20 Other respiratory diseases	M	1	—	—	—	—	—	—	—	1	—	6	1	—	—	—	—	—	3	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
22 Diarrhœa, &c. ..	M	1	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—
	F	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	
23 Appendicitis and typhlitis.. ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	6	—	—	—	—	—	2	1	2	1	10	—	—	—	—	1	1	—	4	
	F	4	—	—	—	1	—	—	2	—	1	10	—	—	—	—	—	2	3	3	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1	1	—	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	1	1	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. ..	M	7	—	—	1	—	3	1	—	2	—	17	—	1	—	1	4	8	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	3	1	—
31 Other defined diseases	M	29	1	1	1	1	1	1	10	6	7	51	7	—	—	2	2	4	11	10	1
	F	15	2	—	1	—	1	2	2	2	5	58	7	—	1	—	3	6	11	10	2
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	1	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **CAERNARVON**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	465	40	7	8	10	16	48	121	108	107	500	44	10	4	6	19	53	128	101	135
	F	447	30	5	6	13	7	40	106	111	129	516	29	7	11	5	16	48	96	130	174
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	10	6	1	3	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—
	F	7	4	2	1	—	—	—	—	—	—	6	3	2	1	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	5	1	—	1	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	22	—	—	—	—	—	5	6	7	4	22	—	1	—	—	2	3	4	7	5
	F	25	—	1	—	—	—	1	10	9	4	27	—	—	—	—	—	3	3	8	13
8 Encephalitis lethargica	M	2	—	—	—	—	—	1	—	1	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	40	—	—	—	—	6	21	10	2	1	54	—	—	—	—	8	22	21	3	—
	F	20	—	—	—	—	5	8	5	1	1	29	—	—	—	2	8	15	1	3	—
11 Other tuberculous diseases	M	4	1	—	—	1	—	2	—	—	—	3	1	—	—	—	—	1	—	1	—
	F	8	—	—	1	3	1	2	1	—	—	2	—	—	—	—	1	1	—	—	—
12 Cancer, malignant disease	M	49	—	—	—	—	—	4	18	20	7	66	—	1	—	—	—	2	33	20	10
	F	61	—	—	—	—	—	5	25	22	9	64	—	—	—	—	—	1	24	18	21
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	7	—	—	—	—	—	1	3	2	1	4	—	—	—	—	—	1	1	—	2
	F	4	—	—	—	—	—	1	—	2	1	5	—	—	—	—	—	1	2	2	—
15 Cerebral hæmorrhage, &c.	M	23	—	—	—	—	—	—	5	12	6	19	—	—	—	—	—	1	3	7	8
	F	31	—	—	—	—	—	—	10	11	10	32	—	—	—	—	—	2	9	8	13
16 Heart disease	M	87	—	—	—	—	—	4	24	27	32	78	—	—	—	—	1	1	20	28	28
	F	82	—	—	—	—	—	1	24	29	28	114	—	—	—	—	3	2	19	48	42
17 Arterio-sclerosis	M	25	—	—	—	—	—	1	3	5	16	31	—	—	—	—	—	—	4	9	18
	F	10	—	—	—	—	—	—	2	4	4	28	—	—	—	—	—	—	3	6	19
18 Bronchitis	M	11	1	—	—	—	—	1	2	3	4	12	—	—	—	—	—	1	1	2	8
	F	27	4	—	—	1	—	1	—	4	17	27	—	1	—	—	—	—	5	5	16
19 Pneumonia (all forms)	M	41	9	3	2	4	2	1	14	4	2	34	8	2	1	1	1	4	6	1	10
	F	21	5	1	—	1	—	1	2	5	6	23	9	2	2	—	1	2	2	4	1
20 Other respiratory diseases	M	9	—	—	—	—	1	—	3	2	3	4	1	1	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	—	—	1	1	8	—	—	1	—	1	1	1	1	3
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
	F	2	1	—	1	—	—	—	—	—	—	9	2	1	2	—	—	—	1	—	3
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	2	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	21	—	—	—	—	—	—	8	7	6	37	—	—	—	—	—	3	11	10	13
	F	26	—	—	—	—	—	3	7	8	8	35	—	—	—	—	—	2	8	15	10
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	—	2	1	—	—
28 Congenital debility and malformation, premature birth	M	12	11	1	—	—	—	—	—	—	—	22	21	1	—	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—	1	—	1	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	14	1	1	2	1	2	—	5	1	1	17	—	—	—	—	6	5	6	—	—
	F	7	—	—	1	2	—	—	1	2	1	6	—	—	1	—	—	2	—	—	3
31 Other defined diseases	M	76	11	—	1	4	4	3	15	14	24	77	10	3	—	1	—	6	12	12	33
	F	84	6	—	—	2	—	12	13	12	39	80	7	1	2	2	1	9	16	12	30
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CARDIGAN—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	118	3	1	—	2	8	13	36	28	27	326	18	4	5	7	13	25	72	87	95
	F	132	4	5	1	2	6	5	30	28	51	349	17	7	2	6	16	34	74	81	112
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	2	—	2	—	—	—	—	—	—	—	3		3	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	3	—	—	—	1	—	—	1	—	1	5	—	—	—	—	—	2	1	2	—
	F	7	—	—	—	—	—	—	1	3	3	9	—	1	—	—	—	—	3	—	5
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	13	—	—	—	—	5	3	5	—	—	29	—	—	—	3	2	6	15	3	—
	F	6	—	—	—	—	2	1	2	—	1	27	—	—	—	2	9	9	6	1	—
11 Other tuberculous diseases	M	4	—	—	—	—	2	2	—	—	—	7	—	—	—	—	3	2	1	1	—
	F	2	—	—	—	1	1	—	—	—	—	2	—	—	—	—	—	1	1	—	—
12 Cancer, malignant disease	M	13	—	—	—	—	—	—	4	8	1	31	—	—	—	—	—	1	8	13	9
	F	20	—	—	—	—	—	—	12	3	5	53	—	—	—	—	1	5	18	17	12
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	—	1	1
15 Cerebral hæmorrhage, &c. ..	M	9	—	—	—	—	—	—	4	2	3	19	—	—	—	—	—	—	3	6	10
	F	6	—	—	—	—	—	—	1	2	3	24	—	—	—	—	—	2	6	7	9
16 Heart disease ..	M	23	—	—	—	—	—	2	7	7	7	69	—	—	—	—	—	2	17	24	26
	F	27	—	—	—	—	—	1	2	10	14	80	—	—	—	—	1	2	12	27	38
17 Arterio-sclerosis ..	M	6	—	—	—	—	—	—	—	4	2	15	—	—	—	—	—	—	3	2	10
	F	5	—	—	—	—	—	—	—	1	4	5	—	—	—	—	—	—	—	3	2
18 Bronchitis ..	M	4	—	—	—	—	—	—	1	—	3	14	2	—	1	—	—	1	—	3	7
	F	5	—	—	—	—	—	—	1	1	3	19	—	—	—	—	—	—	3	3	13
19 Pneumonia (all forms)	M	3	—	1	—	—	—	—	—	1	1	24	4	3	2	—	2	1	2	4	6
	F	9	1	3	—	—	1	—	1	—	3	20	2	1	1	—	1	1	4	6	4
20 Other respiratory diseases	M	3	—	—	—	—	—	—	1	1	1	5	—	—	—	—	—	1	2	1	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	—	—	—	1	1	—	3	—	—	1	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	7	—	—	—	—	—	—	3	4	—	21	1	—	—	—	—	1	8	5	6
	F	11	—	—	—	—	—	1	4	3	3	23	—	—	—	1	—	2	6	6	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	2	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	2	2	—	—	—	—	—	—	—	—	7	6	—	—	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	9	8	—	—	—	—	1	—	—	—
29 Suicide	M	3	—	—	—	—	1	1	—	—	1	7	—	—	—	—	1	—	3	3	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	6	—	—	—	1	—	3	2	—	—	9	—	—	—	1	4	1	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	—	—	—	1	1	1
31 Other defined diseases	M	14	—	—	—	—	—	1	6	—	7	51	3	—	1	1	—	6	6	14	20
	F	22	1	—	—	—	—	1	5	3	12	54	5	2	—	1	—	7	12	8	19
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **CARMARTHEN**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	460	49	6	6	13	23	59	143	98	63	702	80	12	16	24	32	80	172	146	140
	F	414	33	6	8	14	15	46	97	102	93	661	71	5	11	20	34	79	115	133	193
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	2	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	5	1	3	1	—	—	—	—	—	—	11	8	1	2	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	11	—	1	4	6	—	—	—	—	—
	F	5	—	—	2	2	—	1	—	—	—	4	—	—	—	4	—	—	—	—	—
7 Influenza	M	9	—	—	—	1	—	2	3	2	1	27	2	1	—	—	1	8	7	5	3
	F	10	—	—	—	—	1	3	4	1	1	21	3	—	—	—	—	2	6	5	5
8 Encephalitis lethargica ..	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	41	—	1	—	—	9	23	7	—	1	51	2	—	—	—	9	24	14	2	—
	F	22	—	—	—	1	7	8	6	—	—	60	—	—	—	3	16	28	11	2	—
11 Other tuberculous diseases	M	8	1	—	1	2	4	—	—	—	—	9	1	—	2	1	—	1	3	1	—
	F	5	—	—	—	1	1	2	1	—	—	4	—	—	—	1	1	1	1	—	—
12 Cancer, malignant disease	M	39	—	—	—	—	—	3	21	11	4	56	—	—	—	—	1	1	26	19	9
	F	49	—	1	—	—	—	5	17	15	11	65	—	—	—	—	—	5	25	24	11
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	1	1	1	1	7	—	—	—	—	—	2	1	2	2
	F	7	—	—	—	—	—	1	3	3	—	8	—	—	—	1	—	—	4	2	1
15 Cerebral hæmorrhage, &c. ..	M	22	—	—	—	—	—	2	7	7	6	31	—	—	—	—	—	—	5	14	12
	F	25	—	—	—	—	—	—	7	7	11	49	—	—	—	—	—	1	10	14	24
16 Heart disease ..	M	91	—	—	1	—	3	5	28	37	17	115	—	—	—	2	6	7	32	34	34
	F	83	—	—	—	2	1	8	24	30	18	123	—	—	—	2	2	12	27	38	42
17 Arterio-sclerosis ..	M	32	—	—	—	—	—	—	15	7	10	31	—	—	—	—	—	—	5	12	14
	F	20	—	—	—	—	—	—	2	9	9	35	—	—	—	—	—	—	7	6	22
18 Bronchitis ..	M	24	2	—	—	—	—	—	5	10	7	36	6	—	—	—	—	1	3	12	14
	F	25	4	—	1	—	—	1	1	8	10	47	2	2	1	—	—	1	—	12	29
19 Pneumonia (all forms)	M	28	7	1	—	1	—	5	6	7	1	40	8	4	2	2	—	5	8	7	4
	F	25	5	1	—	1	—	3	5	5	5	28	7	2	3	—	1	3	1	4	7
20 Other respiratory diseases	M	9	2	—	1	—	—	1	5	—	—	12	—	—	2	—	—	—	7	3	—
	F	4	—	—	—	—	—	1	—	—	3	7	—	—	—	2	—	—	—	—	5
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	—	4	—	—	5	—	—	—	—	—	1	2	2	—
	F	4	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	—	1	—
22 Diarrhœa, &c. ..	M	7	6	—	1	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—	—
	F	5	4	—	1	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	—	—	—	1	1	—	9	—	—	1	—	1	1	4	1	1
	F	2	—	—	—	—	1	—	—	1	—	4	—	—	—	1	—	3	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	1	3	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	28	—	1	—	2	—	1	15	6	3	41	—	—	—	3	1	1	10	14	12
	F	13	—	—	—	1	—	1	5	5	1	27	—	—	—	1	2	3	5	8	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	8	—	—	—	—	2	6	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	28	27	—	1	—	—	—	—	—	—	37	35	1	1	—	—	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	31	30	—	—	—	1	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	—	5	1	—	14	—	—	—	—	—	4	6	1	3
	F	2	—	—	—	—	1	—	1	—	—	3	—	—	—	—	—	2	1	—	—
30 Other deaths from violence.. ..	M	24	1	1	—	4	5	5	5	3	—	45	2	1	2	5	8	14	12	1	—
	F	7	—	—	1	2	—	—	2	1	1	17	3	—	3	1	3	3	1	—	3
31 Other defined diseases	M	43	1	1	—	1	1	9	13	5	12	106	18	2	1	4	3	10	25	11	32
	F	70	7	1	1	2	3	5	13	15	23	97	12	—	2	3	3	8	16	17	36
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	2	—	1	2	—
	F	4	—	—	—	1	—	—	2	1	—	1	—	—	—	—	—	1	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **DENBIGH**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	396	30	5	5	6	11	44	112	89	94	700	77	11	13	12	44	73	178	173	119
	F	390	15	6	7	3	13	40	90	98	118	576	55	17	15	25	17	65	137	130	115
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	1	1	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—
5 Whooping cough ..	M	1	—	—	—	—	—	—	—	—	1	3	—	2	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	1	—	—
	F	4	1	—	1	1	1	—	—	—	—	8	—	—	3	5	—	—	—	—	—
7 Influenza	M	25	2	—	—	1	—	4	9	3	6	41	3	—	—	3	—	3	12	10	10
	F	28	3	1	—	—	1	1	5	10	7	19	—	1	—	2	—	6	2	4	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	23	—	—	—	—	3	12	8	—	—	33	—	—	—	—	10	11	10	1	1
	F	19	—	—	—	—	5	11	3	—	—	24	—	—	—	1	4	12	5	2	—
11 Other tuberculous diseases	M	2	—	—	—	—	1	1	—	—	—	5	—	1	—	—	1	2	1	—	—
	F	2	—	1	—	—	—	1	—	—	—	10	—	—	1	5	1	1	2	—	—
12 Cancer, malignant disease	M	41	—	—	—	—	—	2	18	17	4	79	—	—	1	—	1	6	29	30	12
	F	51	—	—	—	—	—	3	25	10	13	73	—	—	—	1	—	3	25	31	13
13 Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
14 Diabetes	M	5	—	—	—	—	—	—	1	3	1	6	—	—	—	—	1	1	1	3	—
	F	3	—	—	—	—	—	1	—	1	1	5	—	—	—	—	—	—	2	2	1
15 Cerebral hæmorrhage, &c. ..	M	25	—	—	—	—	—	1	6	10	8	33	—	—	—	—	—	1	5	15	12
	F	32	—	—	—	—	—	—	10	14	8	45	—	—	—	—	—	1	13	16	15
16 Heart disease ..	M	74	—	—	—	—	—	1	16	22	35	124	—	—	—	—	5	7	30	46	36
	F	85	—	—	—	—	3	1	20	31	30	120	—	—	—	2	4	10	36	29	39
17 Arterio-sclerosis ..	M	24	—	—	—	—	—	—	5	5	14	21	—	—	—	—	—	—	5	8	8
	F	23	—	—	—	—	—	—	1	5	17	18	—	—	—	—	—	—	5	5	8
18 Bronchitis ..	M	14	2	—	—	—	—	1	5	3	3	38	4	—	—	—	—	1	6	13	14
	F	16	—	—	—	—	—	—	1	3	12	31	2	2	—	1	—	—	4	11	11
19 Pneumonia (all forms)	M	26	5	3	2	—	1	4	5	1	5	64	17	4	2	—	5	9	15	10	2
	F	24	1	4	5	—	—	1	6	1	6	32	7	4	3	1	1	5	3	7	1
20 Other respiratory diseases	M	5	—	—	—	1	—	—	1	1	2	12	—	—	1	—	—	1	6	3	1
	F	3	—	—	—	—	—	—	1	1	1	8	1	—	2	—	—	—	2	2	1
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	3	1	—	1	8	—	—	—	—	—	1	7	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	3	2	—	1	—	—	—	—	—	—	6	3	—	1	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	4	1	—	—	—	—	2	—	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	1	—	2	—	—	—	4	—	—	—	1	—	2	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	1	2	1	1	6	—	—	—	—	—	—	3	1	2
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	18	—	—	—	—	—	2	8	3	5	27	—	—	—	—	1	4	8	11	3
	F	15	—	—	—	1	—	2	5	5	2	20	—	—	—	—	1	3	8	7	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	8	—	—	—	—	2	6	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	12	12	—	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—	—
	F	6	6	—	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	1	1	—	—
	F	3	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	2	1	—	—
30 Other deaths from violence.. ..	M	16	—	1	1	2	2	3	6	1	—	49	1	2	4	2	14	11	8	5	2
	F	5	—	—	—	—	1	2	—	1	1	7	—	1	2	3	—	—	—	—	1
31 Other defined diseases	M	65	7	—	—	1	3	7	20	19	8	88	13	1	3	2	5	10	23	16	15
	F	60	3	—	1	1	2	10	8	15	20	88	10	4	1	4	3	9	25	13	19
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	—
	F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1	1	1

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **FLINT**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	300	23	7	8	8	15	34	80	65	60	425	61	8	6	13	17	43	99	94	84
	F	288	16	5	6	5	11	28	70	49	98	427	34	11	6	9	13	44	105	93	112
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	—	7	4	1	1	1	—	—	—	—	—
	F	5	2	1	2	—	—	—	—	—	—	8	5	2	1	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	1	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—	—
7 Influenza	M	15	1	—	1	—	1	1	5	1	5	13	—	—	—	—	—	4	1	1	7
	F	17	1	—	2	—	—	1	—	2	11	24	—	—	—	1	—	1	10	7	5
8 Encephalitis lethargica	M	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	1	1	1	—	—
9 Meningococcal meningitis	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	16	—	—	—	—	1	8	6	1	—	32	—	—	—	2	2	12	13	2	1
	F	15	—	—	—	—	4	7	4	—	—	19	—	—	—	—	3	5	6	3	2
11 Other tuberculous diseases	M	4	—	—	2	1	1	—	—	—	—	8	—	1	1	2	2	1	1	—	—
	F	2	—	—	—	1	—	1	—	—	—	4	—	1	1	—	1	1	—	—	—
12 Cancer, malignant disease	M	43	—	—	—	1	—	3	14	20	5	33	—	—	—	—	—	1	9	18	5
	F	27	—	—	—	—	—	2	13	9	3	65	—	—	—	—	1	9	29	12	14
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	2	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	6	—	—	—	—	—	1	2	2	1	5	—	—	—	—	—	1	1	2	1
15 Cerebral hæmorrhage, &c.	M	17	—	—	—	—	—	1	5	7	4	32	—	—	—	—	—	—	10	10	12
	F	15	—	—	—	—	—	—	3	3	9	33	—	—	—	—	—	1	10	13	9
16 Heart disease	M	39	—	—	—	1	3	4	11	7	13	58	—	—	—	—	2	1	16	23	16
	F	44	—	—	—	1	1	1	12	12	17	60	—	—	—	—	—	7	16	23	14
17 Arterio-sclerosis	M	13	—	—	—	—	—	—	2	6	5	17	—	—	—	—	—	—	5	6	6
	F	12	—	—	—	—	—	—	1	4	7	12	—	—	—	—	—	—	2	5	5
18 Bronchitis	M	9	1	2	—	1	—	1	—	—	4	19	2	—	—	—	—	1	3	4	9
	F	14	—	—	—	—	—	—	5	2	7	21	—	—	—	—	—	—	1	4	16
19 Pneumonia (all forms)	M	25	6	3	2	—	1	2	7	2	2	32	9	3	2	1	—	1	12	2	2
	F	14	2	1	—	1	—	—	4	2	4	17	4	4	2	—	—	1	1	2	3
20 Other respiratory diseases	M	2	—	—	1	—	—	—	—	1	—	6	—	—	—	—	—	—	3	1	2
	F	3	—	—	—	—	1	1	1	—	—	2	—	—	—	—	—	1	1	—	—
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	1	1	—	—	6	—	—	—	—	—	2	2	2	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	7	3	1	—	1	—	—	1	1	—	6	3	1	—	—	—	1	1	—	—
	F	3	—	2	—	—	—	—	1	—	—	9	3	1	1	—	—	1	1	1	1
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	1	1	1	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	1	—	1	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	—	1	2	—	—	—	—	—	2	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	12	—	—	—	—	—	1	6	5	—	13	—	—	—	—	1	2	4	4	2
	F	7	—	—	—	—	—	1	2	2	2	10	—	—	—	—	2	—	5	1	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth	M	8	8	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
	F	7	7	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	1	4	1	—	3	—	—	—	—	—	2	—	—	1
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	8	—	—	—	—	3	3	2	—	—	21	—	—	1	4	5	3	5	3	—
	F	9	—	—	1	1	1	—	3	2	1	10	1	2	—	1	1	3	1	—	1
31 Other defined diseases	M	56	3	—	2	2	3	4	9	13	20	74	10	2	1	1	4	7	13	15	21
	F	71	3	1	—	—	4	7	13	7	36	89	5	1	1	4	—	3	18	18	39
32 Causes ill-defined or unknown	M	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	—	1	1	—
	F	3	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	2	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **GLAMORGAN**—1929 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	3842	449	119	114	143	185	445	1163	777	447	1174	164	30	26	40	63	135	319	225	172
		F	3215	383	104	126	141	190	400	788	538	545	1046	117	15	22	46	51	131	254	194	216
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	40	11	14	10	5	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
		F	34	7	12	12	3	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
		F	5	—	—	2	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5	Whooping cough	M	47	17	22	8	—	—	—	—	—	—	12	6	3	2	1	—	—	—	—	—
		F	61	33	14	12	2	—	—	—	—	—	12	6	3	2	1	—	—	—	—	—
6	Diphtheria	M	28	—	2	9	16	—	1	—	—	—	12	—	1	5	5	—	—	—	—	1
		F	47	1	3	21	21	1	—	—	—	—	9	—	—	1	3	1	—	1	—	—
7	Influenza	M	175	2	3	5	9	10	30	63	36	17	50	—	4	—	1	2	18	13	8	4
		F	145	3	5	5	5	5	19	47	34	22	43	2	1	3	1	3	7	9	11	6
8	Encephalitis lethargica	M	8	—	1	—	2	1	4	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9	Meningococcal meningitis	M	1	—	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
		F	2	—	—	1	—	—	1	—	—	—	2	1	—	—	1	—	—	—	—	—
10	Tuberculosis of respiratory system	M	228	2	2	3	4	65	77	71	4	—	75	1	—	—	1	15	31	22	4	1
		F	231	—	—	1	7	97	92	31	3	—	76	—	—	—	6	17	37	13	1	2
11	Other tuberculous diseases	M	61	1	3	7	13	14	12	11	—	—	21	4	1	1	8	3	3	1	—	—
		F	44	2	8	4	10	5	11	3	1	—	14	—	—	—	6	4	3	1	—	—
12	Cancer, malignant disease	M	309	—	—	2	4	3	22	157	92	29	108	—	—	—	—	1	5	52	42	8
		F	294	—	—	1	1	4	36	154	66	32	116	—	—	—	—	—	10	60	35	11
13	Rheumatic fever	M	15	—	—	—	6	1	1	7	—	—	3	—	—	—	—	2	—	—	1	—
		F	16	—	—	—	4	4	4	4	—	—	4	—	—	—	1	1	2	—	—	—
14	Diabetes	M	21	—	—	—	—	—	7	6	8	—	6	—	—	—	1	1	—	2	2	—
		F	41	—	—	—	1	—	1	23	11	5	10	—	—	—	1	—	3	2	4	—
15	Cerebral hæmorrhage, &c.	M	188	—	—	—	—	1	6	65	73	43	49	—	—	—	—	—	2	22	16	9
		F	186	—	—	—	—	—	5	86	59	36	75	—	—	—	—	1	—	25	21	28
16	Heart disease	M	617	—	—	—	13	17	45	238	198	106	172	—	—	1	6	2	10	62	50	41
		F	576	—	—	1	22	19	66	173	148	147	168	—	—	—	2	4	16	60	49	37
17	Arterio-sclerosis	M	103	—	—	—	—	—	1	19	41	42	46	—	—	—	—	—	—	7	16	23
		F	61	—	—	—	—	—	—	14	28	19	45	—	—	—	—	—	—	11	12	22
18	Bronchitis	M	324	29	6	4	3	1	18	90	101	72	73	11	2	1	—	1	1	19	14	24
		F	227	29	8	6	1	2	7	30	56	88	61	11	1	—	—	—	1	5	10	33
19	Pneumonia (all forms)	M	311	75	42	28	7	9	22	84	31	13	86	14	11	6	4	4	12	21	7	7
		F	186	53	36	20	8	7	15	18	19	10	50	10	5	6	9	1	2	7	4	6
20	Other respiratory diseases	M	71	2	1	5	3	1	9	29	16	5	23	1	—	3	—	—	3	9	2	5
		F	35	1	—	5	1	2	7	7	4	8	10	3	—	—	—	—	2	3	—	2
21	Ulcer of stomach or duodenum	M	24	—	—	—	—	2	6	15	1	—	8	—	—	—	—	—	4	2	2	—
		F	12	1	—	—	—	1	4	5	1	—	1	—	—	—	—	—	—	1	—	—
22	Diarrhœa, &c.	M	46	26	4	2	1	2	2	4	5	—	13	10	2	—	—	—	—	1	—	—
		F	61	28	7	7	2	—	1	5	4	7	12	9	1	1	—	—	1	—	—	—
23	Appendicitis and typhlitis	M	17	—	—	1	3	3	3	6	—	1	10	—	—	—	1	6	—	3	—	—
		F	13	—	1	2	1	3	4	2	—	—	6	—	—	—	2	1	1	1	1	—
24	Cirrhosis of liver	M	13	—	—	—	—	—	4	2	6	1	3	—	—	—	—	—	1	1	1	—
		F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
25	Acute and chronic nephritis	M	130	1	—	2	6	3	15	55	29	19	40	—	—	—	—	2	1	18	19	—
		F	101	—	—	2	3	6	14	42	19	15	24	—	—	—	—	3	4	7	9	1
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	19	—	—	—	—	1	17	1	—	—	9	—	—	—	—	2	5	2	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	8	30	—	—	—	16	—	—	—	—	3	13	—	—	—
28	Congenital debility and malformation, premature birth	M	201	197	1	1	1	1	—	—	—	—	79	77	—	—	1	—	—	1	—	—
		F	174	171	—	—	3	—	—	—	—	—	58	55	1	—	1	1	—	—	—	—
29	Suicide	M	31	—	—	—	—	—	9	17	5	—	19	—	—	—	—	2	4	9	4	—
		F	10	—	—	—	—	2	3	5	—	—	6	—	—	—	—	2	2	2	—	—
30	Other deaths from violence	M	251	1	4	15	28	35	82	73	11	2	63	1	1	3	3	15	22	15	2	1
		F	76	5	2	11	18	8	4	6	6	16	22	—	1	5	4	1	2	3	3	3
31	Other defined diseases	M	575	85	12	11	18	16	67	149	120	97	193	37	1	4	8	6	18	36	35	48
		F	514	49	8	13	25	14	57	130	78	140	191	19	—	3	5	6	20	39	34	65
32	Causes ill-defined or unknown	M	4	—	1	—	—	—	1	2	—	—	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **MERIONETH**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	134	11	1	2	4	3	17	31	39	26	168	15	2	2	—	6	13	43	46	41
	F	139	11	1	3	4	6	13	20	38	43	195	8	1	2	5	11	21	41	40	66
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	—	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	4	2	1	—	1	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	5	1	—	—	—	—	1	1	1	1	9	—	—	—	—	1	1	5	1	1
	F	9	—	—	—	—	—	2	—	3	4	12	—	—	1	1	1	—	—	1	8
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	11	—	—	—	—	—	3	6	2	—	11	—	—	—	—	1	1	3	6	—
	F	8	—	—	—	1	3	3	—	1	—	14	—	—	—	—	5	6	3	—	—
11 Other tuberculous diseases	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
12 Cancer, malignant disease	M	10	—	—	—	—	—	—	2	6	2	11	—	—	—	—	—	1	7	3	—
	F	17	—	—	—	—	—	1	9	3	4	24	—	—	—	—	—	1	10	7	6
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—
15 Cerebral hæmorrhage, &c. ..	M	8	—	—	—	—	—	—	2	—	6	9	—	—	—	—	—	—	2	5	2
	F	9	—	—	—	—	—	—	—	2	7	14	—	—	—	—	—	—	3	2	9
16 Heart disease ..	M	23	—	—	—	1	—	3	6	5	8	33	—	—	—	—	—	—	7	13	13
	F	26	—	—	—	—	2	3	4	9	8	43	—	—	—	1	1	2	11	11	17
17 Arterio-sclerosis ..	M	14	—	—	—	—	—	—	1	9	4	13	—	—	—	—	—	—	2	3	8
	F	11	—	—	—	—	—	—	1	3	7	17	—	—	—	—	—	—	2	5	10
18 Bronchitis ..	M	8	—	—	—	—	—	—	1	7	—	2	—	—	—	—	—	—	1	—	1
	F	6	1	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—	1	—
19 Pneumonia (all forms)	M	7	2	—	1	—	—	1	2	1	—	22	5	1	1	—	1	2	4	5	3
	F	13	2	1	1	—	1	—	1	6	1	8	1	—	—	1	1	—	2	—	3
20 Other respiratory diseases	M	5	1	—	1	—	—	1	2	—	—	2	—	—	—	—	—	1	1	—	—
	F	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	1	—	—
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	2	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	1	—	2	2	3	6	—	—	—	—	—	1	1	3	1
	F	3	—	—	—	—	—	1	—	1	1	12	—	—	—	—	—	—	1	6	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	4	4	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	2	—	—	—	—	—	1	1	—	—	8	—	—	—	—	1	3	2	1	1
	F	4	1	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	1	—	1
31 Other defined diseases	M	16	1	—	—	1	2	3	1	6	2	27	3	—	—	—	2	3	4	4	11
	F	19	5	—	—	—	—	1	3	3	7	27	—	—	—	—	2	6	6	6	7
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MONMOUTH—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1897	218	66	71	77	108	229	506	371	251	318	31	7	11	12	11	29	75	74	68
	F	1572	163	51	53	47	94	190	358	318	298	282	23	3	4	7	16	29	66	58	76
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	1	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	17	3	7	6	1	—	—	—	—	—	5	—	2	2	1	—	—	—	—	—
	F	14	1	9	4	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	35	14	11	10	—	—	—	—	—	—	6	2	1	1	2	—	—	—	—	—
	F	30	8	13	9	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
6 Diphtheria	M	15	—	3	5	7	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	11	—	2	5	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	75	2	3	4	3	7	7	25	11	13	17	1	—	1	—	2	3	6	4	—
	F	53	1	1	—	1	5	11	14	14	6	3	1	—	—	—	—	—	1	1	—
8 Encephalitis lethargica	M	4	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis	M	3	2	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	98	1	—	1	3	24	36	28	4	1	9	—	—	—	—	2	2	2	3	—
	F	98	—	—	—	3	37	42	15	1	—	27	—	—	—	1	12	12	1	—	1
11 Other tuberculous diseases	M	31	—	1	3	8	11	5	3	—	—	1	—	—	—	1	—	—	—	—	—
	F	22	1	1	2	3	4	6	5	—	—	2	—	—	—	1	—	—	1	—	—
12 Cancer, malignant disease	M	161	—	—	—	—	3	12	80	49	17	20	—	—	—	—	—	3	11	4	2
	F	149	—	—	—	—	1	16	70	44	18	30	—	—	—	—	1	2	13	8	6
13 Rheumatic fever	M	8	—	—	—	5	1	1	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	10	—	—	—	3	2	1	2	2	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	15	—	—	—	—	—	4	2	5	4	2	—	—	—	—	—	—	—	2	—
	F	26	—	—	—	1	1	—	13	8	3	2	—	—	—	—	1	—	1	—	—
15 Cerebral hæmorrhage, &c.	M	87	—	—	—	—	—	2	24	40	21	14	—	—	—	—	—	—	4	3	7
	F	89	—	—	—	—	—	—	30	35	24	11	—	—	—	—	—	—	7	1	3
16 Heart disease	M	306	—	—	—	7	10	21	96	114	58	60	—	—	—	—	—	1	17	20	22
	F	286	—	—	—	6	13	20	83	83	81	71	—	—	—	—	—	4	15	21	31
17 Arterio-sclerosis	M	42	—	—	—	—	1	—	10	18	13	14	—	—	—	—	—	—	—	8	6
	F	27	—	—	—	—	—	—	3	13	11	6	—	—	—	—	—	—	—	—	6
18 Bronchitis	M	130	15	3	1	1	—	7	32	34	37	20	2	—	1	—	—	1	3	4	9
	F	94	15	4	—	1	—	1	11	20	42	10	1	—	—	—	—	—	—	2	7
19 Pneumonia (all forms)	M	161	32	23	21	7	6	21	34	12	5	22	2	3	—	—	1	2	6	6	2
	F	101	23	14	15	6	5	12	10	6	10	18	5	2	2	2	1	1	2	2	1
20 Other respiratory diseases	M	26	1	—	—	—	1	7	6	7	4	4	2	—	1	—	—	—	—	1	—
	F	26	1	—	1	—	1	1	10	10	2	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum	M	19	—	—	—	—	2	7	8	1	1	10	—	—	—	—	—	4	4	1	1
	F	6	—	—	—	—	—	2	2	1	1	3	—	—	—	—	—	—	2	—	1
22 Diarrhœa, &c.	M	27	13	4	1	2	—	1	2	3	1	6	4	—	—	—	—	—	2	—	—
	F	31	12	3	2	2	1	3	4	2	2	2	—	—	1	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	19	—	—	1	2	5	3	8	—	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	1	1	1	1	1	—	—	2	—	—	—	—	—	1	—	—	1
24 Cirrhosis of liver	M	8	—	—	—	—	—	1	2	5	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	52	—	—	—	2	3	5	24	13	5	12	—	—	—	1	—	—	2	3	6
	F	39	—	—	—	1	1	8	12	12	5	20	—	—	—	—	—	3	8	6	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	—	3	17	1	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	24	—	—	—	—	5	19	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	97	94	—	1	—	2	—	—	—	—	14	14	—	—	—	—	—	—	—	—
	F	74	71	—	3	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	24	—	—	—	—	2	5	11	2	4	8	—	—	—	—	1	3	4	—	—
	F	8	—	—	—	—	1	2	5	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	147	3	1	6	16	20	46	47	7	1	23	—	—	2	3	4	7	4	3	—
	F	24	3	—	4	3	3	2	4	3	2	4	—	—	—	1	—	—	1	2	—
31 Other defined diseases	M	287	38	9	10	11	9	37	61	46	66	45	3	1	2	3	1	2	8	12	13
	F	289	26	3	5	12	9	23	57	64	90	43	—	—	—	1	—	2	12	12	16
32 Causes ill-defined or unknown	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **MONTGOMERY**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	108	6	2	1	—	7	7	26	28	31	246	18	3	9	6	5	16	51	66	72
	F	115	3	—	1	1	6	12	26	30	36	203	20	2	4	4	9	25	28	42	69
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	4	1	—	2	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	5	—	—	—	—	1	—	1	1	2	10	—	—	—	1	—	1	3	3	2
	F	7	—	—	—	—	—	1	1	3	2	9	1	—	—	—	—	3	—	4	1
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	7	—	—	—	—	2	5	—	—	—	13	—	—	—	—	1	4	4	2	2
	F	9	—	—	—	—	3	5	—	1	—	19	—	—	—	—	5	9	5	—	—
11 Other tuberculous diseases	M	2	—	1	—	—	1	—	—	—	—	5	1	—	—	1	—	—	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	1	1	1	2	—	—	—
12 Cancer, malignant disease	M	10	—	—	—	—	—	—	8	—	2	30	—	—	—	—	—	1	12	9	8
	F	20	—	—	—	—	—	2	11	3	4	18	—	—	—	—	—	1	5	7	5
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
15 Cerebral hæmorrhage, &c.	M	10	—	—	—	—	—	—	4	4	2	10	—	—	—	—	—	—	4	3	3
	F	12	—	—	—	—	—	—	2	5	5	14	—	—	—	—	—	—	2	7	5
16 Heart disease	M	19	—	—	—	—	—	1	4	9	5	43	—	—	—	—	1	2	5	19	16
	F	21	—	—	—	—	—	—	1	9	11	40	—	—	—	—	—	1	4	12	23
17 Arterio-sclerosis	M	1	—	—	—	—	—	—	—	1	—	12	—	—	—	—	—	—	—	3	9
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	2	3
18 Bronchitis	M	6	—	—	—	—	—	—	—	2	4	7	1	—	—	—	—	—	—	2	4
	F	5	—	—	—	—	—	—	—	2	3	10	1	—	—	—	1	—	—	3	5
19 Pneumonia (all forms)	M	—	—	—	—	—	—	—	—	—	—	13	1	1	3	—	—	1	3	2	2
	F	4	2	—	—	—	—	2	—	—	—	8	1	1	1	—	1	1	1	—	2
20 Other respiratory diseases	M	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	1	—
	F	2	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	1	3	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	1	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	8	—	—	—	—	1	—	4	—	3	19	—	1	—	—	—	1	4	7	6
	F	3	—	—	—	—	—	—	1	1	1	6	—	—	—	—	—	1	2	1	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	6	5	1	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	4	—	—	—	—	2	—	1	1	—	11	—	1	1	2	2	1	2	1	1
	F	3	—	—	—	—	—	—	2	—	1	3	—	—	1	—	—	—	—	—	2
31 Other defined diseases	M	23	1	—	—	—	—	—	3	8	11	40	2	—	1	1	—	—	6	11	19
	F	21	—	—	—	—	1	1	6	5	8	42	3	—	—	2	1	3	9	4	20
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **PEMBROKE**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	231	16	5	8	5	11	28	52	50	56	360	36	5	5	6	13	33	77	90	95
	F	287	21	5	6	8	11	29	47	74	86	345	24	3	2	6	11	28	64	87	120
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria	M	6	—	—	4	2	—	—	—	—	—	5	—	—	2	3	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	5	—	—	—	—	—	1	2	2	—	16	1	—	—	—	1	1	7	2	4
	F	9	—	1	—	—	—	1	2	1	4	10	—	—	—	—	—	1	—	5	4
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	16	—	—	—	—	1	10	4	1	—	23	—	—	—	—	3	13	5	2	—
	F	17	—	—	—	—	6	5	2	4	—	18	—	—	—	1	7	7	3	—	—
11 Other tuberculous diseases	M	1	—	1	—	—	—	—	—	—	—	3	—	—	—	1	2	—	—	—	—
	F	4	—	—	1	1	1	—	—	1	—	5	2	1	—	1	—	—	1	—	—
12 Cancer, malignant disease	M	17	—	—	—	—	—	—	6	8	3	44	—	—	—	—	—	1	15	18	10
	F	26	—	—	—	—	—	3	13	8	2	43	—	—	—	—	—	3	13	12	15
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—	1	—	1
14 Diabetes	M	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—
	F	7	—	—	—	—	1	1	1	3	1	3	—	—	—	—	—	—	1	2	—
15 Cerebral hæmorrhage, &c.	M	7	—	—	—	—	—	—	—	6	1	20	—	—	—	—	—	—	6	9	5
	F	11	—	—	—	—	—	—	3	3	5	28	—	—	—	—	—	1	7	11	9
16 Heart disease	M	48	—	—	—	1	1	4	14	14	14	59	—	—	—	—	—	2	9	29	19
	F	52	—	—	—	—	—	3	6	24	19	71	—	—	—	—	—	1	18	28	24
17 Arterio-sclerosis	M	15	—	—	—	—	—	—	3	3	9	16	—	—	—	—	—	—	3	2	11
	F	13	—	—	—	—	—	—	2	2	9	11	—	—	—	—	—	—	1	3	7
18 Bronchitis	M	10	—	—	—	—	—	2	1	3	4	15	2	1	—	—	1	—	3	2	6
	F	13	2	—	—	—	—	—	—	4	7	18	—	—	—	—	—	—	1	8	9
19 Pneumonia (all forms)	M	14	6	2	2	—	1	—	2	—	1	26	2	3	3	—	—	5	3	4	6
	F	20	1	2	—	1	—	1	5	5	5	19	4	1	1	—	—	3	—	2	8
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	7	2	—	—	—	—	—	3	—	2
	F	1	—	1	—	—	—	—	—	—	—	4	—	—	—	—	—	—	2	1	1
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
22 Diarrhœa, &c.	M	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	6	2	—	—	1	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	6	—	—	—	—	—	1	1	—	4	19	—	—	—	1	—	—	5	4	9
	F	12	—	—	1	—	1	2	4	4	—	13	—	—	—	—	—	1	6	3	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	6	6	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
	F	11	10	—	1	—	—	—	—	—	—	12	11	—	—	—	—	1	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	2	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	13	—	—	2	1	3	5	2	—	—	17	—	—	—	—	5	5	6	—	1
	F	6	—	—	—	1	1	—	1	—	3	3	—	—	—	—	—	2	—	—	1
31 Other defined diseases	M	56	3	1	—	1	5	3	13	10	20	55	5	1	—	1	1	3	7	15	22
	F	67	6	1	2	2	1	8	5	12	30	67	4	—	—	2	2	2	8	11	38
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of **RADNOR**—1929 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	42	1	1	1	—	—	2	12	14	11	96	7	1	2	1	6	8	19	26	26
	F	48	—	1	—	1	4	5	14	6	17	93	8	—	1	4	3	5	20	22	30
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	1	1	1
	F	6	—	—	—	—	—	—	3	1	2	1	—	—	—	—	—	—	—	1	—
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	4	1	—	—
	F	4	—	—	—	—	1	2	1	—	—	2	—	—	—	—	1	1	—	—	—
11 Other tuberculous diseases	M	—	—	—	—	—	—	—	—	—	—	4	—	—	1	—	2	—	1	—	—
	F	3	—	—	—	1	2	—	—	—	—	1	—	—	—	—	1	—	—	—	—
12 Cancer, malignant disease	M	5	—	—	—	—	—	—	2	2	1	12	—	—	—	—	—	—	3	4	5
	F	5	—	—	—	—	—	—	3	1	1	10	—	—	—	—	—	—	6	1	3
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage, &c.	M	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	—	2	3
	F	1	—	—	—	—	—	—	—	1	—	7	—	—	—	—	—	—	2	3	2
16 Heart disease	M	10	—	—	—	—	—	—	2	5	3	13	—	—	—	—	—	1	3	7	2
	F	10	—	—	—	—	—	—	2	1	7	23	—	—	—	1	—	1	6	6	9
17 Arterio-sclerosis	M	4	—	—	—	—	—	—	—	3	1	5	—	—	—	—	—	—	1	1	3
	F	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	1	3
18 Bronchitis	M	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	1	1
	F	4	—	—	—	—	—	—	1	1	2	3	—	—	—	—	—	—	—	—	3
19 Pneumonia (all forms)	M	3	—	—	—	—	—	1	1	—	1	7	—	—	—	—	1	1	1	2	2
	F	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	1	—
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	2	—	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—	2	1	—
	F	2	—	—	—	—	—	—	1	1	—	5	—	—	—	1	—	—	1	2	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	1	1	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence	M	2	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—
31 Other defined diseases	M	7	—	—	1	—	—	—	1	2	3	20	—	1	1	1	2	1	5	3	6
	F	7	—	—	—	—	—	1	3	—	3	20	1	—	1	1	—	1	2	6	8
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 21.—Causes of Death in certain Administrative Areas, 1929 (Civilian population only).

Note.—This table relates to Municipal Boroughs, other Urban Districts and Rural Districts which, as now constituted, had civilian populations exceeding 10,000 at the Census of 1921. The corresponding statistics for Districts not shown in this table are available for reference in the General Register Office, Somerset House, London.

BEDFORDSHIRE.

Causes of Death.	Bedford M.B.		Luton M.B.				Ampthill. R.D.		Bedford R.D.		Biggleswade R.D.								
	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.							
All Causes	233	280	357	407			153	140	128	145	128	140							
1 Enteric fever	—	—	—	—			—	—	—	—	—	—							1
2 Small-pox	—	—	—	—			—	—	—	—	—	—							2
3 Measles	—	—	—	—			—	—	—	—	—	—							3
4 Scarlet fever	2	—	—	—			—	—	—	1	—	—							4
5 Whooping cough	—	—	1	—			—	—	—	—	1	—							5
6 Diphtheria	—	1	1	3			—	—	—	—	—	—							6
7 Influenza	18	18	17	19			8	8	6	5	9	7							7
8 Encephalitis lethargica	1	—	3	—			—	—	—	—	—	—							8
9 Meningococcal meningitis	—	—	1	1			—	—	—	—	—	—							9
10 Tuberculosis of respiratory sys.	17	13	30	23			6	4	1	—	4	4							10
11 Other tuberculous diseases	2	6	2	9			—	2	1	2	—	3							11
12 Cancer, malignant disease	30	36	34	50			13	23	19	27	21	30							12
13 Rheumatic fever	—	—	2	2			—	—	—	—	1	1							13
14 Diabetes	—	2	4	3			—	2	1	1	—	—							14
15 Cerebral hæmorrhage, &c.	6	14	15	24			7	12	4	8	10	6							15
16 Heart disease	37	42	69	80			28	24	27	39	18	30							16
17 Arterio-sclerosis	23	37	1	1			4	2	16	12	5	7							17
18 Bronchitis	10	17	24	17			16	12	6	6	8	7							18
19 Pneumonia (all forms)	5	9	26	22			11	3	4	3	8	6							19
20 Other respiratory diseases	4	3	1	5			2	2	—	—	2	1							20
21 Ulcer of stomach or duodenum	1	1	3	—			2	1	4	1	1	—							21
22 Diarrhœa, &c. (under 2 years)	—	1	2	5			1	1	1	1	—	—							22
23 Appendicitis and typhlitis	2	3	3	6			2	1	—	1	3	1							23
24 Cirrhosis of liver	3	1	3	3			1	—	1	—	—	—							24
25 Acute and chronic nephritis	6	11	7	6			5	4	5	5	5	7							25
26 Puerperal sepsis	—	2	—	1			—	—	—	—	—	—							26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	5			—	2	—	—	—	1							27
28 Congenital debility and malformation, premature birth	10	6	14	13			7	3	5	4	6	1							28
29 Suicide	1	2	12	1			2	—	—	—	—	1							29
30 Other deaths from violence	8	3	20	4			6	2	7	2	6	1							30
31 Other defined diseases	46	49	61	102			31	29	20	27	20	26							31
32 Causes ill-defined or unknown	1	1	1	2			1	3	—	—	—	—							32

BERKSHIRE.

Causes of Death.	Maidenhead M.B.		Newbury M.B.		New Windsor M.B.				Abingdon R.D.		Bradfield R.D.		Cookham R.D.		
	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	
All Causes	102	118	104	113	117	152			79	76	112	92	102	123	
1 Enteric fever	—	—	—	—	—	—			—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—			—	—	—	—	—	—	2
3 Measles	—	—	—	1	1	—			—	—	—	—	—	—	3
4 Scarlet fever	1	—	—	—	—	—			—	—	—	—	—	—	4
5 Whooping cough	1	—	7	—	—	2			—	—	1	—	—	—	5
6 Diphtheria	1	—	1	3	2	3			—	—	—	—	—	—	6
7 Influenza	6	10	7	6	8	14			2	3	6	8	7	13	7
8 Encephalitis lethargica	1	—	—	—	—	—			—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—			—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	5	3	2	8	7			3	2	3	5	5	3	10
11 Other tuberculous diseases	4	—	2	1	—	2			1	1	2	—	2	—	11
12 Cancer, malignant disease	15	15	12	9	17	21			8	9	14	11	22	21	12
13 Rheumatic fever	1	1	1	—	—	—			1	—	2	—	—	—	13
14 Diabetes	—	4	—	2	1	1			2	2	2	1	1	3	14
15 Cerebral hæmorrhage, &c.	7	9	4	10	4	14			2	4	6	3	2	9	15
16 Heart disease	13	30	21	28	22	29			11	6	22	19	16	24	16
17 Arterio-sclerosis	2	3	9	10	9	5			1	—	10	7	6	8	17
18 Bronchitis	6	7	3	7	7	14			11	14	9	9	6	2	18
19 Pneumonia (all forms)	6	5	6	4	5	9			8	2	5	4	3	9	19
20 Other respiratory diseases	—	1	2	2	1	—			2	—	1	3	—	—	20
21 Ulcer of stomach or duodenum	1	—	2	—	1	—			—	1	—	1	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	2	—			—	—	1	1	—	—	22
23 Appendicitis and typhlitis	—	1	1	—	1	—			—	1	1	—	1	2	23
24 Cirrhosis of liver	—	—	—	—	—	—			—	—	1	—	—	—	24
25 Acute and chronic nephritis	5	3	—	3	3	3			1	1	6	2	2	3	25
26 Puerperal sepsis	—	—	—	—	—	—			—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—			—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	7	4	4	2	3	4			3	4	4	5	2	4	28
29 Suicide	1	—	1	—	—	1			2	—	—	—	—	—	29
30 Other deaths from violence	7	2	5	—	4	7			3	1	4	3	4	6	30
31 Other defined diseases	12	16	13	22	17	16			16	23	12	9	21	14	31
32 Causes ill-defined or unknown	—	—	—	1	1	—			2	2	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

BERKSHIRE—*cont.*

Causes of Death.	East hampstead R.D.		Faringdon* (pt.) R.D.		Newbury R.D.		Wantage R.D.		Wokingham R.D.								
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
All Causes	134	120	63	77	74	96	76	87	130	123							
1 Enteric fever	—	—	—	—	—	—	—	—	—	—							1
2 Small-pox	—	—	—	—	—	—	—	—	—	—							2
3 Measles	—	—	—	—	—	—	—	—	1	—							3
4 Scarlet fever	—	—	—	—	—	1	—	1	—	—							4
5 Whooping cough	2	1	—	—	1	1	—	2	1	1							5
6 Diphtheria	1	—	—	—	1	2	1	—	—	1							6
7 Influenza	8	15	2	—	6	10	5	1	11	12							7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—							8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—							9
10 Tuberculosis of respiratory sys.	7	4	2	1	3	3	3	3	6	3							10
11 Other tuberculous diseases	3	—	—	1	—	—	1	2	—	3							11
12 Cancer, malignant disease	11	17	6	10	15	9	10	8	13	13							12
13 Rheumatic fever	—	—	—	—	—	—	—	1	—	—							13
14 Diabetes	—	1	—	1	—	1	1	1	2	—							14
15 Cerebral hæmorrhage, &c.	8	9	2	4	—	6	4	8	3	7							15
16 Heart disease	23	19	13	24	7	19	10	15	19	27							16
17 Arterio-sclerosis	5	3	2	3	4	8	3	1	11	5							17
18 Bronchitis	7	8	11	4	4	9	9	7	10	10							18
19 Pneumonia (all forms)	8	10	7	6	5	4	5	3	9	11							19
20 Other respiratory diseases	1	—	—	1	1	1	1	2	2	—							20
21 Ulcer of stomach or duodenum	4	—	—	3	—	—	1	—	2	—							21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	—	—	—	—	—	—							22
23 Appendicitis and typhlitis	—	2	—	—	—	—	1	1	1	—							23
24 Cirrhosis of liver	—	—	—	—	2	—	—	—	—	1							24
25 Acute and chronic nephritis	1	1	1	1	2	2	4	2	3	5							25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	2							26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	1	—	—							27
28 Congenital debility and malformation, premature birth	4	4	3	3	5	3	3	3	9	2							28
29 Suicide	1	—	—	—	—	—	—	—	1	1							29
30 Other deaths from violence	11	1	1	—	5	2	3	—	8	4							30
31 Other defined diseases	29	23	10	15	12	14	11	24	18	15							31
32 Causes ill-defined or unknown	—	—	1	—	1	—	—	1	—	—							32

BUCKINGHAMSHIRE.

Causes of Death.	Aylesbury M.B.		Chepping Wycombe M.B.		Slough U.D.		Wolverton U.D.		Amersham R.D.		Aylesbury R.D.		Eton R.D.		Newport Pagnell R.D.		Wycombe R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	81	91	151	145	126	118	73	81	165	155	145	98	237	245	94	100	171	177	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	1	—	—	—	—	1	2	1	1	—	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	4
5 Whooping cough	1	1	1	3	—	3	—	—	2	1	—	1	—	1	—	1	1	1	5
6 Diphtheria	1	—	—	—	2	4	—	—	3	—	—	—	1	3	1	1	3	1	6
7 Influenza	4	4	12	9	6	8	5	—	11	11	9	4	14	17	5	2	12	5	7
8 Encephalitis lethargica	—	—	1	2	1	—	—	—	—	—	—	—	—	1	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	6	11	11	7	5	4	2	8	5	3	3	13	7	4	3	4	9	10
11 Other tuberculous diseases	1	2	1	2	1	1	—	1	2	—	4	2	—	4	—	—	2	2	11
12 Cancer, malignant disease	8	17	13	22	12	12	12	11	21	19	17	17	35	30	16	19	20	27	12
13 Rheumatic fever	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—	—	1	13
14 Diabetes	1	1	—	2	1	1	—	2	4	3	1	1	—	9	1	—	3	3	14
15 Cerebral hæmorrhage, &c.	5	7	11	8	10	11	3	4	6	13	4	6	9	15	5	8	8	11	15
16 Heart disease	13	8	25	20	21	15	5	12	24	43	15	13	41	38	18	12	34	41	16
17 Arterio-sclerosis	5	3	3	8	4	1	5	4	6		8	5	12	3	2	3	6	5	17
18 Bronchitis	2	4	8	12	11	10	4	7	4	5	7	3	18	24	6	9	12	13	18
19 Pneumonia (all forms)	8	9	16	10	4	4	3	2	11	12	13	3	14	9	5	2	11	9	19
20 Other respiratory diseases	2	1	3	2	3	2	1	—	3	2	2	2	1	1	2	2	2	2	20
21 Ulcer of stomach or duodenum	—	1	—	—	1	—	2	—	—	2	3	1	2	1	1	—	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	2	1	2	—	—	1	—	—	1	—	2	—	2	—	—	22
23 Appendicitis and typhlitis	—	1	—	—	1	1	—	1	4	1	2	—	2	—	—	—	—	—	23
24 Cirrhosis of liver	1	—	—	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	24
25 Acute and chronic nephritis	4	1	4	5	6	5	5	2	1	4	4	4	3	10	4	4	2	2	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	—	—	—	2	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	—	—	—	1	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	6	3	9	3	4	3	2	4	6	7	6	6	19	11	3	2	6	5	28
29 Suicide	—	—	—	—	1	2	3	3	4	1	1	—	2	1	4	—	2	2	29
30 Other deaths from violence	—	3	6	1	7	4	4	—	12	5	13	6	19	6	3	1	9	2	30
31 Other defined diseases	14	16	26	21	19	23	15	24	30	16	28	18	29	45	12	26	31	34	31
32 Causes ill-defined or unknown	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	32

* The remainder of Faringdon R.D. is in Gloucestershire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

CAMBRIDGESHIRE.

Causes of Death.	Cambridge M.B.		Chesterton R.D.		Newmarket R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	361	390	193	179	124	156	
1 Enteric fever	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	1	3
4 Scarlet fever	—	—	—	1	—	—	4
5 Whooping cough	—	—	—	—	1	—	5
6 Diphtheria	3	7	2	3	1	2	6
7 Influenza	19	18	11	8	14	8	7
8 Encephalitis lethargica	1	2	—	—	—	2	8
9 Meningococcal meningitis	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	26	18	8	3	7	11	10
11 Other tuberculous diseases	5	4	1	1	1	—	11
12 Cancer, malignant disease	46	59	22	22	18	16	12
13 Rheumatic fever	—	1	—	—	—	—	13
14 Diabetes	4	4	2	4	—	1	14
15 Cerebral hæmorrhage, &c.	15	21	6	15	7	10	15
16 Heart disease	67	83	44	34	25	33	16
17 Arterio-sclerosis	13	5	7	9	1	12	17
18 Bronchitis	21	28	12	20	6	3	18
19 Pneumonia (all forms)	16	17	13	5	8	8	19
20 Other respiratory diseases	7	3	3	2	1	3	20
21 Ulcer of stomach or duodenum	3	1	2	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	1	22
23 Appendicitis and typhlitis	2	4	—	1	—	—	23
24 Cirrhosis of liver	1	—	1	—	2	—	24
25 Acute and chronic nephritis	9	12	7	5	2	12	25
26 Puerperal sepsis	—	2	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	27
28 Congenital debility and mal formation, premature birth	7	13	8	2	5	5	28
29 Suicide	9	3	3	1	1	—	29
30 Other deaths from violence	15	11	7	5	4	1	30
31 Other defined diseases	72	72	32	35	20	25	31
32 Causes ill-defined or unknown	—	1	1	—	—	—	32

CHESHIRE.

Causes of Death.	Altrincham U.D.		Bebington & Bromborough. U.D.		Cheadle & Gatley U.D.		Congleton M.B.		Crewe M.B.		Dukinfield M.B.		Ellesmere Port & Whitby U.D.		Hazel Grove & Bramhall U.D.		Hoylake & West Kirby U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	144	139	108	130	87	93	97	87	293	292	164	153	96	78	77	63	84	120	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	1	—	—	—	—	3	3	—	—	3	4	—	—	—	1	3
4 Scarlet fever	—	1	1	—	—	1	—	—	—	2	—	—	—	—	1	—	—	—	4
5 Whooping cough	—	1	1	—	1	1	5	2	4	5	1	2	—	—	—	1	1	1	5
6 Diphtheria	1	1	3	2	—	—	2	1	3	2	1	1	4	3	—	—	—	—	6
7 Influenza	17	15	3	4	4	4	10	7	23	18	10	17	—	—	2	1	5	9	7
8 Encephalitis lethargica	1	—	1	1	—	—	1	—	—	3	—	1	2	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	8	8	10	2	4	3	5	18	9	13	5	5	4	5	—	9	4	10
11 Other tuberculous diseases	4	2	2	4	1	1	1	1	3	4	3	1	2	1	1	1	1	3	11
12 Cancer, malignant disease	10	7	16	16	12	11	7	10	30	35	13	20	9	6	10	10	8	13	12
13 Rheumatic fever	—	—	—	—	—	1	—	—	1	4	—	1	—	—	—	—	—	—	13
14 Diabetes	—	1	3	2	1	4	1	2	3	2	1	1	1	3	1	1	3	4	14
15 Cerebral hæmorrhage, &c.	8	10	2	8	1	—	4	—	13	18	7	13	4	8	7	3	3	9	15
16 Heart disease	25	28	20	29	19	14	10	13	51	57	27	27	10	13	10	11	17	22	16
17 Arterio-sclerosis	7	5	4	4	10	15	5	3	10	7	8	3	2	—	4	3	8	13	17
18 Bronchitis	10	8	3	6	6	7	10	8	19	18	10	6	10	4	4	2	1	2	18
19 Pneumonia (all forms)	16	6	4	3	7	7	10	9	21	13	20	22	9	6	6	6	10	6	19
20 Other respiratory diseases	6	4	—	5	4	2	—	—	1	1	2	1	—	2	—	—	1	—	20
21 Ulcer of stomach or duodenum	—	—	1	—	1	1	—	1	2	—	3	—	1	1	—	1	—	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	3	2	—	—	—	—	4	2	2	1	2	2	—	—	—	—	22
23 Appendicitis and typhlitis	—	1	1	—	1	1	—	—	3	—	1	—	1	—	—	—	2	1	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	2	—	24
25 Acute and chronic nephritis	5	9	4	5	3	2	—	1	6	8	9	8	5	3	2	3	3	7	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	2	—	3	—	1	—	1	—	—	—	1	27
28 Congenital debility and malformation, premature birth	2	—	7	5	3	4	4	2	18	8	6	3	6	7	4	2	2	3	28
29 Suicide	3	2	—	1	1	—	—	2	5	1	2	2	1	—	1	1	—	—	29
30 Other deaths from violence	5	3	8	2	1	3	6	4	7	6	4	2	5	1	2	4	—	2	30
31 Other defined diseases	16	26	11	20	9	8	18	12	44	62	18	15	14	8	17	12	8	17	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

CHESHIRE—*cont.*

Causes of Death.	Hyde M.B.		Macclesfield. M.B.		Northwich U.D.		Runcorn U.D.		Sale U.D.		Stalybridge M.B.		Winsford U.D.						
	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.					
All Causes	255	242	279	273	141	109	141	109	93	130	195	208	81	71					
1 Enteric fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	1	—	—	—	—	—					2
3 Measles	—	—	—	—	—	—	—	—	—	—	1	—	—	—					3
4 Scarlet fever	2	1	—	1	—	—	1	4	—	—	—	—	—	1					4
5 Whooping cough	5	3	—	3	2	4	3	1	—	—	3	—	—	—					5
6 Diphtheria	—	—	3	—	—	—	1	—	—	1	—	2	2	2					6
7 Influenza	17	27	18	23	9	7	5	6	5	10	11	11	4	—					7
8 Encephalitis lethargica	—	—	1	—	2	1	—	—	—	—	1	1	—	—					8
9 Meningococcal meningitis	—	1	2	—	—	—	—	—	1	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	15	6	10	7	11	3	10	5	7	4	4	9	4	2					10
11 Other tuberculous diseases	2	1	2	4	2	2	—	2	3	4	—	1	1	2					11
12 Cancer, malignant disease	23	33	26	28	19	10	12	9	10	26	21	21	11	13					12
13 Rheumatic fever	1	1	1	1	—	—	—	1	—	—	1	—	—	1					13
14 Diabetes	3	1	2	4	2	2	1	2	—	1	4	2	2	1					14
15 Cerebral hæmorrhage, &c.	8	15	21	18	3	10	7	3	4	2	14	12	7	1					15
16 Heart disease	43	49	36	52	28	23	18	18	7	28	20	38	13	14					16
17 Arterio-sclerosis	20	7	17	5	9	3	10	8	6	8	5	6	4	2					17
18 Bronchitis	10	23	28	26	5	5	11	7	6	7	17	21	1	1					18
19 Pneumonia (all forms)	21	15	25	12	10	3	22	8	9	6	37	30	4	6					19
20 Other respiratory diseases	—	4	4	5	—	—	—	2	—	—	1	3	—	—					20
21 Ulcer of stomach or duodenum	5	—	—	1	2	—	1	—	—	—	2	—	2	—					21
22 Diarrhœa, &c. (under 2 years)	—	1	1	—	1	1	—	—	—	—	—	—	2	1					22
23 Appendicitis and typhlitis	1	—	2	2	—	—	1	—	—	—	2	—	—	1					23
24 Cirrhosis of liver	2	—	1	—	2	—	—	—	2	—	2	—	2	—					24
25 Acute and chronic nephritis	5	2	5	8	4	6	3	1	3	4	15	7	1	4					25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	2	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	—	—	—	—	—	—	—	—	1					27
28 Congenital debility and malformation, premature birth	15	2	11	4	9	6	5	7	8	4	6	6	4	—					28
29 Suicide	4	4	5	3	—	1	1	—	2	1	—	1	1	—					29
30 Other deaths from violence	12	8	6	6	3	2	7	3	3	1	3	3	4	2					30
31 Other defined diseases	40	37	52	55	18	19	18	21	16	23	25	32	12	16					31
32 Causes ill-defined or unknown	—	—	—	1	—	—	4	1	—	—	—	—	—	—					32

CHESHIRE—*cont.*

Causes of Death.	Bucklow R.D.		Chester R.D.		Congleton R.D.		Macclesfield R.D.		Nantwich R.D.		Northwich R.D.		Runcorn R.D.		Tarvin R.D.		Wirral R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	146	139	76	84	96	82	138	114	155	143	160	165	184	152	88	87	127	139	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
4 Scarlet fever	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	1	2	—	1	—	2	1	3	—	—	2	—	5
6 Diphtheria	—	1	1	5	—	—	—	—	3	1	—	2	1	1	1	1	2	2	6
7 Influenza	13	13	4	3	7	12	20	8	9	11	11	11	11	13	6	8	2	6	7
8 Encephalitis lethargica	—	—	1	—	—	—	—	1	2	1	1	—	1	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	9
10 Tuberculosis of respiratory sys.	4	3	1	2	5	2	2	3	3	2	7	7	9	7	3	1	8	5	10
11 Other tuberculous diseases	2	2	2	—	1	2	1	—	1	4	1	—	2	—	1	—	3	4	11
12 Cancer, malignant disease	20	24	6	12	5	9	10	14	9	13	19	19	20	22	5	14	11	20	12
13 Rheumatic fever	—	—	—	—	—	—	1	—	—	2	1	2	2	1	—	1	—	—	13
14 Diabetes	1	2	—	2	1	—	1	—	1	1	7	3	1	1	1	1	3	2	14
15 Cerebral hæmorrhage, &c.	5	9	1	6	5	3	2	6	9	19	4	8	3	11	5	7	2	8	15
16 Heart disease	30	31	14	17	25	12	35	26	30	35	25	31	30	33	27	19	29	37	16
17 Arterio-sclerosis	8	5	1	3	4	—	8	5	—	1	7	9	14	7	2	4	5	6	17
18 Bronchitis	7	6	3	4	2	7	5	7	11	3	6	8	6	3	5	3	2	1	18
19 Pneumonia (all forms)	11	2	4	5	2	3	5	9	13	10	9	6	11	9	4	1	13	7	19
20 Other respiratory diseases	2	—	2	2	2	2	5	1	1	—	2	—	1	2	—	3	2	—	20
21 Ulcer of stomach or duodenum	—	—	2	—	1	—	—	—	2	—	1	1	1	—	—	2	4	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	2	1	1	1	—	—	—	—	2	1	2	2	1	1	—	1	22
23 Appendicitis and typhlitis	3	—	—	1	—	—	1	—	1	1	1	—	—	—	—	—	1	1	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	1	—	—	1	—	1	—	—	—	24
25 Acute and chronic nephritis	3	6	1	—	2	1	5	2	6	1	6	10	8	6	2	1	6	4	25
26 Puerperal sepsis	—	1	—	1	—	1	—	—	—	2	—	4	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	1	—	1	—	—	—	3	—	1	—	—	27
28 Congenital debility and malformation, premature birth	7	1	5	3	4	5	5	1	7	8	7	9	8	2	2	5	4	6	28
29 Suicide	1	1	—	—	3	1	5	—	3	1	3	—	4	1	4	—	4	—	29
30 Other deaths from violence	4	1	6	4	7	3	4	4	8	2	11	5	10	4	2	1	4	1	30
31 Other defined diseases	21	31	20	12	19	17	22	24	34	22	29	26	36	20	15	10	19	24	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	1	—	—	—	1	—	1	2	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

CORNWALL.

Causes of Death.	Camborne U.D.		Falmouth M.B.		Penzance M.B.		Truro M.B.		Bodmin R.D.		Helston R.D.		Liskeard R.D.		Redruth R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	96	139	89	102	90	90	51	87	66	69	98	132	102	103	113	131	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	4
5 Whooping cough	1	2	—	—	—	—	—	—	—	1	—	1	—	—	3	—	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	6
7 Influenza	2	5	3	15	3	8	—	3	2	8	4	5	5	4	2	1	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	15	6	5	6	2	2	3	4	2	1	4	1	6	2	8	6	10
11 Other tuberculous diseases	1	3	1	1	2	4	—	—	—	2	1	—	—	3	2	5	11
12 Cancer, malignant disease	7	17	10	9	13	7	5	9	6	7	13	16	8	13	10	9	12
13 Rheumatic fever	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	—	1	1	2	—	—	1	1	—	1	3	2	1	1	3	5	14
15 Cerebral hæmorrhage, &c.	4	18	11	9	6	9	4	6	3	6	3	6	3	5	4	4	15
16 Heart disease	18	36	20	15	19	14	10	12	16	21	26	30	26	22	21	40	16
17 Arterio-sclerosis	4	—	1	1	4	—	—	2	2	5	2	5	10	4	2	1	17
18 Bronchitis	1	6	4	7	5	7	1	8	4	3	2	7	7	12	5	8	18
19 Pneumonia (all forms)	5	4	3	2	5	1	2	1	3	1	3	6	6	3	5	5	19
20 Other respiratory diseases	4	4	—	—	2	5	—	—	1	—	2	2	—	1	7	1	20
21 Ulcer of stomach or duodenum	—	—	1	—	—	1	—	2	1	—	1	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	—	1	—	—	—	—	—	—	—	—	—	1	1	22
23 Appendicitis and typhlitis	—	—	2	—	—	—	—	1	1	1	—	1	2	1	1	2	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	6	3	2	—	7	5	1	3	4	—	2	6	4	6	3	2	25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	—	—	—	—	4	—	2	—	2	27
28 Congenital debility and malformation, premature birth	6	3	2	2	3	1	1	3	5	1	6	4	3	3	7	2	28
29 Suicide	—	—	2	2	—	—	—	1	—	—	1	—	5	—	—	—	29
30 Other deaths from violence	7	2	4	5	2	3		1	2	—	3	4	1	1	4	1	30
31 Other defined diseases	14	25	14	21	16	21	17	30	13	11	22	31	15	20	23	32	31
32 Causes ill-defined or unknown	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	32

CORNWALL—*cont.*

Causes of Death.	St. Austell R.D.		St. Columb Major R.D.		St. Germans R.D.		Truro R.D.		West Penwith R.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	180	197	81	76	100	87	132	147	66	84		
1 Enteric fever	—	—	—	—	—	—	—	—	—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—		2
3 Measles	—	—	—	—	—	—	—	—	—	—		3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—		4
5 Whooping cough	2	—	1	—	1	—	—	—	—	—		5
6 Diphtheria	1	—	—	—	1	—	—	1	—	—		6
7 Influenza	3	9	4	6	7	13	4	4	5	6		7
8 Encephalitis lethargica	—	—	—	2	—	—	2	1	1	1		8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1		9
10 Tuberculosis of respiratory sys.	7	7	3	—	2	7	3	12	6	8		10
11 Other tuberculous diseases	1	2	—	—	1	1	2	—	—	3		11
12 Cancer, malignant disease	15	24	6	10	11	9	18	17	6	10		12
13 Rheumatic fever	—	—	—	—	—	1	1	—	—	—		13
14 Diabetes	3	3	2	2	—	3	3	1	—	—		14
15 Cerebral hæmorrhage, &c.	12	14	5	9	3	1	9	12	2	6		15
16 Heart disease	34	35	14	24	25	16	22	24	15	22		16
17 Arterio-sclerosis	—	2	7	3	3	1	4	2	4	2		17
18 Bronchitis	24	26	3	1	4	8	11	12	2	1		18
19 Pneumonia (all forms)	2	6	4	3	7	3	4	3	5	3		19
20 Other respiratory diseases	1	2	1	—	1	—	3	1	—	1		20
21 Ulcer of stomach or duodenum	1	—	1	—	—	—	2	—	1	—		21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	—	—	1	—		22
23 Appendicitis and typhlitis	—	—	—	—	—	—	1	1	—	1		23
24 Cirrhosis of liver	—	—	1	—	—	—	1	—	1	—		24
25 Acute and chronic nephritis	5	8	2	3	5	4	6	5	2	—		25
26 Puerperal sepsis	—	—	—	—	—	1	—	2	—	1		26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	—		27
28 Congenital debility and malformation, premature birth	10	6	4	3	5	4	2	3	—	4		28
29 Suicide	1	1	—	—	—	—	1	—	—	—		29
30 Other deaths from violence	9	3	5	2	7	—	5	2	4	4		30
31 Other defined diseases	49	49	17	8	17	14	28	44	11	10		31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—		32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

CUMBERLAND.

Causes of Death.	Maryport U.D.		Whitehaven M.B.		Workington M.B.		Carlisle R.D.		Cockermouth R.D.		Penrith R.D.		Whitehaven R.D.		Wigton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	75	60	147	142	157	164	85	96	114	131	93	76	90	81	53	82	
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	4	1	—	—	—	—	—	—	—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	4	3	—	—	—	2	1	—	—	1	1	3	1	2	5
6 Diphtheria	—	—	—	—	—	1	—	—	—	—	1	1	—	1	—	—	6
7 Influenza	1	—	8	5	2	9	4	7	5	3	5	7	3	4	4	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	2	9	10	8	6	5	5	4	2	—	4	7	4	—	5	10
11 Other tuberculous diseases	1	—	3	8	8	3	2	—	1	4	—	1	1	—	—	—	11
12 Cancer, malignant disease	7	12	5	14	12	18	8	8	10	23	6	12	5	14	8	11	12
13 Rheumatic fever	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	13
14 Diabetes	1	2	—	—	—	1	2	1	—	2	—	1	—	—	—	—	14
15 Cerebral hæmorrhage, &c.	3	2	6	7	14	15	5	7	6	13	1	3	3	9	4	5	15
16 Heart disease	13	17	29	27	21	27	24	22	19	27	18	14	12	11	6	15	16
17 Arterio-sclerosis	4	1	2	4	4	8	4	8	5	9	7	5	4	2	6	6	17
18 Bronchitis	4	2	10	15	11	8	1	5	5	6	1	2	7	4	6	3	18
19 Pneumonia (all forms)	3	2	24	16	13	8	6	2	10	7	14	2	8	2	—	2	19
20 Other respiratory diseases	—	1	2	5	5	—	5	—	2	1	1	—	1	—	1	1	20
21 Ulcer of stomach or duodenum	4	—	1	—	1	—	—	2	2	—	1	2	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	3	2	2	—	2	5	1	—	2	2	—	—	4	2	—	—	22
23 Appendicitis and typhlitis	1	—	—	—	1	1	—	—	—	1	—	—	1	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	3	—	2	2	8	9	4	3	1	3	3	5	3	—	—	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	3	—	—	—	—	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	4	2	7	4	9	8	3	5	10	5	7	3	5	8	2	1	28
29 Suicide	—	—	—	—	3	—	1	—	3	—	—	—	3	—	2	—	29
30 Other deaths from violence	2	1	7	—	9	4	2	3	4	4	2	2	8	—	1	3	30
31 Other defined diseases	19	12	18	17	25	30	7	15	23	18	26	9	11	12	11	21	31
32 Causes ill-defined or unknown	—	1	4	1	1	—	—	—	1	1	—	1	3	1	—	1	32

DERBYSHIRE.

Causes of Death.	Alfreton U.D.		Belper U.D.		Bolsover U.D.		Buxton M.B.		Chesterfield M.B.		Glossop M.B.		Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	123	117	86	70	52	47	101	98	421	348	131	157	134	101	214	201	122	89	
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	4	—	—	—	—	—	—	1	4	—	—	1	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	1	—	1	4	—	5	2	—	—	1	1	3	10	—	1	5
6 Diphtheria	—	—	—	—	—	—	1	2	6	8	—	—	1	—	—	2	—	—	6
7 Influenza	4	3	6	4	1	2	11	11	16	15	10	11	4	5	17	12	1	3	7
8 Encephalitis lethargica	1	—	—	—	—	1	—	—	3	1	1	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys	3	4	4	2	1	5	4	5	23	16	7	7	4	3	13	13	2	7	10
11 Other tuberculous diseases	—	—	—	1	2	—	—	2	13	5	—	2	2	4	5	5	—	1	11
12 Cancer, malignant disease	16	21	10	7	6	2	5	10	40	32	14	15	16	8	18	20	13	5	12
13 Rheumatic fever	1	—	1	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	13
14 Diabetes	1	3	—	4	—	—	1	3	3	11	1	3	1	—	—	2	—	3	14
15 Cerebral hæmorrhage, &c.	5	5	1	5	—	1	5	6	24	22	6	9	4	7	8	10	12	6	15
16 Heart disease	20	21	12	22	5	4	12	14	84	84	26	22	18	17	27	24	30	16	16
17 Arterio-sclerosis	15	5	3	2	2	1	4	5	10	9	5	8	1	1	8	8	1	1	17
18 Bronchitis	8	6	4	2	4	4	6	4	21	15	9	23	12	12	19	7	3	3	18
19 Pneumonia (all forms)	10	9	7	4	7	4	7	7	40	19	14	9	11	3	22	35	17	5	19
20 Other respiratory diseases	1	2	2	—	4	2	2	1	5	6	2	—	1	1	2	1	1	1	20
21 Ulcer of stomach or duodenum	—	1	—	—	—	—	2	—	4	1	1	—	2	1	3	1	—	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	2	1	—	—	2	5	—	—	—	1	6	1	—	—	22
23 Appendicitis and typhlitis	1	—	—	—	1	2	—	1	2	1	—	—	2	—	1	—	—	—	23
24 Cirrhosis of liver	1	—	2	—	2	—	—	—	5	—	1	—	—	—	1	—	—	1	24
25 Acute and chronic nephritis	6	1	5	1	—	1	6	4	4	6	3	7	2	2	3	6	—	2	25
26 Puerperal sepsis	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	3	6	6	1	2	2	6	1	21	19	5	5	8	8	8	6	6	1	28
29 Suicide	2	—	1	—	1	—	1	1	8	—	3	3	2	—	1	—	4	—	29
30 Other deaths from violence	8	1	3	4	4	—	11	3	21	3	4	3	11	2	10	5	3	1	30
31 Other defined diseases	15	22	18	10	7	11	12	17	58	60	17	26	29	22	38	32	28	29	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	1	—	2	—	2	1	1	1	1	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

DERBYSHIRE—*cont.*

Causes of Death.	Ripley U.D.		Swadlincote District U.D.		The Matlocks U.D.		Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel-en-le-Frith R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	74	74	132	91	84	71	67	58	130	145	160	129	259	238	119	110	
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	1	—	—	2	2	—	—	3
4 Scarlet fever	—	—	—	—	1	1	—	—	1	—	—	—	1	1	—	—	4
5 Whooping cough	—	—	1	2	—	—	—	—	1	1	—	1	2	—	—	1	5
6 Diphtheria	2	1	1	1	—	—	—	—	2	—	—	—	—	3	—	—	6
7 Influenza	5	1	4	3	—	3	3	4	7	15	5	11	17	18	5	11	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	5	5	6	4	4	1	2	6	2	8	2	16	14	6	3	10
11 Other tuberculous diseases	—	1	2	—	—	1	3	—	—	3	4	2	4	4	1	1	11
12 Cancer, malignant disease	5	10	5	10	9	9	6	10	13	19	12	23	13	23	15	11	12
13 Rheumatic fever	—	—	1	2	—	1	—	—	1	—	—	1	—	—	—	—	13
14 Diabetes	—	1	—	—	—	1	—	—	2	2	4	1	3	3	—	1	14
15 Cerebral hæmorrhage, &c.	2	7	11	4	5	4	6	3	6	13	8	4	11	7	10	14	15
16 Heart disease	5	10	19	16	19	11	6	9	22	25	17	20	26	38	28	24	16
17 Arterio-sclerosis	3	1	—	—	7	5	2	1	8	6	10	8	12	10	9	4	17
18 Bronchitis	8	4	8	9	5	9	3	1	8	10	11	4	20	17	6	3	18
19 Pneumonia (all forms)	4	3	11	2	5	5	9	1	3	1	9	17	28	9	6	2	19
20 Other respiratory diseases	2	2	—	—	—	1	1	—	1	1	4	—	6	2	2	1	20
21 Ulcer of stomach or duodenum	—	1	2	—	2	—	—	1	3	—	—	—	—	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	—	—	—	1	—	—	—	—	8	7	2	1	22
23 Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	1	2	—	3	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	1	2	—	—	—	2	—	1	1	24
25 Acute and chronic nephritis	—	4	3	3	1	1	—	1	5	6	8	6	1	6	5	4	25
26 Puerperal sepsis	—	1	—	2	—	—	—	2	—	—	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	—	—	—	5	—	—	—	—	27
28 Congenital debility and malformation, premature birth	7	6	16	4	4	1	3	1	6	5	14	2	16	15	3	4	28
29 Suicide	2	—	3	—	2	—	1	—	1	—	2	1	4	3	1	—	29
30 Other deaths from violence	5	2	7	2	7	1	5	1	3	2	13	3	12	5	4	3	30
31 Other defined diseases	17	13	31	24	11	12	16	19	29	30	29	17	49	48	14	19	31
32 Causes ill-defined or unknown	1	—	1	—	2	1	1	—	—	1	—	—	2	—	—	—	32

DERBYSHIRE—*cont.* DEVONSHIRE.

Causes of Death.	Chesterfield R.D.		Clowne R.D.		Repton R.D.		Shardlow R.D.		Barnstaple M.B.		Exmouth U.D.		Ilfracombe U.D.		Newton Abbot U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	530	432	92	80	89	104	226	201	84	100	111	116	49	81	90	128	
1 Enteric fever	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	4
5 Whooping cough	4	5	—	1	—	2	1	4	—	—	1	—	—	—	—	—	5
6 Diphtheria	6	5	1	—	—	—	—	—	—	—	—	1	1	—	1	—	6
7 Influenza	24	15	3	2	8	10	5	10	4	5	7	8	5	6	3	11	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	15	19	9	4	3	4	12	12	1	5	4	3	4	5	8	8	10
11 Other tuberculous diseases	9	5	6	—	1	—	3	—	—	—	1	2	—	—	3	—	11
12 Cancer, malignant disease	45	39	7	7	12	13	16	32	9	15	8	15	2	10	10	23	12
13 Rheumatic fever	—	1	2	—	—	—	2	1	1	—	—	—	—	—	—	1	13
14 Diabetes	3	4	1	3	—	—	5	8	1	3	1	—	—	2	4	—	14
15 Cerebral hæmorrhage, &c.	23	25	5	4	4	5	7	14	8	4	7	15	3	5	9	7	15
16 Heart disease	92	92	5	13	20	16	46	25	15	22	23	24	16	25	10	20	16
17 Arterio-sclerosis	15	10	3	2	1	4	10	4	2	4	6	9	2	5	3	9	17
18 Bronchitis	32	28	10	10	4	7	11	9	7	9	4	3	—	3	6	17	18
19 Pneumonia (all forms)	64	45	1	5	6	4	19	10	4	1	6	6	3	5	5	6	19
20 Other respiratory diseases	2	—	—	1	1	1	—	2	—	—	2	—	—	1	1	—	20
21 Ulcer of stomach or duodenum	6	3	2	—	—	—	—	1	1	—	4	1	—	1	1	2	21
22 Diarrhœa, &c. (under 2 years)	3	5	—	1	—	1	4	—	—	—	—	—	2	—	—	—	22
23 Appendicitis and typhlitis	6	4	1	2	—	1	2	—	1	1	1	2	—	—	—	—	23
24 Cirrhosis of liver	2	1	—	—	1	1	2	—	2	—	1	—	—	—	1	1	24
25 Acute and chronic nephritis	12	10	—	4	5	4	3	5	7	2	2	2	2	—	1	2	25
26 Puerperal sepsis	—	4	—	—	—	—	—	2	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	2	—	—	—	1	—	1	—	—	—	1	27
28 Congenital debility and malformation, premature birth	29	21	5	1	4	1	12	7	3	3	—	2	—	3	2	3	28
29 Suicide	5	1	3	—	—	1	5	1	2	—	4		1	1	—	—	29
30 Other deaths from violence	41	10	8	—	3	4	15	7	3	3	3	4	2	—	9	—	30
31 Other defined diseases	84	74	20	20	15	22	44	45	12	22	26	17	6	9	13	16	31
32 Causes ill-defined or unknown	4	2	—	—	1	—	1	—	—	—	—	—	—	—	—	1	32

TABLE 21.——CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

DEVONSHIRE—*cont.*

Causes of Death.	Paignton U.D.		Teignmouth U.D.		Torquay M.B.		Barnstaple R.D.		Crediton R.D.		Kingsbridge R.D.		Newton Abbot R.D.		Okehampton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	113	134	59	90	280	333	112	110	69	66	71	86	149	170	95	94	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	1	—	1	—	3	—	—	—	—	—	—	2	3	—	—	5
6 Diphtheria	—	—	—	—	—	—	1	1	—	—	—	1	1	1	1	2	6
7 Influenza	4	3	6	3	10	9	6	2	4	3	6	6	4	3	4	5	7
8 Encephalitis lethargica	1	1	—	—	1	—	—	—	—	—	—	—	—	1	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	5	2	4	14	17	7	6	3	—	5	5	8	5	5	8	10
11 Other tuberculous diseases	1	3	1	—	—	3	—	2	1	1	—	—	2	1	1	—	11
12 Cancer, malignant disease	10	18	12	15	29	57	13	16	8	9	11	7	17	32	11	13	12
13 Rheumatic fever	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	13
14 Diabetes	1	2	1	2	4	7	1	—	—	1	2	—	4	5	—	1	14
15 Cerebral hæmorrhage, &c.	7	11	1	12	13	26	4	6	5	5	4	7	7	12	7	6	15
16 Heart disease	24	29	9	10	50	64	18	22	18	18	11	16	32	30	12	25	16
17 Arterio-sclerosis	5	9	2	9	24	34	13	13	1	—	1	5	10	14	2	2	17
18 Bronchitis	5	3	4	6	20	19	3	4	6	7	2	2	9	11	6	5	18
19 Pneumonia (all forms)	3	7	3	2	24	12	9	3	—	3	3	5	3	10	2	1	19
20 Other respiratory diseases	1	3	1	1	2	3	2	—	2	—	—	1	2	6	—	—	20
21 Ulcer of stomach or duodenum	1	—	1	—	1	1	1	1	3	1	1	—	2	1	2	3	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	3	—	—	—	—	—	—	2	2	1	—	22
23 Appendicitis and typhlitis	2	1	—	—	1	2	1	2	—	—	—	1	2	—	1	—	23
24 Cirrhosis of liver	—	—	—	1	2	—	—	—	—	—	—	—	—	1	—	—	24
25 Acute and chronic nephritis	5	3	2	4	10	13	5	3	3	3	3	2	4	3	3	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	1	27
28 Congenital debility and malformation, premature birth	7	2	1	1	10	5	5	4	3	1	2	4	7	2	4	2	28
29 Suicide	1	1	1	—	3	2	2	—	1	—	2	1	6	—	2	2	29
30 Other deaths from violence	4	3	—	1	17	4	5	2	1	3	1	2	6	—	4	1	30
31 Other defined diseases	23	29	11	17	42	46	15	20	9	10	16	20	18	25	25	13	31
32 Causes ill-defined or unknown	2	—	1	—	1	1	—	—	1	—	1	—	—	—	2	1	32

DEVONSHIRE—*cont.*

Causes of Death.	Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Totnes R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	159	150	204	173	52	75	105	90	96	78	92	68	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	—	1	2	—	—	—	—	1	—	—	—	5
6 Diphtheria	—	—	1	4	—	—	—	—	2	—	—	—	6
7 Influenza	7	5	7	19	8	3	7	8	8	5	8	3	7
8 Encephalitis lethargica	1	1	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	11	7	15	3	5	4	4	3	7	4	3	—	10
11 Other tuberculous diseases	2	1	4	2	—	1	—	2	—	—	1	1	11
12 Cancer, malignant disease	21	21	28	18	—	9	11	6	9	15	5	9	12
13 Rheumatic fever	1	—	1	—	—	—	1	—	2	—	—	1	13
14 Diabetes	4	3	—	1	—	1	1	—	2	2	1	—	14
15 Cerebral hæmorrhage, &c.	7	12	8	11	6	8	6	6	2	4	6	3	15
16 Heart disease	26	36	41	33	13	15	17	24	16	13	23	13	16
17 Arterio-sclerosis	7	6	11	4	3	3	5	3	2	4	—	3	17
18 Bronchitis	6	4	11	11	4	6	7	4	3	6	3	3	18
19 Pneumonia (all forms)	5	4	8	10	6	4	6	3	1	2	2	4	19
20 Other respiratory diseases	4	2	2	4	—	1	3	1	—	1	2	—	20
21 Ulcer of stomach or duodenum	2	—	—	—	—	—	—	—	1	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	1	—	—	—	—	—	1	—	—	1	22
23 Appendicitis and typhlitis	1	—	1	1	—	—	—	1	1	—	—	1	23
24 Cirrhosis of liver	—	—	1	—	—	—	2	—	1	—	2	—	24
25 Acute and chronic nephritis	9	3	11	7	1	4	4	—	6	5	1	3	25
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	2	—	3	—	—	—	2	27
28 Congenital debility and malformation, premature birth	7	7	5	7	1	4	1	4	3	2	6	3	28
29 Suicide	4	—	2	1	—	—	1	—	1	—	1	—	29
30 Other deaths from violence	9	2	10	1	3	1	2	1	5	3	3	2	30
31 Other defined diseases	24	32	34	30	2	8	27	21	22	11	23	16	31
32 Causes ill-defined or unknown	—	2	1	1	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

DORSETSHIRE. **DURHAM.**

Causes of Death.	Poole M.B.		Portland U.D.		Weymouth & Melcombe Regis M.B.		Wareham & Purbeck R.D.		Wimborne & Cranborne R.D.		Annfield Plain U.D.		Bishop Auckland U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	357	352	54	51	141	163	71	59	93	106	111	92	81	87	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3
4 Scarlet fever	2	1	—	—	—	1	—	—	—	1	1	—	—	—	4
5 Whooping cough	—	2	2	—	—	—	—	1	1	—	1	3	2	1	5
6 Diphtheria	4	11	—	—	1	3	3	2	1	—	1	—	—	—	6
7 Influenza	19	15	1	1	1	7	2	4	6	4	6	5	1	5	7
8 Encephalitis lethargica	—	1	1	—	2	1	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	14	16	5	2	13	7	2	3	6	2	7	4	8	8	10
11 Other tuberculous diseases	4	1	1	—	1	2	—	—	—	1	1	2	2	2	11
12 Cancer, malignant disease	32	55	8	5	18	21	9	2	9	16	10	7	10	9	12
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	1	—	1	1	13
14 Diabetes	5	5	—	—	2	—	1	—	1	2	—	—	1	—	14
15 Cerebral hæmorrhage, &c.	21	21	2	4	10	9	8	4	6	7	5	2	3	4	15
16 Heart disease	78	87	7	15	19	48	14	18	17	18	19	13	11	12	16
17 Arterio-sclerosis	17	21	2	2	7	1	1	—	6	2	9	2	5	4	17
18 Bronchitis	11	9	3	3	7	8	2	3	4	6	4	6	4	3	18
19 Pneumonia (all forms)	19	15	2	1	6	4	4	1	2	2	10	16	4	10	19
20 Other respiratory diseases	4	2	—	—	1	—	1	2	1	2	3	—	1	1	20
21 Ulcer of stomach or duodenum	7	2	1	—	1	2	3	—	1	1	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	3	2	—	—	1	—	—	2	1	—	2	3	1	2	22
23 Appendicitis and typhlitis	4	6	—	—	3	1	—	—	—	1	—	—	—	1	23
24 Cirrhosis of liver	3	1	—	—	—	—	—	—	1	—	—	1	1	—	24
25 Acute and chronic nephritis	12	12	3	3	4	5	2	1	1	2	4	1	3	1	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	2	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	—	—	—	—	—	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	12	7	2	5	3	2	1	3	4	3	5	3	2	2	28
29 Suicide	10	1	—	—	—	1	1	1	—	—	—	—	1	—	29
30 Other deaths from violence	18	13	2	—	5	3	5	3	4	3	1	—	1	3	30
31 Other defined diseases	57	40	12	10	35	37	11	9	21	30	20	20	18	17	31
32 Causes ill-defined or unknown	1	—	—	—	1	—	—	—	—	—	1	1	1	1	32

DURHAM—*cont.*

Causes of Death.	Blaydon U.D.		Brandon & Byshottles U.D.		Chester le-Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartlepool M.B.		Hebburn U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	203	160	114	105	102	102	100	59	79	60	120	117	191	165	170	158	167	155	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	1	2	4	1	2	3	1	—	1	—	—	7	4	2	9	7	1	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	2	—	—	—	1	—	—	2	—	—	—	—	1	—	2	3	3	7	5
6 Diphtheria	2	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	1	1	6
7 Influenza	8	4	7	—	8	5	5	1	1	—	5	3	11	6	11	5	14	8	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	11	19	5	2	3	8	6	3	3	2	11	6	13	9	7	5	11	20	10
11 Other tuberculous diseases	4	1	1	6	—	2	1	2	—	—	2	—	7	6	3	5	4	2	11
12 Cancer, malignant disease	13	15	4	11	9	12	8	5	9	12	12	14	7	9	15	15	19	22	12
13 Rheumatic fever	3	—	—	—	—	1	—	1	—	1	1	1	1	3	1	2	1	—	13
14 Diabetes	2	1	1	1	—	—	1	—	1	1	—	2	2	2	—	—	3	2	14
15 Cerebral hæmorrhage, &c.	20	11	15	15	2	3	5	2	3	1	7	6	9	7	10	9	4	6	15
16 Heart disease	36	18	14	16	12	21	18	11	11	13	16	12	22	26	22	17	16	14	16
17 Arterio-sclerosis	10	6	6	1	10	6	6	1	4	5	2	3	4	6	3	—	9	4	17
18 Bronchitis	8	6	6	11	5	5	3	—	8	6	3	7	21	16	22	13	5	3	18
19 Pneumonia (all forms)	14	11	10	6	10	8	9	8	7	3	14	13	12	13	34	30	10	15	19
20 Other respiratory diseases	3	1	2	1	1	2	2	1	1	1	1	3	4	—	—	2	1	3	20
21 Ulcer of stomach or duodenum	2	—	3	2	—	—	1	—	2	—	2	—	1	—	1	1	4	1	21
22 Diarrhœa, &c. (under 2 years)	1	3	1	—	1	1	3	1	1	—	1	1	1	2	—	1	2	1	22
23 Appendicitis and typhlitis	2	—	—	—	—	—	—	—	1	—	—	—	3	1	—	—	—	—	23
24 Cirrhosis of liver	1	—	—	—	1	—	1	—	2	—	—	—	—	—	1	—	—	1	24
25 Acute and chronic nephritis	1	5	3	4	—	6	6	2	4	1	—	4	3	4	3	2	6	4	25
26 Puerperal sepsis	—	3	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	5	—	—	—	1	—	1	—	—	—	—	—	3	—	2	—	1	27
28 Congenital debility and malformation, premature birth	9	13	6	9	9	5	4	7	2	4	6	3	16	5	9	13	8	11	28
29 Suicide	2	2	1	—	—	1	—	—	2	1	2	—	1	2	—	1	—	—	29
30 Other deaths from violence	14	7	8	2	5	3	3	2	5	1	8	3	8	4	5	2	10	2	30
31 Other defined diseases	33	27	19	9	18	10	13	7	12	6	23	36	36	37	18	20	27	25	31
32 Causes ill-defined or unknown	—	1	—	1	4	—	1	—	—	—	3	—	—	—	—	—	2	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

DURHAM—*cont.*

Causes of Death	Hetton U.D.		Houghton-le-Spring U.D.		Jarrow M.B.		Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		Spennymoor U.D.		Stanley U.D.		Stockton-on-Tees M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	139	131	90	58	297	250	89	70	125	132	92	89	137	122	153	136	550	474	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	1
2 Small-pox	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	10	5	5	2	5	1	1	—	2	1	—	1	5	3	—	2	2	8	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	1	—	1	8	4	1	3	5	9	2	—	2	4	1	—	17	22	5
6 Diphtheria	1	2	1	—	—	1	1	—	1	—	—	2	1	—	2	3	3	1	6
7 Influenza	3	3	4	—	18	6	4	2	4	6	6	3	4	2	2	1	33	32	7
8 Encephalitis lethargica	—	—	—	1	1	2	1	1	—	—	—	—	—	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	9
10 Tuberculosis of respiratory sys.	9	9	3	7	24	26	4	1	10	10	5	11	17	10	8	8	30	23	10
11 Other tuberculous diseases	3	3	—	2	14	6	—	3	6	2	1	1	2	2	1	6	13	11	11
12 Cancer, malignant disease	6	15	8	6	24	25	5	8	6	10	17	8	11	10	5	18	39	50	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	1	2	13
14 Diabetes	1	3	—	1	5	4	—	—	1	1	—	2	1	—	—	4	4	6	14
15 Cerebral hæmorrhage, &c.	7	5	4	2	6	16	3	9	7	10	14	10	7	8	8	6	26	21	15
16 Heart disease	9	14	7	2	22	29	11	6	11	13	14	16	11	15	25	22	71	71	16
17 Arterio-sclerosis	3	1	12	7	11	15	10	8	3	7	1	3	5	4	13	—	21	14	17
18 Bronchitis	7	10	9	2	17	18	3	3	4	3	5	3	4	10	12	9	29	29	18
19 Pneumonia (all forms)	20	15	8	4	48	32	9	3	14	11	6	4	14	8	23	18	88	61	19
20 Other respiratory diseases	1	—	—	—	5	1	2	2	—	—	1	1	1	2	4	1	5	7	20
21 Ulcer of stomach or duodenum	—	—	2	—	1	—	1	—	—	—	3	—	1	1	1	—	2	1	21
22 Diarrhœa, &c. (under 2 years)	5	3	2	1	7	8	1	—	8	4	—	—	3	3	3	—	11	4	22
23 Appendicitis and typhlitis	1	—	—	—	1	1	1	1	2	—	—	—	1	—	—	—	4	3	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	24
25 Acute and chronic nephritis	1	2	1	2	6	3	2	2	3	4	—	3	2	3	2	3	8	8	25
26 Puerperal sepsis	—	2	—	1	—	5	—	—	—	—	—	—	—	—	—	2	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	—	—	2	—	1	—	—	—	—	—	4	27
28 Congenital debility and malformation, premature birth	17	4	6	5	13	8	6	2	6	5	3	2	9	4	8	7	20	25	28
29 Suicide	2	—	2	—	3	—	—	—	2	1	2	—	1	—	—	—	5	1	29
30 Other deaths from violence	4	5	4	2	17	4	8	2	9	3	3	4	13	1	9	—	33	7	30
31 Other defined diseases	29	28	12	9	37	33	14	14	20	28	8	14	19	28	23	25	80	60	31
32 Causes ill-defined or unknown	—	—	—	—	3	—	—	—	1	2	1	—	1	2	1	1	—	—	32

DURHAM—*cont.*

Causes of Death.	Tanfield U.D.		Washington. U.D.		Whickham U.D.		Auckland R.D.		Barnard Castle R.D.		Chester-le-Street R.D.		Durham R.D.		Easington R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	62	51	133	95	145	113	418	331	78	74	393	288	216	182	605	494	
1 Enteric fever	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	6	2	1	1	—	1	—	—	8	10	5	3	24	20	3
4 Scarlet fever	1	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	1	—	—	—	1	—	6	2	—	—	3	3	5	1	4	12	5
6 Diphtheria	1	—	—	1	2	—	2	2	—	—	2	2	—	4	4	4	6
7 Influenza	1	—	7	7	5	2	23	15	3	1	19	8	4	7	23	12	7
8 Encephalitis lethargica	—	—	1	1	1	1	1	1	3	—	—	—	—	—	3	4	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	1	—	2	2	9
10 Tuberculosis of respiratory sys.	2	1	6	10	15	9	18	20	4	5	23	14	9	18	30	29	10
11 Other tuberculous diseases	2	2	3	4	4	3	4	3	—	1	7	5	3	1	5	15	11
12 Cancer, malignant disease	5	6	11	6	13	7	29	28	9	7	28	19	20	21	43	36	12
13 Rheumatic fever	—	1	—	—	—	—	—	—	1	—	1	—	—	1	3	1	13
14 Diabetes	1	—	1	3	1	—	1	6	2	2	2	6	—	3	2	10	14
15 Cerebral hæmorrhage, &c.	2	1	8	6	6	5	31	26	6	7	22	14	14	12	32	24	15
16 Heart disease	12	14	19	7	14	14	65	58	10	16	61	51	26	18	60	53	16
17 Arterio-sclerosis	7	—	15	3	20	14	34	14	6	3	33	12	10	2	27	14	17
18 Bronchitis	5	1	7	5	6	8	31	28	1	2	22	21	18	10	48	30	18
19 Pneumonia (all forms)	4	6	6	10	12	3	34	24	2	3	39	27	20	17	57	50	19
20 Other respiratory diseases	—	—	3	1	—	2	3	3	—	—	5	4	—	1	9	3	20
21 Ulcer of stomach or duodenum	—	1	1	—	2	1	5	1	—	1	2	—	1	1	6	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	3	—	6	3	1	2	9	4	7	5	24	24	22
23 Appendicitis and typhlitis	—	—	—	—	—	—	5	1	—	—	—	—	3	—	2	1	23
24 Cirrhosis of liver	—	1	—	—	—	—	—	—	1	—	—	—	1	—	2	1	24
25 Acute and chronic nephritis	3	1	4	2	3	3	8	8	5	1	6	9	7	1	15	7	25
26 Puerperal sepsis	—	2	—	—	—	—	—	3	—	1	—	3	—	2	—	3	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	3	—	—	—	4	—	3	—	—	—	8	27
28 Congenital debility and malformation, premature birth	3	5	10	5	9	9	31	16	5	5	34	23	7	14	48	43	28
29 Suicide	1	—	—	2	—	—	7	1	—	—	2	1	1	1	7	1	29
30 Other deaths from violence	3	1	6	1	10	2	9	7	4	—	18	8	20	3	39	4	30
31 Other defined diseases	7	8	18	19	14	21	60	54	12	12	44	38	33	35	85	79	31
32 Causes ill-defined or unknown	—	—	—	—	2	4	2	6	3	1	3	2	1	—	1	4	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

DURHAM—*cont.*

Causes of Death.	Houghton-le-Spring R.D.		Lanchester R.D.		Sedgefield R.D.		South Shields R.D.		Sunderland R.D.										
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.									
All Causes	191	168	211	197	220	188	132	107	146	150									
1 Enteric fever	—	—	—	—	—	—	—	—	—	—									1
2 Small-pox	—	—	—	—	—	—	—	—	—	—									2
3 Measles	4	6	2	2	5	5	—	—	5	2									3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—									4
5 Whooping cough	2	—	3	4	1	3	4	—	3	1									5
6 Diphtheria	—	1	2	3	2	—	—	1	1	—									6
7 Influenza	8	8	11	7	6	11	10	4	7	9									7
8 Encephalitis lethargica	—	1	—	—	1	—	—	—	—	2									8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—									9
10 Tuberculosis of respiratory sys.	9	10	5	12	15	13	11	8	10	13									10
11 Other tuberculous diseases	1	2	4	7	4	1	3	1	2	4									11
12 Cancer, malignant disease	11	12	20	17	17	24	10	18	4	9									12
13 Rheumatic fever	—	—	1	2	1	—	—	—	—	—									13
14 Diabetes	1	3	1	1	1	1	2	1	1	5									14
15 Cerebral hæmorrhage, &c.	12	8	13	9	14	12	6	7	7	6									15
16 Heart disease	20	18	24	19	27	28	16	11	20	20									16
17 Arterio-sclerosis	5	4	11	9	7	3	8	5	5	5									17
18 Bronchitis	13	16	9	11	16	9	7	5	6	8									18
19 Pneumonia (all forms)	22	14	26	25	26	13	9	13	17	13									19
20 Other respiratory diseases	2	2	3	2	4	2	1	3	2	1									20
21 Ulcer of stomach or duodenum	1	1	1	—	—	1	—	—	1	—									21
22 Diarrhœa, &c. (under 2 years)	4	5	3	4	2	2	—	1	9	3									22
23 Appendicitis and typhlitis	1	—	—	—	—	—	3	—	2	1									23
24 Cirrhosis of liver	—	—	2	1	1	1	—	—	—	—									24
25 Acute and chronic nephritis	3	1	6	3	2	3	2	4	5	10									25
26 Puerperal sepsis	—	1	—	4	—	2	—	—	—	—									26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	4	—	3	—	—	—	—									27
28 Congenital debility and malformation, premature birth	24	9	12	9	16	13	9	2	10	12									28
29 Suicide	1	1	1	1	2	—	2	2	—	—									29
30 Other deaths from violence	10	7	11	2	15	4	2	—	11	4									30
31 Other defined diseases	36	34	38	38	34	34	26	20	18	21									31
32 Causes ill-defined or unknown	1	1	2	1	1	—	1	1	—	1									32

ELY, ISLE OF.

Causes of Death.	Wisbech M.B.		Ely R.D.		Wisbech R.D.														
	M.	F.	M.	F.	M.	F.													
All Causes	102	90	91	84	62	69													
1 Enteric fever	—	—	—	—	—	—													1
2 Small-pox	—	—	—	—	—	—													2
3 Measles	—	1	—	—	—	2													3
4 Scarlet fever	—	—	—	—	1	—													4
5 Whooping cough	1	1	—	—	—	2													5
6 Diphtheria	—	1	1	—	—	—													6
7 Influenza	4	11	2	3	2	4													7
8 Encephalitis lethargica	—	—	1	—	—	—													8
9 Meningococcal meningitis	—	—	—	—	—	—													9
10 Tuberculosis of respiratory sys.	6	3	6	8	4	1													10
11 Other tuberculous diseases	1	—	1	1	1	—													11
12 Cancer, malignant disease	18	14	11	11	6	11													12
13 Rheumatic fever	—	—	—	—	—	1													13
14 Diabetes	2	—	—	4	1	1													14
15 Cerebral hæmorrhage, &c.	1	7	2	3	3	2													15
16 Heart disease	11	9	14	18	9	15													16
17 Arterio-sclerosis	11	2	3	2	7	2													17
18 Bronchitis	9	5	3	4	2	2													18
19 Pneumonia (all forms)	9	9	7	3	4	6													19
20 Other respiratory diseases	—	—	1	1	2	1													20
21 Ulcer of stomach or duodenum	1	2	1	1	—	1													21
22 Diarrhœa, &c. (under 2 years)	2	—	1	1	1	—													22
23 Appendicitis and typhlitis	—	—	—	1	—	1													23
24 Cirrhosis of liver	1	—	—	—	1	—													24
25 Acute and chronic nephritis	1	—	6	—	—	1													25
26 Puerperal sepsis	—	—	—	—	—	—													26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—													27
28 Congenital debility and malformation, premature birth	6	4	5	4	3	3													28
29 Suicide	2	1	2	1	2	—													29
30 Other deaths from violence	1	3	6	2	5	2													30
31 Other defined diseases	15	16	18	15	8	11													31
32 Causes ill-defined or unknown	—	—	—	1	—	—													32

ESSEX.

Causes of Death.	Barking Town U.D.		Chelmsford M.B.		Clacton U.D.		Colchester M.B.		
	M.	F.	M.	F.	M.	F	M.	F.	
All Causes	221	214	148	127	84	92	268	275	
1 Enteric fever	—	—	1	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	—	3
4 Scarlet fever	2	1	—	—	—	—	—	—	4
5 Whooping cough	1	2	4	1	1	—	1	3	5
6 Diphtheria	3	1	2	1	1	—	2	2	6
7 Influenza	11	9	3	1	2	2	16	11	7
8 Encephalitis lethargica	1	—	1	—	—	—	—	1	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	23	14	3	6	6	2	22	14	10
11 Other tuberculous diseases	3	—	3	—	—	—	4	1	11
12 Cancer, malignant disease	24	27	19	17	10	16	27	41	12
13 Rheumatic fever	1	1	—	—	—	1	—	—	13
14 Diabetes	1	1	—	2	1	4	4	4	14
15 Cerebral hæmorrhage, &c.	8	17	6	4	9	8	13	21	15
16 Heart disease	29	51	18	24	17	21	53	76	16
17 Arterio-sclerosis	4	3	11	1	2	5	14	11	17
18 Bronchitis	21	18	11	6	6	4	9	13	18
19 Pneumonia (all forms)	14	18	7	5	2	1	20	9	19
20 Other respiratory diseases	7	5	1	5	—	—	5	2	20
21 Ulcer of stomach or duodenum	4	3	2	—	—	2	5	1	21
22 Diarrhœa, &c. (under 2 years)	3	6	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	—	2	1	—	—	2	—	1	23
24 Cirrhosis of liver	—	—	—	1	1	1	—	1	24
25 Acute and chronic nephritis	4	4	2	—	4	2	5	6	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	13	8	11	5	2	1	4	8	28
29 Suicide	4	—	6	—	1	1	1	1	29
30 Other deaths from violence	11	4	9	3	—	1	8	5	30
31 Other defined diseases	28	18	27	42	19	17	54	41	31
32 Causes ill-defined or unknown	1	—	—	2	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

ESSEX—*cont.*

Causes of Death.	Grays Thurrock U.D.		Harwich M.B.		Hornchurch U.D.		Ilford M.B.		Leyton M.B.		Romford U.D.		Walthamstow M.B.		Wanstead U.D.		Woodford U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	100	85	65	65	84	90	541	556	754	756	176	152	731	717	82	113	124	143	
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	1	—	1	1	—	—	—	—	1	—	1	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	1	1	—	—	—	3	2	1	—	—	—	4
5 Whooping cough	4	2	—	1	—	2	5	4	6	9	—	1	8	9	1	—	1	2	5
6 Diphtheria	4	—	—	—	1	4	6	10	9	4	11	2	9	7	—	—	—	3	6
7 Influenza	7	6	2	1	3	4	19	21	35	40	5	4	24	50	5	7	12	15	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	1	—	1	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	2	—	—	2	—	1	2	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	5	1	4	2	4	40	34	50	32	16	3	61	38	3	2	4	7	10
11 Other tuberculous diseases	3	1	—	1	1	1	3	3	5	4	2	3	10	7	—	4	—	1	11
12 Cancer, malignant disease	6	10	5	10	8	11	67	73	80	107	23	25	82	83	12	16	16	20	12
13 Rheumatic fever	1	1	—	—	—	—	2	1	1	2	—	2	2	9	—	—	—	—	13
14 Diabetes	1	—	2	—	1	2	4	7	3	11	1	—	9	7	2	1	1	—	14
15 Cerebral hæmorrhage, &c.	6	1	2	4	4	3	18	18	34	50	3	9	34	44	3	8	10	5	15
16 Heart disease	14	14	14	7	21	19	101	128	142	181	32	37	119	150	11	26	24	24	16
17 Arterio-sclerosis	1	—	1	1	1	—	11	18	11	7	4	2	17	20	2	2	1	4	17
18 Bronchitis	4	7	3	3	2	6	22	38	69	77	7	15	43	54	2	7	9	11	18
19 Pneumonia (all forms)	6	4	4	3	10	5	49	38	64	48	11	7	63	58	5	7	5	8	19
20 Other respiratory diseases	2	1	1	2	—	—	9	7	6	3	1	1	11	5	1	—	3	3	20
21 Ulcer of stomach or duodenum	1	—	1	1	2	—	10	3	11	3	1	—	21	—	2	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	1	1	4	3	7	1	5	1	4	5	—	—	2	—	22
23 Appendicitis and typhlitis	—	—	—	—	—	1	7	1	8	8	2	3	5	4	—	—	—	2	23
24 Cirrhosis of liver	1	1	1	—	—	—	3	1	—	3	1	—	4	2	—	1	—	1	24
25 Acute and chronic nephritis	3	2	1	6	—	2	15	10	20	20	5	—	24	9	6	3	2	3	25
26 Puerperal sepsis	—	1	—	—	—	—	—	3	—	1	—	2	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	4	—	3	—	1	—	6	—	—	—	—	27
28 Congenital debility and malformation, premature birth	3	8	1	3	1	6	28	18	26	21	7	7	19	17	3	—	3	2	28
29 Suicide	1	2	2	1	2	—	8	5	12	4	3	1	12	9	1	—	1	1	29
30 Other deaths from violence	7	1	4	—	1	4	21	12	28	16	8	2	32	19	2	3	8	1	30
31 Other defined diseases	16	16	19	16	22	14	84	93	125	99	26	23	111	100	19	26	20	29	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	32

ESSEX—*cont.*

Causes of Death.	Billericay R.D.		Braintree R.D.		Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	198	193	134	134	176	169	111	111	96	105	124	151	129	98	68	63	112	112	
1 Enteric fever	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	4	4	—	2	2	1	1	2	1	1	—	—	2	1	3	3	—	3	5
6 Diphtheria	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	6
7 Influenza	17	10	2	2	4	5	4	3	3	1	6	9	4	1	1	2	14	14	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	8	13	3	7	8	7	4	4	3	2	4	5	12	2	—	2	7	8	10
11 Other tuberculous diseases	2	3	3	1	4	1	3	—	3	1	2	3	1	1	—	—	—	2	11
12 Cancer, malignant disease	21	23	25	17	11	25	12	15	16	10	16	24	15	15	8	8	9	16	12
13 Rheumatic fever	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14 Diabetes	3	4	2	—	4	1	—	1	—	1	—	1	1	1	—	—	1	3	14
15 Cerebral hæmorrhage, &c.	7	9	6	9	13	10	4	9	6	11	4	8	7	9	2	1	7	5	15
16 Heart disease	26	30	20	23	27	28	14	26	20	23	35	45	25	27	14	12	15	14	16
17 Arterio-sclerosis	18	6	16	13	5	7	12	4	3	7	7	5	2	3	3	1	2	4	17
18 Bronchitis	6	7	13	17	14	7	7	9	2	3	8	8	7	6	5	3	9	7	18
19 Pneumonia (all forms)	11	5	5	5	14	11	5	5	8	5	1	7	3	5	3	5	9	5	19
20 Other respiratory diseases	1	1	1	1	1	1	—	—	1	2	5	1	2	1	3	—	—	2	20
21 Ulcer of stomach or duodenum	1	1	4	1	1	—	2	1	—	—	—	—	3	1	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	—	—	—	—	1	—	—	—	—	—	2	—	—	2	1	1	22
23 Appendicitis and typhlitis	4	2	1	—	—	1	—	—	—	—	—	—	1	1	1	1	—	—	23
24 Cirrhosis of liver	—	2	1	—	1	1	—	—	—	—	1	—	1	—	—	—	3	1	24
25 Acute and chronic nephritis	6	6	2	3	6	3	6	4	3	4	2	2	3	6	—	—	3	4	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	—	—	1	—	1	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	8	10	6	6	9	6	7	4	4	2	3	5	1	3	3	1	7	2	28
29 Suicide	3	1	3	—	1	—	2	—	—	—	—	—	3	1	1	—	1	1	29
30 Other deaths from violence	7	3	4	6	7	2	1	2	3	1	8	—	6	1	2	—	6	1	30
31 Other defined diseases	40	49	16	20	43	50	26	20	17	29	22	25	26	12	18	20	16	17	31
32 Causes ill-defined or unknown	—	—	1	1	—	—	—	2	—	—	—	—	1	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

ESSEX—*cont.* **GLOUCESTERSHIRE.**

Causes of Death.	Rochford R.D.		Saffron Walden R.D.		Tendring R.D.						Cheltenham M.B.		Kingswood U.D.		Mangotsfield U.D.				
	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.			
All Causes	172	153	84	70	159	125					337	465	79	80	75	72			
1 Enteric fever	—	—	—	—	—	1					—	—	—	—	—	—			1
2 Small-pox	—	—	—	—	—	—					—	—	—	—	—	—			2
3 Measles	—	—	—	—	—	—					—	—	—	—	—	—			3
4 Scarlet fever	—	—	—	—	—	—					—	—	—	—	—	—			4
5 Whooping cough	4	2	1	—	1	2					—	—	—	—	—	2			5
6 Diphtheria	—	—	—	—	2	—					—	1	7	6	1	3			6
7 Influenza	1	6	2	5	8	7					22	39	6	6	1	3			7
8 Encephalitis lethargica	—	—	—	—	—	—					—	1	—	—	1	—			8
9 Meningococcal meningitis	—	—	—	—	—	—					—	1	—	—	—	—			9
10 Tuberculosis of respiratory sys.	10	9	6	1	3	5					19	18	7	10	8	4			10
11 Other tuberculous diseases	1	2	1	—	3	—					4	6	2	1	—	1			11
12 Cancer, malignant disease	27	28	8	4	18	20					43	63	4	9	5	9			12
13 Rheumatic fever	—	—	—	—	1	—					—	—	—	—	—	2			13
14 Diabetes	2	2	1	2	—	2					6	10	—	—	—	3			14
15 Cerebral hæmorrhage, &c.	10	12	4	1	7	5					11	28	3	3	1	4			15
16 Heart disease	40	37	15	13	31	22					62	102	21	17	15	17			16
17 Arterio-sclerosis	5	8	10	10	11	8					18	21	1	2	3	3			17
18 Bronchitis	5	7	4	7	8	8					5	12	5	4	3	3			18
19 Pneumonia (all forms)	15	9	8	3	7	5					23	32	3	3	7	2			19
20 Other respiratory diseases	3	—	1	1	—	1					4	2	3	—	2	—			20
21 Ulcer of stomach or duodenum	3	—	—	—	1	1					2	—	—	1	3	—			21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—					1	2	—	—	—	—			22
23 Appendicitis and typhlitis	1	—	3	1	1	—					4	2	1	—	—	—			23
24 Cirrhosis of liver	—	—	1	1	1	—					2	2	—	—	—	—			24
25 Acute and chronic nephritis	7	3	—	3	6	1					14	17	—	2	4	3			25
26 Puerperal sepsis	—	2	—	—	—	1					—	—	—	—	—	—			26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1					—	1	—	1	—	—			27
28 Congenital debility and malformation, premature birth	3	3	2	2	8	6					10	10	2	3	5	2			28
29 Suicide	3	3	—	—	4	1					9	3	1	1	—	1			29
30 Other deaths from violence	5	—	3	1	7	3					5	7	4	1	1	1			30
31 Other defined diseases	26	19	14	15	31	25					73	85	9	10	15	9			31
32 Causes ill-defined or unknown	1	—	—	—	—	—					—	—	—	—	—	—			32

GLOUCESTERSHIRE—*cont.*

Causes of Death.	Chipping Sodbury R.D.		Cirencester R.D.		Dursley R.D.		East Dean & United Parishes R.D.		Faringdon (Part of)* R.D.		Gloucester R.D.		Stroud R.D.		Thornbury R.D.		West Dean R.D		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	156	163	75	81	72	99	158	127	7	4	75	93	160	200	135	106	100	79	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	4
5 Whooping cough	2	3	—	1	—	—	—	1	—	—	—	—	—	—	1	1	1	—	5
6 Diphtheria	2	1	—	—	—	—	1	4	—	—	—	1	—	3	3	1	—	—	6
7 Influenza	13	12	4	4	3	4	4	5	—	—	—	3	12	11	5	5	1	1	7
8 Encephalitis lethargica	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	5	2	6	4	5	4	5	—	—	2	2	9	13	5	6	5	2	10
11 Other tuberculous diseases	3	—	—	—	1	3	1	3	—	—	—	1	3	1	—	2	4	1	11
12 Cancer, malignant disease	16	30	7	11	8	15	10	20	2	—	9	15	26	34	22	3	6	11	12
13 Rheumatic fever	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	13
14 Diabetes	2	—	1	2	2	—	—	—	—	—	1	1	1	1	3	2	1	1	14
15 Cerebral hæmorrhage, &c.	8	7	3	7	6	3	12	9	1	1	5	10	13	12	10	6	—	3	15
16 Heart disease	18	24	16	14	13	30	38	20	1	—	12	20	35	59	24	24	26	16	16
17 Arterio-sclerosis	5	14	6	—	8	6	4	4	—	—	4	5	7	7	4	7	4	3	17
18 Bronchitis	13	11	9	6	1	1	14	5	—	—	4	4	5	7	8	5	4	2	18
19 Pneumonia (all forms)	8	8	8	3	3	8	9	6	—	—	4	5	2	2	9	7	3	2	19
20 Other respiratory diseases	—	5	1	1	—	1	4	2	—	—	1	—	1	1	—	1	2	2	20
21 Ulcer of stomach or duodenum	1	—	—	—	2	—	2	1	—	—	4	—	2	—	1	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	1	—	—	—	3	—	3	—	—	—	—	1	1	1	1	—	1	—	23
24 Cirrhosis of liver	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	7	8	—	1	—	2	5	3	—	—	5	3	8	12	6	4	7	3	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	3	—	—	—	1	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	10	3	3	1	1	2	10	6	—	—	4	2	3	3	5	3	13	9	21
29 Suicide	2	1	—	—	—	—	2	—	—	1	—	1	2	3	1	1	1	—	29
30 Other deaths from violence	10	2	5	3	2	3	6	4	—	—	4	—	7	—	5	1	9	3	30
31 Other defined diseases	25	29	10	20	12	14	26	23	3	1	14	17	20	28	22	27	12	17	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	—	1	—	—	2	1	—	—	—	—	32

* The remainder of Faringdon R.D. is in Berkshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

HEREFORDSHIRE.

Causes of Death.	Hereford M.B.		Hereford R.D.		Ross R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	159	161	91	90	77	56	
1 Enteric fever	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	4
5 Whooping cough	3	5	1	1	—	2	5
6 Diphtheria	1	4	—	2	1	—	6
7 Influenza	3	3	3	2	2	2	7
8 Encephalitis lethargica	—	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	7	5	3	2	2	10
11 Other tuberculous diseases	—	—	2	2	1	1	11
12 Cancer, malignant disease	15	18	6	16	4	9	12
13 Rheumatic fever	1	—	—	1	—	—	13
14 Diabetes	1	3	—	2	1	1	14
15 Cerebral hæmorrhage, &c.	11	8	9	4	6	3	15
16 Heart disease	27	45	17	21	16	15	16
17 Arterio-sclerosis	10	2	5	6	5	1	17
18 Bronchitis	5	7	4	6	5	3	18
19 Pneumonia (all forms)	17	16	7	3	5	1	19
20 Other respiratory diseases	2	—	2	—	—	1	20
21 Ulcer of stomach or duodenum	4	1	1	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	—	—	22
23 Appendicitis and typhlitis	—	—	—	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	—	1	24
25 Acute and chronic nephritis	6	4	4	1	3	3	25
26 Puerperal sepsis	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	27
28 Congenital debility and malformation, premature birth	11	10	4	5	4	2	28
29 Suicide	1	—	1	—	1	—	29
30 Other deaths from violence	5	1	6	2	4	—	30
31 Other defined diseases	25	25	14	11	15	7	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	32

HERTFORDSHIRE.

Causes of Death.	Barnet U.D.		Cheshunt U.D.		East Barnet Valley U.D.		Hemel Hempstead M.B.		Hertford M.B.		Hitchin U.D.		Letchworth U.D.		St. Albans M.B.		Watford M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	81	80	94	84	101	71	90	104	69	77	82	98	49	71	182	171	298	346	
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	3
4 Scarlet fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	—	—	1	2	—	—	1	—	1	—	—	—	—	1	—	—	5	5	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	3	4	6
7 Influenza	3	5	2	2	7	3	11	19	—	5	6	6	1	3	6	6	21	24	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	4	4	7	3	5	3	5	7	2	7	6	5	2	4	8	10	20	22	10
11 Other tuberculous diseases	—	3	—	2	1	—	2	—	2	—	2	1	—	—	3	2	—	3	11
12 Cancer, malignant disease	9	10	9	5	13	10	6	11	6	15	7	11	5	12	17	16	31	36	12
13 Rheumatic fever	—	—	—	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	13
14 Diabetes	1	1	1	1	1	—	—	—	—	—	—	1	1	—	—	7	6	1	14
15 Cerebral hæmorrhage, &c.	4	2	2	1	2	3	7	3	5	6	8	9	3	3	9	10	12	23	15
16 Heart disease	17	25	19	17	22	25	19	29	17	14	12	20	10	12	49	52	47	58	16
17 Arterio-sclerosis	2	2	6	5	7	2	8	5	4	2	1	1	1	6	4	5	4	14	17
18 Bronchitis	2	5	1	5	3	3	2	5	1	5	3	4	1	1	11	7	20	25	18
19 Pneumonia (all forms)	4	2	4	6	7	3	3	3	5	3	8	7	3	4	11	7	25	13	19
20 Other respiratory diseases	3	2	—	1	1	—	—	2	—	2	1	—	—	—	2	—	3	4	20
21 Ulcer of stomach or duodenum	1	1	—	—	1	1	—	—	—	—	2	—	—	—	2	1	6	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	3	—	—	1	1	1	2	—	—	—	1	—	3	—	—	1	22
23 Appendicitis and typhlitis	—	—	1	—	1	—	—	—	—	1	2	2	2	1	4	—	2	—	23
24 Cirrhosis of liver	2	2	3	—	1	2	—	—	—	—	—	—	—	—	1	—	—	2	24
25 Acute and chronic nephritis	1	—	1	2	6	2	5	2	2	3	1	—	2	7	8	3	7	4	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	5	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	1	—	1	—	1	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	2	1	6	3	7	1	2	1	4	1	6	1	3	3	3	4	20	12	28
29 Suicide	2	2	2	1	1	—	2	—	1	—	1	—	—	—	3	1	2	1	29
30 Other deaths from violence	5	—	6	4	2	1	4	1	3	—	4	3	5	1	6	2	10	3	30
31 Other defined diseases	18	12	20	18	13	9	12	14	14	10	11	25	8	11	31	37	51	82	31
32 Causes ill-defined or unknown	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTATIVE AREAS, 1929 (Civilian population only)—*cont.*

HERTFORDSHIRE—*cont.* **HUNTS.**

Causes of Death.	Hitchin R.D.		St. Albans R.D.		Ware R.D.		Watford R.D.		Thrapston (part of) R.D.*		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	95	100	75	76	93	73	95	83	7	5	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	1	—	—	—	—	3
4 Scarlet fever	—	1	—	—	1	—	2	1	—	—	4
5 Whooping cough	—	1	1	1	—	—	—	—	—	—	5
6 Diphtheria	—	—	—	1	1	—	1	1	—	—	6
7 Influenza	7	8	6	5	4	—	6	5	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	2	3	6	4	5	4	1	1	1	10
11 Other tuberculous diseases	1	1	2	—	—	1	2	2	—	—	11
12 Cancer, malignant disease	14	12	12	12	9	7	15	17	1	1	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	1	2	—	—	—	2	—	—	1	—	14
15 Cerebral hæmorrhage, &c.	8	10	1	5	6	3	3	4	—	—	15
16 Heart disease	12	24	19	15	10	15	17	18	—	2	16
17 Arterio-sclerosis	2	2	5	3	6	5	2	—	—	—	17
18 Bronchitis	3	8	5	4	4	5	3	2	2	1	18
19 Pneumonia (all forms)	3	3	4	2	5	4	8	4	—	—	19
20 Other respiratory diseases	1	—	1	1	1	—	3	—	—	—	20
21 Ulcer of stomach or duodenum	3	1	—	—	2	—	1	2	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	—	—	—	—	22
23 Appendicitis and typhlitis	—	—	1	1	—	—	2	—	—	—	23
24 Cirrhosis of liver	3	—	2	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	3	—	1	1	—	—	1	3	—	—	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	3	1	1	4	3	5	1	1	—	—	28
29 Suicide	1	—	—	1	—	—	1	1	—	—	29
30 Other deaths from violence	9	3	3	2	8	3	5	3	—	—	30
31 Other defined diseases	18	17	8	10	27	17	17	18	1	—	31
32 Causes ill-defined or unknown	1	2	—	—	1	—	—	—	—	—	32

KENT.

Causes of Death.	Ashford U.D.		Beckenham U.D.		Bexley U.D.		Broadstairs & St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Crayford U.D.		Dartford U.D.		Deal M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	95	104	204	224	172	165	75	96	232	258	309	284	68	75	171	140	77	93	
1 Enteric fever	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	1	—	—	—	—	1	—	4	3	—	1	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	4
5 Whooping cough	2	1	1	3	4	—	—	2	3	3	3	7	—	2	—	2	—	—	5
6 Diphtheria	—	—	2	—	—	3	—	—	2	1	3	8	1	—	1	—	—	—	6
7 Influenza	7	9	6	17	2	5	4	7	8	6	11	13	2	4	6	6	2	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	1	2	2	4	1	—	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	—	12	11	21	13	5	8	13	13	23	15	7	6	17	9	2	2	10
11 Other tuberculous diseases	—	—	3	—	—	3	2	2	1	1	3	4	—	2	—	1	1	1	11
12 Cancer, malignant disease	17	18	25	30	20	18	9	9	26	39	26	28	7	10	13	17	8	10	12
13 Rheumatic fever	—	—	—	—	1	1	—	—	—	—	—	1	—	—	1	1	—	—	13
14 Diabetes	2	1	1	2	—	6	1	1	2	4	4	1	1	1	—	—	2	1	14
15 Cerebral hæmorrhage, &c.	5	9	10	13	5	6	3	3	8	22	9	5	—	3	14	8	4	6	15
16 Heart disease	11	21	51	52	36	33	20	23	47	62	62	67	17	21	39	35	13	17	16
17 Arterio-sclerosis	6	5	13	14	4	5	2	2	5	9	6	13	1	1	4	3	4	4	17
18 Bronchitis	1	3	12	11	9	10	1	3	15	18	19	19	4	6	8	14	5	6	18
19 Pneumonia (all forms)	9	6	10	11	17	11	3	5	18	15	32	19	7	4	11	8	3	4	19
20 Other respiratory diseases	—	2	3	4	1	3	1	—	5	1	—	3	—	—	1	1	2	3	20
21 Ulcer of stomach or duodenum	1	—	3	1	1	1	1	—	2	—	5	1	—	1	—	2	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	2	2	2	5	3	—	1	2	1	5	8	—	1	4	2	—	2	22
23 Appendicitis and typhlitis	—	1	3	2	1	—	1	—	1	1	2	5	—	—	1	—	1	—	23
24 Cirrhosis of liver	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	3	3	3	6	5	1	2	4	12	8	6	5	1	—	2	3	5	3	25
26 Puerperal sepsis	—	—	—	2	—	—	—	1	—	1	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	3	—	—	27
28 Congenital debility and malformation, premature birth	5	4	11	2	9	12	4	2	6	2	19	7	4	4	13	5	1	—	28
29 Suicide	—	—	1	—	3	—	1	1	8	3	5	1	2	1	—	1	—	—	29
30 Other deaths from violence	8	—	7	6	8	6	1	—	6	2	15	7	6	1	8	4	—	5	30
31 Other defined diseases	13	18	23	32	20	25	12	21	39	43	40	38	8	5	27	15	22	24	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	32

* The remainder of Thrapston R.D. is in Northamptonshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only).—*cont.*

KENT—*cont.*

Causes of Death.	Dover M.B.		Erith U.D.		Faversham M.B.		Folkestone M.B.*		Gillingham M.B.		Gravesend M.B.		Herne Bay U.D.		Maidstone M.B.		Margate M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	248	251	261	158	76	79	226	258	371	318	222	219	63	90	252	247	168	217	
1 Enteric fever	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	2
3 Measles	—	2	—	—	—	—	6	5	2	1	—	—	—	—	1	—	2	1	3
4 Scarlet fever	—	—	1	—	—	—	1	2	—	1	—	—	—	—	—	—	—	1	4
5 Whooping cough	2	3	5	10	—	2	—	4	3	4	2	—	1	2	6	3	3	2	5
6 Diphtheria	4	—	1	2	—	1	—	1	8	9	4	5	1	—	2	1	1	—	6
7 Influenza	4	6	7	6	3	4	8	6	15	5	12	7	7	8	5	5	5	16	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	2	8
9 Meningococcal meningitis	—	1	1	1	—	—	—	—	2	—	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	14	11	15	7	6	5	12	12	21	18	17	10	4	3	18	15	10	10	10
11 Other tuberculous diseases	2	5	2	3	1	1	5	4	4	3	2	4	—	—	3	5	2	—	11
12 Cancer, malignant disease	29	29	26	16	8	5	29	33	34	46	30	34	7	9	35	32	17	32	12
13 Rheumatic fever	—	2	2	1	—	—	—	—	1	—	1	—	—	—	1	—	—	—	13
14 Diabetes	2	4	2	2	1	1	—	5	—	4	—	1	1	4	2	1	3	4	14
15 Cerebral hæmorrhage, &c.	10	28	11	7	2	7	16	23	10	15	7	17	3	4	13	12	7	13	15
16 Heart disease	55	58	57	40	12	20	37	54	72	75	26	18	13	23	44	67	22	39	16
17 Arterio-sclerosis	4	6	7	7	2	2	15	10	10	11	8	6	2	6	12	6	6	8	17
18 Bronchitis	18	15	13	7	6	6	15	20	16	17	28	35	—	5	14	18	6	6	18
19 Pneumonia (all forms)	20	10	19	11	7	1	14	10	28	16	19	15	2	1	26	15	5	6	19
20 Other respiratory diseases	2	2	5	2	1	1	2	2	2	6	4	3	—	—	3	3	2	1	20
21 Ulcer of stomach or duodenum	3	2	7	—	2	—	7	—	9	3	3	4	1	1	3	1	4	2	21
22 Diarrhœa, &c. (under 2 years)	4	—	3	3	—	—	2	—	2	1	3	1	—	—	1	2	2	—	22
23 Appendicitis and typhlitis	4	1	1	1	—	—	—	—	6	1	1	3	—	—	—	—	1	1	23
24 Cirrhosis of liver	3	2	—	3	1	—	1	—	3	1	—	—	1	—	3	1	1	—	24
25 Acute and chronic nephritis	6	7	12	4	5	1	3	6	2	4	4	2	4	3	8	5	9	8	25
26 Puerperal sepsis	—	3	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	3	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	3	—	3	—	—	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	12	5	10	6	4	2	7	1	19	12	4	3	2	2	9	5	6	3	28
29 Suicide	4	—	5	1	—	1	4	3	3	3	4	—	2	—	6	4	3	—	29
30 Other deaths from violence	15	7	7	4	1	1	11	6	31	5	10	4	2	3	8	7	6	6	30
31 Other defined diseases	31	40	41	13	14	18	31	48	67	50	32	42	10	16	28	39	45	53	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	32

KENT—*cont.*

Causes of Death.	Northfleet U.D.		Penge U.D.		Ramsgate M.B.		Rochester M.B.		Royal Tunbridge Wells M.B.		Sheerness U.D.		Tonbridge U.D.				Bridge R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	
All Causes	127	105	182	213	197	234	204	207	222	330	115	88	103	96			73	71	
1 Enteric fever	4	3	1	—	—	—	—	—	—	—	—	—	—	—			—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3 Measles	—	—	—	—	—	—	1	7	—	—	—	1	—	1			—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—			—	—	4
5 Whooping cough	—	2	3	2	1	7	1	2	2	—	—	—	—	1			1	2	5
6 Diphtheria	—	—	2	3	—	—	1	3	1	1	—	—	6	2			—	—	6
7 Influenza	7	4	8	18	5	3	9	11	14	21	6	2	1	4			11	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	2	1	1	—	—	1			—	—	8
9 Meningococcal meningitis	1	1	—	—	—	—	1	—	2	—	3	—	—	1			—	—	9
10 Tuberculosis of respiratory sys.	13	3	15	14	14	6	18	9	14	6	7	5	6	1			3	4	10
11 Other tuberculous diseases	2	2	1	1	3	2	2	2	1	3	—	—	1	1			2	—	11
12 Cancer, malignant disease	9	9	17	27	26	43	22	22	24	54	10	16	10	11			9	11	12
13 Rheumatic fever	1	—	—	—	1	—	—	—	—	1	—	—	—	1			—	1	13
14 Diabetes	2	2	1	4	—	4	2	3	2	4	—	1	1	—			3	1	14
15 Cerebral hæmorrhage, &c.	3	7	6	11	16	12	5	8	5	12	4	11	7	3			—	5	15
16 Heart disease	19	22	29	37	26	30	44	47	43	91	26	17	12	24			15	9	16
17 Arterio-sclerosis	5	2	11	12	5	5	11	11	15	13	2	2	8	4			—	2	17
18 Bronchitis	14	14	7	18	18	12	10	14	8	16	5	4	3	6			3	1	18
19 Pneumonia (all forms)	15	6	18	12	10	11	11	18	13	15	10	4	8	3			5	3	19
20 Other respiratory diseases	—	1	5	2	—	6	3	1	5	5	1	2	2	2			—	—	20
21 Ulcer of stomach or duodenum	1	—	3	—	1	2	6	1	3	1	4	—	1	1			1	2	21
22 Diarrhœa, &c. (under 2 years)	1	3	2	1	2	—	2	4	2	—	5	1	—	—			1	—	22
23 Appendicitis and typhlitis	—	—	—	2	—	2	1	—	1	1	—	—	2	2			—	1	23
24 Cirrhosis of liver	—	—	—	—	1	1	1	—	2	—	—	1	—	—			—	—	24
25 Acute and chronic nephritis	—	5	12	10	10	10	6	3	10	10	5	3	3	5			—	2	25
26 Puerperal sepsis	—	—	—	2	—	1	—	1	—	—	—	1	—	1			—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	4	—	2	—	1	—	2	—	—			—	2	27
28 Congenital debility and malformation, premature birth	2	2	5	8	14	7	4	—	6	4	3	—	5	3			2	—	28
29 Suicide	2	—	4	1	—	1	4	4	3	2	2	3	4	1			—	1	29
30 Other deaths from violence	9	3	5	—	6	4	7	4	12	10	3	1	4	1			5	1	30
31 Other defined diseases	17	14	27	28	36	59	32	30	32	58	17	11	19	16			12	18	31
32 Causes ill-defined or unknown	—	—	—	—	2	2	—	—	—	—	—	—	—	—			—	—	32

* Excluding the civil parish of Folkestone next Sandgate.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

KENT—*cont.*

Causes of Death.	Bromley R.D.		Cranbrook R.D.		Dartford R.D.		East Ashford R.D.		Eastry R.D.		Faversham R.D.		Hollingbourne R.D.		Isle of Thanet R.D.		Maidstone R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	194	199	103	85	186	155	78	88	125	87	77	97	100	84	75	94	130	121	
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	4
5 Whooping cough	1	2	1	—	1	3	1	—	—	2	—	—	1	—	1	—	—	1	5
6 Diphtheria	5	5	2	1	3	2	1	—	1	1	—	—	1	1	1	1	—	4	6
7 Influenza	10	14	9	6	8	10	2	6	5	3	1	6	2	5	6	6	5	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	9
10 Tuberculosis of respiratory sys.	18	5	6	1	8	7	2	3	4	3	1	—	7	5	3	6	6	3	10
11 Other tuberculous diseases	3	1	1	1	2	2	1	1	1	1	3	2	2	2	—	1	2	2	11
12 Cancer, malignant disease	18	35	14	14	19	22	12	13	7	6	13	16	7	9	8	12	9	18	12
13 Rheumatic fever	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	3	1	—	—	—	1	1	2	2	4	—	1	1	1	1	1	—	2	14
15 Cerebral hæmorrhage, &c.	5	9	6	2	9	13	2	2	4	7	7	4	3	6	5	5	3	3	15
16 Heart disease	56	49	12	23	39	32	13	16	20	15	12	19	22	27	8	11	27	31	16
17 Arterio-sclerosis	6	4	9	1	3	2	7	6	4	3	2	3	9	4	3	3	19	9	17
18 Bronchitis	5	9	6	4	14	8	4	6	10	10	7	3	6	5	3	7	6	4	18
19 Pneumonia (all forms)	13	10	4	5	16	9	6	8	11	5	4	9	9	3	7	6	11	7	19
20 Other respiratory diseases	—	3	2	2	4	2	2	1	—	3	—	—	—	—	1	2	3	1	20
21 Ulcer of stomach or duodenum	3	—	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	7	2	—	—	—	—	1	—	1	—	—	—	—	—	22
23 Appendicitis and typhlitis	1	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	2	—	23
24 Cirrhosis of liver	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	1	—	24
25 Acute and chronic nephritis	5	2	1	1	3	4	3	3	4	2	1	2	5	—	5	8	5	2	25
26 Puerperal sepsis	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	9	6	2	3	2	3	3	2	9	7	3	5	2	2	2	2	4	3	28
29 Suicide	1	1	2	—	6	—	2	—	—	1	—	—	6	1	1	1	4	—	29
30 Other deaths from violence	7	3	6	2	10	4	3	1	10	1	2	1	3	1	2	2	7	3	30
31 Other defined diseases	24	36	18	17	31	20	13	14	29	11	20	23	11	10	16	19	15	22	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	32

KENT—*cont.* LANCASHIRE.

Causes of Death.	Malling R.D.		Sevenoaks R.D.		Strood R.D.		Tonbridge R.D.				Accrington M.B		Ashton-in-Makerfield U.D.		Ashton-under-Lyne M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	
All Causes	181	179	161	145	104	84	130	126			324	345	152	117	440	423	
1 Enteric fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	1	—	—	—			—	—	—	—	—	—	2
3 Measles	1	1	—	—	1	—	—	—			—	1	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	1			—	1	—	—	—	1	4
5 Whooping cough	1	1	1	2	1	2	2	1			1	—	—	1	7	7	5
6 Diphtheria	2	—	—	2	—	2	2	2			—	2	3	1	1	1	6
7 Influenza	3	6	12	8	4	3	10	10			21	27	5	5	33	27	7
8 Encephalitis lethargica	—	—	—	—	1	1	—	—			3	2	—	—	2	5	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—			—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	20	11	7	6	10	7	7	12			14	8	5	1	29	10	10
11 Other tuberculous diseases	1	2	2	1	—	1	1	—			3	3	4	1	7	4	11
12 Cancer, malignant disease	20	23	14	23	8	8	14	11			31	42	7	12	27	41	12
13 Rheumatic fever	—	2	—	—	1	—	1	—			2	—	—	—	—	2	13
14 Diabetes	—	1	1	2	—	1	1	3			3	5	3	1	3	4	14
15 Cerebral hæmorrhage, &c.	10	12	10	11	4	5	4	4			19	25	12	9	18	16	15
16 Heart disease	29	34	24	21	20	16	24	29			71	76	18	21	75	84	16
17 Arterio-sclerosis	10	3	11	4	7	2	9	4			10	9	5	2	24	10	17
18 Bronchitis	15	12	5	10	3	3	5	4			13	18	10	11	28	42	18
19 Pneumonia (all forms)	9	17	13	11	6	1	8	10			28	25	20	11	52	38	19
20 Other respiratory diseases	—	3	—	1	3	2	2	2			4	4	3	—	4	6	20
21 Ulcer of stomach or duodenum	2	—	3	—	2	—	—	—			—	—	1	—	7	2	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	—	1	—	2	—			—	3	1	—	6	1	22
23 Appendicitis and typhlitis	2	1	2	—	1	—	—	1			1	2	—	1	3	1	23
24 Cirrhosis of liver	—	1	—	1	—	—	—	—			2	—	—	—	2	1	24
25 Acute and chronic nephritis	5	2	4	1	3	4	7	4			11	14	2	8	13	17	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—			—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1			—	1	—	1	—	4	27
28 Congenital debility and malformation, premature birth	8	5	2	3	3	5	4	4			12	6	8	2	24	17	28
29 Suicide	1	—	2	1	1	—	2	1			5	—	2	—	7	6	29
30 Other deaths from violence	9	5	6	3	8	3	7	—			15	2	12	3	16	13	30
31 Other defined diseases	32	36	42	33	15	17	18	22			55	69	31	26	51	61	31
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—			—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Atherton U.D.		Bacup M.B.		Chadderton U.D.		Chorley M.B.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Dalton-in-Furness U.D.		Darwen M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	
All Causes	133	133	195	184	209	239	214	206	73	96	184	173	111	127	71	73	241	314	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	4
5 Whooping cough	2	3	1	1	5	9	2	3	2	—	3	—	—	—	3	2	—	2	5
6 Diphtheria	1	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	2	2	6
7 Influenza	18	17	17	5	16	23	19	20	2	4	12	5	3	12	8	4	15	38	7
8 Encephalitis lethargica	—	1	—	—	1	—	—	—	—	1	1	1	—	1	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	7	6	6	6	8	10	6	4	5	2	11	5	6	3	6	6	11	8	10
11 Other tuberculous diseases	1	2	1	2	5	—	1	2	—	—	5	5	2	1	—	—	1	1	11
12 Cancer, malignant disease	15	13	15	23	16	25	21	20	5	11	17	19	9	15	8	12	27	38	12
13 Rheumatic fever	—	—	—	—	1	—	2	1	—	—	—	—	—	—	1	—	—	—	13
14 Diabetes	1	2	—	2	—	3	4	6	2	2	—	1	1	1	—	—	1	4	14
15 Cerebral hæmorrhage, &c.	3	5	15	19	11	7	10	10	1	3	8	18	7	3	6	4	9	33	15
16 Heart disease	16	27	32	21	32	59	35	38	21	32	35	39	16	16	10	16	38	55	16
17 Arterio-sclerosis	7	12	3	3	9	6	14	13	3	3	12	3	12	1	—	3	18	13	17
18 Bronchitis	3	4	21	33	20	22	23	19	4	3	10	11	11	31	7	7	18	21	18
19 Pneumonia (all forms)	24	15	9	5	25	18	27	11	3	6	18	14	12	7	3	4	12	19	19
20 Other respiratory diseases	—	1	4	—	4	1	4	1	—	1	3	2	—	—	—	—	1	4	20
21 Ulcer of stomach or duodenum	2	—	3	—	3	—	1	—	2	—	3	—	—	—	3	1	3	2	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	3	—	2	1	—	2	3	1	—	—	—	1	1	3	22
23 Appendicitis and typhlitis	—	—	2	—	—	1	—	1	1	—	1	2	—	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	24
25 Acute and chronic nephritis	3	2	2	4	9	14	6	6	3	2	7	6	6	2	1	1	12	10	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	3	—	—	—	—	—	1	—	—	—	2	27
28 Congenital debility and malformation, premature birth	12	4	5	5	7	4	5	6	1	2	10	3	6	7	—	1	10	7	28
29 Suicide	1	—	2	—	1	4	2	—	1	2	5	1	2	—	1	—	2	1	29
30 Other deaths from violence	4	1	9	10	8	4	8	5	2	—	1	2	5	4	5	—	10	5	30
31 Other defined diseases	13	17	48	43	22	28	19	30	15	18	17	34	12	22	8	10	47	43	31
32 Causes ill-defined or unknown	—	—	—	1	1	—	—	—	—	2	2	—	1	—	—	—	—	—	32

LANCASHIRE—*cont.*

Causes of Death.	Denton U.D.		Droylesden U.D.		Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	157	143	112	119	321	276	109	104	206	226	163	126	98	94	82	111	113	163	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	1	—	1	—	—	1	—	—	—	—	—	1	—	1	—	1	—	—	4
5 Whooping cough	2	2	—	3	3	1	—	1	9	9	—	1	—	—	—	—	—	—	5
6 Diphtheria	—	—	1	2	3	2	2	—	—	2	—	1	—	1	—	1	1	—	6
7 Influenza	8	6	4	4	18	21	8	8	13	21	17	9	3	1	6	4	7	10	7
8 Encephalitis lethargica	1	—	—	—	2	2	1	1	—	1	—	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	4	8	6	22	11	5	2	15	10	7	3	4	3	2	5	2	3	10
11 Other tuberculous diseases	—	1	1	1	6	4	2	1	1	4	3	1	2	2	—	1	3	2	11
12 Cancer, malignant disease	21	21	10	15	27	29	11	17	22	17	13	19	13	19	9	9	15	22	12
13 Rheumatic fever	—	—	—	—	1	1	—	1	1	1	—	—	—	—	—	1	—	1	13
14 Diabetes	2	2	—	3	1	3	3	2	2	7	—	1	—	1	—	—	1	3	14
15 Cerebral hæmorrhage, &c.	8	6	1	7	14	28	4	11	4	5	7	6	6	5	5	10	9	11	15
16 Heart disease	27	33	19	26	53	48	12	13	20	37	27	20	14	17	13	28	19	40	16
17 Arterio-sclerosis	6	3	10	3	6	3	1	1	16	20	1	2	6	5	2	—	4	1	17
18 Bronchitis	7	16	9	10	30	24	8	10	9	16	12	11	5	3	5	10	10	8	18
19 Pneumonia (all forms)	16	12	12	3	27	17	12	7	23	14	15	8	7	8	10	7	8	11	19
20 Other respiratory diseases	4	5	2	2	2	4	—	2	3	1	—	—	1	—	—	2	1	1	20
21 Ulcer of stomach or duodenum	3	1	3	—	2	—	—	—	1	1	6	1	3	1	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	4	2	—	2	—	3	1	—	—	1	1	—	—	—	1	22
23 Appendicitis and typhlitis	2	—	2	—	1	1	—	—	2	1	1	—	—	—	—	2	—	—	23
24 Cirrhosis of liver	1	—	1	—	1	—	—	—	—	1	1	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	6	3	4	4	12	6	8	5	6	13	3	1	6	3	—	1	6	11	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1	—	—	—	5	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	5	2	1	3	12	7	7	3	12	5	14	9	3	1	6	3	3	6	28
29 Suicide	1	1	—	2	5	1	1	1	2	1	1	—	—	1	1	1	2	—	29
30 Other deaths from violence	4	3	3	4	19	7	6	3	12	7	6	3	1	4	5	2	3	1	30
31 Other defined diseases	27	21	20	17	50	53	16	13	29	29	29	23	21	16	17	23	17	30	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Haydock U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		Ince in Makerfield U.D.		Lancaster M.B.		Leigh M.B.		Litherland U.D.		Littleboro' U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	62	69	208	220	170	178	117	94	218	158	311	298	368	362	109	97	89	100
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
3 Measles	—	—	—	—	1	—	—	—	13	8	1	1	2	—	5	4	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
5 Whooping cough	—	2	2	1	1	1	—	—	—	2	2	6	6	6	—	—	1	—
6 Diphtheria	—	—	—	1	2	2	2	1	—	1	—	—	—	1	—	5	3	3
7 Influenza	2	6	19	26	4	6	10	1	10	6	15	14	32	30	1	3	7	3
8 Encephalitis lethargica	—	—	1	1	1	—	—	—	—	—	1	1	4	3	—	—	1	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	—	2	7	11	12	14	2	3	14	10	20	9	17	15	16	9	5	2
11 Other tuberculous diseases	—	1	3	1	4	—	5	2	3	4	3	7	7	4	1	3	1	—
12 Cancer, malignant disease	3	4	15	16	10	14	10	17	15	8	21	33	31	38	8	11	3	15
13 Rheumatic fever	—	2	—	—	—	1	—	—	2	—	—	1	2	3	—	1	—	—
14 Diabetes	—	—	1	2	—	1	1	3	—	—	3	4	2	3	—	2	1	1
15 Cerebral hæmorrhage, &c.	—	3	8	13	9	9	5	4	7	8	25	24	10	19	2	1	4	5
16 Heart disease	14	13	38	49	23	32	20	25	16	13	54	43	40	51	11	12	8	22
17 Arterio-sclerosis	6	3	16	8	9	6	9	4	5	7	11	13	26	18	—	6	8	4
18 Bronchitis	9	8	16	18	15	19	4	4	24	27	26	23	33	45	4	2	12	7
19 Pneumonia (all forms)	9	3	27	15	34	18	11	3	33	17	24	18	53	34	15	6	4	6
20 Other respiratory diseases	1	1	2	1	4	4	—	—	2	1	7	5	4	4	1	—	4	1
21 Ulcer of stomach or duodenum	1	—	1	1	1	—	1	—	—	—	5	4	6	—	1	—	—	—
22 Diarrhœa, &c. (under 2 years)	—	2	2	1	2	1	1	1	—	1	1	4	1	2	8	1	2	1
23 Appendicitis and typhlitis	—	—	2	5	—	2	—	—	2	—	2	3	2	—	—	—	—	—
24 Cirrhosis of liver	—	—	3	—	—	—	—	—	—	—	1	—	3	—	1	—	—	—
25 Acute and chronic nephritis	2	1	4	5	2	7	5	4	3	7	11	9	11	10	3	4	1	3
26 Puerperal sepsis	—	1	—	1	—	1	—	1	—	2	—	2	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	1	—	1	—	1	—	3	—	3	—	—	—	2
28 Congenital debility and malformation, premature birth	3	5	9	7	9	11	9	4	14	9	16	6	15	14	9	9	4	3
29 Suicide	—	1	3	1	2	1	2	—	4	1	4	1	8	2	1	—	1	—
30 Other deaths from violence	2	2	4	4	3	1	3	1	8	1	18	3	17	3	2	4	3	3
31 Other defined diseases	9	9	25	29	22	26	17	15	43	22	39	61	34	54	19	13	16	18
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	1

LANCASHIRE—*cont.*

Causes of Death.	Lytham St. Anne's M.B.		Middleton M.B.		Morecambe & Heysham M.B.		Mossley M.B.		Nelson M.B.		Newton in Makerfield U.D.		Oswaldtwistle U.D.		Padiham U.D.		Prestwich U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	154	222	241	263	182	210	115	109	271	291	131	123	102	118	89	90	111	117
1 Enteric fever	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	2	1	—	—	—	—	1	—	1	—	—	—	2	1	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
5 Whooping cough	1	—	10	10	—	1	2	—	2	2	1	—	2	1	2	—	—	2
6 Diphtheria	—	—	1	3	1	—	—	—	—	1	—	—	1	—	—	—	—	1
7 Influenza	8	14	18	23	14	8	16	17	16	19	13	13	17	11	10	7	8	8
8 Encephalitis lethargica	—	—	1	3	1	—	—	—	1	—	1	—	—	2	—	—	1	1
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory sys.	6	5	11	9	11	1	2	4	15	14	16	8	1	4	4	2	2	2
11 Other tuberculous diseases	2	3	5	2	1	—	5	—	2	1	2	2	2	—	1	2	—	1
12 Cancer, malignant disease	18	44	13	25	16	29	12	8	24	37	12	8	8	16	4	11	15	16
13 Rheumatic fever	—	—	—	1	—	2	—	—	—	3	—	—	—	2	—	1	1	1
14 Diabetes	5	4	3	3	2	5	2	1	7	8	3	6	—	2	—	—	—	1
15 Cerebral hæmorrhage, &c.	8	6	8	12	6	10	2	10	14	23	5	4	6	5	3	6	8	9
16 Heart disease	37	56	39	66	38	47	11	13	62	54	12	22	8	20	19	24	17	19
17 Arterio-sclerosis	8	10	12	7	18	19	12	4	7	8	3	2	2	3	2	6	5	2
18 Bronchitis	7	8	20	31	22	26	16	10	16	25	7	6	10	7	10	6	10	9
19 Pneumonia (all forms)	8	5	25	10	5	8	10	8	20	14	14	14	7	5	7	1	12	9
20 Other respiratory diseases	1	2	2	4	3	3	—	1	1	4	2	2	—	—	—	1	2	1
21 Ulcer of stomach or duodenum	1	1	3	—	1	1	1	—	5	—	—	—	3	2	1	—	1	—
22 Diarrhœa, &c. (under 2 years)	—	—	3	2	1	1	2	—	1	—	—	1	2	—	—	—	2	—
23 Appendicitis and typhlitis	3	3	1	—	—	—	—	1	1	1	—	—	—	1	—	—	1	—
24 Cirrhosis of liver	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
25 Acute and chronic nephritis	9	10	9	11	3	9	—	8	6	11	1	2	4	4	2	3	5	7
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	1	—	3	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	4	4	5	6	3	1	2	2	6	3	9	9	6	8	1	4	4	4
29 Suicide	2	4	3	—	—	3	2	—	5	5	1	—	1	1	3	1	—	—
30 Other deaths from violence	5	3	8	5	7	4	2	2	10	3	11	3	5	1	1	2	1	2
31 Other defined diseases	20	37	38	26	29	32	14	19	46	50	15	21	13	20	16	11	16	22
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—	2	1	2	—	1	—	1	—	—	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Radcliffe U.D.		Ramsbottom U.D.		Rawtenstall M.B.		Royton U.D.		Stretford U.D.		Swinton & Pendlebury U.D.		Turton U.D.		Tyldesley with Shakerley U.D.		Ulverston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	185	171	96	103	204	254	141	151	330	339	218	229	69	93	100	95	56	71	
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	5	3	—	1	1	2	3	3	7	4	3	7	—	2	1	—	—	1	5
6 Diphtheria	—	—	—	—	2	1	—	—	1	—	—	1	—	—	—	—	—	1	6
7 Influenza	1	5	13	14	22	28	17	7	20	17	7	21	5	7	9	6	1	2	7
8 Encephalitis lethargica	1	1	—	—	2	—	1	1	4	2	1	—	—	—	1	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	8	7	4	9	6	8	5	17	19	15	10	3	2	3	5	6	1	10
11 Other tuberculous diseases	1	3	1	2	5	2	—	5	6	3	2	2	—	—	—	1	—	—	11
12 Cancer, malignant disease	23	20	11	18	18	28	11	11	34	40	22	23	9	9	9	16	9	11	12
13 Rheumatic fever	—	—	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	13
14 Diabetes	1	2	1	—	2	5	—	4	1	5	4	2	1	2	—	2	1	1	14
15 Cerebral hæmorrhage, &c.	17	17	4	4	8	12	4	6	24	16	13	18	3	4	2	4	9	7	15
16 Heart disease	38	43	15	16	36	57	31	41	57	65	20	25	14	19	15	20	9	16	16
17 Arterio-sclerosis	7	3	4	1	15	13	6	1	16	12	10	11	3	4	7	3	1	4	17
18 Bronchitis	14	13	6	8	10	14	13	14	16	25	19	21	3	4	6	4	3	6	18
19 Pneumonia (all forms)	17	9	8	8	16	19	15	13	23	28	33	25	6	5	15	8	2	2	19
20 Other respiratory diseases	1	—	—	—	4	2	1	1	4	3	5	3	—	3	1	—	2	1	20
21 Ulcer of stomach or duodenum	2	—	—	1	2	1	2	—	1	2	2	1	—	—	4	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	—	—	—	—	2	1	2	1	—	—	1	—	2	—	22
23 Appendicitis and typhlitis	3	2	1	—	—	—	1	—	—	1	1	3	—	—	1	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	2	—	1	—	4	2	2	1	—	—	—	1	—	—	24
25 Acute and chronic nephritis	7	4	3	4	5	15	1	4	8	10	6	4	3	2	2	4	1	—	25
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	2	—	4	—	3	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	6	3	8	2	9	9	5	6	9	4	9	7	1	3	2	2	2	2	28
29 Suicide	4	—	1	—	5	—	3	2	10	1	1	—	1	3	1	—	—	1	29
30 Other deaths from violence	7	1	—	2	5	6	5	2	12	10	9	4	3	2	6	—	2	—	30
31 Other defined diseases	23	32	12	17	25	29	12	22	51	62	31	34	14	22	14	18	6	12	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	32

LANCASHIRE—*cont.*

Causes of Death.	Walton-le-Dale U.D.		Waterloo with Seaforth U.D.		Westhoughton U.D.		Widnes M.B.		Worsley U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	71	89	185	226	127	119	305	249	87	122	
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	1	2	4	2	—	1	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	2	—	—	4
5 Whooping cough	1	—	—	—	4	—	4	5	—	3	5
6 Diphtheria	1	—	2	4	—	—	3	2	1	1	6
7 Influenza	8	6	6	10	12	16	20	15	9	12	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	1	16	13	6	5	23	14	4	1	10
11 Other tuberculous diseases	—	—	3	1	2	2	7	1	—	1	11
12 Cancer, malignant disease	7	12	16	23	2	11	26	21	9	9	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	—	—	13
14 Diabetes	1	1	2	1	—	3	2	2	—	1	14
15 Cerebral hæmorrhage, &c.	2	4	8	20	3	—	14	16	10	4	15
16 Heart disease	6	22	23	51	12	16	47	51	15	23	16
17 Arterio-sclerosis	1	1	16	8	8	7	7	6	4	3	17
18 Bronchitis	5	10	10	10	7	8	18	16	3	12	18
19 Pneumonia (all forms)	7	9	23	21	19	10	39	21	7	9	19
20 Other respiratory diseases	—	2	2	1	—	1	2	1	—	2	20
21 Ulcer of stomach or duodenum	2	1	2	—	4	1	3	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	6	—	—	—	4	3	—	1	22
23 Appendicitis and typhlitis	—	—	—	—	1	2	1	1	—	—	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	4	5	4	5	4	3	4	6	1	6	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	1	—	2	—	2	27
28 Congenital debility and malformation, premature birth	4	—	11	8	5	4	13	17	3	1	28
29 Suicide	2	1	—	2	—	1	4	1	2	1	29
30 Other deaths from violence	4	3	9	5	2	1	15	—	4	2	30
31 Other defined diseases	11	8	24	38	31	24	47	42	14	28	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	2	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Barton upon Irwell R.D.		Burnley R.D.		Chorley R.D.		Fylde R.D.		Garstang R.D.		Leigh R.D.		Preston R.D.		Ulverston R.D.		Warrington R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	84	72	105	137	162	122	99	92	78	64	88	72	179	157	120	119	96	77	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	1	4
5 Whooping cough	—	1	—	—	—	—	—	1	1	—	1	—	2	4	2	—	1	—	5
6 Diphtheria	—	1	—	1	1	1	—	—	1	—	—	—	—	—	—	1	—	1	6
7 Influenza	7	10	7	6	10	10	7	10	4	5	5	4	12	7	5	1	7	5	7
8 Encephalitis lethargica	—	—	1	—	—	1	—	—	1	—	—	—	1	—	1	—	1	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	4	2	4	5	8	5	2	8	3	2	9	3	6	3	2	2	9	5	10
11 Other tuberculous diseases	1	—	—	1	2	2	—	1	2	—	—	—	2	1	1	—	2	1	11
12 Cancer, malignant disease	13	6	3	15	18	9	6	7	6	4	6	7	18	21	15	28	8	14	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	1	—	—	13
14 Diabetes	2	—	2	5	3	—	1	—	1	1	1	—	4	4	3	2	1	2	14
15 Cerebral hæmorrhage, &c.	3	4	4	9	9	7	4	1	2	3	7	2	10	13	14	9	3	2	15
16 Heart disease	17	12	23	32	31	29	16	19	16	24	13	14	20	33	15	19	12	6	16
17 Arterio-sclerosis	1	3	7	6	9	4	7	3	3	2	10	1	6	3	3	2	3	2	17
18 Bronchitis	5	4	10	14	10	13	8	3	4	4	5	12	9	10	9	8	6	7	18
19 Pneumonia (all forms)	3	4	4	11	17	7	8	4	7	1	11	5	16	12	8	14	11	4	19
20 Other respiratory diseases	—	1	1	3	1	2	2	—	—	1	—	—	3	1	1	2	1	3	20
21 Ulcer of stomach or duodenum	1	—	3	2	1	2	2	—	2	1	1	—	2	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	2	—	—	—	1	—	1	1	—	1	—	1	—	—	22
23 Appendicitis and typhlitis	—	—	1	—	2	—	2	—	4	—	1	—	2	—	3	—	1	—	23
24 Cirrhosis of liver	—	—	—	2	1	2	—	—	—	1	—	—	—	1	—	—	1	—	24
25 Acute and chronic nephritis	2	1	1	1	4	5	4	1	3	1	2	4	9	9	1	4	2	2	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	2	—	2	—	—	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	4	4	4	5	4	4	3	4	3	1	6	3	9	5	10	7	3	3	28
29 Suicide	2	—	2	2	1	—	3	—	—	1	—	—	3	2	1	—	1	1	29
30 Other deaths from violence	6	1	4	2	7	2	4	1	3	1	3	3	9	4	6	1	11	—	30
31 Other defined diseases	13	18	23	15	21	15	20	26	11	7	5	12	36	20	19	17	9	17	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

LANCASHIRE—*cont.* LEICESTERSHIRE.

Causes of Death.	West Lancashire R.D.		Whiston R.D.		Coalville U.D.		Hinckley U.D.		Loughborough M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	142	138	134	106	137	121	108	115	168	155	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	2	—	—	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	4	1	—	1	2	3	2	4	—	5
6 Diphtheria	—	1	2	2	1	1	—	—	—	—	6
7 Influenza	8	9	6	7	12	14	1	3	11	7	7
8 Encephalitis lethargica	1	—	1	—	1	—	1	3	—	1	8
9 Meningococcal meningitis	1	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	9	4	4	5	6	14	11	7	13	10	10
11 Other tuberculous diseases	—	2	1	3	2	2	2	—	4	—	11
12 Cancer, malignant disease	18	17	10	13	13	13	10	10	18	22	12
13 Rheumatic fever	—	—	—	—	—	—	—	1	2	—	13
14 Diabetes	1	5	2	—	1	2	—	5	—	2	14
15 Cerebral hæmorrhage, &c.	8	13	11	5	10	4	4	11	5	3	15
16 Heart disease	20	13	17	20	30	11	11	22	25	24	16
17 Arterio-sclerosis	9	5	3	3	2	—	4	1	1	3	17
18 Bronchitis	6	6	10	8	8	3	6	8	16	18	18
19 Pneumonia (all forms)	8	9	19	9	10	5	8	5	9	4	19
20 Other respiratory diseases	2	—	2	1	2	—	1	1	3	3	20
21 Ulcer of stomach or duodenum	3	—	—	2	1	—	—	—	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	1	1	2	2	—	—	1	—	22
23 Appendicitis and typhlitis	1	1	1	—	2	—	1	1	1	1	23
24 Cirrhosis of liver	—	—	—	—	—	—	2	1	1	—	24
25 Acute and chronic nephritis	6	8	2	—	1	6	3	2	—	1	25
26 Puerperal sepsis	—	1	—	1	—	—	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	2	27
28 Congenital debility and malformation, premature birth	3	6	9	1	7	5	7	4	6	8	28
29 Suicide	1	—	2	—	—	—	2	—	5	3	29
30 Other deaths from violence	9	—	7	1	5	3	3	2	10	1	30
31 Other defined diseases	27	31	22	21	19	34	26	25	31	38	31
32 Causes ill-defined or unknown	1	1	—	—	1	—	2	1	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

LEICESTERSHIRE—*cont.*

Causes of Death.	Ashby-de-la-Zouch R.D.		Barrow-upon-Soar R.D.		Blaby R.D.		Hinckley R.D.		Lutterworth R.D.		Market Bosworth R.D.		Melton Mowbray R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	126	123	211	189	149	150	96	97	62	87	141	110	111	103	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	1	—	3	—	1	—	—	—	1	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	2	—	2	3	4	1	2	—	—	1	1	—	—	5
6 Diphtheria	2	3	—	—	3	3	—	2	—	1	3	3	—	1	6
7 Influenza	12	10	15	19	7	12	3	3	1	12	6	10	8	6	7
8 Encephalitis lethargica	1	—	—	—	2	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	1	—	9
10 Tuberculosis of respiratory sys.	10	10	15	12	12	14	9	6	1	4	9	5	6	1	10
11 Other tuberculous diseases	3	2	1	—	6	1	4	1	1	—	3	2	1	1	11
12 Cancer, malignant disease	12	14	24	28	11	19	11	15	10	10	14	8	10	12	12
13 Rheumatic fever	—	—	2	—	—	1	—	1	—	—	—	—	—	—	13
14 Diabetes	—	3	1	3	4	2	1	—	—	2	3	—	—	3	14
15 Cerebral hæmorrhage, &c.	5	7	8	9	8	12	3	14	7	8	10	4	4	10	15
16 Heart disease	20	23	54	39	12	19	14	14	10	10	15	27	25	32	16
17 Arterio-sclerosis	4	1	8	3	6	3	2	2	6	5	10	7	7	3	17
18 Bronchitis	2	3	7	12	5	3	2	5	6	7	8	6	2	4	18
19 Pneumonia (all forms)	10	9	12	8	13	6	8	8	6	2	16	3	16	6	19
20 Other respiratory diseases	—	3	4	2	—	1	1	1	1	—	—	1	2	—	20
21 Ulcer of stomach or duodenum	2	2	5	1	1	2	—	—	—	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	2	1	1	1	—	—	—	—	2	—	—	—	22
23 Appendicitis and typhlitis	1	—	—	—	1	1	—	1	—	1	—	—	1	2	23
24 Cirrhosis of liver	—	—	—	—	—	1	—	—	—	—	2	—	1	—	24
25 Acute and chronic nephritis	3	2	3	8	3	4	2	2	—	2	4	2	1	1	25
26 Puerperal sepsis	—	—	—	2	—	—	—	1	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	2	—	1	—	—	—	1	—	2	27
28 Congenital debility and malformation, premature birth	6	4	13	7	12	6	5	—	3	2	9	5	2	2	28
29 Suicide	2	—	4	—	3	1	1	1	1	—	—	—	1	—	29
30 Other deaths from violence	9	4	9	5	6	—	1	—	2	3	6	1	4	1	30
31 Other defined diseases	20	19	23	26	23	32	27	17	7	18	17	23	18	15	31
32 Causes ill-defined or unknown	2	—	—	—	2	—	—	—	—	—	1	—	—	—	32

LINCOLNSHIRE: PARTS OF HOLLAND — LINCOLNSHIRE: PARTS OF KESTEVEN

Causes of Death.	Boston M.B.		Spalding U.D.		Boston R.D.		Spalding (part of) R.D.*		Grantham M.B.		Bourne R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	141	115	85	75	148	149	85	89	137	113	107	101	
1 Enteric fever	2	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	2	1	1	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	2	1	2	—	—	—	5
6 Diphtheria	4	4	1	1	2	1	—	1	1	—	1	—	6
7 Influenza	17	7	4	3	10	6	11	13	2	1	1	7	7
8 Encephalitis lethargica	1	—	—	—	—	—	—	—	1	1	—	—	8
9 Meningococcal meningitis	1	—	—	—	1	—	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	7	8	4	3	5	4	3	3	11	7	2	1	10
11 Other tuberculous diseases	5	2	—	—	—	2	—	—	4	2	—	—	11
12 Cancer, malignant disease	14	12	8	5	22	21	6	15	15	17	14	14	12
13 Rheumatic fever	—	1	—	—	1	1	—	—	—	—	—	—	13
14 Diabetes	3	3	1	1	1	1	—	1	1	—	1	2	14
15 Cerebral hæmorrhage, &c.	6	11	5	3	9	17	4	6	12	12	8	5	15
16 Heart disease	11	12	12	15	23	22	10	10	17	27	26	35	16
17 Arterio-sclerosis	5	1	5	2	2	2	3	—	7	5	3	—	17
18 Bronchitis	5	4	8	2	7	7	6	3	17	8	4	8	18
19 Pneumonia (all forms)	6	6	5	2	8	8	2	4	8	7	9	6	19
20 Other respiratory diseases	1	—	—	—	3	2	1	1	1	—	1	—	20
21 Ulcer of stomach or duodenum	4	1	1	1	1	—	1	2	—	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	3	—	2	—	1	2	—	1	—	—	1	1	22
23 Appendicitis and typhlitis	—	—	—	—	2	1	—	2	1	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	2	1	—	—	—	—	1	—	24
25 Acute and chronic nephritis	5	4	—	1	3	2	3	1	3	4	7	3	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	3	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	4	11	2	—	13	9	3	1	3	—	5	2	28
29 Suicide	1	—	—	—	2	2	—	1	1	1	2	—	29
30 Other deaths from violence	8	5	7	1	3	5	5	—	6	—	4	—	30
31 Other defined diseases	28	21	20	32	26	28	25	22	23	17	15	17	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	1	—	—	—	32

* The remainder of Spalding R.D. is in Lincolnshire: Parts of Kesteven.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

LINCOLNSHIRE: PARTS OF KESTEVEN—*cont.* **LINCOLNSHIRE: PARTS OF LINDSEY**

Causes of Death.	Branston R.D.		Grantham R.D		Sleaford R.D.		Spalding (part of) R.D.*				Clee-thorpes U.D.		Gains-borough U.D.		Scun-thorpe & Froding-ham U.D.				
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F			
All Causes	95	71	85	85	100	114	3	—			162	168	132	106	178	172			
1 Enteric fever	—	—	—	—	—	—	—	—			—	—	—	—	1	1			1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—			2
3 Measles	—	—	1	—	—	—	—	—			—	—	2	2	—	2			3
4 Scarlet fever	—	—	—	—	—	—	—	—			1	—	—	—	—	1			4
5 Whooping cough	—	—	1	2	—	1	—	—			2	1	3	2	2	4			5
6 Diphtheria	—	—	—	1	1	—	—	—			1	—	—	—	1	2			6
7 Influenza	8	4	4	—	7	5	—	—			13	17	3	3	19	25			7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—			—	1	1	—	—	3			8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—			—	—	—	—	2	—			9
10 Tuberculosis of respiratory sys.	—	3	5	1	4	2	1	—			10	13	7	2	14	9			10
11 Other tuberculous diseases	1	2	—	—	1	1	—	—			1	4	2	1	4	2			11
12 Cancer, malignant disease	14	9	9	7	13	16	—	—			14	18	8	19	12	17			12
13 Rheumatic fever	—	2	—	—	—	1	—	—			—	—	—	—	—	—			13
14 Diabetes	—	1	—	4	2	2	—	—			2	1	3	4	6	1			14
15 Cerebral hæmorrhage, &c.	7	7	5	5	5	5	—	—			8	8	6	10	7	9			15
16 Heart disease	16	17	16	25	13	26	—	—			24	24	19	15	18	21			16
17 Arterio-sclerosis	1	1	4	3	9	6	—	—			3	1	6	—	6	2			17
18 Bronchitis	4	5	6	5	9	8	—	—			11	14	4	1	6	8			18
19 Pneumonia (all forms)	13	4	5	4	2	4	—	—			13	11	18	9	19	11			19
20 Other respiratory diseases	1	—	—	1	1	—	—	—			2	2	1	1	4	2			20
21 Ulcer of stomach or duodenum	—	—	2	—	—	1	—	—			2	2	1	—	1	1			21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	—	1	—	—			1	2	1	—	—	—			22
23 Appendicitis and typhlitis	1	—	2	2	1	1	—	—			2	—	1	—	3	—			23
24 Cirrhosis of liver	—	—	—	—	3	—	—	—			—	—	1	2	—	1			24
25 Acute and chronic nephritis	1	1	4	—	4	4	—	—			5	3	3	4	2	4			25
26 Puerperal sepsis	—	—	—	—	—	—	—	—			—	1	—	—	—	1			26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—			—	—	—	1	—	—			27
28 Congenital debility and malformation, premature birth	4	3	1	4	3	8	1	—			6	4	6	6	11	6			28
29 Suicide	1	—	1	—	3	2	—	—			4	1	—	2	—	3			29
30 Other deaths from violence	4	—	—	—	5	3	—	—			3	4	3	1	14	—			30
31 Other defined diseases	19	12	19	19	14	16	1	—			34	36	33	21	25	36			31
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—			—	—	—	—	1	—			32

LINCOLNSHIRE: PARTS OF LINDSEY—*cont.*

Causes of Death.	Caistor R.D.		Gainsborough R.D.		Glanford Brigg R.D.		Horncastle R.D.		Louth R.D.		Spilsby R.D.		Welton R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	76	88	105	98	199	172	78	79	111	112	132	133	65	82					
1 Enteric fever	2	—	—	—	1	—	—	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	—	—	1	1	1	—	1	—	—	1	1	1	—	1					3
4 Scarlet fever	—	—	—	1	—	—	1	—	—	1	—	—	—	—					4
5 Whooping cough	—	1	—	—	1	4	—	—	—	—	—	—	—	—					5
6 Diphtheria	—	—	1	—	—	1	—	—	—	1	—	—	—	—					6
7 Influenza	4	9	6	2	12	11	7	6	8	5	8	6	3	5					7
8 Encephalitis lethargica	—	3	—	—	1	1	—	—	1	—	—	—	—	—					8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	2	3	4	6	8	7	3	5	6	3	4	9	2	6					10
11 Other tuberculous diseases	—	—	1	—	5	4	1	—	—	2	1	3	—	—					11
12 Cancer, malignant disease	6	8	12	13	11	15	6	12	10	11	20	18	6	13					12
13 Rheumatic fever	1	—	—	—	1	—	—	—	—	—	—	—	—	1					13
14 Diabetes	2	2	1	3	2	6	1	1	3	2	1	2	2	2					14
15 Cerebral hæmorrhage, &c.	9	5	5	9	7	13	7	8	7	6	11	10	5	6					15
16 Heart disease	21	20	20	21	28	34	13	13	24	17	17	24	6	12					16
17 Arterio-sclerosis	2	1	2	—	14	5	1	—	2	1	5	2	3	3					17
18 Bronchitis	—	5	7	5	9	7	—	3	5	8	7	9	6	6					18
19 Pneumonia (all forms)	2	4	14	6	16	5	4	7	3	6	7	9	7	4					19
20 Other respiratory diseases	—	1	1	—	2	—	—	—	1	—	—	—	—	1					20
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	—	—	—	1	—	1	1	1					21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	1	1	—	—	—	1	—	1	—	—					22
23 Appendicitis and typhlitis	—	—	—	—	—	1	1	—	1	1	1	—	—	—					23
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	1	—	—	—	—					24
25 Acute and chronic nephritis	—	3	3	7	8	3	1	5	2	4	4	2	4	2					25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	2	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	1	—	—	—	1					27
28 Congenital debility and malformation, premature birth	3	4	1	3	11	12	3	1	5	2	8	5	1	5					28
29 Suicide	—	—	1	1	1	—	2	—	3	—	1	—	—	1					29
30 Other deaths from violence	2	3	1	1	15	2	4	—	5	1	6	2	2	—					30
31 Other defined diseases	18	16	21	18	44	38	22	18	25	36	29	27	17	12					31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	1	—	—	—					32

* The remainder of Spalding R.D. is in Lincolnshire: Parts of Holland.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

MIDDLESEX.

Causes of Death.	Acton M.B.		Brentford and Chiswick U.D.		Ealing M.B.		Edmonton U.D.		Enfield U.D.		Finchley U.D.		Friern Barnet U.D.		Hampton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	410	421	413	435	613	683	437	358	363	328	298	306	98	122	70	73	
1 Enteric fever	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	3
4 Scarlet fever	—	1	1	—	2	1	—	—	1	—	1	—	—	—	1	—	4
5 Whooping cough	4	10	7	5	7	10	3	3	4	8	3	3	—	1	—	1	5
6 Diphtheria	1	—	3	4	5	3	5	7	1	—	—	2	—	—	—	—	6
7 Influenza	17	29	20	29	34	58	17	4	18	21	19	17	3	7	3	5	7
8 Encephalitis lethargica	—	—	—	3	—	2	1	2	1	—	2	1	1	—	—	—	8
9 Meningococcal meningitis	1	4	1	—	1	1	—	1	—	—	1	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	31	20	36	29	46	41	40	35	26	19	17	10	3	8	2	1	10
11 Other tuberculous diseases	4	4	2	3	7	6	7	4	1	3	—	1	2	2	—	1	11
12 Cancer, malignant disease	53	54	32	42	63	87	47	41	37	55	27	40	12	19	11	4	12
13 Rheumatic fever	1	2	—	—	5	—	1	5	1	3	—	—	1	—	—	—	13
14 Diabetes	3	5	3	9	4	9	3	4	—	3	2	3	—	—	—	2	14
15 Cerebral hæmorrhage, &c.	16	11	13	21	21	31	10	13	15	8	7	13	3	2	3	6	15
16 Heart disease	68	90	70	93	108	134	99	80	80	78	65	73	15	33	16	21	16
17 Arterio-sclerosis	11	12	17	16	28	16	11	12	18	18	15	9	4	5	1	—	17
18 Bronchitis	35	33	32	30	40	53	19	25	11	14	17	20	2	8	1	8	18
19 Pneumonia (all forms)	31	34	52	41	41	45	47	26	35	13	30	12	12	5	4	4	19
20 Other respiratory diseases	5	4	4	5	10	12	5	4	3	3	6	3	—	—	1	—	20
21 Ulcer of stomach or duodenum	3	1	1	4	10	6	7	4	7	—	5	—	—	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	3	2	7	3	4	2	7	5	5	6	4	1	3	1	—	—	22
23 Appendicitis and typhlitis	2	3	2	5	2	4	1	2	3	1	2	2	3	1	2	1	23
24 Cirrhosis of liver	5	1	2	1	1	2	3	—	1	—	1	—	—	—	1	—	24
25 Acute and chronic nephritis	9	12	14	11	17	14	8	9	10	6	9	11	2	3	1	1	25
26 Puerperal sepsis	—	2	—	1	—	—	—	1	—	—	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	3	—	4	—	3	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	31	15	12	10	26	11	17	16	11	12	6	7	4	3	1	1	28
29 Suicide	3	—	4	2	12	10	4	2	3	2	3	8	—	3	1	—	29
30 Other deaths from violence	17	13	19	8	26	13	16	9	21	5	18	7	9	3	3	3	30
31 Other defined diseases	55	55	57	58	93	109	59	40	50	47	38	58	19	17	17	13	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	32

MIDDLESEX—*cont.*

Causes of Death.	Harrow-on-the-Hill U.D.		Hendon U.D.		Heston & Isleworth U.D.		Hornsey M.B.		Southall Norwood U.D.		Southgate U.D.		Teddington U.D.		Tottenham U.D.		Twickenham M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	102	135	428	433	402	367	547	583	166	151	261	273	131	139	908	936	235	252	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	1	1	—	1	—	—	—	—	1	1	1	—	—	—	—	—	4
5 Whooping cough	1	1	6	7	5	2	8	6	1	4	1	4	—	—	8	15	4	1	5
6 Diphtheria	—	—	4	3	16	7	6	2	1	1	1	1	—	—	12	19	4	—	6
7 Influenza	8	14	15	28	15	24	23	42	17	13	12	18	7	8	23	46	15	16	7
8 Encephalitis lethargica	—	1	2	—	—	1	—	2	—	—	—	1	—	—	1	4	1	—	8
9 Meningococcal meningitis	—	—	2	—	—	—	—	—	—	—	2	—	—	—	3	1	—	—	9
10 Tuberculosis of respiratory sys.	2	10	34	19	25	19	30	27	18	7	20	11	6	4	73	50	17	8	10
11 Other tuberculous diseases	—	—	6	2	1	5	11	5	1	—	3	2	1	—	10	11	4	3	11
12 Cancer, malignant disease	10	20	52	69	32	37	70	77	12	10	24	42	14	18	93	109	25	34	12
13 Rheumatic fever	—	—	—	4	2	—	1	—	1	2	—	1	—	—	5	2	1	2	13
14 Diabetes	—	1	3	6	4	4	10	3	—	1	2	2	1	2	5	12	1	1	14
15 Cerebral hæmorrhage, &c.	3	11	11	15	17	19	16	41	8	9	8	9	5	4	33	49	16	10	15
16 Heart disease	15	27	70	102	54	83	117	146	21	36	56	71	21	21	187	230	39	54	16
17 Arterio-sclerosis	6	4	24	17	23	16	31	32	5	4	16	20	4	8	37	38	12	14	17
18 Bronchitis	8	9	15	14	24	24	19	26	12	12	5	15	8	9	51	68	14	14	18
19 Pneumonia (all forms)	13	10	35	22	35	25	37	27	11	13	18	13	12	12	85	50	13	14	19
20 Other respiratory diseases	1	1	2	4	7	8	14	4	5	—	—	3	2	1	8	7	3	5	20
21 Ulcer of stomach or duodenum	2	—	5	5	6	—	12	1	1	—	5	2	—	—	13	2	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	6	2	5	1	1	1	2	4	2	2	—	2	15	14	2	2	22
23 Appendicitis and typhlitis	1	—	3	1	2	4	3	2	1	1	4	1	3	1	2	3	—	3	23
24 Cirrhosis of liver	—	1	2	—	2	2	3	—	—	—	—	2	2	—	—	2	2	2	24
25 Acute and chronic nephritis	4	2	14	12	10	8	21	13	4	1	13	5	6	2	33	21	4	10	25
26 Puerperal sepsis	—	1	—	2	—	1	—	—	—	—	—	2	—	—	—	4	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	5	—	1	—	1	—	—	—	7	—	2	27
28 Congenital debility and malformation, premature birth	3	6	12	13	17	8	20	16	8	6	8	5	6	5	47	23	9	9	28
29 Suicide	1	2	11	8	6	1	9	4	7	1	7	2	2	1	9	5	3	—	29
30 Other deaths from violence	4	—	25	8	28	14	14	11	9	5	10	2	7	4	35	18	4	6	30
31 Other defined diseases	20	14	67	68	66	52	71	90	21	20	43	35	23	37	119	124	39	39	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

MIDDLESEX—*cont.*

Causes of Death.	Uxbridge U.D.		Wealdstone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.										
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.									
All Causes	119	114	81	111	166	184	994	1027	295	310									
1 Enteric fever	—	—	—	—	—	—	—	—	—	2									1
2 Small-pox	—	—	—	—	—	—	1	—	—	—									2
3 Measles	—	—	—	—	—	—	—	1	—	—									3
4 Scarlet fever	—	—	1	—	—	—	1	—	1	—									4
5 Whooping cough	—	1	3	6	2	4	14	15	6	4									5
6 Diphtheria	1	—	—	—	—	2	6	7	2	—									6
7 Influenza	3	6	5	1	6	14	49	46	15	23									7
8 Encephalitis lethargica	—	—	—	1	—	—	3	2	1	1									8
9 Meningococcal meningitis	—	—	—	—	—	—	4	1	—	—									9
10 Tuberculosis of respiratory sys.	6	6	5	3	12	6	91	70	24	14									10
11 Other tuberculous diseases	2	2	2	—	1	2	7	12	3	2									11
12 Cancer, malignant disease	8	14	11	15	26	32	102	138	23	36									12
13 Rheumatic fever	1	—	—	1	—	—	1	1	2	1									13
14 Diabetes	2	2	—	1	1	2	12	11	3	3									14
15 Cerebral hæmorrhage, &c.	5	5	1	6	6	10	47	50	13	11									15
16 Heart disease	22	26	12	24	18	17	152	195	72	96									16
17 Arterio-sclerosis	5	3	3	—	10	22	33	29	16	18									17
18 Bronchitis	10	4	8	7	7	3	39	54	11	15									18
19 Pneumonia (all forms)	14	8	3	5	16	10	117	88	24	16									19
20 Other respiratory diseases	2	—	2	3	2	1	20	18	5	2									20
21 Ulcer of stomach or duodenum	2	—	1	1	1	2	10	6	6	—									21
22 Diarrhœa, &c. (under 2 years)	—	2	1	2	1	2	5	7	1	2									22
23 Appendicitis and typhlitis	—	—	1	3	3	1	10	5	—	—									23
24 Cirrhosis of liver	—	—	—	—	—	1	5	9	1	—									24
25 Acute and chronic nephritis	1	3	—	4	9	5	20	25	11	10									25
26 Puerperal sepsis	—	—	—	—	—	—	—	5	—	1									26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	4	—	6	—	—									27
28 Congenital debility and malformation, premature birth	6	10	5	5	10	6	54	38	13	7									28
29 Suicide	1	—	—	—	3	4	8	5	5	1									29
30 Other deaths from violence	7	1	4	3	11	6	47	16	8	7									30
31 Other defined diseases	21	21	13	20	21	28	134	167	29	38									31
32 Causes ill-defined or unknown	—	—	—	—	—	—	2	—	—	—									32

MIDDLESEX—*cont.* NORFOLK.

Causes of Death.	Hendon R.D.		Staines R.D.				King's Lynn M.B.		Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		
	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	132	160	186	158			157	164	99	103	71	83	126	144	113	116	85	108	
1 Enteric fever	—	—	—	—			—	—	—	—	—	—	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	1	1	1	—			—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	3	—	1			—	6	—	2	—	—	1	—	1	1	—	—	5
6 Diphtheria	1	2	1	5			2	6	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	6	6	12	12			7	5	5	7	4	2	7	13	3	10	9	4	7
8 Encephalitis lethargica	1	—	—	—			—	—	1	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	1	—	1	—			—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	6	12	8			13	4	2	4	7	6	9	9	3	4	2	6	10
11 Other tuberculous diseases	—	2	1	1			3	3	3	2	—	1	—	—	—	3	1	—	11
12 Cancer, malignant disease	13	21	21	15			21	14	10	13	10	16	14	23	17	15	15	13	12
13 Rheumatic fever	—	—	—	2			—	1	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	2	4	—	2			—	3	4	—	—	—	3	2	2	—	—	3	14
15 Cerebral hæmorrhage, &c.	3	3	8	11			10	8	5	11	4	7	7	9	4	11	4	9	15
16 Heart disease	24	28	40	39			22	36	17	12	10	10	33	33	15	8	11	22	16
17 Arterio-sclerosis	9	9	3	2			14	8	8	2	3	2	5	4	18	16	2	7	17
18 Bronchitis	4	7	11	15			13	19	3	4	2	4	5	6	4	6	3	4	18
19 Pneumonia (all forms)	10	6	19	11			11	8	6	4	4	6	4	6	10	2	4	5	19
20 Other respiratory diseases	2	1	5	1			1	1	1	—	1	—	1	—	2	1	2	—	20
21 Ulcer of stomach or duodenum	2	1	1	—			2	1	—	—	2	—	1	1	2	3	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	2	1			1	2	—	—	—	1	—	—	—	—	—	1	22
23 Appendicitis and typhlitis	1	2	—	—			1	—	1	—	—	1	1	1	2	—	—	—	23
24 Cirrhosis of liver	1	2	2	2			—	1	—	—	—	—	1	—	—	—	1	—	24
25 Acute and chronic nephritis	5	3	3	2			4	10	1	5	2	3	4	5	1	2	3	2	25
26 Puerperal sepsis	—	1	—	—			—	—	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1			—	3	—	—	—	1	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	7	7	9	6			4	4	1	7	7	4	7	1	2	6	6	5	28
29 Suicide	2	3	2	—			2	1	2	1	1	1	1	1	—	1	—	1	29
30 Other deaths from violence	9	6	11	3			11	3	2	4	2	3	5	3	5	5	6	4	30
31 Other defined diseases	19	35	21	18			13	17	26	24	12	15	17	27	21	20	15	20	31
32 Causes ill-defined or unknown	—	—	—	—			2	—	1	1	—	—	—	—	1	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

NORFOLK—*cont.*

Causes of Death.	East & West Flegg R.D.		Erpingham R.D.		Forehoe R.D.		Freebridge Lynn R.D.		Loddon & Clavering R.D.		Marshland R.D.		Mitford & Launditch R.D.		St. Faith's R.D.		Smallburgh R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	65	74	124	117	79	98	67	73	106	79	82	96	104	129	71	75	98	95	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5 Whooping cough	1	2	—	—	1	4	—	—	2	1	—	1	—	—	—	1	2	2	5
6 Diphtheria	—	—	—	—	—	—	1	—	—	—	2	2	2	1	—	—	—	1	6
7 Influenza	4	5	3	11	5	13	2	1	5	4	6	4	9	15	6	5	4	7	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	3	13	6	6	6	—	1	3	2	4	3	7	1	3	4	3	5	10
11 Other tuberculous diseases	—	3	1	1	—	—	1	1	1	1	2	1	2	3	—	—	—	—	11
12 Cancer, malignant disease	4	7	15	18	13	15	6	10	10	12	9	12	19	11	6	4	8	16	12
13 Rheumatic fever	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	2	—	—	13
14 Diabetes	2	1	1	—	1	2	—	1	—	—	1	3	—	—	1	2	2	2	14
15 Cerebral hæmorrhage, &c.	3	3	4	11	3	4	3	3	5	8	2	6	6	5	1	5	4	11	15
16 Heart disease	17	12	25	27	17	25	14	11	19	18	6	8	21	32	10	10	13	6	16
17 Arterio-sclerosis	2	4	6	5	6	7	3	3	8	6	3	4	2	7	3	7	1	2	17
18 Bronchitis	1	5	4	2	4	5	3	5	7	4	4	7	4	12	2	6	6	5	18
19 Pneumonia (all forms)	—	5	5	3	3	2	3	4	8	6	3	2	3	5	2	6	11	4	19
20 Other respiratory diseases	1	2	2	—	—	—	2	1	2	1	1	1	3	1	—	—	1	1	20
21 Ulcer of stomach or duodenum	—	1	2	—	—	1	—	—	1	—	—	—	—	—	—	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	2	—	1	1	1	—	1	2	1	—	—	—	1	—	—	2	2	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	1	24
25 Acute and chronic nephritis	3	1	—	1	3	3	2	4	4	3	3	3	4	4	1	1	6	1	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	6	2	4	2	1	—	3	2	1	3	7	3	3	6	3	2	5	3	28
29 Suicide	1	—	—	1	1	—	1	—	—	1	1	1	—	1	1	—	—	1	29
30 Other deaths from violence	4	1	6	—	4	1	2	1	4	2	6	—	4	2	8	1	3	2	30
31 Other defined diseases	12	15	28	23	9	7	19	21	24	7	22	32	14	21	23	15	24	23	31
32 Causes ill-defined or unknown	—	—	2	2	—	—	—	1	—	—	—	1	—	—	—	1	2	—	32

NORFOLK—*cont.* NORTHAMPTONSHIRE.

Causes of Death.	Walsingham R.D.		Wayland R.D.						Kettering U.D.		Rushden U.D.		Wellingborough U.D.						
	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.					
All Causes	88	93	109	95					186	166	67	70	115	131					
1 Enteric fever	1	—	—	—					—	—	—	—	—	—					1
2 Small-pox	—	—	—	—					—	—	—	—	—	—					2
3 Measles	—	—	—	—					—	—	—	—	—	—					3
4 Scarlet fever	—	—	—	—					—	—	—	—	—	—					4
5 Whooping cough	—	—	—	—					1	—	—	2	1	1					5
6 Diphtheria	—	—	—	1					1	2	1	1	—	1					6
7 Influenza	5	1	5	6					1	10	1	6	3	10					7
8 Encephalitis lethargica	—	—	2	—					2	—	—	—	—	1					8
9 Meningococcal meningitis	—	—	—	—					—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	2	7	2	5					19	15	5	7	8	9					10
11 Other tuberculous diseases	—	2	3	1					2	2	—	—	1	1					11
12 Cancer, malignant disease	13	15	13	14					13	22	13	8	15	27					12
13 Rheumatic fever	—	—	—	1					—	—	—	1	2	—					13
14 Diabetes	2	1	1	2					2	—	1	—	2	6					14
15 Cerebral hæmorrhage, &c.	4	2	2	6					10	14	4	5	6	5					15
16 Heart disease	22	14	25	15					38	31	13	16	20	27					16
17 Arterio-sclerosis	4	7	13	9					9	4	8	2	9	2					17
18 Bronchitis	2	4	1	2					6	9	—	2	5	4					18
19 Pneumonia (all forms)	3	1	10	5					3	5	—	3	3	4					19
20 Other respiratory diseases	2	2	1	1					—	4	2	2	1	1					20
21 Ulcer of stomach or duodenum	1	1	2	1					4	—	3	—	2	1					21
22 Diarrhœa, &c. (under 2 years)	—	1	—	2					1	—	—	—	1	—					22
23 Appendicitis and typhlitis	—	—	—	—					3	1	—	—	2	—					23
24 Cirrhosis of liver	—	1	—	—					—	2	—	—	—	1					24
25 Acute and chronic nephritis	—	—	3	1					6	7	—	1	—	1					25
26 Puerperal sepsis	—	2	—	1					—	—	—	1	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—					—	4	—	—	—	—					27
28 Congenital debility and malformation, premature birth	4	3	4	—					13	4	5	2	3	6					28
29 Suicide	1	—	2	2					4	—	1	—	1	3					29
30 Other deaths from violence	2	1	5	2					8	3	1	1	5	2					30
31 Other defined diseases	17	28	15	18					38	26	8	10	24	18					31
32 Causes ill-defined or unknown	3	—	—	—					2	1	1	—	1	—					32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

NORTHAMPTONSHIRE—*cont.* **NORTHUMBERLAND.**

Causes of Death.	Brixworth R.D.		Daventry R.D.		Thrapston (part of) R.D.*		Wellingborough R.D.						Ashington U.D.		Bedlingtonshire U.D.		Berwick upon Tweed M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	
All Causes	90	80	92	103	79	57	71	76					208	181	185	163	82	75	
1 Enteric fever	—	1	—	1	—	—	1	—					1	1	4	4	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3 Measles	1	2	—	1	—	—	—	—					4	2	5	3	—	—	3
4 Scarlet fever	1	—	1	1	—	—	1	—					—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	1	—	—	—					17	21	5	3	—	2	5
6 Diphtheria	—	1	1	1	—	—	—	1					—	—	—	—	—	—	6
7 Influenza	5	4	2	8	2	—	1	1					6	5	3	7	2	3	7
8 Encephalitis lethargica	—	—	1	—	—	—	1	—					1	2	—	1	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—					1	1	2	—	—	—	9
10 Tuberculosis of respiratory sys.	5	—	6	3	2	1	7	4					9	12	5	9	8	3	10
11 Other tuberculous diseases	—	2	—	1	—	2	—	—					6	6	6	5	3	2	11
12 Cancer, malignant disease	9	11	11	9	10	13	5	13					15	16	10	18	8	9	12
13 Rheumatic fever	1	—	—	—	1	—	—	1					—	1	—	1	—	—	13
14 Diabetes	3	3	—	2	1	—	2	—					—	3	2	2	—	—	14
15 Cerebral hæmorrhage, &c.	5	4	6	5	8	4	5	3					9	5	6	2	6	8	15
16 Heart disease	18	11	17	18	19	15	16	17					22	16	23	27	12	15	16
17 Arterio-sclerosis	—	1	3	4	—	1	6	2					13	7	17	4	3	1	17
18 Bronchitis	6	7	9	2	4	2	4	4					10	7	4	6	3	2	18
19 Pneumonia (all forms)	3	3	1	3	4	2	4	2					25	19	21	17	8	6	19
20 Other respiratory diseases	1	4	1	1	1	1	1	—					5	1	3	2	2	2	20
21 Ulcer of stomach or duodenum	—	—	2	—	1	1	1	1					2	—	2	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	1					3	3	3	3	—	2	22
23 Appendicitis and typhlitis	—	—	—	—	—	—	—	1					2	—	—	—	1	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—					—	—	1	—	—	—	24
25 Acute and chronic nephritis	2	1	6	3	3	2	1	—					4	6	5	10	1	1	25
26 Puerperal sepsis	—	2	—	2	—	—	—	—					—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—					—	3	—	—	—	—	27
28 Congenital debility and malformation, premature birth	6	4	1	2	2	2	2	1					12	20	12	9	4	3	28
29 Suicide	2	1	2	—	4	—	1	—					3	1	4	—	—	—	29
30 Other deaths from violence	2	—	4	2	4	—	—	1					12	1	13	3	2	—	30
31 Other defined diseases	19	16	18	33	11	11	12	23					23	22	29	26	17	16	31
32 Causes ill-defined or unknown	1	2	—	1	1	—	—	—					3	—	—	—	—	—	32

NORTHUMBERLAND—*cont.*

Causes of Death.	Blyth M.B.		Earsdon U.D.		Gosforth U.D.		Longbenton U.D.		Newburn U.D.		Wallsend M.B.		Whitley & Monkseaton U.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	199	196	75	91	89	96	79	80	127	96	312	287	98	156					
1 Enteric fever	—	—	—	—	—	—	—	—	2	1	—	1	—	1					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	3	4	—	—	1	4	—	—	—	—	3	8	1	—					3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	1	1	—	—					4
5 Whooping cough	3	5	3	4	—	—	3	4	1	3	9	5	—	2					5
6 Diphtheria	—	1	—	1	—	—	—	—	1	—	1	3	—	1					6
7 Influenza	8	4	4	3	5	7	—	5	6	3	16	13	6	10					7
8 Encephalitis lethargica	1	1	—	—	—	1	—	—	1	—	—	1	1	1					8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	18	17	4	9	8	3	5	2	6	6	25	24	8	5					10
11 Other tuberculous diseases	6	6	—	2	—	—	3	1	3	1	6	10	3	2					11
12 Cancer, malignant disease	13	29	3	9	11	12	8	9	14	10	26	27	15	22					12
13 Rheumatic fever	1	—	—	—	—	—	—	—	—	—	—	—	1	1					13
14 Diabetes	2	4	1	3	—	3	1	1	—	2	2	4	1	1					14
15 Cerebral hæmorrhage, &c.	6	9	6	7	2	6	9	9	17	9	15	14	4	8					15
16 Heart disease	26	34	7	8	13	14	7	11	11	13	33	48	14	26					16
17 Arterio-sclerosis	11	6	—	—	14	6	5	3	7	1	11	8	6	9					17
18 Bronchitis	10	6	4	6	6	8	2	1	9	6	16	17	1	10					18
19 Pneumonia (all forms)	17	17	7	12	8	3	8	7	9	2	34	24	6	16					19
20 Other respiratory diseases	6	1	1	3	2	1	—	—	1	—	1	1	2	1					20
21 Ulcer of stomach or duodenum	2	1	3	1	1	1	—	—	—	3	2	—	1	1					21
22 Diarrhœa, &c. (under 2 years)	6	4	1	—	—	1	3	—	1	—	10	6	1	—					22
23 Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	—	4	1	—	—					23
24 Cirrhosis of liver	1	1	—	—	—	—	1	1	—	—	2	—	—	—					24
25 Acute and chronic nephritis	3	1	5	5	4	4	2	3	—	6	9	9	6	8					25
26 Puerperal sepsis	—	—	—	1	—	2	—	—	—	2	—	—	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	2	—	1	—	3	—	—					27
28 Congenital debility and malformation, premature birth	16	12	4	3	3	2	2	2	6	8	14	12	1	2					28
29 Suicide	2	—	4	—	—	2	—	—	1	1	2	—	—	1					29
30 Other deaths from violence	14	3	7	2	3	1	3	2	8	4	14	8	3	2					30
31 Other defined diseases	22	27	11	11	8	14	14	15	23	14	54	39	15	26					31
32 Causes ill-defined or unknown	—	1	—	—	—	—	3	2	—	—	2	—	2	—					32

* The remainder of Thrapston R.D. is in Huntingdonshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

NORTHUMBERLAND—*cont.* **NOTTINGHAMSHIRE.**

Causes of Death.	Alnwick R.D.		Castle Ward R.D.		Hexham R.D.		Morpeth R.D.				Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	77	78	79	53	140	113	102	99			85	76	83	83	134	115	83	94	
Enteric fever	—	—	—	—	1	—	—	—			—	—	—	—	—	—	—	—	1
Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
Measles	1	1	—	—	—	—	—	—			—	—	—	1	2	1	—	—	3
Scarlet fever	—	—	1	1	—	—	—	—			—	—	—	—	—	—	1	—	4
Whooping cough	2	—	—	—	2	4	4	—			—	—	—	—	2	3	1	—	5
Diphtheria	2	—	—	—	—	1	1	—			—	—	—	3	1	1	—	—	6
Influenza	1	—	2	6	11	6	4	3			3	1	4	3	2	7	8	11	7
Encephalitis lethargica	—	—	—	—	—	—	1	—			1	—	—	—	—	—	—	—	8
Meningococcal meningitis	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	9
Tuberculosis of respiratory sys.	5	3	—	1	10	2	8	6			6	5	6	2	5	4	3	4	10
Other tuberculous diseases	—	3	1	1	1	1	3	1			—	—	2	2	6	2	1	—	11
Cancer, malignant disease	4	14	8	9	9	14	11	10			8	11	9	7	10	17	6	16	12
Rheumatic fever	—	1	—	—	—	—	1	—			—	—	—	—	1	—	1	—	13
Diabetes	1	—	1	1	2	1	—	2			—	2	2	—	1	1	—	1	14
Cerebral hæmorrhage, &c.	6	6	1	4	7	8	3	7			6	5	4	9	2	2	5	6	15
Heart disease	16	12	19	11	38	17	10	15			14	14	9	11	21	23	7	5	16
Arterio-sclerosis	2	3	3	2	3	2	6	5			3	2	2	4	5	3	3	8	17
Bronchitis	2	—	4	3	1	6	6	3			7	6	7	8	10	7	4	8	18
Pneumonia (all forms)	5	2	2	1	8	7	5	4			9	5	11	5	23	10	14	5	19
Other respiratory diseases	1	1	2	—	—	1	1	1			4	3	—	1	—	1	3	2	20
Ulcer of stomach or duodenum	2	—	—	—	1	—	—	1			1	—	1	2	1	1	—	—	21
Diarrhœa, &c. (under 2 years)	—	—	—	2	1	1	1	3			—	2	2	1	2	—	—	—	22
Appendicitis and typhlitis	—	—	1	1	1	—	—	—			—	—	—	—	—	—	—	3	23
Cirrhosis of liver	—	—	—	—	1	—	—	—			1	1	1	—	—	—	2	—	24
Acute and chronic nephritis	—	4	4	2	6	7	1	3			2	2	4	3	—	—	5	2	25
Puerperal sepsis	—	2	—	—	—	—	—	—			—	—	—	1	—	—	—	—	26
Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	4			—	—	—	—	—	1	—	—	27
Congenital debility and malformation, premature birth	5	3	4	2	7	2	2	3			3	1	3	1	6	7	4	2	28
Suicide	—	—	3	—	1	1	1	2			—	—	3	—	5	—	2	1	29
Other deaths from violence	6	3	8	1	8	1	9	3			10	—	1	3	9	3	5	5	30
Other defined diseases	15	18	15	5	21	30	23	23			7	15	12	16	18	19	8	15	31
Causes ill-defined or unknown	1	1	—	—	—	—	1	—			—	1	—	—	2	2	—	—	32

NOTTINGHAMSHIRE—*cont.*

Causes of Death.	Huck-nall U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood-house U.D.		Newark M.B.		Sutton in Ashfield U.D.		West Bridg-ford U.D.		Work-sop U.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	124	115	113	83	280	219	87	73	142	109	153	148	92	109	192	137			
Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
Measles	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	2			3
Scarlet fever	—	1	1	—	—	—	—	—	—	—	1	—	—	—	1	1			4
Whooping cough	—	1	2	3	—	2	2	—	3	1	1	1	—	—	3	1			5
Diphtheria	3	5	1	—	—	1	1	—	—	—	1	—	—	1	1	—			6
Influenza	8	8	6	4	20	13	8	5	8	16	11	7	6	6	16	11			7
Encephalitis lethargica	—	—	—	1	1	—	—	—	—	—	—	2	—	1	—	—			8
Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			9
Tuberculosis of respiratory sys.	7	10	4	2	13	16	2	3	11	5	8	8	7	4	9	11			10
Other tuberculous diseases	1	2	4	2	5	4	—	1	4	3	1	1	1	2	1	1			11
Cancer, malignant disease	8	12	7	7	27	24	4	7	13	11	15	24	10	9	23	17			12
Rheumatic fever	—	—	—	—	—	3	—	—	—	—	1	—	—	—	—	—			13
Diabetes	1	3	—	2	2	4	—	1	2	3	—	—	—	2	1	—			14
Cerebral hæmorrhage, &c.	6	6	5	5	23	14	1	4	4	8	10	12	5	13	7	11			15
Heart disease	14	18	11	11	43	24	14	11	27	26	21	17	13	21	25	12			16
Arterio-sclerosis	7	4	7	3	2	5	1	—	10	6	9	—	5	3	2	4			17
Bronchitis	16	9	12	7	24	21	9	8	16	7	9	8	4	12	18	8			18
Pneumonia (all forms)	11	9	15	9	26	17	10	10	6	8	11	14	5	4	27	18			19
Other respiratory diseases	1	1	1	—	1	4	1	2	2	1	3	3	1	2	2	—			20
Ulcer of stomach or duodenum	—	1	1	—	3	1	1	—	1	—	3	1	—	1	3	—			21
Diarrhœa, &c. (under 2 years)	—	1	2	1	2	1	—	1	1	1	3	3	—	—	1	1			22
Appendicitis and typhlitis	1	1	—	1	2	1	—	—	—	2	1	1	2	—	3	1			23
Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—			24
Acute and chronic nephritis	3	4	4	4	1	5	1	—	3	—	—	5	4	3	3	2			25
Puerperal sepsis	—	—	—	2	—	1	—	2	—	—	—	—	—	—	—	2			26
Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	1	—	1	—	2	—	—			27
Congenital debility and malformation, premature birth	9	3	4	7	18	13	8	4	7	2	11	10	4	2	14	8			28
Suicide	3	—	—	—	3	—	1	—	1	—	2	—	3	2	2	—			29
Other deaths from violence	10	2	8	1	12	8	5	2	5	—	8	3	8	2	4	4			30
Other defined diseases	15	14	18	10	48	35	17	12	17	8	23	26	13	16	24	22			31
Causes ill-defined or unknown	—	—	—	—	3	1	—	—	—	—	—	1	1	—	1	—			32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

NOTTINGHAMSHIRE—*cont.* **OXFORDSHIRE.**

Causes of Death.	Basford R.D.		Bingham R.D.		East Retford R.D.		Southwell R.D.		Staple-ford R.D.						Banbury M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	
All Causes	275	231	107	121	111	105	183	163	71	75					110	96	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—					—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—					—	—	2
3 Measles	1	—	—	—	—	1	—	—	—	—					—	—	3
4 Scarlet fever	—	—	—	2	2	2	—	1	—	—					—	—	4
5 Whooping cough	3	—	—	1	3	—	1	—	—	1					—	1	5
6 Diphtheria	5	2	—	—	—	1	1	—	—	—					1	—	6
7 Influenza	21	18	3	6	6	12	17	8	1	5					4	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—					—	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	1	—	—					1	—	9
10 Tuberculosis of respiratory sys.	17	10	5	5	3	6	7	4	3	2					11	7	10
11 Other tuberculous diseases	4	3	1	4	1	—	3	2	—	—					—	1	11
12 Cancer, malignant disease	22	29	8	9	11	16	13	19	8	9					11	18	12
13 Rheumatic fever	—	—	1	—	—	—	—	—	—	—					1	—	13
14 Diabetes	5	1	—	3	—	2	—	1	3	—					—	—	14
15 Cerebral hæmorrhage, &c.	14	10	12	8	7	7	5	9	5	6					12	11	15
16 Heart disease	33	53	19	22	13	4	22	31	7	12					17	17	16
17 Arterio-sclerosis	12	6	6	4	9	5	9	12	1	5					2	1	17
18 Bronchitis	18	10	3	7	6	10	10	5	8	8					11	7	18
19 Pneumonia (all forms)	22	16	5	11	9	1	14	11	6	6					4	4	19
20 Other respiratory diseases	6	1	2	1	2	1	2	2	1	—					2	—	20
21 Ulcer of stomach or duodenum	3	1	—	—	3	—	4	1	—	—					1	1	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	—	—	2	1	—	—					—	—	22
23 Appendicitis and typhlitis	1	2	1	—	—	—	1	—	1	—					1	—	23
24 Cirrhosis of liver	2	1	—	—	1	—	—	—	—	—					—	1	24
25 Acute and chronic nephritis	7	5	1	4	2	6	2	3	2	3					6	3	25
26 Puerperal sepsis	—	3	—	—	—	2	—	2	—	—					—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	3	—	1					—	—	27
28 Congenital debility and mal-formation, premature birth	13	9	4	7	2	5	10	8	6	1					3	—	28
29 Suicide	—	4	1	—	1	—	3	1	1	—					4	—	29
30 Other deaths from violence	17	6	4	3	7	1	19	5	6	2					3	2	30
31 Other defined diseases	44	40	30	24	22	20	37	33	12	13					15	17	31
32 Causes ill-defined or unknown	3	—	—	—	1	2	—	—	—	1					—	—	32

OXFORDSHIRE—*cont.* **PETERBOROUGH, SOKE OF.**

Causes of Death.	Banbury R.D.		Chipping Norton R.D.		Henley R.D.		Witney R.D.								Peter-borough M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.							M.	F.	
All Causes	88	79	71	69	68	70	116	125							265	280	
1 Enteric fever	—	—	—	—	—	—	—	—							—	—	1
2 Small-pox	—	—	—	—	—	—	—	—							—	—	2
3 Measles	—	—	—	—	—	—	—	—							—	—	3
4 Scarlet fever	—	—	—	—	—	1	—	1							1	2	4
5 Whooping cough	—	—	1	2	—	—	1	6							1	—	5
6 Diphtheria	—	—	—	—	—	1	—	—							4	3	6
7 Influenza	4	4	3	3	3	8	12	7							5	10	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—							4	2	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—							1	—	9
10 Tuberculosis of respiratory sys.	1	6	3	5	4	2	4	7							10	12	10
11 Other tuberculous diseases	1	—	—	—	—	2	1	2							5	—	11
12 Cancer, malignant disease	13	8	6	9	15	5	11	11							37	48	12
13 Rheumatic fever	—	—	—	—	—	—	—	—							—	1	13
14 Diabetes	—	—	2	1	—	3	1	—							5	2	14
15 Cerebral hæmorrhage, &c.	6	6	3	5	6	6	9	6							10	17	15
16 Heart disease	19	16	13	11	13	10	25	27							38	42	16
17 Arterio-sclerosis	1	3	5	3	3	5	4	4							7	5	17
18 Bronchitis	7	9	5	9	3	5	10	10							15	21	18
19 Pneumonia (all forms)	5	4	3	1	4	4	5	6							10	14	19
20 Other respiratory diseases	7	1	1	—	1	2	3	—							3	2	20
21 Ulcer of stomach or duodenum	—	—	—	—	1	—	—	—							4	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	—	—	—	—							—	—	22
23 Appendicitis and typhlitis	1	—	—	—	—	—	—	—							3	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—							—	1	24
25 Acute and chronic nephritis	—	1	1	1	5	2	1	3							10	11	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—							—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—							—	1	27
28 Congenital debility and mal-formation, premature birth	3	1	4	2	1	4	6	1							7	15	28
29 Suicide	—	1	—	—	—	2	1	1							6	—	29
30 Other deaths from violence	3	5	5	—	2	—	3	3							16	10	30
31 Other defined diseases	16	14	16	15	6	8	18	30							61	58	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	1	—							2	2	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

SHROPSHIRE.

Causes of Death.	Oakengates U.D.		Shrewsbury M.B.		Wenlock M.B.		Atcham R.D.		Oswestry R.D.		Wellington R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	74	61	225	199	100	115	133	130	108	90	70	79	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—	—	—	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	1	1	—	2	3	—	—	3	1	5
6 Diphtheria	—	—	1	1	—	—	—	—	—	—	1	—	6
7 Influenza	7	4	9	15	4	10	5	6	3	9	3	5	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	1	1	2	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	4	14	10	5	6	7	4	5	5	3	3	10
11 Other tuberculous diseases	1	1	—	2	3	1	—	2	4	—	1	1	11
12 Cancer, malignant disease	7	2	36	31	5	6	14	18	14	17	4	4	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	1	—	—	2	13
14 Diabetes	1	2	—	2	—	—	2	1	1	—	—	2	14
15 Cerebral hæmorrhage, &c.	4	4	8	13	5	10	7	7	6	7	3	11	15
16 Heart disease	9	10	51	39	18	26	23	19	23	17	9	14	16
17 Arterio-sclerosis	2	2	3	7	2	3	5	6	11	4	8	4	17
18 Bronchitis	4	2	11	7	7	4	8	10	1	3	2	5	18
19 Pneumonia (all forms)	8	1	18	12	10	4	7	7	6	2	2	2	19
20 Other respiratory diseases	—	1	—	2	4	1	1	3	1	—	2	2	20
21 Ulcer of stomach or duodenum	—	1	3	1	—	—	2	1	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	—	—	—	1	—	—	22
23 Appendicitis and typhlitis	—	—	3	1	—	—	—	—	—	—	1	—	23
24 Cirrhosis of liver	—	—	1	2	—	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	2	3	6	5	1	4	1	—	6	2	3	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	4	—	2	—	1	—	—	27
28 Congenital debility and malformation, premature birth	3	3	11	6	8	5	9	6	4	5	3	3	28
29 Suicide	—	—	3	2	2	—	—	1	3	—	2	—	29
30 Other deaths from violence	4	—	14	5	3	2	14	3	4	2	1	1	30
31 Other defined diseases	16	21	29	32	20	27	24	31	14	14	15	16	31
32 Causes ill-defined or unknown	1	—	1	1	1	1	1	—	—	—	1	—	32

SOMERSETSHIRE.

Causes of Death.	Bridgwater M.B.		Frome U.D.		Taunton M.B.		Weston-super-Mare U.D.		Yeovil M.B.		Axbridge R.D.		Bath R.D.		Bridgwater R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	112	110	59	77	135	183	167	205	102	95	155	167	89	100	119	134	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	—	1	—	—	—	1	—	1	—	1	—	2	4	—	1	5
6 Diphtheria	3	—	1	—	—	—	—	—	4	5	—	—	—	2	—	—	6
7 Influenza	3	1	3	3	5	7	5	11	5	2	9	14	3	7	4	8	7
8 Encephalitis lethargica	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	10	6	3	2	7	10	2	9	5	7	6	10	5	4	4	2	10
11 Other tuberculous diseases	2	2	—	—	2	2	1	5	1	1	2	—	—	—	1	1	11
12 Cancer, malignant disease	7	14	8	16	14	22	26	34	15	8	19	23	7	16	14	17	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	13
14 Diabetes	1	2	2	3	5	1	4	1	—	1	2	4	—	—	—	5	14
15 Cerebral hæmorrhage, &c.	—	5	2	5	9	15	12	16	6	4	8	7	4	4	7	10	15
16 Heart disease	21	24	13	10	21	40	26	46	16	23	31	36	11	19	21	25	16
17 Arterio-sclerosis	6	9	—	1	12	5	6	8	2	1	8	5	11	3	7	2	17
18 Bronchitis	11	14	—	3	8	11	2	6	2	3	7	10	6	8	6	12	18
19 Pneumonia (all forms)	8	2	5	6	5	6	12	6	4	4	6	9	6	5	6	5	19
20 Other respiratory diseases	2	1	1	2	2	5	2	1	—	2	2	1	1	2	3	1	20
21 Ulcer of stomach or duodenum	1	—	—	—	3	—	2	1	—	—	—	1	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	—	1	1	—	—	—	2	—	1	—	1	—	22
23 Appendicitis and typhlitis	—	—	—	1	1	1	3	1	—	—	3	1	—	—	1	2	23
24 Cirrhosis of liver	—	—	—	1	—	—	1	5	2	1	1	—	1	—	—	1	24
25 Acute and chronic nephritis	7	2	—	1	6	9	10	8	2	1	2	5	2	3	4	1	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	2	—	—	—	—	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	2	3	4	—	9	4	5	3	4	1	5	2	2	—	7	4	28
29 Suicide	—	—	1	—	2	2	—	1	1	—	3	1	—	—	2	1	29
30 Other deaths from violence	2	1	1	1	6	5	8	5	3	—	6	3	5	1	6	1	30
31 Other defined diseases	22	23	12	20	17	34	36	37	27	30	31	33	22	21	23	35	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

SOMERSETSHIRE—*cont.*

Causes of Death.	Chard R.D.		Clutton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		Taunton R.D.		Wells R.D.		Williton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	74	60	102	104	71	63	63	77	77	97	114	128	101	115	72	59	78	80	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	4
5 Whooping cough	—	4	1	—	1	—	—	1	2	2	—	1	—	3	—	—	—	—	5
6 Diphtheria	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	6
7 Influenza	6	5	6	9	2	3	2	5	6	5	—	6	4	7	5	2	3	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	—	1	—	2	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	5	1	2	—	5	2	9	3	2	8	6	4	9	1	—	5	3	10
11 Other tuberculous diseases	1	1	—	1	1	—	1	—	—	1	3	1	1	—	—	—	1	2	11
12 Cancer, malignant disease	5	8	12	17	7	10	5	8	16	11	13	16	8	17	3	8	5	11	12
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	13
14 Diabetes	—	1	—	1	1	1	1	1	1	2	2	2	—	1	1	1	2	1	14
15 Cerebral hæmorrhage, &c.	2	5	3	6	1	5	2	10	4	10	10	9	11	6	5	3	—	9	15
16 Heart disease	15	12	26	19	13	15	14	7	13	15	13	23	23	27	21	27	21	15	16
17 Arterio-sclerosis	4	2	5	3	3	1	1	2	—	2	10	8	1	2	5	2	1	2	17
18 Bronchitis	3	2	8	6	9	1	4	3	1	7	1	9	5	4	2	2	8	5	18
19 Pneumonia (all forms)	2	1	7	3	6	2	7	3	5	2	14	12	9	2	1	3	7	3	19
20 Other respiratory diseases	—	—	2	1	2	—	1	—	2	1	3	—	1	1	1	—	1	—	20
21 Ulcer of stomach or duodenum	2	—	3	1	—	1	—	—	2	—	2	—	3	—	—	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	1	—	—	—	—	—	—	1	—	2	—	—	—	22
23 Appendicitis and typhlitis	—	—	1	—	2	—	—	2	—	1	1	1	—	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	24
25 Acute and chronic nephritis	4	—	3	4	3	2	9	1	6	4	5	2	4	4	3	2	4	1	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	5	2	2	5	2	1	3	1	2	3	2	3	7	—	4	1	1	4	28
29 Suicide	2	—	2	1	3	—	—	1	1	—	2	—	1	1	—	1	1	—	29
30 Other deaths from violence	4	2	3	2	3	1	2	4	1	—	5	3	—	2	4	3	4	—	30
31 Other defined diseases	16	9	16	20	9	11	9	18	11	26	19	22	14	27	13	4	13	17	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	32

SOMERSETSHIRE—*cont.* SOUTHAMPTON.

Causes of Death.	Wincanton R.D.		Yeovil R.D.						Aldershot M.B.		Basingstoke M.B.		Eastleigh & Bishopstoke U.D.		Fareham U.D.		Farnborough U.D.		
	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	116	106	113	129					145	159	87	64	99	85	49	63	61	80	
1 Enteric fever	—	—	—	—					—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—					—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—					2	—	—	1	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1					—	—	—	—	—	2	—	—	—	—	4
5 Whooping cough	1	1	—	1					5	4	—	—	1	2	—	1	1	3	5
6 Diphtheria	1	—	4	1					2	2	—	—	—	1	—	1	1	3	6
7 Influenza	4	3	5	7					9	9	2	3	2	1	3	2	3	9	7
8 Encephalitis lethargica	—	—	—	—					—	1	—	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—					1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	5	6	4					10	12	5	3	12	3	2	2	2	2	10
11 Other tuberculous diseases	1	2	—	2					4	4	—	—	2	1	—	—	2	1	11
12 Cancer, malignant disease	15	18	8	14					13	15	9	13	11	7	8	2	3	6	12
13 Rheumatic fever	—	—	1	—					—	2	—	—	—	—	—	—	—	—	13
14 Diabetes	5	1	1	2					1	1	—	2	1	1	—	1	—	2	14
15 Cerebral hæmorrhage, &c.	10	12	7	17					4	11	6	1	2	6	2	7	2	—	15
16 Heart disease	12	14	25	23					14	23	19	12	20	26	8	15	8	20	16
17 Arterio-sclerosis	3	4	2	—					5	1	5	3	2	4	5	2	7	3	17
18 Bronchitis	7	7	4	5					4	10	8	3	6	4	1	7	2	2	18
19 Pneumonia (all forms)	4	5	9	1					16	16	8	1	5	1	2	2	2	5	19
20 Other respiratory diseases	2	—	—	2					2	—	—	1	—	1	5	1	—	—	20
21 Ulcer of stomach or duodenum	2	1	4	—					1	1	—	—	—	1	—	1	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—					4	5	—	—	1	2	1	—	—	—	22
23 Appendicitis and typhlitis	—	2	2	2					1	2	—	—	—	—	—	—	—	1	23
24 Cirrhosis of liver	—	—	—	—					1	—	—	—	4	—	—	—	—	—	24
25 Acute and chronic nephritis	7	3	6	2					7	3	5	1	6	2	—	1	5	2	25
26 Puerperal sepsis	—	—	—	—					—	—	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2					—	—	—	—	—	—	—	2	—	1	27
28 Congenital debility and malformation, premature birth	3	2	3	—					12	10	4	4	3	2	1	2	5	8	28
29 Suicide	2	—	—	—					2	—	1	—	1	—	—	—	—	—	29
30 Other deaths from violence	5	1	4	1					6	1	4	—	2	1	2	2	1	1	30
31 Other defined diseases	26	25	21	42					19	24	11	15	17	15	9	11	15	11	31
32 Causes ill-defined or unknown	—	—	—	—					—	2	—	—	1	—	—	1	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929
(Civilian population only)—*cont.*

SOUTHAMPTON—*cont.*

Causes of Death.	Gosport M.B.		Winchester M.B.		Alton R.D.		Andover R.D.		Basingstoke R.D.		Droxford R.D.		Fareham R.D.		Hartley Wintney R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	229	215	160	187	112	101	63	57	98	102	102	76	100	94	132	113	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	2	—	—	3	2	1	2	2	1	—	—	—	—	4	—	5
6 Diphtheria	1	3	1	—	—	—	1	—	2	—	—	—	1	—	1	—	6
7 Influenza	9	9	5	8	2	5	3	3	8	4	9	4	9	5	10	11	7
8 Encephalitis lethargica	—	1	1	—	1	—	—	2	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	14	18	4	8	9	8	3	2	—	2	3	1	6	7	5	7	10
11 Other tuberculous diseases	4	1	4	3	6	2	2	—	1	1	—	—	1	2	2	2	11
12 Cancer, malignant disease	25	21	17	24	11	11	3	8	13	14	11	11	4	14	15	16	12
13 Rheumatic fever	—	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	13
14 Diabetes	3	2	1	—	1	—	—	—	2	1	1	1	2	2	3	—	14
15 Cerebral hæmorrhage, &c.	15	13	14	15	4	2	2	1	5	6	5	4	5	6	5	3	15
16 Heart disease	32	33	32	42	15	26	20	16	24	24	21	21	27	12	27	30	16
17 Arterio-sclerosis	4	3	—	6	6	3	6	—	3	2	4	4	6	5	10	10	17
18 Bronchitis	17	21	7	9	7	4	2	2	4	9	3	2	5	3	3	5	18
19 Pneumonia (all forms)	30	25	10	6	10	5	2	1	8	4	4	—	2	2	8	6	19
20 Other respiratory diseases	3	1	4	6	1	2	—	1	2	—	—	—	—	3	1	2	20
21 Ulcer of stomach or duodenum	1	1	4	1	—	1	—	1	1	2	1	—	1	1	2	—	21
22 Diarrhœa, &c. (under 2 years)	3	1	1	—	—	1	1	—	1	—	—	—	2	—	—	1	22
23 Appendicitis and typhlitis	4	1	1	2	2	1	1	—	—	1	1	—	—	—	1	1	23
24 Cirrhosis of liver	—	—	1	—	2	—	2	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	4	4	4	7	6	—	3	1	4	—	4	3	2	6	3	1	25
26 Puerperal sepsis	—	1	—	4	—	1	—	—	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	9	9	9	10	3	2	4	1	2	3	7	2	2	4	4	2	28
29 Suicide	6	1	2	3	—	—	—	1	3	—	—	—	2	—	4	—	29
30 Other deaths from violence	4	4	4	2	5	2	—	—	3	3	5	—	4	3	4	4	30
31 Other defined diseases	41	37	32	30	18	22	7	14	10	25	21	20	19	17	20	10	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	32

SOUTHAMPTON—*cont.* **STAFFORDSHIRE.**

Causes of Death.	New Forest R.D.		Petersfield R.D.		South Stoneham R.D.		Winchester R.D.		Audley U.D.		Bilston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	144	109	70	83	91	59	90	64	89	85	283	187	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	1	3
4 Scarlet fever	1	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	—	—	2	—	—	1	—	1	2	5
6 Diphtheria	—	1	—	—	—	—	—	1	1	2	2	1	6
7 Influenza	8	13	4	7	6	5	9	1	9	7	19	16	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	4	8	3	3	2	4	4	2	2	14	8	10
11 Other tuberculous diseases	1	1	—	—	—	1	—	1	1	1	3	3	11
12 Cancer, malignant disease	12	16	7	7	8	6	8	10	4	7	20	12	12
13 Rheumatic fever	1	2	—	—	—	—	—	1	—	—	—	—	13
14 Diabetes	3	1	—	1	3	—	1	1	—	—	2	4	14
15 Cerebral hæmorrhage, &c.	3	3	4	6	5	4	6	6	4	4	7	9	15
16 Heart disease	25	16	14	23	17	15	21	9	15	20	29	29	16
17 Arterio-sclerosis	4	3	3	8	8	2	4	—	5	1	7	5	17
18 Bronchitis	8	8	5	5	4	3	9	5	6	7	30	12	18
19 Pneumonia (all forms)	12	4	4	4	3	4	5	5	7	8	51	31	19
20 Other respiratory diseases	4	1	2	1	2	2	1	1	2	—	2	2	20
21 Ulcer of stomach or duodenum	—	—	—	—	1	—	—	—	1	1	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	—	1	1	—	—	—	8	7	22
23 Appendicitis and typhlitis	2	—	—	1	—	—	1	—	2	—	4	—	23
24 Cirrhosis of liver	—	1	—	—	—	—	—	—	—	1	—	—	24
25 Acute and chronic nephritis	12	5	3	3	5	1	—	1	4	4	5	3	25
26 Puerperal sepsis	—	2	—	—	—	—	—	3	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	4	2	3	2	3	1	5	1	3	1	21	8	28
29 Suicide	1	—	2	—	1	1	1	—	1	—	2	—	29
30 Other deaths from violence	9	4	4	2	6	1	6	1	7	1	13	4	30
31 Other defined diseases	31	22	6	9	16	6	8	12	14	18	40	28	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

STAFFORDSHIRE—*cont.*

Causes of Death.	Brierley Hill U.D.		Brownhills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Leek U.D.		Newcastle under Lyme M.B.		Rowley Regis U.D.		Sedgley U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	86	94	111	111	236	168	165	157	144	116	105	121	196	205	274	282	138	114	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	2	1	1	4	3	1	1	—	—	2	2	—	1	1	1	2	1	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	4
5 Whooping cough	3	4	1	2	3	1	—	—	5	11	5	4	5	6	10	11	2	3	5
6 Diphtheria	2	3	—	—	3	1	1	—	1	1	—	—	1	—	3	1	1	2	6
7 Influenza	—	3	6	6	17	13	10	4	2	1	1	3	16	17	23	28	4	8	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	5	1	7	3	14	11	12	13	9	8	6	3	8	7	22	18	7	10	10
11 Other tuberculous diseases	—	1	1	1	3	1	1	1	4	—	2	1	2	3	4	2	1	2	11
12 Cancer, malignant disease	10	11	14	13	25	9	11	13	11	13	12	11	9	20	19	33	9	8	12
13 Rheumatic fever	—	—	—	—	1	1	—	—	1	—	1	—	—	—	2	1	—	—	13
14 Diabetes	1	1	—	2	3	4	—	4	1	—	1	1	—	2	2	—	1	—	14
15 Cerebral hæmorrhage, &c.	7	9	4	5	6	12	5	16	9	6	4	6	7	18	15	17	9	9	15
16 Heart disease	9	9	15	23	15	21	10	16	23	14	23	40	33	43	36	40	14	23	16
17 Arterio-sclerosis	1	—	3	3	20	6	3	5	4	2	9	4	4	4	9	9	5	—	17
18 Bronchitis	14	13	10	10	11	9	6	5	15	10	6	7	12	11	22	23	9	7	18
19 Pneumonia (all forms)	9	5	16	6	28	17	36	19	24	10	8	7	41	35	28	31	22	12	19
20 Other respiratory diseases	1	1	1	—	4	1	3	3	1	1	—	—	2	—	2	1	—	4	20
21 Ulcer of stomach or duodenum	—	—	—	—	4	2	1	—	1	1	—	—	—	1	2	2	3	—	21
22 Diarrhœa, &c. (under 2 years)	—	2	—	1	3	1	7	—	1	—	1	1	2	2	1	2	3	2	22
23 Appendicitis and typhlitis	1	—	2	1	3	—	1	—	—	—	1	1	2	1	2	1	1	1	23
24 Cirrhosis of liver	—	—	—	—	2	—	1	—	1	2	—	—	2	—	—	1	1	—	24
25 Acute and chronic nephritis	1	4	3	6	6	7	1	2	5	7	2	3	2	1	5	6	2	1	25
26 Puerperal sepsis	—	1	—	1	—	1	—	1	—	2	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	5	—	1	—	3	—	2	—	2	—	1	—	2	—	1	27
28 Congenital debility and malformation, premature birth	6	3	8	4	9	9	5	11	5	8	5	2	9	9	12	10	5	4	28
29 Suicide	1	—	—	1	—	—	1	1	—	2	2	—	1	1	2	3	2	—	29
30 Other deaths from violence	4	3	6	2	13	8	5	6	3	1	2	2	11	2	8	2	9	—	30
31 Other defined diseases	11	15	13	14	39	29	44	32	18	14	10	21	27	19	43	36	26	16	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	32

STAFFORDSHIRE—*cont.*

Causes of Death.	Stafford M.B.		Tipton U.D.		Wednesbury M.B.		Willenhall U.D.		Wolstanton United U.D.						Cannock R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	
All Causes	183	149	278	245	262	236	169	151	187	179					143	115	
1 Enteric fever	—	—	—	1	—	—	1	—	—	—					—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—					—	—	2
3 Measles	—	2	7	4	—	1	—	—	—	2					3	6	3
4 Scarlet fever	—	—	—	—	—	1	1	—	—	—					—	—	4
5 Whooping cough	1	4	1	8	8	10	3	6	1	1					—	—	5
6 Diphtheria	—	—	—	—	—	1	—	2	4	1					2	1	6
7 Influenza	11	6	10	9	13	17	17	7	12	17					13	6	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—					—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—					—	—	9
10 Tuberculosis of respiratory sys.	9	12	23	13	25	9	14	16	10	13					2	2	10
11 Other tuberculous diseases	4	1	3	3	2	5	2	1	3	4					3	—	11
12 Cancer, malignant disease	25	14	26	22	19	23	27	20	9	17					17	16	12
13 Rheumatic fever	—	—	—	—	1	—	—	1	1	—					—	—	13
14 Diabetes	2	3	—	—	—	4	—	2	3	3					1	1	14
15 Cerebral hæmorrhage, &c.	7	12	11	15	6	10	6	5	9	12					7	6	15
16 Heart disease	35	33	34	28	45	52	13	13	26	39					22	14	16
17 Arterio-sclerosis	9	8	2	1	9	6	6	2	9	12					4	4	17
18 Bronchitis	12	11	22	16	19	20	14	10	12	14					7	4	18
19 Pneumonia (all forms)	11	5	43	31	38	22	19	19	23	12					12	8	19
20 Other respiratory diseases	1	1	1	3	5	2	1	2	2	1					—	1	20
21 Ulcer of stomach or duodenum	2	—	4	1	2	—	3	—	2	—					1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	5	6	3	4	3	1	—					2	1	22
23 Appendicitis and typhlitis	—	—	—	1	—	1	3	1	1	—					3	1	23
24 Cirrhosis of liver	1	1	1	2	—	2	—	—	—	—					2	—	24
25 Acute and chronic nephritis	2	2	3	4	3	4	1	12	10	8					4	4	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—					—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	4	—	2	—	—	—	1					—	1	27
28 Congenital debility and malformation, premature birth	7	6	22	11	15	9	8	5	7	5					9	10	28
29 Suicide	4	2	4	1	3	2	—	1	4	—					3	2	29
30 Other deaths from violence	7	4	20	2	3	6	6	5	9	—					6	3	30
31 Other defined diseases	32	20	41	57	40	24	20	17	28	17					20	23	31
32 Causes ill-defined or unknown	—	—	—	2	—	—	—	—	—	—					—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

STAFFORDSHIRE—*cont.*

Causes of Death.	Cheadle R.D.		Kingswinford R.D.		Leek R.D.		Lichfield R.D.		Seisdon R.D.		Stafford R.D.		Stone R.D.		Tamworth (part of) R.D.*		Walsall R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	164	136	139	145	101	94	186	152	108	121	70	68	83	84	26	31	81	68	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	2	1	5	—	—	—	—	—	—	—	1	—	—	1	—	3	2	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	2	2	2	2	—	—	3	—	—	2	—	—	—	—	—	—	2	1	5
6 Diphtheria	—	1	1	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	6
7 Influenza	18	9	9	6	10	5	14	11	8	11	1	3	4	5	2	1	5	—	7
8 Encephalitis lethargica	2	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	10	15	—	3	3	10	9	5	2	5	1	6	4	2	2	1	5	10
11 Other tuberculous diseases	—	1	1	3	1	1	—	2	2	1	—	—	1	—	1	—	3	—	11
12 Cancer, malignant disease	12	12	10	17	4	16	19	25	9	26	11	10	7	10	1	3	3	4	12
13 Rheumatic fever	2	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	1	1	—	1	1	3	4	4	—	4	—	1	2	—	—	—	1	3	14
15 Cerebral hæmorrhage, &c.	5	4	5	11	3	5	6	6	7	7	2	6	3	7	2	4	5	4	15
16 Heart disease	19	31	17	22	22	12	36	32	23	19	11	12	14	13	5	5	12	17	16
17 Arterio-sclerosis	21	10	6	7	6	4	19	7	5	6	7	4	1	3	2	1	3	1	17
18 Bronchitis	8	4	11	15	10	4	10	3	—	3	3	1	4	5	3	5	9	8	18
19 Pneumonia (all forms)	13	4	15	12	8	7	13	8	11	8	4	3	5	6	3	—	6	—	19
20 Other respiratory diseases	—	2	2	1	1	4	3	1	2	2	2	—	—	1	—	—	—	—	20
21 Ulcer of stomach or duodenum	1	—	3	—	1	1	2	—	1	—	—	—	1	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	1	3	1	—	—	2	2	2	—	—	—	—	—	—	2	1	22
23 Appendicitis and typhlitis	—	2	1	—	—	—	1	—	—	—	1	1	—	1	—	—	—	—	23
24 Cirrhosis of liver	2	1	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	4	2	1	1	2	4	2	2	3	—	2	5	3	1	—	—	1	2	25
26 Puerperal sepsis	—	1	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	2	—	1	—	—	—	2	—	1	—	—	27
28 Congenital debility and malformation, premature birth	11	3	8	6	1	4	8	9	1	4	6	2	9	1	—	2	7	4	28
29 Suicide	3	1	1	1	1	—	3	1	2	1	—	—	2	—	1	—	2	—	29
30 Other deaths from violence	11	2	12	4	3	1	16	5	10	3	4	—	7	3	2	2	6	2	30
31 Other defined diseases	20	29	15	26	21	14	15	20	16	19	10	17	10	22	1	5	9	13	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	32

SUFFOLK, EAST.

Causes of Death.	Felixstowe U.D.		Lowestoft M.B.		Blything R.D.		Bosmere & Claydon R.D.		Hartismere R.D.		Mutford & Lothingland R.D.		Plomesgate R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	60	64	266	268	112	130	100	77	77	64	90	81	111	88	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	4	1	2	1	—	3	—	—	1	—	1	—	—	5
6 Diphtheria	—	—	6	4	—	—	—	1	2	—	1	—	—	—	6
7 Influenza	—	3	9	25	9	12	4	6	7	5	4	2	6	7	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	1	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	1	21	14	5	3	3	1	4	5	4	5	6	4	10
11 Other tuberculous diseases	—	—	6	4	4	3	1	1	—	1	1	1	1	2	11
12 Cancer, malignant disease	4	9	28	30	10	18	8	11	5	6	15	16	19	11	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	1	1	—	13
14 Diabetes	—	1	2	3	3	2	—	1	3	1	1	1	2	1	14
15 Cerebral hæmorrhage, &c.	8	5	13	20	6	12	7	8	4	8	1	9	6	10	15
16 Heart disease	20	12	51	52	21	22	15	13	15	6	16	13	16	16	16
17 Arterio-sclerosis	1	2	8	10	2	1	2	3	3	—	2	2	3	—	17
18 Bronchitis	3	6	14	16	5	11	13	8	8	6	3	5	5	7	18
19 Pneumonia (all forms)	3	3	17	17	9	11	6	7	4	2	4	5	5	2	19
20 Other respiratory diseases	1	1	5	5	2	1	1	1	—	1	—	2	2	1	20
21 Ulcer of stomach or duodenum	—	—	1	2	1	—	—	—	—	1	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	—	1	—	—	—	1	—	—	—	—	22
23 Appendicitis and typhlitis	—	1	1	1	1	—	2	—	—	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	2	—	—	1	—	—	1	—	24
25 Acute and chronic nephritis	1	1	4	5	—	8	2	1	—	2	—	1	2	1	25
26 Puerperal sepsis	—	—	—	1	—	2	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	1	—	—	—	1	27
28 Congenital debility and malformation, premature birth	2	4	7	9	3	2	4	2	1	4	4	1	7	1	28
29 Suicide	1	—	4	—	1	—	—	—	—	—	3	1	3	1	29
30 Other deaths from violence	2	—	9	1	7	2	7	1	—	1	7	1	6	2	30
31 Other defined diseases	8	10	57	45	22	19	20	10	21	10	23	14	17	21	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	2	—	32

* The remainder of Tamworth R.D. is in Warwickshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

SUFFOLK, EAST—*cont.* / SUFFOLK, WEST.

Causes of Death.	Samford R.D.		Woodbridge R.D.		Bury St. Edmunds M.B.		Cosford R.D.		Melford R.D.		Thingoe R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	80	75	109	121	122	136	80	60	82	94	115	103	
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	2	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	2	—	—	—	1	1	2	5
6 Diphtheria	—	—	1	—	—	1	1	—	—	—	—	—	6
7 Influenza	2	2	2	2	17	17	2	4	5	5	9	6	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	1	5	5	6	7	2	4	6	11	5	5	10
11 Other tuberculous diseases	1	1	—	1	2	1	—	—	1	—	—	1	11
12 Cancer, malignant disease	9	6	10	15	11	20	7	6	9	9	13	8	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	—	—	—	1	13
14 Diabetes	2	—	1	—	1	1	1	—	1	1	—	2	14
15 Cerebral hæmorrhage, &c.	7	6	8	9	5	2	7	7	5	9	4	7	15
16 Heart disease	17	21	20	27	22	37	16	17	16	19	26	37	16
17 Arterio-sclerosis	4	5	5	7	11	8	5	2	2	1	6	5	17
18 Bronchitis	5	8	12	4	6	3	13	4	6	10	1	4	18
19 Pneumonia (all forms)	1	2	8	4	4	1	3	2	—	3	7	8	19
20 Other respiratory diseases	—	1	1	2	1	1	1	—	2	1	—	—	20
21 Ulcer of stomach or duodenum	1	—	2	—	2	—	—	—	1	—	2	2	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	—	1	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	—	1	2	—	2	3	—	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	3	—	—	—	24
25 Acute and chronic nephritis	1	3	8	7	3	5	1	1	1	—	4	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	4	2	5	6	4	1	4	3	2	2	8	1	28
29 Suicide	2	1	1	2	2	1	—	—	2	1	2	—	29
30 Other deaths from violence	1	1	6	6	5	—	2	—	4	1	5	—	30
31 Other defined diseases	17	12	11	22	17	24	13	8	15	19	22	11	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	1	—	—	—	—	32

SURREY.

Causes of Death.	Barnes U.D.		Beddington & Wallington U.D.		Carshalton U.D.		Caterham and Warlingham U.D.		Chertsey U.D.		Coulsdon & Purley U.D.		Egham U.D.		Epsom U.D.		Esher and The Dittons U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	236	250	118	120	109	111	76	67	106	119	135	143	102	86	105	101	97	81	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	1	4
5 Whooping cough	—	1	—	1	3	2	1	—	1	2	—	—	—	—	—	—	—	—	5
6 Diphtheria	1	2	—	—	—	—	—	—	—	2	—	2	—	—	2	2	—	—	6
7 Influenza	12	13	8	8	3	6	3	2	6	5	4	11	6	12	13	6	6	5	7
8 Encephalitis lethargica	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	9
10 Tuberculosis of respiratory sys.	15	12	8	1	3	6	1	—	3	3	7	4	11	7	6	1	6	4	10
11 Other tuberculous diseases	—	2	2	2	—	4	—	—	1	—	1	3	1	1	3	2	—	1	11
12 Cancer, malignant disease	31	34	9	13	10	16	6	9	9	21	14	25	8	12	8	15	14	19	12
13 Rheumatic fever	1	—	1	2	2	1	1	—	—	—	—	—	—	1	—	1	—	—	13
14 Diabetes	—	1	—	—	3	1	—	—	—	—	2	3	1	1	—	1	2	2	14
15 Cerebral hæmorrhage, &c.	14	7	6	9	3	6	4	2	3	8	5	9	8	4	2	6	3	4	15
16 Heart disease	33	39	29	25	15	17	22	17	22	28	21	21	17	14	17	22	13	10	16
17 Arterio-sclerosis	12	6	2	5	7	10	3	8	4	—	8	10	1	1	14	10	5	6	17
18 Bronchitis	13	26	3	5	10	1	2	3	8	15	4	2	9	8	4	2	6	5	18
19 Pneumonia (all forms)	18	19	6	5	16	15	6	4	7	6	19	11	8	4	5	1	9	9	19
20 Other respiratory diseases	4	9	3	2	1	—	1	3	1	1	1	4	1	—	—	—	1	—	20
21 Ulcer of stomach or duodenum	7	2	—	3	—	1	1	—	—	—	3	—	1	—	2	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	4	—	1	1	—	—	—	—	—	1	—	—	—	—	22
23 Appendicitis and typhlitis	2	4	1	—	—	3	1	—	1	—	—	2	2	1	—	—	1	1	23
24 Cirrhosis of liver	5	2	—	—	1	—	—	—	1	—	—	1	1	—	—	1	1	1	24
25 Acute and chronic nephritis	8	6	6	5	3	3	—	4	3	1	2	1	6	3	2	2	3	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	6	4	7	1	4	3	3	4	1	2	7	6	—	—	2	2	3	2	28
29 Suicide	4	4	4	—	1	3	1	—	1	2	3	1	2	—	5	—	3	—	29
30 Other deaths from violence	13	5	2	6	5	2	8	—	8	1	5	7	5	3	5	—	3	2	30
31 Other defined diseases	35	51	20	26	15	11	11	8	21	20	26	18	13	13	15	23	15	7	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

SURREY—*cont.*

Causes of Death.	Farnham U.D.		Frimley & Camberley U.D.		Godalming U.D.		Guildford M.B.		Kingston-on-Thames M.B.		Merton & Morden U.D.		Mitcham U.D.		Reigate M.B.		Richmond M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	121	106	71	85	62	80	180	196	244	273	128	153	275	283	189	182	250	293	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	1	1	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	1	—	1	2	—	—	—	—	—	4
5 Whooping cough	1	1	1	2	—	—	1	2	—	1	1	—	8	11	1	—	2	—	5
6 Diphtheria	4	1	—	—	—	—	2	4	2	1	1	2	2	1	1	—	4	2	6
7 Influenza	5	—	6	3	4	5	17	10	14	12	5	10	11	13	2	12	17	30	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	1	—	1	—	2	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	4	9	7	7	6	7	7	16	10	9	7	20	18	10	4	16	6	10
11 Other tuberculous diseases	2	—	1	1	2	3	3	—	2	4	4	3	2	3	2	1	—	1	11
12 Cancer, malignant disease	15	16	4	16	3	13	15	19	28	38	13	17	32	34	18	30	20	40	12
13 Rheumatic fever	1	—	—	—	1	—	—	—	—	2	—	1	—	2	—	—	—	1	13
14 Diabetes	2	2	—	3	—	—	3	4	2	2	4	3	—	3	3	—	3	1	14
15 Cerebral hæmorrhage, &c.	4	7	3	2	2	3	9	17	11	21	7	9	10	19	15	18	11	20	15
16 Heart disease	32	21	15	14	10	12	37	40	52	53	22	32	38	56	31	30	49	72	16
17 Arterio-sclerosis	6	7	7	7	3	4	4	3	9	7	7	3	8	3	14	10	14	13	17
18 Bronchitis	4	8	2	1	3	4	2	9	16	16	3	8	13	14	15	6	22	28	18
19 Pneumonia (all forms)	3	5	1	6	4	3	16	14	21	22	11	9	27	25	6	9	18	8	19
20 Other respiratory diseases	2	—	1	3	—	3	2	2	1	3	2	2	—	—	5	1	2	5	20
21 Ulcer of stomach or duodenum	2	1	—	—	1	1	2	1	—	1	5	1	7	—	1	—	3	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	—	—	1	1	—	—	4	4	1	—	1	—	22
23 Appendicitis and typhlitis	—	—	1	1	—	—	2	2	2	1	—	—	2	1	—	1	4	1	23
24 Cirrhosis of liver	—	1	—	—	—	—	1	—	—	—	—	—	1	2	1	—	1	2	24
25 Acute and chronic nephritis	5	4	2	5	—	2	5	8	4	4	5	3	5	5	8	6	8	7	25
26 Puerperal sepsis	—	—	—	—	—	—	—	2	—	—	—	1	—	2	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	2	5	4	2	5	2	8	8	8	7	6	11	21	13	3	5	6	5	28
29 Suicide	1	—	—	3	—	—	2	1	7	—	2	1	5	1	4	—	4	3	29
30 Other deaths from violence	5	3	2	2	1	2	12	11	10	8	9	5	12	5	8	2	6	5	30
31 Other defined diseases	20	20	12	7	15	15	28	29	37	57	11	23	41	46	38	45	39	39	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	32

SURREY—*cont.*

Causes of Death.	Surbiton U.D.		Sutton & Cheam U.D.		The Maldens & Coombe U.D.		Walton upon Thames U.D.		Wimbledon M.B.		Woking U.D.								
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
All Causes	143	176	201	213	81	106	91	116	354	420	166	158							
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	2	—							1
2 Small-pox	—	—	—	—	—	—	—	—	—	1	—	—							2
3 Measles	—	—	—	—	—	—	—	1	—	—	—	—							3
4 Scarlet fever	—	2	—	—	—	—	—	—	—	—	—	—							4
5 Whooping cough	—	—	1	2	1	2	—	—	1	4	3	1							5
6 Diphtheria	—	—	—	1	1	1	1	1	6	—	1	—							6
7 Influenza	11	12	23	15	4	11	4	9	17	29	6	8							7
8 Encephalitis lethargica	—	—	—	—	—	1	1	—	—	—	—	—							8
9 Meningococcal meningitis	1	1	—	—	—	—	—	—	—	—	1	2							9
10 Tuberculosis of respiratory sys.	13	7	15	9	2	2	9	3	30	12	7	10							10
11 Other tuberculous diseases	2	—	1	1	—	—	1	3	2	4	3	3							11
12 Cancer, malignant disease	20	31	19	27	6	13	10	9	37	66	28	16							12
13 Rheumatic fever	—	1	—	—	—	1	—	1	—	2	—	—							13
14 Diabetes	—	2	1	4	—	1	—	—	5	7	4	3							14
15 Cerebral hæmorrhage, &c.	6	7	8	11	4	5	6	5	8	24	6	6							15
16 Heart disease	22	32	32	39	7	19	15	32	68	77	28	37							16
17 Arterio-sclerosis	10	17	8	13	9	1	2	5	14	17	4	2							17
18 Bronchitis	6	6	7	10	—	5	5	5	20	18	8	4							18
19 Pneumonia (all forms)	10	15	19	13	4	12	3	8	39	29	13	9							19
20 Other respiratory diseases	1	1	—	2	1	4	4	1	3	8	3	2							20
21 Ulcer of stomach or duodenum	1	—	1	—	—	1	1	1	4	3	—	1							21
22 Diarrhœa, &c. (under 2 years)	1	—	1	1	3	1	—	—	2	1	3	—							22
23 Appendicitis and typhlitis	—	2	—	1	3	—	1	—	5	3	3	2							23
24 Cirrhosis of liver	1	—	2	—	1	—	1	—	1	2	1	1							24
25 Acute and chronic nephritis	2	4	9	9	1	2	2	2	5	10	4	8							25
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	3	—	1							26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	2	—	1							27
28 Congenital debility and malformation, premature birth	6	2	9	8	4	3	4	3	5	8	7	4							28
29 Suicide	2	1	6	5	2	—	1	—	2	—	1	—							29
30 Other deaths from violence	5	3	6	2	7	2	4	3	16	12	7	6							30
31 Other defined diseases	23	28	33	40	20	18	16	23	64	77	23	31							31
32 Causes ill-defined or unknown	—	—	—	—	1	1	—	—	—	—	—	—							32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

SURREY—*cont.*

Causes of Death.	Chertsey R.D.		Dorking R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hambledon R.D.		Reigate R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	60	54	72	73	176	161	105	110	151	142	129	127	141	148	146	123	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	1	2	—	—	4
5 Whooping cough	—	—	1	1	1	—	1	1	—	1	—	1	2	—	—	1	5
6 Diphtheria	—	—	1	—	2	—	1	2	1	—	—	3	3	1	—	—	6
7 Influenza	4	1	—	10	13	15	6	9	9	9	9	12	14	16	9	6	7
8 Encephalitis lethargica	1	—	—	—	—	—	1	—	—	—	—	2	—	1	—	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	—	1	2	1	12	9	5	6	10	6	4	3	8	4	5	5	10
11 Other tuberculous diseases	—	—	—	1	2	1	2	—	1	2	2	1	4	1	1	2	11
12 Cancer, malignant disease	8	4	14	9	15	18	15	16	17	24	16	18	13	21	17	22	12
13 Rheumatic fever	—	—	—	—	3	1	—	1	—	—	—	1	1	—	—	1	13
14 Diabetes	1	1	—	1	2	3	—	2	2	4	2	3	—	1	2	1	14
15 Cerebral hæmorrhage, &c.	5	8	—	3	5	8	8	7	6	4	8	7	7	4	6	6	15
16 Heart disease	9	11	9	14	34	35	19	14	34	41	19	21	27	29	21	20	16
17 Arterio-sclerosis	3	2	13	4	7	5	4	6	8	6	2	5	6	10	11	6	17
18 Bronchitis	4	3	6	5	6	5	5	7	1	2	10	7	2	10	11	4	18
19 Pneumonia (all forms)	2	4	3	3	11	7	8	6	4	4	16	7	9	8	9	2	19
20 Other respiratory diseases	2	1	1	3	—	3	2	—	1	4	2	1	3	1	1	—	20
21 Ulcer of stomach or duodenum	1	1	—	—	1	—	1	2	—	1	—	1	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	2	—	—	—	—	—	1	—	1	—	—	—	22
23 Appendicitis and typhlitis	—	1	1	—	4	—	—	2	2	—	—	1	1	4	—	1	23
24 Cirrhosis of liver	—	1	—	—	2	1	—	—	2	—	2	1	1	—	—	—	24
25 Acute and chronic nephritis	6	—	3	5	7	2	2	2	6		—	4	3	2	5	5	25
26 Puerperal sepsis	—	—	—	—	—	3	—	—	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	2	2	1	1	5	5	6	5	6	2	2	2	5	3	6	6	28
29 Suicide	2	1	2	1	2	1	—	—	3	1	2	—	2	1	1	1	29
30 Other deaths from violence	—	—	2	1	10	2	—	1	10	5	5	3	8	1	8	3	30
31 Other defined diseases	7	12	12	9	30	35	18	19	28	20	27	22	19	27	30	30	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	32

SUSSEX, EAST.

Causes of Death.	Bexhill M.B.		Hove M.B.		Lewes M.B.		Chailey R.D.		Cuckfield R.D.		East Grinstead R.D.		Hailsham R.D.		Ticehurst R.D.		Uckfield R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	123	177	342	495	88	78	102	67	100	105	97	96	133	137	93	85	172	171	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	1	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	5
6 Diphtheria	—	—	1	1	1	—	—	—	—	—	—	—	—	1	1	1	1	—	6
7 Influenza	8	12	22	34	2	1	6	3	3	2	1	9	12	21	10	5	6	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	8	17	14	3	5	5	4	5	7	4	1	6	7	5	5	7	6	10
11 Other tuberculous diseases	2	2	4	2	1	—	2	1	—	1	—	—	1	1	3	—	1	—	11
12 Cancer, malignant disease	16	26	37	99	14	14	13	7	13	13	10	15	15	16	10	12	15	25	12
13 Rheumatic fever	1	1	1	1	1	—	1	—	—	—	1	—	—	—	—	1	—	—	13
14 Diabetes	1	5	3	9	1	—	1	2	—	1	—	2	1	1	2	1	2	5	14
15 Cerebral hæmorrhage, &c.	6	5	21	32	5	6	6	7	6	10	7	8	5	2	1	2	15	17	15
16 Heart disease	27	45	65	101	15	13	28	23	21	21	16	30	21	25	17	20	34	43	16
17 Arterio-sclerosis	9	14	12	20	2	4	5	3	6	12	3	3	2	2	4	5	4	7	17
18 Bronchitis	3	4	13	24	7	7	1	1	11	1	7	3	12	15	7	4	13	11	18
19 Pneumonia (all forms)	5	3	14	25	8	5	5	3	5	5	9	4	9	8	10	2	15	5	19
20 Other respiratory diseases	5	3	7	4	2	1	—	1	1	—	2	—	2	1	3	1	2	4	20
21 Ulcer of stomach or duodenum	—	—	5	4	3	—	—	—	1	2	—	—	2	—	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	1	1	1	—	—	—	1	—	1	—	—	—	—	1	22
23 Appendicitis and typhlitis	1	1	3	5	1	1	2	—	—	—	4	—	—	3	1	2	2	3	23
24 Cirrhosis of liver	1	1	5	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	2	10	17	4	2	2	1	1	4	3	1	1	4	2	—	1	8	6	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	—	—	—	—	2	—	1	—	1	—	—	—	1	27
28 Congenital debility and malformation, premature birth	5	3	9	7	2	1	3	2	3	1	6	4	4	4	4	2	9	3	28
29 Suicide	1	2	6	5	—	—	—	1	1	1	—	—	3	2	1	—	4	—	29
30 Other deaths from violence	4	3	11	8	4	—	7	2	3	2	6	3	5	2	5	—	8	3	30
31 Other defined diseases	20	28	66	84	13	16	15	6	16	19	18	12	28	22	9	21	24	30	31
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

SUSSEX, WEST.

Causes of Death.	Bognor Regis U.D.		Chichester M.B.		Horsham U.D.		Littlehampton U.D.		Worthing M.B.										
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.									
All Causes	78	85	83	86	86	97	59	64	286	398									
1 Enteric fever	—	—	—	—	—	—	1	—	—	2									1
2 Small-pox	—	—	—	—	—	—	—	—	—	—									2
3 Measles	—	—	—	—	—	—	1	—	—	—									3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—									4
5 Whooping cough	—	—	—	—	—	—	—	—	1	—									5
6 Diphtheria	—	—	1	—	—	—	1	1	—	1									6
7 Influenza	3	4	7	9	—	5	3	2	11	21									7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—									8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	—									9
10 Tuberculosis of respiratory sys.	4	6	5	1	3	—	3	4	13	17									10
11 Other tuberculous diseases	—	1	—	1	2	1	1	—	2	2									11
12 Cancer, malignant disease	13	14	6	10	12	9	8	7	39	64									12
13 Rheumatic fever	1	—	1	2	—	—	—	—	2	—									13
14 Diabetes	2	1	—	—	—	1	—	—	2	7									14
15 Cerebral hæmorrhage, &c.	2	6	3	5	8	6	4	5	18	33									15
16 Heart disease	13	15	8	14	16	34	9	15	69	90									16
17 Arterio-sclerosis	10	11	7	6	2	1	2	2	5	19									17
18 Bronchitis	2	5	4	6	5	3	2	3	20	20									18
19 Pneumonia (all forms)	2	7	4	—	4	4	5	1	13	13									19
20 Other respiratory diseases	1	1	3	1	—	1	1	—	7	4									20
21 Ulcer of stomach or duodenum	1	—	5	—	2	1	—	—	4	—									21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	—	—	—	—									22
23 Appendicitis and typhlitis	—	—	—	—	—	—	1	—	—	4									23
24 Cirrhosis of liver	1	—	1	—	1	—	1	—	2	2									24
25 Acute and chronic nephritis	4	3	7	3	4	9	—	—	8	9									25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—									26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	1									27
28 Congenital debility and malformation, premature birth	1	—	5	4	3	1	1	3	1	7									28
29 Suicide	2	1	—	—	2	1	2	1	3	3									29
30 Other deaths from violence	5	1	6	1	2	6	3	1	8	11									30
31 Other defined diseases	11	9	10	22	19	13	10	17	58	68									31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—									32

SUSSEX, WEST—*cont.* WARWICKSHIRE.

Causes of Death.	Horsham R.D.		Midhurst R.D.		Steyning West R.D.		Westhampnett R.D.				Bedworth U.D.		Nuneaton M.B.		Royal Leamington Spa M.B.		Rugby U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	125	129	98	107	65	87	105	135			67	65	275	282	212	235	140	149	
1 Enteric fever	—	—	—	1	—	—	—	—			—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—			—	—	1	2	1	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—			—	1	—	—	—	—	—	—	4
5 Whooping cough	3	—	1	1	—	—	—	—			7	11	6	7	3	2	—	—	5
6 Diphtheria	—	—	—	—	—	—	—	1			1	—	2	—	—	—	2	1	6
7 Influenza	5	10	4	2	2	2	8	10			1	1	12	13	4	12	9	10	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1			1	—	—	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1	—	9
0 Tuberculosis of respiratory sys.	6	2	5	5	3	7	7	1			6	1	22	26	8	13	8	5	10
1 Other tuberculous diseases	—	—	—	1	—	1	1	2			2	—	4	7	6	2	4	2	11
2 Cancer, malignant disease	16	16	10	22	10	6	20	20			4	5	29	25	21	31	4	22	12
3 Rheumatic fever	1	2	—	—	—	—	—	—			—	1	1	1	—	—	—	—	13
4 Diabetes	1	2	1	2	1	1	—	2			—	2	1	6	3	2	1	2	14
5 Cerebral hæmorrhage, &c.	6	12	4	10	5	4	3	8			1	1	21	13	3	14	8	12	15
6 Heart disease	31	37	17	14	12	21	20	34			11	10	34	70	33	63	28	20	16
7 Arterio-sclerosis	6	2	2	2	7	5	4	6			1	—	12	7	12	14	3	2	17
8 Bronchitis	3	5	9	9	4	4	6	4			4	4	11	15	9	12	13	14	18
9 Pneumonia (all forms)	11	6	2	2	1	3	6	7			7	5	32	19	16	10	10	14	19
0 Other respiratory diseases	2	—	3	3	2	1	2	2			—	2	1	2	4	3	1	3	20
1 Ulcer of stomach or duodenum	2	—	—	—	—	1	2	—			2	—	2	—	6	1	1	1	21
2 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	—	1			—	—	1	2	—	1	—	—	22
3 Appendicitis and typhlitis	1	—	1	1	—	1	3	1			—	—	1	—	3	1	1	1	23
4 Cirrhosis of liver	—	—	1	—	—	—	1	—			—	—	3	—	3	1	—	1	24
5 Acute and chronic nephritis		2	2	—	3	4	1	3			—	1	5	8	9	11	6	2	25
6 Puerperal sepsis	—	1	—	—	—	1	—	—			—	1	—	1	—	1	—	1	26
7 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—			—	—	—	2	—	1	—	—	27
8 Congenital debility and malformation, premature birth	6	1	4	2	2	3	—	3			5	4	11	9	13	7	6	4	28
9 Suicide	1	—	2	1	1	—	—	—			3	1	2	1	5	1	2	—	29
0 Other deaths from violence	2	3	4	1	1	2	3	3			2	1	17	3	8	4	8	2	30
1 Other defined diseases	20	28	25	28	11	19	18	26			9	13	44	42	41	27	24	30	31
2 Causes ill-defined or unknown	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

WARWICKSHIRE—*cont.*

Causes of Death.	Stratford on Avon M.B.		Sutton Coldfield M.B.		Warwick M.B.		Alcester R.D.		Atherstone R.D.		Foleshill R.D.		Meriden R.D.		Rugby R.D.		Solihull R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	72	78	187	178	84	110	91	91	146	133	76	87	142	123	134	123	156	159	
1 Enteric fever	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	2	1	2	—	1	—	—	3	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	1	—	1	1	1	4	2	—	—	1	—	—	1	5
6 Diphtheria	—	—	—	—	2	—	1	—	—	—	—	2	—	2	2	—	—	—	6
7 Influenza	6	5	14	24	2	5	5	7	7	7	1	4	6	8	13	9	11	20	7
8 Encephalitis lethargica	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
10 Tuberculosis of respiratory sys.	3	2	9	7	9	9	2	7	7	7	3	11	13	9	3	6	5	4	10
11 Other tuberculous diseases	1	—	1	1	—	2	2	—	5	2	2	—	—	1	6	—	4	—	11
12 Cancer, malignant disease	4	12	23	24	4	17	7	16	12	17	2	8	13	18	10	13	15	21	12
13 Rheumatic fever	—	—	—	1	1	—	1	1	1	1	—	—	—	2	—	1	—	—	13
14 Diabetes	—	2	3	4	—	1	3	1	3	7	2	1	1	2	1	5	3	2	14
15 Cerebral hæmorrhage, &c.	3	6	13	8	5	6	1	6	4	9	2	3	1	7	11	3	5	11	15
16 Heart disease	8	5	28	35	12	23	18	16	25	22	11	18	21	20	20	23	25	26	16
17 Arterio-sclerosis	—	2	14	7	5	4	8	2	1	1	5	2	2	3	3	6	14	9	17
18 Bronchitis	6	8	9	9	10	10	2	4	8	3	5	6	7	8	9	3	4	11	18
19 Pneumonia (all forms)	4	6	9	5	4	3	4	1	19	10	7	4	12	6	10	14	12	4	19
20 Other respiratory diseases	2	1	2	—	1	4	1	1	1	—	2	—	—	—	2	2	2	3	20
21 Ulcer of stomach or duodenum	1	—	5	3	4	—	1	—	—	—	1	—	1	1	1	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	—	—	—	1	2	—	1	1	—	1	1	—	22
23 Appendicitis and typhlitis	1	—	4	—	—	—	1	—	1	2	1	—	3	—	2	3	—	1	23
24 Cirrhosis of liver	1	—	1	1	—	—	2	1	—	—	—	—	1	—	1	2	—	1	24
25 Acute and chronic nephritis	3	3	5	7	2	3	1	3	4	6	—	3	2	1	2	6	5	6	25
26 Puerperal sepsis	—	—	—	—	—	2	—	—	—	—	—	3	—	1	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	2	1	5	4	1	2	3	3	5	8	5	4	8	4	5	—	4	5	28
29 Suicide	—	1	4	2	1	2	4	—	5	3	—	—	1	—	—	1	3	—	29
30 Other deaths from violence	4	1	8	7	3	1	4	1	7	2	6	2	14	2	7	2	12	3	30
31 Other defined diseases	21	23	29	27	16	14	20	20	30	21	14	10	34	24	25	21	27	28	31
32 Causes ill-defined or unknown	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	32

WARWICKSHIRE—*cont.* WESTMORLAND.

Causes of Death.	Southam R.D.		Tamworth (part of) R.D.*		Warwick R.D.				Kendal M.B.				East Westmorland R.D.		South Westmorland R.D.		
	M.	F.	M.	F.	M.	F.			M.	F.			M.	F.	M.	F.	
All Causes	71	88	77	80	83	73			94	100			79	73	122	119	
1 Enteric fever	—	—	—	—	—	—			1	—			—	—	—	—	1
2 Small-pox	—	—	—	—	—	—			—	—			—	—	—	—	2
3 Measles	—	—	—	1	—	—			—	1			—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—			—	—			—	—	—	1	4
5 Whooping cough	—	3	1	2	—	—			—	—			—	—	1	1	5
6 Diphtheria	—	—	—	—	—	—			1	1			—	—	—	—	6
7 Influenza	7	6	4	6	4	5			2	3			8	10	1	1	7
8 Encephalitis lethargica	—	—	1	—	1	—			—	1			—	2	1	1	8
9 Meningococcal meningitis	—	—	—	—	1	—			—	—			—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	8	3	2	3	3			5	4			2	2	3	2	10
11 Other tuberculous diseases	—	—	1	—	—	—			1	2			—	1	2	—	11
12 Cancer, malignant disease	5	10	13	9	5	8			6	11			9	7	15	14	12
13 Rheumatic fever	—	—	—	—	—	—			—	2			—	—	—	—	13
14 Diabetes	1	—	—	1	—	1			—	1			—	—	1	2	14
15 Cerebral hæmorrhage, &c.	8	8	4	5	4	5			9	20			3	4	9	12	15
16 Heart disease	8	12	9	13	14	15			21	21			20	17	26	26	16
17 Arterio-sclerosis	3	—	2	3	5	3			3	3			2	2	7	9	17
18 Bronchitis	6	3	8	7	2	4			3	3			4	6	4	9	18
19 Pneumonia (all forms)	9	6	4	12	4	3			4	1			5	1	9	6	19
20 Other respiratory diseases	1	2	—	—	—	3			2	1			—	1	1	1	20
21 Ulcer of stomach or duodenum	—	—	1	—	1	—			—	—			—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	1	2	—			2	1			—	1	1	—	22
23 Appendicitis and typhlitis	2	1	1	—	2	—			2	2			1	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	—	—			—	—			1	—	3	1	24
25 Acute and chronic nephritis	1	3	2	1	3	2			10	5			2	2	2	5	25
26 Puerperal sepsis	—	1	—	—	—	—			—	—			—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1			—	—			—	—	—	1	27
28 Congenital debility and malformation, premature birth	3	5	3	6	5	3			3	3			2	1	1	1	28
29 Suicide	—	1	—	2	—	—			—	—			—	1	3	1	29
30 Other deaths from violence	3	1	7	1	6	—			6	1			2	3	6	2	30
31 Other defined diseases	11	18	12	8	20	17			13	13			18	11	25	22	31
32 Causes ill-defined or unknown	—	—	—	—	1	—			—	—			—	—	—	—	32

* The remainder of Tamworth R.D. is in Staffordshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

WIGHT, ISLE OF. — WILTSHIRE.

Causes of Death.	Cowes. U.D.		Newport M.B.		Ryde M.B.		I. of Wight R.D.						Salisbury M.B.		Swindon M.B.		Trowbridge U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	
All Causes	70	71	65	83	71	99	194	191					167	195	346	334	79	97	
1 Enteric fever	—	—	—	—	—	—	—	—					—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—	—	—					—	—	—	—	—	2	3
4 Scarlet fever	—	—	—	—	—	—	—	—					—	—	—	—	1	—	4
5 Whooping cough	—	—	—	—	—	—	1	—					—	2	1	2	1	—	5
6 Diphtheria	—	—	—	—	—	—	—	—					3	1	2	—	2	2	6
7 Influenza	8	8	3	3	1	3	10	10					7	6	16	11	2	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—					—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	1	—					—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	6	3	3	4	4	15	7					13	4	15	8	3	2	10
11 Other tuberculous diseases	1	—	2	1	2	—	3	1					1	1	1	3	1	1	11
12 Cancer, malignant disease	13	13	5	22	9	11	10	25					17	32	41	50	9	18	12
13 Rheumatic fever	—	—	—	—	—	1	—	—					—	—	2	—	—	—	13
14 Diabetes	—	1	—	3	2	4	1	3					1	—	6	7	—	1	14
15 Cerebral hæmorrhage, &c.	6	5	4	3	2	9	14	21					8	25	20	20	6	10	15
16 Heart disease	11	6	14	10	16	25	49	50					35	50	58	68	21	24	16
17 Arterio-sclerosis	1	3	2	1	3	5	9	1					10	5	15	11	2	3	17
18 Bronchitis	3	5	6	5	5	3	9	9					4	6	20	24	6	3	18
19 Pneumonia (all forms)	3	3	2	2	1	4	10	8					19	14	23	21	4	3	19
20 Other respiratory diseases	—	—	—	2	1	1	2	—					3	—	5	3	1	2	20
21 Ulcer of stomach or duodenum	—	1	—	2	—	—	3	1					3	1	5	2	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	1	—	3	1					—	—	1	—	3	1	22
23 Appendicitis and typhlitis	—	1	—	—	1	—	—	—					—	2	1	3	—	1	23
24 Cirrhosis of liver	—	—	1	—	1	—	2	—					1	2	2	—	—	—	24
25 Acute and chronic nephritis	2	3	1	—	3	4	10	2					6	9	14	7	1	2	25
26 Puerperal sepsis	—	1	—	1	—	—	—	2					—	1	—	3	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	1					—	3	—	3	—	—	27
28 Congenital debility and malformation, premature birth	1	1	1	3	1	1	2	4					5	2	12	10	4	1	28
29 Suicide	1	1	1	—	—	2	—	—					2	—	7	1	2	—	29
30 Other deaths from violence	3	1	2	3	3	2	9	—					7	1	9	6	2	2	30
31 Other defined diseases	11	11	15	18	15	19	31	45					21	28	70	71	6	16	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—					1	—	—	—	—	—	32

WILTSHIRE—*cont.*

Causes of Death.	Amesbury R.D.		Chippenham R.D.		Cricklade & Wootton Bassett R.D.		Devizes R.D.		Highworth R.D.		Pewsey R.D.		Salisbury R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	74	64	125	86	77	80	74	80	91	98	86	74	83	52					
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	—	—	—	—	1	—	—	—	1	—	2	2	—	—					3
4 Scarlet fever	—	—	1	—	—	—	—	1	—	—	—	—	—	—					4
5 Whooping cough	1	—	—	2	—	—	—	—	1	1	1	—	—	—					5
6 Diphtheria	1	2	—	1	—	—	—	1	—	—	—	1	2	—					6
7 Influenza	7	7	5	3	5	6	5	4	—	3	—	2	2	3					7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—					8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	1	—					9
10 Tuberculosis of respiratory sys.	2	2	4	1	7	5	1	4	4	6	5	4	3	4					10
11 Other tuberculous diseases	—	—	2	1	1	3	1	—	1	2	2	—	—	—					11
12 Cancer, malignant disease	10	6	17	19	9	9	7	8	7	17	6	8	8	9					12
13 Rheumatic fever	—	—	—	—	—	—	—	—	2	—	—	1	—	—					13
14 Diabetes	2	2	—	—	—	2	—	—	1	2	—	1	—	—					14
15 Cerebral hæmorrhage, &c.	1	5	6	2	3	6	6	4	7	10	7	8	2	4					15
16 Heart disease	9	13	17	16	13	19	16	23	7	16	20	21	21	13					16
17 Arterio-sclerosis	1	3	11	3	—	2	5	1	4	—	3	3	—	2					17
18 Bronchitis	2	4	10	11	7	2	—	1	7	4	3	3	4	2					18
19 Pneumonia (all forms)	4	2	10	2	5	1	4	4	8	9	3	2	5	2					19
20 Other respiratory diseases	—	—	—	—	1	1	1	—	—	—	—	—	2	—					20
21 Ulcer of stomach or duodenum	2	—	1	—	1	—	1	—	3	—	4	1	1	—					21
22 Diarrhœa, &c. (under 2 years)	2	1	—	—	—	—	—	—	—	—	—	—	1	—					22
23 Appendicitis and typhlitis	—	—	—	—	2	—	—	—	—	—	5	2	—	—					23
24 Cirrhosis of liver	—	—	1	1	—	—	—	—	—	—	—	—	—	—					24
25 Acute and chronic nephritis	3	1	3	4	1	1	5	1	2	1	3	3	3	1					25
26 Puerperal sepsis	—	3	—	—	—	—	—	—	—	—	—	—	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	2	—	1	—	1	—	2	—	1					27
28 Congenital debility and malformation, premature birth	8	1	1	1	6	2	1	4	5	5	6	1	5	1					28
29 Suicide	2	—	3	1	—	—	—	—	1	2	—	—	2	—					29
30 Other deaths from violence	4	—	6	2	4	2	4	1	5	2	2	1	4	—					30
31 Other defined diseases	13	9	27	16	11	17	17	22	25	17	14	8	17	10					31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—					32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

WORCESTERSHIRE.

Causes of Death.	Halesowen U.D.		Kidderminster M.B.		Lye & Wollescote U.D.		Malvern U.D.		Oldbury U.D.		Redditch U.D.		Stourbridge M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	185	170	211	201	109	74	106	140	234	198	87	110	112	124	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	—	8	7	1	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	4	5	—	2	1	3	—	—	3	1	—	1	—	2	5
6 Diphtheria	—	1	1	—	3	—	—	—	1	—	—	—	—	1	6
7 Influenza	17	13	9	7	6	8	10	16	12	9	6	16	11	6	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	1	1	1	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	12	8	12	10	—	6	11	7	8	11	5	4	10	4	10
11 Other tuberculous diseases	1	3	2	—	—	—	1	2	9	3	2	2	—	—	11
12 Cancer, malignant disease	19	17	20	35	16	5	8	20	28	20	7	12	14	16	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	2	—	—	1	—	1	13
14 Diabetes	1	—	1	2	1	1	—	2	1	1	2	1	2	1	14
15 Cerebral hæmorrhage, &c.	14	14	16	15	6	10	7	10	15	16	2	7	7	9	15
16 Heart disease	28	38	44	36	17	17	13	17	30	26	19	20	14	30	16
17 Arterio-sclerosis	8	3	11	9	4	1	6	3	6	—	3	4	3	2	17
18 Bronchitis	5	11	16	15	7	1	4	13	8	10	4	4	5	11	18
19 Pneumonia (all forms)	15	16	16	11	18	5	7	7	20	15	10	10	7	6	19
20 Other respiratory diseases	5	—	3	1	1	1	1	1	4	2	1	1	1	1	20
21 Ulcer of stomach or duodenum	1	—	3	2	1	1	3	1	6	—	1	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	3	2	2	2	—	—	—	—	7	3	—	—	1	—	22
23 Appendicitis and typhlitis	5	1	3	—	1	—	3	1	—	1	2	1	2	1	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	—	2	2	—	—	—	—	24
25 Acute and chronic nephritis	1	3	6	12	—	1	8	3	5	9	1	2	4	3	25
26 Puerperal sepsis	—	4	—	1	—	—	—	—	—	2	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	3	—	—	—	—	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	18	3	7	7	8	2	4	3	16	20	7	5	3	1	28
29 Suicide	1	—	4	1	1	—	—	2	2	1	—	1	4	2	29
30 Other deaths from violence	7	7	10	10	6	1	5	5	6	7	6	1	6	2	30
31 Other defined diseases	20	19	24	20	11	9	13	25	34	30	7	16	17	24	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—	—	—	—	—	32

WORCESTERSHIRE—*cont.*

Causes of Death.	Bromsgrove R.D.		Droitwich R.D.		Martley R.D.		Pershore R.D.		Upton on Severn R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	119	140	77	88	101	59	105	101	111	89	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	1	—	—	—	—	—	—	5
6 Diphtheria	—	—	—	—	—	1	2	2	—	1	6
7 Influenza	11	9	4	8	5	4	8	3	9	9	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	8	4	1	2	1	4	3	4	5	10
11 Other tuberculous diseases	1	2	—	—	1	2	3	1	2	—	11
12 Cancer, malignant disease	15	19	8	13	11	11	9	5	11	16	12
13 Rheumatic fever	1	1	—	1	—	—	—	—	—	—	13
14 Diabetes	1	1	1	2	—	—	1	1	3	2	14
15 Cerebral hæmorrhage, &c.	6	9	5	9	4	4	9	9	11	5	15
16 Heart disease	16	29	13	11	23	10	15	20	24	19	16
17 Arterio-sclerosis	4	4	2	—	7	4	1	—	5	3	17
18 Bronchitis	6	10	4	9	8	2	7	14	8	4	18
19 Pneumonia (all forms)	2	9	3	3	5	1	5	4	3	2	19
20 Other respiratory diseases	3	—	1	2	—	—	—	1	1	1	20
21 Ulcer of stomach or duodenum	2	1	1	—	2	—	1	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	—	—	—	1	—	—	—	22
23 Appendicitis and typhlitis	4	1	1	2	1	1	1	—	2	—	23
24 Cirrhosis of liver	1	—	—	1	1	1	1	—	1	—	24
25 Acute and chronic nephritis	4	4	1	1	2	1	5	5	2	1	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	5	4	4	3	5	1	7	4	4	5	28
29 Suicide	1	2	2	—	—	—	1	—	2	—	29
30 Other deaths from violence	8	3	7	2	4	2	3	2	8	—	30
31 Other defined diseases	21	20	16	17	20	13	21	27	10	15	31
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

YORKSHIRE, EAST RIDING.

Causes of Death.	Beverley M.B.		Bridlington M.B.				Beverley R.D.		Driffield R.D.		Howden R.D.		Pocklington R.D.		Sculcoates R.D.				
	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	100	93	104	124			74	69	73	65	90	71	86	65	72	81			
1 Enteric fever	—	—	—	—			—	—	—	—	1	1	—	—	—	—			1
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—			2
3 Measles	1	—	1	—			—	1	—	—	—	1	—	—	—	2			3
4 Scarlet fever	—	1	—	—			—	—	—	—	—	—	—	—	—	—			4
5 Whooping cough	1	—	1	—			—	1	—	—	—	—	—	1	—	—			5
6 Diphtheria	2	1	1	—			—	—	—	1	—	—	1	—	1	1			6
7 Influenza	3	8	11	9			9	6	10	8	6	5	9	1	5	7			7
8 Encephalitis lethargica	—	—	—	—			1	—	—	—	1	—	—	—	—	—			8
9 Meningococcal meningitis	—	—	—	—			—	—	—	—	—	—	—	—	—	—			9
10 Tuberculosis of respiratory sys.	8	6	2	4			2	3	3	1	2	4	2	3	5	7			10
11 Other tuberculous diseases	1	2	1	1			—	—	—	—	1	—	—	2	—	2			11
12 Cancer, malignant disease	18	15	15	18			5	10	8	10	7	9	6	7	5	10			12
13 Rheumatic fever	—	—	—	—			1	—	—	—	—	1	1	1	1	—			13
14 Diabetes	—	—	2	3			1	1	4	2	1	—	5	—	1	3			14
15 Cerebral hæmorrhage, &c.	5	6	5	5			5	3	3	5	1	5	4	3	3	11			15
16 Heart disease	22	24	15	22			21	11	13	7	17	8	18	8	11	12			16
17 Arterio-sclerosis	—	2	3	5			1	—	6	6	8	2	4	4	5	4			17
18 Bronchitis	5	4	4	6			2	4	7	—	4	4	5	6	4	1			18
19 Pneumonia (all forms)	12	2	6	2			2	7	3	7	6	1	2	4	1	4			19
20 Other respiratory diseases	—	1	—	2			—	1	1	1	1	1	2	—	1	1			20
21 Ulcer of stomach or duodenum	—	—	—	—			—	—	—	—	—	—	1	—	1	—			21
22 Diarrhœa, &c. (under 2 years)	1	—	—	1			1	—	2	1	—	1	—	2	2	—			22
23 Appendicitis and typhlitis	—	—	—	—			—	1	—	—	—	—	—	—	—	—			23
24 Cirrhosis of liver	—	—	2	—			—	—	—	—	—	—	1	—	1	—			24
25 Acute and chronic nephritis	—	2	3	4			3	3	1	2	—	5	—	1	2	—			25
26 Puerperal sepsis	—	—	—	—			—	—	—	—	—	—	—	—	—	—			26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1			—	—	—	2	—	1	—	1	—	—			27
28 Congenital debility and malformation, premature birth	4	—	2	3			5	2	3	2	3	4	3	4	5	2			28
29 Suicide	1	1	3	—			—	—	—	1	1	—	1	—	3	—			29
30 Other deaths from violence	4	1	2	4			4	4	—	—	5	3	3	1	4	2			30
31 Other defined diseases	12	17	25	34			11	11	9	9	25	15	18	16	11	12			31
32 Causes ill-defined or unknown	—	—	—	—			—	—	—	—	—	—	—	—	—	—			32

YORKSHIRE, NORTH RIDING.

Causes of Death.	Eston U.D.		Redcar M.B.		Scarborough M.B.		Skelton & Brotton U.D.		Thornaby on Tees M.B.		Whitby U.D.				Stokesley R.D.		Thirsk R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	
All Causes	253	229	132	127	263	327	115	81	197	163	78	83			79	92	85	84	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3 Measles	3	9	—	—	—	1	4	2	4	3	—	—			1	—	1	—	3
4 Scarlet fever	—	—	—	—	1	1	—	—	—	1	—	—			—	—	—	—	4
5 Whooping cough	2	1	4	7	—	2	—	1	4	7	—	—			—	2		—	5
6 Diphtheria	3	1	—	—	1	—	—	—	—	—	—	—			—	1		—	6
7 Influenza	8	5	8	7	10	10	8	4	10	8	3	4			8	8	1	3	7
8 Encephalitis lethargica	—	—	—	—	1	—	1	—	—	—	—	—			—	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	9
10 Tuberculosis of respiratory sys.	15	21	3	5	11	16	4	4	9	10	4	4			1	2	1	2	10
11 Other tuberculous diseases	5	3	—	1	3	4	2	1	5	1	2	2			2	—	—	1	11
12 Cancer, malignant disease	5	20	13	18	32	50	11	5	7	15	10	6			4	19	3	6	12
13 Rheumatic fever	1	2	1	2	1	3	—	—	—	—	—	1			1	—	—	—	13
14 Diabetes	—	1	1	2	2	2	—	1	—	2	1	2			1	—	1	—	14
15 Cerebral hæmorrhage, &c.	14	10	7	7	21	24	6	6	11	5	5	11			6	4	7	6	15
16 Heart disease	38	28	16	18	61	63	19	7	37	28	17	18			14	14	16	20	16
17 Arterio-sclerosis	10	5	13	4	14	23	3	—	5	2	7	4			9	6	6	5	17
18 Bronchitis	11	13	9	13	9	20	3	5	9	8	4	2			4	4	3	4	18
19 Pneumonia (all forms)	30	34	12	6	15	17	12	6	37	31	5	3			4	7	13	6	19
20 Other respiratory diseases	1	2	4	—	3	3	1	1	2	1	—	—			—	—	—	1	20
21 Ulcer of stomach or duodenum	2	—	1	—	2	—	—	—	2	—	—	—			1	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	2	2	1	—	3	1	1	3	6	5	—	—			—	—	—	—	22
23 Appendicitis and typhlitis	1	1	2	3	1	4	—	3	1	—	1	—			—	—	—	1	23
24 Cirrhosis of liver	2	—	2	—	—	—	—	—	—	—	—	—			—	—	1	1	24
25 Acute and chronic nephritis	8	8	9	4	8	8	4	1	8	5	6	3			2	3	3	2	25
26 Puerperal sepsis	—	1	—	—	—	2	—	—	—	2	—	1			—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	3	—	3	—	1	—	1			—	—	—	—	27
28 Congenital debility and malformation, premature birth	20	14	2	4	7	7	7	6	8	8	1	2			2	1	4	2	28
29 Suicide	4	1	1	—	6	1	1	—	1	—	—	3			—	1	—	—	29
30 Other deaths from violence	17	5	10	5	7	6	7	—	7	2	1	—			7	1	3	2	30
31 Other defined diseases	49	38	13	21	44	56	21	22	24	18	11	16			12	19	20	22	31
32 Causes ill-defined or unknown	2	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING.

Causes of Death.	Adwick-le-Street U.D.		Barn-oldswick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		Bolton upon Dearne U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	124	90	79	85	281	273	93	74	127	140	92	58	
1 Enteric fever	—	—	—	—	1	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	1	—	—	—	—	2
3 Measles	3	—	—	—	2	1	—	—	—	1	2	2	3
4 Scarlet fever	—	—	—	—	—	1	2	1	3	—	—	—	4
5 Whooping cough	2	—	—	—	2	2	1	1	1	2	5	4	5
6 Diphtheria	1	2	—	—	—	1	—	1	—	2	—	—	6
7 Influenza	14	8	4	2	16	15	4	8	3	4	8	7	7
8 Encephalitis lethargica	—	2	—	—	1	—	—	—	2	1	—	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	1	—	—	—	1	9
10 Tuberculosis of respiratory sys.	11	3	4	8	12	7	7	3	5	4	5	4	10
11 Other tuberculous diseases	2	2	1	1	4	2	2	2	2	5	1	2	11
12 Cancer, malignant disease	6	6	6	9	29	33	7	2	18	20	7	5	12
13 Rheumatic fever	—	—	—	—	1	1	—	—	—	—	1	—	13
14 Diabetes	3	2	—	2	3	7	—	1	1	2	2	—	14
15 Cerebral hæmorrhage, &c.	2	1	5	2	19	14	—	1	9	14	1	1	15
16 Heart disease	9	11	18	21	41	55	10	10	27	30	12	6	16
17 Arterio-sclerosis	3	—	7	4	17	13	3	1	2	2	3	2	17
18 Bronchitis	8	7	4	6	18	35	1	5	5	6	5	1	18
19 Pneumonia (all forms)	16	12	5	2	32	14	15	8	8	6	16	2	19
20 Other respiratory diseases	1	1	1	1	—	3	2	—	—	2	1	1	20
21 Ulcer of stomach or duodenum	1	—	—	1	3	—	2	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	2	—	—	2	1	3	1	—	—	1	1	22
23 Appendicitis and typhlitis	—	—	2	1	1	2	1	—	1	1	2	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	2	2	9	1	12	9	1	1	5	2	3	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	3	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	—	—	2	—	1	27
28 Congenital debility and malformation, premature birth	17	8	3	2	12	12	6	12	2	1	6	7	28
29 Suicide	1	—	1	2	6	2	4	—	6	2	1	—	29
30 Other deaths from violence	6	1	1	2	4	5	6	2	4	2	4	2	30
31 Other defined diseases	13	18	8	18	43	35	15	9	22	28	6	6	31
32 Causes ill-defined or unknown	1	1	—	—	—	—	—	—	—	—	—	—	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Brig-house M.B.		Castle-ford U.D.		Conis-brough U.D.		Darton U.D.		Elland U.D.		Feather-stone U.D.		Golcar U.D.		Goole U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	134	174	186	161	145	113	98	74	74	90	141	86	48	71	141	121	
1 Enteric fever	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	3	5	1	—	—	—	—	—	1	—	1	—	—	—	3
4 Scarlet fever	—	—	1	—	—	1	—	—	1	—	3	1	—	—	—	—	4
5 Whooping cough	—	1	—	8	2	3	3	1	—	—	1	3	1	—	3	7	5
6 Diphtheria	—	—	3	—	—	—	—	1	1	2	2	1	—	—	1	—	6
7 Influenza	11	13	6	8	17	14	7	10	4	7	5	3	2	5	4	4	7
8 Encephalitis lethargica	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	2	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	10	14	17	5	4	3	5	3	2	11	2	3	6	9	5	10
11 Other tuberculous diseases	2	4	4	5	2	1	1	—	2	1	4	2	—	1	1	—	11
12 Cancer, malignant disease	5	31	12	12	9	7	6	5	9	12	10	6	5	9	3	7	12
13 Rheumatic fever	—	—	1	1	—	—	1	2	1	—	—	—	—	—	2	—	13
14 Diabetes	1	2	1	3	2	—	1	4	1	3	—	1	3	4	2	1	14
15 Cerebral hæmorrhage, &c.	13	16	6	3	4	1	5	6	2	5	4	4	6	3	6	12	15
16 Heart disease	28	27	39	23	20	13	15	12	9	23	19	11	11	15	32	30	16
17 Arterio-sclerosis	6	9	1	1	2	1	5	4	3	—	1	—	3	3	4	4	17
18 Bronchitis	7	9	14	8	6	11	5	3	3	2	13	6	—	4	7	5	18
19 Pneumonia (all forms)	16	11	31	31	30	26	9	6	7	5	20	19	2	2	9	7	19
20 Other respiratory diseases	—	2	—	2	—	1	1	—	4	1	2	1	—	1	1	—	20
21 Ulcer of stomach or duodenum	1	—	2	—	2	—	1	—	1	—	2	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	5	2	4	1	—	—	—	—	—	3	—	1	2	1	22
23 Appendicitis and typhlitis	—	1	—	—	—	—	—	1	—	1	—	—	1	—	—	2	23
24 Cirrhosis of liver	—	1	—	1	2	—	—	—	—	2	1	1	—	—	—	—	24
25 Acute and chronic nephritis	1	9	3	5	1	4	2	3	2	4	1	2	1	1	6	5	25
26 Puerperal sepsis	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	3	—	—	—	—	—		—	—	—	1	27
28 Congenital debility and malformation, premature birth	3	3	9	7	7	7	5	5	4	4	14	10	1	1	5	9	28
29 Suicide	4	—	2	—	8	—	—	—	1	—	1	1	2	—	2	—	29
30 Other deaths from violence	8	1	6	—	10	1	8	1	2	2	9	2	—	2	11	1	30
31 Other defined diseases	17	22	23	16	11	13	20	5	14	13	13	5	5	13	30	18	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Harrogate M.B.		Hemsworth U.D.		Holmfirth U.D.		Hoyland Nether U.D.		Keighley M.B.		Mexborough U.D.		Mirfield U.D.		Morley M.B.		Normanton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	228	323	105	95	67	85	117	88	339	302	91	78	96	106	168	190	118	89	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	5	2	—	—	3	2	2	—	—	1	1	—	1	—	1	2	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	4
5 Whooping cough	—	—	3	6	—	1	—	1	1	—	4	1	2	1	1	3	—	1	5
6 Diphtheria	—	—	—	—	2	—	—	2	—	1	—	—	—	—	1	—	2	—	6
7 Influenza	11	25	9	5	5	5	13	6	16	14	9	6	3	9	11	20	3	2	7
8 Encephalitis lethargica	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	9
10 Tuberculosis of respiratory sys.	16	14	7	6	3	5	7	5	16	14	1	5	1	6	7	8	7	4	10
11 Other tuberculous diseases	3	3	3	—	1	1	2	1	5	2	2	1	—	3	1	—	3	2	11
12 Cancer, malignant disease	22	40	6	7	10	11	10	4	28	46	9	11	13	14	14	22	8	3	12
13 Rheumatic fever	—	—	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	1	13
14 Diabetes	9	3	1	1	—	1	1	—	5	7	—	2	1	2	3	5	—	1	14
15 Cerebral hæmorrhage, &c.	15	24	4	6	1	2	2	4	20	23	1	—	12	13	6	13	4	14	15
16 Heart disease	38	60	4	4	9	26	18	16	62	63	17	13	15	23	30	36	17	16	16
17 Arterio-sclerosis	13	21	6	1	4	5	5	2	9	8	4	2	5	3	18	16	4	2	17
18 Bronchitis	8	23	6	4	3	1	10	9	32	12	5	5	5	6	9	7	7	4	18
19 Pneumonia (all forms)	12	16	11	11	1	1	16	7	36	26	11	3	6	2	15	14	13	11	19
20 Other respiratory diseases	3	6	2	—	1	—	—	4	5	—	—	1	—	—	4	4	1	—	20
21 Ulcer of stomach or duodenum	3	5	—	—	2	—	—	—	8	2	—	—	1	—	4	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	1	1	—	—	—	2	—	—	1	—	—	2	1	—	—	22
23 Appendicitis and typhlitis	2	—	2	2	1	3	1	—	3	1	1	—	—	—	1	1	1	—	23
24 Cirrhosis of liver	2	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	12	8	1	5	4	1	5	3	17	19	2	5	3	6	3	10	11	5	25
26 Puerperal sepsis	—	1	—	—	—	1	—	1	—	—	—	2	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	—	—	2	—	1	—	—	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	4	2	7	7	4	4	4	3	6	8	5	2	3	2	2	2	6	5	28
29 Suicide	4	2	—	—	4	—	2	—	2	3	2	1	—	2	3	—	—	—	29
30 Other deaths from violence	9	6	5	1	1	—	3	3	12	6	5	1	3	1	7	5	8	2	30
31 Other defined diseases	40	59	22	22	8	17	15	12	50	44	12	15	22	11	24	18	22	14	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Ossett M.B.		Pontefract M.B.		Pudsey M.B.		Rawmarsh U.D.		Rothwell U.D.		Saddleworth U.D.		Shipley U.D.		Skipton U.D.		Sowerby U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	139	123	135	104	113	112	123	110	116	109	83	80	190	209	99	98	112	142	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	—	—	1	—	—	—	—	2	—	—	—	1	2	4	—	1	3
4 Scarlet fever	1	2	2	1	—	—	—	—	1	—	—	—	3	2	—	—	1	—	4
5 Whooping cough	1	2	7	2	—	—	1	1	—	1	1	2	—	4	—	1	2	—	5
6 Diphtheria	2	—	1	—	1	1	1	2	—	—	1	—	2	1	2	—	—	—	6
7 Influenza	9	9	8	5	8	8	3	3	6	8	5	5	12	11	4	6	4	8	7
8 Encephalitis lethargica	1	—	—	—	—	—	—	1	1	—	—	—	1	—	—	1	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	4	17	2	9	6	5	6	6	4	6	1	16	8	6	3	8	6	10
11 Other tuberculous diseases	4	1	1	4	3	4	—	1	3	2	—	2	4	2	—	—	1	1	11
12 Cancer, malignant disease	12	11	12	8	8	12	13	13	9	7	6	5	20	24	17	12	12	10	12
13 Rheumatic fever	—	1	—	1	1	—	—	1	—	—	—	1	1	1	—	2	—	—	13
14 Diabetes	—	3	—	—	—	4	1	1	2	—	2	1	3	3	1	3	2	4	14
15 Cerebral hæmorrhage, &c.	5	4	7	7	6	4	5	7	6	9	5	6	11	16	7	6	11	9	15
16 Heart disease	24	22	24	14	16	18	23	12	23	19	7	11	20	42	12	14	16	35	16
17 Arterio-sclerosis	8	6	2	1	6	7	3	1	10	8	6	5	10	14	7	8	4	4	17
18 Bronchitis	6	4	10	12	8	15	9	11	9	10	11	9	15	6	5	4	9	17	18
19 Pneumonia (all forms)	11	12	11	14	10	5	16	15	9	11	6	1	18	13	5	8	11	8	19
20 Other respiratory diseases	1	3	2	—	3	—	3	—	2	—	1	1	1	—	—	—	1	1	20
21 Ulcer of stomach or duodenum	1	—	—	—	2	—	1	—	1	1	—	—	1	—	—	—	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	6	—	—	2	—	—	—	1	—	1	4	—	2	1	—	22
23 Appendicitis and typhlitis	—	2	2	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	23
24 Cirrhosis of liver	—	1	—	1	2	—	—	—	1	—	—	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	8	10	2	3	7	3	1	—	2	4	6	4	7	4	2	4	1	1	25
26 Puerperal sepsis	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	—	—	2	—	2	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	5	4	5	9	4	2	6	4	4	6	1	1	3	8	5	6	2	2	28
29 Suicide	1	1	—	—	2	1	1	—	—	—	—	1	3	2	3	2	2	1	29
30 Other deaths from violence	3	—	5	—	3	1	8	3	3	3	4	—	8	6	3	3	2	4	30
31 Other defined diseases	26	20	17	10	13	18	21	25	17	12	13	21	28	35	18	8	18	28	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Spenborough U.D.		Stanley U.D.		Swinton U.D.		Todmorden M.B.		Wath-upon-Dearne U.D.		Wombwell U.D.		Worsborough U.D.				Doncaster R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	
All Causes	178	273	89	95	99	111	188	182	104	87	147	119	88	79			262	229	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	1	1	—	—			—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3 Measles	—	3	—	2	—	—	—	1	1	1	—	1	1	—			2	5	3
4 Scarlet fever	1	—	—	—	—	1	1	—	—	—	—	—	—	—			—	—	4
5 Whooping cough	3	2	—	—	1	3	2	5	6	2	2	4	—	2			4	8	5
6 Diphtheria	1	2	1	—	1	1	—	—	—	1	1	1	2	3			2	—	6
7 Influenza	6	18	2	3	13	14	8	10	10	11	13	18	3	8			16	25	7
8 Encephalitis lethargica	—	—	—	—	—	1	1	—	—	—	—	—	1	—			—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	9
10 Tuberculosis of respiratory sys.	3	10	4	6	6	2	7	5	7	1	12	6	3	4			18	8	10
11 Other tuberculous diseases	1	4	4	3	3	7	2	—	2	1	5	2	1	1			12	2	11
12 Cancer, malignant disease	14	28	5	9	3	5	12	20	11	7	8	11	7	7			8	17	12
13 Rheumatic fever	—	—	1	—	—	1	—	1	—	—	1	1	—	—			—	—	13
14 Diabetes	3	5	1	—	1	—	5	3	2	—	2	2	2	1			1	4	14
15 Cerebral hæmorrhage, &c.	10	26	2	8	4	7	18	17	7	6	9	4	4	3			5	12	15
16 Heart disease	42	59	15	25	15	16	26	31	10	14	19	13	18	14			33	34	16
17 Arterio-sclerosis	7	10	4	1	5	3	14	10	2	2	2	2	2	1			8	8	17
18 Bronchitis	14	17	6	2	3	6	16	14	2	3	9	9	7	10			16	10	18
19 Pneumonia (all forms)	18	18	14	9	10	8	8	9	19	16	14	9	9	5			24	24	19
20 Other respiratory diseases	3	4	1	—	5	2	1	1	—	—	2	—	—	1			1	—	20
21 Ulcer of stomach or duodenum	2	1	2	2	—	—	3	1	—	—	—	1	—	1			1	2	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	1	—	1	—	1	—	—	5	3	3	—			9	7	22
23 Appendicitis and typhlitis	—	1	1	1	1	—	—	—	1	—	1	—	—	—			2	5	23
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	—	—	—	1	—	—			1	—	24
25 Acute and chronic nephritis	4	5	4	3	3	2	7	11	3	—	3	3	4	2			6	3	25
26 Puerperal sepsis	—	2	—	—	—	1	—	—	—	—	—	1	—	1			—	5	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	3	—	1	—	2	—	—			—	4	27
28 Congenital debility and malformation, premature birth	4	7	3	4	4	5	7	2	5	5	11	9	4	2			30	11	28
29 Suicide	2	1	3	2	1	1	6	2	—	—	3	—	3	1			3	—	29
30 Other deaths from violence	8	4	4	1	9	3	6	1	10	—	3	1	4	1			20	3	30
31 Other defined diseases	28	45	11	13	9	20	38	34	6	16	21	13	10	11			39	31	31
32 Causes ill-defined or unknown	3	—	—	—	—	—	—	—	—	—	—	1	—	—			1	1	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Great Ouseburn R.D.		Hemsworth R.D.		Kiveton Park R.D.		Pontefract R.D.		Rotherham R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	84	67	289	247	86	73	191	143	227	223	107	95	140	128	191	167	222	178	
1 Enteric fever	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	6	7	—	—	2	2	6	5	1	2	2	—	—	1	4	4	3
4 Scarlet fever	—	—	3	1	—	2	1	—	—	2	—	—	1	—	1	—	1	1	4
5 Whooping cough	1	—	6	7	1	1	3	2	3	2	2	1	1	3	4	2	11	18	5
6 Diphtheria	—	—	1	—	—	2	—	—	7	7	—	—	1	—	2	—	—	1	6
7 Influenza	6	2	22	18	2	—	9	18	13	15	3	5	4	3	3	10	11	15	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—	1	1	1	—	—	—	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	1	1	—	—	—	—	1	1	4	—	9
10 Tuberculosis of respiratory sys.	4	1	26	15	2	2	8	2	9	12	4	4	5	4	10	15	9	10	10
11 Other tuberculous diseases	—	—	5	3	—	2	2	2	3	4	3	2	2	2	1	4	6	2	11
12 Cancer, malignant disease	5	10	18	28	7	10	16	8	17	20	13	8	7	16	12	17	14	9	12
13 Rheumatic fever	—	—	1	—	—	—	1	—	2	2	—	—	—	—	1	1	—	—	13
14 Diabetes	1	—	2	3	—	3	2	3	—	1	3	2	3	—	—	1	—	1	14
15 Cerebral hæmorrhage, &c.	1	3	6	10	2	6	8	6	9	8	5	8	11	8	11		9	9	15
16 Heart disease	20	15	29	24	11	8	28	22	27	34	20	16	31	39	33		10	19	16
17 Arterio-sclerosis	5	9	6	5	1	—	3	—	9	3	2	2	10	5	7	5	2	1	17
18 Bronchitis	2	3	19	21	4	3	10	11	16	18	4	5	3	3	12	10	21	12	18
19 Pneumonia (all forms)	3	2	45	33	15	7	23	23	22	21	5	5	11	8	20	2	39	23	19
20 Other respiratory diseases	1	—	3	1	—	—	3	2	6	1	1	2	1	1	3	2	2	3	20
21 Ulcer of stomach or duodenum	—	—	4	1	—	—	3	1	3	—	1	—	2	2	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	5	5	—	1	8	1	3	3	1	1	1	1	3	—	4	4	22
23 Appendicitis and typhlitis	—	—	3	3	—	—	1	2	—	1	3	—	—	—	2	—	1	1	23
24 Cirrhosis of liver	—	—	1	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	24
25 Acute and chronic nephritis	4	4	7	7	5	2	5	3	2	5	3	4	7	4	3	7	1	4	25
26 Puerperal sepsis	—	—	—	2	—	—	—	—	—	2	—	—	—	1	—	2	—	4	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	—	—	2	—	2	—	1	—	1	—	1	—	2	27
28 Congenital debility and malformation, premature birth	4	2	21	12	10	2	12	9	19	11	4	5	4	5	9	10	25	12	28
29 Suicide	2	1	—	—	1	2	5	—	5	1	3	—	—	2	4	—	—	—	29
30 Other deaths from violence	9	3	21	8	6	1	11	2	12	5	5	1	8	3	9	2	16	5	30
31 Other defined diseases	14	11	29	29	19	19	23	22	32	35	20	19	23	17	39	33	31	17	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929
(Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.* ANGLESEY.

Causes of Death.	Wakefield R.D.		Wetherby R.D.		Wortley R.D.		Holyhead U.D.		Valley R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	144	126	113	98	195	156	91	85	93	98	
1 Enteric fever	—	1	—	—	2	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	2	—	—	—	—	1	1	—	—	3
4 Scarlet fever	—	—	—	1	1	—	—	—	—	—	4
5 Whooping cough	3	2	—	—	2	—	—	2	—	2	5
6 Diphtheria	1	2	1	—	3	2	1	—	1	—	6
7 Influenza	10	4	7	11	13	5	5	7	7	12	7
8 Encephalitis lethargica ..	—	1	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis ..	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	12	6	4	5	8	6	7	7	5	3	10
11 Other tuberculous diseases ..	5	7	1	2	2	—	1	—	2	2	11
12 Cancer, malignant disease ..	9	14	13	12	14	15	7	15	10	19	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	1	—	13
14 Diabetes	2	—	—	2	—	2	1	1	2	—	14
15 Cerebral hæmorrhage, &c. ..	4	7	3	5	7	8	3	4	7	4	15
16 Heart disease	21	18	22	19	36	36	14	20	14	15	16
17 Arterio-sclerosis	4	2	12	7	8	6	4	4	2	3	17
18 Bronchitis	10	9	3	2	14	11	4	2	4	6	18
19 Pneumonia (all forms) ..	15	14	11	9	26	20	6	4	10	5	19
20 Other respiratory diseases ..	2	1	5	1	3	1	—	—	—	2	20
21 Ulcer of stomach or duodenum	—	2	—	—	1	—	1	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	3	1	—	—	4	2	1	1	2	1	22
23 Appendicitis and typhlitis ..	2	2	1	—	1	1	2	—	—	1	23
24 Cirrhosis of liver	—	—	4	—	2	—	—	1	2	—	24
25 Acute and chronic nephritis ..	2	1	2	3	3	7	6	3	5	3	25
26 Puerperal sepsis	—	1	—	2	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition..	—	2	—	1	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	6	4	4	3	8	5	1	2	3	5	28
29 Suicide	1	—	3	—	1	—	2	—	—	2	29
30 Other deaths from violence ..	13	2	4	2	9	4	3	2	5	—	30
31 Other defined diseases ..	18	21	13	11	27	25	21	8	11	11	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	32

BRECKNOCKSHIRE. CAERNARVONSHIRE.

Causes of Death.	Ystradgynlais R.D.		Bangor M.B.		Llandudno U.D.		Gwyrfai R.D.		Lleyn R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	64	61	86	85	74	77	241	241	131	152	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	1	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	1	1	—	1	4	4	—	2	5
6 Diphtheria	—	2	—	1	—	2	2	1	—	—	6
7 Influenza	2	3	6	11	9	4	10	9	1	8	7
8 Encephalitis lethargica ..	—	—	—	—	—	—	—	1	—	—	8
9 Meningococcal meningitis ..	—	—	—	—	—	—	—	1	—	—	9
10 Tuberculosis of respiratory sys.	7	2	6	4	5	4	35	15	7	6	10
11 Other tuberculous diseases ..	3	2	—	1	2	1	1	1	1	1	11
12 Cancer, malignant disease ..	1	3	2	12	12	10	28	29	21	20	12
13 Rheumatic fever	1	—	—	—	—	—	2	—	—	1	13
14 Diabetes	—	—	2	—	1	2	1	3	1	1	14
15 Cerebral hæmorrhage, &c. ..	7	4	3	9	4	3	7	16	4	9	15
16 Heart disease	4	13	15	5	13	15	37	47	18	34	16
17 Arterio-sclerosis	1	—	2	—	4	2	13	16	16	8	17
18 Bronchitis	6	5	5	6	1	3	3	15	5	8	18
19 Pneumonia (all forms) ..	6	2	3	3	9	2	19	13	8	5	19
20 Other respiratory diseases ..	3	—	1	1	2	—	3	1	—	4	20
21 Ulcer of stomach or duodenum	—	—	2	—	—	1	2	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	1	3	—	—	22
23 Appendicitis and typhlitis ..	1	—	—	—	—	—	2	—	—	3	23
24 Cirrhosis of liver	—	—	—	—	—	2	—	—	—	1	24
25 Acute and chronic nephritis ..	—	1	4	2	2	5	17	15	15	14	25
26 Puerperal sepsis	—	2	—	—	—	—	—	2	—	—	26
27 Other accidents and diseases of pregnancy and parturition..	—	1	—	—	—	—	—	3	—	—	27
28 Congenital debility and malformation, premature birth	4	3	2	2	1	1	11	3	6	3	28
29 Suicide	—	—	1	1	1	—	—	—	1	—	29
30 Other deaths from violence ..	5	2	4	3	1	2	7	4	3	1	30
31 Other defined diseases ..	13	14	26	22	7	16	36	39	22	23	31
32 Causes ill-defined or unknown	—	1	—	1	—	—	—	—	2	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

CARDIGANSHIRE.

Causes of Death.	Aberystwyth M.B.		Aberystwyth North R.D.		Aberystwyth South R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	58	72	64	66	55	44	
1 Enteric fever	—	—	—	—	—	1	
2 Small-pox	—	—	—	—	—	—	
3 Measles	—	—	—	—	—	—	
4 Scarlet fever	—	—	—	—	—	—	
5 Whooping cough	—	2	—	2	1	1	
6 Diphtheria	—	1	—	—	—	—	
7 Influenza	3	6	2	1	—	1	
8 Encephalitis lethargica	1	—	—	—	—	—	
9 Meningococcal meningitis	—	1	—	—	—	—	
10 Tuberculosis of respiratory sys.	6	4	8	4	6	5	
11 Other tuberculous diseases	3	2	4	—	—	1	
12 Cancer, malignant disease	7	13	9	17	1	7	
13 Rheumatic fever	—	—	—	—	—	—	
14 Diabetes	—	—	—	2	1	—	
15 Cerebral hæmorrhage, &c.	7	2	3	5	4	2	
16 Heart disease	10	10	12	15	12	8	
17 Arterio-sclerosis	4	4	—	1	1	—	
18 Bronchitis	1	2	—	2	5	2	
19 Pneumonia (all forms)	—	1	2	1	5	4	
20 Other respiratory diseases	—	—	2	—	2	—	
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	—	—	
23 Appendicitis and typhlitis	1	—	1	—	—	—	
24 Cirrhosis of liver	—	—	—	—	—	—	
25 Acute and chronic nephritis	2	8	5	5	2	2	
26 Puerperal sepsis	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	
28 Congenital debility and malformation, premature birth	2	1	1	2	—	1	
29 Suicide	1	1	—	—	2	—	
30 Other deaths from violence	2	—	4	1	1	1	
31 Other defined diseases	7	13	10	8	12	8	
32 Causes ill-defined or unknown	—	1	—	—	—	—	

CARMARTHENSHIRE.

Causes of Death.	Carmarthen M.B.		Llanelly M.B.		Carmarthen R.D.		Llandilo Fawr R.D.		Llanelly R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	61	71	226	193	162	178	158	137	218	180	
1 Enteric fever	—	—	1	1	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	2	3	—	2	1	2	1	2	5
6 Diphtheria	1	—	1	—	2	—	—	1	8	3	6
7 Influenza	—	—	7	3	5	4	5	4	8	5	7
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	5	2	23	12	15	15	13	14	10	19	10
11 Other tuberculous diseases	—	—	4	5	2	1	2	1	2	1	11
12 Cancer, malignant disease	4	12	23	21	10	19	9	10	16	20	12
13 Rheumatic fever	—	—	1	2	—	—	1	—	—	—	13
14 Diabetes	—	4	2	1	1	1	1	3	2	3	14
15 Cerebral hæmorrhage, &c.	2	3	9	8	7	17	11	7	9	9	15
16 Heart disease	14	12	38	51	34	21	21	36	33	34	16
17 Arterio-sclerosis	12	11	13	6	9	15	3	8	12	6	17
18 Bronchitis	—	5	13	11	8	14	11	6	10	17	18
19 Pneumonia (all forms)	1	3	16	13	8	10	13	5	12	9	19
20 Other respiratory diseases	2	1	5	2	4	1	2	—	6	2	20
21 Ulcer of stomach or duodenum	—	1	3	—	2	—	—	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	4	2	2	3	1	—	2	1	22
23 Appendicitis and typhlitis	—	—	1	1	3	1	2	2	3	1	23
24 Cirrhosis of liver	—	—	—	—	—	—	2	—	1	—	24
25 Acute and chronic nephritis	8	4	11	3	11	13	10	5	7	3	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	1	—	4	27
28 Congenital debility and malformation, premature birth	2	1	13	7	6	9	9	9	18	10	28
29 Suicide	2	—	3	1	1	1	3	—	3	—	29
30 Other deaths from violence	—	2	13	3	8	1	10	1	18	6	30
31 Other defined diseases	7	8	19	32	23	29	28	19	34	23	31
32 Causes ill-defined or unknown	—	1	—	2	1	—	—	—	1	—	32

DENBIGHSHIRE.

Causes of Death.	Colwyn Bay U.D.		Wrexham M.B.		Wrexham R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	121	150	125	107	419	337	
1 Enteric fever	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	2	3
4 Scarlet fever	—	—	2	—	2	2	4
5 Whooping cough	1	—	—	—	2	3	5
6 Diphtheria	—	—	—	1	3	8	6
7 Influenza	13	12	3	3	18	6	7
8 Encephalitis lethargica	—	—	—	—	2	2	8
9 Meningococcal meningitis	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	7	4	7	8	21	13	10
11 Other tuberculous diseases	—	—	1	2	4	4	11
12 Cancer, malignant disease	11	20	17	13	44	38	12
13 Rheumatic fever	—	—	—	—	1	2	13
14 Diabetes	1	2	1	1	3	4	14
15 Cerebral hæmorrhage, &c.	7	8	7	11	20	29	15
16 Heart disease	18	35	32	22	64	63	16
17 Arterio-sclerosis	8	16	7	2	6	11	17
18 Bronchitis	3	5	5	5	24	26	18
19 Pneumonia (all forms)	11	8	8	6	41	16	19
20 Other respiratory diseases	3	1	1	2	11	4	20
21 Ulcer of stomach or duodenum	1	—	—	—	6	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	3	5	22
23 Appendicitis and typhlitis	1	—	1	—	3	2	23
24 Cirrhosis of liver	2	1	—	—	3	—	24
25 Acute and chronic nephritis	4	7	5	6	15	12	25
26 Puerperal sepsis	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	1	—	6	27
28 Congenital debility and malformation, premature birth	4	1	2	4	28	21	28
29 Suicide	—	1	—	1	2	2	29
30 Other deaths from violence	5	1	9	2	34	4	30
31 Other defined diseases	20	24	16	15	55	48	31
32 Causes ill-defined or unknown	—	—	—	1	3	3	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

FLINTSHIRE.

Causes of Death.	Rhyl U.D.		Hawarden R.D.		Holywell R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	87	85	156	137	179	183	
1 Enteric fever	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	1	2
3 Measles	1	1	1	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—	4
5 Whooping cough	1	—	1	2	5	5	5
6 Diphtheria	—	1	1	1	—	—	6
7 Influenza	5	8	5	10	1	9	7
8 Encephalitis lethargica	—	—	1	1	—	1	8
9 Meningococcal meningitis	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	1	9	8	16	5	10
11 Other tuberculous diseases	—	—	2	4	5	—	11
12 Cancer, malignant disease	14	7	8	21	13	24	12
13 Rheumatic fever	—	—	1	—	1	1	13
14 Diabetes	1	2	—	2	—	1	14
15 Cerebral hæmorrhage, &c.	6	7	15	9	13	18	15
16 Heart disease	12	12	18	10	22	23	16
17 Arterio-sclerosis	4	7	5	1	9	6	17
18 Bronchitis	—	3	5	3	13	14	18
19 Pneumonia (all forms)	4	4	13	8	16	9	19
20 Other respiratory diseases	—	1	5	—	—	2	20
21 Ulcer of stomach or duodenum	—	—	2	1	3	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	3	3	1	1	22
23 Appendicitis and typhlitis	1	2	1	1	1	1	23
24 Cirrhosis of liver	1	—	1	—	—	—	24
25 Acute and chronic nephritis	5	4	3	3	8	6	25
26 Puerperal sepsis	—	—	—	1	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	1	27
28 Congenital debility and malformation, premature birth	3	1	17	11	11	2	28
29 Suicide	—	—	2	—	1	—	29
30 Other deaths from violence	2	1	8	4	10	3	30
31 Other defined diseases	19	23	28	28	29	47	31
32 Causes ill-defined or unknown	—	—	1	1	—	1	32

GLAMORGANSHIRE.

Causes of Death.	Aberdare U.D.		Barry U.D.		Caerphilly U.D.		Gelligaer U.D.		Glyncorwg U.D.		Maesteg U.D.		Mountain Ash U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	400	308	246	185	230	182	307	242	66	59	190	151	274	232	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
3 Measles	—	1	3	1	10	5	7	5	3	1	1	2	3	8	3
4 Scarlet fever	—	—	—	1	—	1	—	1	—	—	1	1	—	—	4
5 Whooping cough	6	6	2	6	3	—	19	9	2	3	—	2	2	1	5
6 Diphtheria	2	9	1	2	2	1	3	6	—	—	3	1	1	4	6
7 Influenza	19	10	3	2	10	6	11	14	7	6	10	9	15	14	7
8 Encephalitis lethargica	—	—	1	—	—	—	2	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	21	26	18	14	15	13	16	18	7	7	11	8	17	21	10
11 Other tuberculous diseases	5	3	4	3	5	4	2	5	1	1	5	2	4	3	11
12 Cancer, malignant disease	29	22	32	31	12	19	23	17	3	8	14	16	18	18	12
13 Rheumatic fever	3	2	—	—	1	1	—	1	—	1	—	2	1	1	13
14 Diabetes	1	4	1	6	1	1	—	2	—	—	1	1	4	3	14
15 Cerebral hæmorrhage, &c.	39	29	3	9	7	7	7	7	1	4	14	12	11	12	15
16 Heart disease	50	40	36	27	36	33	29	41	8	6	15	20	41	42	16
17 Arterio-sclerosis	5	3	9	5	4	1	14	5	1	—	7	1	8	4	17
18 Bronchitis	54	50	12	5	17	6	27	7	5	4	22	23	22	10	18
19 Pneumonia (all forms)	20	14	16	9	20	8	43	25	5	2	20	6	28	12	19
20 Other respiratory diseases	11	7	7	2	4	2	8	1	2	1	2	—	4	3	20
21 Ulcer of stomach or duodenum	1	—	1	1	2	1	1	2	—	—	—	—	2	1	21
22 Diarrhœa, &c. (under 2 years)	1	2	3	3	1	—	4	4	—	2	—	2	3	—	22
23 Appendicitis and typhlitis	1	1	2	—	—	1	2	1	—	—	—	1	1	1	23
24 Cirrhosis of liver	4	—	1	1	—	—	2	—	1	—	—	—	1	—	24
25 Acute and chronic nephritis	16	12	9	6	10	12	18	7	1	—	6	1	9	5	25
26 Puerperal sepsis	—	—	—	1	—	2	—	3	—	—	—	2	—	4	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	3	—	1	—	1	—	2	—	1	—	1	27
28 Congenital debility and malformation, premature birth	16	11	13	14	10	12	14	19	1	4	19	12	16	14	28
29 Suicide	2	2	4	2	5	—	2	—	1	—	2	—	1	—	29
30 Other deaths from violence	32	4	13	3	12	9	22	2	4	—	15	5	23	4	30
31 Other defined diseases	62	48	52	28	43	35	31	39	13	7	21	21	39	46	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

GLAMORGANSHIRE—*cont.*

Causes of Death.	Neath M.B.		Ogmore & Garw U.D.		Pen-arth U.D.		Pon-typridd U.D.		Port Talbot M.B.		Rhondda U.D.		Car-diff R.D.		Llantri-sant & Llantwit-fardre R.D.		Neath R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	208	215	173	154	85	94	321	244	266	196	991	871	141	123	143	133	227	230	
1 Enteric fever	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	8	5	—	—	5	6	2	—	—	1	1	2	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	1	—	—	4
5 Whooping cough	4	4	2	8	—	3	—	4	—	1	7	13	—	3	1	1	2	2	5
6 Diphtheria	2	1	—	—	—	—	—	2	1	13	13	8	—	—	2	1	2	2	6
7 Influenza	6	5	8	7	5	5	8	4	10	7	57	50	6	1	12	9	10	10	7
8 Encephalitis lethargica	2	1	—	1	—	—	—	—	1	—	2	1	—	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	13	14	8	6	9	7	15	18	17	15	58	60	10	5	7	13	17	20	10
11 Other tuberculous diseases	1	3	3	2	—	—	5	1	5	2	20	15	2	2	6	1	3	4	11
12 Cancer, malignant disease	13	24	13	9	11	10	29	19	23	28	79	61	20	18	13	12	23	28	12
13 Rheumatic fever	2	—	1	1	—	—	—	1	1	2	6	3	—	—	1	3	—	1	13
14 Diabetes	—	2	1	—	1	1	2	2	3	4	6	14	—	1	2	—	1	4	14
15 Cerebral hæmorrhage, &c.	12	6	9	8	5	4	19	21	13	11	47	49	3	10	2	9	6	10	15
16 Heart disease	41	43	30	27	11	15	69	39	57	45	174	180	22	18	14	26	28	33	16
17 Arterio-sclerosis	6	6	5	1	4	2	4	1	7	5	28	26	7	9	4	4	14	16	17
18 Bronchitis	10	8	16	6	5	8	20	12	17	11	94	73	11	8	17	11	12	9	18
19 Pneumonia (all forms)	25	13	16	9	2	5	19	20	20	6	72	53	10	4	11	4	15	12	19
20 Other respiratory diseases	2	—	3	1	—	1	5	4	3	1	20	12	4	3	—	—	4	2	20
21 Ulcer of stomach or duodenum	2	—	3	1	—	1	2	2	1	—	9	3	1	—	1	1	4	—	21
22 Diarrhœa, &c. (under 2 years)	1	2	—	2	1	1	4	1	6	3	6	12	2	—	2	2	3	3	22
23 Appendicitis and typhlitis	—	—	1	1	—	—	1	3	1	1	8	2	—	—	—	1	2	3	23
24 Cirrhosis of liver	1	—	—	—	—	—	1	—	—	—	1	—	1	1	—	—	1	—	24
25 Acute and chronic nephritis	6	11	8	6	7	3	8	7	6	6	23	23	7	3	7	—	8	10	25
26 Puerperal sepsis	—	—	—	1	—	1	—	1	—	—	—	3	—	1	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	2	—	8	—	3	—	12	—	—	—	2	—	4	27
28 Congenital debility and malformation, premature birth	9	17	12	13	1	5	15	5	18	9	51	36	8	5	11	7	10	11	28
29 Suicide	4	2	1	—	—	—	2	—	1	1	5	3	4	—	2	1	5	1	29
30 Other deaths from violence	16	10	10	6	2	3	21	4	14	6	62	16	2	2	10	2	10	3	30
31 Other defined diseases	30	43	22	35	19	16	63	60	40	16	138	135	18	29	17	21	44	37	31
32 Causes ill-defined or unknown	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—	—	—	1	32

GLAMORGANSHIRE—*cont.* MONMOUTHSHIRE.

Causes of Death.	Peny-bont R.D.		Pon-tar-dawe R.D.		Swan-sea R.D.		Aber-carn U.D.		Aber-sychan U.D.		Aber-tillery U.D.		Bed-wellty U.D.		Blaen-avon U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	165	134	225	177	149	139	125	103	157	138	207	144	200	135	85	70	
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	2	4	3	2	3	—	2	—	—	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	2	1	4	1	3	3	5	6	2	—	4	6	10	6	1	1	5
6 Diphtheria	2	1	6	2	—	1	1	—	3	—	1	2	1	1	—	—	6
7 Influenza	3	11	5	2	7	5	4	8	4	1	5	4	16	9	—	2	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	2	—	—	—	1	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	11	5	18	11	6	13	5	4	6	10	10	8	13	8	3	3	10
11 Other tuberculous diseases	—	—	2	3	3	2	3	1	2	1	4	1	3	1	4	3	11
12 Cancer, malignant disease	14	13	18	15	13	17	10	14	11	16	18	16	15	7	4	2	12
13 Rheumatic fever	1	—	—	—	1	—	1	1	—	1	—	—	2	—	—	1	13
14 Diabetes	—	3	2	1	1	1	1	1	4	—	1	6	—	1	1	—	14
15 Cerebral hæmorrhage, &c.	6	14	17	22	8	5	9	1	8	8	6	6	7	10	9	9	15
16 Heart disease	31	31	30	24	26	21	9	6	25	23	45	27	20	15	17	14	16
17 Arterio-sclerosis	4	—	2	6	8	7	1	2	3	—	6	—	5	4	—	—	17
18 Bronchitis	7	8	13	16	5	5	10	8	22	14	12	2	8	7	8	5	18
19 Pneumonia (all forms)	16	4	15	11	10	9	12	8	10	5	22	10	22	18	3	1	19
20 Other respiratory diseases	4	—	10	2	1	1	3	2	1	2	2	2	3	1	4	3	20
21 Ulcer of stomach or duodenum	—	—	2	—	—	—	2	2	1	—	2	2	3	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	1	1	2	3	—	1	1	2	2	1	2	3	—	—	22
23 Appendicitis and typhlitis	4	—	3	1	1	—	3	1	—	2	1	—	5	—	—	—	23
24 Cirrhosis of liver	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—	1	24
25 Acute and chronic nephritis	4	1	4	4	5	2	2	—	7	4	4	4	2	7	—	2	25
26 Puerperal sepsis	—	2	—	1	—	3	—	1	—	—	—	1	—	3	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	3	—	2	—	4	—	4	—	3	—	2	—	2	27
28 Congenital debility and malformation, premature birth	8	10	13	10	19	10	7	6	10	8	13	5	12	7	1	2	28
29 Suicide	2	—	3	2	—	2	2	—	2	1	3	1	—	—	4	—	29
30 Other deaths from violence	14	4	15	4	3	2	14	2	5	—	12	3	28	3	9	2	30
31 Other defined diseases	29	21	41	35	25	25	17	22	25	31	30	30	23	19	16	17	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1929 (Civilian population only)—*cont.*

MONMOUTHSHIRE—*cont.*

Causes of Death.	Ebbw Vale U.D.		Mynydislwyn U.D.		Nantyglo & Blaina U.D.		Panteg U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		St. Mellons R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	209	172	93	75	90	73	77	87	78	57	99	92	145	127	97	67	
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2
3 Measles	—	—	2	—	1	—	2	—	—	—	2	1	—	—	2	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	4
5 Whooping cough	1	—	3	1	—	—	—	—	1	2	1	4	5	3	1	1	5
6 Diphtheria	—	—	1	2	—	—	—	2	1	—	—	1	1	2	1	—	6
7 Influenza	8	8	5	4	2	3	2	1	6	2	3	5	4	3	7	—	7
8 Encephalitis lethargica	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	9
10 Tuberculosis of respiratory sys.	10	12	6	7	2	7	4	2	4	4	8	5	4	11	2	11	10
11 Other tuberculous diseases	3	2	2	2	—	—	1	1	2	—	2	2	1	2	—	1	11
12 Cancer, malignant disease	18	19	5	6	10	7	13	11	3	4	10	8	14	7	9	9	12
13 Rheumatic fever	—	1	—	1	1	—	—	1	—	—	1	—	—	—	—	—	13
14 Diabetes	—	4	1	—	1	3	2	2	—	1	1	1	1	2	2	1	14
15 Cerebral hæmorrhage, &c.	9	11	3	5	1	3	6	8	8	5	2	5	8	4	1	2	15
16 Heart disease	34	28	10	9	29	19	15	19	9	3	11	17	27	33	21	12	16
17 Arterio-sclerosis	5	4	4	1	2	1	1	1	2	3	2	1	5	7	2	3	17
18 Bronchitis	10	10	4	9	9	4	2	5	5	1	12	10	9	6	3	2	18
19 Pneumonia (all forms)	17	9	12	8	4	4	4	2	5	2	7	3	18	12	10	4	19
20 Other respiratory diseases	2	6	1	1	—	1	1	3	—	—	—	—	5	—	—	—	20
21 Ulcer of stomach or duodenum	—	1	—	—	—	—	1	—	1	—	1	—	2	—	3	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	1	1	—	2	—	3	3	2	1	2	2	1	—	22
23 Appendicitis and typhlitis	5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24 Cirrhosis of liver	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	7	4	3	2	5	3	—	1	6	4	1	2	2	1	4	5	25
26 Puerperal sepsis	—	4	—	1	—	1	—	—	—	1	—	2	—	3	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	10	14	3	4	7	2	5	1	1	—	5	3	5	5	3	4	28
29 Suicide	3	—	1	1	—	1	1	3	—	—	—	—	1	—	4	—	29
30 Other deaths from violence	28	2	9	1	7	—	5	1	4	1	4	2	4	3	7	—	30
31 Other defined diseases	37	28	17	9	7	11	10	21	14	19	24	17	26	19	13	9	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	32

MONTGOMERYSHIRE.

Causes of Death.	Llanfyllin R.D.		Newtown & Llanidloes R.D.		
	M.	F.	M.	F.	
All Causes	104	87	72	61	
1 Enteric fever	—	—	—	—	1
2 Small-pox	—	—	—	—	2
3 Measles	—	2	—	—	3
4 Scarlet fever	—	—	—	—	4
5 Whooping cough	3	2	—	—	5
6 Diphtheria	1	—	—	1	6
7 Influenza	4	2	3	4	7
8 Encephalitis lethargica	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	11	5	4	10
11 Other tuberculous diseases	3	1	2	3	11
12 Cancer, malignant disease	13	5	9	4	12
13 Rheumatic fever	—	—	—	—	13
14 Diabetes	1	—	—	1	14
15 Cerebral hæmorrhage, &c.	2	8	7	4	15
16 Heart disease	21	12	12	15	16
17 Arterio-sclerosis	8	3	1	1	17
18 Bronchitis	2	5	2	3	18
19 Pneumonia (all forms)	6	4	4	4	19
20 Other respiratory diseases	—	1	—	—	20
21 Ulcer of stomach or duodenum	3	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	22
23 Appendicitis and typhlitis	2	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	24
25 Acute and chronic nephritis	4	3	10	3	25
26 Puerperal sepsis	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	27
28 Congenital debility and malformation, premature birth	6	5	2	3	28
29 Suicide	3	—	—	—	29
30 Other deaths from violence	6	2	2	1	30
31 Other defined diseases	13	18	13	10	31
32 Causes ill-defined or unknown	—	1	—	—	32

PEMBROKESHIRE.

Causes of Death.	Pembroke M.B.		Haverfordwest R.D.		Narberth R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	79	104	134	119	97	92	
1 Enteric fever	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	3	1	5
6 Diphtheria	1	1	4	1	1	—	6
7 Influenza	2	1	9	5	5	3	7
8 Encephalitis lethargica	—	1	—	2	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	6	8	7	4	4	10
11 Other tuberculous diseases	—	1	2	1	—	2	11
12 Cancer, malignant disease	3	10	15	11	9	15	12
13 Rheumatic fever	—	—	—	2	—	—	13
14 Diabetes	—	3	1	1	—	2	14
15 Cerebral hæmorrhage, &c.	1	3	5	9	6	6	15
16 Heart disease	22	26	20	26	13	17	16
17 Arterio-sclerosis	6	2	4	3	6	5	17
18 Bronchitis	4	4	2	5	8	5	18
19 Pneumonia (all forms)	2	3	12	6	7	2	19
20 Other respiratory diseases	—	1	5	1	2	2	20
21 Ulcer of stomach or duodenum	1	—	1	2	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	2	—	—	—	22
23 Appendicitis and typhlitis	1	—	—	1	—	—	23
24 Cirrhosis of liver	—	1	—	—	1	—	24
25 Acute and chronic nephritis	2	3	7	4	4	2	25
26 Puerperal sepsis	—	—	—	3	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	3	3	11	3	—	3	28
29 Suicide	—	—	1	—	1	1	29
30 Other deaths from violence	5	2	9	—	3	1	30
31 Other defined diseases	23	31	15	24	24	19	31
32 Causes ill-defined or unknown	—	1	1	—	—	1	32

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929.

The deaths in this table include those of non-civilians and have been classified to the several forms of violence, (e.g., suicide, accident, etc.,) in accordance with the information furnished by H.M. Coroners.

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total	M.	15077	331	807	806	421	927	1209	1818	1697	2223	2247	1586	1005
		F.	6818	292	483	384	133	264	279	485	535	791	858	923	1391
165–174	Suicide	M.	3480	—	—	—	1	61	128	383	511	882	876	481	157
		F.	1504	—	—	—	1	50	72	233	280	405	299	136	28
197–199	Murder	M.	44	10	7	9	1	1	2	2	3	4	3	2	—
		F.	72	14	7	1	1	4	4	12	14	5	7	2	1
	Manslaughter	M.	47	—	—	—	1	7	6	4	13	7	4	5	—
		F.	27	2	—	1	2	2	5	7	3	2	1	2	—
	"Infanticide"	M.	4	4	—	—	—	—	—	—	—	—	—	—	—
		F.	8	8	—	—	—	—	—	—	—	—	—	—	—
	Justifiable Homicide	M.	2	—	—	—	—	—	—	1	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190	Wounds of War	M.	72	—	—	—	—	—	—	19	32	18	3	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
202 pt	Execution	M.	8	—	—	—	—	—	3	3	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Accident	M.	10676	282	790	784	409	841	1034	1339	1029	1162	1191	1006	809
		F.	4930	239	471	378	127	191	181	198	197	331	513	755	1349
	"Open Verdicts"*	M.	700	30	8	9	9	13	32	63	96	146	167	90	37
		F.	259	25	1	3	—	17	16	34	39	47	37	27	13
	Others†	M.	44	5	2	4	—	4	4	4	10	4	3	2	2
		F.	18	4	4	1	2	—	1	1	2	1	1	1	—
165–174	Suicide :—														
165 & 166	By Solid or Liquid Poisons and Corrosive Substances	M.	354	—	—	—	—	4	15	58	69	94	73	34	7
		F.	314	—	—	—	—	14	20	64	55	68	62	29	2
	Hydrochloric acid	M.	38	—	—	—	—	—	2	5	7	11	7	3	3
		F.	27	—	—	—	—	1	—	7	5	3	7	3	1
	Potassium cyanide	M.	37	—	—	—	—	1	1	3	8	17	4	3	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	Prussic acid, hydrocyanic acid	M.	22	—	—	—	—	—	1	4	6	4	4	2	1
		F.	3	—	—	—	—	—	—	2	—	1	—	—	—
	Oxalic acid	M.	9	—	—	—	—	—	—	1	2	1	4	1	—
		F.	19	—	—	—	—	1	5	4	1	6	1	1	—
	Carbolic acid . ..	M.	20	—	—	—	—	—	—	1	6	7	5	1	—
		F.	28	—	—	—	—	2	3	7	5	4	3	3	1
	Opium, laudanum, morphia	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	2	—	—	—	—	—	—	—	1	—	1	—	—
	Ammonia	M.	8	—	—	—	—	—	—	1	1	3	2	1	—
		F.	16	—	—	—	—	1	—	2	4	3	4	2	—
	Lysol	M.	145	—	—	—	—	1	5	31	29	36	30	12	1
		F.	159	—	—	—	—	6	8	36	25	41	28	15	—
	Strychnine	M.	3	—	—	—	—	—	—	—	—	—	1	2	—
		F.	2	—	—	—	—	—	—	—	—	1	1	—	—
	Corrosive (not stated) ..	M.	4	—	—	—	—	—	—	—	1	1	2	—	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—

* These deaths (*i.e.* those which cannot be definitely classified as suicidal, homicidal, or accidental in causation) are included under "Accident" in the detailed tables as follows :—International List No. 177, 13 M., 22 F.; No. 178, 3 F; No. 179, 4 M., 11 F.; No. 180, 19 M., 16 F.; No. 181, 24 M., 21 F.; No. 182, 520 M., 136 F.; No. 183, 10 M.; No. 184, 2 M., 1 F.; No. 185, 23 M., 13 F.; No. 186, 3 M.; No. 188, 56 M., 8 F.; No. 201, 15 M., 6 F.; No. 202, 5 M., 20 F.; No. 203, 6 M., 2 F.

† Inquests adjourned and not resumed under Section 20 of the Coroners (Amendment) Act 1926 concerning which the available information is insufficient to admit of more definite classification of the deaths in this summary. These deaths are included under the headings of the International List as follows :—No. 180, 1 M.; No. 181, 1 F.; No. 182, 3 M., 2 F.; No. 184, 6 M., 4 F.; No. 185, 1 F.; No. 188, 19 M., 5 F.; No. 202, 15 M., 5 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List. No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Suicide—*cont.*														
165 & 166 —*cont.*	Other solid or liquid poisons (or kind not stated) * ..	M.	68	—	—	—	—	2	6	12	9	14	14	9	2
		F.	56	—	—	—	—	3	4	6	14	9	15	5	—
167	By poisonous gas	M.	824	—	—	—	—	14	22	97	141	215	209	95	31
		F.	461	—	—	—	—	12	21	52	95	140	85	43	13
	Coal gas	M.	819	—	—	—	—	13	21	96	141	214	208	95	31
		F.	461	—	—	—	—	12	21	52	95	140	85	43	13
	Others†	M.	5	—	—	—	—	1	1	1	—	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
168	Hanging or strangulation ..	M.	690	—	—	—	1	19	21	66	66	177	198	110	32
		F.	136	—	—	—	—	—	1	10	29	43	38	11	4
169	Drowning	M.	546	—	—	—	—	11	27	52	72	134	135	88	27
		F.	329	—	—	—	1	16	21	45	57	95	60	28	6
170	Firearms	M.	221	—	—	—	—	7	21	29	33	50	47	25	9
		F.	11	—	—	—	—	—	1	4	3	2	1	—	—
171	Cutting or piercing instruments	M.	581	—	—	—	—	1	5	45	84	151	163	93	39
		F.	118	—	—	—	—	1	1	15	21	30	34	15	1
172	Jumping from high places ..	M.	87	—	—	—	—	1	2	7	16	22	17	16	6
		F.	65	—	—	—	—	3	1	14	5	16	15	9	2
173	Crushing	M.	170	—	—	—	—	4	15	28	29	38	31	20	5
		F.	20	—	—	—	—	1	1	8	4	4	2	—	—
	On railway	M.	160	—	—	—	—	4	15	27	27	35	28	19	5
		F.	20	—	—	—	—	1	1	8	4	4	2	—	—
	Other motor vehicles ..	M.	10	—	—	—	—	—	—	1	2	3	3	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
174	Suicide by other means ..	M.	7	—	—	—	—	—	—	1	1	1	3	—	1
		F.	50	—	—	—	—	3	5	21	11	7	2	1	—
	Setting fire to clothing ..	M.	2	—	—	—	—	—	—	—	—	—	1	—	1
		F.	9	—	—	—	—	1	—	2	3	2	1	—	—
	Burns (not stated)	M.	3	—	—	—	—	—	—	—	—	1	2	—	—
		F.	5	—	—	—	—	—	1	—	—	2	1	1	—
	Abortion :—														
	By operation	F.	19	—	—	—	—	1	2	9	7	—	—	—	—
	,, drugs	F.	3	—	—	—	—	—	1	1	1	—	—	—	—
	Others (or not stated)..	F.	11	—	—	—	—	1	1	9	—	—	—	—	—
	Others (or not stated) § ..	M.	2	—	—	—	—	—	—	1	1	—	—	—	—
		F.	3	—	—	—	—	—	—	—	—	3	—	—	—
	Accident :—														
175	Food poisoning	M.	10	—	1	—	—	1	—	1	1	4	2	—	—
		F.	8	—	1	1	2	1	—	—	—	1	1	1	—
	"Ptomaine poisoning" ..	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
		F.	3	—	—	—	—	1	—	—	—	1	—	1	—
	"Food poisoning"	M.	6	—	—	—	—	1	—	—	—	3	2	—	—
		F.	3	—	—	1	2	—	—	—	—	—	—	—	—
	Others ‖	M.	3	—	1	—	—	—	—	1	—	1	—	—	—
		F.	2	—	1		—	—	—	—	—	—	1	—	—

* Arsenious acid, 1 M.; weed-killer (arsenic), 2 M., 1 F.; sheep dip (arsenic), 1 M.; arsenic (not stated), 2 M.; copper sulphate, 1, M. 1 F.; verdigris, 1 F.; oxide of mercury, 1 F.; chloride of mercury, 1 M., 2 F.; nitrate of mercury, 1 M.; mercuric potassium iodide tablets, 1 M.; chloride of zinc, 2 M.; nitrate of silver, 1 F.; binoxalate of potassium, 1 F.; bichromate of potash, 4 M.; iodine, 1 F.; phosphorus (rat poison), 2 M., 1 F.; spirits of sulphur, 1 F.; acetic acid, 1 M., 1 F.; nitric acid, 1 M.; sulphuric acid, 5 M., 2 F.; chloroform, 2 M.; creosote, 1 M.; cresoline, 1 M.; cresol, 1 F.; phenol, 2 M.; ammonium sulpho-cyanide, 1 M.; cyanide of sodium, 1 M., 1 F.; cyanide (not stated), 3 M.; chloral, 1 F.; chloral and morphia, 1 F.; chloral and medinal, 1 F.; morphine and veronal, 1 M.; veronal, 1 M., 5 F.; medinal, 1 M., 3 F.; dial, 1 F.; phenylethyl barbituric acid, 1 M.; aspirin, 3 M., 3 F.; hypnotic (not stated), 1 F.; "White Oil" (ammonia, turpentine and olive oil), 1 M.; turpentine and ammonia, 1 M.; methyl salicylate, 1 F.; aconite, belladonna, chloroform, 1 F.; liniment (belladonna), 1 M.; liniment (chloroform and belladonna), 1 F.; liniment (camphor and ammonia), 1 M.; liniment (camphor), 1 F.; liniment (camphor and menthol), 1 F.; liniment (iodine), 1 F.; liniment (not stated), 1 M., 1 F.; nicotine, 1 M., 1 F.; mustard oil, 1 F.; eucalyptus oil, 1 F.; quinine, 1 F.; aconite, 1 M.; chlorodyne, 1 M.; cocaine, 1 M.; eserine, 1 F.; vermin killer (strychnine), 3 M., 3 F.; "Izal", 1 M., 2 F.; Jeyes fluid, 1 M., 2 F.; Sanitary fluid (not stated), 1 M., 1 F.; weed killer (not stated), 2 M., 1 F.; rat poison (not stated), 2 F.; soldering fluid, 2 M.; foot rot mixture, 1 M.; "XL All" vaporising fumigator, 1 M.; "Kill-germ" fluid, 1 M.; poison (not stated), 3 M., 1 F.

† Including fumes from motor car, 4 M.

§ Exploding detonator, 1 M.; swallowing foreign body, 1 F.; on belt of machinery, 1 M.; refusal to take food, 1 F.; blows, 1 F.

‖ Fish, 2 M., 1 F.; mushrooms, 1 M.; tinned tomatoes, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List. No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Accident—*cont.*														
176	Poisoning by venomous animals	M.	5	—	—	—	—	1	—	—	1	2	1	—	—
		F.	18	—	—	—	—	3	1	5	—	3	3	3	—
	"Insect"	M.	4	—	—	—	—	1	—	—	1	1	1	—	—
		F.	12	—	—	—	—	2	1	3	—	2	2	2	—
	Others*	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
		F.	6	—	—	—	—	1	—	2	—	1	1	1	—
177	Other acute accidental poisonings	M.	59	2	8	6	2	1	4	3	8	8	8	4	5
		F.	47	—	8	1	—	2	1	4	7	4	10	4	6
	Carbolic acid	M.	3	—	—	—	—	—	—	1	1	—	1	—	—
		F.	2	—	—	—	—	1	—	—	—	—	—	—	1
	Lysol	M.	4	2	—	—	—	—	1	—	—	—	1	—	—
		F.	3	—	—	—	—	—	1	—	—	—	1	1	—
	Hydrochloric acid	M.	3	—	1	—	—	—	—	—	—	1	1	—	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	Opium, laudanum, morphia ..	M.	3	—	—	—	—	—	—	—	1	—	—	1	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Belladonna	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or kind not stated)† ..	M.	46	—	7	6	2	1	3	2	6	7	5	3	4
		F.	41	—	8	1	—	1	—	4	7	4	8	3	5
178	Conflagration	M.	45	4	2	1	11	—	2	7	3	4	5	4	2
		F.	33	1	6	3	—	1	3	1	3	3	6	1	5
179	Accidental burns (Conflagration excepted)	M.	685	54	369	34	11	11	9	22	30	25	24	43	53
		F.	946	50	246	82	32	60	36	41	36	39	67	101	156
	1. Burns	M.	285	19	76	15	10	9	6	18	19	13	15	35	50
		F.	692	20	95	61	29	55	34	36	33	34	59	94	142
	By flannelette clothes‡ ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	16	—	5	5	1	—	—	—	—	—	1	1	3
	" clothes (other or not described)§	M.	67	—	24	8	1	2	—	1	4	3	2	10	12
		F.	305	4	41	27	20	38	16	18	15	15	22	40	49
	" molten metal ..	M.	6	—	—	—	—	1	—	1	—	3	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	" playing with fire, &c	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
		F.	6	—	4	2	—	—	—	—	—	—	—	—	—
	" falling into fire ..	M.	25	1	6	—	1	—	—	—	—	1	1	6	9
		F.	34	—	1	—	—	—	2	2	2	5	5	4	13
	" bedding	M.	6	3	—	—	—	—	—	—	—	—	1	1	1
		F.	8	1	—	—	—	—	—	—	1	—	1	2	3
	" lamp accident ..	M.	4	—	—	—	—	2	—	—	—	—	—	—	2
		F.	8	2	1	—	—	—	—	—	—	—	—	4	1
	Otherwise (or not stated how):—														
	Ships, docks, &c. ..	M.	4	—	—	—	—	—	—	1	1	—	1	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others**	M.	170	12	46	7	8	4	6	15	14	6	10	16	26
		F.	315	13	43	27	8	17	16	16	15	14	30	43	73

* Gnat bite, 1 M., 4 F.; mosquito bite, 2 F.

† Foot rot (arsenical), 1 M.; arsenic (not stated), 2 F.; Mercury (powder form), 1 M.; red oxide of lead 1 F; chloride of mercury, 1 M.; chloride of zinc, 1 M.; thallium acetate 3 M.; ammonia, 1 M., 6 F.; caustic potash solution, 1 M.; caustic soda, 2 M.; chlorate of potash, 1 F.; phosphorus (rat poison), 1 M.; phosphorus (not stated), 1 F.; oxalic acid, 3 M., 2 F.; "Fluxite" (containing Hydrochloric acid), 1 M.; alcohol, 1 M., 1 F.; coal tar inhalant, 1 M.; cresol, 1 F.; carbolic acid and cresol inhalant, 1 F.; "cynogas" (cyanide preparation for destruction of rats), 1 M.; cyanide (not stated), 1 M.; hydrocyanic acid, 3 M.; paraldehyde, 2 M.; veronal, 1 F.; medinal, 6 F.; aspirin, 3 M., 2 F.; chloral hydrate, 1 M.; chlorodyne, 3 F.; liniment (A.B.C.), 1 M., 1 F.; liniment (aconite and belladonna), 1 M., 1 F.; liniment (aconite), 1 M.; liniment (methyl-salicylate), 1 F.; liniment (ammonia and turpentine), 1 F.; liniment (Sloans), 1 M.; mixture (menthol eucalyptus, camphor, methyl salicylate), 1 F.; digitalis, 1 M.; pills (containing strychnine), 1 M.; Easton's syrup tablets, 3 F.; strychnine, 1 M.; belladonna and ammonia, 1 F.; atoquinol, 1 M.; oil of sassafras and bagrum, 1 M.; laburnum seeds, 1 M.; wild arum, 1 M., dandelion, 1 M.; poisonous berries, 1 M.; yohimbine, 1 F; wild herb (not stated), 1 F.; Jeyes fluid, 1 M.; poison (not stated), 3 M., 2 F.

‡ Including cinder from fire, 2 F.; candle, 1 F.

§ Including playing with matches, 3 M., 1 F.; candle, 7 M., 12 F.; unguarded fire, 2 M., 4 F.; gas stove, ring, &c., 1 M., 21 F.; oil stove, 3 F.; methylated spirit stove, 2 F.; petrol, 3 F.

** Including aeroplane, 7 M.; motor car, 3 M., 5 F.; motor coach, 3 M., 4 F.; motor lorry, 2 M.; motor cycle, 5 M.; tramcar, 2 M.; petrol, 3 M., 5 F.; oil stove, 2 M., 3 F.; hot water bottle, 3 M., 2 F.; candle, 3 M., 2 F.; playing with matches, 2 M.; unprotected fire, 2 M., 3 F.; ignition of film, 2 M.; primus stove, 2 F.; gas ring, 1 M., 4 F.; putting paraffin on fire, 2 F.; hair catching alight, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List No.	Cause or Character of Violence.		All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Accident—*cont.*														
	2. Scalds	M.	381	35	291	19	1	2	2	3	6	8	5	6	3
		F.	252	30	151	21	3	5	2	5	3	5	8	7	12
	By steam	M.	4	1	—	—	—	—	—	1	—	2	—	—	—
		F.	2	—	2	—	—	—	—	—	—	—	—	—	—
	By drinking hot liquids	M.	4	—	4	—	—	—	—	—	—	—	—	—	—
		F.	2	—	1	—	—	—	—	—	—	1	—	—	—
	In ships, docks, &c. ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated how)	M.	373	34	287	19	1	2	2	2	6	6	5	6	3
		F.	248	30	148	21	3	5	2	5	3	4	8	7	12
	3. Explosions*	M.	19	—	2	—	—	—	1	1	5	4	4	2	—
		F.	2	—	—	—	—	—	—	—	—	—	—	—	2
	In ships, docks, &c. ..	M.	3	—	—	—	—	—	—	1	—	—	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other (or not stated)† ..	M.	16	—	2	—	—	—	1	—	5	4	2	2	—
		F.	2	—	—	—	—	—	—	—	—	—	—	—	2
180	Accidental mechanical suffocation	M.	284	212	24	9	3	3	3	7	7	5	5	4	2
		F.	221	185	6	3	—	3	—	2	2	6	6	4	4
	In bed	M.	152	146	4	—	—	—	—	—	1	—	—	1	—
		F.	134	130	—	—	—	—	—	—	1	—	2	—	1
	,, cot, cradle, &c.	M.	29	28	1	—	—	—	—	—	—	—	—	—	—
		F.	17	17	—	—	—	—	—	—	—	—	—	—	—
	Falling on face	M.	3	—	—	—	—	—	1	—	—	1	1	—	—
		F.	1	—	—	—	—	—	—	—	—	1	—	—	—
	Heavy substance on	M.	12	—	—	3	2	2	1	—	2	2	—	—	—
		F.	4	—	1	3	—	—	—	—	—	—	—	—	—
	Food, &c.	M.	57	17	16	6	1	—	—	4	4	1	3	3	2
		F.	36	16	4	—	—	3	—	1	1	2	4	2	3
	Others‡	M.	31	21	3	—	—	1	1	3	—	1	1	—	—
		F.	29	22	1	—	—	—	—	1	—	3	—	2	—
181	Accidental absorption of irrespirable or poisonous gas	M.	134	—	3	2	2	—	6	7	19	28	26	24	17
		F.	111	2	5	4	—	1	4	8	12	11	18	20	26
	Coal gas	M.	93	—	1	2	2	—	4	4	11	17	19	17	16
		F.	97	2	5	4	—	1	2	5	10	11	13	20	24
	Carbon monoxide§	M.	26	—	—	—	—	—	2	2	5	8	5	4	—
		F.	8	—	—	—	—	—	1	3	1	—	2	—	1
	Carbon dioxide	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated):—														
	Ships, docks, &c.	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others‖	M.	12	—	2	—	—	—	—	1	2	2	1	3	1
		F.	6	—	—	—	—	—	1	—	1	—	3	—	1

* For other deaths caused by explosions but not resulting from burns or scalds *see* No. 202.

† Including boiler, 4 M.; gas, 4 M., 2 F.; benzole, 2 M.; petrol tank, 1 M.; gunpowder, 1 M.; in subway, 1 M.

‡ Including under influence of alcohol, 1 M.; at mother's breast, 3 M., 3 F.

§ Motor car, 7 M., 1 F.; motor cycle, 1 M.; motor engine (not stated), 1 M.; furnace, 4 M.; stoke hole, 2 M.; steelworks, 1 M.; manhole, 1 M.; water gas plant, 1 M.; on slag tip, 1 M.; smouldering bedding, 1 F.; in cellar, 1 M.; geyzer, 2 F.; gas fire, 1 M., 1 F.; coal fire, 1 M.. 1 F.; coke fire, 2 M., 1 F.; fire (not stated), 2 M., 1 F.

‖ Fumes from motor car, 2 M.; gas fire, 2 F.; bucket of coal cinders, 2 M., 1 F.; sewer gas, 4 M.; nitrogen oxide (chemical works), 1 M.; acetic acid, 1 M.; oil stove, 1 F.; smouldering furniture, 1 M.; smouldering bedding, 2 F.; burning sacking and hay, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
182	Accidental Drowning	M.	1253	13	95	156	79	122	89	120	124	152	174	96	33
		F.	267	8	26	26	8	20	22	31	26	43	32	20	5
	Bathing	M.	157	—	—	9	26	61	30	17	6	2	4	2	—
		F.	8	—	—	—	1	3	3	1	—	—	—	—	—
	Pleasure craft..	M.	18	—	—	—	—	1	6	7	3	1	—	—	—
		F.	4	—	1	—	—	—	1	1	1	—	—	—	—
	Other ships and boats ..	M.	62	—	—	1	1	8	7	13	17	10	4	1	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	Docks, &c.	M.	8	—	—	—	—	—	1	1	2	3	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Whilst attempting rescue ..	M.	10	—	—	1	1	3	1	2	—	2	—	—	—
		F.	2	—	—	—	—	—	—	1	1	—	—	—	—
	Otherwise (or not stated how)*	M.	478	6	88	140	48	39	25	35	18	21	33	16	9
		F.	116	4	25	25	7	6	8	10	6	7	7	8	3
	"Found" (open verdict) ..	M.	520	7	7	5	3	10	19	45	78	113	133	76	24
		F.	136	4	—	1	—	10	10	18	18	36	25	12	2
183	Accidental injury by firearms ..	M.	65	—	—	2	4	11	10	11	12	7	8	—	—
		F.	10	—	—	2	—	2	1	3	—	1	1	—	—
184	Accidental injury by cutting or piercing instruments	M.	16	1	3	2	2	1	1	1	2	2	1	—	—
		F.	7	1	3	—	2	—	—	—	—	1	—	—	—
185	Accidental injury by fall ..	M.	1773	14	38	38	20	62	60	115	128	221	271	345	461
		F.	1752	7	13	12	6	8	4	17	32	85	190	372	1006
	In ships, docks, &c.:— ..	M.	107	—	—	—	2	8	7	14	14	31	24	6	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Down hold	M.	37	—	—	—	—	3	2	5	8	6	11	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Into dock	M.	7	—	—	—	—	—	2	3	1	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how) †	M.	63	—	—	—	2	5	3	6	5	24	13	4	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In building operations ..	M.	208	—	—	—	—	14	21	31	32	48	40	20	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Downstairs	M.	307	2	5	2	1	2	2	6	17	46	52	78	94
		F.	434	—	3	1	—	4	2	5	8	34	75	108	194
	From window.. ..	M.	72	1	5	1	—	3	4	10	5	10	8	10	15
		F.	42	1	1	—	—	—	1	2	3	5	10	7	12
	In house, room, &c.	M.	177	2	13	2	—	2	—	4	4	8	14	36	92
		F.	373	1	1	3	—	—	—	—	5	17	33	65	248
	Out of bed	M.	29	3	1	—	—	—	—	1	1	1	1	8	13
		F.	47	2	—	—	—	—	—	—	—	—	3	8	34
	In street..	M.	135	1	—	4	—	1	2	4	3	11	17	33	59
		F.	105	—	—	3	1	—	—	2	2	6	11	30	50
	Diving	M.	9	—	—	—	—	3	2	2	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Down area	M.	2	—	—	1	—	—	—	—	1	—	—	—	—
		F.	2	—	1	—	—	—	—	—	—	—	1	—	—
	Down lift well	M.	7	—	—	—	1	—	—	2	1	—	2	1	—
		F.	2	—	—	—	—	—	—	—	—	—	2	—	—
	From horse	M.	29	—	—	1	1	3	3	2	6	2	3	5	3
		F.	5	—	—	—	—	—	—	3	2	—	—	—	—
	From cliff	M.	22	—	1	1	2	4	1	2	—	3	5	2	1
		F.	4	—	—	—	—	1	—	1	2	—	—	—	—
	From ladder	M.	62	—	—	—	—	—	2	4	8	13	19	10	6
		F.	8	—	—	—	—	—	—	1	2	1	2	2	—
	Otherwise (or not stated how)‡	M.	607	5	13	26	13	22	16	33	34	48	86	136	175
		F.	730	3	7	5	5	3	1	3	8	22	53	152	468

* Skating, sliding, 20 M., 3 F.
† Including fall from staging, 18 M.
‡ Including 44 M., 165 F., age 65 years and upwards, from fracture of leg; from tree, 15 M.; from bridge, 5 M.; from hay-waggon, 9 M.; from hayrick, 8 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186	Accidental injury in mining and quarrying.	M.	1011	—	—	—	22	96	88	217	223	193	137	34	1
	1. Coal mining	M.	933	—	—	—	22	91	80	203	204	175	125	32	1
	Fall of coal, stone, &c.	M.	562	—	—	—	4	38	31	145	141	111	74	18	—
	Crushing	M.	14	—	—	—	—	2	3	—	3	6	—	—	—
	Fall down shaft ..	M.	12	—	—	—	—	1	1	3	2	3	1	1	—
	Fall (not otherwise described).	M.	9	—	—	—	—	—	1	2	1	2	2	1	—
	Machinery	M.	35	—	—	—	3	4	7	7	6	3	5	—	—
	Trams	M.	98	—	—	—	2	9	8	13	21	25	15	5	—
	Tubs	M.	113	—	—	—	11	32	16	16	12	9	12	4	1
	Electric shock	M.	2	—	—	—	—	—	1	—	1	—	—	—	—
	Explosion of gas ..	M.	5	—	—	—	—	1	—	—	2	1	1	—	—
	" Others (or not stated).	M.	9	—	—	—	—	—	5	—	3	—	1	—	—
	Shot firing	M.	16	—	—	—	—	2	4	2	2	3	2	1	—
	Blow (not otherwise defined).	M.	13	—	—	—	—	1	1	6	2	1	2	—	—
	Otherwise (or not stated how).*	M.	45	—	—	—	2	1	2	9	8	11	10	2	—
	2. Other mining	M.	24	—	—	—	—	2	2	5	6	6	3	—	—
	Fall of stone, &c. ..	M.	11	—	—	—	—	1	1	4	1	2	2	—	—
	Others †	M.	13	—	—	—	—	1	1	1	5	4	1	—	—
	3. Quarrying	M.	54	—	—	—	—	3	6	9	13	12	9	2	—
	Fall of stone, &c. ..	M.	31	—	—	—	—	1	5	3	8	6	7	1	—
	Fall (not otherwise described).	M.	5	—	—	—	—	—	—	2	—	3	—	—	—
	Machinery	M.	5	—	—	—	—	1	1	1	2	—	—	—	—
	Otherwise ‡	M.	13	—	—	—	—	1	—	3	3	3	2	1	—
187	Accidental injury by machinery	M.	189	—	—	3	8	17	14	38	31	40	30	7	1
		F.	9	—	—	—	—	3	2	—	—	1	1	2	—
	In ships, docks, &c. ..	M.	8	—	—	—	—	2	—	—	3	—	3	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In metal works ..	M.	19	—	—	—	—	1	6	2	2	4	1	3	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	In textile factories ..	M.	18	—	—	—	3	1	—	3	2	3	5	1	—
		F.	2	—	—	—	—	—	—	—	—	1	1	—	—
	In other factories ..	M.	21	—	—	1	1	2	3	7	3	4	—	—	—
		F.	2	—	—	—	—	2	—	—	—	—	—	—	—
	Agricultural machinery	M.	14	—	—	1	—	2	—	1	1	3	4	2	—
		F.	1	—	—	—	—	—	—	—	—	—	—	1	—
	Lift §	M.	28	—	—	—	2	5	3	5	4	3	6	—	—
		F.	1	—	—	—	—	—	1	—	—	—	—	—	—
	Crane	M.	39	—	—	—	—	2	—	7	10	13	6	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In ships, docks, &c.	M.	10	—	—	—	—	—	—	—	4	2	3	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In building operations	M.	5	—	—	—	—	—	—	—	2	2	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others ‖	M.	24	—	—	—	—	2	—	7	4	9	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Circular saw	M.	6	—	—	—	—	1	—	1	—	2	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other machinery ¶ ..	M.	36	—	—	1	2	1	2	12	6	8	3	—	1
		F.	2	—	—	—	—	—	1	—	—	—	—	1	—
188	Accidental injury by other forms of crushing	M.	5430	3	235	523	239	501	738	802	505	570	585	486	243
		F.	1625	2	150	239	78	96	118	103	109	160	196	238	136
	1. Railways	M.	419	—	10	11	7	15	18	69	81	80	87	33	8
		F.	45	—	2	2	3	7	1	3	6	6	8	6	1
	Run over on line ..	M.	297	—	8	8	4	7	13	47	62	57	61	25	5
		F.	28	—	1	1	2	4	1	2	4	1	6	6	—
	Collision	M.	14	—	—	1	1	1	1	5	1	1	2	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Carbon monoxide in colliery, 8 M.; fire damp. 1 M.; pony, 3 M.; drowned in colliery. 2 M.

† Including shot firing, 3 M., fall down shaft, 3 M.; machinery, 2 M.; waggons, 2 M.; horse, 1 M.

‡ Waggon, 4 M.; blasting operations, 9 M.

§ Including in textile factories, 2 M.; in metal works, 5 M.; in other factories, 2 M.; in building operations, 1 M.

‖ Including in metal works, 8 M.; at railway works, 3 M.; in textile factories, 1 M.

¶ Including building operations, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 —*cont.*	Accidental injury by other forms of crushing—*cont.*														
	1. Railways—*cont.*														
	Fall from carriage or engine	M.	36	—	2	2	1	1	—	4	4	2	11	7	2
		F.	9	—	1	1	—	2	—	1	1	1	2	—	—
	Fall (not otherwise described)	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—	—	1
	Crushing by carriage or engine	M.	50	—	—	—	1	5	4	10	8	15	7	—	—
		F.	5	—	—	—	1	1	—	—	—	3	—	—	—
	Striking bridge ..	M.	2	—	—	—	—	—	—	1	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow (not otherwise described)	M.	6	—	—	—	—	—	—	1	3	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated how)*	M.	13	—	—	—	—	1	—	1	2	4	4	—	1
		F.	2	—	—	—	—	—	—	—	1	1	—	—	—
	2. Other vehicles mechanically propelled.	M.	4318	1	209	472	200	428	670	644	350	373	383	378	210
		F.	1481	2	134	227	71	84	110	96	99	143	173	217	125
	Motor car	M.	1092	—	68	200	48	50	58	97	84	107	128	164	88
		F.	568	1	38	92	25	20	20	33	32	69	78	100	60
	Motor van, lorry, &c. ..	M.	829	—	80	172	72	85	58	63	48	70	72	54	55
		F.	333	—	61	87	22	9	13	7	18	19	33	41	23
	Electric tramcar ..	M.	49	—	3	3	1	—	1	3	6	6	2	18	6
		F	40	—	—	1	1	—	1	1	4	5	5	10	12
	Motor cab	M.	34	—	1	6	2	—	—	—	2	3	7	8	5
		F.	22	—	1	2	2	—	1	4	1	3	3	3	2
	Motor omnibus ..	M.	412	1	36	60	33	42	22	39	28	49	52	34	16
		F.	172	1	17	31	10	10	19	16	9	16	17	18	8
	Motor char-a-banc, coach, &c.	M.	34	—	4	2	1	3	2	6	2	2	6	6	—
		F.	17	—	3	3	2	1	1	—	1	—	3	2	1
	Motor cycle	M.	946	—	17	17	6	100	254	225	80	61	72	77	37
		F.	216	—	13	11	5	22	25	18	17	21	24	41	19
	Aeroplane, airship ..	M.	45	—	—	—	—	3	23	13	4	—	1	1	—
		F.	2	—	—	—	—	—	—	—	1	—	1	—	—
	Motor vehicles (others or undefined)†	M.	28	—	—	6	4	3	1	—	4	8	—	1	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collisions‡ :—	M.	849	—	—	6	33	142	251	198	92	67	43	15	2
		F.	111	—	1	—	4	22	30	17	16	10	9	2	—
	Motor car and motor cycle	M.	256	—	—	1	1	43	92	69	22	16	9	2	1
		F.	30	—	—	—	—	9	6	8	5	2	—	—	—
	Motor car and pedal cycle	M.	80	—	—	—	11	13	11	7	6	15	13	4	—
		F.	5	—	—	—	—	4	1	—	—	—	—	—	—
	Motor van, &c., and motor cycle	M.	167	—	—	—	1	22	58	51	22	13	—	—	—
		F.	12	—	—	—	—	3	3	2	2	1	1	—	—
	Motor van, &c., and pedal cycle	M.	65	—	—	3	12	13	17	7	3	3	5	2	—
		F.	8	—	—	—	2	3	2	1	—	—	—	—	—
	Motor cycle and cycle (pedal or not stated)	M.	54	—	—	—	1	9	17	15	4	2	4	2	—
		F.	6	—	—	—	1	1	3	1	—	—	—	—	—
	Motor bus and motor cycle	M.	67	—	—	1	—	9	24	20	11	—	1	1	—
		F.	10	—	—	—	—	—	7	1	1	1	—	—	—

* Including heavy substance, 4 M.

† Including motor ambulance, 4 M.; motor fire engine, 4 M.; motor hearse, 3 M.

‡ The collisions in these cases are those in which the information recorded in the Death register did not show which vehicle caused death.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 —*cont.*	Accidental injury by other forms of crushing—(*cont.*)														
	Collisions—*cont.*														
	Motor bus and pedal cycle.	M.	23	—	—	—	3	7	1	2	4	3	3	—	—
		F.	2	—	—	—	1	—	—	—	1	—	—	—	—
	Others*	M.	137	—	—	1	4	26	31	27	20	15	8	4	1
		F.	38	—	1	—	—	2	8	4	7	6	8	2	—
	3. Horse drawn vehicles and horses.	M.	184	—	11	13	9	13	5	12	12	34	38	30	7
		F.	26	—	9	3	2	1	2	1	1	1	1	3	2
	Dogcart, trap	M.	12	—	—	1	—	—	1	—	2	4	—	2	2
		F.	3	—	—	—	—	—	—	—	1	—	—	1	1
	Cart	M.	72	—	3	3	2	5	1	5	4	13	21	12	3
		F.	6	—	2	1	—	—	—	1	—	—	—	2	—
	Van, waggon	M.	68	—	5	8	4	5	1	6	2	12	13	10	2
		F.	11	—	5	2	1	1	1	—	—	—	—	—	1
	Dray	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collisions†	M.	3	—	—	—	1	2	—	—	—	—	—	—	—
		F.	2	—	—	—	1	—	1	—	—	—	—	—	—
	Others (or kind not stated)‡	M.	13	—	2	1	2	1	1	—	1	1	—	4	—
		F.	2	—	—	—	—	—	—	—	—	1	1	—	—
	Horses	M.	14	—	1	—	—	—	1	1	3	3	3	2	—
		F.	2	—	2	—	—	—	—	—	—	—	—	—	—
	4. Other and undefined vehicles.	M.	242	1	—	11	15	31	24	31	22	35	30	26	16
		F.	53	—	1	4	1	3	4	1	2	9	9	11	8
	Truck	M.	4	—	—	—	—	—	1	—	1	—	1	1	—
		F.	1	—	—	—	—	—	—	—	—	—	—	—	1
	Van, waggon	M.	3	—	—	—	1	—	—	—	1	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dray	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pedal cycle	M.	207	—	—	8	11	29	20	26	19	29	29	24	12
		F.	47	—	1	4	1	3	3	1	2	9	6	10	7
	Cycle, (not stated)..	M.	18	—	—	—	2	1	3	5	1	3	—	1	2
		F.	4	—	—	—	—	—	—	—	—	—	3	1	—
	Others (or kind not stated)§	M.	9	1	—	2	1	1	—	—	—	2	—	—	2
		F.	1	—	—	—	—	—	1	—	—	—	—	—	—
	5. Other crushing	M.	267	1	5	16	8	14	21	46	40	48	47	19	2
		F.	20	—	4	3	1	1	1	2	1	1	5	1	—
	Fall of heavy substance:—														
	In ships, docks, &c.	M.	36	—	—	—	—	2	5	7	8	5	7	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In building operations	M.	20	—	—	—	1	1	2	6	3	4	3	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In excavations ..	M.	6	—	—	—	—	—	—	—	2	3	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Trees	M.	13	—	—	—	—	2	2	2	1	2	4	—	—
		F.	4	—	—	—	1	1	—	—	—	—	2	—	—

* Including motor car and cycle (not stated) 10 M., 3 F.; tramcar, 2 M., 1 F.; motor bus, 9 M., 8 F.; motor lorry, van, etc., 21 M., 11 F.; motor coach 1 M., 1 F.; horse vehicles, 5 M., 1 F.; hand cart, 1 M. Motor lorry and cycle (not stated), 5 M., 1 F.; motor bus, 3 M., 2 F.; motor coach, 1 M., 1 F.; horse vehicles, 7 M,; steam roller. 1 M.; truck, 1 M.; barrow, 1 F.; horse, 1 M. Electric tram and motor bus, 2 M., 3 F.; motor cycle, 13 M., 1 F.; taxi-cab, 1 M.; pedal cycle, 2 M.; horse vehicles, 1 M.: hand cart, 1 M.; waggon (not stated) 1 M. Motor bus and cycle (not stated), 1 M., 1 F.; barrow, 1 M. Motor cycle and motor char-a-banc, 15 M., 2 F.; taxi-cab, 3 M.; horse vehicles, 20 M.; hand-cart, 2 M. Motor char-a-banc and pedal cycle, 5 M.; motor tractor, 1 M. Motor cab and motor lorry, 1 F.

† Horse van and pedal cycle, 2 M., 2 F.; pony trap and pedal cycle, 1 M.

‡ Including timber carriage, 1 M., 1 F.; waggonnette, 1 M.

§ Including perambulator, 1 M.; coal trams and tubs, 2 M., 1 F.; toboggan, 2 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 —*cont.*	Accidental injury by other forms of crushing—*cont.*														
	5.—Other crushing—*cont.*														
	Fall of heavy substance—*cont.*														
	Others (or not stated how)	M.	164	—	5	13	7	7	10	28	21	31	26	14	2
		F.	16	—	4	3	—	—	1	2	1	1	3	1	—
	Other crushings (or not stated how):—														
	In ships, docks, &c.	M.	14	—	—	—	—	1	2	2	3	1	3	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	14	1	—	3	—	1	—	1	2	2	3	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
189	Injury by animals (poisoning by venomous animals excepted)	M.	48	—	2	4	2	2	3	4	2	5	12	9	3
		F.	7	1	1	—	—	1	—	—	—	1	2	1	—
	Horse	M.	29	—	2	3	2	2	3	4	1	3	4	4	1
		F.	3	1	1	—	—	1	—	—	—	—	—	—	—
	Bull or cow, &c.	M.	19	—	—	1	—	—	—	—	1	2	8	5	2
		F.	4	—	—	—	—	—	—	—	—	1	2	1	—
190	Wounds of war	M.	72	—	—	—	—	—	—	19	32	18	3	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
192	Hunger or thirst	M.	20	—	—	—	—	—	2	1	1	3	8	4	1
		F.	7	1	—	—	—	—	—	—	—	2	1	—	3
193	Excessive cold	M.	68	2	—	—	—	—	1	—	1	7	22	14	21
		F.	27	—	—	1	—	—	1	—	1	5	4	6	9
194	Excessive heat	M.	50	4	3	2	2	2	4	2	2	6	9	11	3
		F.	19	2	2	3	—	—	—	—	1	1	4	3	3
195	Lightning..	M.	14	—	—	—	1	1	2	4	2	2	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
196	Electricity (lightning excepted)	M.	50	—	1	1	2	7	7	18	6	4	4	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	Railways	M.	5	—	1	1	—	—	—	1	1	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others..	M.	45	—	—	—	2	7	7	17	5	3	4	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
197	Homicide by firearms	M.	9	—	—	2	—	1	2	—	1	3	—	—	—
		F.	16	—	—	—	—	2	—	7	2	2	2	—	1
	Murder	M.	9	—	—	2	—	1	2	—	1	3	—	—	—
		F.	15	—	—	—	—	2	—	6	2	2	2	—	1
	Manslaughter	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	Justifiable homicide	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
198	Homicide by cutting or piercing instruments	M.	18	2	4	5	—	—	—	2	2	1	1	1	—
		F.	22	2	2	1	—	—	1	4	7	1	2	2	—
	Murder	M.	15	2	4	5	—	—	—	1	1	—	1	1	—
		F.	21	1	2	1	—	—	1	4	7	1	2	2	—
	Manslaughter	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
		F.	1	1	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
199	Homicide by other means ..	M.	70	12	3	2	2	7	6	5	14	7	6	6	—
		F.	69	22	5	1	3	4	8	8	8	4	4	2	—
	Murder	M.	20	8	3	2	1	—	—	1	1	1	2	1	—
		F.	36	13	5	—	1	2	3	2	5	2	3	—	—
	By drowning	M.	3	2	—	1	—	—	—	—	—	—	—	—	—
		F.	7	4	2	—	—	—	—	—	—	—	1	—	—

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
199	Homicide by other means—*cont.*														
	Murder—*cont.*														
	By strangulation	M.	6	5	—	—	1	—	—	—	—	—	—	—	—
		F.	10	4	1	—	1	—	1	—	2	1	—	—	—
	Abortion:—														
	By operation	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	,, drugs	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) ..	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how)*	M.	11	1	3	1	—	—	—	1	1	1	2	1	—
		F.	19	5	2	—	—	2	2	2	3	1	2	—	—
	Manslaughter	M.	49	4	—	—	1	7	6	3	13	6	4	5	—
		F.	33	9	—	1	2	2	5	6	3	2	1	2	—
	By motor car	M.	23	—	—	—	—	5	5	2	6	—	2	3	—
		F.	11	—	—	1	1	2	1	2	—	2	1	1	—
	,, blow	M.	6	—	—	—	—	1	—	1	1	3	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Abortion:—														
	By operation	F.	6	—	—	—	—	—	3	2	1	—	—	—	—
	,, drugs	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	Others (or not stated)	F.	2	—	—	—	—	—	1	—	1	—	—	—	—
	Others (or not stated how)†	M.	20	4	—	—	1	1	1	—	6	3	2	2	—
		F.	13	9	—	—	1	—	—	1	1	—	—	1	—
	Justifiable Homicide‡ ..	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
201	Fracture (cause not specified) ..	M.	21	1	—	1	—	2	1	4	2	3	6	1	—
		F.	7	2	—	—	—	—	—	—	—	—	2	3	—
202	Other and unstated forms of accidental violence; execution	M.	192	6	16	13	8	17	29	25	27	20	18	11	2
		F.	83	5	9	5	1	6	5	18	9	11	7	4	3
	Swallowing foreign body ..	M.	33	1	7	1	1	—	4	2	5	5	4	3	—
		F.	27	2	3	2	—	—	—	2	3	8	4	2	1
	Blow:—														
	In ships, docks, &c. ..	M.	3	—	—	—	—	—	—	—	1	1	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	43	—	2	5	2	1	4	4	9	5	6	3	2
		F.	8	1	—	—	—	1	—	—	2	2	1	—	1
	Football, cricket, &c. ..	M.	28	—	—	1	2	10	10	5	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	M.	9	5	1	—	1	1	—	1	—	—	—	—	—
		F.	6	2	3	—	—	—	—	—	—	—	—	—	1
	Explosions§:—														
	In ships, docks, &c. ..	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others‖	M.	13	—	—	1	—	1	2	4	1	2	1	1	—
		F.	8	—	1	—	1	—	—	2	1	1	1	1	—
	Abortion:—														
	Verdict of misadventure or accident														
	By operation	F.	6	—	—	—	—	—	1	4	1	—	—	—	—
	,, drugs	F.	1	—	—	—	—	—	—	—	1	—	—	—	—
	Others (or not stated) ..	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Open verdict														
	By operation	F.	13	—	—	—	—	3	2	8	—	—	—	—	—
	,, drugs	F.	3	—	—	—	—	—	2	1	—	—	—	—	—
	Others (or not stated) ..	F.	2	—	—	—	—	1	—	1	—	—	—	—	—

* Including blow, 3 M., 7 F.; coal gas, 3 M., 5 F.; lysol, M 1., F. 1; arsenic, 1 F.; aspirin, 1 F.; suffocation, 1 F.; run over on railway (after attack by some person or persons unknown), 1 F.

† Including fighting, 2 M.; strangulation, 2 M., 4 F.; motor lorry; 5 M., 1 F.; motor cycle, 2 M.; motor bus, 1 F.; char-a-banc, 2 M., 1 F.; blow, 2 M.; kicked, 1 M.; suffocation, 1 F.; want of attention at birth, 1 M.; abandoned, 1 F.; hæmorrhage and exposure, 1 M.; assault, 1 F.

‡ Blow, 1 M.

§ For other deaths from explosions but resulting from burns or scalds *see* No. 179.

‖ Including hot water boiler, 3 M., 5 F.; copper, 1 M.; stove, 2 F.; acetylene gas generator, 4 M.; petrol tank, 2 M.; detonator, 1 M.; fuse, 1 M.; electric cable (bituminous gas), 1 M., 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1929—*cont.*

International List No.	Cause or Characte rof Violence.		All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
202 —*cont.*	Other accidents (otherwise or not stated how):—														
	In ships, docks, &c. ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others*	M.	54	—	6	5	2	4	6	5	9	7	7	3	—
		F.	9	—	2	3	—	1	—	—	1	—	1	1	—
	Execution	M.	8	—	—	—	—	—	3	3	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
203	Violent deaths of unknown causation	M.	6	1	—	—	—	—	—	—	—	1	3	1	—
		F.	2	1	—	—	—	—	—	—	—	1	—	—	—
	Summarized headings:—														
	Ships, docks, &c.	M.	258	—	—	1	3	21	22	40	54	54	47	15	1
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	Building operations ..	M.	235	—	—	—	1	17	23	37	37	54	44	20	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Criminal abortion	F.	67	—	—	—	—	6	13	36	12	—	—	—	—

* Including exposure, 4 M.; fight, 7 M.; boxing, 2 M.; wrestling, 1 M.; strain, 5 M., 1 F., compressed air pipe, 1 M.; amusement machines, 2 M., 1 F.; Wounds:—on iron railings, 7 M., 2 F.; other wounds, 18 M., 3 F.; using syringe, 1 F.

England and Wales and Certain Aggregates (excluding Cases among Non-Civilians).

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of— England (excluding London).	Aggregate of Administrative Counties of— Wales (including Monmouth).	Aggregate of County Boroughs of— England.	Aggregate of County Boroughs of— Wales (including Monmouth).	Aggregate of Non-County Boroughs and Urban Districts of— England (excluding London).	Aggregate of Non-County Boroughs and Urban Districts of— Wales (including Monmouth).	Aggregate of Rural Districts of— England.	Aggregate of Rural Districts of— Wales (including Monmouth).
Smallpox	1919	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·04	0·01	0·00	0·00	—
	1920	0·01	0·01	0·00	0·00	0·01	0·00	0·01	—	0·01	0·00	0·02	0·00
	1921	0·01	0·01	—	0·00	0·01	—	0·01	—	0·01	—	0·00	—
	1922	0·03	0·03	0·00	0·01	0·03	0·00	0·03	0·00	0·04	0·00	0·02	0·00
	1923	0·06	0·07	0·01	0·00	0·08	0·01	0·07	0·01	0·08	0·01	0·08	0·00
	1924	0·10	0·10	—	0·00	0·15	—	0·06	—	0·18	—	0·11	—
	1925	0·14	0·15	0·00	0·00	0·17	—	0·18	0·00	0·21	—	0·09	—
	1926	0·26	0·28	0·00	0·00	0·42	0·00	0·16	—	0·45	0·00	0·37	0·00
	1927	0·38	0·34	0·88	0·00	0·46	1·11	0·27	0·03	0·47	1·80	0·45	0·01
	1928	0·32	0·28	0·83	0·07	0·28	0·99	0·35	0·24	0·34	1·62	0·18	0·02
	1929	0·28	0·27	0·40	0·43	0·21	0·36	0·30	0·55	0·24	0·58	0·16	0·03
Scarlet Fever ..	1919	2·29	2·23	3·11	2·97	1·91	2·45	2·43	5·66	2·04	2·58	1·68	2·25
	1920	3·19	3·10	4·35	5·01	2·45	4·15	3·38	5·11	2·64	4·70	2·11	3·27
	1921	3·64	3·61	3·84	7·25	2·80	3·80	3·49	3·96	3·25	4·78	2·03	2·31
	1922	2·85	2·85	2·75	3·80	2·40	2·92	3·18	2·10	2·68	3·55	1·92	1·94
	1923	2·24	2·26	1·93	2·21	2·00	1·96	2·67	1·81	2·12	2·27	1·80	1·46
	1924	2·16	2·18	1·83	2·51	1·91	1·89	2·47	1·61	2·03	2·03	1·73	1·67
	1925	2·36	2·40	1·76	2·67	2·15	1·82	2·69	1·53	2·25	1·90	1·99	1·68
	1926	2·10	2·14	1·54	2·68	1·93	1·63	2·26	1·22	2·01	1·65	1·80	1·58
	1927	2·16	2·22	1·30	2·92	1·99	1·36	2·32	1·10	2·13	1·53	1·75	1·09
	1928	2·61	2·70	1·42	3·44	2·34	1·50	2·98	1·15	2·47	1·80	2·12	1·04
	1929	3·05	3·15	1·68	3·60	2·78	1·66	3·56	1·73	2·97	1·79	2·44	1·47
Diphtheria	1919	1·50	1·52	1·21	2·18	1·38	1·10	1·47	1·63	1·48	1·12	1·22	1·07
	1920	1·86	1·85	1·94	3·05	1·63	1·83	1·72	2·37	1·78	1·68	1·38	2·06
	1921	1·76	1·75	1·89	3·62	1·46	1·90	1·50	1·87	1·63	1·82	1·16	2·02
	1922	1·37	1·38	1·25	3·37	1·05	1·22	1·14	1·38	1·20	1·22	0·78	1·22
	1923	1·05	1·04	1·13	2·27	0·74	1·10	1·04	1·26	0·81	1·24	0·61	0·88
	1924	1·07	1·06	1·21	2·31	0·73	1·19	1·11	1·28	0·81	1·30	0·59	1·00
	1925	1·23	1·23	1·24	2·73	0·79	1·26	1·34	1·14	0·88	1·45	0·64	0·96
	1926	1·31	1·32	1·24	2·96	0·84	1·28	1·44	1·09	0·94	1·51	0·68	0·91
	1927	1·33	1·33	1·26	2·71	0·90	1·24	1·50	1·31	1·07	1·51	0·62	0·83
	1928	1·55	1·55	1·56	2·75	1·19	1·39	1·70	2·21	1·38	1·61	0·87	1·06
	1929	1·59	1·58	1·78	2·68	1·22	1·49	1·74	2·87	1·38	1·74	0·95	1·09

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1919—1929.
ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of— England (excluding London).	Aggregate of Administrative Counties of— Wales (including Monmouth).	Aggregate of County Boroughs of— England.	Aggregate of County Boroughs of— Wales (including Monmouth).	Aggregate of Non-County Boroughs and Urban Districts of— England (excluding London).	Aggregate of Non-County Boroughs and Urban Districts of— Wales (including Monmouth).	Aggregate of Rural Districts of— England.	Aggregate of Rural Districts of— Wales (including Monmouth).
Enteric Fever ..	1919	0·10	0·09	0·11	0·08	0·10	0·13	0·08	0·06	0·11	0·13	0·09	0·12
	1920	0·08	0·08	0·06	0·09	0·09	0·07	0·07	0·03	0·09	0·08	0·09	0·05
	1921	0·10	0·10	0·10	0·07	0·12	0·11	0·08	0·07	0·14	0·12	0·09	0·09
	1922	0·06	0·06	0·05	0·06	0·07	0·05	0·05	0·03	0·08	0·05	0·06	0·05
	1923	0·08	0·08	0·07	0·07	0·10	0·08	0·07	0·02	0·09	0·08	0·10	0·08
	1924	0·11	0·10	0·09	0·09	0·12	0·10	0·09	0·04	0·13	0·10	0·10	0·11
	1925	0·07	0·07	0·08	0·09	0·07	0·08	0·06	0·08	0·07	0·08	0·07	0·08
	1926	0·07	0·07	0·05	0·07	0·08	0·05	0·06	0·04	0·08	0·06	0·07	0·03
	1927	0·09	0·09	0·04	0·07	0·12	0·05	0·06	0·02	0·12	0·05	0·11	0·04
	1928	0·09	0·09	0·05	0·13	0·10	0·05	0·06	0·03	0·10	0·05	0·10	0·05
	1929	0·07	0·07	0·04	0·08	0·08	0·04	0·06	0·05	0·08	0·03	0·08	0·05
Puerperal Fever ..	1919	0·06	0·06	0·05	0·07	0·04	0·04	0·07	0·07	0·04	0·04	0·04	0·04
	1920	0·08	0·08	0·05	0·10	0·06	0·05	0·10	0·07	0·06	0·05	0·05	0·04
	1921	0·06	0·06	0·04	0·08	0·04	0·05	0·08	0·04	0·05	0·05	0·03	0·04
	1922	0·06	0·06	0·05	0·07	0·04	0·04	0·08	0·08	0·04	0·04	0·03	0·04
	1923	0·06	0·06	0·06	0·08	0·04	0·04	0·08	0·10	0·04	0·05	0·04	0·04
	1924	0·06	0·06	0·05	0·06	0·04	0·04	0·08	0·07	0·05	0·04	0·03	0·04
	1925	0·06	0·06	0·06	0·07	0·04	0·05	0·09	0·09	0·05	0·05	0·04	0·04
	1926	0·07	0·07	0·07	0·07	0·05	0·05	0·09	0·12	0·05	0·06	0·05	0·05
	1927	0·05	0·05	0·04	0·06	0·04	0·04	0·07	0·07	0·03	0·04	0·04	0·03
	1928	0·06	0·06	0·07	0·07	0·05	0·05	0·08	0·15	0·05	0·05	0·04	0·05
	1929	0·06	0·06	0·06	0·07	0·05	0·04	0·08	0·12	0·04	0·05	0·05	0·03
Erysipelas	1919	0·44	0·45	0·29	0·65	0·37	0·27	0·49	0·40	0·42	0·31	0·29	0·20
	1920	0·43	0·44	0·32	0·57	0·38	0·31	0·48	0·37	0·41	0·36	0·32	0·21
	1921	0·35	0·36	0·23	0·47	0·30	0·22	0·41	0·26	0·34	0·25	0·23	0·18
	1922	0·35	0·36	0·22	0·43	0·29	0·21	0·43	0·26	0·32	0·23	0·24	0·17
	1923	0·32	0·33	0·24	0·40	0·27	0·20	0·39	0·36	0·31	0·24	0·21	0·14
	1924	0·33	0·34	0·19	0·41	0·28	0·18	0·40	0·25	0·31	0·21	0·23	0·14
	1925	0·39	0·40	0·28	0·42	0·33	0·25	0·48	0·36	0·37	0·29	0·28	0·20
	1926	0·38	0·38	0·26	0·40	0·32	0·26	0·47	0·25	0·35	0·31	0·27	0·18
	1927	0·38	0·39	0·22	0·43	0·32	0·20	0·47	0·28	0·35	0·24	0·27	0·15
	1928	0·42	0·43	0·26	0·48	0·36	0·26	0·51	0·26	0·40	0·31	0·29	0·18
	1929	0·45	0·46	0·28	0·49	0·39	0·27	0·56	0·30	0·42	0·32	0·33	0·20

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1919—1929.
ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Cerebro-spinal Fever	1919	0·02	0·02	0·01	0·04	0·02	0·01	0·02	0·01	0·02	0·02	0·02	0·01
	1920	0·02	0·02	0·01	0·03	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·00
	1921	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01
	1922	0·01	0·01	0·00	0·02	0·01	0·00	0·01	0·01	0·01	0·01	0·01	0·00
	1923	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
	1924	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·00	0·00
	1925	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·00
	1926	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00
	1927	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00
	1928	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00
	1929	0·02	0·02	0·01	0·03	0·01	0·01	0·02	0·02	0·01	0·01	0·01	0·00
Poliomyelitis ..	1919	0·02	0·02	0·01	0·02	0·02	0·01	0·01	0·01	0·01	0·01	0·02	0·01
	1920	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
	1921	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·02	0·01	0·01
	1922	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·01	0·01	0·00
	1923	0·02	0·01	0·03	0·02	0·01	0·01	0·01	0·13	0·01	0·01	0·01	—
	1924	0·02	0·02	0·02	0·03	0·02	0·01	0·02	0·06	0·02	0·02	0·02	0·01
	1925	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01
	1926	0·03	0·03	0·02	0·02	0·04	0·02	0·03	0·03	0·03	0·01	0·04	0·02
	1927	0·02	0·02	0·01	0·02	0·02	0·01	0·02	0·02	0·02	0·01	0·02	0·01
	1928	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01
	1929	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·02	0·01	0·01	0·02	0·01

TABLE 24.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES. ENGLAND AND WALES, 1929 (EXCLUDING CASES AMONG NON-CIVILIANS).

(1929) Week ended	Scarlet Fever.	Diphtheria.	Enteric Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Encephalitis Lethargica.
Jan. 5	99	110	55	64	68	120
,, 12	96	103	51	72	39	95
,, 19	110	109	70	136	108	110
,, 26	112	117	46	40	29	115
Feb. 2	108	119	59	40	20	70
,, 9	98	111	35	56	78	50
,, 16	85	97	64	152	39	125
,, 23	93	90	51	128	39	110
March 2	85	92	44	112	78	110
,, 9	96	94	50	120	59	141
,, 16	93	92	70	128	20	105
,, 23	95	95	46	192	29	105
,, 30	84	87	51	160	39	100
April 6	78	84	68	104	68	131
,, 13	77	79	55	200	29	120
,, 20	82	88	66	168	39	75
,, 27	81	89	72	168	29	110
May 4	93	85	53	144	39	115
,, 11	94	80	70	200	29	120
,, 18	86	78	70	136	10	131
,, 25	77	72	79	128	68	105
June 1	74	76	75	144	29	125
,, 8	70	76	73	112	20	110
,, 15	78	79	86	88	59	115
,, 22	77	84	61	72	10	115
,, 29	80	80	101	88	20	161
July 6	82	82	81	112	88	110
,, 13	86	83	106	96	78	95
,, 20	81	78	106	88	88	131
,, 27	77	77	103	104	117	100
Aug. 3	77	67	92	104	147	146
,, 10	64	61	149	56	156	75
,, 17	73	69	178	144	117	85
,, 24	72	65	156	72	137	120
,, 31	80	71	156	112	235	100
Sept. 7	85	73	191	88	205	95
,, 14	87	94	205	88	117	80
,, 21	100	102	213	104	176	125
,, 28	112	113	183	80	352	55
Oct. 5	127	115	149	16	283	80
,, 12	133	131	189	64	283	85
,, 19	153	132	251	48	225	45
,, 26	152	142	253	88	313	50
Nov. 2	150	144	152	32	176	80
,, 9	147	144	121	80	283	85
,, 16	139	146	90	80	117	85
,, 23	159	140	88	72	88	100
,, 30	143	150	101	64	98	75
Dec. 7	147	145	84	56	88	90
,, 14	137	145	59	88	78	70
,, 21	127	139	61	80	20	75
,, 28	109	125	64	32	39	60
	100	100	100	100	100	100
Average weekly number of cases notified ..	2,312	1,207	55	13	10	20

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week, any seasonal excess of 30 per cent. over the mean for the year being shown by black type.

Table 25.—Notifications of Tuberculosis, 1920–1929.

(Excluding cases among non-civilians.)

—	Tuberculosis of Respiratory System.																			
	1920.		1921.		1922.		1923.		1924.		1925.		1926.		1927.		1928.		1929.	
	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.
England and Wales (including cases notified in Port Sanitary Districts)	61,655	1·65	59,299	1·57	55,798	1·47	57,007	1·49	57,737	1·47	58,545	1·51	56,212	1·45	54,048	1·38	53,047	1·35	52,634	1·33
England (excluding London)	47,893	1·58	46,503	1·52	43,528	1·41	45,133	1·46	46,172	1·45	46,668	1·49	44,844	1·42	43,439	1·36	42,645	1·33	41,876	1·29
London	10,653	2·35	9,731	2·16	8,721	1·92	8,165	1·79	7,941	1·71	8,071	1·75	7,454	1·62	7,043	1·55	6,896	1·55	7,237	1·64
Wales (including Monmouth) ..	2,922	1·10	2,897	1·09	3,415	1·27	3,504	1·30	3,390	1·22	3,560	1·30	3,682	1·35	3,336	1·23	3,296	1·23	3,267	1·22

—	Other Tuberculosis.																			
	1920.		1921.		1922.		1923.		1924.		1925.		1926.		1927.		1928.		1929.	
	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.
England and Wales (including cases notified in Port Sanitary Districts)	15,851	0·42	15,653	0·42	16,178	0·43	18,494	0·48	18,711	0·48	19,228	0·50	18,608	0·48	17,697	0·45	17,977	0·46	16,544	0·42
England (excluding London)	12,458	0·41	12,644	0·41	12,909	0·42	15,022	0·49	15,212	0·48	15,894	0·51	15,254	0·48	14,727	0·46	14,972	0·47	13,779	0·43
London	2,511	0·55	2,267	0·50	2,235	0·49	2,298	0·50	2,330	0·50	2,150	0·47	2,164	0·47	1,872	0·41	1,798	0·40	1,636	0·37
Wales (including Monmouth) ..	874	0·33	732	0·28	1,020	0·38	1,154	0·43	1,156	0·42	1,160	0·42	1,169	0·43	1,085	0·40	1,185	0·44	1,087	0·41

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES, IN ADMINISTRATIVE COUNTIES AND IN COUNTY BOROUGHS: 52 WEEKS ENDED 28TH DECEMBER, 1929.

(Excluding cases among non-civilians.)

Note.—Cases notified in Port Sanitary Districts are included only in the figures for England and Wales as a whole.

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encepha-litis Lethar-gica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respira-tory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND AND WALES	120,232	3·05	62,774	1·59	2,835	0·07	2,359	0·06	5,610	0·14	17,707	0·45	10,967	1	18	650	532	1,036	5,448	52,634	16,544
ENGLAND	115,707	3·15	57,983	1·58	2,664	0·07	2,200	0·06	5,269	0·14	16,953	0·46	9,882	1	17	627	502	978	5,171	49,113	15,415
ENGLAND AND WALES, Administrative Counties, excluding London	58,147	2·67	27,221	1·25	1,645	0·08	985	0·05	2,636	0·12	8,244	0·38	4,932	—	4	250	283	550	1,849	22,891	8,886
ENGLAND, Administrative Counties, excluding London	54,631	2·78	24,074	1·22	1,563	0·08	896	0·05	2,417	0·12	7,663	0·39	4,163	—	3	236	267	504	1,664	20,434	8,018
*ALL AREAS:																					
England and Wales	120,232	3·05	62,774	1·59	2,835	0·07	2,359	0·06	5,610	0.14	17,707	0·45	10,967	1	18	650	532	1,036	5,448	52,634	16,544
North	49,577	3·78	16,422	1·25	1,089	0·08	858	0·07	1,866	0·14	7,441	0·57	3,383	1	1	196	198	445	2,081	19,738	7,496
Midlands	35,408	2·76	20,571	1·60	712	0·06	730	0·06	1,755	0·14	5,307	0·41	4,344	—	7	156	148	297	1,872	15,068	4,372
South†	30,722	2·85	20,990	1·94	863	0·08	612	0·06	1,648	0·15	4,205	0·39	2,155	—	9	275	156	236	1,218	14,307	3,547
Wales	4,486	1·68	4,756	1·78	110	0·04	159	0·06	341	0·13	748	0·28	1,075	—	1	23	29	56	277	3,267	1,087
Port Sanitary Districts.	39	?	35	?	61	?	—	—	—	—	6	?	10	—	—	—	1	2	—	254	42
LONDON	15,899	3·60	11,853	2·68	355	0·08	315	0·07	773	0·17	2,179	0·49	1,903	—	8	122	65	93	728	7,237	1,636
COUNTY BOROUGHS:																					
England and Wales	46,147	3·49	23,665	1·79	774	0·06	1,059	0·08	2,201	0·17	7,278	0·55	4,122	1	6	278	183	391	2,871	22,252	5,980
North	29,756	4·25	10,646	1·52	476	0·07	581	0·08	1,131	0·16	4,347	0·62	1,140	1	—	142	111	253	1,499	12,970	3,964
Midlands	11,940	2·83	8,497	2·01	166	0·04	312	0·07	702	0·17	2,226	0·53	2,659	—	5	64	46	96	1,143	6,293	1,323
South	3,481	2·40	2,913	2·01	104	0·07	96	0·07	246	0·17	538	0·37	17	—	1	63	13	32	137	2,179	474
Wales	970	1·73	1,609	2·87	28	0·05	70	0·12	122	0·22	167	0·30	306	—	—	9	13	10	92	810	219

* For the constitution of the several areas North, Midlands, South and Wales, *see* the footnote to Table 14. † Including London.

(55) OTHER URBAN DISTRICTS:																					
England and Wales	39,405	2·86	19,457	1·41	1,056	0·08	608	0·04	1,718	0·12	5,711	0·41	3,741	—	2	174	160	381	1,254	15,464	5,876
North	14,695	3·39	4,099	0·95	454	0·10	188	0·04	538	0·12	2,278	0·53	1,692	—	—	33	58	146	419	4,964	2,559
Midlands	15,341	2·90	8,984	1·70	317	0·06	236	0·04	647	0·12	2,049	0·39	1,101	—	2	63	50	137	486	5,901	1,822
South	7,081	2·48	4,138	1·45	243	0·09	120	0·04	390	0·14	972	0·34	206	—	—	66	40	67	217	3,059	900
Wales	2,288	1·79	2,236	1·74	42	0·03	64	0·05	143	0·11	412	0·32	742	—	—	12	12	31	132	1,540	595
RURAL DISTRICTS:																					
England and Wales	18,742	2·34	7,764	0·97	589	0·07	377	0·05	918	0·11	2,533	0·32	1,191	—	2	76	123	169	595	7,427	3,010
North	5,126	2·86	1,677	0·94	159	0·09	89	0·05	197	0·11	816	0·46	551	—	1	21	29	46	163	1,804	973
Midlands	8,127	2·45	3,090	0·93	229	0·07	182	0·05	406	0·12	1,032	0·31	584	—	—	29	52	64	243	2,874	1,227
South	4,261	2·06	2,086	1·01	161	0·08	81	0·04	239	0·12	516	0·25	29	—	—	24	38	44	136	1,832	537
Wales	1,228	1·47	911	1·09	40	0·05	25	0·03	76	0·09	169	0·20	27	—	1	2	4	15	53	917	273
ENGLAND, Administrative Counties, excluding London:																					
Bedfordshire ..	700	3·28	209	0·98	21	0·10	9	0·04	24	0·11	53	0·25	9	—	1	2	4	3	10	247	80
Berkshire.. ..	505	2·35	185	0·86	16	0·07	15	0·07	21	0·10	44	0·21	—	—	—	2	7	3	10	189	71
Buckinghamshire	698	2·71	407	1·58	10	0·04	8	0·03	19	0·07	57	0·22	61	—	—	3	1	5	6	171	59
Cambridgeshire ..	219	1·64	331	2·48	12	0·09	5	0·04	22	0·17	47	0·35	1	—	—	1	1	4	3	147	54
Cheshire	1,653	2·47	822	1·23	51	0·08	21	0·03	82	0·12	179	0·27	67	—	—	4	8	23	69	611	309
Cornwall	386	1·22	150	0·47	29	0·09	7	0·02	27	0·09	41	0·13	2	—	—	3	—	11	12	291	69
Cumberland ..	121	0·58	95	0·46	10	0·05	10	0·05	32	0·15	96	0·46	—	—	—	1	1	—	23	223	81
Derbyshire ..	1,825	2·92	649	1·04	26	0·04	46	0·07	68	0·11	226	0·36	697	—	—	5	12	10	60	518	254
Devonshire ..	455	1·02	458	1·03	24	0·05	19	0·04	58	0·13	116	0·26	2	—	—	4	6	12	34	579	151
Dorsetshire ..	485	2·06	594	2·52	7	0·03	9	0·04	29	0·12	89	0·38	13	—	—	5	5	7	12	236	87
Durham	1,941	2·06	1,362	1·45	55	0·06	33	0·04	136	0·14	619	0·66	468	—	1	14	12	17	143	1,022	926
Ely, Isle of ..	186	2·38	179	2·29	13	0·17	3	0·04	3	0·04	36	0·46	14	—	—	—	—	2	4	85	31
Essex	3,949	3·56	2,161	1·95	69	0·06	55	0·05	110	0·10	428	0·39	69	—	1	20	15	16	75	1,016	366
Gloucestershire ..	962	2·85	380	1·12	17	0·05	10	0·03	43	0·13	73	0·22	15	—	—	1	10	5	23	317	176
Herefordshire ..	208	1·88	167	1·51	4	0·04	8	0·07	14	0·13	13	0·12	—	—	—	1	1	4	11	98	45
Hertfordshire ..	1,252	3·26	508	1·32	31	0·08	16	0·04	52	0·14	115	0·30	5	—	—	2	4	8	5	565	149
Huntingdonshire..	79	1·39	95	1·67	10	0·18	5	0·09	9	0·16	25	0·44	53	—	—	—	—	4	2	71	24
Kent	3,202	2·80	1,918	1·67	121	0·11	38	0·03	108	0·09	425	0·37	39	—	—	35	14	23	101	1,262	389
Lancashire ..	6,188	3·42	1,596	0·88	105	0·06	75	0·04	181	0·10	928	0·51	413	—	—	10	23	87	164	1,570	969
Leicestershire ..	664	2·25	362	1·23	7	0·02	11	0·04	22	0·07	114	0·39	230	—	—	6	4	8	18	366	102

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encepha-litis Lethar-gica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respira-tory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, Administrative Counties, excluding London—*cont.*																					
Lincolnshire—																					
Holland	163	1·82	206	2·30	7	0·08	1	0·01	4	0·04	25	0·28	25	—	—	1	—	2	11	95	27
Kesteven	246	2·27	96	0·89	6	0·06	3	0·03	7	0·06	41	0·38	17	—	—	—	4	5	3	101	31
Lindsey	1,120	4·32	141	0·54	26	0·10	10	0·04	36	0·14	123	0·47	8	—	—	—	2	10	18	281	136
Middlesex ..	4,553	3·12	2,857	1·96	91	0·06	58	0·04	188	0·13	521	0·36	80	—	—	28	13	38	135	1,606	305
Norfolk	648	2·01	239	0·74	31	0·10	16	0·05	34	0·11	95	0·29	1	—	—	4	4	8	19	303	162
Northamptonshire	603	2·79	227	1·05	22	0·10	14	0·06	30	0·14	96	0·44	29	—	—	1	2	6	10	192	38
Northumberland..	736	1·80	238	0·58	73	0·18	10	0·02	65	0·16	214	0·52	60	—	—	3	13	17	24	732	284
Nottinghamshire..	1,564	3·64	362	0·84	19	0·04	18	0·04	65	0·15	177	0·41	64	—	—	2	2	9	59	510	127
Oxfordshire ..	334	2·60	63	0·49	12	0·09	4	0·03	14	0·11	36	0·28	—	—	—	5	1	7	17	129	22
Peterborough, Soke of	146	2·85	46	0·90	1	0·02	1	0·02	4	0·08	47	0·92	253	—	—	1	—	2	2	58	13
Rutlandshire ..	11	0·61	5	0·28	—	—	—	—	—	—	2	0·11	1	—	—	—	6	1	1	15	4
Shropshire ..	295	1·21	249	1·02	35	0·14	14	0·06	39	0·16	66	0·27	—	—	—	—	—	9	34	193	141
Somersetshire ..	834	2·05	487	1·20	27	0·07	10	0·02	54	0·13	139	0·34	4	—	—	5	10	13	17	487	144
Southampton ..	852	1·97	412	0·95	34	0·08	26	0·06	59	0·14	132	0·31	2	—	—	8	3	5	64	350	88
Staffordshire ..	1,189	1·67	1,212	1·71	20	0·03	33	0·05	102	0·14	299	0·42	48	—	—	5	2	12	121	771	273
Suffolk—East ..	348	1·66	215	1·02	16	0·08	18	0·09	23	0·11	63	0·30	1	—	—	2	1	1	14	163	103
Suffolk—West ..	287	2·64	79	0·73	5	0·05	1	0·01	11	0·10	28	0·26	—	—	—	—	1	1	—	85	47
Surrey	2,226	2·60	1,380	1·61	82	0·10	41	0·05	125	0·15	261	0·30	14	—	—	24	4	24	53	709	182
Sussex—East ..	627	2·32	196	0·72	25	0·09	7	0·03	29	0·11	91	0·34	4	—	—	1	1	6	10	297	58
Sussex—West ..	376	1·77	105	0·49	22	0·10	13	0·06	32	0·15	55	0·26	—	—	—	1	4	2	13	167	57
Warwickshire ..	664	1·86	436	1·22	22	0·06	30	0·08	55	0·15	161	0·45	3	—	—	2	8	11	43	317	120
Westmorland ..	128	2·03	43	0·68	2	0·03	3	0·05	8	0·13	19	0·30	—	—	—	—	—	4	3	38	9

ENGLAND, Administrative Counties, excluding London—*cont.*																					
Wight, Isle of ..	121	1·41	85	0·99	5	0·06	4	0·05	6	0·07	19	0·22	—	—	—	—	5	—	2	92	18
Wiltshire ..	1273	4·24	254	0·85	12	0·04	12	0·04	81	0·27	76	0·25	155	—	—	2	19	5	25	232	123
Worcestershire ..	555	1·80	193	0·63	13	0·04	21	0·07	55	0·18	114	0·37	1	—	—	—	4	10	25	355	160
Yorkshire—																					
East Riding	495	2·81	194	1·10	11	0·06	10	0·06	26	0·15	67	0·38	9	—	—	—	2	6	8	152	48
North Riding	861	2·70	138	0·43	21	0·07	16	0·05	30	0·09	168	0·53	2	—	—	4	11	8	29	334	157
West Riding	7,698	5·04	1,288	0·84	285	0·19	99	0·06	175	0·11	804	0·53	1,224	—	—	18	17	30	119	2,086	749
WALES, Administrative Counties, including Monmouthshire	3,516	1·66	3,147	1·49	82	0·04	89	0·04	219	0·10	581	0·27	769	—	1	14	16	46	185	2,457	868
Anglesey	30	0·58	38	0·74	3	0·06	2	0·04	1	0·02	7	0·14	—	—	—	—	—	—	5	69	16
Brecknockshire ..	48	0·81	48	0·81	1	0·02	1	0·02	9	0·15	16	0·27	19	—	—	—	—	—	3	62	15
Caernarvonshire ..	73	0·59	142	1·15	3	0·02	4	0·03	6	0.05	20	0·16	—	—	—	—	2	4	1	192	33
Cardiganshire ..	50	0·89	50	0·89	7	0·12	1	0·02	2	0·04	8	0·14	—	—	—	2	—	4	—	57	18
Carmarthenshire ..	209	1·15	308	1·70	12	0·07	7	0·04	22	0·12	46	0·25	1	—	—	1	1	5	8	205	69
Denbighshire ..	550	3·45	244	1·53	8	0·05	5	0·03	11	0·07	47	0·29	—	—	—	3	2	7	14	223	74
Flintshire ..	202	1·81	100	0·89	2	0·02	5	0·04	21	0·19	22	0·20	1	—	1	2	—	2	11	98	45
Glamorganshire ..	1,655	2·05	1,594	1·97	19	0·02	36	0·04	89	0·11	267	0·33	254	—	—	5	5	15	107	874	377
Merionethshire ..	29	0·66	20	0·46	—	—	1	0·02	4	0·09	5	0·11	—	—	—	—	—	—	2	72	18
Monmouthshire ..	541	1·50	440	1·22	26	0·07	18	0·05	36	0·10	116	0·32	494	—	—	1	5	7	27	442	148
Montgomeryshire	31	0·62	29	0·58	1	0·02	2	0·04	8	0·16	9	0·18	—	—	—	—	—	1	4	63	19
Pembrokeshire ..	70	0·80	133	1·53	—	—	5	0·06	5	0·06	14	0·16	—	—	—	—	1	1	1	80	30
Radnorshire ..	28	1·30	1	0·05	—	—	2	0·09	5	0·23	4	0·19	—	—	—	—	—	—	2	20	6

TABLE 26.—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES.—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encepha-litis Lethar-gica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respira-tory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County Boroughs	45,177	3·56	22,056	1·74	746	0·06	989	0·08	2,079	0·16	7,111	0·56	3,816	1	6	269	170	381	2,779	21,442	5,761
Barnsley	837	11·67	100	1·39	6	0·08	4	0·06	14	0·20	58	0·81	68	—	—	1	—	3	11	183	97
Barrow in Furness	380	5·86	31	0·48	2	0·03	2	0·03	2	0·03	41	0·63	—	—	—	—	—	1	9	79	36
Bath, City of ..	128	1·85	27	0·39	6	0·09	4	0·06	16	0·23	32	0·46	8	—	—	—	2	—	6	67	20
Birkenhead ..	423	2·68	105	0·67	15	0·10	2	0·01	24	0·15	66	0·42	—	—	—	—	—	12	22	219	66
Birmingham, City of	2,467	2·55	2,303	2·38	28	0·03	95	0·10	116	0·12	622	0·64	2	—	—	18	7	32	522	1,274	268
Blackburn ..	753	6·01	198	1·58	6	0·05	9	0·07	16	0·13	56	0·45	34	—	—	—	2	5	13	126	31
Blackpool ..	243	2·43	30	0·30	7	0·07	3	0·03	9	0·09	28	0·28	17	—	—	1	—	2	7	81	17
Bolton	716	3·94	73	0·40	12	0·07	4	0·02	15	0·08	93	0·51	52	—	—	2	1	1	11	155	77
Bootle	465	5·78	149	1·85	5	0·06	4	0·05	10	0·12	35	0·44	—	—	—	4	1	—	12	163	46
Bournemouth ..	283	2·91	95	0·98	7	0·07	9	0·09	12	0·12	36	0·37	2	—	—	4	1	6	1	158	11
Bradford, City of	1,731	5·99	402	1·39	13	0·04	39	0·13	64	0·22	176	0·61	66	—	—	6	4	7	34	368	136
Brighton	272	1·85	264	1·80	6	0·04	5	0·03	51	0·35	76	0·52	2	—	—	11	3	2	9	224	77
Bristol, City of ..	1,108	2·83	1,130	2·89	30	0·08	18	0·05	68	0·17	175	0·45	2	—	—	7	18	10	25	568	151
Burnley	473	4·72	137	1·37	7	0·07	7	0·07	12	0·12	77	0·77	1	—	—	—	1	5	7	100	52
Burton upon Trent	134	2·74	272	5·55	1	0·02	3	0·06	8	0·16	24	0·49	—	—	—	—	—	3	19	33	18
Bury	121	2·13	167	2·94	4	0·07	7	0·12	5	0·09	23	0·40	6	—	—	—	—	3	11	46	34
Canterbury, City of	74	3·24	28	1·23	1	0·04	—	—	2	0·09	16	0·70	—	—	—	2	—	—	3	27	8
Carlisle, City of ..	66	1·18	74	1·32	1	0·02	2	0·04	14	0·25	46	0·82	—	—	—	—	—	—	11	56	23
Chester, City of ..	433	10·63	46	1·13	1	0·02	10	0·25	10	0·25	21	0·52	—	—	—	1	—	2	12	61	21
Coventry, City of	493	3·04	430	2·65	2	0·01	15	0·09	24	0·15	70	0·43	3	—	—	—	1	6	8	261	36
Croydon	744	3·35	431	1·94	36	0·16	16	0·07	23	0·10	71	0·32	2	—	—	4	3	4	5	251	68
Darlington ..	159	2·21	141	1·96	6	0·08	2	0·03	14	0·20	27	0·38	—	—	—	—	—	1	12	92	50
Derby	1,027	7·31	314	2·23	3	0·02	14	0·10	46	0·33	60	0·43	75	—	—	—	2	3	17	174	23
Dewsbury ..	128	2·41	28	0·53	3	0·06	2	0·04	4	0·08	15	0·28	95	—	—	—	—	—	10	30	14
Doncaster ..	98	1·64	59	0·99	6	0·10	2	0·03	2	0·03	31	0·52	—	—	—	—	—	—	7	128	29
Dudley	42	0·71	28	0·48	1	0·02	2	0·03	9	0·15	25	0·43	—	—	1	—	—	1	6	73	22
Eastbourne ..	85	1·45	142	2·42	2	0·03	1	0·02	6	0·10	25	0·43	3	—	—	—	—	3	—	53	22
East Ham ..	747	5·06	580	3·93	2	0·01	9	0·06	10	0·07	49	0·33	25	—	—	—	1	1	4	215	48
Exeter, City of ..	65	1·06	101	1·65	5	0·08	6	0·10	17	0·28	12	0·20	—	—	—	—	—	1	8	85	16
Gateshead ..	219	1·79	92	0·75	3	0·02	3	0·02	6	0·05	108	0·88	60	—	—	—	3	8	18	353	165

ENGLAND, County Boroughs—*cont.*																					
Gloucester, City of	101	1·94	67	1·29	1	0·02	1	0·02	18	0·35	13	0·25	—	—	—	—	1	—	11	45	20
Great Yarmouth..	127	2·19	103	1·77	5	0·09	4	0·07	1	0·02	22	0·38	1	—	—	—	1	—	3	95	16
Grimsby	301	3·29	98	1·07	3	0·03	1	0·01	13	0·14	26	0·28	—	—	—	1	—	6	14	154	35
Halifax	434	4·46	145	1·49	71	0·73	3	0·03	44	0·45	47	0·48	156	—	—	1	6	2	7	138	45
Hastings	189	3·02	98	1·56	5	0·08	—	—	11	0·18	25	0·40	—	—	—	—	1	—	8	83	14
Huddersfield ..	532	4·70	357	3·16	12	0·11	—	—	21	0·19	62	0·55	45	—	—	1	1	4	21	135	78
Ipswich	225	2·62	194	2·26	3	0·03	11	0·13	14	0·16	47	0·55	—	—	—	1	4	1	7	121	43
Kingston upon Hull, City of	938	3·13	838	2·79	8	0·03	18	0·06	45	0·15	157	0·52	2	—	—	7	6	20	34	557	121
Leeds, City of ..	3,486	7·29	528	1·10	14	0·03	32	0·07	66	0·14	349	0·73	24	—	—	9	2	7	37	742	157
Leicester, City of..	511	2·08	254	1·04	2	0·01	11	0·04	26	0·11	152	0·62	307	—	—	8	3	4	34	632	65
Lincoln, City of ..	176	2·70	89	1·37	8	0·12	2	0·03	12	0·18	27	0·41	1	—	—	—	—	4	5	82	29
Liverpool, City of	3,963	4·56	2,321	2·67	23	0·03	44	0·05	135	0·16	703	0·81	2	—	—	25	22	28	581	2,512	691
Manchester, City of	2,375	3·18	895	1·20	49	0·07	122	0·16	84	0·11	473	0·63	8	—	—	20	4	43	152	1,373	378
Middlesbrough ..	285	2·14	68	0·51	3	0·02	12	0·09	28	0·21	81	0·61	—	—	—	2	1	3	16	341	163
Newcastle upon Tyne, City of	576	2·03	269	0·95	36	0·13	50	0·18	55	0·19	229	0·81	21	—	—	21	13	18	83	507	209
Northampton ..	279	2·97	184	1·96	9	0·10	8	0·09	7	0·07	61	0·65	479	—	—	—	1	—	7	119	17
Norwich, City of..	230	1·84	203	1·63	6	0·05	20	0·16	40	0·32	97	0·78	—	—	—	7	1	2	17	128	55
Nottingham, City of	973	3·65	690	2·59	12	0·04	18	0·07	20	0·07	149	0·56	3	—	—	4	—	2	27	297	37
Oldham	668	4·69	221	1·55	6	0·04	2	0·01	30	0·21	80	0·56	18	—	—	—	1	8	22	160	50
Oxford, City of ..	164	2·32	35	0·50	10	0·14	4	0·06	30	0·42	23	0·33	2	—	—	—	1	1	17	79	8
Plymouth ..	366	1·84	525	2·64	10	0·05	15	0·08	47	0·24	63	0·32	—	—	—	12	1	2	29	300	80
Portsmouth, City of	787	3·25	766	3·17	11	0·05	24	0·10	23	0·10	74	0·31	—	—	1	26	1	7	21	398	81
Preston	238	1·89	128	1·02	1	0·01	3	0·02	19	0·15	44	0·35	2	—	—	1	1	5	4	149	60
Reading	121	1·25	68	0·70	8	0·08	8	0·08	6	0·06	46	0·47	—	—	—	2	1	5	10	172	33
Rochdale ..	147	1·62	176	1·94	3	0·03	12	0·13	11	0·12	40	0·44	4	—	—	2	—	3	9	77	24
Rotherham ..	217	3·07	72	1·02	3	0·04	6	0·08	15	0·21	63	0·89	2	—	—	—	—	—	4	139	38
St. Helens ..	506	4·63	170	1·56	2	0·02	15	0·14	26	0·24	77	0·71	—	—	—	1	9	1	24	124	57
Salford, City of ..	634	2·69	679	2·88	9	0·04	17	0·07	18	0·08	152	0·65	—	—	—	5	2	9	35	468	92
Sheffield, City of..	4,669	9·01	756	1·46	28	0·05	85	0·16	134	0·26	332	0·64	7	—	—	7	1	13	64	1,914	172
Smethwick ..	162	1·90	143	1·68	3	0·04	3	0·04	5	0·06	35	0·41	—	—	—	1	—	—	13	107	33

TABLE 26.—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES.—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encepha-litis Lethar-gica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respira-tory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County Boroughs—*cont.*																					
Southampton ..	367	2·13	368	2·14	7	0·04	8	0·05	32	0·19	62	0·36	—	—	—	2	—	2	37	361	44
Southend on Sea..	288	2·51	65	0·57	6	0·05	8	0·07	16	0·14	27	0·24	7	—	—	1	—	1	23	197	44
Southport ..	230	2·87	167	2·09	3	0·04	3	0·04	6	0·07	52	0·65	—	—	—	—	4	1	12	60	33
South Shields ..	162	1·35	61	0·51	—	—	11	0·09	7	0·06	55	0·46	281	—	—	—	2	—	14	261	141
Stockport ..	210	1·64	250	1·96	2	0·02	5	0·04	33	0·26	72	0·56	1	—	—	—	—	2	26	167	88
Stoke on Trent, City of	340	1·22	272	0·97	12	0·04	24	0·09	63	0·23	134	0·48	470	—	—	4	2	8	192	641	100
Sunderland ..	166	0·90	146	0·79	10	0·05	13	0·07	43	0·23	126	0·68	3	1	—	21	6	9	75	238	181
Tynemouth ..	129	1·96	139	2·11	11	0·17	1	0·02	9	0·14	58	0·88	154	—	—	3	7	3	13	100	45
Wakefield ..	265	4·68	38	0·67	12	0·21	4	0·07	19	0·34	22	0·39	4	—	—	—	1	—	8	60	24
Wallasey ..	175	1·73	38	0·38	5	0·05	3	0·03	8	0·08	29	0·29	—	—	—	—	1	5	4	97	31
Walsall	120	1·20	67	0·67	1	0·01	3	0·03	31	0·31	54	0·54	5	—	—	3	—	—	23	188	55
Warrington ..	131	1·65	138	1·74	1	0·01	3	0·04	16	0·20	44	0·55	—	—	—	—	5	6	12	109	36
West Bromwich ..	143	1·77	45	0·56	2	0·02	6	0·07	16	0·20	73	0·90	—	—	—	1	—	2	4	70	62
West Ham ..	1,455	4·73	815	2·65	11	0·04	17	0·06	64	0·21	188	0·61	1,277	—	4	6	1	7	31	506	95
West Hartlepool..	95	1·37	140	2·02	39	0·56	4	0·06	10	0·14	31	0·45	—	—	—	—	2	3	17	69	79
Wigan	558	6·37	43	0·49	5	0·06	5	0·06	8	0·09	42	0·48	7	—	—	1	1	2	8	116	35
Wolverhampton	253	1·88	74	0·55	5	0·04	12	0·09	32	0·24	50	0·37	—	—	—	1	2	1	104	152	32
Worcester, City of	74	1·41	42	0·80	—	—	3	0·06	13	0·25	23	0·44	—	—	—	1	—	1	10	82	11
York, City of ..	722	8·47	31	0·36	23	0·27	6	0·07	20	0·23	26	0·30	—	—	—	—	1	8	10	117	42
WALES, including Monmouth, County Boroughs	970	1·73	1,609	2·87	28	0·05	70	0·12	122	0·22	167	0·30	306	—	—	9	13	10	92	810	219
Cardiff, City of ..	638	2·85	735	3·28	19	0·08	35	0·16	82	0·37	82	0·37	8	—	—	3	7	7	60	317	89
Merthyr Tydfil ..	99	1·27	308	3·96	2	0·03	3	0·04	6	0·08	23	0·30	266	—	—	—	—	—	4	98	30
Newport (Mon.) ..	93	0·97	133	1·39	3	0·03	10	0·10	18	0·19	25	0·26	28	—	—	4	—	3	11	171	50
Swansea	140	0·86	433	2·66	4	0·02	22	0·14	16	0·10	37	0·23	4	—	—	2	6	—	17	224	50

TABLE 27.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1919–1929. ENGLAND AND WALES.

(*a*) Civilians (excluding cases in Port Sanitary Districts).

Diseases.	Cases Notified.										
	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
Cerebro-spinal Fever	843	581	411	344	300	397	402	384	469	412	650
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	39	30	37	15	21	36	22	21	17	24	18
Diphtheria (including Membranous Croup)	53,843	69,407	66,452	52,072	39,953	41,948	47,684	51,034	51,973	61,109	62,739
‖Dysentery..	1,638	1,169	1,193	757	458	356	293	486	405	651	536
Encephalitis Lethargica (Acute) ..	541	889	1,470	451	1,023	5,036	2,634	2,267	1,612	1,307	1,034
Enteric Fever	3,308	2,994	3,776	2,365	3,139	4,051	2,703	2,665	3,469	3,398	2,774
Erysipelas..	15,752	16,029	13,220	13,157	12,321	12,868	14,989	14,581	14,695	16,349	17,701
‖Malaria (contracted in England and Wales)	93	32	10	6	3	4	3	—	2	4	—
Ophthalmia Neonatorum	8,648	10,302	8,312	7,106	6,592	6,267	5,748	5,896	5,891	5,609	5,448
Plague	1	1	—	—	—	—	—	2	—	—	—
‖Pneumonia (Acute Primary and Acute Influenzal)	45,063	38,685	33,744	52,435	44,543	60,723	55,876	50,926	67,670	60,206	86,137
Polio-encephalitis (Acute)	62	36	51	31	57	83	51	138	94	89	91
Poliomyelitis (Acute)	553	293	488	355	587	777	371	1,158	801	452	531
Puerperal Fever	2,016	2,898	2,211	2,134	2,190	2,183	2,396	2,611	1,989	2,380	2,359
*Puerperal Pyrexia	—	—	—	—	—	—	—	1,823	5,507	5,498	5,610
Relapsing Fever	4	7	1	—	2	—	1	—	—	—	—
Scarlet Fever	82,358	119,445	137,012	108,199	85,582	84,621	91,311	81,641	84,406	102,572	120,193
Small-pox	262	243	311	967	2,477	3,757	5,359	10,141	14,764	12,418	10,957
‖Trench Fever	99	39	15	6	3	3	4	2	2	†	†
Tuberculosis of Respiratory System ..	65,108	61,468	59,131	55,664	56,802	57,503	58,299	55,980	53,818	52,837	52,380
Tuberculosis (other forms)	16,804	15,843	15,643	16,164	18,474	18,698	19,204	18,587	17,684	17,955	16,502
Typhus Fever	2	—	3	13	—	8	—	1	1	3	1

‖ Notifiable since 1st March, 1919. * Notifiable since 1st October, 1926. † Not notifiable after 31st December, 1927.

TABLE 27—*continued.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1919–1929. ENGLAND AND WALES.

(*b*) Non-Civilians (including cases in Port Sanitary Districts).
The figures for the Years 1920–1925 are not available.

Diseases.	Cases Notified.				
	1919.*	1926.	1927.	1928.	1929.
Cerebro-spinal Fever	106	9	2	1	17
Continued Fever	—	—	—	—	—
Diphtheria (including Membranous Croup)	677	52	183	88	66
Dysentery	†	35	25	45	11
Encephalitis Lethargica (Acute)	11	4	4	1	2
Enteric Fever	467	18	13	46	35
Erysipelas	99	8	4	5	10
Malaria (contracted in England and Wales)	†	—	—	—	1
Pneumonia (Acute Primary and Acute Influenzal)	†	40	58	59	79
Poliomyelitis (Acute)	1	1	2	4	—
Relapsing Fever	—	—	1	—	—
Scarlet Fever	402	38	102	33	90
Small-pox	67	—	—	—	1
Tuberculosis of Respiratory System	1,338	154	120	163	136
Tuberculosis (other forms)	99				
Typhus Fever	151	—	—	—	—

* The figures for 1919 include the following convalescent cases:—Cerebro-spinal Fever, 1; Diphtheria, 8; Enteric Fever, 64; Scarlet Fever, 1; Small-pox, 50; and Typhus Fever, 149. Three convalescent cases of Cholera were also notified.

† The figures for 1919 are not available.

TABLE 27—*continued.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1919–1929. ENGLAND AND WALES.

(*c*) Civilians in Port Sanitary Districts.

Diseases.	Cases Notified.										
	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.
Cerebro-spinal Fever	5	2	—	—	1	—	—	1	1	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	—	5	8	3	4	1	1	4	1	1	—
Diphtheria (including Membranous Croup)	75	74	54	81	56	32	36	35	38	25	35
Dysentery	19	84	30	32	26	32	52	44	35	32	37
Encephalitis Lethargica (Acute) ..	—	1	—	3	2	3	1	—	3	1	2
Enteric Fever	139	115	59	49	72	70	76	74	64	97	61
Erysipelas	11	22	11	14	14	11	14	16	13	10	6
Ophthalmia Neonatorum	—	2	1	1	—	—	—	—	—	—	—
Plague	11	2	—	—	—	—	—	—	—	—	—
Pneumonia (Acute Primary and Acute Influenzal)	197	174	86	78	81	71	84	84	87	92	101
Polio-encephalitis (Acute)	—	—	—	—	—	—	—	—	1	—	—
Poliomyelitis (Acute)	—	—	—	—	—	—	—	1	—	—	1
Puerperal Fever	—	—	—	—	1	—	—	—	—	—	—
Puerperal Pyrexia..	—	—	—	—	—	—	—	—	1	1	—
Relapsing Fever	—	—	—	—	1	—	—	—	—	—	—
Scarlet Fever	40	45	61	43	21	33	51	31	44	39	39
Small-pox	32	20	4	6	8	8	6	5	3	2	10
Tuberculosis of Respiratory System ..	121	187	168	134	205	234	246	232	230	210	254
Tuberculosis (other forms)	17	8	10	14	20	13	24	21	13	22	42
Typhus Fever	1	2	—	—	1	—	—	—	1	—	—

See footnotes to page 451.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population.

(Excluding cases among non-civilians.)

Cases of Membranous Croup are included under the heading of Diphtheria.

For the populations of the several areas see Table 14.

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ENGLAND & WALES	10,967	0·28	120,232	3·05	62,774	1·59	2,835	0·07	2,359	0·06	5,610	0·14	17,707	0·45
BEDFORD* ..	9	0·04	700	3·28	209	0·98	21	0·10	9	0·04	24	0·11	53	0·25
AGGREGATE OF U.Ds.	2	0·01	506	3·65	167	1·20	8	0·06	5	0·04	17	0·12	33	0·24
AGGREGATE OF R.Ds.	7	0·09	194	2·59	42	0·56	13	0·17	4	0·05	7	0·09	20	0·27
URBAN DISTRICTS:														
Ampthill ..	–	–	3	1·35	–	–	–	–	–	–	–	–	–	–
Bedford M.B. ..	1	0·02	116	2·80	17	0·41	3	0·07	1	0·02	5	0·12	10	0·24
Biggleswade ..	–	–	44	7·24	1	0·16	1	0·16	–	–	2	0·33	–	–
Dunstable M.B.	–	–	26	2·94	17	1·92	–	–	–	–	1	0·11	1	0·11
Kempston ..	–	–	59	11·66	20	3·95	–	–	–	–	–	–	–	–
Leighton Buzzard	–	–	22	3·40	4	0·62	–	–	1	0·15	1	0·15	3	0·46
Luton M.B. ..	1	0·02	233	3·57	101	1·55	4	0·06	3	0·05	8	0·12	17	0·26
Sandy	–	–	3	0·92	7	2·15	–	–	–	–	–	–	2	0·61
RURAL DISTRICTS:														
Ampthill ..	–	–	34	1·77	5	0·26	1	0·05	–	–	3	0·16	1	0·05
Bedford	–	–	70	3·41	9	0·44	5	0·24	–	–	3	0·15	2	0·10
Biggleswade ..	7	0·37	36	1·91	13	0·69	7	0·37	4	0·21	1	0·05	13	0·69
Eaton Bray ..	–	–	15	3·97	3	0·79	–	–	–	–	–	–	1	0·26
Eaton Socon ..	–	–	3	0·92	1	0·31	–	–	–	–	–	–	2	0·62
Luton	–	–	36	3·83	11	1·17	–	–	–	–	–	–	1	0·11
BERKS†	–	–	626	2·01	253	0·81	24	0·08	23	0·07	27	0·09	90	0·29
READING C.B. ..	–	–	121	1·25	68	0·70	8	0·08	8	0·08	6	0·06	46	0·47
AGGREGATE OF U.Ds.	–	–	161	2·25	69	0·96	3	0·04	9	0·13	6	0·08	21	0·29
AGGREGATE OF R.Ds.	–	–	344	2·40	116	0·81	13	0·09	6	0·04	15	0·10	23	0·16
URBAN DISTRICTS:														
Abingdon M.B. ..	–	–	17	2·29	8	1·08	–	–	1	0·13	–	–	9	1·21
Maidenhead M.B.	–	–	46	2·62	7	0·40	1	0·06	–	–	4	0·23	1	0·06
Newbury M.B. ..	–	–	9	0·65	31	2·25	1	0·07	1	0·07	–	–	1	0·07
New Windsor M.B.	–	–	42	2·24	16	0·85	1	0·05	5	0·27	1	0·05	9	0·48
Wallingford M.B.	–	–	21	7·42	2	0·71	–	–	–	–	1	0·35	–	–
Wantage ..	–	–	14	3·54	1	0·25	–	–	1	0·25	–	–	–	–
Wokingham M.B.	–	–	12	1·66	4	0·55	–	–	1	0·14	–	–	1	0·14
RURAL DISTRICTS:														
Abingdon ..	–	–	15	1·23	5	0·41	–	–	–	–	–	–	2	0·16
Bradfield.. ..	–	–	21	1·44	6	0·41	–	–	2	0·14	1	0·07	3	0·21
Cookham ..	–	–	18	1·19	19	1·26	2	0·13	–	–	1	0·07	1	0·07
Easthampstead ..	–	–	29	1·59	15	0·82	1	0·05	1	0·05	2	0·11	1	0·05
Faringdon (part of)‡	–	–	89	8·81	1	0·10	1	0·10	1	0·10	4	0·40	1	0·10
Hungerford ..	–	–	10	1·11	1	0·11	–	–	–	–	2	0·22	3	0·33
Newbury.. ..	–	–	11	0·93	13	1·10	2	0·17	–	–	2	0·17	2	0·17
Wallingford ..	–	–	15	1·59	5	0·53	–	–	–	–	1	0·11	–	–
Wantage ..	–	–	45	3·60	8	0·64	1	0·08	1	0·08	–	–	1	0·08
Windsor	–	–	51	5·02	24	2·36	1	0·10	1	0·10	1	0·10	5	0·49
Wokingham ..	–	–	40	2·01	19	0·95	5	0·25	–	–	1	0·05	4	0·20
‡ The remaining part of the Rural District of Faringdon is in the Administrative County of Gloucester. The figures for the entire District are :—	–	–	106	9·51	1	0·09	1	0·09	1	0·09		0·36	1	0·09

* Administrative County.

† Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BUCKINGHAM* ..	61	0·24	698	2·71	407	1·58	10	0·04	8	0·03	19	0·07	57	0·2
AGGREGATE OF U.Ds.	57	0·52	342	3·14	234	2·15	6	0·06	3	0·03	6	0·06	39	0·36
AGGREGATE OF R.Ds.	4	0·03	356	2·39	173	1·16	4	0·03	5	0·03	13	0·09	18	0·12
URBAN DISTRICTS														
Aylesbury M.B.	–	–	137	10·63	17	1·32	4	0·31	1	0·08	1	0·08	5	0·39
Beaconsfield ..	–	–	12	2·70	1	0·23	–	–	–	–	–	–	1	0·23
Bletchley ..	–	–	11	1·78	4	0·65	–	–	–	–	3	0·48	6	0·97
Buckingham M.B.	–	–	2	0·67	–	–	1	0·33	–	–	–	–	3	1·00
Chepping Wycombe M.B. ..	56	2·12	32	1·21	77	2·91	–	–	–	–	1	0·04	4	0·15
Chesham ..	–	–	58	6·44	8	0·89	–	–	–	–	–	–	5	0·55
Eton	–	–	1	0·30	2	0·60	–	–	–	–	–	–	–	–
Linslade	–	–	6	2·59	3	1·29	–	–	–	–	–	–	–	–
Marlow	–	–	8	1·54	50	9·65	–	–	–	–	1	0·19	–	–
Newport Pagnell	–	–	5	1·28	3	0·77	–	–	–	–	–	–	–	–
Slough	–	–	39	2·11	56	3·03	1	0·05	1	0·05	–	–	9	0·49
Wolverton ..	1	0·07	31	2·28	13	0·96	–	–	1	0·07	–	–	6	0·44
RURAL DISTRICTS:														
Amersham ..	1	0·04	43	1·58	42	1·54	3	0·11	–	–	1	0·04	3	0·11
Aylesbury ..	–	–	109	5·82	3	0·16	–	–	1	0·05	1	0·05	3	0·16
Buckingham ..	–	–	11	1·47	1	0·13	–	–	–	–	1	0·13	3	0·40
Eton	–	–	75	2·02	55	1·48	–	–	3	0·08	5	0·13	4	0·11
Hambleden ..	–	–	4	2·05	2	1·03	–	–	–	–	–	–	–	–
Long Crendon ..	–	–	6	1·56	–	–	–	–	–	–	–	–	–	–
Newport Pagnell	–	–	19	1·34	8	0·56	–	–	–	–	2	0·14	1	0·07
Wing	–	–	23	4·23	–	–	–	–	–	–	–	–	–	–
Winslow	–	–	16	2·59	1	0·16	–	–	–	–	–	–	–	–
Wycombe ..	3	0·11	50	1·87	61	2·29	1	0·04	1	0·04	3	0·11	4	0·15
CAMBRIDGE* ..	1	0·01	219	1·64	331	2·48	12	0·09	5	0·04	22	0·17	47	0·35
URBAN DISTRICT ..	1	0·02	94	1·55	228	3·75	5	0·08	1	0·02	9	0·15	16	0·26
AGGREGATE OF R.Ds.	–	–	125	1·72	103	1·42	7	0·10	4	0·06	13	0·18	31	0·43
URBAN DISTRICT:														
Cambridge M.B.	1	0·02	94	1·55	228	3·75	5	0·08	1	0·02	9	0·15	16	0·26
RURAL DISTRICTS:														
Caxton and Arrington	–	–	14	1·85	9	1·19	–	–	–	–	1	0·13	–	–
Chesterton ..	–	–	58	2·25	62	2·41	–	–	1	0·04	3	0·12	17	0·66
Linton	–	–	18	1·88	11	1·15	–	–	–	–	–	–	–	–
Melbourn ..	–	–	4	0·49	1	0·12	–	–	1	0·12	–	–	1	0·12
Newmarket ..	–	–	27	1·42	6	0·32	1	0·05	2	0·11	9	0·47	13	0·68
Swavesey ..	–	–	4	1·58	14	5·53	6	2·37	–	–	–	–	–	–
CHESTER † ..	68	0·06	2,894	2·64	1,261	1·15	74	0·07	41	0·04	157	0·14	367	0·33
BIRKENHEAD C.B.	–	–	423	2·68	105	0·67	15	0·10	2	0·01	24	0·15	66	0·42
CHESTER C.B. ..	–	–	433	10·63	46	1·13	1	0·02	10	0·25	10	0·25	21	0·52
STOCKPORT C.B. ..	1	0·01	210	1·64	250	1·96	2	0·02	5	0·04	33	0·26	72	0·56
WALLASEY C.B. ..	–	–	175	1·73	38	0·38	5	0·05	3	0·03	8	0·08	29	0·29
AGGREGATE OF U.Ds.	66	0·14	1,155	2·51	581	1·26	22	0·05	13	0·03	58	0·13	139	0·30
AGGREGATE OF R.Ds.	1	0·00	498	2·40	241	1·16	29	0·14	8	0·04	24	0·12	40	0·19
URBAN DISTRICTS:														
Alderley Edge ..	–	–	1	0·32	1	0·32	–	–	–	–	–	–	–	–
Alsager	–	–	1	0·35	–	–	–	–	–	–	–	–	3	1·05
Altrincham ..	–	–	26	1·20	12	0·56	1	0·05	–	–	2	0·09	4	0·19
Ashton upon Mersey	–	–	13	1·55	2	0·24	–	–	1	0·12	–	–	7	0·84
Bebington and Bromborough..	–	–	72	2·89	32	1·29	–	–	1	0·04	4	0·16	2	0·08

* Administrative County.
† Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CHESTER—*cont.*														
URBAN DISTRICTS—*cont.*														
Bollington ..	–	–	20	3·78	2	0·38	–	–	1	0·19	–	–	–	–
Bowdon	–	–	5	1·64	2	0·66	–	–	–	–	–	–	3	0·98
Bredbury and Romiley ..	–	–	25	2·42	10	0·97	–	–	–	–	1	0·10	4	0·39
Buglawton ..	–	–	3	1·69	5	2·81	–	–	–	–	1	0·56	1	0·56
Cheadle and Gatley	–	–	26	1·61	10	0·62	–	–	–	–	3	0·19	6	0·37
Compstall ..	–	–	–	–	1	1·12	–	–	–	–	–	–	–	–
Congleton M.B. ..	–	–	21	1·73	37	3·05	–	–	1	0·08	8	0·66	5	0·41
Crewe M.B. ..	–	–	71	1·48	164	3·42	2	0·04	1	0·02	5	0·10	9	0·19
Dukinfield M.B...	–	–	31	1·59	11	0·56	–	–	–	–	3	0·15	10	0·51
Ellesmere Port and Whitby ..	51	2·94	55	3·17	70	4·03	1	0·06	–	–	1	0·06	3	0·17
Hale	–	–	12	1·19	5	0·49	–	–	–	–	1	0·10	1	0·10
Handforth ..	–	–	–	–	–	–	–	–	–	–	–	–	3	2·75
Hazel Grove and Bramhall ..	–	–	21	1·70	1	0·08	1	0·08	–	–	–	–	1	0·08
Hollingworth ..	–	–	2	0·84	–	–	–	–	–	–	–	–	–	–
Hoole	–	–	13	2·26	3	0·52	1	0·17	–	–	–	–	4	0·69
Hoylake and West Kirby ..	–	–	30	1·70	36	2·04	–	–	1	0·06	1	0·06	2	0·11
Hyde M.B. ..	1	0·03	199	6·11	22	0·68	1	0·03	1	0·03	5	0·15	10	0·31
Knutsford ..	–	–	11	2·14	1	0·19	–	–	–	–	–	–	–	–
Lymm	–	–	37	6·44	2	0·35	–	–	–	–	–	–	2	0·35
Macclesfield M.B.	–	–	31	0·90	44	1·28	6	0·17	1	0·03	1	0·03	6	0·17
Marple	–	–	12	1·70	1	0·14	–	–	–	–	1	0·14	1	0·14
Middlewich ..	–	–	7	1·23	5	0·88	–	–	1	0·18	–	–	3	0·53
Mottram in Longdendale ..	–	–	5	1·79	–	–	–	–	–	–	–	–	–	–
Nantwich ..	–	–	16	2·27	15	2·13	–	–	1	0·14	–	–	1	0·14
Neston and Parkgate	–	–	19	3·31	2	0·35	–	–	–	–	2	0·35	–	–
Northwich ..	–	–	88	4·67	12	0·64	8	0·42	1	0·05	5	0·27	3	0·16
Runcorn	–	–	185	9·96	38	2·05	–	–	–	–	5	0·27	8	0·43
Sale	1	0·06	29	1·72	6	0·36	–	–	–	–	–	–	11	0·65
Sandbach ..	–	–	7	1·13	2	0·32	–	–	–	–	–	–	6	0·97
Stalybridge M.B.	13	0·52	23	0·93	5	0·20	–	–	2	0·08	4	0·16	11	0·44
Tarporley ..	–	–	10	4·07	–	–	1	0·41	–	–	–	–	–	–
Wilmslow ..	–	–	14	1·48	3	0·32	–	–	–	–	1	0·11	5	0·53
Winsford.. ..	–	–	14	1·25	19	1·69	–	–	–	–	4	0·36	4	0·36
Yeardsley cum Whaley ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Bucklow	–	–	40	1·60	19	0·76	1	0·04	–	–	2	0·08	6	0·24
Chester	–	–	72	4·68	20	1·30	–	–	1	0·07	3	0·20	3	0·20
Congleton ..	1	0·08	14	1·06	6	0·45	–	–	1	0·08	1	0·08	5	0·38
Disley	–	–	2	0·63	–	–	–	–	–	–	–	–	–	–
Macclesfield ..	–	–	23	1·18	10	0·51	–	–	–	–	–	–	4	0·21
Malpas	–	–	6	1·34	2	0·45	–	–	–	–	–	–	2	0·45
Nantwich ..	–	–	28	1·05	51	1·92	6	0·23	–	–	2	0·08	1	0·04
Northwich ..	–	–	115	4·36	48	1·82	16	0·61	4	0·15	10	0·38	6	0·23
Runcorn	–	–	50	1·62	38	1·23	2	0·07	1	0·03	3	0·10	8	0·26
Tarvin	–	–	39	2·90	4	0·30	–	–	1	0·07	1	0·07	–	–
Tintwistle ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wirral	–	–	109	3·92	43	1·55	4	0·14	–	–	2	0·07	5	0·18
CORNWALL* ..	2	0·01	386	1·22	150	0·47	29	0·09	7	0·02	27	0·09	41	0·13
AGGREGATE OF U.Ds.	1	0·01	149	1·05	82	0·58	9	0·06	2	0·01	17	0·12	25	0·18
AGGREGATE OF R.Ds.	1	0·01	237	1·35	68	0·39	20	0·11	5	0·03	10	0·06	16	0·09
URBAN DISTRICTS:														
Bodmin M.B. ..	–	–	2	0·40	–	–	–	–	–	–	2	0·40	–	–
Callington ..	–	–	3	1·64	–	–	–	–	–	–	–	–	–	–
Camborne ..	–	–	11	0·76	6	0·41	–	–	1	0·07	3	0·21	6	0·41
Falmouth M.B. ..	–	–	31	2·34	2	0·15	–	–	–	–	2	0·15	–	–
Fowey M.B. ..	–	–	1	0·48	–	–	–	–	–	–	–	–	–	–

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

DMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ORNWALL—*cont.*														
RBAN DISTRICTS—*cont.*														
Hayle	–	–	–	–	1	1·08	–	–	–	–	–	–	–	–
Helston M.B. ..	–	–	1	0·39	–	–	–	–	1	0·39	–	–	–	–
Launceston M.B.	–	–	29	7·26	1	0·25	2	0·50	–	–	1	0·25	3	0·75
Liskeard M.B. ..	–	–	28	6·69	–	–	1	0·24	–	–	–	–	–	–
Looe	–	–	–	–	15	5·25	–	–	–	–	–	–	–	–
Lostwithiel M.B.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ludgvan ..	–	–	1	0·54	1	0·54	–	–	–	–	–	–	–	–
Madron	–	–	1	0·29	–	–	–	–	–	–	–	–	–	–
Newquay ..	–	–	3	0·52	–	–	–	–	–	–	–	–	–	–
Padstow	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paul	–	–	1	0·18	2	0·37	2	0·37	–	–	–	–	–	–
Penryn M.B. ..	–	–	3	0·96	5	1·59	–	–	–	–	–	–	1	0·32
Penzance M.B. ..	–	–	3	0·26	2	0·18	1	0·09	–	–	–	–	1	0·09
Phillack	–	–	1	0·31	–	–	–	–	–	–	–	–	–	–
Redruth	–	–	3	0·33	40	4·43	–	–	–	–	3	0·33	6	0·66
St. Austell ..	–	–	5	0·61	1	0·12	1	0·12	–	–	–	–	–	–
St. Ives M.B. ..	–	–	4	0·60	–	–	2	0·30	–	–	4	0·60	1	0·15
St. Just	–	–	1	0·20	–	–	–	–	–	–	–	–	3	0·60
Saltash M.B. ..	–	–	1	0·28	–	–	–	–	–	–	–	–	–	–
Stratton and Bude	1	0·28	10	2·75	–	–	–	–	–	–	–	–	2	0·55
Torpoint ..	–	–	1	0·24	1	0·24	–	–	–	–	–	–	1	0·24
Truro M.B. ..	–	–	5	0·47	5	0·47	–	–	–	–	1	0·09	1	0·09
Wadebridge ..	–	–	–	–	–	–	–	–	–	–	1	0·04	–	–
URAL DISTRICTS:														
Bodmin	–	–	24	2·33	–	–	–	–	1	0·10	–	–	–	–
Calstock	–	–	10	2·19	4	0·87	1	0·22	–	–	–	–	1	0·22
Camelford ..	–	–	1	0·13	2	0·26	–	–	1	0·13	–	–	–	–
East Kerrier ..	–	–	15	1·62	1	0·11	–	–	–	–	–	–	–	–
Helston	–	–	11	0·66	4	0·24	–	–	–	–	–	–	–	
Holsworthy (part of)*	–	–	2	5·59	–	–	–	–	–	–	–	–	–	–
Launceston ..	1	0·14	35	4·96	–	–	–	–	–	–	–	–	1	0·14
Liskeard ..	–	–	30	2·03	5	0·34	15	1·02	–	–	1	0·07	1	0·07
Redruth	–	–	25	1·44	26	1·49	1	0·06	1	0·06	2	0·11	4	0·23
St. Austell ..	–	–	42	1·55	9	0·33	–	–	–	–	1	0·04	3	0·11
St. Columb Major	–	–	7	0·57	1	0·08	1	0·08	–	–	–	–	1	0·08
St. Germans ..	–	–	16	1·39	5	0·44	–	–	–	–	1	0·09	–	–
Scilly, Isles of ..	–	–	–	–	–	–	–	–	–	–	1	0·58	–	–
Stratton	–	–	6	1·17	–	–	–	–	–	–	–	–	2	0·39
Truro	–	–	7	0·36	11	0·56	–	–	1	0·05	3	0·15	2	0·10
West Penwith ..	–	–	6	0·57	–	–	2	0·19	1	0·09	1	0·09	1	0·09
MBERLAND† ..	–	–	187	0·71	169	0·64	11	0·04	12	0·05	46	0·17	142	0·54
RLISLE C.B. ..	–	–	66	1·18	74	1·32	1	0·02	2	0·04	14	0·25	46	0·82
GREGATE OF U.Ds.	–	–	56	0·48	44	0·38	6	0·05	6	0·05	21	0·18	59	0·51
GREGATE OF R.Ds.	–	–	65	0·70	51	0·55	4	0·04	4	0·04	11	0·12	37	0·40
BAN DISTRICTS:														
Arlecdon and Frizington	–	–	2	0·42	7	1·49	–	–	–	–	–	–	1	0·21
Aspatria	–	–	1	0·29	3	0·86	–	–	–	–	–	–	5	1·43
Cleator Moor ..	–	–	1	0·14	7	0·96	–	–	–	–	1	0·14	1	0·14
Cockermouth ..	–	–	4	0·86	–	–	–	–	2	0·43	–	–	–	–
Egremont ..	–	–	7	1·13	1	0·16	–	–	–	–	–	–	3	0·48
Harrington ..	–	–	1	0·23	2	0·47	–	–	–	–	1	0·23	–	–
Holme Cultram ..	–	–	–	–	–	–	1	0·20	–	–	–	–	2	0·40
Keswick	–	–	2	0·49	2	0·49	–	–	–	–	–	–	1	0·24
Maryport ..	–	–	4	0·37	2	0·19	1	0·09	–	–	1	0·09	2	0·19
Millom	–	–	4	0·54	1	0·14	–	–	–	–	–	–	13	1·76
Penrith	–	–	8	0·99	5	0·62	–	–	1	0·12	5	0·62	9	1·11
Whitehaven M.B.	–	–	15	0·71	11	0·52	1	0·05	1	0·05	9	0·43	13	0·62
Wigton	–	–	1	0·28	–	–	–	–	1	0·28	1	0·28	2	0·56
Workington M.B.	–	–	6	0·23	3	0·12	3	0·12	1	0·04	3	0·21	7	0·27

* The remaining part of the Rural District of Holsworthy is in the Administrative County of Devon.
† Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CUMBERLAND —*cont.*														
RURAL DISTRICTS:														
Alston with Garrigill	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bootle	–	–	1	0·18	3	0·53	–	–	1	0·18	1	0·18	1	0·18
Brampton ..	–	–	7	0·91	3	0·39	–	–	–	–	–	–	1	0·13
Carlisle	–	–	10	0·86	16	1·37	1	0·09	–	–	–	–	6	0·51
Cockermouth ..	–	–	7	0·32	2	0·09	–	–	1	0·05	2	0·09	7	0·32
Longtown ..	–	–	8	1·34	5	0·84	–	–	1	0·17	–	–	5	0·84
Penrith	–	–	12	1·02	11	0·94	–	–	–	–	3	0·26	7	0·60
Whitehaven ..	–	–	12	0·83	7	0·48	1	0·07	–	–	2	0·14	5	0·35
Wigton	–	–	8	0·74	4	0·37	2	0·18	1	0·09	3	0·28	5	0·46
DERBY*	772	1·01	2,852	3·73	963	1·26	29	0·04	60	0·08	114	0·15	286	0·37
DERBY C.B. ..	75	0·53	1,027	7·31	314	2·23	3	0·02	14	0·10	46	0·33	60	0·43
AGGREGATE OF U.DS.	388	1·20	787	2·44	371	1·15	9	0·03	14	0·04	37	0·11	92	0·29
AGGREGATE OF R.DS.	309	1·02	1,038	3·44	278	0·92	17	0·06	32	0·11	31	0·10	134	0·44
URBAN DISTRICTS:														
Alfreton	108	4·99	51	2·36	20	0·92	1	0·05	–	–	5	0·23	13	0·60
Alvaston and Boulton	3	1·30	9	3·89	3	1·30	–	–	–	–	–	–	1	0·43
Ashbourne ..	–	–	4	0·89	–	–	–	–	–	–	1	0·22	2	0·44
Bakewell ..	–	–	3	0·95	–	–	–	–	–	–	1	0·32	–	–
Baslow and Bubnell	–	–	1	1·18	–	–	–	–	–	–	–	–	–	–
Belper	63	4·83	40	3·07	4	0·31	–	–	–	–	–	–	3	0·23
Bolsover	120	9·41	47	3·69	10	0·78	–	–	–	–	3	0·24	3	0·24
Bonsall	–	–	–	–	–	–	1	0·84	–	–	–	–	–	–
Brampton and Walton ..	–	–	3	1·33	3	1·33	–	–	–	–	1	0·44	1	0·44
Buxton M.B. ..	–	–	58	3·41	35	2·06	–	–	2	0·12	1	0·06	4	0·23
Chesterfield M.B.	24	0·37	144	2·21	189	2·90	2	0·03	6	0·09	7	0·11	9	0·14
Clay Cross ..	52	5·96	75	8·59	5	0·57	–	–	–	–	1	0·11	2	0·23
Dronfield ..	–	–	18	4·00	3	0·67	–	–	–	–	2	0·44	–	–
Glossop M.B. ..	–	–	31	1·57	4	0·20	1	0·05	–	–	2	0·10	4	0·20
Heage	2	0·45	6	1·36	7	1·59	–	–	–	–	–	–	1	0·23
Heanor	3	0·13	43	1·87	15	0·65	3	0·13	3	0·13	1	0·04	11	0·48
Ilkeston M.B. ..	4	0·12	69	2·07	7	0·21	1	0·03	–	–	1	0·03	3	0·09
Long Eaton ..	1	0·04	52	2·34	8	0·36	–	–	1	0·04	1	0·04	8	0·36
New Mills ..	–	–	27	3·01	3	0·33	–	–	1	0·11	1	0·11	3	0·33
North Darley ..	2	0·48	8	1·91	4	0·95	–	–	–	–	–	–	1	0·24
Ripley	6	0·43	22	1·58	20	1·43	–	–	1	0·07	3	0·22	6	0·43
South Darley ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Swadlincote District	–	–	28	1·33	23	1·09	–	–	–	–	4	0·19	15	0·71
The Matlocks ..	–	–	48	4·94	6	0·62	–	–	–	–	–	–	1	0·10
Wirksworth ..	–	–	–	–	2	0·51	–	–	–	–	2	0·51	1	0·26
RURAL DISTRICTS:														
Ashbourne ..	–	–	21	2·00	2	0·19	–	–	–	–	2	0·19	3	0·29
Bakewell ..	–	–	55	2·93	8	0·43	2	0·11	1	0·05	3	0·16	7	0·37
Belper	40	1·58	43	1·70	11	0·43	1	0·04	2	0·08	5	0·20	7	0·28
Blackwell ..	130	2·91	236	5·28	43	0·96	2	0·04	13	0·29	–	–	22	0·49
Chapel en le Frith	–	–	50	2·96	8	0·47	–	–	2	0·12	1	0·06	4	0·24
Chesterfield ..	133	1·57	363	4·29	149	1·76	4	0·05	10	0·12	9	0·11	38	0·45
Clowne	–	–	45	2·41	14	0·75	–	–	2	0·11	1	0·05	4	0·21
Glossop Dale ..	–	–	5	1·30	–	–	3	0·78	–	–	–	–	1	0·26
Hartshorn and Seals	–	–	14	1·55	9	1·00	–	–	–	–	–	–	2	0·22
Hayfield	–	–	7	1·58	2	0·45	1	0·23	–	–	–	–	4	0·90

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DERBY—*cont.*														
RURAL DISTRICTS—*cont.*														
Norton	–	–	42	7·42	–	–	1	0·18	–	–	–	–	2	0·35
Repton	–	–	52	2·85	13	0·71	2	0·11	–	–	3	0·16	14	0·77
Shardlow ..	6	0·16	101	2·74	19	0·52	1	0·03	2	0·05	6	0·16	22	0·60
Sudbury	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Codnor Park and Shipley (parishes)	* –	–	4	2·25	–	–	–	–	–	–	1	0·56	4	2·25
DEVON†	2	0·00	886	1·26	1,084	1·54	39	0·06	40	0·06	122	0·17	191	0·27
EXETER C.B. ..	–	–	65	1·06	101	1·65	5	0·08	6	0·10	17	0·28	12	0·20
PLYMOUTH C.B. ..	–	–	366	1·84	525	2·64	10	0·05	15	0·08	47	0·24	63	0·32
AGGREGATE OF U.Ds.	1	0·00	226	1·03	158	0·72	17	0·08	10	0·05	34	0·16	70	0·32
AGGREGATE OF R.Ds.	1	0·00	229	1·02	300	1·33	7	0·03	9	0·04	24	0·11	46	0·20
URBAN DISTRICTS:														
Ashburton ..	–	–	–	–	–	–	–	–	–	–	1	0·40	3	1·21
Axminster ..	–	–	–	–	1	0·43	–	–	–	–	–	–	–	–
Bampton ..	–	–	1	0·68	–	–	1	0·68	–	–	–	–	–	–
Barnstaple M.B.	–	–	22	1·54	20	1·40	9	0·63	2	0·14	4	0·28	7	0·49
Bideford M.B. ..	–	–	1	0·11	2	0·22	–	–	1	0·11	3	0·33	4	0·44
Brixham ..	–	–	3	0·37	2	0·25	3	0·37	–	–	1	0·12	7	0·86
Buckfastleigh ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Budleigh Salterton	–	–	1	0·35	–	–	–	–	–	–	–	–	–	–
Crediton	–	–	4	1·14	1	0·29	–	–	–	–	1	0·29	3	0·86
Dartmouth M.B.	–	–	10	1·56	9	1·41	–	–	1	0·16	–	–	1	0·16
Dawlish	–	–	2	0·45	–	–	1	0·22	–	–	–	–	1	0·22
Exmouth ..	–	–	12	0·83	2	0·14	1	0·07	–	–	4	0·28	6	0·42
Great Torrington M.B.	–	–	4	1·33	–	–	–	–	–	–	–	–	–	–
Holsworthy ..	–	–	4	2·83	–	–	–	–	–	–	–	–	1	0·71
Honiton M.B. ..	–	–	2	0·65	–	–	–	–	–	–	–	–	1	0·32
Ilfracombe ..	–	–	6	0·67	50	5·61	–	–	–	–	–	–	–	–
Ivybridge ..	–	–	2	1·17	3	1·76	–	–	–	–	2	1·17	–	–
Kingsbridge ..	–	–	–	–	2	0·69	–	–	–	–	1	0·35	1	0·35
Lynton	–	–	–	–	15	8·99	–	–	–	–	–	–	–	–
Newton Abbot ..	–	–	6	0·40	12	0·81	–	–	–	–	1	0·07	4	0·27
Northam ..	–	–	5	0·85	3	0·51	–	–	2	0·34	–	–	1	0·17
Okehampton M.B.	–	–	4	1·17	–	–	–	–	1	0·29	1	0·29	3	0·88
Ottery St. Mary..	–	–	–	–	1	0·28	–	–	–	–	–	–	1	0·28
Paignton ..	–	–	13	0·77	2	0·12	–	–	1	0·06	3	0·18	5	0·30
Salcombe ..	–	–	1	0·45	1	0·45	–	–	–	–	–	–	1	0·45
Seaton	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sidmouth ..	–	–	1	0·18	–	–	2	0·36	–	–	1	0·18	2	0·36
South Molton M.B.	–	–	1	0·38	–	–	–	–	–	–	–	–	1	0·38
Tavistock ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teignmouth ..	1	0·10	10	1·01	4	0·40	–	–	–	–	2	0·20	4	0·40
Tiverton M.B. ..	–	–	18	1·93	24	2·57	–	–	–	–	1	0·11	3	0·32
Torquay M.B. ..	–	–	91	2·30	4	0·10	–	–	1	0·03	8	0·20	9	0·23
Totnes M.B. ..	–	–	2	0·49	–	–	–	–	1	0·24	–	–	1	0·24
RURAL DISTRICTS:														
Axminster ..	–	–	2	0·19	23	2·21	–	–	–	–	–	–	2	0·19
Barnstaple ..	–	–	13	0·70	30	1·62	1	0·05	1	0·05	1	0·05	2	0·11
Bideford	1	0·17	10	1·74	–	–	2	0·35	–	–	2	0·35	–	–
Broadwood Widger	–	–	18	8·38	–	–	–	–	–	–	–	–	–	–
Crediton	–	–	12	1·19	5	0·50	–	–	–	–	2	0·20	5	0·50
Culmstock ..	–	–	9	2·81	5	1·56	–	–	–	–	–	–	1	0·31
Holsworthy (part of)‡	–	–	4	0·59	2	0·29	–	–	–	–	1	0·15	–	–
Honiton	–	–	4	0·43	9	0·96	1	0·11	–	–	–	–	–	–
Kingsbridge ..	–	–	4	0·35	39	3·43	–	–	1	0·09	5	0·44	2	0·18
Newton Abbot ..	–	–	26	1·23	24	1·13	–	–	–	–	2	0·09	5	0·24

* These Parishes are administered by the Rural District Council of Basford (Notts).
† Administrative County with associated County Boroughs.
‡ The remaining part of the Rural District of Holsworthy is in the Administrative County of Cornwall. The figures for the entire District are :—

–	–	6	0·84	2	0·28	–	–	–	–	1	0·14	–	–

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DEVON—*cont.*														
RURAL DISTRICTS—*cont.*														
Okehampton ..	–	–	11	0·83	17	1·28	–	–	2	0·15	1	0·08	4	0·30
Plympton St.Mary	–	–	14	0·54	29	1·12	3	0·12	1	0·04	1	0·04	11	0·43
St. Thomas ..	–	–	34	1·25	47	1·72	–	–	3	0·11	1	0·04	8	0·29
South Molton ..	–	–	5	0·51	–	–	–	–	–	–	3	0·30	2	0·20
Tavistock ..	–	–	33	2·12	9	0·58	–	–	–	–	–	–	–	–
Tiverton ..	–	–	11	0·77	58	4·05	–	–	1	0·07	3	0·21	4	0·28
Torrington ..	–	–	17	2·05	–	–	–	–	–	–	–	–	–	–
Totnes	–	–	2	0·16	3	0·24	–	–	–	–	2	0·16	–	–
DORSET*	13	0·06	485	2·06	594	2·52	7	0·03	9	0·04	29	0·12	89	0·38
AGGREGATE OF U.Ds.†	13	0·10	325	2·58	411	3·26	4	0·03	2	0·02	13	0·10	50	0·40
AGGREGATE OF R.Ds.†	–	–	160	1·46	183	1·66	3	0·03	7	0·06	16	0·15	39	0·35
URBAN DISTRICTS:														
Blandford Forum M.B.	–	–	4	1·32	1	0·33	–	–	1	0·33	3	0·99	–	–
Bridport M.B. ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dorchester M.B.	–	–	23	2·41	87	9·10	1	0·10	–	–	2	0·21	11	1·15
Lyme Regis M.B.	–	–	–	–	4	1·67	–	–	–	–	–	–	–	–
Poole M.B. ..	–	–	192	3·56	229	4·25	–	–	–	–	3	0·06	24	0·45
Portland ..	–	–	19	1·94	23	2·35	–	–	–	–	1	0·10	6	0·61
Shaftesbury M.B.	–	–	14	5·61	–	–	–	–	–	–	–	–	2	0·80
Sherborne† ..	13	1·99	25	3·83	27	4·14	–	–	–	–	1	0·15	1	0·15
Swanage	–	–	2	0·34	8	1·36	2	0·34	–	–	1	0·17	–	–
Wareham M B. ..	–	–	–	–	2	0·98	–	–	1	0·49	–	–	1	0·49
Weymouth and Melcombe Regis M.B.	–	–	39	1·85	28	1·33	1	0·05	–	–	2	0·10	5	0·24
Wimborne Minster	–	–	7	1·89	2	0·54	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Beaminster ..	–	–	15	1·81	–	–	–	–	–	–	1	0·12	3	0·36
Blandford ..	–	–	10	1·26	5	0·63	–	–	–	–	2	0·25	3	0·38
Bridport	–	–	2	0·29	–	–	1	0·14	–	–	–	–	1	0·14
Cerne	–	–	5	1·17	31	7·23	–	–	–	–	2	0·47	6	1·40
Dorchester ..	–	–	28	3·24	27	3·13	1	0·12	–	–	–	–	3	0·35
Poole	–	–	21	1·81	19	1·64	1	0·09	–	–	2	0·17	2	0·17
Shaftesbury ..	–	–	3	0·32	14	1·48	–	–	–	–	–	–	5	0·53
Sherborne† ..	–	–	5	0·96	8	1·53	–	–	–	–	–	–	3	0·57
Sturminster ..	–	–	16	2·02	4	0·50	–	–	1	0·13	2	0·25	3	0·38
Wareham and Purbeck	–	–	7	0·54	40	3·06	–	–	1	0·08	3	0·23	4	0·31
Weymouth ..	–	–	8	0·78	9	0·87	–	–	1	0·10	1	0·10	2	0·19
Wimborne and Cranborne ..	–	–	40	2·48	26	1·61	–	–	4	0·25	3	0·19	4	0·25

* Administrative County.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

DMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
JRHAM*	812	0·54	2,742	1·82	1,942	1·29	113	0·07	66	0·04	216	0·14	966	0·64
ARLINGTON C.B. ..	–	–	159	2·21	141	1·96	6	0·08	2	0·03	14	0·20	27	0·38
ATESHEAD C.B. ..	60	0·49	219	1·79	92	0·75	3	0·02	3	0·02	6	0·05	108	0·88
UTH SHIELDS C.B.	281	2·35	162	1·35	61	0·51	–	–	11	0·09	7	0·06	55	0·46
NDERLAND C.B.†	3	0·02	166	0·90	146	0·79	10	0·05	13	0·07	43	0·23	126	0·68
EST HARTLEPOOL C.B.	–	–	95	1·37	140	2·02	39	0·56	4	0·06	10	0·14	31	0·45
GREGATE OF U.Ds.	287	0·55	1,109	2·11	812	1·55	37	0·07	16	0·03	84	0·16	371	0·71
GREGATE OF R.Ds.	181	0·44	832	2·00	550	1·32	18	0·04	17	0·04	52	0·13	248	0·60
RBAN DISTRICTS:														
Annfield Plain ..	–	–	43	2·75	46	2·94	–	–	1	0·06	10	0·64	12	0·77
Barnard Castle ..	–	–	9	1·91	–	–	–	–	–	–	–	–	–	–
Benfieldside ..	–	–	22	2·49	37	4·19	2	0·23	–	–	7	0·79	7	0·79
Billingham ..	–	–	21	1·78	20	1·69	–	–	–	–	6	0·51	13	1·10
Bishop Auckland	–	–	44	3·43	3	0·23	–	–	–	–	2	0·16	1	0·08
Blaydon	–	–	24	0·73	25	0·76	–	–	2	0·06	5	0·15	25	0·76
Brandon and By-shottles ..	1	0·06	34	1·92	30	1·70	–	–	–	–	2	0·11	12	0·68
Chester le Street..	–	–	60	3·64	7	0·42	8	0·48	1	0·06	2	0·12	13	0·79
Consett	–	–	18	1·42	42	3·30	–	–	–	–	–	–	6	0·47
Crook	–	–	29	2·34	30	2·42	–	–	1	0·08	1	0·08	10	0·81
Durham M.B. ..	1	0·06	28	1·67	31	1·85	–	–	–	–	2	0·12	8	0·48
Felling	6	0·21	78	2·79	6	0·21	–	–	3	0·11	1	0·04	14	0·50
Hartlepool M.B.	–	–	18	0·87	5	0·24	2	0·10	–	–	1	0·05	2	0·10
Hebburn ..	24	0·98	50	2·04	29	1·19	–	–	1	0·04	4	0·16	25	1·02
Hetton	1	0·06	63	3·49	15	0·83	3	0·17	1	0·06	1	0·06	19	1·05
Houghton le Spring	–	–	10	0·93	7	0·65	–	–	–	–	2	0·19	10	0·93
Jarrow M.B. ..	253	7·66	17	0·51	10	0·30	–	–	1	0·03	5	0·15	52	1·57
Leadgate.. ..	–	–	5	0·79	28	4·41	–	–	–	–	–	–	3	0·47
Ryton	–	–	6	0·40	9	0·61	4	0·27	–	–	5	0·34	10	0·67
Seaham Harbour	–	–	13	0·69	45	2·38	3	0·16	1	0·05	3	0·16	8	0·42
Shildon	–	–	40	2·96	51	3·77	–	–	–	–	1	0·07	6	0·44
Spennymoor ..	–	–	47	2·72	59	3·41	2	0·12	1	0·06	2	0·12	12	0·69
Stanhope ..	–	–	1	0·52	3	1·55	–	–	–	–	–	–	1	0·52
Stanley	–	–	48	1·86	111	4·31	2	0·08	–	–	5	0·19	18	0·70
Stockton on Tees M.B.	1	0·01	269	4·01	71	1·06	2	0·03	1	0·01	11	0·16	40	0·60
Tanfield	–	–	11	1·14	20	2·07	2	0·21	1	0·10	2	0·21	9	0·93
Tow Law ..	–	–	6	1·59	16	4·23	–	–	–	–	–	–	1	0·26
Washington ..	–	–	11	0·65	7	0·41	7	0·41	–	–	2	0·12	14	0·83
Whickham ..	–	–	33	1·55	18	0·84	–	–	–	–	1	0·05	18	0·84
Willington ..	–	–	51	5·15	31	3·13	–	–	1	0·10	1	0·10	2	0·20
RAL DISTRICTS:														
Auckland ..	–	–	137	2·41	112	1·97	3	0·05	3	0·05	12	0·21	23	0·41
Barnard Castle ..	–	–	57	5·15	2	0·18	–	–	–	–	2	0·18	2	0·18
Chester le Street..	1	0·02	166	3·08	62	1·15	1	0·02	4	0·07	6	0·11	18	0·33
Darlington ..	–	–	18	1·61	28	2·51	–	–	1	0·09	1	0·09	5	0·45
Durham	6	0·18	93	2·85	25	0·77	3	0·09	3	0·09	1	0·03	9	0·28
Easington ..	99	1·13	115	1·32	169	1·93	2	0·02	5	0·06	8	0·09	59	0·68
Hartlepool ..	–	–	3	0·70	11	2·55	3	0·70	–	–	1	0·23	2	0·46
Houghton le Spring	2	0·07	55	1·91	15	0·52	–	–	–	–	1	0·03	31	1·07
Lanchester ..	–	–	57	1·62	65	1·85	3	0·09	1	0·03	6	0·17	32	0·91
Sedgefield ..	16	0·44	67	1·85	22	0·61	3	0·08	–	–	6	0·17	20	0·55
South Shields ..	57	2·75	16	0·77	8	0·39	–	–	–	–	3	0·14	22	1·06
Stockton ..	–	–	9	1·41	6	0·94	–	–	–	–	2	0·31	2	0·31
Sunderland ..	–	–	35	1·56	17	0·76	–	–	–	–	3	0·13	20	0·89
Teesdale ..	–	–	4	0·43	8	0·86	–	–	–	–	–	–	3	0·32

* Administrative County with associated County Boroughs.
† One case of typhus fever was notified.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ELY, ISLE OF* ..	14	0·18	186	2·38	179	2·29	13	0·17	3	0·04	3	0·04	36	0·
AGGREGATE OF U.Ds.	14	0·32	123	2·82	157	3·60	9	0·21	1	0·02	2	0·05	23	0·
AGGREGATE OF R.Ds.	–	–	63	1·82	22	0·64	4	0·12	2	0·06	1	0·03	13	0·
URBAN DISTRICTS:														
Chatteris ..	–	–	19	3·68	5	0·97	–	–	–	–	–	–	1	0·
Ely	–	–	15	1·92	5	0·64	–	–	–	–	1	0·13	4	0·
March	–	–	2	0·19	–	–	–	–	–	–	–	–	1	0·
Whittlesey ..	14	1·75	4	0·50	107	13·40	–	–	–	–	–	–	4	0·
Wisbech M.B. ..	–	–	83	6·95	40	3·35	9	0·75	1	0·08	1	0·08	13	1·
RURAL DISTRICTS:														
Ely	–	–	21	1·55	13	0·96	1	0·07	–	–	1	0·07	5	0·
North Witchford	–	–	4	0·77	–	–	–	–	2	0·39	–	–	1	0·
Thorney	–	–	–	–	–	–	–	–	–	–	–	–	1	0·
Wisbech	–	–	38	2·84	9	0·67	3	0·22	–	–	–	–	6	0·
ESSEX†	1,378	0·82	6,439	3·83	3,621	2·16	88	0·05	89	0·05	200	0·12	692	0·
EAST HAM C.B. ..	25	0·17	747	5·06	580	3·93	2	0·01	9	0·06	10	0·07	49	0·
SOUTHEND ON SEA C.B.	7	0·06	288	2·51	65	0·57	6	0·05	8	0·07	16	0·14	27	0·
WEST HAM C.B. ..	1,277	4·15	1,455	4·73	815	2·65	11	0·04	17	0·06	64	0·21	188	0·
AGGREGATE OF U.Ds.‡	58	0·07	3,262	3·94	1,894	2·29	55	0·07	43	0·05	77	0·09	353	0·
AGGREGATE OF R.Ds.‡	11	0·04	687	2·43	267	0·94	14	0·05	12	0·04	33	0·12	75	0·
URBAN DISTRICTS:														
Barking Town ..	10	0·24	261	6·19	96	2·28	3	0·07	–	–	2	0·05	30	0·
Benfleet‡‖ ..	–	–	3	1·01	11	3·69	–	–	–	–	–	–	–	
Braintree ..	–	–	23	2·68	6	0·70	–	–	–	–	2	0·23	2	0·
Brentwood ..	–	–	23	3·04	11	1·45	–	–	–	–	–	–	7	0·
Brightlingsea ..	–	–	7	1·61	–	–	–	–	1	0·23	1	0·23	–	
Buckhurst Hill ..	–	–	4	0·73	2	0·36	–	–	–	–	–	–	2	0·
Burnham on Crouch ..	–	–	3	0·83	3	0·83	–	–	–	–	1	0·28	4	1·
Canvey Island ..	1	0·16	3	0·47	2	0·31	1	0·16	–	–	–	–	3	0·
Chelmsford M.B.	–	–	35	1·46	18	0·75	5	0·21	4	0·17	1	0·04	3	0·
Chingford ..	–	–	59	3·67	7	0·44	–	–	3	0·19	–	–	6	0·
Clacton	–	–	35	2·26	15	0·97	–	–	–	–	–	–	6	0·
Colchester M.B.	–	–	186	4·14	43	0·96	13	0·29	2	0·04	7	0·16	31	0·
Dagenham ..	3	0·04	501	6·51	217	2·82	6	0·08	8	0·10	11	0·14	21	0·
Epping	–	–	12	2·25	17	3·19	3	0·56	–	–	2	0·38	1	0·
Frinton on Sea ..	–	–	–	–	–	–	–	–	–	–	–	–	–	
Grays Thurrock	4	0·22	35	1·89	88	4·76	–	–	1	0·05	6	0·32	12	0·
Halstead ..	–	–	8	1·36	1	0·17	1	0·17	–	–	–	–	2	0·
Harwich M.B. ..	–	–	56	4·71	29	2·44	–	–	–	–	–	–	4	0·
Hornchurch ..	–	–	49	2·80	51	2·92	–	–	1	0·06	2	0·11	7	0·
Ilford M.B. ..	6	0·05	467	4·02	297	2·56	12	0·10	8	0·07	8	0·07	49	0·
Leyton M.B. ..	9	0·07	484	3·77	246	1·92	3	0·02	5	0·04	14	0·11	53	0·
Loughton ..	–	–	3	0·42	1	0·14	–	–	–	–	–	–	–	
Maldon M.B. ..	–	–	7	1·06	4	0·60	1	0·15	–	–	2	0·30	6	0·
Purfleet‡§ ..	–	–	23	3·36	45	6·57	–	–	–	–	–	–	1	0·
Rayleigh‡‖ ..	–	–	2	1·37	1	0·68	–	–	–	–	–	–	–	
Romford ..	1	0·03	54	1·88	146	5·09	3	0·10	3	0·10	4	0·14	6	0·
Saffron Walden M.B.	–	–	13	2·30	2	0·35	–	–	–	–	–	–	6	1·
Shoeburyness ..	–	–	35	6·16	11	1·94	–	–	–	–	1	0·18	6	1·
Tilbury ..	12	0·70	45	2·63	117	6·85	–	–	–	–	2	0·12	4	0·
Waltham Holy Cross ..	–	–	14	2·03	4	0·58	–	–	1	0·14	2	0·29	12	1·
Walthamstow M.B.	10	0·08	686	5·50	322	2·58	2	0·02	5	0·04	6	0·05	50	0·
Walton on the Naze	–	–	1	0·32	–	–	–	–	–	–	–	–	–	
Wanstead ..	2	0·11	57	3·18	22	1·23	–	–	–	–	–	–	8	0·
West Mersea ..	–	–	5	2·24	–	–	–	–	1	0·45	–	–	–	
Witham	–	–	14	3·22	14	3·22	1	0·23	–	–	2	0·46	2	0·
Wivenhoe ..	–	–	6	2·59	–	–	–	–	–	–	–	–	2	0·
Woodford ..	–	–	43	1·91	45	2·00	1	0·04	–	–	1	0·04	7	0·

* Administrative County.
† Administrative County with associated County Boroughs.
‡ Rates adjusted to allow for changes in boundary during the year.
§ Created 1st April, 1929.
‖ Created 1st October, 1929.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ESSEX—*cont.*														
RURAL DISTRICTS:														
Belchamp ..	–	–	2	0·49	6	1·47	–	–	–	–	–	–	1	0·24
Billericay ..	1	0·03	117	3·25	43	1·20	1	0·03	–	–	7	0·19	11	0·31
Braintree ..	–	–	51	2·46	10	0·48	1	0·05	1	0·05	3	0·14	9	0·43
Bumpstead ..	–	–	5	2·16	2	0·86	–	–	–	–	–	–	3	1·29
Chelmsford ..	2	0·07	54	1·89	9	0·31	1	0·03	2	0·07	4	0·14	3	0·10
Dunmow ..	–	–	36	2·32	–	–	–	–	–	–	2	0·13	8	0·52
Epping	–	–	18	1·07	27	1·61	2	0·12	1	0·06	1	0·06	4	0·24
Halstead ..	–	–	21	2·10	1	0·10	2	0·20	–	–	–	–	2	0·20
Lexden and Winstree	–	–	35	1·88	10	0·54	1	0·05	2	0·11	1	0·05	6	0·32
Maldon	4	0·24	19	1·13	13	0·78	2	0·12	–	–	2	0·12	2	0·12
Ongar	–	–	16	1·53	20	1·91	–	–	–	–	1	0·10	3	0·29
Orsett‡	–	–	57	2·81	49	2·41	–	–	–	–	3	0·15	3	0·15
Rochford‡ ..	4	0·14	101	3·59	13	0·46	–	–	2	0·07	1	0·04	5	0·18
Romford ..	–	–	24	1·69	41	2·88	2	0·14	3	0·21	–	–	2	0·14
Saffron Walden ..	–	–	12	1·24	5	0·52	–	–	–	–	–	–	4	0·41
Stansted	–	–	28	4·06	1	0·15	1	0·15	–	–	2	0·29	3	0·44
Tendring ..	–	–	91	3·84	17	0·72	1	0·04	1	0·04	6	0·25	6	0·25
GLOUCESTER* ..	17	0·02	2,171	2·78	1,577	2·02	48	0·06	29	0·04	129	0·17	261	0·33
BRISTOL C.B. ..	2	0·01	1,108	2·83	1,130	2·89	30	0·08	18	0·05	68	0·17	175	0·45
GLOUCESTER C.B. ..	–	–	101	1·94	67	1·29	1	0·02	1	0·02	18	0·35	13	0·25
AGGREGATE OF U.Ds.	7	0·06	326	2·86	163	1·43	8	0·07	5	0·04	12	0·11	32	0·28
AGGREGATE OF R.Ds.	8	0·04	636	2·84	217	0·97	9	0·04	5	0·02	31	0·14	41	0·18
URBAN DISTRICTS:														
Awre	7	5·92	–	–	–	–	–	–	–	–	–	–	–	–
Charlton Kings ..	–	–	10	2·14	1	0·21	–	–	–	–	–	–	–	–
Cheltenham M.B.	–	–	139	2·76	55	1·09	3	0·06	3	0·06	5	0·10	21	0·42
Cirencester ..	–	–	5	0·68	–	–	–	–	–	–	2	0·27	1	0·14
Coleford ..	–	–	30	10·86	1	0·36	1	0·36	1	0·36	2	0·72	2	0·72
Kingswood ..	–	–	44	3·16	73	5·25	1	0·07	–	–	–	–	5	0·36
Mangotsfield ..	–	–	28	2·47	32	2·82	–	–	–	–	1	0·09	1	0·09
Nailsworth ..	–	–	8	2·39	–	–	–	–	–	–	1	0·30	–	–
Newnham ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stow on the Wold	–	–	1	0·84	–	–	–	–	–	–	–	–	–	–
Stroud	–	–	57	7·08	–	–	2	0·25	–	–	1	0·12	1	0·12
Tetbury	–	–	1	0·45	–	–	1	0·45	–	–	–	–	–	–
Tewkesbury M.B.	–	–	2	0·44	1	0·22	–	–	1	0·22	–	–	1	0·22
Westbury on Severn	–	–	1	0·55	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Campden ..	–	–	3	0·56	–	–	–	–	1	0·19	1	0·19	1	0·19
Cheltenham ..	–	–	3	0·52	3	0·52	–	–	–	–	1	0·17	–	–
Chipping Sodbury	–	–	45	1·89	30	1·26	–	–	–	–	2	0·08	3	0·13
Cirencester ..	–	–	47	3·88	5	0·41	2	0·17	–	–	5	0·41	1	0·08
Dursley ..	1	0·08	11	0·86	8	0·62	–	–	–	–	3	0·23	4	0·31
East Dean and United Parishes	6	0·29	80	3·87	44	2·13	–	–	1	0·05	6	0·29	2	0·10
Faringdon (part of)†	–	–	17	16·22	–	–	–	–	–	–	–	–	–	–
Gloucester ..	–	–	25	1·74	27	1·88	2	0·14	–	–	1	0·07	–	–
Lydney	–	–	10	1·00	2	0·20	–	–	1	0·10	2	0·20	1	0·10
Marston Sicca ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* Administrative County with associated County Boroughs.
† The remaining part of the Rural District of Faringdon is in the Administrative County of Berks.
‡ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
GLOUCESTER—*cont.*														
RURAL DISTRICTS—*cont.*														
Newent	–	–	4	0·62	5	0·77	–	–	–	–	–	–	1	0·15
Northleach ..	–	–	6	0·83	2	0·28	–	–	–	–	1	0·14	–	–
Pebworth ..	–	–	12	3·61	–	–	–	–	–	–	1	0·30	–	–
Stow on the Wold (part of)*	–	–	15	2·53	3	0·51	–	–	–	–	–	–	2	0·34
Stroud	–	–	172	6·13	28	1·00	1	0·04	–	–	1	0·04	7	0·25
Tetbury (part of)*	–	–	3	1·03	2	0·68	1	0·34	1	0·34	–	–	1	0·34
Tewkesbury (part of)*	–	–	15	3·30	7	1·54	–	–	–	–	–	–	–	–
Thornbury ..	–	–	26	1·37	9	0·47	2	0·11	–	–	1	0·05	5	0·26
Warmley ..	–	–	26	2·86	27	2·97	1	0·11	–	–	1	0·11	5	0·55
West Dean ..	1	0·07	84	5·54	3	0·20	–	–	1	0·07	4	0·26	5	0·33
Wheatenhurst ..	–	–	14	2·25	10	1·61	–	–	–	–	–	–	–	–
Winchcomb (part of)*	–	–	18	2·12	2	0·24	–	–	–	–	1	0·12	3	0·35
HEREFORD‡ ..	–	–	208	1·88	167	1·51	4	0·04	8	0·07	14	0·13	13	0·12
AGGREGATE OF U.Ds.	–	–	48	1·20	94	2·34	1	0·02	6	0·15	1	0·02	3	0·07
AGGREGATE OF R.Ds.	–	–	160	2·27	73	1·03	3	0·04	2	0·03	13	0·18	10	0·14
URBAN DISTRICTS:														
Bromyard ..	–	–	1	0·64	1	0·64	–	–	–	–	–	–	–	–
Hereford M.B. ..	–	–	38	1·61	67	2·84	1	0·04	3	0·13	1	0·04	–	–
Kington	–	–	1	0·60	–	–	–	–	1	0·60	–	–	–	–
Ledbury	–	–	3	0·94	3	0·94	–	–	–	–	–	–	1	0·31
Leominster M.B.	–	–	1	0·18	22	3·99	–	–	2	0·36	–	–	1	0·18
Ross	–	–	4	0·88	1	0·22	–	–	–	–	–	–	1	0·22
RURAL DISTRICTS:														
Bredwardine ..	–	–	15	7·72	–	–	–	–	–	–	–	–	1	0·51
Bromyard ..	–	–	22	2·97	4	0·54	–	–	–	–	3	0·41	1	0·14
Dore	–	–	7	1·18	8	1·35	3	0·51	–	–	–	–	1	0·17
Hereford ..	–	–	18	1·38	21	1·61	–	–	–	–	1	0·08	4	0·31
Kington ..	–	–	14	2·98	–	–	–	–	–	–	–	–	1	0·21
Ledbury	–	–	16	1·80	6	0·68	–	–	1	0·11	4	0·45	–	–
Leominster ..	–	–	21	2·80	16	2·13	–	–	–	–	2	0·27	–	–
Ross	–	–	20	2·04	13	1·32	–	–	–	–	1	0·10	–	–
Weobley	–	–	24	3·95	4	0·66	–	–	–	–	1	0·16	2	0·33
Whitchurch ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wigmore ..	–	–	3	0·88	1	0·29	–	–	1	0·29	1	0·29	–	–
HERTFORD‡ ..	5	0·01	1,252	3·26	508	1·32	31	0·08	16	0·04	52	0·14	115	0·30
AGGREGATE OF U.Ds.	4	0·01	908	3·38	379	1·41	21	0·08	14	0·05	36	0·13	79	0·29
AGGREGATE OF R.Ds.	1	0·01	344	2·98	129	1·12	10	0·09	2	0·02	16	0·14	36	0·31
URBAN DISTRICTS:														
Baldock	–	–	25	8·29	9	2·98	–	–	–	–	2	0·66	2	0·66
Barnet	–	–	40	2·81	32	2·25	1	0·07	2	0·14	4	0·28	12	0·84
Bishop's Stortford	–	–	5	0·51	11	8·13	–	–	–	–	2	0·21	1	0·10
Bushey	–	–	29	2·83	7	0·68	–	–	–	–	–	–	3	0·29
Cheshunt ..	–	–	17	1·17	14	0·96	1	0·07	1	0·07	3	0·21	7	0·48

* The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Worcester, and the remaining part of the Rural District of Tetbury is in the Administrative County of Wilts. The figures for the entire Districts are :—

Stow on the Wold	–	–	17	2·74	3	0·48	–	–	–	–	–	–	2	0·32
Tetbury ..	–	–	8	2·43	2	0·61	1	0·30	1	0·30	–	–	1	0·30
Tewkesbury ..	–	–	17	2·55	8	1·20	1	0·15	–	–	–	–	3	0·45
Winchcomb ..	–	–	18	2·10	2	0·23	–	–	–	–	1	0·12	3	0·35

‡ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
HERTFORD—*cont.*														
URBAN DISTRICTS—*cont.*														
Chorleywood ..	–	–	8	2·51	–	–	–	–	–	–	–	–	–	–
East Barnet Valley	3	0·19	46	2·86	10	0·62	4	0·25	2	0·12	3	0·19	3	0·19
Great Berkhampstead	–	–	87	11·23	4	0·52	–	–	–	–	–	–	2	0·26
Harpenden ..	–	–	18	2·25	18	2·25	2	0·25	–	–	–	–	–	–
Hemel Hempstead M.B.	–	–	89	5·91	42	2·79	–	–	1	0·07	4	0·27	1	0·07
Hertford M.B. ..	–	–	4	0·34	4	0·34	2	0·17	1	0·08	4	0·34	1	0·08
Hitchin	–	–	16	1·17	4	0·29	1	0·07	–	–	–	–	2	0·15
Hoddesdon ..	–	–	5	0·89	4	0·71	–	–	–	–	–	–	1	0·18
Letchworth ..	–	–	76	5·76	4	0·30	–	–	–	–	–	–	7	0·53
Rickmansworth	–	–	50	5·16	31	3·20	2	0·21	–	–	–	–	1	0·10
Royston	–	–	7	1·83	1	0·26	–	–	1	0·26	–	–	3	0·78
St. Albans M.B...	–	–	62	2·25	5	0·18	1	0·04	–	–	4	0·14	18	0·65
Sawbridgeworth	–	–	4	1·55	–	–	–	–	–	–	–	–	–	–
Stevenage ..	–	–	4	0·71	–	–	–	–	–	–	–	–	1	0·18
Tring	–	–	51	12·09	–	–	–	–	–	–	–	–	2	0·47
Ware	–	–	56	8·99	11	1·77	–	–	–	–	2	0·32	–	–
Watford M.B. ..	1	0·02	190	3·48	164	3·00	6	0·11	6	0·11	7	0·13	11	0·20
Welwyn Garden City	–	–	19	2·35	4	0·50	1	0·12	–	–	1	0·12	1	0·12
RURAL DISTRICTS:														
Ashwell	–	–	5	1·42	1	0·28	–	–	–	–	1	0·28	1	0·28
Barnet	–	–	17	3·09	17	3·09	–	–	–	–	1	0·18	2	0·36
Berkhampstead	1	0·20	55	10·81	5	0·98	–	–	–	–	–	–	4	0·79
Buntingford ..	–	–	–	–	2	0·42	–	–	–	–	–	–	–	–
Hadham	–	–	21	3·88	2	0·37	–	–	1	0·18	–	–	4	0·74
Hatfield	–	–	31	3·01	–	–	–	–	1	0·10	2	0·19	1	0·10
Hemel Hempstead	–	–	39	4·90	30	3·77	–	–	–	–	–	–	6	0·75
Hertford ..	–	–	4	0·53	4	0·53	–	–	–	–	–	–	–	–
Hitchin	–	–	26	1·82	6	0·42	–	–	–	–	4	0·28	4	0·28
St. Albans ..	–	–	26	1·42	10	0·55	8	0·44	–	–	1	0·05	1	0·05
Ware	–	–	20	1·71	19	1·62	–	–	–	–	2	0·17	2	0·17
Watford	–	–	98	5·61	33	1·89	2	0·11	–	–	4	0·23	10	0·57
Welwyn	–	–	2	0·57	–	–	–	–	–	–	1	0·29	1	0·29
HUNTINGDON† ..	53	0·93	79	1·39	95	1·67	10	0·18	5	0·09	9	0·16	25	0·44
AGGREGATE OF U.Ds.	30	1·17	40	1·56	30	1·17	3	0·12	2	0·08	6	0·23	18	0·70
AGGREGATE OF R.Ds.	23	0·74	39	1·26	65	2·09	7	0·23	3	0·10	3	0·10	7	0·23
URBAN DISTRICTS:														
Godmanchester M.B.	–	–	1	0·48	2	0·96	1	0·48	2	0·96	1	0·48	1	0·48
Huntingdon M.B.	–	–	7	1·75	8	2·00	1	0·25	–	–	3	0·75	5	1·25
Old Fletton ..	30	4·19	24	3·35	12	1·67	–	–	–	–	1	0·14	3	0·42
Ramsey	–	–	6	1·14	6	1·14	–	–	–	–	–	–	–	–
St. Ives M.B. ..	–	–	–	–	1	0·36	–	–	–	–	–	–	–	–
St. Neots ..	–	–	2	0·46	1	0·23	1	0·23	–	–	1	0·23	9	2·05
RURAL DISTRICTS:														
Huntingdon ..	–	–	5	0·78	1	0·16	1	0.16	1	0·16	–	–	1	0·16
Norman Cross ..	23	3·89	4	0·68	–	–	–	–	1	0·17	–	–	3	0·51
Oundle (part of)‡	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Ives	–	–	23	2·35	62	6·35	1	0·10	–	–	2	0·20	3	0·31
St. Neots ..	–	–	1	0·15	1	0·15	5	0·75	1	0·15	1	0·15	–	–
Thrapston (part of)‡	–	–	6	7·51	1	1·25	–	–	–	–		–	–	–
Sibson cum Stibbington (parish)§	–	–	–	–	–	–	–	–	–	–	–	–	–	–

† Administrative County.
‡ The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Northampton.
§ This Parish is administered by the Rural District Council of Barnack (Soke of Peterborough).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
KENT*	39	0·03	3,276	2·80	1,946	1·67	122	0·10	38	0·03	110	0·09	441	0·38
CANTERBURY C.B.	–	–	74	3·24	28	1·23	1	0·04	–	–	2	0·09	16	0·70
AGGREGATE OF U.Ds.†	31	0·04	2,257	2·79	1,379	1·70	97	0·12	24	0·03	83	0·10	322	0·40
AGGREGATE OF R.Ds.†	8	0·02	945	2·82	539	1·61	24	0·07	14	0·04	25	0·07	103	0·31
URBAN DISTRICTS:														
Ashford	–	–	40	2·93	7	0·51	–	–	1	0·07	1	0·07	–	–
Beckenham ..	–	–	65	1·70	20	0·52	21	0·55	3	0·08	9	0·24	20	0·52
Bexley	5	0·18	108	3·84	33	1·17	2	0·07	–	–	2	0·07	7	0·25
Broadstairs and St. Peter's ..	–	–	68	5·35	15	1·18	1	0·08	–	–	3	0·24	4	0·31
Bromley M.B. ..	2	0·05	81	1·94	72	1·72	2	0·05	–	–	9	0·22	19	0·45
Chatham M.B. ..	–	–	61	1·47	100	2·41	6	0·14	3	0·07	4	0·10	14	0·34
Cheriton	–	–	42	6·96	15	2·49	–	–	–	–	–	–	2	0·33
Chislehurst ..	1	0·11	5	0·53	14	1·48	–	–	–	–	1	0·11	6	0·63
Crayford ..	–	–	38	2·73	16	1·15	1	0·07	–	–	2	0·14	9	0·65
Dartford ..	–	–	90	3·25	52	1·88	2	0·07	–	–	4	0·14	16	0·58
Deal M.B. ..	1	0·08	14	1·13	–	–	1	0·08	1	0·08	–	–	1	0·08
Dover M.B. ..	–	–	70	1·77	107	2·70	2	0·05	1	0·03	4	0·10	16	0·40
Erith	–	–	72	2·15	27	0·81	4	0·12	–	–	7	0·21	17	0·51
Faversham M.B.	–	–	24	2·32	6	0·58	–	–	–	–	1	0·10	2	0·19
Folkestone M.B.	–	–	141	3·96	129	3·62	1	0·03	1	0·03	4	0·11	15	0·42
Gillingham M.B.†	2	0·04	236	4·29	178	3·23	4	0·07	1	0·02	2	0·04	17	0·31
Gravesend M.B...	7	0·21	71	2·10	42	1·24	–	–	1	0·03	1	0·03	16	0·47
Herne Bay ..	–	–	34	2·83	7	0·58	–	–	–	–	–	–	5	0·42
Hythe M.B. ..	–	–	22	2·70	1	0·12	–	–	1	0·12	–	–	5	0·61
Lydd M.B. ..	–	–	1	0·42	–	–	–	–	–	–	–	–	–	–
Maidstone M.B.	–	–	71	1·75	63	1·55	–	–	1	0·02	1	0·02	23	0·57
Margate M.B. ..	5	0·17	62	2·10	37	1·25	1	0·03	–	–	3	0·10	6	0·20
Milton Regis ..	–	–	95	11·79	37	4·59	1	0·12	–	–	–	–	4	0·50
New Romney M.B.	–	–	2	1·18	2	1·18	–	–	–	–	–	–	1	0·59
Northfleet ..	–	–	41	2·41	11	0·65	18	1·06	–	–	1	0·06	13	0·76
Penge	–	–	79	2·90	60	2·20	8	0·29	1	0·04	–	–	13	0·48
QueenboroughM.B.	–	–	12	3·76	–	–	–	–	–	–	–	–	1	0·31
Ramsgate M.B...	–	–	55	1·75	16	0·51	1	0·03	4	0·13	5	0·16	6	0·19
Rochester M.B...	–	–	82	2·61	62	1·97	–	–	1	0·03	2	0·06	11	0·35
Royal Tunbridge Wells M.B. ..	–	–	66	1·88	10	0·29	8	0·23	2	0·06	3	0·09	18	0·51
Sandgate.. ..	–	–	8	3·29	–	–	2	0·82	–	–	1	0·41	–	–
Sandwich M.B. ..	–	–	6	1·73	20	5·75	1	0·29	–	–	–	–	–	–
Sevenoaks ..	–	–	16	1·57	4	0·39	2	0·20	–	–	–	–	2	0·20
Sheerness ..	8	0·47	12	0·71	6	0·36	–	–	–	–	1	0·06	3	0·18
Sidcup	–	–	36	3·46	15	1·44	1	0·10	–	–	1	0·10	3	0·29
Sittingbourne ..	–	–	133	14·67	62	6·84	–	–	–	–	1	0·11	8	0·88
Southborough ..	–	–	16	2·24	24	3·36	–	–	–	–	2	0·28	1	0·14
Swanscombe ..	–	–	21	2·22	4	0·42	1	0·11	1	0·11	–	–	3	0·32
Tenterden M.B.	–	–	6	1·77	–	–	–	–	–	–	–	–	2	0·59
Tonbridge ..	–	–	67	4·06	103	6·23	3	0·18	1	0·06	6	0·36	6	0·36
Walmer	–	–	12	2·67	–	–	–	–	–	–	–	–	–	–
Whitstable ..	–	–	22	2·02	1	0·09	1	0·09	–	–	–	–	7	0·64
Wrotham ..	–	–	54	11·95	1	0·22	2	0·44	–	–	2	0·44	–	–
RURAL DISTRICTS:														
Blean	–	–	15	1·46	29	2·82	–	–	–	–	1	0·10	4	0·39
Bridge	–	–	25	2·08	17	1·42	–	–	3	0·25	–	–	2	0·17
Bromley	–	–	43	1·34	85	2·65	3	0·09	1	0·03	3	0·09	14	0·44
Cranbrook ..	–	–	64	4·84	17	1·28	–	–	–	–	4	0·30	8	0·60
Dartford ..	3	0·09	118	3·59	60	1·82	6	0·18	–	–	4	0·12	10	0·30
Dover	–	–	39	4·49	23	2·65	–	–	–	–	–	–	2	0·23
East Ashford ..	–	–	16	1·01	7	0·44	1	0·06	–	–	1	0·06	4	0·25
Eastry	–	–	25	1·60	27	1·73	–	–	–	–	–	–	3	0·19
Elham	–	–	7	0·82	3	0·35	–	–	–	–	1	0·12	1	0·12
Faversham ..	1	0·07	24	1·71	14	1·00	1	0·07	–	–	–	–	3	0·21

* Administrative County with associated County Borough.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ENT—*cont.*														
RAL DISTRICTS—*cont.*														
Hollingbourne ..	–	–	63	4·49	15	1·07	1	0·07	2	0·14	1	0·07	4	0·28
Hoo	–	–	14	2·95	1	0·21	1	0·21	–	–	–	–	–	–
Isle of Thanet ..	–	–	23	1·71	35	2·60	3	0·22	2	0·15	2	0·15	3	0·22
Maidstone ..	–	–	86	4·95	24	1·38	–	–	2	0·12	3	0·17	11	0·63
Malling	1	0·04	72	2·77	60	2·31	1	0·04	1	0·04	1	0·04	1	0·04
Milton†	–	–	87	7·52	51	4·41	1	0·09	–	–	–	–	–	–
Romney Marsh ..	–	–	2	0·61	–	–	–	–	–	–	1	0·30	2	0·61
Sevenoaks ..	–	–	74	2·80	9	0·34	3	0·11	1	0·04	1	0·04	14	0·53
Sheppey	3	0·53	11	1·94	2	0·35	–	–	–	–	–	–	3	0·53
Strood	–	–	41	2·46	24	1·44	2	0·12	–	–	–	–	4	0·24
Tenterden ..	–	–	20	3·29	3	0·49	–	–	–	–	–	–	1	0·16
Tonbridge ..	–	–	72	3·83	33	1·75	1	0·05	2	0·11	2	0·11	9	0·48
West Ashford ..	–	–	4	0·50	–	–	–	–	–	–	–	–	–	–
NCASTER* ..	564	0·11	18,789	3·69	7,319	1·44	250	0·05	337	0·07	603	0·12	2,988	0·59
RROW IN FURNESS C.B. ..	–	–	380	5·86	31	0·48	2	0·03	2	0·03	2	0·03	41	0·63
ACKBURN C.B. ..	34	0·27	753	6·01	198	1·58	6	0·05	9	0·07	16	0·13	56	0·45
ACKPOOL C.B. ..	17	0·17	243	2·43	30	0·30	7	0·07	3	0·03	9	0·09	28	0·28
LTON C.B. ..	52	0·29	716	3·94	73	0·40	12	0·07	4	0·02	15	0·08	93	0·51
OTLE C.B. ..	–	–	465	5·78	149	1·85	5	0·06	4	0·05	10	0·12	35	0·44
RNLEY C.B. ..	1	0·01	473	4·72	137	1·37	7	0·07	7	0·07	12	0·12	77	0·77
RY C.B.	6	0·11	121	2·13	167	2·94	4	0·07	7	0·12	5	0·09	23	0·40
VERPOOL C.B. ..	2	0·00	3,963	4·56	2,321	2·67	23	0·03	44	0·05	135	0·16	703	0 81
NCHESTER C.B.	8	0·01	2,375	3·18	895	1·20	49	0·07	122	0·16	84	0·11	473	0·63
DHAM C.B. ..	18	0·13	668	4·69	221	1·55	6	0·04	2	0·01	30	0·21	80	0·56
ESTON C.B. ..	2	0·02	238	1·89	128	1·02	1	0·01	3	0·02	19	0·15	44	0·35
CHDALE C.B. ..	4	0·04	147	1·62	176	1·94	3	0·03	12	0·13	11	0·12	40	0·44
HELENS C.B. ..	–	–	506	4·63	170	1·56	2	0·02	15	0·14	26	0·24	77	0·71
LFORD C.B. ..	–	–	634	2·69	679	2·88	9	0·04	17	0·07	18	0·08	152	0·65
UTHPORT C.B. ..	–	–	230	2·87	167	2·09	3	0·04	3	0·04	6	0·07	52	0·65
ARRINGTON C.B.	–	–	131	1·65	138	1·74	1	0·01	3	0·04	16	0·20	44	0·55
GAN C.B. ..	7	0·08	558	6·37	43	0·49	5	0·06	5	0·06	8	0·09	42	0·48
GREGATE OF U.Ds.†	404	0·26	5,394	3·48	1,325	0·86	81	0·05	64	0·04	166	0·11	816	0·53
GREGATE OF R.Ds.†	9	0·03	794	3·02	271	1·03	24	0·09	11	0·04	15	0·06	112	0·43
BAN DISTRICTS:														
Abram	5	0·72	28	4·02	3	0·43	5	0·72	1	0·14	–	–	6	0·86
Accrington M.B.†	65	1·48	191	4·35	11	0·25	–	–	1	0·02	1	0·02	17	0·39
Adlington ..	–	–	21	4·82	6	1·38	–	–	–	–	–	–	3	0·69
Ashton in Makerfield	1	0·04	139	6·13	20	0·88	–	–	–	–	4	0·18	12	0·53
Ashton under Lyne M.B.	31	0·60	85	1·64	20	0·39	1	0·02	3	0·06	5	0·10	15	0·29
Aspull	44	5·83	57	7·55	1	0·13	–	–	–	–	–	–	11	1·46
Atherton ..	20	0·99	34	1·68	17	0·84	1	0·05	2	0·10	2	0·10	7	0·35
Audenshaw ..	–	–	11	1·28	2	0·23	–	–	–	–	–	–	5	0·58
Bacup M.B. ..	–	–	12	0·58	29	1·40	3	0·15	–	–	1	0·05	18	0·87
Barrowford ..	–	–	13	2·37	7	1·28	–	–	–	–	–	–	–	–
Billinge and Winstanley ..	–	–	8	1·54	8	1·54	–	–	–	–	1	0·19	2	0·38
Blackrod ..	–	–	7	1·84	2	0·53	–	–	–	–	1	0·26	2	0·53
Brierfield ..	–	–	54	6·63	1	0·12	–	–	–	–	1	0·12	4	0·49
Carnforth ..	–	–	11	3·51	–	–	–	–	–	–	–	–	–	–
Chadderton ..	3	0·11	124	4·37	26	0·92	–	–	–	–	4	0·14	16	0·56

* Administrative County with associated County Boroughs.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LANCASTER—*cont.*														
URBAN DISTRICTS—*cont.*														
Chorley M.B. ..	–	–	128	4·05	21	0·66	3	0·09	–	–	2	0·06	14	0·4
Church	1	0·15	37	5·65	5	0·76	–	–	–	–	–	–	4	0·6
Clayton le Moors	1	0·12	37	4·34	–	–	–	–	–	–	–	–	–	–
Clitheroe M.B. ..	–	–	28	2·30	16	1·32	–	–	–	–	1	0·08	2	0·1
Colne M.B. ..	1	0·04	61	2·45	4	0·16	–	–	2	0·08	6	0·24	21	0·8
Crompton ..	–	–	33	2·18	18	1·19	–	–	1	0·07	–	–	7	0·4
Croston	–	–	–	–	–	–	–	–	1	0·50	–	–	–	–
Dalton in Furness	–	–	24	2·28	10	0·95	–	–	–	–	–	–	4	0·3
Darwen M.B. ..	–	–	54	1·43	42	1·11	–	–	4	0·11	8	0·21	11	0·2
Denton	–	–	89	5·01	14	0·79	–	–	1	0·06	2	0·11	9	0·5
Droylsden ..	–	–	34	2·48	11	0·80	–	–	1	0·07	3	0·22	11	0·8
Eccles M.B. ..	–	–	74	1·64	89	1·98	3	0·07	3	0·07	3	0·07	25	0·5
Failsworth ..	1	0·06	62	3·68	24	1·42	–	–	1	0·06	5	0·30	4	0·2
Farnworth ..	8	0·27	95	3·23	22	0·75	4	0·14	5	0·17	17	0·58	59	2·0
Fleetwood ..	–	–	59	2·68	18	0·82	–	–	1	0·05	5	0·23	8	0·3
Formby	–	–	12	1·58	3	0·39	–	–	–	–	1	0·13	4	0·5
Fulwood	–	–	7	1·04	7	1·04	–	–	–	–	9	1·34	10	1·4
Golborne ..	–	–	28	3·76	1	0·13	–	–	–	–	2	0·27	4	0·5
Grange	–	–	–	–	9	3·73	–	–	–	–	–	–	1	0·4
Great Crosby ..	–	–	39	2·29	19	1·12	2	0·12	–	–	–	–	9	0·5
Great Harwood ..	1	0·07	39	2·82	3	0·22	–	–	–	–	–	–	4	0·2
Haslingden M.B.	–	–	34	1·99	8	0·47	–	–	–	–	–	–	5	0·2
Haydock ..	–	–	78	7·34	10	0·94	2	0·19	–	–	3	0·28	12	1·1
Heywood M.B. ..	–	–	102	3·89	7	0·27	–	–	1	0·04	2	0·08	11	0·4
Hindley	21	0·89	52	2·20	43	1·82	–	–	2	0·08	2	0·08	14	0·5
Horwich	–	–	12	0·73	10	0·60	3	0·18	2	0·12	1	0·06	4	0·2
Huyton with Roby	–	–	25	4·83	–	–	–	–	–	–	–	–	1	0·1
Ince in Makerfield	–	–	62	2·63	12	0·51	2	0·08	–	–	2	0·08	14	0·5
Irlam	–	–	14	1·15	16	1·31	–	–	–	–	2	0·16	6	0·4
Kearsley ..	–	–	38	3·75	8	0·79	–	–	–	–	4	0·39	3	0·3
Kirkham ..	–	–	15	3·60	9	2·16	–	–	1	0·24	–	–	–	–
Lancaster M.B. ..	–	–	195	4·71	12	0·29	6	0·15	1	0·02	7	0·17	26	0·6
Lathom and Burscough	–	–	106	13·34	15	1·89	–	–	–	–	–	–	2	0·2
Lees	1	0·20	21	4·20	6	1·20	1	0·20	–	–	–	–	1	0·2
Leigh M.B. ..	116	2·48	126	2·69	29	0·62	–	–	1	0·02	2	0·04	27	0·5
Leyland	–	–	57	5·50	12	1·16	–	–	1	0·10	–	–	4	0·3
Litherland ..	–	–	96	5·80	30	1·81	–	–	–	–	1	0·06	4	0·2
Littleborough ..	–	–	51	4·38	34	2·92	–	–	–	–	–	–	3	0·2
Little Crosby ..	–	–	–	–	1	0·84	–	–	–	–	–	–	–	–
Little Hulton ..	–	–	19	2·33	11	1·35	1	0·12	1	0·12	1	0·12	3	0·3
Little Lever ..	–	–	2	0·38	2	0·38	–	–	–	–	1	0·19	4	0·7
Longridge ..	–	–	9	2·15	1	0·24	–	–	–	–	–	–	–	–
Lytham St. Anne's M.B.	–	–	33	1·26	15	0·57	2	0·08	–	–	–	–	4	0·1
Middleton M.B. ..	–	–	42	1·43	22	0·75	1	0·03	–	–	2	0·07	2	0·0
Milnrow	2	0·23	30	3·46	30	3·46	–	–	–	–	–	–	2	0·2
Morecambe and Heysham M.B.	–	–	47	2·06	12	0·53	–	–	1	0·04	–	–	5	0·2
Mossley M.B. ..	14	1·15	12	0·98	–	–	–	–	1	0·08	–	–	1	0·0
Nelson M.B. ..	–	–	156	3·92	5	0·13	2	0·05	–	–	4	0·10	25	0·6
Newton in Makerfield	–	–	64	3·20	13	0·65	–	–	–	–	4	0·20	16	0·8
Norden .. .	–	–	12	2·73	12	2·73	–	–	–	–	1	0·23	1	0·2
Ormskirk ..	–	–	89	12·16	2	0·27	1	0·14	1	0·14	–	–	1	0·1
Orrell	1	0·14	52	7·18	1	0·14	1	0·14	2	0·28	1	0·14	5	0·6
Oswaldtwistle ..	17	1·15	142	9·57	7	0·47	5	0·34	1	0·07	–	–	13	0·8
Padiham ..	1	0·08	124	10·43	25	2·10	–	–	1	0·08	3	0·25	19	1·6
Poulton le Fylde	–	–	6	1·92	–	–	–	–	–	–	–	–	1	0·3

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LANCASTER—*cont.*														
URBAN DISTRICTS—*cont.*														
Preesall	–	–	3	1·48	–	–	–	–	–	–	1	0·49	–	–
Prescot	–	–	90	9·08	17	1·72	–	–	–	–	–	–	2	0·20
Prestwich ..	–	–	77	3·57	14	0·65	3	0·14	–	–	1	0·05	8	0·37
Radcliffe ..	–	–	52	2·04	10	0·39	–	–	–	–	2	0·08	10	0·39
Rainford ..	–	–	11	2·95	3	0·80	–	–	–	–	1	0·27	4	1·07
Ramsbottom ..	–	–	44	3·00	8	0·55	1	0·07	3	0·20	–	–	6	0·41
Rawtenstall M.B.	1	0·03	48	1·67	18	0·63	3	0·10	4	0·14	–	–	21	0·73
Rishton	3	0·43	9	1·30	9	1·30	1	0·14	1	0·14	–	–	6	0·86
Royton	–	–	12	0·69	18	1·03	2	0·11	–	–	–	–	15	0·86
Skelmersdale ..	1	0·15	71	10·48	47	6·94	–	–	–	–	1	0·15	6	0·89
Standish with Langtree ..	–	–	14	1·86	4	0·53	4	0·53	–	–	1	0·13	11	1·46
Stretford ..	1	0·02	237	4·54	31	0·59	1	0·02	–	–	9	0·17	31	0·59
Swinton and Pendlebury ..	–	–	109	3·20	28	0·82	1	0·03	1	0·03	5	0·15	23	0·67
Thornton Cleveleys	–	–	11	1·14	2	0·21	–	–	–	–	–	–	–	–
Tottington ..	–	–	35	5·27	8	1·20	–	–	–	–	–	–	2	0·30
Trawden ..	–	–	1	0·37	–	–	–	–	–	–	–	–	2	0·74
Turton	2	0·16	43	3·49	2	0·16	–	–	1	0·08	–	–	8	0·65
Tyldesley with Shakerley ..	5	0·32	16	1·04	8	0·52	3	0·19	1	0·06	–	–	13	0·84
Ulverston ..	–	–	45	4·95	15	1·65	5	0·55	–	–	–	–	5	0·55
Upholland ..	30	5·16	19	3·27	2	0·34	1	0·17	–	–	2	0·34	2	0·34
Urmston ..	–	–	22	2·67	1	0·12	–	–	1	0·12	–	–	9	1·09
Walton le Dale ..	–	–	35	2·78	8	0·63	–	–	–	–	2	0·16	5	0·40
Wardle	–	–	2	0·43	5	1·08	2	0·43	7	1·52	1	0·22	3	0·65
Waterloo with Seaforth ..	–	–	122	3·83	45	1·41	1	0·03	1	0·03	5	0·16	13	0·41
Westhoughton ..	4	0·23	25	1·45	–	–	–	–	–	–	1	0·06	6	0·35
Whitefield ..	–	–	12	1·45	12	1·45	–	–	–	–	–	–	5	0·60
Whitworth ..	–	–	14	1·63	3	0·35	–	–	–	–	2	0·23	8	0·93
Widnes M.B. ..	–	–	517	12·64	76	1·86	2	0·05	–	–	4	0·10	17	0·42
Withnell	–	–	10	3·02	8	2·41	–	–	–	–	–	–	3	0·90
Worsley	2	0·14	30	2·03	14	0·95	2	0·14	–	–	1	0·07	4	0·27
RURAL DISTRICTS—														
Barton upon Irwell	–	–	31	2·30	3	0·22	–	–	–	–	1	0·07	6	0·44
Blackburn ..	–	–	38	3·37	2	0·18	1	0·09	1	0·09	2	0·18	4	0·35
Burnley*.. ..	1	0·05	101	5·49	14	0·76	2	0·11	1	0·05	–	–	4	0·22
Bury	1	0·11	32	3·41	7	0·75	–	–	–	–	–	–	2	0·21
Chorley	–	–	39	1·74	16	0·71	2	0·09	1	0·04	2	0·09	12	0·53
Clitheroe ..	–	–	17	1·91	6	0·67	1	0·11	–	–	2	0·22	2	0·22
Fylde	–	–	32	2·00	45	2·82	2	0·13	1	0·06	–	–	1	0·06
Garstang ..	–	–	9	0·79	20	1·75	–	–	–	–	1	0·09	7	0·61
Lancaster ..	–	–	32	3·43	7	0·75	–	–	–	–	–	–	1	0·11
Leigh	6	0·50	35	2·92	3	0·25	1	0·08	–	–	2	0·17	15	1·25
Limehurst ..	–	–	5	0·54	5	0·54	–	–	–	–	1	0·11	6	0·65
Lunesdale ..	–	–	18	2·81	–	–	1	0·16	–	–	1	0·16	–	–
Preston	1	0·04	101	3·62	10	0·36	1	0·04	1	0·04	1	0·04	2	0·07
Sefton	–	–	–	–	2	0·84	–	–	1	0·42	–	–	–	–
Ulverston ..	–	–	45	2·71	11	0·66	4	0·24	–	–	–	–	4	0·24
Warrington ..	–	–	48	3·02	16	1·01	–	–	1	0·06	1	0·06	12	0·75
West Lancashire	–	–	104	4·47	65	2·79	–	–	4	0·17	–	–	11	0·47
Whiston	–	–	92	4·11	37	1·65	–	–	–	–	1	0·04	16	0·72
Wigan	–	–	15	2·31	2	0·31	9	1·39	–	–	–	–	7	1·08

* Rates adjusted to allow for change in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LEICESTER* ..	537	0·99	1175	2·17	616	1·14	9	0·02	22	0·04	48	0·09	266	0·49
LEICESTER C.B. ..	307	1·25	511	2·08	254	1·04	2	0·01	11	0·04	26	0·11	152	0·62
AGGREGATE OF U.Ds.	119	0·98	248	2·05	121	1·00	1	0·01	3	0·02	7	0·06	47	0·39
AGGREGATE OF R.Ds.	111	0·64	416	2·39	241	1·38	6	0·03	8	0·05	15	0·09	67	0·38
URBAN DISTRICTS:														
Ashby de la Zouch	3	0·58	6	1·15	15	2·88	–	–	–	–	2	0·38	3	0·58
Ashby Woulds ..	–	–	17	4·77	8	2·25	–	–	–	–	1	0·28	–	–
Coalville	16	0·70	76	3·33	16	0·70	–	–	–	–	2	0·09	14	0·61
Hinckley ..	–	–	9	0·58	5	0·32	–	–	–	–	–	–	7	0·45
Loughborough M.B	14	0·53	37	1·41	6	0·23	–	–	1	0·04	1	0·04	7	0·27
Market Harborough	–	–	12	1·31	2	0·22	–	–	1	0·11	–	–	3	0·33
Melton Mowbray	–	–	11	1·05	25	2·39	1	0·10	–	–	–	–	6	0·57
Oadby	2	0·45	8	1·81	15	3·39	–	–	–	–	–	–	–	–
Quorndon ..	4	1·52	2	0·76	–	–	–	–	–	–	–	–	1	0·38
Shepshed ..	78	13·27	5	0·85	–	–	–	–	–	–	–	–	2	0·34
Thurmaston ..	–	–	10	2·64	5	1·32	–	–	–	–	–	–	1	0·26
Wigston Magna	2	0·18	55	4·96	24	2·16	–	–	1	0·09	1	0·09	3	0·27
RURAL DISTRICTS:														
Ashby de la Zouch	14	0·79	38	2·15	41	2·32	–	–	2	0·11	3	0·17	12	0·68
Barrow upon Soar	3	0·10	59	1·98	14	0·47	–	–	3	0·10	3	0·10	10	0·34
Belvoir	–	–	4	1·25	–	–	1	0·31	–	–	–	–	–	–
Billesdon.. ..	1	0·10	17	1·63	6	0·57	–	–	–	–	–	–	3	0·29
Blaby	8	0·30	67	2·50	57	2·13	3	0·11	1	0·04	3	0·11	11	0·41
Castle Donington	–	–	30	4·59	–	–	1	0·15	–	–	–	–	2	0·31
Hallaton ..	–	–	1	0·58	–	–	–	–	–	–	–	–	–	–
Hinckley ..	6	0·36	76	4·53	44	2·62	–	–	1	0·06	2	0·12	13	0·77
Loughborough ..	–	–	7	1·45	5	1·03	–	–	–	–	–	–	–	–
Lutterworth ..	1	0·10	39	3·78	5	0·48	1	0·10	1	0·10	–	–	3	0·29
Market Bosworth	76	3·14	40	1·65	47	1·94	–	–	–	–	4	0·17	7	0·29
Market Harborough	–	–	7	0·93	10	1·33	–	–	–	–	–	–	1	0·13
Melton Mowbray	2	0·14	31	2·11	12	0·82	–	–	–	–	–	–	5	0·34
LINCOLN, PARTS OF HOLLAND†..	25	0·28	163	1·82	206	2·30	7	0·08	1	0·01	4	0·04	25	0·28
AGGREGATE OF U.Ds.	15	0·38	54	1·38	128	3·27	6	0·15	–	–	2	0·05	15	0·38
AGGREGATE OF R.Ds.	10	0·20	109	2·17	78	1·55	1	0·02	1	0·02	2	0·04	10	0·20
URBAN DISTRICTS:														
Boston M.B. ..	9	0·57	31	1·95	104	6·55	5	0·31	–	–	1	0·06	6	0·38
Holbeach ..	–	–	14	2·37	2	0·34	–	–	–	–	–	–	2	0·34
Long Sutton ..	–	–	–	–	1	0·32	1	0·32	–	–	–	–	–	–
Spalding	5	0·42	8	0·68	21	1·78	–	–	–	–	1	0·08	7	0·59
Sutton Bridge ..	1	0·42	1	0·42	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Boston	10	0·43	32	1·38	54	2·33	–	–	–	–	1	0·04	5	0·22
Crowland ..	–	–	–	–	2	0·72	–	–	–	–	–	–	–	–
East Elloe ..	–	–	8	0·77	6	0·58	–	–	1	0·10	1	0·10	1	0·10
Spalding (part of)‡	–	–	69	4·96	16	1·15	1	0·07	–	–	–	–	4	0·29
‖	–	–	69	4·73	16	1·10	1	0·07	–	–	–	–	4	0·27

* Administrative County with associated County Borough.
† Administrative County.
‡ The remaining part of the Rural District of Spalding is in the Administrative County of Lincoln, Parts of Kesteven. The figures for the entire District are :—

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LINCOLN, PARTS OF KESTEVEN*	17	0·16	246	2·27	96	0·89	6	0·06	3	0·03	7	0·06	41	0·38
AGGREGATE OF U.Ds.	17	0·41	105	2·51	49	1·17	4	0·10	2	0·05	2	0·05	21	0·50
AGGREGATE OF R.Ds.	–	–	141	2·12	47	0·71	2	0·03	1	0·02	5	0·08	20	0·30
URBAN DISTRICTS:														
Bourne	–	–	13	2·91	6	1·34	1	0·22	–	–	–	–	4	0·90
Grantham M.B.	2	0·11	47	2·49	22	1·16	1	0·05	1	0·05	2	0·11	12	0·63
Ruskington ..	–	–	–	–	2	1·71	–	–	–	–	–	–	–	–
Sleaford ..	–	–	31	4·33	2	0·28	1	0·14	–	–	–	–	5	0·70
Stamford M.B. ..	15	1·49	14	1·39	17	1·69	1	0·10	1	0·10	–	–	–	–
RURAL DISTRICTS:														
Bourne	–	–	42	3·35	10	0·80	1	0·08	–	–	–	–	4	0·32
Branston.. ..	–	–	58	3·98	16	1·10	–	–	–	–	1	0·07	8	0·55
Claypole	–	–	4	0·51	3	0·38	–	–	–	–	1	0·13	–	–
Grantham ..	–	–	9	0·76	6	0·51	1	0·08	–	–	1	0·08	5	0·42
Sleaford	–	–	25	1·43	12	0·68	–	–	1	0·06	2	0·11	3	0·17
Spalding (part of)‡	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uffington ..	–	–	3	2·17	–	–	–	–	–	–	–	–	–	–
LINCOLN, PARTS OF LINDSEY† ..	9	0·02	1597	3·84	328	0·79	37	0·09	13	0·03	61	0·15	176	0·42
GRIMSBY C.B. ..	–	–	301	3·29	98	1·07	3	0·03	1	0·01	13	0·14	26	0·28
LINCOLN C.B. ..	1	0·02	176	2·70	89	1·37	8	0·12	2	0·03	12	0·18	27	0·41
AGGREGATE OF U.Ds.	8	0·06	730	5·83	94	0·75	10	0·08	5	0·04	20	0·16	78	0·62
AGGREGATE OF R.Ds.	–	–	390	2·92	47	0·35	16	0·12	5	0·04	16	0·12	45	0·34
URBAN DISTRICTS:														
Alford	–	–	1	0·45	1	0·45	–	–	1	0·45	–	–	1	0·45
Barton upon Humber ..	–	–	11	1·72	5	0·78	–	–	1	0·16	–	–	5	0·78
Brigg	–	–	7	1·92	2	0·55	1	0·27	1	0·27	–	–	4	1·10
Cleethorpes ..	1	0·03	146	5·09	14	0·49	3	0·10	–	–	2	0·07	13	0·45
Crowle	–	–	15	5·44	9	3·26	–	–	–	–	–	–	6	2·17
Gainsborough ..	6	0·32	56	2·99	12	0·64	–	–	–	–	1	0·05	13	0·69
Horncastle ..	–	–	19	5·64	1	0·30	–	–	–	–	–	–	4	1·19
Louth M.B. ..	–	–	23	2·43	5	0·53	2	0·21	–	–	–	–	7	0·74
Mablethorpe and Sutton ..	–	–	11	2·24	2	0·41	–	–	–	–	–	–	1	0·20
Market Rasen ..	–	–	25	12·21	–	–	–	–	–	–	–	–	–	–
Roxby cum Risby	–	–	2	3·48	–	–	–	–	–	–	–	–	–	–
Scunthorpe and Frodingham ..	1	0·03	388	12·17	36	1·13	3	0·09	–	–	17	0·53	21	0·66
Skegness ..	–	–	20	2·74	2	0·27	–	–	1	0·14	–	–	3	0·41
Winterton ..	–	–	–	–	2	1·06	–	–	1	0·53	–	–	–	–
Woodhall Spa ..	–	–	6	4·20	3	2·10	1	0·70	–	–	–	–	–	–
RURAL DISTRICTS:														
Caistor	–	–	50	3·91	10	0·78	3	0·23	–	–	3	0·23	1	0·08
Gainsborough ..	–	–	23	1·63	2	0·14	1	0·07	2	0·14	2	0·14	5	0·35
Glanford Brigg ..	–	–	151	5·32	13	0·46	2	0·07	3	0·11	–	–	11	0·39
Grimsby	–	–	37	3·68	3	0·30	2	0·20	–	–	4	0·40	1	0·10
Horncastle ..	–	–	15	1·26	4	0·34	4	0·34	–	–	1	0·08	4	0·34
Isle of Axholme..	–	–	12	1·84	1	0·15	–	–	–	–	2	0·31	1	0·15
Louth	–	–	40	2·41	3	0·18	4	0·24	–	–	1	0·06	9	0·54
Sibsey	–	–	7	2·34	2	0·67	–	–	–	–	–	–	–	–
Spilsby	–	–	49	2·56	4	0·21	–	–	–	–	3	0·16	10	0·52
Welton	–	–	6	0·53	5	0·44	–	–	–	–	–	–	3	0·27

* Administrative County.

† Administrative County with associated County Boroughs.

‡ The remaining part of the Rural District of Spalding is in the Administrative County of Lincoln, Parts of Holland.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LONDON*	1,903	0·43	15,899	3·60	11,853	2·68	355	0·08	315	0·07	773	0·17	2,179	0·49
CITY OF LONDON ..	3	0·28	34	3·18	21	1·96	–	–	–	–	–	–	3	0·28
Inner and Middle Temples ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
METROPOLITAN BOROUGHS:														
Battersea ..	2	0·01	527	3·26	500	3·09	2	0·01	4	0·02	25	0·15	69	0·43
Bermondsey ..	46	0·40	584	5·13	463	4·07	2	0·02	12	0·11	20	0·18	45	0·40
Bethnal Green ..	262	2·37	567	5·13	348	3·15	4	0·04	13	0·12	10	0·09	86	0·78
Camberwell ..	117	0·46	1,043	4·06	658	2·56	12	0·05	9	0·04	26	0·10	122	0·47
Chelsea	–	–	149	2·38	148	2·36	3	0·05	1	0·02	6	0·10	36	0·57
Deptford ..	15	0·14	641	5·77	399	3·59	5	0·05	2	0·02	6	0·05	54	0·49
Finsbury ..	32	0·45	286	4·03	227	3·20	6	0·08	4	0·06	17	0·24	52	0·73
Fulham	–	–	482	3·14	366	2·38	2	0·01	23	0·15	51	0·33	78	0·51
Greenwich ..	1	0·01	349	3·49	362	3·62	5	0·05	4	0·04	11	0·11	61	0·61
Hackney ..	58	0·27	856	3·99	670	3·13	8	0·04	11	0·05	52	0·24	64	0·30
Hammersmith ..	3	0·02	391	2·86	247	1·80	4	0·03	11	0·08	15	0·11	72	0·53
Hampstead ..	–	–	143	1·69	66	0·78	5	0·06	2	0·02	21	0·25	21	0·25
Holborn	43	1·12	137	3·57	80	2·08	7	0·18	2	0·05	5	0·13	25	0·65
Islington ..	70	0·22	1,155	3·61	1,007	3·15	18	0·06	38	0·12	88	0·28	149	0·47
Kensington ..	5	0·03	529	3·01	323	1·84	17	0·10	11	0·06	41	0·23	75	0·43
Lambeth ..	70	0·24	1,129	3·83	885	3·01	28	0·10	26	0·09	49	0·17	142	0·48
Lewisham ..	8	0·04	842	4·05	414	1·99	110	0·53	19	0·09	28	0·13	71	0·34
Paddington ..	4	0·03	331	2·32	329	2·30	19	0·13	5	0·04	42	0·29	69	0·48
Poplar	158	0·99	810	5·06	569	3·56	5	0·03	12	0·08	13	0·08	84	0·53
St. Marylebone ..	3	0·03	235	2·29	182	1·78	11	0·11	3	0·03	20	0·20	41	0·40
St. Pancras ..	87	0·43	675	3·31	374	1·83	20	0·10	23	0·11	71	0·35	112	0·55
Shoreditch ..	246	2·47	355	3·56	350	3·51	4	0·04	5	0·05	17	0·17	54	0·54
Southwark ..	153	0·86	662	3·71	605	3·39	6	0·03	14	0·08	39	0·22	107	0·60
Stepney	489	2·02	1,169	4·83	701	2·90	13	0·05	11	0·05	16	0·07	173	0·72
Stoke Newington	6	0·12	130	2·60	134	2·68	5	0·10	6	0·12	5	0·10	20	0·40
Wandsworth ..	15	0·04	930	2·68	774	2·23	20	0·06	20	0·06	29	0·08	164	0·47
Westminster, City of	2	0·02	213	1·69	173	1·38	8	0·06	10	0·08	12	0·10	51	0·41
Woolwich ..	5	0·03	545	3·73	478	3·27	6	0·04	14	0·10	38	0·26	79	0·54
MIDDLESEX† ..	80	0·05	4,553	3·12	2,857	1·96	91	0·06	58	0·04	188	0·13	521	0·36
AGGREGATE OF U.Ds.‡	79	0·06	4,385	3·16	2,729	1·97	87	0·06	55	0·04	182	0·13	497	0·36
AGGREGATE OF R.Ds.‡	1	0·01	168	2·40	128	1·83	4	0·06	3	0·04	6	0·09	24	0·34
URBAN DISTRICTS:														
Acton M.B. ..	2	0·03	231	3·54	48	0·74	7	0·11	2	0·03	9	0·14	19	0·29
Brentford and Chiswick ..	1	0·02	108	1·83	101	1·71	9	0·15	2	0·03	3	0·05	20	0·34
Ealing M.B. ..	1	0·01	233	2·24	91	0·88	1	0·01	3	0·03	13	0·13	24	0·23
Edmonton ..	13	0·17	283	3·77	157	2·09	3	0·04	9	0·12	9	0·12	22	0·29
Enfield	–	–	168	2·58	89	1·37	1	0·02	1	0·02	5	0·08	18	0·28
Feltham	–	–	15	1·95	17	2·21	1	0·13	2	0·26	1	0·13	3	0·39
Finchley	2	0·04	156	2·85	46	0·84	7	0·13	–	–	2	0·04	14	0·26
Friern Barnet ..	–	–	71	3·31	12	0·56	4	0·19	1	0·05	3	0·14	12	0·56
Hampton ..	–	–	55	4·47	15	1·22	1	0·08	–	–	–	–	5	0·41
Hampton Wick ..	–	–	16	5·35	3	1·00	–	–	1	0·33	–	–	1	0·33
Harrow on the Hill	1	0·04	73	2·97	11	0·45	1	0·04	–	–	6	0·24	6	0·24
Hayes	–	–	49	3·53	7	0·50	1	0·07	–	–	3	0·22	4	0·29
Hendon	2	0·02	304	3·65	157	1·89	12	0·14	3	0·04	14	0·17	30	0·36
Heston and Isleworth	1	0·02	227	3·65	364	5·85	6	0·10	6	0·10	13	0·21	39	0·63
Hornsey M.B. ..	–	–	246	2·78	129	1·46	5	0·06	3	0·03	8	0·09	30	0·34

* Administrative County, City and Inner and Middle Temples.
† Administrative County.
‡ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MIDDLESEX—*cont.*														
URBAN DISTRICTS—*cont.*														
Kingsbury ..	–	–	11	1·32	14	1·68	–	–	–	–	–	–	1	0·12
Ruislip Northwood	–	–	21	1·56	18	1·34	1	0·07	1	0·07	2	0·15	4	0·30
Southall Norwood	1	0·03	116	3·28	34	0·96	1	0·03	1	0·03	–	–	28	0·79
Southgate ..	–	–	133	2·68	21	0·42	2	0·04	1	0·02	10	0·20	15	0·30
Staines	–	–	36	4·55	5	0·63	–	–	–	–	1	0·13	2	0·25
Sunbury on Thames	–	–	24	3·37	3	0·42	–	–	1	0·14	1	0·14	4	0·56
Teddington ..	1	0·04	50	2·24	57	2·55	2	0·09	–	–	4	0·18	8	0·36
Tottenham ..	6	0·04	533	3·44	557	3·59	5	0·03	5	0·03	15	0·10	57	0·37
Twickenham M.B.	–	–	124	3·44	94	2·61	3	0·08	6	0·17	8	0·22	9	0·25
Uxbridge† ..	–	–	69	2·96	41	1·76	2	0·09	–	–	3	0·13	7	0·30
Wealdstone ..	–	–	141	6·77	15	0·72	2	0·10	–	–	1	0·05	5	0·24
Wembley ..	–	–	121	3·41	53	1·49	3	0·08	1	0·03	4	0·11	10	0·28
Willesden ..	47	0·27	574	3·33	413	2·39	6	0·03	6	0·03	41	0·24	79	0·46
Wood Green ..	1	0·02	187	3·50	128	2·40	1	0·02	–	–	1	0·02	16	0·30
Yiewsley and West Drayton† ..	–	–	10	1·27	29	3·68	–	–	–	–	2	0·25	5	0·63
RURAL DISTRICTS:														
Hendon ..	1	0·03	102	3·15	84	2·59	4	0·12	1	0·03	2	0·06	10	0·31
South Mimms ..	–	–	7	1·57	3	0·67	–	–	1	0·22	–	–	1	0·22
Staines	–	–	53	1·81	34	1·16	–	–	1	0·03	4	0·14	13	0·44
Uxbridge†‡ ..	–	–	6	1·50	7	1·75	–	–	–	–	–	–	–	–
NORFOLK* ..	2	0·00	1,005	1·99	545	1·08	42	0·08	40	0·08	75	0·15	214	0·42
GREAT YARMOUTH C.B.	1	0·02	127	2·19	103	1·77	5	0·09	4	0·07	1	0·02	22	0·38
NORWICH C.B. ..	–	–	230	1·84	203	1·63	6	0·05	20	0·16	40	0·32	97	0·78
AGGREGATE OF U.Ds.	–	–	132	2·14	120	1·94	7	0·11	3	0·05	6	0·10	19	0·31
AGGREGATE OF R.Ds.	1	0·00	516	1·98	119	0·46	24	0·09	13	0·05	28	0·11	76	0·29
URBAN DISTRICTS:														
Cromer	–	–	7	1·63	4	0·93	1	0·23	–	–	4	0·93	1	0·23
Diss	–	–	3	0·87	2	0·58	–	–	–	–	–	–	–	–
Downham Market	–	–	–	–	1	0·41	–	–	–	–	–	–	2	0·82
East Dereham ..	–	–	13	2·36	4	0·73	–	–	–	–	–	–	1	0·18
King's Lynn M.B.	–	–	23	1·14	80	3·97	4	0·20	1	0·05	–	–	9	0·45
New Hunstanton	–	–	2	0·52	8	2·08	–	–	–	–	–	–	–	–
North Walsham..	–	–	27	6·27	11	2·56	–	–	1	0·23	–	–	1	0·23
Sheringham ..	–	–	1	0·24	1	0·24	–	–	–	–	–	–	–	–
Swaffham ..	–	–	4	1·47	–	–	–	–	–	–	2	0·74	1	0·37
Thetford M.B. ..	–	–	14	3·21	5	1·15	–	–	–	–	–	–	1	0·23
Walsoken ..	–	–	19	4·94	4	1·04	2	0·52	1	0·26	–	–	2	0·52
Wells	–	–	19	7·00	–	–	–	–	–	–	–	–	1	0·37
RURAL DISTRICTS:														
Aylsham ..	–	–	28	1·71	2	0·12	1	0·06	2	0·12	2	0·12	2	0·12
Blofield	–	–	24	1·73	9	0·65	4	0·29	1	0·07	–	–	6	0·43
Depwade.. ..	–	–	35	1·92	14	0·77	–	–	–	–	2	0·11	4	0·22
Docking	1	0·06	21	1·28	1	0·06	2	0·12	–	–	3	0·18	2	0·12
Downham ..	–	–	11	0·74	8	0·54	2	0·13	–	–	–	–	8	0·54
East and West Flegg	–	–	11	1·05	–	–	1	0·10	–	–	1	0·10	4	0·38
Erpingham ..	–	–	54	3·04	3	0·17	–	–	–	–	1	0·06	1	0·06
Forehoe	–	–	20	1·58	2	0·16	2	0·16	2	0·16	6	0·47	3	0·24
Freebridge Lynn	–	–	44	3·65	9	0·75	1	0·08	2	0·17	–	–	5	0·41
Henstead ..	–	–	21	1·97	2	0·19	–	–	–	–	3	0·28	7	0·66

* Administrative County with associated County Boroughs.
† Rates adjusted to allow for changes in boundary during the year.
‡ Abolished 31st March, 1929.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NORFOLK—*cont.*														
RURAL DISTRICTS—*cont.*														
King's Lynn ..	–	–	6	6·57	–	–	–	–	1	1·10	–	–	1	1·10
Loddon and Clavering	–	–	18	1·48	5	0·41	1	0·08	1	0·08	3	0·25	5	0·41
Marshland ..	–	–	36	2·45	20	1·36	2	0·14	–	–	–	–	2	0·14
Mitford and Launditch	–	–	42	2·42	20	1·15	1	0·06	1	0·06	–	–	4	0·23
St. Faith's ..	–	–	12	0·89	8	0·60	–	–	–	–	–	–	5	0·37
Smallburgh ..	–	–	54	3·81	1	0·07	–	–	–	–	–	–	2	0·14
Swaffham ..	–	–	21	3·04	–	–	1	0·14	–	–	1	0·14	1	0·14
Thetford ..	–	–	9	0·98	3	0·33	–	–	–	–	1	0·11	2	0·22
Walsingham ..	–	–	7	0·44	2	0·13	5	0·31	2	0·13	5	0·31	8	0·50
Wayland ..	–	–	42	3·24	10	0·77	1	0·08	1	0·08	–	–	4	0·31
NORTHAMPTON* ..	508	1·64	882	2·84	411	1·32	31	0·10	22	0·07	37	0·12	157	0·51
NORTHAMPTON C.B.	479	5·10	279	2·97	184	1·96	9	0·10	8	0·09	7	0·07	61	0·65
AGGREGATE OF U.Ds.	12	0·12	293	2·86	131	1·28	2	0·02	7	0·07	10	0·10	58	0·57
AGGREGATE OF R.Ds.	17	0·15	310	2·72	96	0·84	20	0·18	7	0·06	20	0·18	38	0·33
URBAN DISTRICTS:														
Brackley M.B. ..	–	–	3	1·39	–	–	–	–	–	–	1	0·46	–	–
Burton Latimer ..	–	–	12	3·41	1	0·28	–	–	–	–	–	–	3	0·85
Daventry M.B. ..	2	0·57	8	2·29	–	–	–	–	1	0·29	1	0·29	4	1·14
Desborough ..	–	–	6	1·32	7	1·54	–	–	–	–	–	–	2	0·44
Finedon	1	0·25	38	9·36	16	3·94	–	–	–	–	1	0·25	4	0·99
Higham Ferrers M.B.	–	–	7	2·29	–	–	–	–	–	–	–	–	1	0·33
Irthlingborough	–	–	24	4·86	2	0·41	1	0·20	–	–	–	–	3	0·61
Kettering ..	8	0·26	103	3·32	70	2·25	1	0·03	3	0·10	5	0·16	23	0·74
Oundle	–	–	6	2·41	–	–	–	–	–	–	1	0·40	–	–
Raunds	–	–	39	10·39	2	0·53	–	–	–	–	–	–	3	0·80
Rothwell ..	1	0·21	6	1·28	1	0·21	–	–	1	0·21	–	–	2	0·43
Rushden ..	–	–	32	2·28	13	0·93	–	–	1	0·07	1	0·07	9	0·64
Wellingborough ..	–	–	9	0·43	19	0·91	–	–	1	0·05	–	–	4	0·19
RURAL DISTRICTS:														
Brackley ..	–	–	5	0·80	–	–	1	0·16	–	–	2	0·32	2	0·32
Brixworth ..	1	0·09	62	5·28	11	0·94	1	0·09	–	–	5	0·43	3	0·26
Crick	1	0·41	3	1·23	1	0·41	–	–	–	–	–	–	1	0·41
Daventry ..	1	0·07	56	4·11	15	1·10	–	–	2	0·15	–	–	3	0·22
Easton on the Hill	2	1·41	–	–	–	–	–	–	–	–	1	0·70	1	0·70
Gretton	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hardingstone ..	–	–	28	3·77	3	0·40	1	0·13	1	0·13	2	0·27	1	0·13
Kettering ..	–	–	16	1·68	22	2·31	–	–	1	0·10	2	0·21	7	0·73
Middleton Cheney	–	–	1	0·42	–	–	1	0·42	1	0·42	1	0·42	–	–
Northampton ..	10	0·94	37	3·49	9	0·85	7	0·66	–	–	1	0·09	1	0·09
Oundle (part of)†	–	–	4	0·64	3	0·48	1	0·16	1	0·16	–	–	1	0·16
Oxendon ..	–	–	6	1·55	–	–	–	–	–	–	–	–	2	0·52
Potterspury ..	–	–	5	1·06	13	2·76	–	–	–	–	–	–	–	–
Thrapston (part of)†	–	–	11	1·08	7	0·69	5	0·49	1	0·10	–	–	3	0·30
Towcester ..	–	–	41	4·36	5	0·53	–	–	–	–	1	0·11	6	0·64
Wellingborough	2	0·16	35	2·76	7	0·55	3	0·24	–	–	5	0·39	7	0·55

* Administrative County with associated County Borough.

† The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Huntingdon. The figures for the entire Districts are:—

Oundle ..	–	–	4	0·55	3	0·41	1	0·14	1	0·14	–	–	1	0·14
Thrapston ..	–	–	17	1·55	8	0·73	5	0·46	1	0·09	–	–	3	0·27

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NORTHUMBERLAND*	235	0·31	1,441	1·90	646	0·85	120	0·16	61	0·08	129	0·17	501	0·66
NEWCASTLE UPON TYNE C.B. ..	21	0·07	576	2·03	269	0·95	36	0·13	50	0·18	55	0·19	229	0·81
TYNEMOUTH C.B. ..	154	2·34	129	1·96	139	2·11	11	0·17	1	0·02	9	0·14	58	0·88
AGGREGATE OF U.Ds.	60	0·20	557	1·83	149	0·49	64	0·21	6	0·02	52	0·17	152	0·50
AGGREGATE OF R.Ds.	–	–	179	1·70	89	0·84	9	0·09	4	0·04	13	0·12	62	0·59
URBAN DISTRICTS														
Alnwick	1	0·14	11	1·59	1	0·14	1	0·14	–	–	–	–	2	0·29
Amble	–	–	1	0·24	–	–	–	–	–	–	–	–	–	–
Ashington ..	–	–	61	2·11	11	0·38	4	0·14	1	0·03	12	0·42	18	0·62
Bedlingtonshire	1	0·04	34	1·22	2	0·07	41	1·47	–	–	3	0·11	11	0·39
Berwick upon Tweed M.B. ..	–	–	15	1·26	7	0·59	–	–	–	–	–	–	2	0·17
Blyth M.B. ..	–	–	19	0·60	4	0·13	2	0·06	–	–	4	0·13	11	0·35
Cramlington ..	27	3·11	9	1·04	5	0·58	1	0·12	–	–	4	0·46	3	0·35
Earsdon	11	0·84	33	2·53	21	1·61	2	0·15	–	–	2	0·15	2	0·15
Gosforth	–	–	40	2·39	8	0·48	1	0·06	1	0·06	2	0·12	5	0·30
Hexham	7	0·82	17	2·00	3	0·35	–	–	1	0·12	1	0·12	3	0·35
Longbenton ..	5	0·35	26	1·84	12	0·85	–	–	–	–	2	0·14	15	1·06
Morpeth M.B. ..	–	–	3	0·40	2	0·27	–	–	–	–	1	0·13	–	–
Newbiggin by the Sea	–	–	17	2·41	3	0·42	–	–	–	–	3	0·42	7	0·99
Newburn.. ..	–	–	36	1·77	9	0·44	8	0·39	3	0·15	9	0·44	5	0·25
Prudhoe	–	–	7	0·74	2	0·21	1	0·11	–	–	–	–	10	1·06
Rothbury ..	–	–	1	0·80	–	–	–	–	–	–	–	–	3	2·40
Seaton Delaval	3	0·40	9	1·19	1	0·13	–	–	–	–	–	–	13	1·72
Seghill	2	0·81	4	1·63	–	–	–	–	–	–	–	–	–	–
Wallsend M.B. .	3	0·07	138	3·08	39	0·87	1	0·02	–	–	7	0·16	30	0·67
Weetslade ..	–	–	7	0·90	5	0·65	1	0·13	–	–	–	–	2	0·26
Whitley and Monkseaton	–	–	69	2·90	14	0·59	1	0·04	–	–	2	0·08	10	0·42
RURAL DISTRICTS:														
Alnwick	–	–	12	0·93	46	3·58	–	–	–	–	4	0·31	6	0·47
Belford	–	–	14	2·91	–	–	4	0·83	–	–	–	–	5	1·04
Bellingham ..	–	–	14	2·55	9	1·64	–	–	–	–	1	0·18	2	0·36
Castle Ward ..	–	–	55	3·83	9	0·63	–	–	–	–	–	–	11	0·77
Glendale	–	–	31	3·86	1	0·12	1	0·12	–	–	–	–	2	0·25
Haltwhistle ..	–	–	4	0·44	12	1·33	1	0·11	–	–	1	0·11	–	–
Hexham	–	–	18	0·84	4	0·19	–	–	1	0·05	3	0·14	19	0·88
Morpeth	–	–	19	0·97	2	0·10	3	0·15	3	0·15	1	0·05	12	0·6
Newcastle upon Tyne (Moot Hall and Precincts) †														
Norham and Islandshires ..	–	–	7	1·34	2	0·38	–	–	–	–	2	0·38	3	0·58
Rothbury ..	–	–	5	1·08	4	0·86	–	–	–	–	1	0·22	2	0·43
NOTTINGHAM* ..	67	0·10	2,537	3·64	1,052	1·51	31	0·04	36	0·05	85	0·12	326	0·47
NOTTINGHAM C.B.	3	0·01	973	3·65	690	2·59	12	0·04	18	0·07	20	0·07	149	0·56
AGGREGATE OF U.Ds.	9	0·03	981	3·67	285	1·07	11	0·04	12	0·04	38	0·14	121	0·45
AGGREGATE OF R.Ds.	55	0·34	583	3·60	77	0·48	8	0·05	6	0·04	27	0·17	56	0·35
URBAN DISTRICTS:														
Arnold	–	–	27	2·00	6	0·44	–	–	–	–	–	–	–	–
Beeston	–	–	84	5·28	22	1·38	1	0·06	1	0·06	–	–	7	0·44
Carlton	–	–	52	2·45	59	2·78	–	–	–	–	–	–	6	0·28
East Retford M.B.	–	–	32	2·36	–	–	–	–	1	0·07	1	0·07	8	0·59
Eastwood ..	–	–	16	2·95	–	–	–	–	–	–	1	0·18	6	1·11

* Administrative County with associated County Boroughs.
† Cases, if any, are included with those for Newcastle upon Tyne C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NOTTINGHAM —*cont.*														
URBAN DISTRICTS—*cont.*														
Hucknall.. ..	–	–	83	4·78	68	3·91	1	0·06	–	–	2	0·12	12	0·69
Huthwaite ..	1	0·18	5	0·90	6	1·09	–	–	1	0·18	1	0·18	1	0·18
Kirkby in Ashfield	2	0·11	68	3·63	11	0·59	2	0·11	1	0·05	4	0·21	18	0·96
Mansfield M.B. ..	–	–	163	3·46	42	0·89	3	0·06	2	0·04	5	0·11	23	0·49
Mansfield Woodhouse	1	0·07	60	4·11	9	0·62	–	–	–	–	3	0·21	5	0·34
Newark M.B. ..	–	–	83	4·77	5	0·29	1	0·06	1	0·06	–	–	–	–
Sutton in Ashfield	4	0·16	34	1·38	16	0·65	1	0·04	–	–	4	0·16	8	0·32
Warsop	–	–	18	1·66	12	1·11	1	0·09	–	–	10	0·92	8	0·74
West Bridgford ..	–	–	14	0·87	11	0·69	1	0·06	1	0·06	–	–	2	0·12
Worksop.. ..	1	0·04	242	9·44	18	0·70	–	–	4	0·16	7	0·27	17	0·66
RURAL DISTRICTS:														
Basford	34	0·71	166	3·46	48	1·00	3	0·06	1	0·02	11	0·23	20	0·42
Bingham ..	1	0·07	58	3·91	3	0·20	–	–	1	0·07	1	0·07	7	0·47
East Retford ..	–	–	78	5·12	5	0·33	1	0·07	1	0·07	2	0·13	2	0·13
Leake	–	–	6	1·35	7	1·57	1	0·22	–	–	1	0·22	1	0·22
Misterton ..	–	–	10	2·44	–	–	–	–	–	–	1	0·24	1	0·24
Newark	–	–	30	3·20	2	0·21	–	–	–	–	–	–	5	0·53
Nottingham (Shire Hall)†														
Skegby	1	0·07	37	2·73	3	0·22	1	0·07	–	–	3	0·22	4	0·30
Southwell ..	1	0·04	125	4·42	3	0·11	2	0·07	1	0·04	6	0·21	6	0·21
Stapleford ..	–	–	25	1·99	5	0·40	–	–	1	0·08	–	–	9	0·72
Worksop.. ..	18	1·55	48	4·15	1	0·09	–	–	1	0·09	2	0·17	1	0·09
OXFORD*	2	0·01	498	2·50	98	0·49	22	0·11	8	0·04	44	0·22	59	0·30
OXFORD C.B.‡ ..	2	0·03	164	2·32	35	0·50	10	0·14	4	0·06	30	0·42	23	0·33
AGGREGATE OF U.Ds.‡	–	–	70	1·88	28	0·75	4	0·11	2	0·05	4	0·11	10	0·27
AGGREGATE OF R.Ds.‡	–	–	264	2·90	35	0·38	8	0·09	2	0·02	10	0·11	26	0·29
URBAN DISTRICTS:														
Banbury M.B. ..	–	–	27	2·02	3	0·22	2	0·15	–	–	–	–	4	0·30
Bicester	–	–	2	0·67	–	–	–	–	–	–	1	0·34	–	–
Chipping Norton M.B.	–	–	–	–	–	–	–	–	1	0·29	–	–	–	–
Headington‡§ ..	–	–	26	14·86	6	3·43	–	–	–	–	–	–	5	2·86
Henley on Thames M.B.	–	–	1	0·15	4	0·62	–	–	–	–	1	0·15	1	0·15
Thame	–	–	6	1·97	2	0·66	–	–	1	0·33	1	0·33	–	–
Wheatley ..	–	–	3	2·69	13	11·67	–	–	–	–	–	–	–	–
Witney	–	–	1	0·29	–	–	2	0·58	–	–	–	–	–	–
Woodstock M.B.	–	–	4	2·54	–	–	–	–	–	–	1	0·64	–	–
RURAL DISTRICTS:														
Banbury ..	–	–	18	1·65	–	–	–	–	–	–	–	–	4	0·37
Bicester	–	–	14	1·60	–	–	1	0·11	–	–	–	–	2	0·23
Chipping Norton	–	–	5	0·49	3	0·29	–	–	–	–	–	–	4	0·39
Crowmarsh ..	–	–	6	1·10	–	–	1	0·18	1	0·18	–	–	2	0·37
Culham	–	–	8	3·08	–	–	–	–	–	–	–	–	2	0·77
Goring	–	–	2	0·59	3	0·89	–	–	–	–	2	0·59	–	–
Headington‡ ..	–	–	23	3·40	11	1·63	3	0·44	–	–	–	–	–	–
Henley	–	–	48	4·04	9	0·76	1	0·08	–	–	–	–	–	–
Thame	–	–	49	9·28	5	0·95	1	0·19	–	–	2	0·38	–	–
Witney	–	–	77	4·72	3	0·18	1	0·06	–	–	4	0·25	4	0.25
Woodstock‡ ..	–	–	14	1·47	1	0·11	–	–	1	0·11	2	0·21	8	0·84

* Administrative County with associated County Borough.
† Cases, if any, are included with those for Nottingham C.B.
‡ Rates adjusted to allow for changes in boundary during the year
§ Abolished 1st April, 1929.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
PETERBOROUGH, SOKE OF* ..	253	4·94	146	2·85	46	0·90	1	0·02	1	0·02	4	0·08	47	0·92
URBAN DISTRICT†	232	5·55	143	3·42	37	0·89	–	–	1	0·02	4	0·10	36	0·86
AGGREGATE OF R.Ds.†	21	2·23	3	0·32	9	0·96	1	0·11	–	–	–	–	11	1·17
URBAN DISTRICT: Peterborough M.B.†	232	5·55	143	3·42	37	0·89	–	–	1	0·02	4	0·10	36	0·86
RURAL DISTRICTS:														
Barnack .. .	6	2·83	1	0·47	5	2·36	1	0·47	–	–	–	–	1	0·47
Peterborough† ..	15	2·06	2	0·27	4	0·55	–	–	–	–	–	–	10	1·37
RUTLAND* ..	1	0·06	11	0·61	5	0·28	–	–	–	–	–	–	2	0·11
URBAN DISTRICT ..	–	–	1	0·30	4	1·21	–	–	–	–	–	–	–	–
AGGREGATE OF R.Ds.	1	0·07	10	0·68	1	0·07	–	–	–	–	–	–	2	0·14
URBAN DISTRICT: Oakham	–	–	1	0·30	4	1·21	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Ketton	1	0·36	5	1·79	–	–	–	–	–	–	–	–	–	–
Oakham	–	–	3	0·50	1	0·17	–	–	–	–	–	–	–	–
Uppingham ..	–	–	2	0·33	–	–	–	–	–	–	–	–	2	0·33
SALOP*	–	–	295	1·21	249	1·02	35	0·14	14	0·06	39	0·16	66	0·27
AGGREGATE OF U.Ds.	–	–	127	1·12	163	1·43	14	0·12	6	0·05	16	0·14	26	0·23
AGGREGATE OF R.Ds.	–	–	168	1·30	86	0·66	21	0·16	8	0·06	23	0·18	40	0·31
URBAN DISTRICTS:														
Bishop's Castle M.B.	–	–	–	–	12	9·22	–	–	–	–	–	–	–	–
Bridgnorth M.B.	–	–	2	0·41	–	–	1	0·20	–	–	4	0·82	3	0·61
Church Stretton..	–	–	2	1·12	–	–	–	–	–	–	–	–	–	–
Dawley	–	–	3	0·41	11	1·49	1	0·14	–	–	1	0·14	1	0·14
Ellesmere ..	–	–	2	1·08	–	–	–	–	–	–	–	–	–	–
Ludlow M.B. ..	–	–	3	0·57	4	0·75	–	–	–	–	1	0·19	3	0·57
Market Drayton	–	–	12	2·58	5	1·08	–	–	–	–	–	–	1	0·22
Newport	–	–	1	0·32	6	1·95	1	0·32	–	–	1	0·32	–	–
Oakengates ..	–	–	5	0·44	7	0·62	3	0·26	2	0·18	1	0·09	3	0·26
Oswestry M.B. ..	–	–	10	1·03	40	4·10	–	–	1	0·10	1	0·10	–	–
Shrewsbury M.B.	–	–	52	1·63	19	0·59	–	–	3	0·09	1	0·03	11	0·34
Wellington ..	–	–	20	2·33	15	1·74	–	–	–	–	4	0·47	3	0·35
Wem	–	–	2	0·93	–	–	–	–	–	–	1	0·46	–	–
Wenlock M.B. ..	–	–	13	0·94	1	0·07	8	0·58	–	–	1	0·07	1	0·07
Whitchurch ..	–	–	–	–	43	7·66	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Atcham	–	–	27	1·20	6	0·27	11	0·49	2	0·09	3	0·13	13	0·58
Bridgnorth ..	–	–	4	0·48	–	–	–	–	1	0·12	–	–	1	0·12
Burford	–	–	1	0·78	–	–	–	–	–	–	–	–	–	–
Chirbury ..	–	–	4	1·33	1	0·33	–	–	1	0·33	5	1·66	2	0·66
Church Stretton	–	–	7	1·60	1	0·23	–	–	1	0·23	–	–	–	–
Cleobury Mortimer	–	–	3	0·41	3	0·41	–	–	–	–	1	0·14	–	–
Clun	–	–	2	0·32	5	0·80	1	0·16	–	–	–	–	2	0·32
Drayton	–	–	14	1·91	14	1·91	1	0·14	–	–	–	–	1	0·14
Ellesmere ..	–	–	8	1·03	–	–	–	–	–	–	2	0·26	–	–
Ludlow	–	–	16	1·88	4	0·47	1	0·12	–	–	1	0·12	3	0·35

* Administrative County.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SALOP—*cont.*														
RURAL DISTRICTS—*cont.*														
Newport ..	–	–	16	2·90	10	1·81	–	–	–	–	–	–	–	–
Oswestry.. ..	–	–	5	0·31	23	1·41	1	0·06	1	0·06	3	0·18	3	0·18
Shifnal	–	–	10	1·31	–	–	1	0·13	–	–	2	0·26	2	0·26
Teme	–	–	1	0·61	4	2·43	–	–	–	–	–	–	–	–
Wellington .	–	–	29	2·60	8	0·72	3	0·27	2	0·18	2	0·18	7	0·63
Wem	–	–	16	1·86	4	0·47	2	0·23	–	–	4	0·47	5	0·58
Whitchurch ..	–	–	5	2·45	3	1·47	–	–	–	–	–	–	1	0·49
SOMERSET* ..	12	0·03	962	2·02	514	1·08	33	0·07	14	0·03	70	0·15	171	0·36
BATH C.B. ..	8	0·12	128	1·85	27	0·39	6	0·09	4	0·06	16	0·23	32	0·46
AGGREGATE OF U.Ds.†	–	–	366	2·14	283	1·66	11	0·06	5	0·03	21	0·12	53	0·31
AGGREGATE OF R.Ds.†	4	0·02	468	1·99	204	0·87	16	0·07	5	0·02	33	0·14	86	0·37
URBAN DISTRICTS:														
Bridgwater M.B.†	–	–	2	0·12	7	0·42	1	0·06	–	–	1	0·06	2	0·12
Burnham on Sea	–	–	5	0·89	2	0·35	1	0·18	–	–	3	0·53	2	0·35
Chard M.B. ..	–	–	–	–	3	0·72	–	–	–	–	–	–	1	0·24
Clevedon ..	–	–	8	1·14	3	0·43	–	–	–	–	1	0·14	2	0·28
Crewkerne ..	–	–	3	0·83	7	1·94	–	–	–	–	1	0·28	–	–
Frome	–	–	119	11·18	3	0·28	1	0·09	–	–	2	0·19	4	0·38
Glastonbury M.B.	–	–	2	0·45	6	1·36	–	–	1	0·23	–	–	2	0·45
Highbridge ..	–	–	2	0·75	–	–	–	–	–	–	–	–	1	0·37
Ilminster.. ..	–	–	5	2·18	–	–	–	–	–	–	–	–	1	0·44
Midsomer Norton	–	–	8	0·99	93	11·55	–	–	–	–	–	–	3	0·37
Minehead ..	–	–	17	2·82	3	0·50	1	0·17	–	–	4	0·66	–	–
Portishead ..	–	–	5	1·26	–	–	1	0·25	–	–	2	0·50	1	0·25
Radstock ..	–	–	2	0·52	17	4·42	–	–	–	–	1	0·26	3	0·78
Shepton Mallet	–	–	16	3·77	3	0·71	–	–	–	–	–	–	1	0·24
Street	–	–	5	1·09	3	0·66	–	–	1	0·22	–	–	–	–
Taunton M.B. ..	–	–	40	1·61	12	0·48	1	0·04	–	–	2	0·08	4	0·16
Watchet	–	–	12	6·21	–	–	–	–	–	–	–	–	–	–
Wellington ..	–	–	1	0·14	14	1·92	–	–	–	–	–	–	–	–
Wells M.B. ..	–	–	8	1·79	–	–	–	–	–	–	–	–	1	0·22
Weston super Mare	–	–	61	2·21	41	1·48	5	0·18	1	0·04	2	0·07	7	0·25
Wiveliscombe ..	–	–	–	–	1	0·78	–	–	–	–	–	–	1	0·78
Yeovil M.B. ..	–	–	45	2·91	65	4·20	–	–	2	0·13	2	0·13	17	1·10
RURAL DISTRICTS:														
Axbridge.. ..	–	–	32	1·29	35	1·41	5	0·20	1	0·04	4	0·16	17	0·69
Bath	–	–	22	1·50	8	0·55	–	–	2	0·14	1	0·07	4	0·27
Bridgwater† ..	1	0·06	12	0·70	5	0·29	1	0·06	–	–	1	0·06	1	0·06
Chard	–	–	17	1·38	1	0·08	1	0·08	–	–	4	0·32	2	0·16
Clutton	1	0·06	22	1·38	19	1·19	1	0·06	–	–	3	0·19	7	0·44
Dulverton ..	–	–	6	1·26	–	–	–	–	–	–	1	0·21	4	0·84
Frome	–	–	101	9·33	8	0·74	–	–	–	–	1	0·09	9	0·83
Keynsham ..	–	–	30	2·43	24	1·94	1	0·08	–	–	3	0·24	1	0·08
Langport ..	–	–	27	2·08	9	0·69	2	0·15	–	–	1	0·08	1	0·08
Long Ashton ..	–	–	54	2·63	8	0·39	1	0·05	–	–	1	0·05	5	0·24
Shepton Mallet ..	1	0·10	13	1·34	2	0·21	3	0·31	–	–	–	–	2	0·21
Taunton	–	–	34	2·04	7	0·42	–	–	–	–	2	0·12	17	1·02
Wellington ..	–	–	3	0·52	7	1·20	–	–	2	0·34	1	0·17	–	–
Wells	–	–	26	2·51	1	0·10	–	–	–	–	–	–	1	0·10
Williton	–	–	17	1·40	5	0·41	–	–	–	–	2	0·16	2	0·16
Wincanton ..	1	0·06	14	0·85	14	0·85	1	0·06	–	–	2	0·12	4	0·24
Yeovil	–	–	38	2·09	51	2·81	–	–	–	–	6	0·33	9	0·50

* Administrative County with associated County Borough.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SOUTHAMPTON* ..	4	0·00	2,289	2·42	1,641	1·74	59	0·06	67	0·07	126	0·13	304	0·32
BOURNEMOUTH C.B.	2	0·02	283	2·91	95	0·98	7	0·07	9	0·09	12	0·12	36	0·37
PORTSMOUTH C.B.	–	–	787	3·25	766	3·17	11	0·05	24	0·10	23	0·10	74	0·31
SOUTHAMPTON C.B.	–	–	367	2·13	368	2·14	7	0·04	8	0·05	32	0·19	62	0·36
AGGREGATE OF U.Ds.	2	0·01	425	2·26	179	0·95	18	0·10	16	0·09	26	0·14	61	0·32
AGGREGATE OF R.Ds	–	–	427	1·75	233	0·95	16	0·07	10	0·04	33	0·13	71	0·29
URBAN DISTRICTS:														
Aldershot M.B. ..	–	–	48	1·93	21	0·84	3	0·12	–	–	4	0·16	2	0·08
Alton	–	–	59	10·29	7	1·22	–	–	–	–	1	0·17	9	1·57
Andover M.B. ..	–	–	16	1·81	1	0·11	–	–	–	–	3	0·34	5	0·56
Basingstoke M.B.	–	–	15	1·12	3	0·22	–	–	–	–	–	–	–	–
Christchurch M.B.	–	–	22	2·52	1	0·11	–	–	–	–	2	0·23	1	0·11
Eastleigh and Bishopstoke ..	–	–	72	4·22	28	1·64	–	–	1	0·06	–	–	8	0·47
Fareham ..	–	–	10	0·90	5	0·45	6	0·54	–	–	–	–	8	0·72
Farnborough ..	1	0·09	13	1·17	14	1·26	–	–	–	–	–	–	2	0·18
Fleet	–	–	3	0·69	–	–	–	–	–	–	1	0·23	–	–
Gosport M.B. ..	–	–	92	2·91	58	1·83	–	–	5	0·16	3	0·09	4	0·13
Havant	–	–	14	3·15	8	1·80	2	0·45	–	–	–	–	2	0·45
Lymington M.B.	–	–	1	0·21	2	0·42	–	–	–	–	–	–	1	0·21
Milton	1	0·20	6	1·19	1	0·20	1	0·20	–	–	1	0·20	1	0·20
Petersfield ..	–	–	17	3·89	–	–	2	0·46	–	–	3	0·69	5	1·14
Romsey M.B. .	–	–	6	1·32	2	0·44	–	–	–	–	–	–	2	0·44
Warblington ..	–	–	14	3·41	3	0·73	–	–	1	0·24	–	–	–	–
Winchester M.B.	–	–	17	0·71	25	1·04	4	0·17	9	0·38	8	0·33	11	0·46
RURAL DISTRICTS:														
Alresford ..	–	–	14	1·85	5	0·66	1	0·13	–	–	1	0·13	–	–
Alton†	–	–	20	1·27	10	0·64	4	0·25	1	0·06	4	0·25	4	0·25
Andover .. .	–	–	6	0·54	14	1·26	–	–	–	–	3	0·27	2	0·18
Basingstoke .	–	–	28	1·92	7	0·48	–	–	–	–	1	0·07	21	1·44
Catherington .	–	–	10	1·65	7	1·15	–	–	–	–	1	0·16	–	–
Christchurch ..	–	–	12	1·69	1	0·14	2	0·28	–	–	–	–	2	0·28
Droxford.. .	–	–	19	1·39	3	0·22	1	0·07	–	–	2	0·15	7	0·51
Fareham ..	–	–	9	0·50	10	0·56	–	–	1	0·06	3	0·17	3	0·17
Fordingbridge ..	–	–	18	2·73	4	0·61	2	0·30	1	0·15	1	0·15	–	–
Hartley Wintney	–	–	45	2·17	8	0·39	–	–	1	0·05	4	0·19	5	0·24
Havant .. .	–	–	13	1·21	6	0·56	2	0·19	1	0·09	–	–	1	0·09
Hursley	–	–	21	3·56	11	1·86	–	–	–	–	–	–	3	0·51
Kingsclere ..	–	–	4	0·47	9	1·07	–	–	1	0·12	1	0·12	1	0·12
Lymington .	–	–	8	0·72	5	0·45	–	–	–	–	–	–	–	–
New Forest .	–	–	20	0·96	16	0·77	2	0·10	1	0·05	3	0·14	3	0·14
Petersfield ..	–	–	31	2·75	5	0·44	1	0·09	–	–	3	0·27	5	0·44
Ringwood .	–	–	14	1·69	73	8·81	1	0·12	–	–	1	0·12	–	–
Romsey	–	–	36	4·82	20	2·68	–	–	–	–	–	–	1	0·13
South Stoneham	–	–	18	1·27	3	0·21	–	–	1	0·07	1	0·07	2	0·14
Stockbridge ..	–	–	22	3·59	1	0·16	–	–	–	–	–	–	2	0·33
Whitchurch ..	–	–	29	4·63	1	0·16	–	–	–	–	–	–	6	0·96
Winchester ..	–	–	30	2·30	14	1·07	–	–	2	0·15	4	0·31	3	0·23
STAFFORD* † ..	523	0·36	2,341	1·63	2,085	1·45	44	0·03	84	0·06	257	0·18	669	0·47
BURTON UPON TRENT C.B.	–	–	134	2·74	272	5·55	1	0·02	3	0·06	8	0·16	24	0·49
SMETHWICK C.B. ..	–	–	162	1·90	143	1·68	3	0·04	3	0·04	5	0·06	35	0·41
STOKE ON TRENT C.B.	470	1·68	340	1·22	272	0·97	12	0·04	24	0·09	63	0·23	134	0·48
WALSALL C.B. ..	5	0·05	120	1·20	67	0·67	1	0·01	3	0·03	31	0·31	54	0·54
WEST BROMWICH C.B.	–	–	143	1·77	45	0·56	2	0·02	6	0·07	16	0·20	73	0·90
WOLVERHAMPTON C.B.	–	–	253	1·88	74	0·55	5	0·04	12	0·09	32	0·24	50	0·37
AGGREGATE OF U.Ds.†	45	0·09	736	1·47	906	1·81	11	0·02	16	0·03	72	0·14	228	0·46
AGGREGATE OF R.Ds.	3	0·01	453	2·16	306	1·46	9	0·04	17	0·08	30	0·14	71	0·34

* Administrative County with associated County Boroughs.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
STAFFORD—*cont.*														
URBAN DISTRICTS														
Amblecote ..	–	–	7	2·07	9	2·66	–	–	–	–	–	–	1	0·30
Audley .. .	5	0·33	32	2·13	19	1·27	–	–	–	–	11	0·73	10	0·67
Biddulph .	–	–	27	3·09	42	4·80	–	–	–	–	1	0·11	7	0·80
Bilston	3	0·10	26	0·83	28	0·90	1	0·03	1	0·03	3	0·10	10	0·32
Brierley Hill ..	–	–	33	2·38	138	9·95	–	–	–	–	1	0·07	5	0·36
Brownhills ..	–	–	15	0·72	26	1·25	1	0·05	–	–	3	0·14	12	0·57
Cannock	1	0·03	60	1·70	35	0·99	1	0·03	2	0·06	4	0·11	15	0·43
Coseley †.. ..	–	–	19	0·76	15	0·60	–	–	–	–	4	0·16	14	0·56
Darlaston ..	–	–	15	0·76	38	1·94	–	–	1	0·05	3	0·15	5	0·25
Kidsgrove ..	–	–	13	1·25	28	2·70	–	–	–	–	2	0·19	5	0·48
Leek	4	0·22	66	3·64	14	0·77	1	0·06	1	0·06	–	–	8	0·44
Lichfield M.B. ..	–	–	7	0·84	27	3·23	–	–	–	–	–	–	3	0·36
Newcastle under Lyme M.B. ..	1	0·04	56	2·47	33	1·46	–	–	–	–	–	–	3	0·13
Quarry Bank ..	–	–	16	1·89	60	7·09	–	–	–	–	1	0·12	2	0·24
Rowley Regis ..	–	–	34	0·78	61	1·40	–	–	3	0·07	5	0·12	25	0·58
Rugeley	–	–	5	0·94	130	24·34	–	–	–	–	–	–	–	–
Sedgley	–	–	20	0·99	37	1·83	1	0·05	3	0·15	2	0·10	5	0·25
Short Heath ..	12	2·39	11	2·19	5	1·00	–	–	–	–	–	–	4	0·80
Stafford M.B. ..	1	0·03	49	1·71	19	0·66	–	–	1	0·03	9	0·31	20	0·70
Stone	1	0·17	16	2·69	4	0·67	1	0·17	–	–	1	0·17	–	–
Tamworth M.B...	–	–	10	1·27	21	2·66	–	–	–	–	1	0·13	1	0·13
Tettenhall ..	–	–	18	3·08	11	1·89	–	–	–	–	–	–	2	0·34
Tipton	–	–	41	1·13	22	0·60	1	0·03	–	–	12	0·33	23	0·63
Uttoxeter ..	–	–	5	0·93	4	0·74	–	–	–	–	–	–	2	0·37
Wednesbury M.B.	2	0·06	33	0·99	21	0·63	–	–	2	0·06	4	0·12	15	0·45
Wednesfield ..	–	–	40	4·38	3	0·33	–	–	1	0·11	–	–	1	0·11
Willenhall ..	12	0·54	23	1·04	21	0·95	–	–	–	–	4	0·18	11	0·50
Wolstanton United	3	0·10	39	1·29	35	1·16	4	0·13	1	0·03	1	0·03	19	0·63
RURAL DISTRICTS:														
Blore Heath ..	–	–	7	2·28	–	–	–	–	–	–	–	–	–	–
Cannock ..	–	–	53	2·52	42	1·99	3	0·14	1	0·05	8	0·38	13	0·62
Cheadle	1	0·04	45	1·69	60	2·25	3	0·11	5	0·19	2	0·07	8	0·30
Dudley‡§.. ..														
Gnosall	–	–	14	3·05	13	2·83	–	–	–	–	1	0·22	4	0·87
Kingswinford ..	–	–	56	2·47	52	2·30	–	–	–	–	4	0·18	8	0·35
Leek	2	0·13	26	1·71	26	1·71	–	–	1	0·07	3	0·20	4	0·26
Lichfield	–	–	44	1·49	41	1·39	–	–	2	0·07	4	0·14	11	0·37
Mayfield	–	–	1	0·26	1	0·26	–	–	1	0·26	1	0·26	1	0·26
Newcastle under Lyme	–	–	18	2·95	4	0·66	–	–	–	–	–	–	3	0·49
Seisdon	–	–	63	3·83	3	0·18	2	0·12	1	0·06	2	0·12	2	0·12
Stafford	–	–	12	1·27	22	2·33	–	–	–	–	2	0·21	3	0·32
Stone	–	–	15	1·18	4	0·32	–	–	–	–	1	0·08	2	0·16
Tamworth (pt. of)¶	–	–	22	3·54	8	1·29	–	–	4	0·64	–	–	–	–
Tutbury	–	–	17	1·86	7	0·77	–	–	–	–	–	–	–	–
Uttoxeter ..	–	–	22	2·78	6	0·76	–	–	–	–	–	–	2	0·25
Walsall	–	–	37	2·48	17	1·14	1	0·07	2	0·13	2	0·13	10	0·67
Blymhill and Weston under Lizard (parishes)** ..	–	–	1	1·45	–	–	–	–	–	–	–	–	–	–
SUFFOLK, EAST*	1	0·00	573	1·94	409	1·38	19	0·06	29	0·10	37	0·13	110	0·37
IPSWICH C.B. ..	–	–	225	2·62	194	2·26	3	0·03	11	0·13	14	0·16	47	0·55
AGGREGATE OF U.Ds.	1	0·01	148	1·64	132	1·46	11	0·12	3	0·03	14	0·15	30	0·33
AGGREGATE OF R.Ds.	–	–	200	1·67	83	0·69	5	0·04	15	0·13	9	0·08	33	0·28

* Administrative County with associated County Borough.
† Rates adjusted to allow for change in boundary during the year.
‡ Cases, if any, are included with those for Dudley C.B.
§ Abolished 1st April, 1929.
¶ The remaining part of the Rural District of Tamworth is in the Administrative County of Warwick.
** These Parishes are administered by the Rural District Council of Shifnal (Salop).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SUFFOLK EAST —*cont.*														
URBAN DISTRICTS:														
Aldeburgh M.B.	–	–	3	1·13	2	0·75	–	–	–	–	–	–	2	0·75
Beccles M.B.	–	–	31	4·51	1	0·15	1	0·15	1	0·15	–	–	1	0·15
Bungay	–	–	10	3·32	3	1·00	–	–	–	–	1	0·33	1	0·33
Eye M.B.	–	–	1	0·56	2	1·12	–	–	–	–	–	–	1	0·56
Felixstowe	–	–	7	0·63	4	0·36	6	0·54	–	–	–	–	2	0·18
Halesworth	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leiston cum Sizewell	–	–	11	2·47	2	0·45	–	–	–	–	3	0·67	5	1·12
Lowestoft M.B.	–	–	59	1·31	94	2·08	4	0·09	2	0·04	8	0·18	14	0·31
Saxmundham	–	–	–	–	1	0·74	–	–	–	–	–	–	–	–
Southwold M.B.	–	–	2	0·69	1	0·34	–	–	–	–	–	–	1	0·34
Stowmarket	1	0·22	6	1·34	10	2·24	–	–	–	–	1	0·22	2	0·45
Woodbridge	–	–	18	3·88	12	2·59	–	–	–	–	1	0·22	1	0·22
RURAL DISTRICTS:														
Blything	–	–	29	1·69	5	0·29	–	–	3	0·17	–	–	5	0·29
Bosmere and Claydon	–	–	20	1·38	11	0·76	–	–	2	0·14	–	–	3	0·21
East Stow	–	–	13	1·92	5	0·74	–	–	2	0·30	3	0·44	3	0·44
Hartismere	–	–	19	1·78	8	0·75	–	–	2	0·19	2	0·19	2	0·19
Hoxne	–	–	9	0·99	5	0·55	1	0·11	1	0·11	2	0·22	3	0·33
Mutford and Lothingland	–	–	25	2·04	15	1·23	1	0·08	–	–	2	0·16	7	0·57
Plomesgate	–	–	31	2·10	5	0·34	2	0·14	1	0·07	–	–	6	0·41
Samford	–	–	31	2·49	6	0·48	–	–	–	–	–	–	–	–
Wangford	–	–	6	1·35	4	0·90	–	–	–	–	–	–	2	0·45
Woodbridge	–	–	17	0·97	19	1·09	1	0·06	4	0·23	–	–	2	0·11
SUFFOLK, WEST*	–	–	287	2·64	79	0·73	5	0·05	1	0·01	11	0·10	28	0·26
AGGREGATE OF U.Ds	–	–	82	1·98	26	0·63	1	0·02	1	0·02	5	0·12	11	0·27
AGGREGATE OF R.Ds.	–	–	205	3·05	53	0·79	4	0·06	–	–	6	0·09	17	0·25
URBAN DISTRICTS:														
Bury St. Edmunds M.B.	–	–	13	0·81	14	0·87	1	0·06	–	–	1	0·06	3	0·19
Glemsford	–	–	–	–	–	–	–	–	–	–	1	0·74	–	–
Hadleigh	–	–	–	–	–	–	–	–	–	–	1	0·33	1	0·33
Haverhill	–	–	22	5·46	2	0·50	–	–	–	–	–	–	2	0·50
Newmarket	–	–	16	1·62	1	0·10	–	–	1	0·10	1	0·10	3	0·30
Sudbury M.B.	–	–	31	4·41	9	1·28	–	–	–	–	1	0·14	2	0·28
RURAL DISTRICTS:														
Brandon	–	–	1	0·17	–	–	2	0·35	–	–	–	–	–	–
Clare	–	–	25	3·53	13	1·83	–	–	–	–	1	0·14	3	0·42
Cosford	–	–	63	6·19	7	0·69	–	–	–	–	2	0·20	2	0·20
Melford	–	–	51	4·27	6	0·50	1	0·08	–	–	–	–	2	0·17
Mildenhall	–	–	32	3·87	8	0·97	–	–	–	–	1	0·12	2	0·24
Moulton	–	–	–	–	–	–	–	–	–	–	1	0·47	–	–
Thedwastre	–	–	26	3·10	13	1·55	1	0·12	–	–	1	0·12	4	0·48
Thingoe	–	–	7	0·53	6	0·45	–	–	–	–	–	–	4	0·30

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SURREY*	16	0·01	2,970	2·75	1,811	1·68	118	0·11	57	0·05	148	0·14	332	0·31
CROYDON C.B. ..	2	0·01	744	3·35	431	1·94	36	0·16	16	0·07	23	0·10	71	0·32
AGGREGATE OF U.Ds.†	14	0·02	1,822	2·67	1,205	1·76	55	0·08	31	0·05	101	0·15	219	0·32
AGGREGATE OF R.Ds.†	–	–	404	2·32	175	1·01	27	0·16	10	0·06	24	0·14	42	0·24
URBAN DISTRICTS:														
Barnes	–	–	75	1·88	45	1·13	2	0·05	1	0·03	1	0·03	10	0·25
Beddington and Wallington ..	–	–	59	2·71	17	0·78	1	0·05	2	0·09	3	0·14	11	0·50
Carshalton ..	–	–	99	4·22	44	1·87	–	–	–	–	3	0·13	8	0·34
Caterham and Warlingham†..	–	–	101	7·28	4	0·29	–	–	–	–	–	–	2	0·14
Chertsey	–	–	34	2·09	64	3·93	2	0·12	–	–	2	0·12	6	0·37
Coulsdon and Purley ..	2	0·06	123	3·79	26	0·80	6	0·18	1	0·03	1	0·03	3	0·09
Dorking	–	–	11	1·15	3	0·31	–	–	1	0·10	1	0·10	–	–
East and West Molesey ..	–	–	44	5·49	27	3·37	–	–	–	–	4	0·50	1	0·12
Egham	3	0·19	48	3·11	10	0·65	–	–	–	–	1	0·06	8	0·52
Epsom	–	–	74	2·82	59	2·25	11	0·42	2	0·08	2	0·08	25	0·95
Esher and the Dittons ..	–	–	43	2·76	23	1·48	1	0·06	1	0·06	2	0·13	3	0·19
Farnham.. ..	–	–	18	1·04	21	1·22	2	0·12	1	0·06	5	0·29	2	0·12
Frimley and Camberley ..	–	–	47	3·61	4	0·31	1	0·08	–	–	1	0·08	2	0·15
Godalming M.B.†	–	–	17	1·65	11	1·07	2	0·19	1	0·10	–	–	2	0·19
Guildford M.B. ..	–	–	88	3·05	128	4·46	3	0·10	3	0·10	6	0·21	6	0·21
Ham	–	–	1	0·48	–	–	–	–	–	–	–	–	–	–
Haslemere ..	–	–	30	7·10	1	0·24	–	–	–	–	1	0·24	–	–
Kingston on Thames M.B...	–	–	74	1·92	113	2·94	1	0·03	–	–	5	0·13	30	0·78
Leatherhead ..	–	–	40	5·98	2	0·30	–	–	–	–	1	0·15	–	–
Merton and Morden	–	–	121	4·41	53	1·93	1	0·04	2	0·07	3	0·11	9	0·33
Mitcham ..	7	0·14	132	2·66	132	2·66	4	0·08	6	0·12	5	0·10	22	0·44
Reigate M.B. ..	–	–	72	2·44	25	0·85	1	0·03	3	0·10	4	0·14	3	0·10
Richmond M.B.	–	–	22	0·60	49	1·35	1	0·03	3	0·08	7	0·19	5	0·14
Surbiton	–	–	77	3·27	25	1·06	2	0·08	1	0·04	4	0·17	3	0·13
Sutton and Cheam	–	–	87	2·32	88	2·34	5	0·13	–	–	5	0·13	4	0·11
The Maldens and Coombe ..	–	–	33	1·67	27	1·36	1	0·05	–	–	3	0·15	9	0·45
Walton upon Thames ..	–	–	34	2·13	31	1·94	–	–	–	–	2	0·13	–	–
Weybridge ..	–	–	9	1·34	–	–	–	–	–	–	2	0·30	2	0·30
Wimbledon M.B.	2	0·03	129	2·17	148	2·49	7	0·12	2	0·03	12	0·20	33	0·56
Windlesham ..	–	–	8	1·58	17	3·36	–	–	1	0·20	6	1·19	3	0·59
Woking	–	–	72	2·51	8	0·28	1	0·03	–	–	9	0·31	7	0·24
RURAL DISTRICTS:														
Chertsey	–	–	13	1·00	7	0·54	1	0·08	–	–	–	–	4	0·31
Dorking	–	–	15	1·39	4	0·37	–	–	–	–	1	0·09	1	0·09
Epsom	–	–	88	2·47	36	1·01	9	0·25	1	0·03	7	0·20	13	0·36
Farnham.. ..	–	–	15	0·99	8	0·53	–	–	1	0·07	4	0·27	1	0·07
Godstone† ..	–	–	37	1·41	15	0·57	1	0·04	1	0·04	3	0·11	5	0·19
Guildford† ..	–	–	57	2·60	56	2·55	2	0·09	1	0·05	3	0·14	4	0·18
Hambledon† ..	–	–	49	2·02	40	1·65	6	0·25	3	0·12	3	0·12	5	0·21
Reigate	–	–	130	4·83	9	0·33	8	0·30	3	0·11	3	0·11	9	0·33

* Administrative County with associated County Borough.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SUSSEX, EAST* ..	9	0·02	1,173	2·18	700	1·30	38	0·07	13	0·02	97	0·18	217	0·40
BRIGHTON C.B. ..	2	0·01	272	1·85	264	1·80	6	0·04	5	0·03	51	0·35	76	0·52
EASTBOURNE C.B.	3	0·05	85	1·45	142	2·42	2	0·03	1	0·02	6	0·10	25	0·43
HASTINGS C.B. ..	–	–	189	3·02	98	1·56	5	0·08	–	–	11	0·18	25	0·40
AGGREGATE OF U.Ds.	4	0·03	368	2·65	118	0·85	10	0·07	6	0·04	16	0·12	60	0·43
AGGREGATE OF R.Ds.	–	–	259	1·97	78	0·59	15	0·11	1	0·01	13	0·10	31	0·24
URBAN DISTRICTS:														
Battle	–	–	2	0·60	1	0·30	–	–	–	–	–	–	–	–
Bexhill M.B. ..	2	0·10	12	0·57	16	0·76	2	0·10	2	0·10	2	0·10	13	0·62
Burgess Hill ..	–	–	16	2·62	2	0·33	–	–	1	0·16	3	0·49	2	0·33
Cuckfield	–	–	2	1·01	–	–	–	–	–	–	2	1·01	–	–
East Grinstead ..	–	–	11	1·34	3	0·37	–	–	–	–	–	–	5	0·61
Haywards Heath	–	–	16	2·93	3	0·55	–	–	–	–	–	–	–	–
Hove M.B. ..	2	0·04	160	3·11	25	0·49	2	0·04	1	0·02	5	0·10	29	0·56
Lewes M.B. ..	–	–	47	4·22	35	3·14	4	0·36	–	–	2	0·18	4	0·36
Newhaven ..	–	–	14	2·20	4	0·63	–	–	–	–	–	–	5	0·79
Portslade by Sea	–	–	45	4·86	13	1·40	–	–	–	–	–	–	–	–
Rye M.B. ..	–	–	9	2·35	9	2·35	–	–	1	0·26	–	–	–	–
Seaford	–	–	8	1·10	5	0·68	–	–	1	0·14	–	–	1	0·14
Uckfield	–	–	26	7·48	2	0·58	2	0·58	–	–	2	0·58	1	0·29
RURAL DISTRICTS:														
Battle	–	–	1	0·15	7	1·08	–	–	–	–	–	–	–	
Chailey	–	–	34	2·58	–	–	2	0·15	–	–	2	0·15	3	0·23
Cuckfield ..	–	–	18	1·03	4	0·23	3	0·17	–	–	1	0·06	2	0·11
Eastbourne ..	–	–	16	2·42	3	0·45	–	–	1	0·15	1	0·15	–	–
East Grinstead ..	–	–	51	3·38	5	0·33	–	–	–	–	2	0·13	6	0·40
Hailsham ..	–	–	40	2·12	17	0·90	–	–	–	–	3	0·16	13	0·69
Hastings ..	–	–	3	1·15	9	3·44	–	–	–	–	–	–	1	0·38
Newhaven ..	–	–	6	1·08	1	0·18	–	–	–	–	1	0·18	–	–
Rye	–	–	13	1·77	2	0·27	–	–	–	–	–	–	2	0·27
Ticehurst ..	–	–	36	2·80	10	0·78	–	–	–	–	–	–	2	0·16
Uckfield	–	–	41	1·60	20	0·78	10	0·39	–	–	3	0·12	2	0·08
SUSSEX, WEST† ..	–	–	376	1·77	105	0·49	22	0·10	13	0·06	32	0·15	55	0·26
AGGREGATE OF U.Ds.‡	–	–	197	1·83	49	0·46	12	0·11	6	0·06	13	0·12	32	0·30
AGGREGATE OF R.Ds.‡	–	–	179	1·70	56	0·53	10	0·10	7	0·07	19	0·18	23	0·22
URBAN DISTRICTS:														
Arundel M.B. ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bognor Regis ..	–	–	19	1·32	10	0·70	–	–	–	–	1	0·07	1	0·07
Chichester M.B.	–	–	40	2·95	10	0·74	10	0·74	–	–	–	–	7	0·52
Horsham ..	–	–	7	0·56	2	0·16	–	–	4	0·32	3	0·24	3	0·24
Littlehampton ..	–	–	19	1·96	4	0·41	1	0·10	–	–	–	–	1	0·10
Shoreham by Sea	–	–	12	1·48	–	–	–	–	1	0·12	1	0·12	13	1·60
Southwick ..	–	–	12	2·17	3	0·54	–	–	–	–	2	0·36	2	0·36
Worthing M.B. ‡.	–	–	88	2·13	20	0·48	1	0·02	1	0·02	6	0·14	5	0·12
RURAL DISTRICTS:														
East Preston‡ ..	–	–	10	1·20	6	0·72	–	–	–	–	2	0·24	2	0·24
Horsham ..	–	–	42	2·00	11	0·52	7	0·33	2	0·10	8	0·38	2	0·10
Midhurst ..	–	–	31	2·08	2	0·13	–	–	3	0·20	3	0·20	–	–
Petworth ..	–	–	11	1·36	1	0·12	2	0·25	–	–	1	0·12	3	0·37
Steyning West ..	–	–	11	0·94	14	1·20	1	0·09	–	–	1	0·09	6	0·51
Thakeham ..	–	–	12	1·29	2	0·22	–	–	–	–	1	0·11	2	0·22
Westbourne ..	–	–	37	3·85	4	0·42	–	–	1	0·10	2	0·21	5	0·52
Westhampnett ..	–	–	25	1·12	16	0·72	–	–	1	0·04	1	0·04	3	0·13

* Administrative County with associated County Boroughs.
† Administrative County.
‡ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WARWICK* ..	8	0·01	3,624	2·44	3,169	2·13	52	0·03	140	0·09	195	0·13	853	0·57
BIRMINGHAM C.B.	2	0·00	2,467	2·55	2,303	2·38	28	0·03	95	0·10	116	0·12	622	0·64
COVENTRY C.B. ..	3	0·02	493	3·04	430	2·65	2	0·01	15	0·09	24	0·15	70	0·43
AGGREGATE OF U.Ds.	3	0·02	340	1·95	169	0·97	13	0·07	10	0·06	27	0·15	84	0·48
AGGREGATE OF R.Ds.	–	–	324	1·78	267	1·46	9	0·05	20	0·11	28	0·15	77	0·42
URBAN DISTRICTS:														
Bedworth ..	–	–	54	4·16	8	0·62	–	–	1	0·08	1	0·08	3	0·23
Bulkington ..	–	–	11	4·17	5	1·90	–	–	1	0·38	2	0·76	8	3·03
Kenilworth ..	–	–	6	0·78	6	0·78	4	0·52	–	–	–	–	1	0·13
Nuneaton M.B. ..	3	0·07	119	2·62	73	1·60	2	0·04	2	0·04	8	0·18	24	0·53
Royal Leamington Spa M.B. ..	–	–	36	1·22	4	0·14	–	–	5	0·17	5	0·17	15	0·51
Rugby	–	–	46	1·89	38	1·56	5	0·21	1	0·04	5	0·21	13	0·53
Stratford on Avon M.B.	–	–	27	2·57	4	0·38	–	–	–	–	–	–	9	0·86
Sutton Coldfield M.B.	–	–	30	1·09	22	0·80	–	–	–	–	2	0·07	10	0·36
Warwick M.B. ..	–	–	11	0·80	9	0·65	2	0·14	–	–	4	0·29	1	0·07
RURAL DISTRICTS:														
Alcester	–	–	34	2·70	11	0·87	–	–	4	0·32	5	0·40	7	0·56
Atherstone ..	–	–	33	1·48	43	1·93	–	–	2	0·09	4	0·18	13	0·58
Brailes	–	–	11	1·94	1	0·18	–	–	–	–	–	–	–	–
Farnborough ..	–	–	1	0·72	–	–	–	–	–	–	–	–	–	–
Foleshill	–	–	29	2·10	24	1·74	1	0·07	4	0·29	1	0·07	7	0·51
Meriden	–	–	44	2·09	42	1·99	3	0·14	5	0·24	5	0·24	13	0·62
Monks Kirby ..	–	–	3	2·08	4	2·77	1	0·69	–	–	–	–	–	–
Nuneaton ..	–	–	16	2·71	35	5·92	–	–	1	0·17	2	0·34	6	1·02
Rugby	–	–	22	1·04	26	1·23	2	0·09	1	0·05	1	0·05	7	0·33
Solihull	–	–	32	1·17	46	1·68	2	0·07	1	0·04	2	0·07	10	0·37
Southam ..	–	–	29	2·93	4	0·40	–	–	1	0·10	2	0·20	4	0·40
Stratford on Avon	–	–	18	1·74	–	–	–	–	–	–	–	–	–	–
Tamworth (pt. of)†	–	–	34	1·91	19	1·07	–	–	1	0·06	2	0·11	9	0·51
Warwick ..	–	–	18	1·52	12	1·01	–	–	–	–	4	0·34	1	0·08
WESTMORLAND‡	–	–	128	2·03	43	0·68	2	0·03	3	0·05	8	0·13	19	0·30
AGGREGATE OF U.Ds.	–	–	49	1·82	33	1·22	1	0·04	3	0·11	3	0·11	7	0·26
AGGREGATE OF R.Ds.	–	–	79	2·18	10	0·28	1	0·03	–	–	5	0·14	12	0·33
URBAN DISTRICTS:														
Ambleside ..	–	–	3	1·30	4	1·74	–	–	–	–	–	–	–	–
Appleby M.B. ..	–	–	4	2·45	–	–	–	–	–	–	–	–	2	1·22
Grasmere ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kendal M.B. ..	–	–	34	2·32	8	0·54	1	0·07	2	0·14	3	0·20	4	0·27
Kirkby Lonsdale	–	–	1	0·86	–	–	–	–	–	–	–	–	–	–
Shap	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Windermere ..	–	–	7	1·33	21	3·98	–	–	1	0·19	–	–	1	0·19
RURAL DISTRICTS:														
East Westmorland	–	–	37	3·41	4	0·37	1	0·09	–	–	1	0·09	1	0·09
South Westmorland	–	–	35	1·83	3	0·16	–	–	–	–	1	0·05	7	0·37
West Ward ..	–	–	7	1·13	3	0·48	–	–	–	–	3	0·48	4	0·64

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Tamworth is in the Administrative County of Stafford. The figures for the entire District are :—

	–	–	56	2·33	27	1·13	–	–	5	0·21	2	0·08	9	0·38

‡ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WIGHT, ISLE OF*	–	–	121	1·41	85	0·99	5	0·06	4	0·05	6	0·07	19	0·22
AGGREGATE OF U.Ds.	–	–	96	1·68	75	1·31	5	0·09	2	0·04	6	0·11	16	0·28
RURAL DISTRICT ..	–	–	25	0·86	10	0·34	–	–	2	0·07	–	–	3	0·10
URBAN DISTRICTS:														
Cowes	–	–	25	2·45	21	2·05	–	–	–	–	1	0·10	1	0·10
East Cowes ..	–	–	4	0·87	14	3·05	–	–	–	–	1	0·22	1	0·22
Newport M.B. .	–	–	4	0·36	23	2·05	–	–	–	–	1	0·09	4	0·36
Ryde M.B. ..	–	–	5	0·47	7	0·66	2	0·19	–	–	–	–	4	0·38
St. Helens ..	–	–	2	0·38	2	0·38	2	0·38	1	0·19	2	0·38	1	0·19
Sandown.. ..	–	–	18	3·14	–	–	1	0·17	1	0·17	–	–	2	0·35
Shanklin	–	–	4	0·90	2	0·45	–	–	–	–	1	0·23	3	0·68
Ventnor	–	–	34	6·82	6	1·20	–	–	–	–	–	–	–	–
RURAL DISTRICT:														
Isle of Wight ..	–	–	25	0·86	10	0·34	–	–	2	0·07	–	–	3	0·10
WILTS*	155	0·52	1,273	4·24	254	0·85	12	0·04	12	0·04	81	0·27	76	0·25
AGGREGATE OF U.Ds.	140	0·96	689	4·74	130	0·89	2	0·01	7	0·05	54	0·37	43	0·30
AGGREGATE OF R.Ds.	15	0·10	584	3·77	124	0·80	10	0·06	5	0·03	27	0·17	33	0·21
URBAN DISTRICTS:														
Bradford on Avon	–	–	78	15·80	2	0·41	–	–	1	0·20	1	0·20	2	0·41
Calne M.B. ..	–	–	16	4·47	–	–	–	–	–	–	–	–	–	–
Chippenham M.B.	–	–	65	7·60	6	0·70	–	–	–	–	2	0·23	2	0·23
Devizes M.B. ..	–	–	58	9·95	2	0·34	–	–	–	–	–	–	2	0·34
Malmesbury M.B.	–	–	–	–	1	0·43	–	–	–	–	–	–	–	–
Marlborough M.B.	–	–	13	3·15	2	0·48	–	–	–	–	–	–	3	0·73
Melksham ..	–	–	11	2·83	–	–	–	–	–	–	2	0·52	1	0·26
Salisbury M.B. ..	–	–	20	0·76	47	1·79	1	0·04	3	0·11	12	0·46	5	0·19
Swindon M.B. ..	140	2·26	327	5·27	33	0·53	–	–	2	0·03	34	0·55	22	0·35
Trowbridge ..	–	–	52	4·22	18	1·46	–	–	–	–	1	0·08	–	–
Warminster ..	–	–	44	8·09	9	1·65	–	–	–	–	1	0·18	5	0·92
Westbury ..	–	–	4	1·00	10	2·49	–	–	1	0·25	–	–	–	–
Wilton M.B. ..	–	–	1	0·49	–	–	1	0·49	–	–	1	0·49	1	0·49
RURAL DISTRICTS:														
Amesbury ..	–	–	61	4·30	27	1·90	1	0·07	–	–	–	–	3	0·21
Bradford on Avon	–	–	39	6·87	2	0·35	1	0·18	–	–	1	0·18	–	–
Calne	–	–	28	5·75	1	0·21	–	–	–	–	2	0·41	–	–
Chippenham ..	–	–	89	6·10	8	0·55	2	0·14	–	–	6	0·41	2	0·14
Cricklade and Wootton Bassett	2	0·18	50	4·44	1	0·09	–	–	1	0·09	1	0·09	3	0·27
Devizes	–	–	88	6·98	19	1·51	–	–	–	–	3	0·24	2	0·16
Highworth ..	13	0·89	22	1·51	2	0·14	1	0·07	–	–	3	0·21	3	0·21
Malmesbury ..	–	–	15	1·79	4	0·48	1	0·12	1	0·12	2	0·24	1	0·12
Marlborough ..	–	–	9	2·11	–	–	–	–	–	–	4	0·94	3	0·70
Melksham ..	–	–	23	4·44	2	0·39	–	–	–	–	–	–	3	0·58
Mere ..	–	–	32	7·03	9	1·98	–	–	–	–	1	0·22	–	–
Pewsey	–	–	28	2·16	7	0·54	1	0·08	1	0·08	1	0·08	2	0·15
Ramsbury ..	–	–	25	3·86	1	0·15	1	0·15	–	–	1	0·15	2	0·31
Salisbury ..	–	–	27	2·73	6	0·61	–	–	1	0·10	–	–	3	0·30
Tetbury (part of)‡	–	–	5	13·62	–	–	–	–	–	–	–	–	–	–
Tisbury	–	–	3	0·44	25	3·66	1	0·15	–	–	1	0·15	3	0·44
Warminster ..	–	–	20	3·48	1	0·17	–	–	1	0·17	–	–	1	0·17
Westbury and Whorwellsdown	–	–	11	1·66	4	0·60	–	–	–	–	–	–	–	–
Wilton	–	–	9	1·49	5	0·83	1	0·17	–	–	1	0·17	2	0·33

* Administrative County.
‡ The remaining part of the Rural District of Tetbury is in the Administrative County of Gloucester.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WORCESTER*§ .	1	0·00	671	1·60	263	0·63	14	0·03	26	0·06	77	0·18	162	0·39
DUDLEY C.B. (INCLUDING DUDLEY CASTLE HILL)§ ..	–	–	42	0·71	28	0·48	1	0·02	2	0·03	9	0·15	25	0·43
WORCESTER C.B. ..	–	–	74	1·41	42	0·80	–	–	3	0·06	13	0·25	23	0·44
AGGREGATE OF U.Ds.§	–	–	330	1·67	145	0·73	10	0·05	16	0·08	35	0·18	80	0·40
AGGREGATE OF R.Ds.§	1	0·01	225	2·03	48	0·43	3	0·03	5	0·05	20	0·18	34	0·31
URBAN DISTRICTS:														
Bewdley M.B. ..	–	–	2	0·76	13	4·96	–	–	–	–	2	0·76	2	0·76
Bromsgrove ..	–	–	17	1·77	4	0·42	–	–	2	0·21	1	0·10	1	0·10
Droitwich M.B. ..	–	–	10	2·52	1	0·25	–	–	–	–	2	0·50	1	0·25
Evesham M.B. ..	–	–	6	0·69	–	–	2	0·23	1	0·12	–	–	–	–
Halesowen ..	–	–	46	1·53	12	0·40	1	0·03	4	0·13	3	0·10	16	0·53
KidderminsterM.B.	–	–	30	1·08	14	0·51	–	–	3	0·11	14	0·51	16	0·58
Lye andWollescote§	–	–	8	0·65	42	3·42	–	–	–	–	–	–	4	0·33
Malvern	–	–	93	5·27	5	0·28	1	0·06	–	–	1	0·06	3	0·17
North Bromsgrove	–	–	16	1·60	4	0·40	1	0·10	–	–	2	0·20	1	0·10
Oldbury.. ..	–	–	63	1·84	22	0·64	2	0·06	1	0·03	8	0·23	13	0·38
Redditch.. ..	–	–	12	0·73	6	0·37	2	0·12	–	–	1	0·06	13	0·79
Stourbridge M.B.	–	–	22	1·13	21	1·08	1	0·05	5	0·26	–	–	6	0·31
Stourport ..	–	–	5	0·95	1	0·19	–	–	–	–	1	0·19	4	0·76
RURAL DISTRICTS:														
Bromsgrove§ ..	–	–	17	0·84	3	0·15	–	–	1	0·05	1	0·05	2	0·10
Droitwich ..	–	–	16	1·31	2	0·16	–	–	1	0·08	1	0·08	4	0·33
Evesham.. ..	–	–	43	3·89	4	0·36	–	–	1	0·09	–	–	–	–
Feckenham ..	–	–	11	2·05	4	0·75	–	–	–	–	–	–	1	0·19
Kidderminster ..	–	–	6	0·78	7	0·91	–	–	1	0·13	1	0·13	3	0·39
Martley	–	–	28	2·17	6	0·47	–	–	–	–	7	0·54	4	0·31
Pershore	1	0·08	26	2·00	16	1·23	2	0·15	–	–	4	0·31	13	1·00
Rock	–	–	1	0·43	2	0·86	–	–	–	–	1	0·43	–	–
Shipston on Stour	–	–	19	4·29	1	0·23	–	–	1	0·23	4	0·90	1	0·23
Stow on the Wold (part of)† ..	–	–	2	7·33	–	–	–	–	–	–	–	–	–	–
Tenbury	–	–	7	1·60	–	–	–	–	–	–	–	–	–	–
Tewkesbury (part of)†	–	–	2	0·94	1	0·47	1	0·47	–	–	–	–	3	1·41
Upton on Severn	–	–	47	3·41	2	0·15	–	–	–	–	1	0·07	3	0·22
Winchcomb (part of)†	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Redmarley d'Abitôt and Staunton (parishes)‡ ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
YORKS, EAST RIDING* ..	11	0·02	1,433	3·01	1,032	2·17	19	0·04	28	0·06	71	0·15	224	0·47
KINGSTON UPON HULL C.B.	2	0·01	938	3·13	838	2·79	8	0·03	18	0·06	45	0·15	157	0·52
AGGREGATE OF U.Ds.	8	0·11	144	1·93	104	1·40	3	0·04	5	0·07	18	0·24	26	0·35
AGGREGATE OF R.Ds.	1	0·01	351	3·45	90	0·88	8	0·08	5	0·05	8	0·08	41	0·40
URBAN DISTRICTS:														
Beverley M.B. ..	1	0·07	14	1·02	29	2·12	–	–	2	0·15	3	0·22	5	0·37
Bridlington M.B.	7	0·38	51	2·75	15	0·81	3	0·16	–	–	–	–	6	0·32
Cottingham ..	–	–	15	2·06	23	3·16	–	–	1	0·14	11	1·51	3	0·41
Filey	–	–	6	1·59	1	0·26	–	–	–	–	–	–	3	0·79
Great Driffield ..	–	–	5	0·82	9	1·47	–	–	1	0·16	3	0·49	2	0·33

* Administrative County with associated County Boroughs.

† The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Gloucester.

‡ These Parishes are administered by the Rural District Council of Newent (Glos.).

§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

DMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ORKS, EAST RIDING—*cont.*														
RBAN DISTRICTS—*cont.*														
Hedon M.B. ..	–	–	9	5·99	9	5·99	–	–	–	–	–	–	–	–
Hessle	–	–	14	1·85	10	1·32	–	–	–	–	–	–	2	0·26
Hornsea	–	–	6	1·33	3	0·67	–	–	–	–	–	–	–	–
Norton	–	–	–	–	–	–	–	–	–	–	–	–	1	0·27
Pocklington ..	–	–	11	4·01	–	–	–	–	–	–	–	–	–	–
Withernsea ..	–	–	13	2·61	5	1·00	–	–	1	0·20	1	0·20	4	0·80
URAL DISTRICTS:														
Beverley ..	–	–	34	2·84	4	0·33	–	–	–	–	1	0·08	5	0·42
Bridlington ..	1	0·13	13	1·64	15	1·89	–	–	–	–	1	0·13	5	0·63
Driffield	–	–	14	1·22	8	0·70	2	0·17	2	0·17	1	0·09	2	0·17
Escrick	–	–	21	3·55	1	0·17	1	0·17	–	–	1	0·17	–	–
Howden	–	–	97	7·50	3	0·23	4	0·31	1	0·08	1	0·08	10	0·77
Norton	–	–	6	1·13	12	2·25	–	–	–	–	–	–	1	0·19
Patrington ..	–	–	27	3·64	8	1·08	–	–	–	–	1	0·13	7	0·94
Pocklington ..	–	–	69	6·37	18	1·66	1	0·09	–	–	–	–	3	0·28
Riccall .. .	–	–	27	5·05	6	1·12	–	–	–	–	1	0·19	6	1·12
Sculcoates ..	–	–	21	1·57	5	0·37	–	–	–	–	–	–	1	0·07
Sherburn.. ..	–	–	2	0·89	1	0·45	–	–	2	0·89	–	–	–	–
Skirlaugh ..	–	–	20	2·84	9	1·28	–	–	–	–	1	0·14	1	0·14
ORKS, NORTH RIDING*.. ..	2	0·00	1,146	2·54	206	0·46	24	0·05	28	0·06	58	0·13	249	0·55
IDDLESBROUGH C.B†	–	–	285	2·14	68	0·51	3	0·02	12	0·09	28	0·21	81	0·61
GGREGATE OF U.Ds.	2	0·01	567	3·15	107	0·60	15	0·08	11	0·06	19	0·11	127	0·71
GGREGATE OF R.Ds.†	–	–	294	2·12	31	0·22	6	0·04	5	0·04	11	0·08	41	0·30
RBAN DISTRICTS:														
Eston	1	0·03	76	2·34	21	0·65	1	0·03	–	–	2	0·06	35	1·08
Guisborough ..	–	–	16	2·61	7	1·14	1	0·16	–	–	–	–	2	0·33
Hinderwell ..	–	–	3	1·27	–	–	–	–	–	–	–	–	–	–
Kirklington cum Upsland ..	–	–	1	4·00	–	–	–	–	–	–	–	–	–	–
Loftus	–	–	18	2·23	5	0·62	4	0·50	–	–	5	0·62	6	0·74
Malton	–	–	–	–	2	0·46	1	0·23	–	–	–	–	3	0·68
Masham	–	–	3	1·42	–	–	–	–	–	–	–	–	1	0·47
Northallerton ..	–	–	16	3·32	3	0·62	–	–	–	–	–	–	2	0·41
Pickering ..	–	–	5	1·43	–	–	–	–	2	0·57	–	–	–	–
Redcar M.B. ..	–	–	40	2·19	6	0·33	–	–	3	0·16	2	0·11	9	0·49
Richmond M.B...	–	–	30	6·84	1	0·23	–	–	–	–	–	–	5	1·14
Saltburn by the Sea	–	–	9	2·30	3	0·77	–	–	–	–	–	–	2	0·51
Scalby	–	–	–	–	1	0·39	–	–	–	–	–	–	–	–
Scarborough M.B.	–	–	171	4·36	41	1·04	6	0·15	2	0·05	5	0·13	30	0·76
Skelton and Brotton	–	–	27	1·99	8	0·59	–	–	–	–	3	0·22	15	1·10
Thornaby on Tees M.B.	–	–	106	4·91	6	0·28	2	0·09	–	–	2	0·09	10	0·46
Whitby	1	0·08	46	3·80	3	0·25	–	–	4	0·33	–	–	7	0·58
URAL DISTRICTS:														
Aysgarth.. ..	–	–	15	3·58	2	0·48	–	–	1	0·24	1	0·24	1	0·24
Bedale	–	–	5	0·76	1	0·15	–	–	1	0·15	–	–	4	0·61
Croft	–	–	1	0·44	–	–	–	–	–	–	–	–	1	0·44
Easingwold ..	–	–	22	2·32	5	0·53	–	–	1	0·11	1	0·11	16	1·69
Flaxton	–	–	51	4·49	3	0·26	1	0·09	1	0·09	2	0·18	2	0·18

* Administrative County with associated County Borough.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, NORTH RIDING—*cont.*														
RURAL DISTRICTS—*cont.*														
Guisborough ..	–	–	20	2·68	1	0·13	1	0·13	–	–	1	0·13	–	–
Helmsley ..	–	–	2	0·41	–	–	1	0·20	–	–	–	–	1	0·20
Kirkby Moorside	–	–	9	1·87	1	0·21	–	–	–	–	–	–	1	0·21
Leyburn	–	–	21	3·37	–	–	–	–	–	–	–	–	2	0·32
Malton	–	–	10	1·74	1	0·17	–	–	–	–	–	–	–	–
Middlesbrough† ..	–	–	4	1·32	–	–	–	–	–	–	–	–	1	0·33
Northallerton ..	–	–	19	2·46	–	–	1	0·13	–	–	–	–	–	–
Pickering ..	–	–	5	0·85	–	–	–	–	–	–	–	–	1	0·17
Reeth	–	–	–	–	1	0·42	1	0·42	–	–	1	0·42	1	0·42
Richmond ..	–	–	28	2·89	2	0·21	–	–	–	–	1	0·10	1	0·10
Scarborough ..	–	–	1	0·15	1	0·15	–	–	–	–	1	0·15	1	0·15
Startforth ..	–	–	6	1·30	2	0·43	–	–	–	–	1	0·22	1	0·22
Stokesley ..	–	–	11	0·91	2	0·16	–	–	–	–	–	–	2	0·16
Thirsk	–	–	31	2·50	1	0·08	–	–	–	–	–	–	2	0·16
Wath	–	–	18	9·21	2	1·02	–	–	1	0·51	–	–	–	–
Whitby	–	–	15	1·69	6	0·68	1	0·11	–	–	2	0·23	3	0·34
YORKS, WEST RIDING*	1,691	0·51	20,095	6·02	3,773	1·13	453	0·14	276	0·08	558	0·17	1,959	0·59
BARNSLEY C.B. ..	68	0·95	837	11·67	100	1·39	6	0·08	4	0·06	14	0·20	58	0·81
BRADFORD C.B. ..	66	0·23	1,731	5·99	402	1·39	13	0·04	39	0·13	64	0·22	176	0·61
DEWSBURY C.B. ..	95	1·79	128	2·41	28	0·53	3	0·06	2	0·04	4	0·08	15	0·28
DONCASTER C.B. ..	–	–	98	1·64	59	0·99	6	0·10	2	0·03	2	0·03	31	0·52
HALIFAX C.B. ..	156	1·60	434	4·46	145	1·49	71	0·73	3	0·03	44	0·45	47	0·48
HUDDERSFIELD C.B.	45	0·40	532	4·70	357	3·16	12	0·11	–	–	21	0·19	62	0·55
LEEDS C.B. ..	24	0·05	3,486	7·29	528	1·10	14	0·03	32	0·07	66	0·14	349	0·73
ROTHERHAM C.B. ..	2	0·03	217	3·07	72	1·02	3	0·04	6	0·08	15	0·21	63	0·89
SHEFFIELD C.B. ..	7	0·01	4,669	9·01	756	1·46	28	0·05	85	0·16	134	0·26	332	0·64
WAKEFIELD C.B. ..	4	0·07	265	4·68	38	0·67	12	0·21	4	0·07	19	0·34	22	0·39
AGGREGATE OF U.Ds.	865	0·79	5,664	5·15	944	0·86	225	0·20	64	0·06	117	0·11	581	0·53
AGGREGATE OF R.Ds.	359	0·84	2,034	4·75	344	0·80	60	0·14	35	0·08	58	0·14	223	0·52
URBAN DISTRICTS:														
Adwick le Street	–	–	67	3·48	43	2·24	2	0·10	4	0·21	2	0·10	9	0·47
Altofts	2	0·38	19	3·63	5	0·95	–	–	–	–	1	0·19	1	0·19
Ardsley, East and West	1	0·11	36	3·87	1	0·11	7	0·75	–	–	–	–	–	–
Baildon	–	–	43	5·78	2	0·27	–	–	–	–	–	–	–	–
Barkisland ..	–	–	6	3·77	–	–	7	4·40	–	–	–	–	–	–
Barnoldswick ..	–	–	90	7·10	3	0·24	–	–	–	–	–	–	7	0·55
Batley M.B. ..	74	2·14	99	2·87	14	0·41	8	0·23	–	–	2	0·06	23	0·67
Bentley with Arksey ..	1	0·06	74	4·53	23	1·41	1	0·06	2	0·12	9	0·55	6	0·37
Bingley	10	0·50	173	8·56	28	1·39	1	0·05	1	0·05	1	0·05	12	0·59
Birkenshaw ..	2	0·69	3	1·03	2	0·69	–	–	–	–	–	–	1	0·34
Birstal	21	2·90	15	2·07	4	0·55	3	0·41	–	–	–	–	11	1·52
Bolton upon Dearne ..	–	–	116	7·64	3	0·20	4	0·26	–	–	6	0·39	11	0·72
Brighouse M.B. ..	–	–	202	10·29	5	0·25	6	0·31	–	–	3	0·15	3	0·15
Burley in Wharfedale	–	–	21	5·03	13	3·11	–	–	–	–	1	0·24	5	1·20
Calverley ..	1	0·27	28	7·65	–	–	2	0·55	–	–	–	–	2	0·55
Castleford ..	254	10·93	141	6·07	16	0·69	3	0·13	2	0·09	1	0·04	8	0·34
Clayton	–	–	24	4·44	3	0·56	–	–	–	–	–	–	4	0·74
Clayton West ..	–	–	1	0·50	1	0·50	–	–	–	–	–	–	1	0·50
Conisbrough ..	–	–	50	2·71	19	1·03	–	–	–	–	1	0·05	9	0·49
Cudworth ..	–	–	92	9·67	4	0·42	–	–	3	0·32	1	0·11	7	0·74

* Administrative County with associated County Boroughs.
† Rates adjusted to allow for change in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—*cont.*														
URBAN DISTRICTS—*cont.*														
Darfield	–	–	75	13·67	5	0·91	1	0·18	1	0·18	–	–	8	1·46
Darton	2	0·16	82	6·72	7	0·57	3	0·25	–	–	3	0·25	7	0·57
Denby and Cumberworth ..	–	–	13	3·61	–	–	–	–	1	0·28	1	0·28	5	1·39
Denholme ..	–	–	41	14·23	7	2·43	3	1·04	–	–	–	–	–	–
Dodworth ..	19	4·52	31	7·37	2	0·48	–	–	–	–	–	–	–	–
Drighlington ..	–	–	10	2·44	–	–	–	–	–	–	–	–	4	0·98
Earby	–	–	14	2·34	–	–	1	0·17	1	0·17	–	–	3	0·50
Elland	2	0·19	57	5·35	15	1·41	4	0·38	–	–	–	–	9	0·85
Emley	–	–	5	2·79	1	0·56	–	–	–	–	–	–	1	0·56
Farsley	–	–	47	7·32	5	0·78	1	0·16	–	–	–	–	3	0·47
Featherstone ..	26	1·68	233	15·05	33	2·13	1	0·06	–	–	3	0·19	7	0·45
Flockton ..	–	–	7	5·00	–	–	–	–	–	–	1	0·71	5	3·57
Garforth	–	–	18	4·47	–	–	2	0·50	–	–	–	–	2	0·50
Gildersome ..	–	–	18	6·22	1	0·35	–	–	–	–	–	–	–	–
Golcar	–	–	35	3·42	3	0·29	1	0·10	–	–	–	–	2	0·20
Goole	119	6·12	76	3·91	9	0·46	1	0·05	2	0·10	1	0·05	11	0·57
Greasbrough ..	–	–	24	6·62	5	1·38	–	–	–	–	–	–	3	0·83
Greetland ..	–	–	14	3·29	2	0·47	1	0·24	–	–	–	–	3	0·71
Guiseley	–	–	19	3·45	–	–	–	–	–	–	1	0·18	3	0·54
Gunthwaite and Ingbirchworth	–	–	1	3·02	–	–	–	–	–	–	–	–	–	–
Harrogate M.B.	3	0·08	110	2·93	5	0·13	1	0·03	–	–	3	0·08	10	0·27
Haworth ..	19	3·01	4	0·63	2	0·32	–	–	–	–	–	–	–	–
Hebden Bridge ..	–	–	74	12·14	1	0·16	3	0·49	–	–	–	–	1	0·16
Heckmondwike ..	1	0·11	38	4·30	1	0·11	2	0·23	1	0·11	1	0·11	3	0·34
Hemsworth ..	2	0·15	89	6·57	31	2·29	1	0·07	1	0·07	–	–	10	0·74
Hipperholme ..	–	–	50	9·89	2	0·40	5	0·99	1	0·20	1	0·20	3	0·59
Holme	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holmfirth ..	–	–	42	4·06	17	1·64	6	0·58	–	–	1	0·10	8	0·77
Honley	–	–	22	4·94	–	–	27	6·07	–	–	–	–	6	1·35
Horbury	–	–	38	4·86	3	0·38	2	0·26	–	–	–	–	1	0·13
Horsforth ..	–	–	39	3·43	–	–	–	–	–	–	2	0·18	7	0·62
Hoyland Nether	–	–	146	9·18	15	0·94	–	–	4	0·25	–	–	18	1·13
Hoyland Swaine	–	–	–	–	–	–	–	–	1	1·17	–	–	–	–
Hunsworth ..	1	0·74	3	2·23	5	3·71	–	–	–	–	–	–	–	–
Ilkley	–	–	23	2·30	53	5·29	–	–	–	–	–	–		0·10
Keighley M.B. ..	3	0·07	65	1·61	20	0·49	–	–	–	–	5	0·12	9	0·22
Kirkburton ..	–	–	21	6·06	–	–	1	0·29	–	–	1	0·29	–	–
Kirkheaton ..	–	–	8	2·93	5	1·83	–	–	–	–	–	–	5	1·83
Knaresborough ..	–	–	9	1·53	–	–	–	–	–	–	1	0·17	–	–
Knottingley ..	2	0·29	30	4·38	2	0·29	9	1·31	–	–	3	0·44	1	0·15
Lepton	–	–	14	4·36	2	0·62	–	–	–	–	1	0·31	–	–
Linthwaite ..	–	–	19	1·96	2	0·21	–	–	–	–	–	–	2	0·21
Luddenden Foot	–	–	25	8·61	–	–	5	1·72	–	–	–	–	2	0·69
Maltby	46	4·76	62	6·42	4	0·41	–	–	–	–	–	–	8	0·83
Marsden	–	–	19	3·38	7	1·25	–	–	–	–	1	0·18	3	0·53
Meltham	–	–	18	3·33	–	–	–	–	–	–	–	–	–	–
Methley	1	0·22	29	6·33	15	3·27	–	–	–	–	–	–	4	0·87
Mexborough ..	–	–	42	2·56	6	0·37	1	0·06	2	0·12	4	0·24	16	0·98
Midgley	–	–	22	11·95	3	1·63	7	3·80	–	–	–	–	1	0·54
Mirfield	1	0·08	42	3·35	7	0·56	3	0·24	–	–	1	0·08	2	0·16
Morley M.B. ..	1	0·04	237	10·11	9	0·38	5	0·21	9	0·38	2	0·09	30	1·28
Mytholmroyd ..	–	–	9	2·09	1	0·23	6	1·39	–	–	–	–	1	0·23
New Mill ..	–	–	35	7·54	27	5·82	1	0·22	–	–	2	0·43	4	0·86
Normanton ..	16	0·97	68	4·13	15	0·91	4	0·24	1	0·06	–	–	11	0·67
Oakworth ..	2	0·49	4	0·97	5	1·21	–	–	–	–	–	–	1	0·24
Ossett M.B. ..	14	0·94	120	8·03	5	0·33	7	0·47	–	–	2	0·13	8	0·54
Otley	–	–	62	5·97	15	1·44	1	0·10	–	–	3	0·29	2	0·19
Oxenhope ..	7	2·97	–	–	1	0·42	–	–	–	–	–	–	–	–
Penistone ..	–	–	11	2·95	1	0·27	–	–	–	–	–	–	1	0·27
Pontefract M.B.	13	0·74	160	9·07	11	0·62	1	0·06	2	0·11	4	0·23	12	0·68

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—*cont.*														
URBAN DISTRICTS—*cont.*														
Pudsey M.B. ..	–	–	43	2·95	16	1·10	2	0·14	–	–	1	0·07	4	0·27
Queensbury ..	–	–	34	5·92	22	3·83	3	0·52	–	–	1	0·17	2	0·35
Rawdon	–	–	26	5·93	1	0·23	1	0·23	–	–	–	–	3	0·68
Rawmarsh ..	–	–	28	1·51	10	0·54	1	0·05	4	0·22	11	0·59	17	0·92
Ripon M.B. ..	–	–	14	1·67	8	0·95	–	–	1	0·12	–	–	3	0·36
Rishworth ..	–	–	3	3·33	–	–	6	6·66	–	–	–	–	–	–
Rothwell ..	12	0·76	82	5·20	12	0·76	–	–	–	–	2	0·13	4	0·25
Royston	–	–	53	7·12	–	–	–	–	1	0·13	–	–	–	–
Saddleworth ..	3	0·24	47	3·72		0·08	2	0·16	–	–	–	–	4	0·32
Scammonden ..	–	–	1	2·64	–	–	–	–	–	–	–	–	–	–
Selby	–	–	38	3·90	–	–	1	0·10	–	–	–	–	6	0·62
Shelf	–	–	20	7·68	–	–	2	0·77	–	–	–	–	–	–
Shelley	–	–	–	–	2	1·20	–	–	–	–	–	–	1	0·60
Shepley	–	–	3	1·83	2	1·22	–	–	–	–	–	–	5	3·06
Shipley	1	0·03	299	10·10	31	1·05	–	–	2	0·07	2	0·07	3	0·10
Silsden	2	0·40	7	1·41	3	0·60	–	–	–	–	–	–	1	0·20
Skelmanthorpe ..	–	–	18	4·67	1	0·26	–	–	–	–	–	–	3	0·78
Skipton	–	–	31	2·53	20	1·64	1	0·08	–	–	–	–	4	0·33
Slaithwaite ..	–	–	47	8·97	13	2·48	1	0·19	2	0·38	–	–	1	0·19
South Crosland ..	1	0·33	29	9·68	1	0·33	2	0·67	–	–	–	–	5	1·67
Southowram ..	3	1·08	18	6·46	5	1·79	–	–	–	–	–	–	–	–
Sowerby	3	0·21	112	7·74	3	0·21	11	0·76	–	–	2	0·14	–	–
Soyland	–	–	9	3·07	1	0·34	8	2·73	–	–	–	–	–	–
Spenborough ..	81	2·63	109	3·54	23	0·75	11	0·36	1	0·03	1	0·03	14	0·45
Springhead ..	–	–	17	3·36	12	2·37	–	–	1	0·20	–	–	3	0·59
Stainland ..	1	0·23	25	5·75	5	1·15	1	0·23	–	–	–	–	4	0·92
Stanley	11	0·74	46	3·11	9	0·61	1	0·07	–	–	–	–	14	0·95
Stocksbridge ..	–	–	31	3·22	10	1·04	–	–	2	0·21	2	0·21	11	1·14
Swinton	5	0·36	41	2·93	18	1·29	2	0·14	2	0·14	3	0·21	16	1·15
Thurlstone ..	–	–	2	0·78	3	1·17	–	–	–	–	–	–	–	–
Thurnscoe ..	–	–	19	1·88	3	0·30	1	0·10	1	0·10	2	0·20	1	0·10
Thurstonland and Farnley Tyas..	–	–	4	1·05	1	0·26	–	–	–	–	–	–	10	2·63
Tickhill	–	–	1	0·46	2	0·91	–	–	–	–	–	–	1	0·46
Todmorden M.B.	–	–	69	3·04	71	3·13	–	–	–	–	4	0·18	8	0·35
Wath upon Dearne	3	0·22	45	3·24	7	0·50	–	–	–	–	3	0·22	12	0·86
Whitley Upper ..	–	–	4	4·37	–	–	–	–	–	–	–	–	–	–
Whitwood ..	67	10·69	43	6·86	1	0·16	–	–	–	–	–	–	1	0·16
Wombwell ..	–	–	136	6·78	12	0·60	3	0·15	6	0·30	6	0·30	27	1·35
Worsborough ..	6	0·48	103	8·23	32	2·56	3	0·24	2	0·16	1	0·08	3	0·24
Yeadon	–	–	78	10·70	1	0·14	1	0·14	–	–	–	–	3	0·41
RURAL DISTRICTS:														
Barnsley ..	–	–	29	6·13	1	0·21	–	–	–	–	1	0·21	–	–
Bishopthorpe ..	–	–	6	2·27	1	0·38	1	0·38	2	0·76	1	0·38	1	0·38
Bowland ..	–	–	5	0·96	5	0·96	–	–	–	–	–	–	1	0·19
Doncaster ..	3	0·07	122	2·73	61	1·37	2	0·04	3	0·07	11	0·25	21	0·47
Goole	16	1·84	8	0·92	2	0·23	–	–	–	–	3	0·35	2	0·23
Great Ouseburn	–	–	26	2·07	6	0·48	1	0·08	3	0·24	7	0·56	–	–
Halifax	3	0·49	36	5·89	–	–	5	0·82	–	–	1	0·16	3	0·49
Hemsworth ..	59	1·29	495	10·81	49	1·07	5	0·11	5	0·11	6	0·13	37	0·81
Hunslet ..	1	0·24	3	0·71	16	3·77	–	–	–	–	–	–	3	0·71
Keighley ..	–	–	36	4·40	7	0·86	1	0·12	–	–	–	–	–	–
Kiveton Park ..	–	–	72	4·06	48	2·71	–	–	3	0·17	1	0·06	4	0·23
Knaresborough ..	–	–	19	2·00	–	–	–	–	–	–	1	0·11	1	0·11
Pateley Bridge ..	–	–	13	1·62	1	0·12	–	–	–	–	–	–	2	0·25
Penistone ..	–	–	58	10·44	1	0·18	–	–	–	–	2	0·36	1	0·18
Pontefract ..	219	9·22	163	6·86	11	0·46	7	0·29	3	0·13	1	0·04	10	0·42

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—*cont.*														
RURAL DISTRICTS—*cont.*														
Ripon	–	–	8	1·60	2	0·40	–	–	–	–	–	–	4	0·80
Rotherham ..	1	0·03	155	3·97	33	0·84	3	0·08	2	0·05	7	0·18	31	0·79
Sedbergh.. ..	–	–	15	3·71	3	0·74	–	–	–	–	2	0·49	1	0·25
Selby	–	–	12	1·97	1	0·16	1	0·16	1	0·16	–	–	–	–
Settle	–	–	36	2·41	4	0·27	–	–	1	0·07	2	0·13	6	0·40
Skipton	1	0·05	17	0·90	6	0·32	–	–	–	–	–	–	4	0·21
Tadcaster ..	49	1·60	175	5·71	21	0·69	1	0·03	3	0·10	2	0·07	13	0·42
Thorne	–	–	41	1·66	4	0·16	–	–	3	0·12	4	0·16	14	0·57
Todmorden ..	–	–	35	7·96	6	1·36	3	0·68	–	–	–	–	2	0·45
Wakefield ..	6	0·33	108	5·86	16	0·87	11	0·60	–	–	–	–	18	0·98
Wetherby ..	–	–	58	3·73	6	0·39	–	–	4	0·26	2	0·13	5	0·32
Wharfedale (North Division) ..	–	–	7	1·87	2	0·54	–	–	–	–	–	–	–	–
Wharfedale (South Division) ..	1	0·17	11	1·87	1	0·17	–	–	1	0·17	1	0·17	10	1·70
Wortley ..	–	–	265	8·91	30	1·01	19	0·64	1	0·03	3	0·10	29	0·98
YORK, CITY OF ..	–	–	722	8·47	31	0·36	23	0·27	6	0·07	20	0·23	26	0·30
YORK C.B.	–	–	722	8·47	31	0·36	23	0·27	6	0·07	20	0·23	26	0·30
ANGLESEY* ..	–	–	30	0·58	38	0·74	3	0·06	2	0·04	1	0·02	7	0·14
AGGREGATE OF U.Ds.	–	–	11	0·57	21	1·09	1	0·05	2	0·10	–	–	3	0·16
AGGREGATE OF R.Ds.	–	–	19	0·59	17	0·53	2	0·06	–	–	1	0·03	4	0·13
URBAN DISTRICTS:														
Amlwch	–	–	1	0·37	3	1·12	–	–	–	–	–	–	–	–
Beaumaris M.B.	–	–	–	–	2	1·18	–	–	–	–	–	–	2	1·18
Holyhead ..	–	–	10	0·86	14	1·21	1	0·09	2	0·17	–	–	1	0·09
Llangefni ..	–	–	–	–	1	0·58	–	–	–	–	–	–	–	–
Menai Bridge ..	–	–	–	–	1	0·60	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Aethwy	–	–	1	0·12	1	0·12	–	–	–	–	1	0·12	–	–
Dwyran	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Twrcelyn ..	–	–	7	0·77	1	0·11	–	–	–	–	–	–	1	0·11
Valley	–	–	11	0·94	15	1·28	2	0·17	–	–	–	–	3	0·26
BRECKNOCK* ..	19	0·32	48	0·81	48	0·81	1	0·02	1	0·02	9	0·15	16	0·27
AGGREGATE OF U.Ds.	12	0·71	5	0·30	22	1·30	1	0·06	–	–	2	0·12	2	0·12
AGGREGATE OF R.Ds.	7	0·17	43	1·01	26	0·61	–	–	1	0·02	7	0·17	14	0·33
URBAN DISTRICTS:														
Brecknock M.B.	–	–	2	0·38	6	1·13	–	–	–	–	1	0·19	–	–
Brynmawr ..	12	1·56	1	0·13	1	0·13	1	0·13	–	–	–	–	–	–
Builth Wells ..	–	–	2	1·25	11	6·88	–	–	–	–	–	–	1	0·63
Hay	–	–	–	–	2	1·32	–	–	–	–	1	0·66	1	0·66
Llanwrtyd ..	–	–	–	–	2	2·71	–	–	–	–	–	–	–	–

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BRECKNOCK—*cont.*														
RURAL DISTRICTS :—														
Brecknock (Defynnock and Llangorse Div.) ..	–	–	1	0·16	–	–	–	–	–	–	2	0·32	1	0·16
Brecknock (Merthyr Cynog Div.)	–	–	1	0·49	1	0·49	–	–	–	–	–	–	–	–
Builth	–	–	18	4·70	4	1·04	–	–	–	–	–	–	1	0·26
Crickhowell ..	–	–	6	0·79	1	0·13	–	–	1	0·13	–	–	1	0·13
Hay	–	–	7	1·68	1	0·24	–	–	–	–	–	–	3	0·72
Vaynor and Penderyn	7	1·31	3	0·56	5	0·94	–	–	–	–	1	0·19	2	0·38
Ystradgynlais ..	–	–	7	0·58	14	1·15	–	–	–	–	4	0·33	6	0·49
Llanwrthwl (parish)* ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ystradfellte(parish)	† –	–	–	–	–	–	–	–	–	–	–	–	–	–
CAERNARVON‡ ..	–	–	73	0·59	142	1·15	3	0·02	4	0·03	6	0·05	20	0·16
AGGREGATE OF U.Ds.	–	–	47	0·72	109	1·66	1	0·02	3	0·05	3	0·05	17	0·26
AGGREGATE OF R.Ds.	–	–	26	0·45	33	0·57	2	0·03	1	0·02	3	0·05	3	0·05
URBAN DISTRICTS :														
Bangor M.B. ..	–	–	11	1·01	5	0·46	1	0·09	2	0·18	1	0·09	3	0·28
Bethesda.. ..	–	–	1	0·23	–	–	–	–	–	–	–	–	2	0·46
Bettws y Coed ..	–	–	–	–	2	2·34	–	–	–	–	–	–	–	–
Caernarvon M.B.	–	–	7	0·85	2	0·24	–	–	–	–	–	–	6	0·73
Conway M.B. ..	–	–	17	1·89	38	4·23	–	–	–	–	–	–	3	0·33
Criccieth ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Llandudno ..	–	–	6	0·39	43	2·80	–	–	–	–	–	–	3	0·20
Llanfairfechan ..	–	–	–	–	17	5·29	–	–	–	–	1	0·31	–	–
Penmaenmawr ..	–	–	4	0·97	2	0·49	–	–	–	–	1	0·24	–	–
Portmadoc ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pwllheli M.B. ..	–	–	1	0·27	–	–	–	–	1	0·27	–	–	–	–
RURAL DISTRICTS :														
Conway	–	–	5	1·00	12	2·40	–	–	–	–	–	–	–	–
Geirionydd ..	–	–	3	0·72	2	0·48	–	–	–	–	–	–	–	–
Glaslyn	–	–	–	–	1	0·34	–	–	–	–	–	–	–	–
Gwyrfai	–	–	7	0·29	10	0·42	1	0·04	1	0·04	2	0·08	–	–
Lleyn	–	–	11	0·67	8	0·49	–	–	–	–	1	0·06	1	0·06
Ogwen	–	–	–	–	–	–	1	0·18	–	–	–	–	2	0·35
CARDIGAN‡ ..	–	–	50	0·89	50	0·89	7	0·12	1	0·02	2	0·04	8	0·14
AGGREGATE OF U.Ds.	–	–	20	1·28	39	2·49	5	0·32	1	0·06	1	0·06	4	0·26
AGGREGATE OF R.Ds.	–	–	30	0·74	11	0·27	2	0·05	–	–	1	0·02	4	0·10
URBAN DISTRICTS :														
Aberayron ..	–	–	2	1·59	–	–	–	–	–	–	–	–	–	–
Aberystwyth M.B.	–	–	14	1·65	36	4·25	5	0·59	1	0·12	1	0·12	2	0·24
Cardigan M.B. ..	–	–	4	1·25	3	0·94	–	–	–	–	–	–	1	0·31
Lampeter M.B. ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
New Quay ..	–	–	–	–	–	–	–	–	–	–	–	–	1	0·95
RURAL DISTRICTS :														
Aberayron ..	–	–	5	0·68	–	–	–	–	–	–	–	–	2	0·27
Aberystwyth(North Div.)	–	–	–	–	2	0·29	–	–	–	–	1	0·15	1	0·15
Aberystwyth(South Div.)	–	–	6	1·23	1	0·20	1	0·20	–	–	–	–	–	–
Cardigan ..	–	–	9	3·00	1	0·33	–	–	–	–	–	–	–	–
Lampeter ..	–	–	–	–	2	0·58	–	–	–	–	–	–	1	0·29
Llandyssil ..	–	–	10	1·30	5	0·65	1	0·13	–	–	–	–	–	–
Tregaron ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ysgubor y Coed (parish)§ ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This Parish is administered by the Rural District Council of Rhayader (Radnor).
† This Parish is administered by the Rural District Council of Neath (Glamorgan).
‡ Administrative County.
§ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CARMARTHEN* ..	1	0·01	209	1·15	308	1·70	12	0·07	7	0·04	22	0·12	46	0·25
AGGREGATE OF U.Ds.	1	0·01	92	1·22	124	1·65	9	0·12	6	0·08	10	0·13	19	0·25
AGGREGATE OF R.Ds.	–	–	117	1·10	184	1·73	3	0·03	1	0·01	12	0·11	27	0·25
URBAN DISTRICTS:														
Ammanford ..	–	–	18	2·36	15	1·97	–	–	–	–	–	–	4	0·52
Burry Port ..	–	–	6	1·00	9	1·51	–	–	–	–	1	0·17	–	–
Carmarthen M.B.	–	–	4	0·40	4	0·40	5	0·50	–	–	–	–	1	0·10
Cwmamman ..	–	–	18	3·13	20	3·48	–	–	1	0·17	–	–	2	0·35
Kidwelly M.B. ..	–	–	–	–	19	5·89	–	–	–	–	–	–	1	0·31
Llandilo	–	–	2	1·03	3	1·54	–	–	–	–	1	0·51	1	0·51
Llandovery M.B.	–	–	5	2·42	–	–	–	–	–	–	–	–	–	–
Llanelly M.B. ..	1	0·03	39	1·03	54	1·43	4	0·11	5	0·13	8	0·21	10	0·26
Newcastle Emlyn	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Carmarthen ..	–	–	12	0·50	11	0·46	1	0·04	–	–	2	0·08	4	0·17
Llandilo Fawr ..	–	–	64	2·81	46	2·02	1	0·04	1	0·04	4	0·18	14	0·61
Llandovery ..	–	–	7	1·07	3	0·46	–	–	–	–	1	0·15	–	–
Llanelly	–	–	27	0·71	117	3·07	1	0·03	–	–	5	0·13	8	0·21
Llanybyther ..	–	–	2	0·59	1	0·29	–	–	–	–	–	–	1	0·29
Newcastle in Emlyn ..	–	–	4	0·65	–	–	–	–	–	–	–	–	–	–
Whitland ..	–	–	1	0·20	6	1·21	–	–	–	–	–	–	–	–
DENBIGH*.. ..	–	–	550	3·45	244	1·53	8	0·05	5	0·03	11	0·07	47	0·29
AGGREGATE OF U.Ds.	–	–	123	2·13	35	0·61	3	0·05	2	0·03	3	0·05	23	0·40
AGGREGATE OF R.Ds.	–	–	427	4·20	209	2·06	5	0·05	3	0·03	8	0·08	24	0·24
URBAN DISTRICTS:														
Abergele and Pensarn ..	–	–	–	–	–	–	–	–	–	–	–	–	1	0·38
Colwyn Bay ..	–	–	31	1·43	9	0·42	2	0·09	1	0·05	1	0·05	7	0·32
Denbigh M.B. ..	–	–	3	0·43	2	0·29	–	–	–	–	–	–	3	0·43
Llangollen ..	–	–	–	–	1	0·33	–	–	–	–	–	–	6	1·99
Llanrwst ..	–	–	2	0·84	9	3·76	–	–	–	–	–	–	–	–
Ruthin M.B. ..	–	–	11	3·91	1	0·36	–	–	1	0·36	1	0·36	1	0·36
Wrexham M.B. ..	–	–	76	4·19	13	0·72	1	0·06	–	–	1	0·06	5	0·28
RURAL DISTRICTS:														
Chirk	–	–	3	0·61	–	–	1	0·20	–	–	1	0·20	–	–
Llangollen ..	–	–	2	0·53	5	1·33	–	–	–	–	1	0·27	2	0·53
Llanrwst ..	–	–	2	0·49	3	0·74	–	–	–	–	–	–	–	–
Llansilin	–	–	1	0·35	–	–	–	–	–	–	–	–	–	–
Ruthin	–	–	36	3·88	6	0·65	–	–	–	–	–	–	2	0·22
St. Asaph (Denbigh)	–	–	28	4·00	2	0·29	1	0·14	–	–	1	0·14	4	0·57
Uwchaled ..	–	–	5	2·54	11	5·60	–	–	–	–	–	–	–	–
Wrexham ..	–	–	350	5·30	181	2·74	3	0·05	3	0·05	5	0·08	16	0·24
Llanelian yn Rhôs and Llansantffraid Glan Conway (parishes)†	–	–	–	–	1	0·53	–	–	–	–	–	–	–	–

* Administrative County.
† These Parishes are administered by the Rural District Council of Conway (Caernarvon).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
FLINT*	1	0·01	202	1·81	100	0·89	2	0·02	5	0·04	21	0·19	22	0·20
AGGREGATE OF U.DS.	1	0·02	81	1·75	34	0·73	–	–	1	0·02	3	0·06	6	0·13
AGGREGATE OF R.DS.	–	–	121	1·85	66	1·01	2	0·03	4	0·06	18	0·27	16	0·24
URBAN DISTRICTS:														
Buckley	–	–	2	0·29	1	0·14	–	–	–	–	1	0·14	3	0·43
Connah's Quay ..	–	–	2	0·33	1	0·17	–	–	–	–	–	–	–	–
Flint M.B. ..	–	–	3	0·40	1	0·13	–	–	1	0·13	–	–	–	–
Holywell ..	–	–	17	5·30	8	2·50	–	–	–	–	–	–	–	–
Mold	–	–	18	3·53	7	1·37	–	–	–	–	1	0·20	–	–
Prestatyn ..	1	0·20	5	1·01	1	0·20	–	–	–	–	–	–	1	0·20
Rhyl	–	–	34	2·65	15	1·17	–	–	–	–	1	0·08	2	0·16
RURAL DISTRICTS:														
Hawarden ..	–	–	36	1·38	18	0·69	1	0·04	2	0·08	8	0·31	6	0·23
Holywell ..	–	–	66	2·50	41	1·55	–	–	1	0·04	5	0·19	9	0·34
Overton	–	–	8	1·61	6	1·21	1	0·20	–	–	3	0·60	–	–
St. Asaph (Flint)	–	–	11	1·37	1	0·12	–	–	1	0·12	2	0·25	1	0·12
GLAMORGAN‡ ..	532	0·42	2,532	1·99	3,070	2·41	44	0·03	96	0·08	193	0·15	409	0·32
CARDIFF C.B. ..	8	0·04	638	2·85	735	3·28	19	0·08	35	0·16	82	0·37	82	0·37
MERTHYR TYDFIL C.B.	266	3·42	99	1·27	308	3·96	2	0·03	3	0·04	6	0·08	23	0·30
SWANSEA C.B. ..	4	0·02	140	0·86	433	2·66	4	0·02	22	0·14	16	0·10	37	0·23
AGGREGATE OF U.DS.	237	0·40	1,347	2·27	1,331	2·24	11	0·02	29	0·05	77	0·13	213	0·36
AGGREGATE OF R.DS.	17	0·08	308	1·43	263	1·22	8	0·04	7	0·03	12	0·06	54	0·25
URBAN DISTRICTS:														
Aberdare.. ..	84	1·58	54	1·02	196	3·69	–	–	–	–	2	0·04	19	0·36
Barry	–	–	87	2·23	60	1·54	3	0·08	2	0·05	1	0·03	9	0·23
Bridgend.. ..	–	–	11	1·14	4	0·41	3	0·31	–	–	–	–	–	–
Caerphilly ..	71	1·80	161	4·09	140	3·56	–	–	3	0·08	10	0·25	11	0·28
Cowbridge M.B...	–	–	–	–	3	2·66	–	–	–	–	–	–	–	–
Gelligaer ..	15	0·34	109	2·47	126	2·86	–	–	2	0·05	12	0·27	31	0·70
Glyncorwg ..	–	–	15	1·41	15	1·41	–	–	–	–	–	–	2	0·19
Maesteg	–	–	54	1·99	90	3·32	–	–	2	0·07	2	0·07	2	0·07
Mountain Ash ..	8	0·19	71	1·71	98	2·36	–	–	3	0·07	14	0·34	32	0·77
Neath M.B. ..	11	0·32	27	0·78	76	2·20	–	–	3	0·09	3	0·09	12	0·35
Ogmore and Garw	–	–	180	6·18	22	0·76	2	0·07	3	0·10	4	0·14	14	0·48
Penarth	–	–	11	0·59	5	0·27	–	–	–	–	3	0·16	8	0·43
Pontypridd ..	33	0·73	91	2·01	29	0·64	1	0·02	3	0·07	11	0·24	18	0·40
Porthcawl ..	–	–	30	4·57	10	1·52	–	–	–	–	–	–	4	0·61
Port Talbot M.B.	1	0·02	66	1·59	147	3·55	1	0·02	–	–	1	0·02	6	0·14
Rhondda.. ..	14	0·09	380	2·48	310	2·02	1	0·01	8	0·05	14	0·09	45	0·29
RURAL DISTRICTS:														
Cardiff	–	–	102	3·51	26	0·89	5	0·17	–	–	1	0·03	9	0·31
Cowbridge ..	–	–	13	1·16	13	1·16	–	–	1	0·09	2	0·18	1	0·09
Gower	–	–	7	0·68	25	2·45	1	0·10	–	–	–	–	–	–
Llantrisant and Llantwitfardre	–	–	75	2·97	25	0·99	–	–	–	–	2	0·08	6	0·24
Neath	9	0·21	26	0·62	46	1·09	2	0·05	4	0·10	3	0·07	6	0·14
Penybont ..	–	–	36	1·16	9	0·29	–	–	1	0·03	–	–	6	0·19
Pontardawe ..	–	–	18	0·48	66	1·75	–	–	–	–	2	0·05	13	0·34
Swansea	8	0·28	31	1·09	53	1·87	–	–	1	0·04	2	0·07	13	0·46

* Administrative County.
‡ Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MERIONETH* ..	–	–	29	0·66	20	0·46	–	–	1	0·02	4	0·09	5	0·11
AGGREGATE OF U.Ds.	–	–	9	0·45	17	0·86	–	–	–	–	2	0·10	2	0·10
AGGREGATE OF R.Ds.	–	–	20	0·83	3	0·12	–	–	1	0·04	2	0·08	3	0·12
URBAN DISTRICTS:														
Bala	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Barmouth ..	–		1	0·47	–	–	–	–	–	–	–	–	–	–
Dolgelley ..	–	–	–	–	–	–	–	–	–	–	2	0·84	1	0·42
Ffestiniog ..	–	–	3	0·33	13	1·43	–	–	–	–	–	–	1	0·11
Mallwyd	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Towyn	–	–	5	1·24	4	0·99	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Deudraeth ..	–	–	7	0·94	1	0·13	–	–	–	–	1	0·13	2	0·27
Dolgelley ..	–	–	6	0·77	1	0·13	–	–	1	0·13	–	–	1	0·13
Edeirnion ..	–	–	2	0·42	1	0·21	–	–	–	–	1	0·21	–	–
Penllyn	–	–	5	1·37	–	–	–	–	–	–	–	–	–	–
Pennal (parish)‡..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MONMOUTH† ..	522	1·15	634	1·39	573	1·26	29	0·06	28	0·06	54	0·12	141	0·31
NEWPORT C.B. ..	28	0·29	93	0·97	133	1·39	3	0·03	10	0·10	18	0·19	25	0·26
AGGREGATE OF U.Ds.	491	1·60	508	1·66	392	1·28	11	0·04	18	0·06	35	0·11	109	0·36
AGGREGATE OF R.Ds.	3	0·06	33	0·63	48	0·91	15	0·28	–	–	1	0·02	7	0·13
URBAN DISTRICTS:														
Abercarn.. ..	–	–	36	1·72	11	0·52	–	–	–	–	–	–	4	0·19
Abergavenny M.B.	1	0·12	13	1·50	–	–	1	0·12	–	–	–	–	1	0·12
Abersychan .	15	0·53	18	0·63	13	0·46	–	–	2	0·07	–	–	8	0·28
Abertillery ..	28	0·85	55	1·67	45	1·37	2	0·06	1	0·03	1	0·03	3	0·09
Bedwas and Machen ..	1	0·10	33	3·41	68	7·03	–	–	–	–	6	0·62	2	0·21
Bedwellty ..	59	1·86	77	2·43	53	1·67	2	0·06	3	0·09	5	0·16	26	0·82
Blaenavon ..	17	1·42	2	0·17	6	0·50	–	–	–	–	–	–	2	0·17
Caerleon	–	–	1	0·39	–	–	–	–	–	–	–	–	–	–
Chepstow ..	–	–	2	0·47	3	0·70	–	–	–	–	2	0·47	2	0·47
Ebbw Vale .	161	4·79	23	0·68	33	0·98	4	0·12	4	0·12	4	0·12	18	0·54
Llanfrechfa Upper	–	–	7	1·50	10	2·14	–	–	–	–	–	–	1	0·21
Llantarnam ..	–	–	20	2·52	18	2·27	–	–	–	–	3	0·38	4	0·50
Monmouth M.B.	–	–	1	0·20	20	4·00	–	–	1	0·20	–	–	4	0.80
Mynyddislwyn ..	6	0·36	23	1·38	26	1·56	–	–	1	0·06	–	–	3	0·18
Nantyglo and Blaina ..	25	1·69	8	0·54	2	0·14	1	0·07	–	–	2	0·14	4	0·27
Panteg .. .	1	0·09	25	2·13	5	0·43	–	–	–	–	–	–	–	–
Pontypool ..	19	2·64	4	0·56	5	0·69	–	–	2	0·28	1	0·14	1	0·14
Rhymney ..	–	–	91	8·10	50	4·45	1	0·09	2	0·18	2	0·18	11	0·98
Risca	–	–	13	0·75	19	1·10	–	–	1	0·06	1	0·06	5	0·29
Tredegar ..	158	6·51	55	2·27	5	0·21	–	–	1	0·04	8	0·33	10	0·41
Usk	–	–	1	0·73	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Abergavenny ..	–	–	7	0·76	1	0·11	15	1·63	–	–	–	–	2	0·22
Chepstow ..	–	–	2	0·23	4	0·45	–	–	–	–	–	–	–	–
Magor	–	–	3	0·46	10	1·52	–	–	–	–	–	–	1	0·15
Monmouth ..	1	0·15	–	–	1	0·15	–	–	–	–	–	–	–	–
Pontypool ..	–	–	2	0·39	1	0·19	–	–	–	–	–	–	–	–
St. Mellons ..	2	0·12	19	1·16	31	1·90	–	–	–	–	1	0·06	4	0·24

* Administrative County.
† Administrative County with associated County Borough.
‡ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 28th December 1929, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MONTGOMERY* ..	–	–	31	0·62	29	0·58	1	0·02	2	0·04	8	0·16	9	0·18
AGGREGATE OF U.Ds.	–	–	5	0·27	11	0·60	–	–	2	0·11	3	0·16	3	0·16
AGGREGATE OF R.Ds.	–	–	26	0·82	18	0·57	1	0·03	–	–	5	0·16	6	0·19
URBAN DISTRICTS:														
Llanfyllin M.B. ..	–	–	3	1·89	2	1·26	–	–	–	–	–	–	–	–
Llanidloes M.B.	–	–	–	–	2	0·80	–	–	–	–	–	–	–	–
Machynlleth ..	–	–	–	–	–	–	–	–	1	0·53	–	–	–	–
Montgomery M.B.	–	–	–	–	–	–	–	–	–	–	–	–	2	2·08
Newtown and Llanllwchaiarn	–	–	–	–	5	0·92	–	–	–	–	1	0·18	–	–
Welshpool M.B.	–	–	2	0·34	2	0·34	–	–	1	0·17	2	0·34	1	0·17
RURAL DISTRICTS:														
Forden	–	–	2	0·37	4	0·74	1	0·19	–	–	1	0·19	2	0·37
Llanfyllin ..	–	–	19	1·60	2	0·17	–	–	–	–	4	0·34	2	0·17
Machynlleth ..	–	–	–	–	3	0·82	–	–	–	–	–	–	–	–
Newtown and Llanidloes ..	–	–	5	0·46	9	0·82	–	–	–	–	–	–	2	0·18
PEMBROKE* ..	–	–	70	0·80	133	1·53	–	–	5	0·06	5	0·06	14	0·16
AGGREGATE OF U.Ds.	–	–	33	0·83	101	2·53	–	–	–	–	2	0·05	10	0·25
AGGREGATE OF R.Ds.	–	–	37	0·78	32	0·68	–	–	5	0·11	3	0·06	4	0·08
URBAN DISTRICTS:														
Fishguard ..	–	–	7	2·38	2	0·68	–	–	–	–	–	–	–	–
Goodwick ..	–	–	–	–	5	2·14	–	–	–	–	–	–	–	–
Haverfordwest M.B.	–	–	4	0·69	18	3·11	–	–	–	–	2	0·35	2	0·35
Milford Haven ..	–	–	3	0·34	51	5·85	–	–	–	–	–	–	4	0·46
Narberth.. ..	–	–	3	2·67	2	1·78	–	–	–	–	–	–	–	–
Neyland	–	–	2	0·91	6	2·72	–	–	–	–	–	–	–	–
Pembroke M.B...	–	–	13	1·02	16	1·26	–	–	–	–	–	–	4	0·31
Tenby M.B. ..	–	–	1	0·24	1	0·24	–	–	–	–	–	–	–	–
RURAL DISTRICTS:														
Haverfordwest ..	–	–	18	0·97	24	1·29	–	–	4	0·21	1	0·05	1	0·05
Llanfyrnach ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Narberth.. ..	–	–	5	0·47	2	0·19	–	–	–	–	2	0·19	–	–
Pembroke ..	–	–	5	0·62	3	0·37	–	–	1	0·12	–	–	1	0·12
St. Dogmells ..	–	–	9	1·20	3	0·40	–	–	–	–	–	–	2	0·27
RADNOR*.. ..	–	–	28	1·30	1	0·05	–	–	2	0·09	5	0·23	4	0·19
AGGREGATE OF U.Ds.	–	–	7	1·22	–	–	–	–	–	–	2	0·35	1	0·17
AGGREGATE OF R.Ds.	–	–	21	1·33	1	0·06	–	–	2	0·13	3	0·19	3	0·19
URBAN DISTRICTS:														
Knighton ..	–	–	2	1·15	–	–	–	–	–	–	1	0·58	–	–
Llandrindod Wells	–	–	1	0·34	–	–	–	–	–	–	–	–	1	0·34
Presteigne ..	–	–	4	3·69	–	–	–	–	–	–	1	0·92	–	–
RURAL DISTRICTS:														
Colwyn	–	–	3	1·46	–	–	–	–	–	–	–	–	1	0·49
Knighton ..	–	–	7	1·72	–	–	–	–	1	0·25	1	0·25	–	–
New Radnor ..	–	–	5	2·00	–	–	–	–	–	–	1	0·40	–	–
Painscastle ..	–	–	6	2·63	–	–	–	–	1	0·44	1	0·44	2	0·88
Rhayader ..	–	–	–	–	1	0·20	–	–	–	–	–	–	–	–

* Administrative County.

TABLE 29.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES, DURING THE YEAR 1929*

District.	Air Temperature.			Rainfall.		Sun shine	Normal Values, 1881-1915.			
	Highest.	Lowest.	Deviation from Normal Daily Mean.	Percentage of Normal.	Number of Days Deviation from Normal.	Percentage of Normal Duration.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
	Year 1929.						Year 1881–1915.			
	° F.	° F.	° F.	%		%	° F.	mm.		hr.
England N.E. ..	86	−1	0·0	86	−20	106	47·3	645	188	3·93
England E. ..	89	8†	0·0	93	−36	107	48·4	610	181	4·32
Midland Counties	88	−1	0·0	95	−35	110	47·9	686	181	3·82
England S.E. ..	90	5	−0·3	97	−31	116	49·5	709	175	4·49
England N.W.‡ .	87	1	−0·1	108	−7†	114	48·2	901	201	3·89
England S.W.‡ ..	85	−1	0·0	108	−26	113	49·5	1001	199	4·28
Mean	—	—	−0·1	98	−26	111	48·5	759	187	4·12

* For similar values for each month and quarter, *see* the Registrar-General's Quarterly Returns.

† Revised values.

‡ The district known as England N.W. includes the northern half of Wales, whilst England S.W. includes the Southern half.

Table 30.—Quarterly Meteorological Elements. Greenwich, 1929.

1st Quarter: Jan., Feb., Mar. 2nd " April, May, June. 3rd " July, Aug., Sept. 4th " Oct., Nov., Dec.	Temperature of Air. Mean of Maximum and Minimum.	Temperature of Air. Difference from Normal of 130 years.	Temperature of Air. Difference from Normal of 60 years.	Temperature of Evaporation. Mean of "Wet Bulb" Readings at 9h. and 21h.	Temperature of Evaporation. Difference from Normal of 60 years.	Temperature of Dew Point. Mean.	Temperature of Dew Point. Difference from Normal of 60 years.	Temperature of Air Daily Range. Mean.	Temperature of Air Daily Range. Difference from Normal of 60 years.	Vapour Pressure in Millibars. Mean.	Vapour Pressure in Millibars. Difference from Normal of 60 years.	Mass of Vapour in a Cubic Metre of Air. Mean.	Mass of Vapour in a Cubic Metre of Air. Difference from Normal of 60 years.	Degree of Humidity. Mean of 9h. and 21h.	Degree of Humidity. Difference from Normal of 60 years.	Mean Air Pressure at Station Level* in Millibars. Mean.	Mean Air Pressure at Station Level* in Millibars. Difference from Normal of 60 years.	Mass of a Cubic Metre of Air. Mean.	Mass of a Cubic Metre of Air. Difference from Normal of 60 years.	Rain. Amount in Millimetres.	Rain. Difference from Normal of 86 years.	Readings of Thermometer on Grass. Number of Nights it was At or below 30° F.	Readings of Thermometer on Grass. Number of Nights it was Between 30° and 40° F.	Readings of Thermometer on Grass. Number of Nights it was Above 40° F.	Readings of Thermometer on Grass. Lowest Reading at Night.	Readings of Thermometer on Grass. Highest Reading at Night.
1929.	° F.	° F.	° F.	°F.	° F.	° F.	° F.	° F.	° F.	mb.	mb.	gms.	gms.	%	%	mb.	mb.	gms.	gms.	mm.	mm.				° F.	° F.
Year ..	50·1	+1·4	+0·7	45·8	−0·7	41·6	−1·9	17·4	+1·6	9·7	−0·2	7·5	−0·3	78	−4	1013·0	+4·1	1245	+4	551	− 79	141	129	95	4·4	60·8
st Quarter	37·0	−1·9	−2·8	33·9	−3·9	30·8	−4·4	14·1	+2·3	6·1	−0·9	4·9	−0·6	83	−1	1019·3	+10·5	1306	+42	33	− 92	71	17	2	4·4	41·4
2nd "	53·0	+0·6	+0·1	47·5	−1·6	42·1	−3·1	20·1	+0·2	9·5	−0·9	7·3	−0·5	71	−6	1012·6	+3·4	1236	+4	107	− 36	28	43	20	12·2	56·9
3rd "	64·0	+4·2	+3·6	57·6	+1·1	53·9	+0·9	22·7	+3·0	14·2	+0·6	10·6	+0·1	74	−3	1015·5	+5·9	1212	−2	103	− 79	2	31	59	24·9	60·8
4th "	46·4	+2·7	+2·0	44·0	+1·4	42·0	+1·4	12·8	+1·1	9·1	+0·4	7·0	−0·1	84	−5	1004·7	−3·4	1228	−25	308	+128	40	38	14	12·0	49·0

* Height of barometer cistern above mean sea level=152 feet (average correction to sea level +5·6 mb.).

In this table + and − respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed.

Pressure is expressed in millibars (1,000 mb. = 29·531 mercury inches).

Density is expressed in grams per cubic metre (2·294 grams per cubic metre=1 grain per cubic foot).

TABLE 31.—METEOROLOGICAL

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910)
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1880 ..	1928	− 23	29·7	754	+144	84	+ 3	49·4	− 0·1
1881 ..	2030	+ 79	25·7	653	+ 43	81	0	48·7	− 0·8
1882 ..	2151	+200	25·2	640	+ 30	84	+ 3	49·7	+ 0·2
1883 ..	2058	+107	21·9	557	− 53	82	+ 1	49·4	− 0·1
1884 ..	2034	+ 83	18·1	458	−152	80	− 1	50·7	+ 1·2
1885 ..	2008	+ 57	24·0	610	0	81	0	48·6	− 0·9
1886 ..	1962	+ 11	24·2	615	+ 5	81	0	48·7	− 0·8
1887 ..	1927	− 24	19·9	504	−106	79	− 2	47·8	− 1·7
1888 ..	2049	+ 98	27·5	699	+ 89	82	+ 1	47·7	− 1·8
1889 ..	1934	− 17	23·3	591	− 19	83	+ 2	48·8	− 0·7
1890 ..	1946	− 5	21·9	555	− 55	81	0	48·6	− 0·9
1891 ..	1945	− 6	25·0	636	+ 26	82	+ 1	48·4	− 1·1
1892 ..	1863	− 88	22·3	567	− 43	80	− 1	48·1	− 1·4
1893 ..	1909	− 42	20·1	511	− 99	76	− 5	51·1	+ 1·6
1894 ..	2019	+ 68	26·9	683	+ 73	81	0	49·9	+ 0·4
1895 ..	1951	0	19·7	501	−109	78	− 3	49·3	− 0·2
1896 ..	1932	− 19	22·4	569	− 41	79	− 2	50·2	+ 0·7
1897 ..	2033	+ 82	22·1	562	− 48	79	− 2	50·3	+ 0·8
1898 ..	1956	+ 5	18·9	479	−131	78	− 3	51·3	+ 1·8
1899 ..	1911	− 40	22·3	567	− 43	77	− 4	50·6	+ 1·1
1900 ..	2050	+ 99	22·3	567	− 43	79	− 2	50·4	+ 0·9
1901 ..	1970	+ 19	20·3	515	− 95	78	− 3	49·2	− 0·3
1902 ..	1933	− 18	19·3	491	−119	80	− 1	49·2	− 0·3
1903 ..	2226	+275	35·5	903	+293	80	− 1	50·1	+ 0·6
1904 ..	1913	− 38	20·7	525	− 85	82	+ 1	49·8	+ 0·3
1905 ..	2063	+112	23·0	585	− 25	81	0	49·9	+ 0·4
1906 ..	2093	+142	24·7	628	+ 18	79	− 2	50·7	+ 1·2
1907 ..	1977	+ 26	22·3	565	− 45	81	0	49·7	+ 0·2
1908 ..	1932	− 19	23·8	604	− 6	83	+ 2	50·1	+ 0·6
1909 ..	2041	+ 90	25·7	653	+ 43	83	+ 2	48·9	− 0·6
1910 ..	2155	+204	28·1	713	+103	84	+ 3	50·2	+ 0·7
1911 ..	2140	+189	23·7	601	− 9	79	− 2	51·8	+ 2·3
1912 ..	2085	+134	24·9	632	+ 22	83	+ 2	51·0	+ 1·5
1913 ..	2030	+ 79	22·4	570	− 40	83	+ 2	51·3	+ 1·8
1914 ..	2087	+136	23·9	606	− 4	81	0	51·5	+ 2·0
1915 ..	1932	− 19	30·6	776	+166	82	+ 1	49·9	+ 0·4
1916 ..	2040	+ 89	29·8	757	+147	84	+ 3	49·9	+ 0·4
1917 ..	2059	+108	26·0	660	+ 50	82	+ 1	48·9	− 0·6
1918 ..	1993	+ 42	28·4	722	+112	82	+ 1	50·6	+ 1·1
1919 ..	1940	− 11	23·0	586	− 24	81	0	48·8	− 0·7
1920 ..	1918	− 33	21·5	546	− 64	82	+ 1	51·1	+ 1·6
1921 ..	1855	− 96	12·8	318	−292	77	− 4	52·7	+ 3·2
1922 ..	2043	+ 92	23·2	589	− 21	80	− 1	49·4	− 0·1
1923 ..	2055	+104	24·0	610	0	81	0	50·3	+ 0·8
1924 ..	1947	− 4	30·6	779	+169	83	+ 2	50·6	+ 1·1
1925 ..	1957	+ 6	23·4	594	− 16	81	0	50·5	+ 1·0
1926 ..	1948	− 3	28·1	714	+104	82	+ 1	51·1	+ 1·6
1927 ..	†2003	+ 52	29·4	746	+136	83	+ 2	50·2	+ 0·7
1928 ..	2086	+135	25·3	643	+ 33	80	− 1	51·1	+ 1·6
1929 ..	1846	−105	21·7	551	− 59	78	− 3	50·1	+ 0·6
Average 50 years (1861-1910)	1951	—	24·0	610	—	81	—	49·5	—

† Mean of 52 weeks only (50th week—defective record).

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1880–1929.

Mean Temperature of the Air in the Quarters ended the last day of								
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	Year.
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
39·8	− 0·2	52·4	− 0·6	61·4	+ 0·9	44·0	− 0·3	1880
37·3	− 2·7	52·9	− 0·1	60·0	− 0·5	44·6	+ 0·3	1881
42·3	+ 2·3	53·0	0·0	58·1	− 2·4	44·7	+ 0·4	1882
40·0	0·0	53·0	0·0	59·5	− 1·0	44·9	+ 0·6	1883
43·4	+ 3·4	52·5	− 0·5	62·7	+ 2·2	44·1	− 0·2	1884
40·3	+ 0·3	52·4	− 0·6	59·1	− 1·4	42·8	− 1·5	1885
36·5	− 3·5	52·5	− 0·5	61·2	+ 0·7	44·6	+ 0·3	1886
37·3	− 2·7	51·6	− 1·4	61·0	+ 0·5	41·3	− 3·0	1887
36·9	− 3·1	51·6	− 1·4	57·6	− 2·9	44·6	+ 0·3	1888
38·2	− 1·8	54·5	+ 1·5	58·9	− 1·6	43·5	− 0·8	1889
41·4	− 1·4	52·8	− 0·2	58·4	− 2·1	40·8	− 3·5	1890
37·6	− 2·4	51·6	− 1·4	59·3	− 1·2	45·0	+ 0·7	1891
37·5	− 2·5	53·4	+ 0·4	59·2	− 1·3	42·3	− 2·0	1892
40·9	+ 0·9	57·0	+ 4·0	61·9	+ 1·4	44·6	+ 0·3	1893
41·4	+ 1·4	53·3	+ 0·3	58·6	− 1·9	46·4	+ 2·1	1894
35·2	− 4·8	55·1	+ 2·1	62·3	+ 1·8	44·7	+ 0·4	1895
42·2	+ 2·2	55·6	+ 2·6	60·4	− 0·1	42·4	− 1·9	1896
41·1	+ 1·1	53·1	+ 0·1	60·9	+ 0·4	46·0	+ 1·7	1897
41·5	+ 1·5	52·4	− 0·6	62·7	+ 2·2	48·5	+ 4·2	1898
41·8	+ 1·8	52·8	− 0·2	63·0	+ 2·5	44·7	+ 0·4	1899
39·2	− 0·8	52·8	− 0·2	61·8	+ 1·3	47·6	+ 3·3	1900
37·8	− 2·2	53·4	+ 0·4	61·7	+ 1·2	43·9	− 0·4	1901
40·5	+ 0·5	51·0	− 2·0	59·6	− 0·9	45·2	+ 0·9	1902
43·9	+ 3·9	51·2	− 1·8	60·0	− 0·5	45·2	+ 0·9	1903
39·5	− 0·5	53·8	+ 0·8	61·5	+ 1·0	44·3	0·0	1904
41·9	+ 1·9	53·8	+ 0·8	61·7	+ 1·2	42·2	− 2·1	1905
41·1	+ 1·1	52·8	− 0·2	63·2	+ 2·7	45·8	+ 1·5	1906
40·0	0·0	52·9	− 0·1	60·1	− 0·4	45·8	+ 1·5	1907
39·5	− 0·5	53·8	+ 0·8	60·3	− 0·2	46·6	+ 2·3	1908
38·4	− 1·6	52·5	− 0·5	59·7	− 0·8	44·8	+ 0·5	1909
41·5	+ 1·5	54·2	+ 1·2	59·3	− 1·2	45·6	+ 1·3	1910
40·3	+ 0·3	54·9	+ 1·9	65·7	+ 5·2	46·2	+ 1·9	1911
43·6	+ 3·6	55·3	+ 2·3	58·9	− 1·6	45·9	+ 1·6	1912
42·4	+ 2·4	54·5	+ 1·5	60·2	− 0·3	47·8	+ 3·5	1913
42·5	+ 2·5	54·9	+ 1·9	62·2	+ 1·7	46·5	+ 2·2	1914
40·8	+ 0·8	53·4	+ 0·4	60·9	+ 0·4	44·3	0·0	1915
41·5	+ 1·5	53·0	0·0	60·4	− 0·1	44·7	+ 0·4	1916
36·4	− 3·6	54·5	+ 1·5	61·7	+ 1·2	43·1	− 1·2	1917
42·3	+ 2·3	53·2	+ 0·2	60·7	+ 0·2	46·1	+ 1·8	1918
38·1	− 1·9	54·3	+ 1·3	60·2	− 0·3	42·5	− 1·8	1919
44·3	+ 4·3	55·3	+ 2·3	59·1	− 1·4	45·4	+ 1·1	1920
44·5	+ 4·5	54·9	+ 1·9	64·2	+ 3·7	47·2	+ 2·9	1921
41·2	+ 1·2	54·2	+ 1·2	58·1	− 2·4	44·2	− 0·1	1922
44·8	+ 4·8	51·4	− 1·6	61·8	+ 1·3	43·0	− 1·3	1923
39·8	− 0·2	54·6	+ 1·6	60·8	+ 0·3	47·1	+ 2·8	1924
42·2	+ 2·2	55·0	+ 2·0	60·9	+ 0·4	44·0	− 0·3	1925
43·8	+ 3·8	53·9	+ 0·9	63·0	+ 2·5	43·9	− 0·4	1926
42·8	+ 2·8	53·8	+ 0·8	60·6	+ 0·1	43·6	− 0·7	1927
43·4	+ 3·4	53·1	+ 0·1	62·2	+ 1·7	45·9	+ 1·6	1928
37·0	− 3·0	53·0	0·0	64·0	+ 3·5	46·4	+ 2·1	1929
40·0	—	53·0	—	60·5	—	44·3	—	Average 50 years (1861-1910

published in previous Annual Reports.

Printed by H.M.S.O. Press, Harrow.